




Spare parts for:

**Ovens**



Suitable for:

**GIORIK**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

**GIORIK**



Suitable for:

## Air regulators

- 3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



GIORIK 7070014

GIORIK 7090007

## Axial motors

- 3240501 AXIAL FAN SUNON 120x120x38 mm**  
ball bearings  
230V 50/60Hz 22W 2850rpm  
DP200A 2123XBT.GN



GIORIK 6033175

## Buzzers

- 3397117 ALARM WITH CARD**  
dimensions 45x48 mm  
for Convection oven electric (GIORIK)  
CE06MX - CE10MX - CE102MX - CE20MX - DE06MX  
DE10MX - DE102MX - EF10GM - EF4PM - EF5GM  
EF6PM - EF7GM - EF8PM - EGE05 - EGE10 - EPE04  
EPE05 - EPE10  
for Convection oven gas (GIORIK)  
CG06MX - CG10MX - CG102MX - CG20MX - DG06MX  
DG10MX - DG102MX - GF10GM - GF4PM - GF5GM  
GF6PM - GF7GM - GF8PM



GIORIK 6010090

- 3397118 ALARM WITH CARD**  
dimensions 35x27 mm  
cable length 270 mm  
for Convection oven electric (GIORIK) CE20MX  
DE06EC - DE06ES - DE10ES - DE102EC - VE06EC  
VE06MX - VE10EC - VE10MX - VE102EC - VE102MX  
VE20EC - VE20MX  
for Convection oven gas (GIORIK) CG20MX - DG06EC  
DG06ES - DG10EC - DG10ES - DG102EC - VG06EC  
VG06MX - VG10EC - VG10MX - VG102EC - VG102MX  
VG20EC - VG20MX



GIORIK 6010103

## Cables for piezo igniters

- 3001002 IGNITION LEAD 1000 mm**  
with faston 6.35x0.8 mm for ignition  
with faston  $\varnothing$  4 mm for ignition plug



GIORIK 6050065

- 3001016 IGNITION LEAD 1000 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  4 mm for electrode



GIORIK 6050610

**3001028 IGNITION LEAD 500 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  4 mm for sparking plug



GIORIK 6050051

## Capacitors, electrical

**3068008 CAPACITOR  $\mu$ F 5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and EEC 92/31 regulat



GIORIK 6090015

## Contactors

**3454065 CONTACTOR ABB B6-30-10**  
coil 240V 50Hz  
3 normally open contacts  
1 normally open auxiliary contact  
for Convection oven (GIORIK) DE10EC  
for Electric oven (GIORIK) DE10EC



GIORIK 6046045

**3351212 CONTACTOR AEG LS4K 9A 230V 4Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



GIORIK 6046043

**3446561 CONTACTOR LOVATO BF0910A**  
coil 9A 230V 50/60Hz 4.2Kw  
3 normally open contacts  
1 normally open auxiliary contact



GIORIK 6046033

GIORIK 6046038

**3446591 CONTACTOR LOVATO BF3800A230**  
coil 38A 230V 50Hz 18.5Kw  
3 normally open contacts



GIORIK 6046041



Suitable for:

# GIORIK



Suitable for:

## Door glasses for oven and accessories

**5072201 GLASS INTERNAL L FOR OVEN DOOR 805x465 m**  
for Convection oven (GIORIK)



GIORIK 2019291

**5072370 GLASS INTERNAL L FOR OVEN DOOR 805x465 m**  
for Convection oven (GIORIK)



GIORIK 2022650

## Drain pumps

**5072189 DRAIN PUMP UP30-429**  
150W 220/230V 50Hz - capacitor 4  $\mu$ f  
external inlet  $\varnothing$  24 mm - external outlet  $\varnothing$  24 mm  
for Convection oven (GIORIK)



GIORIK 6042120

## Electrical gas valves and accessories

**3526090 ELETTROSIT VALVE  $\varnothing$  3/4"FF**  
inlet  $\varnothing$  3/4" F - outlet  $\varnothing$  3/4" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
pressure adjustment range  
3÷18 mbar  
ambient temperature 0÷60°C  
power supply 230V 50Hz  
long buttons  
pilot connection and LATERAL thermocouple



GIORIK 7020060

**3526096 VALVE MICROSWITCH**  
maximum load 0.2 A  
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



GIORIK 6010054

**3526079 VALVE 820 NOVA  $\varnothing$  1/2"FF**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
thermocouple fitting M9x1  
maximum gas inlet pressure 60 mbar  
outlet pressure setting range  
3÷30 mbar  
room temperature 0÷70°C  
power supply 230V 50Hz



GIORIK 7020070

**3526212 VALVE 830 TANDEM  $\varnothing$  1/2"FF**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
maximum gas inlet pressure 60 mbar  
outlet pressure range setting  
3÷50 mbar  
room temperature 0÷60°C  
power supply 220/240V 50Hz  
for Convection oven gas (GIORIK) CG06MX - CG10MX  
CG102MX - CG20MX - DG012MX - DG06EC - DG06ES  
DG06MX - DG10EC - DG10ES - DG10MX - DG102EC  
GF10GM - GF4PM - GF5GM - GF6PM - GF7GM - GF8PM  
VG06EC - VG06MX - VG10EC - VG10MX - VG102EC  
VG102MX - VG20EC - VG20MX



GIORIK 7020080

## Electronic boxes

**3091012 CONTROL BOX 503 EDF FOR TANDEM**  
model SIT - 220/240V 50/60Hz 7VA  
for Convection oven gas (GIORIK) CG06MX - CG10MX  
CG102MX - CG20MX - DG06EC - DG06ES - DG10EC  
DG10ES - DG10MX - DG102EC - DG102MX - GF10GM  
GF4PM - GF5GM - GF6PM - GF7GM - GF8PM - VG06EC  
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC  
VG20MX



GIORIK 7020085

## Electronic controllers

**3445141 THERMOSTAT EV7401J J/K/PTC/NTC/PT100**  
double power supply 24/230V 50/60Hz  
thermostat setting range +50÷270°C  
ON-OFF control with one actuation point only  
1 changeover relay output 8(3)A 250V  
room temperature 0÷55°C  
multiprobe:  
thermocouple "J" -100÷700°C  
thermocouple "K" -100÷1150°C  
PTC -50÷150°C  
NTC -40÷110°C  
Pt 100 2/3 wires: -100÷650°C  
connections by extractable screw terminal block  
front dimensions 72x72x100 mm  
for Convection oven (GIORIK)  
for Convection oven (GIORIK) EN10VEMX



GIORIK 6011125

GIORIK 6011130

**3445139 THERMOSTAT EV7401M J/K/PTC/NTC/PT100**  
double power supply 24/230V 50/60Hz  
ON-OFF control with one actuation point only  
changeover relay outlet 8(3)A 250V  
2 types of programmable temperature alarms  
inbuilt failure alarm  
password entry to configuration parameters  
room temperature 0÷60°C  
multiple probe:  
thermocouple "J" -100/750°C  
thermocouple "K" -100/1200°C  
PTC -50/150°C  
NTC -40÷110°C  
Pt 100 2/3 wires: -100/700°C  
connections by extractable screw terminal block  
front dimensions 72x72x100 mm



GIORIK



Suitable for:

# GIORIK

Suitable for:



## Electronic printed-circuit boards

### 3390216 INVERTER ELECTRONIC BOARD


plate size 135x135 mm  
for Convection oven (GIORIK)



GIORIK 6010131

### 5072190 KIT PC BOARD DISPLAY-PUSHBUTTON BOARD

dimensions 360x155 mm  
for Convection oven (GIORIK)




GIORIK 6010128

GIORIK 6010158

### 3390219 MOTHERBOARD 132x98 mm

for Convection oven electric (GIORIK) DE06EC  
DE10EC - DE102EC - VE06EC - VE10EC - VE102EC  
VE20EC  
for Convection oven gas (GIORIK) DG06EC - DG10EC  
DG102EC - VG06EC - VG10EC - VG102EC



GIORIK 6010101

### 5072119 MOTHERBOARD 155x140 mm

for Convection oven (GIORIK)




GIORIK S0206208

GIORIK 6010151

### 5072195 PC BOARD BOILER 125x80 mm


for Convection oven (GIORIK)



GIORIK 6010153

### 3390218 PUSH-BUTTON ELECTRONIC BOARD 350x102 mm

for Convection oven electric (GIORIK) DE06EC  
DE10EC - DE102EC - VE06EC - VE10EC - VE102EC  
VE20EC  
for Convection oven gas (GIORIK) DG06EC - DG10EC  
DG102EC - VG06EC - VG10EC - VG102EC - VG20EC



GIORIK 6010100

### 3390223 REVERSE ELECTRONIC BOARD 105x90 mm

for Convection oven electric (GIORIK) CE06MX  
CE10MX - CE102MX - CE20MX - DE06EC - DE06ES  
DE06MX - DE10EC - DE10ES - DE10MX - DE102EC  
DE102MX - EF4 - EF4PM - EF6PM - EF8PM - VE06EC  
VE06MX - VE10EC - VE10MX - VE102EC - VE102MX  
VE20EC - VE20MX  
for Convection oven gas (GIORIK) CG06MX - CG10MX  
CG102MX - CG20MX - DG06EC - DG06ES - DG06MX  
DG10EC - DG10ES - DG10MX - DG102EC - DG102MX  
GF4PM - GF6PM - GF8PM - VG06EC - VG06MX  
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC  
VG20MX



GIORIK 6010084

### 3390222 TEMPERATURE ELECTRONIC BOARD 98x165 mm

complete with cable  
for Convection oven electric (GIORIK) CE06MX  
CE10MX - CE102MX - CE20MX - DE06ES - DE06MX  
DE10ES - DE10MX - DE102MX - EF10GM - EF4PM  
EF5GM - EF6PM - EF7GM - EF8PM - VE06MX  
VE10MX - VE102MX - VE20MX  
for Convection oven gas (GIORIK) CG06MX - CG10MX  
CG102MX - CG20MX - DG06ES - DG06MX - DG10ES  
DG10MX - DG102MX - GF10GM - GF4PM - GF5GM  
GF6PM - GF7GM - GF8PM - VG06MX - VG10MX  
VG102MX - VG20EC - VG20MX



GIORIK 6010096

**5072236 USB-HOLDER FOR OVEN CONTROL PANEL**

front dimensions 31x26 mm  
for Convection oven (GIORIK)



GIORIK 6060030

## Energy regulators

**3350026 ENERGY ADJUSTER**

contact capacity 230V 13A - max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction  
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



GIORIK 6031020

GIORIK 6031023

## Fans for motors

**3240030 FAN  $\varnothing$  180 mm**


thickness 60 mm  
total blades 16 -  $\varnothing$  tapered hole 11.5-16.5 mm  
for Convection oven electric (GIORIK) EF5GM  
for Convection oven gas (GIORIK) GF5GM - G6VGEC



GIORIK 5900896

**3240708 FAN  $\varnothing$  180 mm**


thickness 100 mm  
total blades 16 -  $\varnothing$  tapered hole 16-11.5 mm  
for Convection oven electric (GIORIK) CE06MX  
DE06EC - DE06ES - DE06MX - VE06EC - VE06MX  
for Convection oven gas (GIORIK) CG06MX - DG06EC  
DG06ES - DG06MX - VG06EC - VG06MX



GIORIK 5901006

**3240706 FAN  $\varnothing$  310 mm**


thickness 137 mm  
total blades 30 -  $\varnothing$  tapered hole 23-20 mm  
for Convection oven gas (GIORIK) CG102MX - DG102EC  
DG102MX - VG102EC - VG102MX



GIORIK 5901023

**3240707 FAN  $\varnothing$  310 mm**

thickness 102 mm  
total blades 30 -  $\varnothing$  tapered hole 23-20 mm  
for Convection oven electric (GIORIK) CE10MX  
DE10EC - DE10ES - DE10MX - VE10EC - VE10M  
for Convection oven gas (GIORIK) CG10MX - DG10EC  
DG10ES - DG10MX - VG10EC - VG10MX



GIORIK 5901010




Suitable for:

# GIORIK



**3240705 FAN ø 350 mm**  
thickness 137 mm  
total blades 30 - ø tapered hole 23-20 mm  
for Convection oven electric (GIORIK) CE102MX  
DE102EC - DE102MX - VE102EC - VE102M



GIORIK 5901022

Suitable for:

**5072229 FAN ø 350 mm**  
thickness 120 mm  
number of blades 12 - ø tapered hole 19.5-22.5 mm  
for Convection oven (GIORIK)



GIORIK 5901016

## Fittings

**5067779 CONNECTOR ANGLE 1/8" M ø 8/6 STAINL. STEE**  
for Convection oven (GIORIK)



GIORIK 7050331

**1349716 L-FITTING NICKEL PLATED ø 1/8" M-1/8" F**



GIORIK 7050374

## Flowmeters

**5072194 LITERCOUNTER MINI BYPASS4**  
complete with cable length 2750 mm  
hose end fitting ø 10.5 mm  
for Convection oven (GIORIK)



GIORIK 6042122

## Gas burners

**3023313 BURNER ø 50x305 mm**  
made of STAINLESS steel  
overall length 330 mm  
for Convection oven gas (GIORIK) CG06MX - DG06EC  
DG06ES - DG06MX - VG06EC - VG06MX



GIORIK 7090100

**3023314 BURNER ø 50x427 mm**  
overall length 460 mm  
made of STAINLESS steel  
for Convection oven gas (GIORIK) CG10MX - CG102MX  
CG20MX - DG10EC - DG10ES - DG10MX - DG102EC  
DG102MX - VG10EC - VG10MX - VG102EC - VG102MX  
VG20EC - VG20MX



GIORIK 7090101



Suitable for:

**5001430 BURNER ø 50x433 mm**  
overall length 440 mm  
stainless steel  
for Convection oven gas (GIORIK)



GIORIK 7090082

# GIORIK



Suitable for:

**3023312 BURNER ø 60x245 mm**  
overall length 275 mm  
made of STAINLESS steel  
for Convection oven gas (GIORIK) VG06EC - VG06MX  
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC  
VG20MX



GIORIK 7090102

## Gas taps and accessories

**3348041 PIPE OLIVE ø 16 mm**  
for model PEL 23



GIORIK 7070036

## Gas valves and accessories

**3526260 EUROSIT VALVE CAP**



GIORIK 7050016

## Gaskets and seals

**3786071 HEATING ELEMENT GASKET**  
external dimensions 144x25 mm  
for Convection oven electric (GIORIK)



GIORIK 2005173



Suitable for:

**GIORIK**




Suitable for:

## Gaskets for oven door

### 3286028 GASKET FOR OVEN GLASS 3198 - 25 m


made of silicone elastomer  
profile dimensions 14x12 mm  
BLACK COLOR



GIORIK 7070161

### 3286027 GASKET FOR OVEN GLASS 3198 - 6 m

made of silicone elastomer  
profile dimensions 14x12 mm  
BLACK COLOR



GIORIK 7070161

### 5051092 GASKET OVEN DOOR

made of silicone elastomer  
profile dimensions 25x14 mm  
COLOUR: BLACK  
SOLD BY LINEAR METER  
for Convection oven (GIORIK)



GIORIK 7070100

### 5072197 GASKET OVEN DOOR 500x440 mm

made of silicone elastomer  
profile dimensions 24x16 mm  
COLOUR: BLACK  
for Convection oven (GIORIK)



GIORIK 7070192

### 5071442 GASKET OVEN DOOR 780x442 mm


made of silicone elastomer  
profile dimensions 24x16 mm  
COLOUR: BLACK  
for Convection oven (GIORIK)



GIORIK 7070194

### 3186506 OVEN DOOR GASKET

made of silicone elastomer  
profile dimensions 30x22 mm  
for 6 grills 3 m long  
for 10 grills 3 m long  
for 20 grills 5 m long  
COLOUR BLACK  
SOLD PER METRE  
for Convection oven electric (GIORIK) CE06MX  
CE10MX - CE102MX - CE20MX - DE06EC - DE06ES  
DE06MX - DE10EC - DE10ES - DE10MX - DE102EC  
DE102MX - VE06EC - VE06MX - VE10EC - VE10M  
VE102EC - VE102M - VE20EC - VE20MX  
for Convection oven gas (GIORIK) CG06MX - CG10MX  
CG102MX - CG20MX - DG06EC - DG06ES - DG06MX  
DG10EC - DG10ES - DG10MX - DG102EC - DG102MX




GIORIK 7070166

Suitable for:

Suitable for:

**3286030 OVEN DOOR GASKET 04880 - 15 m**  
made of silicone elastomer  
profile dimensions 26.4x26 mm  
BLACK COLOR  
for Convection oven (GIORIK)




GIORIK 7070162  
GIORIK 7070172

GIORIK 7070170  
GIORIK 7070185

GIORIK 7070171  
GIORIK 7070190

**3286084 OVEN DOOR GASKET 04880 - 3 m**  
made of silicone elastomer  
profile dimensions  
BLACK COLOUR  
for Convection oven (GIORIK)




GIORIK 7070162  
GIORIK 7070172

GIORIK 7070170  
GIORIK 7070185

GIORIK 7070171  
GIORIK 7070190

**3286029 OVEN DOOR GASKET 04880 - 6 m**  
made of silicone elastomer  
profile dimensions 26.4x26 mm  
BLACK COLOR  
for Convection oven (GIORIK)




GIORIK 7070162  
GIORIK 7070172

GIORIK 7070170  
GIORIK 7070185


GIORIK 7070171  
GIORIK 7070190

**5013418 OVEN DOOR GASKET 635x480 mm**  
made of silicone elastomer  
profile dimensions 26.4x26 mm  
COLOUR RED  
for Convection oven (GIORIK)



GIORIK 7070173

**3186311 OVEN DOOR GASKET 740x630 mm**  
made of silicone elastomer  
profile dimensions 26.4x26 mm  
COLOUR RED  
for Convection oven (GIORIK) - Series N



GIORIK 7070174

**5013434 OVEN DOOR GASKET 755x750 mm**  
made of silicone elastomer  
COLOUR RED  
for Convection oven (GIORIK)



GIORIK 7070175



Suitable for:

# GIORIK



Suitable for:

## 3786072 OVEN GLASS GASKET


made of silicone elastomer  
profile dimensions 7x6 mm  
COLOUR BLACK  
SOLD PER METRE  
for Convection oven electric (GIORIK) CE06MX  
CE10MX - CE102MX - CE20MX - DE06EC - DE06MX  
DE10EC - DE10MX - DE102EC - DE102MX - VE06EC  
VE06MX - VE10EC - VE10M - VE102EC - VE102M  
VE20EC - VE20MX  
for Convection oven gas (GIORIK) CG06MX - CG10MX  
CG102MX - CG20MX - DG06EC - DG06MX - DG10EC  
DG10MX - DG102EC - DG102MX - VG06EC - VG06MX  
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC  
VG20MX



GIORIK 7070167

## 3786073 OVEN GLASS GASKET

made of silicone elastomer  
profile dimensions 17x9.5 mm  
COLOUR BLACK  
SOLD PER METRE  
for Convection oven electric (GIORIK) DE06ES  
DE10ES  
for Convection oven gas (GIORIK) DG06ES - DG10ES



GIORIK 7070179


## Handles

### 5028241 CLOSING CENTRAL GEAR LEFT for OVEN



GIORIK 5900123

### 3242110 COMPLETE OVEN DOOR HANDLE




GIORIK 5900125

### 3242111 STRIKE FOR DOOR HANDLE M8 overall length 50.5 mm for Convection oven (GIORIK)



GIORIK 5900124

### 3242118 COMPLETE OVEN DOOR HANDLE square pin 8x8 mm for OVEN



GIORIK 2013218

### 3242116 DOOR HANDLE BUSHING for OVEN



GIORIK 2011212

**3242417 COMPLETE OVEN DOOR HANDLE**  
for OVEN DE06ES-DE10ES-DG06ES-DG10ES  
for Convection oven electric (GIORIK) DE06ES  
DE10ES  
for Convection oven gas (GIORIK) DG06ES - DG10ES



GIORIK 5900181

Suitable for:

**3242116 DOOR HANDLE BUSHING**  
for OVEN



GIORIK 2011212

**3242418 COMPLETE OVEN DOOR HANDLE**  
for Convection oven electric (GIORIK) CE06MX  
CE10MX - CE102MX - CE20MX - DE06EC - DE06MX  
DE10EC - DE10MX - DE102EC - DE102MX - VE06EC  
VE06MX - VE10EC - VE10M - VE102EC - VE102M  
VE20EC - VE20MX  
for Convection oven gas (GIORIK) CG06MX - CG10MX  
CG102MX - CG20MX - DG06EC - DG06MX - DG10EC  
DG10MX - DG102EC - DG102MX - VG06EC - VG06MX  
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC  
VG20MX



GIORIK 5900180

**3242116 DOOR HANDLE BUSHING**  
for OVEN



GIORIK 2011212

**3242116 DOOR HANDLE BUSHING**  
for OVEN




GIORIK 2011212

**5072199 HANDLE COMPLETE FOR OVEN DOOR**  
for Convection oven (GIORIK)



GIORIK 2015669

**3398021 OVEN DOOR CATCH**  
distance between holes 47 mm  
catch distance 27 mm



GIORIK 2000160

**3242183 OVEN HANDLE TOP/BOT.TIE ROD 146 mm**



GIORIK 5900121



Suitable for:

# GIORIK



**3242419 PIN FOR OVEN DOOR HANDLE M10**  
overall length 52 mm  
for Convection oven electric (GIORIK) EF10GM  
EF4PM - EF5GM - EF6PM - EF7GM - EF8PM  
for Convection oven gas (GIORIK) GF10GM - GF4PM  
GF5GM - GF6PM - GF7GM - GF8PM



GIORIK 2006619

Suitable for:

**3242238 STRIKE FOR DOOR HANDLE**  
distance between mounting holes 26 mm  
for OVEN



GIORIK 5900122

**3242111 STRIKE FOR DOOR HANDLE M8**  
overall length 50.5 mm  
for Convection oven (GIORIK)



GIORIK 5900124


## Heating elements

**5072191 HEATING ELEMENT 10000W 230V**  
external  $\varnothing$  325 mm - overall height 186 mm  
flange 142x25 mm  
for Convection oven electric (GIORIK)



GIORIK 6002122

**3755284 HEATING ELEMENT 15000W 230/400V**  
external  $\varnothing$  410 mm - overall height 200 mm  
flange 140x26 mm  
for Convection oven electric (GIORIK) CE10MX  
CE20MX - DE10EC - DE10ES - DE10MX - EF10GM  
EF8PM - VE10EC - VE10M - VE20EC - VE20MX



GIORIK 6002125

**3786071 HEATING ELEMENT GASKET**  
external dimensions 144x25 mm  
for Convection oven electric (GIORIK)




GIORIK 2005173

**5072200 HEATING ELEMENT 15000W 230V**  
external  $\varnothing$  410 mm - overall height 188 mm  
flange 142x25 mm  
for Convection oven electric (GIORIK)



GIORIK 6002123

**3755980 HEATING ELEMENT 25000W 400V**  
external  $\varnothing$  405 mm - height 230 mm  
flange 143x25 mm  
for Convection oven electric (GIORIK) CE102MX  
DE102EC - DE102MX - VE102EC - VE102M



GIORIK 6002121

**3786071 HEATING ELEMENT GASKET**  
external dimensions 144x25 mm  
for Convection oven electric (GIORIK)



GIORIK 2005173

**3755120 HEATING ELEMENT 6000W 230V**  
immersed depth 240 mm  
flange external  $\varnothing$  72 mm  
with bulb sheath  
complete with O-RING  
for Convection oven electric (GIORIK) EN6VEEC  
ESN0628S



GIORIK 6003260

**3355749 HEATING ELEMENT 7350W 230V**  
external  $\varnothing$  230 mm - overall height 165 mm  
flange 143x25 mm - complete with cables  
for Convection oven electric (GIORIK) EF4PM  
EF5GM



GIORIK 6002100

**3355530 HEATING ELEMENT 7500W 230V**  
immersed length 300 mm  
flange external  $\varnothing$  72 mm  
with bulb sheath  
complete with O-ring gasket  
for Convection oven electric (GIORIK)  
VE06EC - VE06MX - VE10EC - VE10M - VE102EC  
VE102M



GIORIK 6003290




Suitable for:

# GIORIK



**3355748 HEATING ELEMENT 8400W 230V**  
external ø 235 mm - overall height 190 mm  
flange 143x25 mm  
for Convection oven electric (GIORIK) CE06MX  
DE06CE - DE06ES - DE06MX - VE06EC - VE06MX



GIORIK 6002001

Suitable for:

**3786071 HEATING ELEMENT GASKET**  
external dimensions 144x25 mm  
for Convection oven electric (GIORIK)



GIORIK 2005173

## Hinges, catches and accessories

**3053003 DOOR HINGE ROLL HOLDER**  
distance between holes 95 mm - overall length 118  
height 23 mm



GIORIK 5900402

**3053007 LEFTHAND DOOR HINGE FOR OVEN**  
distance between holes 175 mm - overall length 205  
height 160 mm



GIORIK 5900401

**3053003 DOOR HINGE ROLL HOLDER**  
distance between holes 95 mm - overall length 118  
height 23 mm



GIORIK 5900402

**3053006 RIGHTHAND DOOR HINGE FOR OVEN**  
distance between holes 175 mm - overall length 205  
height 160 mm



GIORIK 5900400

**3053003 DOOR HINGE ROLL HOLDER**  
distance between holes 95 mm - overall length 118  
height 23 mm



GIORIK 5900402



## Hose reels

- 5072192 WASH-GROUP MINIREEL**  
with automatic retractor  
rubber hose EPDM  $\varnothing$  12 mm  
complete with ECO/F shower  
for Convection oven (GIORIK)



GIORIK 7080051

GIORIK 7080051/R

- 3359553 WASHING UNIT MINIREEL**  
stainless steel case aisi 304  
with automatic retractor  
EPDM hose  $\varnothing$  13 mm  
pull-out hose length 160 cm  
complete with shower ECO/F  
for fixing to any equipment



GIORIK 7080001

- 3359610 BLACK SHOWER CASE ECO  $\varnothing$  1/2"M**  
with coupling 3/8"Mx1/2"M



GIORIK 7080010

## Hydraulic piping

- 5072204 HOSE WIRED  $\varnothing$  28x19 mm**  
SOLD BY LINEAR METER  
for Convection oven (GIORIK)



GIORIK 7090122

- 5072198 TUBE POLYETHYLENE RED LLDPE JG**  
 $\varnothing$  8x6 mm  
SOLD BY LINEAR METER  
for Convection oven (GIORIK)



GIORIK 7090130

- 5072193 TUBE POLYETHYLENE TRANSPAR. LLDPE JG**  
 $\varnothing$  8x6 mm  
SOLD BY LINEAR METER  
for Convection oven (GIORIK)



GIORIK 7090128



Suitable for:

**GIORIK**



Suitable for:

## Incandescent lamps and neon lamps

**3221105 NEUTRAL HALOGEN LAMP G4 20W 12V**  
max. temperature 300°C



GIORIK 6061054

**3221041 OVEN LAMP E14 15W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



GIORIK 6061052

**3221061 OVEN LAMP E14 25W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



GIORIK 6061053

## Indicator lights

**3221199 GREEN INDICATOR LAMP 250V**  
head ø 8 mm - 150°C  
wire connection length 300 mm  
for Convection oven electric (GIORIK) EF4



GIORIK 6061068

**3221367 GREEN INDICATOR LAMP 250V**  
head ø 16 mm - hole ø 13 mm - 120°C  
wire connection length 240 mm  
for Convection oven electric (GIORIK) EF4



GIORIK 6061068

GIORIK 6061068+6061070

GIORIK 6061070

**3221166 INDICATOR LAMP GREEN 400V**  
ø head 14 mm - ø hole 11.5 mm - 120°C  
universal application



GIORIK 6061050

**3221165 INDICATOR LAMP ORANGE 400V**  
ø head 14 mm - ø hole 11.5 mm - 120°C  
universal application



GIORIK 6061051

**3221166 INDICATOR LAMP GREEN 400V**  
ø head 14 mm - ø hole 11.5 mm - 120°C  
universal application



GIORIK 6061050

**3221202 TRANSPARENT INDICATOR LAMP 250V**  
head ø 8 mm - 150°C  
wire connection length 300 mm  
for Convection oven electric (GIORIK) EF4



GIORIK 6061067

Suitable for:

**3221358 WHITE LAMP RECEPTACLE**  
head ø 16 mm - hole ø 13 mm  
for Convection oven electric (GIORIK) EF4



GIORIK 6061069

## Interference suppression filters

**3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL**  
0.47µF



GIORIK 6090050

## Knobs

**3241666 BLACK KNOB ø 49 mm**  
D-shaped hole 6x4.6 mm  
for Convection oven electric (GIORIK) EF4PM  
EF6PM - EF8PM  
for Convection oven gas (GIORIK) GF4PM - GF6PM  
GF8PM



GIORIK 2012214

**3241667 BLACK KNOB ø 49 mm**  
D-shaped hole 6x4.6 mm  
for Convection oven electric (GIORIK) EF4 - EF4PM  
EF6PM - EF8PM  
for Convection oven gas (GIORIK) GF4PM - GF6PM  
GF8PM



GIORIK 2007085

**3241297 BLACK KNOB ø 50 mm**  
D-shaped hole 6x4.6 mm  
for Convection oven electric (GIORIK) DE06EC  
DE10EC - DE102EC - VE06EC - VE10EC - VE102EC  
VE20EC  
for Convection oven gas (GIORIK) DG06EC - DG10EC  
DG102EC - VG06EC - VG10EC - VG102EC - VG20EC



GIORIK 2012260

**3241055 FIXING CLIP**  
for knob with ø 8 mm hole



GIORIK 5900242




Suitable for:

# GIORIK



**3241615 GREY KNOB ø 49 mm**  
D shaft hole 6x4.6 mm  
for Convection oven electric (GIORIK) EF10GM  
EF5GM - EF7GM  
for Convection oven gas (GIORIK) GF10GM - GF5GM  
GF7GM



GIORIK 2006823

Suitable for:

**3241296 GREY KNOB ø 50 mm**  
D-shaped hole ø 6x4.6 mm  
for Convection oven electric (GIORIK) CE06MX  
CE10MX - CE102MX - CE20MX - DE06EC - DE06ES  
DE06MX - DE10EC - DE10ES - DE10MX - DE102EC  
DE102MX - VE06EC - VE06MX - VE10EC - VE10M  
VE102EC - VE102M - VE20EC - VE20MX  
for Convection oven gas (GIORIK) CG06MX - CG10MX  
CG102MX - CG20MX - DG06EC - DG06ES - DG06MX  
DG10EC - DG10ES - DG10MX - DG102EC - DG102MX  
VG06EC - VG06MX - VG10EC - VG10MX - VG102EC  
VG102MX - VG20EC - VG20MX



GIORIK 2012261

**5072209 KNOB GRAY ø 68 mm**  
D-shaped hole 6x4.6 mm  
for Convection oven (GIORIK)



GIORIK 2018988

## Labels for control panels

**5072225 PLATE ELECTRONIC GRAY**  
dimensions 410x190 mm  
for Convection oven (GIORIK)



GIORIK 2019426

## Lamp receptacles and spare parts

**3221242 GLASS FOR OVEN LAMP RECEPTACLE**  
external dimensions 80x38 mm  
for Convection oven (GIORIK)



GIORIK 6063077



## Lamp receptacles and spare parts

- 3221243 HALOGEN LAMP RECEPTACLE G4 20W 12V**  
 wire connection length 830 mm  
 for Convection oven electric (GIORIK) CE06MX  
 CE10MX - CE102MX - CE20MX - DE06EC - DE06ES  
 DE06MX - DE10EC - DE10ES - DE10MX - DE102EC  
 DE102MX - VE06EC - VE06MX - VE10EC - VE10MX  
 VE102EC - VE102MX - VE20EC - VE20MX  
 for Convection oven gas (GIORIK) CG06MX - CG10MX  
 CG102MX - CG20MX - DG06EC - DG06ES - DG06MX  
 DG10EC - DG10ES - DG10MX - DG102EC - DG102MX  
 VG06EC - VG06MX - VG10EC - VG10MX - VG102EC  
 VG102MX - VG20EC - VG20MX



GIORIK 6063075

- 3221105 NEUTRAL HALOGEN LAMP G4 20W 12V**  
 max. temperature 300°C



GIORIK 6061054

- 3221187 LAMP RECEPTACLE HARDENED GLASS ø 87 mm**  
 for Convection oven electric (GIORIK) EF8PM



GIORIK 6060054

- 3221190 LAMP RECEPTACLE W/LAMP E14 15W 240V**  
 mounting hole ø 50 mm  
 max temperature 300°C  
 for Convection oven electric (GIORIK) EF10GM  
 EF4PM - EF5GM - EF6PM - EF7GM - EF8PM  
 for Convection oven gas (GIORIK) GF10GM - GF4PM  
 GF5GM - GF6PM - GF7GM - GF8PM



GIORIK 6060055

- 3221242 GLASS FOR OVEN LAMP RECEPTACLE**  
 external dimensions 80x38 mm  
 for Convection oven (GIORIK)



GIORIK 6063077

- 3221244 TRANSFORMER F/HALOGEN LAMP 230/12V**  
 dimensions 240x40 mm  
 for Convection oven electric (GIORIK) CE06MX  
 CE10MX - CE102MX - CE20MX - CG06EC - CG10MX  
 CG102MX - CG20MX - DE06EC - DE10EC - DE102EC  
 DG06EC - DG10EC - VE06EC - VE06MX - VE10EC  
 VE10MX - VE102EC - VE102MX - VE20EC - VE20MX  
 VG06EC - VG06MX - VG10EC - VG10MX - VG102EC  
 VG102MX - VG20EC - VG20MX



GIORIK 6041065

- 3221187 LAMP RECEPTACLE HARDENED GLASS ø 87 mm**  
 for Convection oven electric (GIORIK) EF8PM



GIORIK 6060054



Suitable for:

**1186230 O-RING GASKET 0164 EPDM**



GIORIK 6090140

**3221041 OVEN LAMP E14 15W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



GIORIK 6061052

**3221257 SILICONE GASKET F/OVEN LAMP RECEPTACLE**  
external dimensions 140x75 mm  
for Convection oven (GIORIK)



GIORIK 6063070

## GIORIK



Suitable for:

**3186315 O-RING 03250 EPDM**  
for SIGMA group mixer



GIORIK 6090141

**3221061 OVEN LAMP E14 25W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



GIORIK 6061053

---

## Level regulators

---

**3341035 LEVEL ADJUSTER RL30/3ES/F-G**  
230V 50/60Hz  
for Convection oven electric (GIORIK) VE06EC  
VE06MX - VE10EC - VE10M - VE102EC - VE102M  
VE20EC - VE20MX  
for Convection oven gas (GIORIK) VG06EC - VG06MX  
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC  
VG20MX



GIORIK 6041043



## Level sensors

### 3341041 LEVEL PROBE $\varnothing$ 1/4" M-250 mm

for Convection oven electric (GIORIK) VE06EC  
VE06MX - VE10EC - VE10M - VE102EC - VE102M  
VE20EC - VE20MX  
for Convection oven gas (GIORIK) VG06EC - VG06MX  
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC  
VG20MX



GIORIK 6000089

## Microswitches

### 3240309 DOOR MICROSWITCH

for Convection oven electric (GIORIK) CE06MX  
CE10MX - CE102MX - CE20MX - DE06EC - DE06ES  
DE06MX - DE10EC - DE10ES - DE10MX - DE102EC  
DE102MX - VE06EC - VE06MX - VE10EC - VE10M  
VE102EC - VE102M - VE20EC - VE20MX  
for Convection oven gas (GIORIK) CG06MX - CG10MX  
CG102MX - CG20MX - DG06EC - DG06ES - DG06MX  
DG10EC - DG10ES - DG10MX - DG102EC - DG102MX  
VG06EC - VG06MX - VG10EC - VG10MX - VG102MX  
VG20EC - VG20MX



GIORIK 6043088

### 3240605 DOOR MICROSWITCH M1AX20 10A 250V

for Convection oven electric (GIORIK)  
EF10GM - EF4PM - EF5GM - EF6PM - EF7GM - EF8PM  
EGE05 - EGE10 - EPE04 - EPE05 - EPE10  
for Convection oven gas (GIORIK)  
GF10GM - GF4PM - GF5GM - GF6PM - GF7GM - GF8PM



GIORIK 6043080

### 5072235 MICROSWITCH MAGNETIC $\varnothing$ 8x36 mm

contact NO  
with cable length 1950 mm  
for Convection oven (GIORIK)



GIORIK 6042110

### 3240820 MICROSWITCH 16A 250V



GIORIK 6043085



Suitable for:

# GIORIK



Suitable for:

## Motors

**5071430 MOTOR AM100/A4 0.55Kw 200V 60Hz**  
3.2A - 1680rpm  
for Convection oven (GIORIK)



GIORIK 6033151

**5072229 FAN ø 350 mm**  
thickness 120 mm  
number of blades 12 - ø tapered hole 19.5-22.5 mm  
for Convection oven (GIORIK)



GIORIK 5901016

**3240698 MOTOR FB100L 4/8 0.25/0.75Kw 230/400V**  
4P 230/400V 50Hz 0.75Kw 3.7/2.2A  
8P 230/400V 50Hz 0.25Kw 1.4/0.8A  
1390/670rpm  
capacitor 50/20 µf  
for Convection oven electric (GIORIK) CE102MX  
CE20MX - DE102EC - DE102MX - VE102EC - VE102M  
VE20EC - VE20MX  
for Convection oven gas (GIORIK) CG102MX - CG20MX  
DG102EC - DG102MX - VG102EC - VG102MX - VG20EC  
VG20MX




GIORIK 6034348

**3240706 FAN ø 310 mm**  
thickness 137 mm  
total blades 30 - ø tapered hole 23-20 mm  
for Convection oven gas (GIORIK) CG102MX - DG102EC  
DG102MX - VG102EC - VG102MX




GIORIK 5901023

**3240705 FAN ø 350 mm**  
thickness 137 mm  
total blades 30 - ø tapered hole 23-20 mm  
for Convection oven electric (GIORIK) CE102MX  
DE102EC - DE102MX - VE102EC - VE102M




GIORIK 5901022

**3240704 MOTOR FB80 4/8 0.75/0.22Kw 380/415V**  
50Hz - 1.4/0.4A - 1400/700rpm  
for Convection oven electric (GIORIK) DE10EC  
DE102EC - EF6PM - EF8PM - VE10EC - VE20EC  
for Convection oven gas (GIORIK) DG102EC - VG20EC




GIORIK 6033145

**3240705 FAN ø 350 mm**  
thickness 137 mm  
total blades 30 - ø tapered hole 23-20 mm  
for Convection oven electric (GIORIK) CE102MX  
DE102EC - DE102MX - VE102EC - VE102M



GIORIK 5901022

**3240031 MOTOR LM63/2 0.11Kw 220/240V 50/60Hz**  
 0.90A 2760rpm - capacitor 4  $\mu$ F not included  
 former model FIR 1572  
 for Convection oven (GIORIK) EF4




GIORIK 6032128

**3240699 MOTOR 1058.1400 0.5/0.1HP 220/240V 50Hz**  
 2/0.7A - 2700/1400rpm - capacitor 20  $\mu$ F  
 for Convection oven electric (GIORIK) EF4PM  
 EF5GM  
 for Convection oven gas (GIORIK) GF4PM - GF5GM



GIORIK 6032120

**3240702 MOTOR 2758D2253 0.25/0.05HP 220/240V**  
 50Hz - 1.1/0.55A - 2700/1400rpm  
 capacitor 12.5  $\mu$ F  
 for Convection oven electric (GIORIK) CE06MX  
 DE06EC - DE06ES - DE06MX - VE06EC - VE06MX  
 for Convection oven gas (GIORIK) CG06MX - DG06EC  
 DG06ES - DG06MX - VG06EC - VG06MX



GIORIK 6032122

**3240703 MOTOR 3046A4050 0.55Kw 230/400V 50Hz**  
 1.9/1.1A - 1400rpm - capacitor 35  $\mu$ F  
 for Convection oven electric (GIORIK) DE10ES  
 for Convection oven gas (GIORIK) DG10ES



GIORIK 6032150


Suitable for:

**3240030 FAN  $\varnothing$  180 mm**  
 thickness 60 mm  
 total blades 16 -  $\varnothing$  tapered hole 11.5-16.5 mm  
 for Convection oven electric (GIORIK) EF5GM  
 for Convection oven gas (GIORIK) GF5GM - G6VGEC




GIORIK 5900896

**3240708 FAN  $\varnothing$  180 mm**  
 thickness 100 mm  
 total blades 16 -  $\varnothing$  tapered hole 16-11.5 mm  
 for Convection oven electric (GIORIK) CE06MX  
 DE06EC - DE06ES - DE06MX - VE06EC - VE06MX  
 for Convection oven gas (GIORIK) CG06MX - DG06EC  
 DG06ES - DG06MX - VG06EC - VG06MX



GIORIK 5901006

**3240707 FAN  $\varnothing$  310 mm**  
 thickness 102 mm  
 total blades 30 -  $\varnothing$  tapered hole 23-20 mm  
 for Convection oven electric (GIORIK) CE10MX  
 DE10EC - DE10ES - DE10MX - VE10EC - VE10M  
 for Convection oven gas (GIORIK) CG10MX - DG10EC  
 DG10ES - DG10MX - VG10EC - VG10MX



GIORIK 5901010



Suitable for:

**GIORIK**



Suitable for:

## Outlet solenoid valves and accessories

- 3525021 VALVE BOILER DRAIN MOTORIZED**  
230V 50/60Hz 2.5W  
fittings  $\varnothing$  3/4" FF DN20



GIORIK 6042073

## OR and ORM gaskets

- 1186230 O-RING GASKET 0164 EPDM**



GIORIK 6090140

- 3186315 O-RING 03250 EPDM**  
for SIGMA group mixer



GIORIK 6090141

## Penetration probes

- 5064501 PRENENTRATION PROBE TCJ**  
connector fitting  
probe length 85 mm  
cable length 1250 mm  
for Convection oven (GIORIK)



GIORIK 6000102

## Pilot burners and accessories

- 3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm**



GIORIK 5900317

GIORIK 7050028

- 3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm**  
thread M10x1



GIORIK 5900318

- 3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



GIORIK 7090006

- 3020084 NUT & OLIVE  $\varnothing$  6 mm**



GIORIK 7050020

**3020114 OLIVE FOR PIPE  $\varnothing$  6 mm**



GIORIK 7070045

Suitable for:

**3020082 OLIVE FOR 12 mm  $\varnothing$  PIPE**



GIORIK 7070025

**3020036 PILOT BURNER SIT 3 FLAMES**  
multigas type with nozzle  $\varnothing$  0.35 mm  
with 3 position bracket



GIORIK 7090023

**3020054 PILOT JET  $\varnothing$  0.20 mm**



GIORIK 7042005

**3020055 PILOT JET  $\varnothing$  0.35 mm**



GIORIK 7042006

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



GIORIK 6010046

**3020060 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



GIORIK 6010087

**3020201 PILOT GAS JET  $\varnothing$  0.14 mm**



GIORIK 7042014

**3020202 PILOT GAS JET  $\varnothing$  0.27 mm**



GIORIK 7042013



# GIORIK



Suitable for:

**3020449 PILOT GAS JET  $\varnothing$  0.54 mm**



GIORIK 7042008

Suitable for:

**3020054 PILOT JET  $\varnothing$  0.20 mm**




GIORIK 7042005

**3020055 PILOT JET  $\varnothing$  0.35 mm**



GIORIK 7042006

**3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1**



GIORIK 7050029

**3020010 TARGET PILOT BURNER SIT 2 FLAMES**  
supplied without sparking plug, nozzle and gasket  
with thermocouple fitting



GIORIK 7090028

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



GIORIK 6010046

**3020110 THREE-FLAME DEFLECTOR**



GIORIK 7090002

**3020011 THREE-FLAME PILOT BURNER**  
without sparking plug, gas jet  
with pipe fitting and pilot pipe olive  
with thermocouple connection  
with sparking plug fitting



GIORIK 7090026

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



GIORIK 6010046

**3020269 THREE-FLAME PILOT BURNER**  
without sparking plug, gas jet  
with pipe fitting and pilot pipe olive  
with thermocouple fitting  
with sparking plug fitting



GIORIK 7090024

Suitable for:

**3001003 ROUND SPARKING PLUG**  $\varnothing$  7x44 mm  
male faston M4x1 mm  
total length 65 mm



GIORIK 6010046

**3020006 THREE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket



GIORIK 7090022

**3020054 PILOT JET**  $\varnothing$  0.20 mm



GIORIK 7042005

**3020055 PILOT JET**  $\varnothing$  0.35 mm



**3001003 ROUND SPARKING PLUG**  $\varnothing$  7x44 mm  
male faston M4x1 mm  
total length 65 mm



GIORIK 7042006

**3020060 SPARKING PLUG ROUND**  $\varnothing$  7x44 mm  
faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



GIORIK 6010046

GIORIK 6010087



Suitable for:

**GIORIK**



Suitable for:

## Potentiometers

### 3057144 COMPLETE POTENTIOMETER WITH CABLE

D-shaped pin 6x4.6 mm  
for Convection oven electric (GIORIK) CE06MX  
CE10MX - CE102MX - CE20MX - DE06ES - DE06MX  
DE10ES - DE10MX - DE102MX - EF10GM - EF4PM  
EF5GM - EF6PM - EF7GM - EF8PM - VE06MX - VE10M  
VE102M - VE20MX  
for Convection oven gas (GIORIK) CG06MX - CG10MX  
CG102MX - CG20MX - DG06ES - DG06MX - DG10ES  
DG10MX - DG102MX - GF10GM - GF4PM - GF5GM  
GF6PM - GF7GM - GF8PM - VG06MX - VG10MX  
VG102MX - VG20MX



GIORIK 6010097

### 5072202 POTENTIOMETER PUSH-BUTTON COMP. CABLE

D-shaped pin ø 6x4.6 mm  
for Convection oven (GIORIK)



GIORIK 6010133

### 3057222 SELECTOR SWITCH ENCODER COMPLETE W/CABLE

D-shaped pin 6x4.6 mm  
for Convection oven electric (GIORIK) DE06EC  
DE10EC - DE102EC - VE06EC - VE10EC - VE102EC  
VE20EC  
for Convection oven gas (GIORIK) DG06EC - DG10EC  
DG102EC - VG06EC - VG10EC - VG102EC - VG20EC



GIORIK 6010102

## Pre-rinse units

### 3359610 BLACK SHOWER CASE ECO ø 1/2" M with coupling 3/8" Mx1/2" M



GIORIK 7080010



## Pressure switches

**3320051 ADJUSTABLE PRESSURE SWITCH  $\varnothing$  1/4" M**  
operating pressure regulation 5-20 mbar  
differential 3 mbar  
contact capacity 16(4)A 250V  
max operating temperature 85°C



GIORIK 7050012

**5072218 PRESSURE SWITCH FOR WATER 0.2-3 BAR**  
contact capacity 10(2)A 250V  
pressure 0.2-3 bar - connection  $\varnothing$  1/8" M  
for Convection oven (GIORIK)



GIORIK 7050008

## Probes

**3445157 PROBE NTC PVC 1500 mm**  
temperature range -30°+80°C  
bulb  $\varnothing$  6x40 mm



GIORIK 6000100

**3445117 PROBE PT100 VETROTEX 3000 mm**  
3-wire probe temperature range 0+350°C  
bulb  $\varnothing$  6x100 mm



GIORIK 6000085

**3397119 PROBE TEMPERATURE PT100**  
3 wires - temperature -80+600°C (100 Ohm 0°C)  
bulb  $\varnothing$  4x110 mm - cable length 1200 mm  
for Convection oven electric (GIORIK) CE06MX  
CE10MX - CE102MX - CE20MX - DE06ES - DE06MX  
DE10ES - DE10MX - DE102MX - VE06MX - VE10MX  
VE102EC - VE102MX - VE20MX  
for Convection oven gas (GIORIK) CG06MX - CG10MX  
CG102MX - CG20MX - DG06ES - DG06MX - DG10ES  
DG10MX - DG102MX - VG06MX - VG10MX - VG102MX  
VG20MX



GIORIK 6000083

**3397101 TEMPERATURE PROBE TCJ**  
2 wires  
bulb  $\varnothing$  6x100 mm  
vetrotex cable length 900 mm  
for Convection oven (GIORIK)




GIORIK 6000095

**3397115 TEMPERATURE PROBE TCJ**  
2 wires  
bulb  $\varnothing$  3x110 mm  
cable length 1380 mm  
for Convection oven electric (GIORIK) DE06EC  
DE10EC - DE102EC - VE06EC - VE10EC - VE20EC  
for Convection oven gas (GIORIK) DG06EC - DG10EC  
DG102EC - VG06EC - VG10EC - VG102EC - VG20EC



GIORIK 6000093

**5072231 TEMPERATURE PROBE TCJ**  
2 wires  
bulb 22x18 mm  
cable length 2000 mm  
for Convection oven (GIORIK)



GIORIK 6000111



Suitable for:


# GIORIK

Suitable for:



## Relays

**3351037 POWER RELAY FINDER 40.52.8.230.0000**  
230V 50/60Hz - 2 exchange contacts 8A



GIORIK 6041009

**5072234 POWER RELAY FINDER 62.83.8.230.0300**  
complete with bracket  
230V 50/60Hz  
3 changeover contacts 16A  
for Convection oven (GIORIK)



GIORIK 6041008


## Rotary switches

**3057019 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm  
for Convection oven electric (GIORIK) CE06MX  
CE10MX - CE102MX - CE20MX - EF10GM - EF4PM  
EF5GM - EF6PM - EF7GM - EF8PM  
for Convection oven gas (GIORIK) CG06MX - CG10MX  
CG102MX - CG20MX - GF10GM - GF4PM - GF5GM  
GF6PM - GF7GM - GF8PM




GIORIK 6030007

**3057026 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm



GIORIK 6030015

**3057178 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin 6x4.6 mm  
for Convection oven electric (GIORIK) EF4




GIORIK 6030012

**3057224 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 380V  
D-shaped pin  $\varnothing$  5x4 mm  
for Convection oven electric (GIORIK) EF4PM  
EF6PM - EF8PM  
for Convection oven gas (GIORIK) GF4PM - GF6PM  
GF8PM



GIORIK 6030030

**3057010 SELECTOR SWITCH 0-4 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



GIORIK 6030018

GIORIK 6030018OBS

**3057223 SELECTOR SWITCH 0-4 POSITIONS**  
contact capacity 16A 600V - max 60/75°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
for Convection oven electric (GIORIK) DE102MX



GIORIK 6030032

**3057146 SELECTOR SWITCH 0-7 POSITIONS**

contact capacity 16A 400V - max 150°C  
 rectangular pin 4x5 mm  
 for Convection oven electric (GIORIK) DE06EC  
 DE06ES - DE06MX - DE10EC - DE10ES - DE10MX  
 DE102EC - VE06EC - VE10EC - VE102EC - VE20EC  
 for Convection oven gas (GIORIK) DG06EC - DG06ES  
 DG06MX - DG10EC - DG10ES - DG10MX - DG102EC  
 DG102MX - VG06EC - VG10EC - VG102EC - VG20EC



GIORIK 6030030

## Solenoid valves

**7101523 SOLENOID VALVE CEME 2-WAY  $\varnothing$  1/2" F 230V**

complete with connector  
 8334 - max 0.5bar  
 VITON sealing  
 with coil B12 19VA 230V 50Hz  
 fluid temperature -10°C+150°C  
 for Convection oven (GIORIK)



GIORIK 6042075

**7101532 SOLENOID VALVE RPE R 253 2-WAY 180°**


230V 50/60Hz - max. temperature 60°C  
 inlet 3/4" - two outlets  $\varnothing$  10.5 mm  
 for Convection oven (GIORIK)  
 for Convection oven (GIORIK) EGE10DS



GIORIK 6042071

**5039073 SOLENOID VALVE RPE 1 WAY 180°**

230V 50/60Hz - max. temperature 60°C  
 inlet 3/4" - outlet  $\varnothing$  10.5 mm  
 for Convection oven (GIORIK)



GIORIK 6042070

**5062166 SOLENOID VALVE RPE 3-WAY 180°**

220/240V 50/60Hz - max. temperature 90°C  
 3/4" inlet with filter - three outlets  $\varnothing$  10.5 mm



GIORIK 6042080

**5013420 VALVE CEME 2 VAYS  $\varnothing$  1/4" F 230V**

9934 - max 25bar  
 with coil 18,5VA 230V 50/60Hz  
 for Convection oven gas (GIORIK)  
 for Convection oven electric (GIORIK)



GIORIK 6042089



Suitable for:

**GIORIK**

Suitable for:



## Spark generators

### 3181002 SPARK GENERATOR 2 OUTLETS 220/240V 50/60Hz



GIORIK 6041059

## Sparkling and detection plugs

### 3020191 FLAME DETECTION PLUG $\varnothing$ 7x44 mm overall length 90 mm for Convection oven gas (GIORIK) VG06EC - VG06MX VG10EC - VG10MX - VG102EC - VG102MX - VG20EC VG20MX



GIORIK 2012108

### 3020192 ROUND DETECTION PLUG $\varnothing$ 7x45 mm overall length 125 mm for Convection oven gas (GIORIK) CG06MX - CG10MX CG102MX - CG20MX - DG06EC - DG06ES - DG06MX DG10EC - DG10ES - DG10MX - DG102EC - DG102MX VG06EC - VG06MX - VG10EC - VG10MX - VG102EC VG102MX - VG20EC - VG20MX



GIORIK 2012110

### 3020327 ROUND DETECTION PLUG $\varnothing$ 8x45 mm overall length 95 mm for Convection oven gas (GIORIK) GF10GM - GF4PM GF5GM - GF6PM - GF7GM - GF8PM



GIORIK 2009895

### 3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm male faston M4x1 mm total length 65 mm



GIORIK 6010046

### 3020193 ROUND SPARKING PLUG $\varnothing$ 7x45 mm overall length 87 mm for Convection oven gas (GIORIK) VG06EC - VG06MX VG10EC - VG10MX - VG102EC



GIORIK 2012109

### 3020194 ROUND SPARKING PLUG $\varnothing$ 7x51 mm connection M4x1 - overall length 75 mm for Convection oven gas (GIORIK) CG06MX - CG10MX CG102MX - CG20MX - DG06EC - DG06ES - DG06MX DG10EC - DG10ES - DG10MX - DG102EC - DG102MX VG06EC - VG06MX - VG10EC - VG10MX - VG102EC VG102MX - VG20EC - VG20MX



GIORIK 2012111

**3020328 ROUND SPARKING PLUG  $\varnothing$  8x45 mm**  
 overall length 83 mm  
 for Convection oven gas (GIORIK) GF10GM - GF4PM  
 GF5GM - GF6PM - GF7GM - GF8PM



GIORIK 2009894

Suitable for:

**3020060 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
 faston M 4x1 mm  
 overall length 82 mm  
 model CB505/021 Junkers  
 for model P502F



GIORIK 6010087

## Switches

**3319316 PUSH-BUTTON PROTECTION W/FAME  $\varnothing$  23 mm**



GIORIK 6032021

GIORIK 6032022

**3319313 SINGLE-POLE WHITE PUSH-BUTTON 3A 250V**  
 max temperature 125°C  
 mounting hole  $\varnothing$  17 mm  
 for Convection oven electric (GIORIK) CE06MX  
 CE10MX - CE102MX - CE20MX - DE06MX - DE10MX  
 DE102MX - VE06MX - VE10M - VE102M - VE20MX  
 for Convection oven gas (GIORIK) CG06MX - CG10MX  
 CG102MX - CG20MX - DG06MX - DG10MX - DG102MX  
 VG06MX - VG10MX - VG102MX - VG20MX



GIORIK 6032020

**3319316 PUSH-BUTTON PROTECTION W/FAME  $\varnothing$  23 mm**



GIORIK 6032021

GIORIK 6032022

**3319315 2-POLE RED PUSH-BUTTON 3A 250V**  
 with indicator lamp  
 max temperature 125°C  
 mounting hole  $\varnothing$  17 mm  
 for Convection oven gas (GIORIK) CG20MX - DG06EC  
 DG06ES - DG06MX - DG10EC - DG10ES - DG10MX  
 DG102EC - DG102MX - GF10GM - GF4PM - GF5GM  
 GF6PM - GF7GM - GF8PM - VG06EC - VG06MX  
 VG10EC - VG10MX - VG102EC - VG102MX - VG20EC  
 VG20MX



GIORIK 6032038

**3319316 PUSH-BUTTON PROTECTION W/FAME  $\varnothing$  23 mm**



GIORIK 6032021

GIORIK 6032022



Suitable for:

**GIORIK**



Suitable for:

## Thermocouples and accessories

**3440151 CONNECTOR FOR DISPLAY DEVICE M9x1**




GIORIK 7050032

**3440150 DISPLAY DEVICE FOR THERMOCOUPLES**



GIORIK 6010064

**3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm**  
interrupted contact with fastons



GIORIK 6010065

**3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.**  
female nut M9x1



GIORIK 6010052

**3440034 THERMOCOUPLE SIT M9x1 50 cm**



GIORIK 6010058

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**



GIORIK 6010058

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**



GIORIK 6010058

**3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



GIORIK 6010055

**3440035 THERMOCOUPLE SIT M9x1 60 cm.**



GIORIK 6010055

**3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



GIORIK 6010055

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



GIORIK 6010057

**3440036 THERMOCOUPLE SIT M9x1 85 cm.**


GIORIK 6010057

Suitable for:

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**


GIORIK 6010057

**3440082 THERMOCOUPLE SIT QUICK M8x1 60 cm**


GIORIK 6010063

**3440095 THERMOCOUPLE SIT QUICK M9x1 150 cm**


GIORIK 6010056

## Thermostats

**3444285 SINGLE-PHASE THERMOSTAT 350°C**

with manual reset  
covered capillary length 870 mm - 16A 250V  
bulb  $\varnothing$  6x77 mm  
for Convection oven electric (GIORIK)  
EF4 - EGE05 - EGE10 - EPE04 - EPE05 - EPE10  
for Convection oven gas (GIORIK)  
CG10MX - CG102MX - DG06EC - DG06ES - DG06MX  
DG10EC - DG10ES - DG10MX - DG102EC - DG102MX  
GF10GM - GF4PM - GF5GM - GF6PM - GF7GM - GF8PM  
VG06EC - VG06MX - VG10EC - VG10MX - VG102EC  
VG102MX



GIORIK 6010026

**3444122 STUFFING GLAND FOR THERMOSTAT MILLED M10**


GIORIK 6030024

**3444770 THREE-PHASE THERMOSTAT 157°C**

with manual reset  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  6x80 mm  
for Convection oven electric (GIORIK) VE06EC  
VE06MX - VE10EC - VE10MX  
for Convection oven gas (GIORIK) VG06EC - VG06MX  
VG10EC - VG10MX - VG102EC - VG102MX - VG20EC  
VG20MX



GIORIK 6010002

**3444354 THREE-PHASE THERMOSTAT 350°C**

with manual reset  
capillary length coated 950 mm - 10A 400V  
bulb  $\varnothing$  3x190 mm



GIORIK 5910029



Suitable for:

**GIORIK**



Suitable for:

### 3444458 3-PHASE THERMOSTAT 350°C

with manual reset  
covered capillary length 900 mm - 20A 400V  
bulb ø 4x120 mm - with stuff.gland coupling M10x1  
for Convection oven electric (GIORIK) CE06MX  
CE10MX - CE102MX - CE20MX - DE06EC - DE06ES  
DE06MX - DE10EC - DE10ES - DE10MX - DE102EC  
DE102MX - EF10GM - EF4PM - EF5GM - EF6PM  
EF7GM - EF8PM - VE06EC - VE06MX - VE10EC  
VE10M - VE102EC - VE102M - VE20EC - VE20MX  
for Convection oven gas (GIORIK) CG06MX - CG20MX  
VG20EC - VG20MX




GIORIK 6010008

## Timers

### 3446002 TIMER 120 MINUTES


complete with silk-screen printed plate  
mechanical timer with sound alarm  
mechanical movement with balance wheel  
120 minutes manually set cycle  
bipolar with contact capacity 16(3)A 250V  
max temperature 125°C  
D-shaped pin ø 6x4.6 mm  
for Convection oven (GIORIK)



GIORIK 6032040

### 3446039 TIMER 120 MINUTES MS65


120 minute manually set cycle  
with manual position  
contact capacity 16(4)A 250V 50Hz  
max temperature 100°C  
D-shaped pin ø 6x4.6 mm  
for Convection oven electric (GIORIK)  
CE06MX - CE10MX - CE102MX - CE20MX - DE06ES  
DE06MX - DE10ES - DE10MX - DE102MX - EF10GM  
EF4 - EF4PM - EF5GM - EF6PM - EF7GM - EF8PM  
VE06MX - VE10MX - VE102MX - VE20MX  
for Convection oven gas (GIORIK)  
CG06MX - CG10MX - CG102MX - CG20MX - DG06ES  
DG06MX - DG10ES - DG10MX - DG102MX - GF10GM  
GF4PM - GF5GM - GF6PM - GF7GM - GF8PM - VG06MX  
VG10MX - VG102MX - VG20MX



GIORIK 6032047

### 7100318 120 MINUTES TIMER MS65

mechanical timer with manual setting  
120 minutes manually set cycle  
contact capacity 16(4)A 250V  
max temperature 100°C  
D-shaped pin ø 6x4.6 mm  
for Convection oven (GIORIK)



GIORIK 6032059



## Transformers

**3221244 TRANSFORMER F/HALOGEN LAMP 230/12V**  
 dimensions 240x40 mm  
 for Convection oven electric (GIORIK) CE06MX  
 CE10MX - CE102MX - CE20MX - CG06EC - CG10MX  
 CG102MX - CG20MX - DE06EC - DE10EC - DE102EC  
 DG06EC - DG10EC - VE06EC - VE06MX - VE10EC  
 VE10MX - VE102EC - VE102MX - VE20EC - VE20MX  
 VG06EC - VG06MX - VG10EC - VG10MX - VG102EC  
 VG102MX - VG20EC - VG20MX



GIORIK 6041065

**3445110 TRANSFORMER 230V/12V 3VA**  
 primary tension 230Vca 50/60Hz  
 secondary tension 12Vca 3VA  
 room temperature 0÷60°C  
 screw terminal block  
 IMQ approved



GIORIK 6010086

**5049718 TRANSFORMER 230V/12V 6VA**  
 primary voltage 230Vca 50/60Hz  
 secondary voltage 12Vca 6VA  
 room temperature 0÷60°C  
 screw terminal box  
 for Convection oven electric (GIORIK)  
 for Convection oven gas (GIORIK)



GIORIK 6010079

## Vibrating pumps

**5067778 PUMP VIBRATORY 16W 220/240V 50/60Hz**  
 connections  $\varnothing$  6.5 mm  
 for Convection oven (GIORIK)



GIORIK 6042121

GIORIK 6042124

## Wash arms for ovens

**5072211 DIFFUSER FOR OVER WASH  $\varnothing$  40x63 mm**  
 $\varnothing$  coupling 18 mm  
 for Convection oven (GIORIK)



GIORIK 2019791

**5072210 FITTING SPRAY-ARM BENT  $\varnothing$  10x200 mm**  
 flange 50x25 mm  
 for Convection oven (GIORIK)



GIORIK 2019266



Suitable for:

# GIORIK



Suitable for:

**5072205 FITTING SPRAY-ARM BENT  $\varnothing$  10x280 mm**  
flange 50x25 mm  
for Convection oven (GIORIK)



GIORIK 2019423

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>LF SpA HEADQUARTERS</b><br/>via Voltri, 80 - 47522 Cesena (FC) ITALY<br/>Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10<br/><a href="http://www.lfircambi724.it">www.lfircambi724.it</a> - <a href="http://www.lfircambi724.mobi">www.lfircambi724.mobi</a><br/><a href="mailto:info@lfircambi.it">info@lfircambi.it</a><br/>Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55<br/><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a> - <a href="http://www.lfspareparts724.mobi">www.lfspareparts724.mobi</a><br/><a href="mailto:export@lfspareparts.com">export@lfspareparts.com</a></p> |  <p><b>OOO LF RUSSIAN FEDERATION</b><br/>Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow<br/>Tel./Fax +7 495 725 26 53<br/><a href="http://www.lfspareparts724.ru">www.lfspareparts724.ru</a><br/><a href="http://www.lfspareparts724.mobi">www.lfspareparts724.mobi</a><br/><a href="mailto:info@lfspareparts.ru">info@lfspareparts.ru</a></p>                                                                                      |
|  <p><b>LF SpA HOUSEHOLD COMPONENTS DIVISION</b><br/>Via Padriciano, 34149 Trieste - Italia - AREA Science Park<br/>Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48<br/><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a> - <a href="http://www.lfspareparts724.mobi">www.lfspareparts724.mobi</a><br/><a href="mailto:info@lfspareparts.com">info@lfspareparts.com</a></p>                                                                                                                                                                                                                                   |  <p><b>LF Repuestos Horeca S.L.U. SPAIN</b><br/>Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe<br/>Tel. +34 91 477 91 00<br/>Fax +34 91 477 90 81<br/><a href="http://www.lfrepuestos-horeca724.es">www.lfrepuestos-horeca724.es</a><br/><a href="http://www.lfrepuestos724.mobi">www.lfrepuestos724.mobi</a><br/><a href="mailto:info@lfrepuestos.es">info@lfrepuestos.es</a></p>                                 |
|  <p><b>EPGC Sas FRANCE</b><br/>13, Rue des Forts - 59960 Neuville en Ferrain<br/>Tel. +33 (0)3 20 25 06 21<br/>Fax +33 (0)3 20 25 34 12<br/><a href="http://www.epgc.com">www.epgc.com</a><br/><a href="http://www.epgc724.mobi">www.epgc724.mobi</a><br/><a href="mailto:epgc@epgc.com">epgc@epgc.com</a></p>                                                                                                                                                                                                                                                                                                                 |  <p><b>LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND</b><br/>Sennweidstrasse, 45 - CH-6312 Steinhausen<br/>Tel. +41 (0)41 760 15 80-1<br/>Fax +41 (0)41 760 15 85<br/><a href="http://www.lfersatzteile724.ch">www.lfersatzteile724.ch</a><br/><a href="http://www.lfersatzteilech724.mobi">www.lfersatzteilech724.mobi</a><br/><a href="mailto:info@lfersatzteile.ch">info@lfersatzteile.ch</a></p>                         |
|  <p><b>LF GmbH GERMANY</b><br/>Junkersstrasse, 3 - D-82178 Puchheim - München<br/>Tel. +49 89 89 45 78 66<br/>Fax +49 89 89 45 78 88<br/><a href="http://www.lfersatzteile724.de">www.lfersatzteile724.de</a><br/><a href="http://www.lfersatzteile724.mobi">www.lfersatzteile724.mobi</a><br/><a href="mailto:info@lfersatzteile.de">info@lfersatzteile.de</a></p>                                                                                                                                                                                                                                                            |  <p><b>LF Spare Parts Ltd. UNITED KINGDOM</b><br/>A10a Lakeside Business Park, Broadway Lane<br/>South Cerney, Gloucestershire GL7 5XL<br/>Tel. +44 (0)1285 86 16 25<br/>Fax +44 (0)1285 86 39 49<br/><a href="http://www.lfspareparts724.co.uk">www.lfspareparts724.co.uk</a><br/><a href="http://www.lfspareparts724.mobi">www.lfspareparts724.mobi</a><br/><a href="mailto:info@lfspareparts.co.uk">info@lfspareparts.co.uk</a></p> |
|  <p><b>LF China REPUBLIC OF CHINA</b><br/>Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.<br/>Minhang Dist. - 201103 Shanghai<br/>Tel. +86 (0)21 33 53 66 31<br/>Fax +86 (0)21 33 53 66 32<br/><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a><br/><a href="http://www.lfspareparts724.mobi">www.lfspareparts724.mobi</a><br/><a href="mailto:china@lfspareparts.com">china@lfspareparts.com</a></p>                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
- 
- |                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>AUSTRALIA AND NEW ZEALAND</b><br/><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a><br/><a href="mailto:andrea.calvio@lfspareparts.com">andrea.calvio@lfspareparts.com</a></p> |  <p><b>DENMARK</b><br/><a href="http://www.lfspareparts724.dk">www.lfspareparts724.dk</a><br/><a href="mailto:michael.leth@lfspareparts.com">michael.leth@lfspareparts.com</a></p>                                                                                                 |
|  <p><b>AUSTRIA</b><br/><a href="http://www.lfersatzteile724.at">www.lfersatzteile724.at</a><br/><a href="mailto:info@lfersatzteile.at">info@lfersatzteile.at</a></p>                                     |  <p><b>JAPAN</b><br/><a href="http://www.lfspareparts724.jp">www.lfspareparts724.jp</a><br/><a href="mailto:hiroshi.ukai@lfspareparts.jp">hiroshi.ukai@lfspareparts.jp</a></p>                                                                                                     |
|  <p><b>BALKAN COUNTRIES</b><br/><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a><br/><a href="mailto:matija.ramov@lfspareparts.com">matija.ramov@lfspareparts.com</a></p>            |  <p><b>SOUTH KOREA</b><br/><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a><br/><a href="mailto:fabio.doni@lfspareparts.com">fabio.doni@lfspareparts.com</a></p>                                                                                               |
|  <p><b>BALTIC COUNTRIES</b><br/><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a><br/><a href="mailto:inara.silina@lfspareparts.com">inara.silina@lfspareparts.com</a></p>            |  <p><b>TURKEY</b><br/><a href="http://www.lfyedekparca724.com">www.lfyedekparca724.com</a><br/><a href="mailto:basar.ergun@lfyedekparca.com">basar.ergun@lfyedekparca.com</a></p>                                                                                                  |
|  <p><b>CENTRAL AND EASTERN EUROPE</b><br/><a href="http://www.lfspareparts724.cz">www.lfspareparts724.cz</a><br/><a href="mailto:jiri.kremla@lfspareparts.cz">jiri.kremla@lfspareparts.cz</a></p>        |  <p><b>USA AND CANADA</b><br/><a href="http://www.lfspareparts724.us">www.lfspareparts724.us</a><br/><a href="mailto:sauro.dallaglio@lfspareparts.us">sauro.dallaglio@lfspareparts.us</a><br/><a href="mailto:howard.truitt@lfspareparts.us">howard.truitt@lfspareparts.us</a></p> |