



Spare parts for:

## Cooking equipment



Suitable for:

# ZANUSSI



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

# ZANUSSI



Suitable for:

## Actuators

**3321009 LINEAR ACTUATOR 301 mm 230V 50Hz**  
for Fryer electric (ZANUSSI) AFR/E411  
for Fryer gas (ZANUSSI) AFR/G411



ZANUSSI 002115

## Air regulators

**3020239 AERATION REGULATOR**  
internal  $\varnothing$  17 mm - external  $\varnothing$  22 mm  
height 42 mm



ZANUSSI 051389

**3025055 AERATION REGULATOR**  
internal  $\varnothing$  40 mm - external  $\varnothing$  43 mm  
height 40 mm  
for Pot stove (ZANUSSI) - Series H900



ZANUSSI 052116

**3025056 AERATION REGULATOR**  
internal  $\varnothing$  40 mm - external  $\varnothing$  43 mm  
height 43 mm  
for Pot stove (ZANUSSI) - Series 700



ZANUSSI 053448

**3025057 AERATION REGULATOR**  
internal  $\varnothing$  17 mm - external  $\varnothing$  21 mm  
height 31 mm  
for old series  
for Kitchen (ZANUSSI)  
for Pot stove (ZANUSSI)



ZANUSSI 026217

**3352013 AERATION REGULATOR**  
internal  $\varnothing$  20 mm - external  $\varnothing$  22 mm  
height 42 mm



ZANUSSI 052207

**3352018 AERATION REGULATOR**  
internal  $\varnothing$  16 mm - external  $\varnothing$  18 mm  
height 42 mm  
for Kitchen gas (ZANUSSI) PCG1600NL - PCG1610  
PCG1610D - PCG1610F - PCG800NL - PCG810  
PCG810D - PCG810F - ZPC/G1210 - ZPC/G1610  
ZPC/G810



ZANUSSI 025009

ZANUSSI 052062



Suitable for:

Suitable for:

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



ZANUSSI 057251

## Axial motors

**3240519 AXIAL FAN EBM 119x119x38 mm**  
ball bearing  
230V 50Hz 19W 2650rpm  
4656N



ZANUSSI

**3240501 AXIAL FAN SUNON 120x120x38 mm**  
ball bearings  
230V 50/60Hz 22W 2850rpm  
DP200A 2123XBT.GN



ZANUSSI 0C1478  
ZANUSSI 0E2261  
ZANUSSI 058855

ZANUSSI 0C4106  
ZANUSSI 002656

ZANUSSI 0C4423  
ZANUSSI 002690

**3240502 AXIAL FAN SUNON 80x80x25 mm**  
ball bearings  
230V 50/60Hz 14W 2450rpm  
SF23080AT-2082HBL.GN



ZANUSSI 006125

**3240515 AXIAL VENTILATOR EBM 80x80x38 mm**  
ball bearings  
230V 50Hz 12W 2800rpm  
8556N



ZANUSSI 083528

## Ball valves and accessories

**3526671 BALL VALVE  $\varnothing$  1/2" FF**  
for Bain-marie (ZANUSSI)  
for Bratt pan (ZANUSSI)  
for Food-service trolley (BLANCO) SAG2 - SAG3  
SG3 ECO-LINE  
for Pasta cooker (EMMEPI) - Series 700  
for Pasta cooker (ZANUSSI)



ZANUSSI 002033

**3526178 BALLCOCK VALVE 1" MF**  
for Fryer (ZANUSSI) - Series HD900 - Series N700  
Series N900 - Series PR700



ZANUSSI 0A5439



Suitable for:

**3359132 BLACK HANDLE**  
square hole 8x8 mm  
for Pasta cooker (ZANUSSI) - Series N700  
Series N900



ZANUSSI 056887

Suitable for:

**3359136 BRACKET FOR ROD**



ZANUSSI 003378

**3525017 CAP FOR BALLCOCK VALVE**  
for Bain-marie (ZANUSSI) - Series PR700  
for Bratt pan (ZANUSSI) - Series HD700  
Series N700 - Series PR700  
for Pasta cooker (ZANUSSI) - Series PR700



ZANUSSI 0A2563

**3356048 DRAIN BALL TAP 3/4"MF**  
for Fryer gas (ZANUSSI) MF/G1S07 - MF/G2D07  
RF/G1S07 - RF/G2D07



ZANUSSI 0C9535

ZANUSSI 005948

**3356089 DRAIN TAP  $\varnothing$  1" F**  
for Fryer (ZANUSSI) - Series HD900 - Series N900



ZANUSSI 006688

**3356066 DRAIN TAP LEVER**  
for Fryer (ZANUSSI) - Series HD900



ZANUSSI 006689

**3359135 DRAIN TAP  $\varnothing$  1" FF**  
for Fryer (ZANUSSI) - Series HD700  
for Pasta cooker (ZANUSSI) - Series HD700  
Series HD900 - Series H700 - Series H900  
Series PR700 - Series R700



ZANUSSI 056885

**3359132 BLACK HANDLE**  
square hole 8x8 mm  
for Pasta cooker (ZANUSSI) - Series N700  
Series N900



ZANUSSI 056887

**3359136 BRACKET FOR ROD**



ZANUSSI 003378

**3356017 DRAIN TAP FITTING**  
for Pasta cooker (ZANUSSI) - Series H700  
Series H900 - Series R700



ZANUSSI 056884



Suitable for:

**3356090 DRAIN TAP FITTING**  
for Pasta cooker (ZANUSSI) - Series N700  
Series N900 - Series PR700



ZANUSSI 0C5090

ZANUSSI 004728

**3359134 ROD FOR DRAIN TAP 160 mm**  
for Pasta cooker (ZANUSSI) - Series HD900  
Series PR700



ZANUSSI 003829

**3356054 DRAIN TAP  $\varnothing$  3/4" F**  
top lever fitting  
for Bain-marie (ZANUSSI) - Series Q500  
for Fryer (ZANUSSI) - Series Q500



ZANUSSI 058113

**3356088 DRAIN TAP  $\varnothing$  3/4" FF**  
for Pasta cooker (ZANUSSI) - Series N700  
Series N900



ZANUSSI 005917

ZANUSSI 005919

**3356090 DRAIN TAP FITTING**  
for Pasta cooker (ZANUSSI) - Series N700  
Series N900 - Series PR700



ZANUSSI 0C5090

ZANUSSI 004728

# ZANUSSI



Suitable for:

**3359185 EXTENSION FOR TAP**  
for Pasta cooker (ZANUSSI) - Series H700  
Series R700



ZANUSSI 056985

**3359132 BLACK HANDLE**  
square hole 8x8 mm  
for Pasta cooker (ZANUSSI) - Series N700  
Series N900



ZANUSSI 056887

**3526185 EXTENSION FOR VALVE 200 mm**  
square pin 8x8 mm  
for Pasta cooker (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0563



Suitable for:

**3359137 DRAIN TAP DN20 ø 3/4"FF**  
for Fryer (ZANUSSI) - Series HD900 - Series H700  
Series PR700



ZANUSSI 056114

**3356067 DRAIN TAP LEVER 200 mm**  
for Fryer (ZANUSSI) - Series HD700 - Series HD900



ZANUSSI 003377

**3356066 DRAIN TAP LEVER**  
for Fryer (ZANUSSI) - Series HD900



ZANUSSI 006689

**3356064 DRAIN TAP 1/2"MF**  
for Fryer (ZANUSSI) - Series PR700 - Series 700



ZANUSSI 058610

**3359185 EXTENSION FOR TAP**  
for Pasta cooker (ZANUSSI) - Series H700  
Series R700



ZANUSSI 056985

Suitable for:

**3359136 BRACKET FOR ROD**



ZANUSSI 003378

**3356067 DRAIN TAP LEVER 200 mm**  
for Fryer (ZANUSSI) - Series HD700 - Series HD900



ZANUSSI 003377

**3525019 EXTENSION FOR BALLCOCK VALVE**  
for Bain-marie (ZANUSSI) - Series PR700  
for Boiling pan (ZANUSSI) - Series HD900  
for Bratt pan (ZANUSSI) - Series HD700  
Series N700 - Series PR700  
for Pasta cooker (ZANUSSI) - Series PR700



ZANUSSI 0A2135

**3526185 EXTENSION FOR VALVE 200 mm**  
square pin 8x8 mm  
for Pasta cooker (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0563



Suitable for:

## 3526632 GAS/WATER BALLCOCK VALVE $\varnothing$ 3/4" FF

heavy series with PN 40 total passage  
DIN - DVGW approved  
aluminium throttle



ZANUSSI 0K7222

Suitable for:

## 3356167 LEVER FOR DRAIN TAP

for Bain-marie (EMMEPI) - Series 650  
for Bain-marie (ZANUSSI) - Series Q500  
for Fryer (EMMEPI) - Series 650  
for Fryer (ZANUSSI) - Series Q500  
for Pasta cooker (EMMEPI) - Series 650



ZANUSSI 0PR659

## 3359134 ROD FOR DRAIN TAP 160 mm

for Pasta cooker (ZANUSSI) - Series HD900  
Series PR700



ZANUSSI 003829

## 3525001 WATER BALLCOCK VALVE $\varnothing$ 3/8" FF

complete with pin  
for Bain-marie (ZANUSSI) - Series PR700  
for Boiling pan (ZANUSSI) - Series HD900  
for Bratt pan (ZANUSSI) - Series N700  
Series PR700 - Series R700  
for Pasta cooker (ZANUSSI) - Series PR700



ZANUSSI 0C9656

ZANUSSI 005902

ZANUSSI 056843

## 3525017 CAP FOR BALLCOCK VALVE

for Bain-marie (ZANUSSI) - Series PR700  
for Bratt pan (ZANUSSI) - Series HD700  
Series N700 - Series PR700  
for Pasta cooker (ZANUSSI) - Series PR700



ZANUSSI 0A2563

## 3525019 EXTENSION FOR BALLCOCK VALVE

for Bain-marie (ZANUSSI) - Series PR700  
for Boiling pan (ZANUSSI) - Series HD900  
for Bratt pan (ZANUSSI) - Series HD700  
Series N700 - Series PR700  
for Pasta cooker (ZANUSSI) - Series PR700



ZANUSSI 0A2135



Suitable for:

# ZANUSSI



## 3358010 WATER INLET TAP KIT

for Pasta cooker electric (ZANUSSI) MCP/E1S  
MCP/E2D - RCP/E1S - RCP/E2D  
for Pasta cooker gas (ZANUSSI) MCP/G1S - MCP/G2D  
RCP/G1S - RCP/G2D



ZANUSSI 005873

Suitable for:

## 3526691 WATER VALVE $\varnothing$ 1/2"MF

ball valve  
heavy series with PN 25 total passage  
aluminium lever  
for Fryer (ZANUSSI) - Series PR700



ZANUSSI 004486

## 3526274 WATER VALVE $\varnothing$ 1"FF

ball type  
heavy series total flow PN 40  
aluminium lever  
for Fryer gas (CAPIC) CTI - CTIB - TI - TIB



ZANUSSI 0A2071

ZANUSSI 004729

## 3526693 WATER VALVE $\varnothing$ 1"MF

ball valve  
heavy series with PN 25 total passage  
aluminium lever  
for Bratt pan (ZANUSSI) H900



ZANUSSI 056617

## 3526184 WATER VALVE 3/8"MF

ballcock valve  
heavy series with complete pass-through PN 40  
aluminum lever  
for Bratt pan (ZANUSSI) - Series HD900



ZANUSSI 0A5258

## Bearings

## 3061018 BEARING $\varnothing$ 22 mm

internal  $\varnothing$  6 mm - height 13 mm  
for LIFTING CART



ZANUSSI 0PE735

ZANUSSI 032309

## 9063043 BEARING 6003 2RS

external  $\varnothing$  35 mm-internal  $\varnothing$  17 mm-thickness 10 mm



ZANUSSI 0U0282





Suitable for:

**3063113 BEARING 6004 2RSH**  
outside  $\varnothing$  42 mm - insied  $\varnothing$  20 mm - thickness 12 mm



ZANUSSI 089921

Suitable for:

**9063007 BEARING 6005 2RS**  
external  $\varnothing$  47 mm-internal  $\varnothing$  25 mm-thickness 12 mm  
for OEM KNEADER F201/1-VE201/2  
for FIMAR KNEADER IM25-IM38  
for FIMAR PLANETARY IP10-IP20  
for SIRMAN BONE BAND SAW S03100



ZANUSSI 0KQ350

**1063005 BEARING 6201 DDU NSK**  
external  $\varnothing$  32mm - internal  $\varnothing$  12mm - thickness 10mm



ZANUSSI 0D5346

ZANUSSI 072019

**3063005 BEARING 6202 2RS NSK**  
external  $\varnothing$  35 mm -internal  $\varnothing$  15 mm-thickness 11 mm



ZANUSSI 0D0035

ZANUSSI 072751

**1063911 BEARING 6202 2Z**  
external  $\varnothing$  35 mm-internal  $\varnothing$  15 mm-thickness 11 mm



ZANUSSI 056820

**3063017 BEARING 6203 2RS NSK**  
external  $\varnothing$  40 mm -internal  $\varnothing$  17 mm-thickness 12 mm



ZANUSSI 0D0821

ZANUSSI 0KJ007

ZANUSSI 089918

**3063121 BEARING 6203 2RS SKF**  
 $\varnothing$  ext. 40 mm -  $\varnothing$  int. 17 mm - thickness 12 mm



ZANUSSI 0D0821

ZANUSSI 0KJ007

ZANUSSI 089918

**1063901 BEARING 6204 2RS NSK**  
external  $\varnothing$  47 mm -internal  $\varnothing$  20 mm-thickness 14 mm



ZANUSSI 0KQ395

ZANUSSI 045726

ZANUSSI 065048

**3063122 BEARING 6204 2RS SKF**  
 $\varnothing$  ext. 47 mm -  $\varnothing$  int. 20 mm - thickness 14 mm



ZANUSSI 0KQ395

ZANUSSI 045726

ZANUSSI 065048

**9063003 BEARING 6303 DDU NSK**



ZANUSSI 0KI590



Suitable for:

**9063004 BEARING 6304 DDU NSK**  
external  $\varnothing$  52mm - internal  $\varnothing$  21mm - height 15mm



ZANUSSI 0KQ393

Suitable for:

**3063030 ROLLER PAIR FOR DOOR**  
bearing  $\varnothing$  22 mm - plate size 85x65 mm  
for TABLE - CUPBOARD



ZANUSSI 031074

ZANUSSI 031087

**3063025 SLIDING DOOR ROLLER RH-LH**  
 $\varnothing$  bearing 22 mm - plate size 64x30 mm  
for TABLE - CUPBOARD



ZANUSSI 033886

**3063026 SLIDING DOOR ROLLER RH-LH**  
 $\varnothing$  bearing 22 mm - plate size 64x30 mm  
for TABLE - CUPBOARD



ZANUSSI 033885

**3522023 THRUST BEARING 51102**  
external  $\varnothing$  28 mm - internal  $\varnothing$  15 mm - thickn.9 mm



ZANUSSI 056821

## Burners, flame spreaders and accessories

**3025003 BURNER  $\varnothing$  102 mm**  
for Pot stove gas (ZANUSSI) - Series H900



ZANUSSI 052120

ZANUSSI 058183

**3025302 BURNER  $\varnothing$  120 mm**  
for Pot stove gas (ZANUSSI) MTV/G2 - RTV/G2



ZANUSSI 004279

**3025005 BURNER  $\varnothing$  122 mm**  
for Pot stove gas (ZANUSSI) - Series H900



ZANUSSI 052118

ZANUSSI 058184

**3025024 BURNER  $\varnothing$  180 mm**  
for Solid top range gas (ZANUSSI) - Series HD900  
Series H900 - Series N900 - Series P1000



ZANUSSI 052376



Suitable for:

**3025027 BURNER  $\varnothing$  200 mm**  
for floor SOLID TOP RANGE



ZANUSSI 0HB190

ZANUSSI 026641

Suitable for:

**3025001 BURNER  $\varnothing$  83 mm**  
for Pot stove gas (ZANUSSI) - Series H900



ZANUSSI 052119

ZANUSSI 058182

**3025133 BURNER BODY  $\varnothing$  100 mm 10KW**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0126

**3025148 BURNER BODY  $\varnothing$  60 mm 6Kw**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0127

**3025364 BURNER BOWL  $\varnothing$  78 mm**  
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2  
for Pot stove electric (TECNOINOX) PC35G  
for Pot stove gas (BERTO'S) - Series 600  
Series 700 - Series 900  
for Pot stove gas (TECNOINOX) PC70G



ZANUSSI 004977

**3025295 BURNER CAP  $\varnothing$  120 mm**  
for Pot stove gas (ZANUSSI) MTV/G2 - RTV/G2



ZANUSSI 004280

**3025055 AERATION REGULATOR**  
internal  $\varnothing$  40 mm - external  $\varnothing$  43 mm  
height 40 mm  
for Pot stove (ZANUSSI) - Series H900



ZANUSSI 052116

**3025302 BURNER  $\varnothing$  120 mm**  
for Pot stove gas (ZANUSSI) MTV/G2 - RTV/G2



ZANUSSI 004279

**3025278 BURNER DISC**  
for Pot stove gas (ZANUSSI) MTV/G2 - RTV/G2



ZANUSSI 054536



Suitable for:

# ZANUSSI



**3025303 BURNER CAP ø 120 mm**  
for Pot stove gas (ZANUSSI) RTV/G720



ZANUSSI 054193

Suitable for:

**3025055 AERATION REGULATOR**  
internal ø 40 mm - external ø 43 mm  
height 40 mm  
for Pot stove (ZANUSSI) - Series H900



ZANUSSI 052116

**3025278 BURNER DISC**  
for Pot stove gas (ZANUSSI) MTV/G2 - RTV/G2



ZANUSSI 054536

**3025045 BURNER CAP ø 80 mm**  
for old series  
for Pot stove gas (ZANUSSI) - Series 700



ZANUSSI 0A2094

**3025044 VENTURI ø 35 mm FOR BURNER CAP 80 mm**  
for old series  
for Pot stove gas (ZANUSSI) - Series 700



ZANUSSI 0A2092

**3025278 BURNER DISC**  
for Pot stove gas (ZANUSSI) MTV/G2 - RTV/G2



ZANUSSI 054536

**3025233 BURNER HEAD ø 100 mm**  
for Pot stove gas (ZANUSSI) - Series HD700  
Series H700 - Series PR700



ZANUSSI 054092

**3025238 BURNER HEAD ø 103 mm**  
series with conical connection  
for Pot stove gas (ZANUSSI) - Series HD900



ZANUSSI 002462

**3025241 BURNER HEAD ø 123 mm**  
series with conical connection  
for Pot stove gas (ZANUSSI) - Series HD900



ZANUSSI 002463

ZANUSSI 059212



# ZANUSSI



Suitable for:

**3025231 BURNER HEAD  $\varnothing$  70 mm**  
for Pot stove gas (ZANUSSI) - Series HD700  
Series H700 - Series PR700



ZANUSSI 054091

Suitable for:

**3025235 BURNER HEAD  $\varnothing$  84 mm**  
series with conical connection  
for Pot stove gas (ZANUSSI) - Series HD900



ZANUSSI 002461

**3025011 BURNER RING  $\varnothing$  100 mm**  
for Pot stove gas (ZANUSSI) - Series HD700  
Series H700 - Series PR700



ZANUSSI 056748


**3025008 BURNER RING  $\varnothing$  70 mm**  
for Pot stove gas (ZANUSSI) - Series HD700  
Series H700 - Series PR700



ZANUSSI 054095

ZANUSSI 056747

**3025179 BURNER RING  $\varnothing$  90 mm**  
for Pot stove gas (LOTUS) - Series 650



ZANUSSI

**3025025 DISC  $\varnothing$  80 mm**  
for Solid top range gas (ZANUSSI) - Series HD900  
Series H900 - Series N900 - Series P1000



ZANUSSI 052374

**3025012 FLAME SPREADER  $\varnothing$  100 mm**  
for Pot stove gas (ZANUSSI) - Series HD700  
Series H700 - Series PR700



ZANUSSI 002443

ZANUSSI 054098

ZANUSSI 055562

ZANUSSI 058560

**3025056 AERATION REGULATOR**  
internal  $\varnothing$  40 mm - external  $\varnothing$  43 mm  
height 43 mm  
for Pot stove (ZANUSSI) - Series 700



ZANUSSI 053448

**3186027 BURNER GASKET/GAS BOIL.TOP-SNACK SER.**



ZANUSSI 054094

**3025233 BURNER HEAD  $\varnothing$  100 mm**  
for Pot stove gas (ZANUSSI) - Series HD700  
Series H700 - Series PR700



ZANUSSI 054092



Suitable for:

**3025011 BURNER RING ø 100 mm**  
for Pot stove gas (ZANUSSI) - Series HD700  
Series H700 - Series PR700



ZANUSSI 056748

**3025134 FLAME SPREADER ø 100 mm 10KW**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0128

**3186317 O-RING 02131 RED SILICONE**  
for pod punch



ZANUSSI 0C0188

**3025135 VENTURI SUPPORT 6-10Kw**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0124

**3025004 FLAME SPREADER ø 102 mm**  
for Pot stove gas (ZANUSSI) - Series HD900  
Series H900



ZANUSSI 025864

ZANUSSI 052123

ZANUSSI 058186

# ZANUSSI



Suitable for:

**3025245 SPARKING PLUG SUPPORT PLATE**



ZANUSSI 058331

**3025133 BURNER BODY ø 100 mm 10KW**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0126

**3025132 VENTURI F/FLAME SPREADER 100 mm 10kW**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0133

**3025055 AERATION REGULATOR**  
internal ø 40 mm - external ø 43 mm  
height 40 mm  
for Pot stove (ZANUSSI) - Series H900



ZANUSSI 052116



Suitable for:

**3025003 BURNER ø 102 mm**  
for Pot stove gas (ZANUSSI) - Series H900



ZANUSSI 052120


ZANUSSI 058183

**3025803 JET HOLDER FITTING**  
jet hole ø M10x1 mm




ZANUSSI 002187

**3025363 FLAME SPREADER ø 120 mm**  
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2  
for Pot stove electric (TECNOINOX) PC35G  
for Pot stove gas (BERTO'S) - Series 600  
Series 700 - Series 900  
for Pot stove gas (TECNOINOX) PC70G



ZANUSSI 004975

**3025362 FLAME SPREADER ASSY. ø 120 mm**  
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2  
for Pot stove electric (TECNOINOX) PC35G  
for Pot stove gas (TECNOINOX) PC70G



ZANUSSI 004974

**3025006 FLAME SPREADER ø 122 mm**  
for Pot stove gas (ZANUSSI) - Series HD900  
Series H900



ZANUSSI 002441

ZANUSSI 052116

ZANUSSI 058187

ZANUSSI 059253

# ZANUSSI



Suitable for:

**3025238 BURNER HEAD ø 103 mm**  
series with conical connection  
for Pot stove gas (ZANUSSI) - Series HD900



ZANUSSI 002462

**3025240 VENTURI F/FLAME SPREADER ø 103 mm**  
series with conical connection  
for Pot stove gas (ZANUSSI) - Series HD900



ZANUSSI 002459

**3025364 BURNER BOWL ø 78 mm**  
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2  
for Pot stove electric (TECNOINOX) PC35G  
for Pot stove gas (BERTO'S) - Series 600  
Series 700 - Series 900  
for Pot stove gas (TECNOINOX) PC70G



ZANUSSI 004977

**3025055 AERATION REGULATOR**  
internal ø 40 mm - external ø 43 mm  
height 40 mm  
for Pot stove (ZANUSSI) - Series H900



ZANUSSI 052116



Suitable for:

**3025005 BURNER  $\varnothing$  122 mm**  
for Pot stove gas (ZANUSSI) - Series H900



ZANUSSI 052118

ZANUSSI 058184

**3025803 JET HOLDER FITTING**  
jet hole  $\varnothing$  M10x1 mm



ZANUSSI 002187

**3025243 VENTURI F/FLAME SPREADER 123 mm**  
series with conical connection  
for Pot stove gas (ZANUSSI) - Series HD900



ZANUSSI 002460

**3025026 FLAME SPREADER  $\varnothing$  180 mm**  
for Solid top range gas (ZANUSSI) - Series HD900  
Series H900 - Series N900 - Series P1000  
for Solid top range gas (ZANUSSI) HT/G800



ZANUSSI 052377

**3025025 DISC  $\varnothing$  80 mm**  
for Solid top range gas (ZANUSSI) - Series HD900  
Series H900 - Series N900 - Series P1000




ZANUSSI 052374

# ZANUSSI



Suitable for:

**3025241 BURNER HEAD  $\varnothing$  123 mm**  
series with conical connection  
for Pot stove gas (ZANUSSI) - Series HD900



ZANUSSI 002463

ZANUSSI 059212

**3025244 SPACER FOR FLAME SPREADER 123 mm**  
for Pot stove gas (ZANUSSI) - Series HD900



ZANUSSI 002197

**3025024 BURNER  $\varnothing$  180 mm**  
for Solid top range gas (ZANUSSI) - Series HD900  
Series H900 - Series N900 - Series P1000



ZANUSSI 052376

**3025234 FLAME SPREADER TILE 180 mm**  
for Solid top range gas (ZANUSSI) - Series HD900  
Series H900 - Series N900 - Series P1000



ZANUSSI 052500






# ZANUSSI



Suitable for:

**3025028 FLAME SPREADER  $\varnothing$  200 mm**  
for floor SOLID TOP RANGE old series



ZANUSSI 026643

Suitable for:

**3025027 BURNER  $\varnothing$  200 mm**  
for floor SOLID TOP RANGE



ZANUSSI 0HB190

ZANUSSI 026641

**3025163 FLAME SPREADER  $\varnothing$  60 mm**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0129

**3025148 BURNER BODY  $\varnothing$  60 mm 6Kw**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0127

**3186317 O-RING 02131 RED SILICONE**  
for pod punch



ZANUSSI 0C0188

**3025136 VENTURI F/FLAME SPREADER 60 mm 6kW**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0125

**3025135 VENTURI SUPPORT 6-10Kw**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0124

**3025232 FLAME SPREADER  $\varnothing$  70 mm**  
for Pot stove gas (ZANUSSI) - Series HD700  
Series H700 - Series PR700



ZANUSSI 002442

ZANUSSI 054097

ZANUSSI 055563

**3025056 AERATION REGULATOR**  
internal  $\varnothing$  40 mm - external  $\varnothing$  43 mm  
height 43 mm  
for Pot stove (ZANUSSI) - Series 700



ZANUSSI 053448

ZANUSSI 058559



Suitable for:

**3186026 BURNER GASKET FOR COOKING TOP**



ZANUSSI 054093

**3025008 BURNER RING ø 70 mm**  
for Pot stove gas (ZANUSSI) - Series HD700  
Series H700 - Series PR700



ZANUSSI 054095

ZANUSSI 056747

**3025021 FLAME SPREADER ø 80 mm**  
for Pot stove gas (ZANUSSI) - Series H900



ZANUSSI 020985

**3025002 FLAME SPREADER ø 83 mm**  
for Pot stove gas (ZANUSSI) - Series HD900  
Series H900



ZANUSSI 002439

ZANUSSI 052122

ZANUSSI 058185

ZANUSSI 059203

ZANUSSI 059241

**3025001 BURNER ø 83 mm**  
for Pot stove gas (ZANUSSI) - Series H900



ZANUSSI 052119

ZANUSSI 058182

# ZANUSSI



Suitable for:

**3025231 BURNER HEAD ø 70 mm**  
for Pot stove gas (ZANUSSI) - Series HD700  
Series H700 - Series PR700



ZANUSSI 054091

**3025245 SPARKING PLUG SUPPORT PLATE**



ZANUSSI 058331

**3025176 FLAME SPREADER ø 80 mm**  
for Kitchen gas (WHIRLPOOL) AGB579 - AGB580  
AGB581 - AGB583 - AGB584  
for Pot stove gas (GIGA) - Series 650



ZANUSSI 055108

**3025055 AERATION REGULATOR**  
internal ø 40 mm - external ø 43 mm  
height 40 mm  
for Pot stove (ZANUSSI) - Series H900



ZANUSSI 052116

**3025235 BURNER HEAD ø 84 mm**  
series with conical connection  
for Pot stove gas (ZANUSSI) - Series HD900



ZANUSSI 002461



Suitable for:

**3025803 JET HOLDER FITTING**  
jet hole  $\varnothing$  M10x1 mm



ZANUSSI 002187

**3025361 FLAME SPREADER  $\varnothing$  90 mm**  
for Pot stove electric (TECNOINOX) PC35G  
for Pot stove gas (BERTO'S) - Series 600  
Series 700 - Series 900  
for Pot stove gas (TECNOINOX) PC70G




ZANUSSI 004973

**3025360 VENTURI ASSY.  $\varnothing$  90 mm**  
for Pot stove electric (TECNOINOX) PC35G  
for Pot stove gas (TECNOINOX) PC70G



ZANUSSI 004972

**3025362 FLAME SPREADER ASSY.  $\varnothing$  120 mm**  
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2  
for Pot stove electric (TECNOINOX) PC35G  
for Pot stove gas (TECNOINOX) PC70G



ZANUSSI 004974

**3025803 JET HOLDER FITTING**  
jet hole  $\varnothing$  M10x1 mm



ZANUSSI 002187

# ZANUSSI



Suitable for:

**3025237 VENTURI F/FLAME SPREADER 84 mm**  
series with conical connection  
for Pot stove gas (ZANUSSI) - Series HD900



ZANUSSI 002458

**3025364 BURNER BOWL  $\varnothing$  78 mm**  
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2  
for Pot stove electric (TECNOINOX) PC35G  
for Pot stove gas (BERTO'S) - Series 600  
Series 700 - Series 900  
for Pot stove gas (TECNOINOX) PC70G



ZANUSSI 004977

**3025234 FLAME SPREADER TILE 180 mm**  
for Solid top range gas (ZANUSSI) - Series HD900  
Series H900 - Series N900 - Series P1000



ZANUSSI 052500

**3025244 SPACER FOR FLAME SPREADER 123 mm**  
for Pot stove gas (ZANUSSI) - Series HD900



ZANUSSI 002197



Suitable for:

# ZANUSSI



**3025245 SPARKING PLUG SUPPORT PLATE**



ZANUSSI 058331

Suitable for:

**3025044 VENTURI  $\varnothing$  35 mm FOR BURNER CAP 80 mm**  
for old series  
for Pot stove gas (ZANUSSI) - Series 700



ZANUSSI 0A2092

**3025360 VENTURI ASSY.  $\varnothing$  90 mm**  
for Pot stove electric (TECNOINOX) PC35G  
for Pot stove gas (TECNOINOX) PC70G



ZANUSSI 004972

**3025240 VENTURI F/FLAME SPREADER  $\varnothing$  103 mm**  
series with conical connection  
for Pot stove gas (ZANUSSI) - Series HD900



ZANUSSI 002459

**3025132 VENTURI F/FLAME SPREADER 100 mm 10kW**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0133

**3025243 VENTURI F/FLAME SPREADER 123 mm**  
series with conical connection  
for Pot stove gas (ZANUSSI) - Series HD900



ZANUSSI 002460

**3025136 VENTURI F/FLAME SPREADER 60 mm 6kW**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0125

**3025237 VENTURI F/FLAME SPREADER 84 mm**  
series with conical connection  
for Pot stove gas (ZANUSSI) - Series HD900



ZANUSSI 002458

**3025135 VENTURI SUPPORT 6-10Kw**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0124



Suitable for:

Suitable for:

## Cables for piezo igniters

**3001027 IGNITION CABLE 500 mm**  
 with faston terminal  $\varnothing$  2 mm for ignition  
 with faston terminal  $\varnothing$  2 mm for plug  
 for Pot stove gas (MBM) - Series MINIMA  
 Series OMNIA



ZANUSSI 0C0298

**3001028 SIT CABLE 500 mm**  
 with faston  $\varnothing$  2.4 mm for ignition  
 with faston  $\varnothing$  4 mm for sparking plug



ZANUSSI 059578

**3001002 SIT IGNITION LEAD 1000 mm**  
 with faston 6.35x0.8 mm ignition  
 with faston  $\varnothing$  4 mm for electrode  
 for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20



ZANUSSI 054273

**3001016 SIT IGNITION LEAD 1000 mm**  
 with faston  $\varnothing$  2.4 mm for ignition  
 with faston  $\varnothing$  4 mm for electrode



ZANUSSI 002544  
ZANUSSI 059146

ZANUSSI 006514  
ZANUSSI 059842

ZANUSSI 058494

**3001019 SIT IGNITION LEAD 1000 mm**  
 with faston  $\varnothing$  2.4 mm for ignition  
 with faston  $\varnothing$  2.4 mm for electrode



ZANUSSI 005559

**3001018 SIT IGNITION LEAD 600 mm**  
 with faston  $\varnothing$  2.4 mm for ignition  
 with faston  $\varnothing$  4 mm for electrode



ZANUSSI 004943

## Capacitors, electrical

**3068016 CAPACITOR  $\mu$ F 10 450V 50/60Hz**  
 operating temperature  $-25+85^{\circ}\text{C}$   
 in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 00U0403

ZANUSSI 056148

**3068019 CAPACITOR  $\mu$ F 12.5 450V 50/60Hz**  
 operating temperature  $-25+85^{\circ}\text{C}$   
 in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 037269

ZANUSSI 047541

ZANUSSI 047883



Suitable for:

**3068024 CAPACITOR  $\mu$ F 16 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 0A2914

ZANUSSI 0C1187

ZANUSSI 0H6812

Suitable for:

**3068002 CAPACITOR  $\mu$ F 2.5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and EEC 92/31 regulat



ZANUSSI 0E0174

**3068027 CAPACITOR  $\mu$ F 20 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 0H1044

ZANUSSI 047744

**3068008 CAPACITOR  $\mu$ F 5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and EEC 92/31 regulat



ZANUSSI 0K9108

ZANUSSI 037268

**3068010 CAPACITOR  $\mu$ F 6.3 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and EEC 92/31 regulat



ZANUSSI 049260

**3068014 CAPACITOR  $\mu$ F 8 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 049126

## Cast iron hot plates

**3312039 COOKING GRID 540x340 mm**  
for Lava rock grill (ZANUSSI) - Series N700  
Series PR700 - Series R701



ZANUSSI 0C6879

ZANUSSI 0C9059

ZANUSSI 053693

**3312068 COOKING GRID 640x175 mm**  
for Grill electric (ZANUSSI) KGR/E1 - KGR/E2  
for Grill gas (ZANUSSI) KGR/G1 - KGR/G2



ZANUSSI 0C0424

**3312069 COOKING GRID 670x370 mm**  
for Lava rock grill gas (ZANUSSI) HG/G400  
HG/G800 - ZG/G400 - ZG/G800



ZANUSSI 002389

**3312005 DISK FOR COOKING PLATE  $\varnothing$  225 mm**  
for Solid top range (ZANUSSI) - Series HD900  
Series H900 - Series N900 - Series P1000  
for Solid top range gas (ZANUSSI) ZHTF/G121



ZANUSSI 026953



Suitable for:

**3312048 RIBBED PLATE 330x300x15 mm**  
for Pot stove (ZANUSSI) - Series PR700



ZANUSSI 002815

Suitable for:

**3312059 RIBBED PLATE 330x320x8.5 mm**  
made of cast iron - for burner  $\varnothing$  70 mm  
for Pot stove (ZANUSSI) - Series M700



ZANUSSI 055556

**3312065 RIBBED PLATE 350x400x30 mm**  
for Pot stove (ZANUSSI) - Series HD900  
Series N900



ZANUSSI 002011

**3312060 RIBBED PLATE 695x395x55 mm**  
made of cast iron - for burners  $\varnothing$  84-103 mm  
for Pot stove (ZANUSSI) - Series H900



ZANUSSI 059274

**3312063 SMOOTH PLATE 350x350x30 mm**  
for Pot stove (ZANUSSI) - Series HD900  
Series N900



ZANUSSI 002009

**3312064 SMOOTH PLATE 350x400x30 mm**  
for Pot stove (ZANUSSI) - Series HD900  
Series N900



ZANUSSI 002010

**3312055 SMOOTH PLATE 395x345x30 mm**  
made of cast iron - for burner  $\varnothing$  84 mm  
for Pot stove (ZANUSSI) - Series H900



ZANUSSI 054653

**3312057 SMOOTH PLATE 695x395x55 mm**  
made of cast iron - for burners  $\varnothing$  84-103 mm  
for Pot stove (ZANUSSI) - Series H900



ZANUSSI 026440

## Castors, rollers and accessories

**3346122 AXLE SWIVELLING WHEEL**  
dimension  $\varnothing$  125x30 mm  
threaded pin M12 - height 30 mm



ZANUSSI 031751



Suitable for:

# ZANUSSI



Suitable for:

## Castors, rollers and accessories

**3346152 AXLE SWIVELLING WHEEL**  
dimension  $\varnothing$  125x30 mm  
pin for tube 40x40 mm



ZANUSSI 0S0129

**3346157 SQUARE PIPE FLARER 36x36 mm**



ZANUSSI 033655

**3346164 AXLE SWIVELLING WHEEL**  
dimension  $\varnothing$  125x30 mm  
pin for square tube 20x20 mm



ZANUSSI 0S0128

**3346166 AXLE SWIVELLING WHEEL**  
dimension  $\varnothing$  125x30 mm  
pin for tube  $\varnothing$  22 mm



ZANUSSI 0S0127

**3346120 AXLE SWIVELLING WHEEL WITH BRAKE**  
dimension  $\varnothing$  125x30 mm  
threaded pin M12 - height 30 mm



ZANUSSI 031752

**3346123 AXLE SWIVELLING WHEEL WITH BRAKE**  
dimension  $\varnothing$  125x30 mm  
pin for tube  $\varnothing$  21.7÷24.5 mm



ZANUSSI 0S0124

**3346155 AXLE SWIVELLING WHEEL WITH BRAKE**  
dimension  $\varnothing$  125x30 mm  
pin for tube 40x40 mm



ZANUSSI 0S0126

**3346157 SQUARE PIPE FLARER 36x36 mm**



ZANUSSI 033655

**3346165 AXLE SWIVELLING WHEEL WITH BRAKE**  
dimension  $\varnothing$  125x30 mm  
pin for square tube 20x20 mm



ZANUSSI 0S0125

ZANUSSI 032031

**3346091 PLATE FIXED WHEEL**  
dimensions  $\varnothing$  160x40 mm  
fixing plate 140x115 mm  
distance between mounting holes 105-80 mm  
for Food-service trolley (RIEBER) BKW



ZANUSSI 032148





Suitable for:

**3346090 PLATE SWIVELLING WHEEL WITH BRAKE**  
dimension  $\varnothing$  160x40 mm  
fixing plate 140x110 mm  
distance between mounting holes 105-80 mm  
for Food-service trolley (RIEBER) BKW



ZANUSSI 032146

Suitable for:

**3346125 PLATE SWIVELLING WHEEL WITH BRAKE**  
dimension  $\varnothing$  125x30 mm  
fixing plate 95x70 mm  
distance between holes 70-50 mm



ZANUSSI 0S0123

**3346119 PLATE SWIVELLING WHEEL WITHOUT BRAKE**  
dimension  $\varnothing$  125x30 mm  
fixing plate 95x70 mm  
distance between holes 70-50 mm



ZANUSSI 0S0122

**3346157 SQUARE PIPE FLARER 36x36 mm**



ZANUSSI 033655

## Circlips

**3063027 SEEGER RING**  
external  $\varnothing$  27.5 mm - internal  $\varnothing$  23 mm  
thickness 1 mm



ZANUSSI 0KQ499

## Clamps

**3449405 DOUBLE-WIRE CLAMP 9.8-10.4 - 100 PCS**  
for hoses  $\varnothing$  9.8÷10.4 mm



ZANUSSI 0E5993

ZANUSSI 0L0815

**3449462 HOSE CLAMP 12-20**  
for pipes  $\varnothing$  12÷20 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



ZANUSSI 049888



Suitable for:

# ZANUSSI



**3449452 HOSE CLAMP 16-25**  
 for pipes  $\varnothing$  16÷25 mm  
 made of stainless steel AISI 304  
 height 9 mm and screw E7  
 suitable for food industry



ZANUSSI 048126

**3449466 HOSE CLAMP 16-27**  
 for pipes  $\varnothing$  16÷27 mm  
 made of stainless steel AISI 304  
 height 12 mm and screw E7  
 suitable for food industry



ZANUSSI 0E5120

ZANUSSI 0E900

**3449453 HOSE CLAMP 25-40**  
 for pipes  $\varnothing$  25÷40 mm  
 made of stainless steel AISI 304  
 height 9 mm and screw E7  
 suitable for food industry



ZANUSSI 047578

**3449455 HOSE CLAMP 40-60**  
 for pipes  $\varnothing$  40÷60 mm  
 made of stainless steel AISI 304  
 height 9 mm and screw E7  
 suitable for food industry



ZANUSSI 0L0193

**3449456 HOSE CLAMP 50-70**  
 for pipes  $\varnothing$  50÷70 mm  
 made of stainless steel AISI 304  
 height 9 mm and screw E7  
 suitable for food industry



ZANUSSI 0E1358

ZANUSSI 0K8983

ZANUSSI 046855

**3449457 HOSE CLAMP 60-80**  
 for pipes  $\varnothing$  60÷80 mm  
 made of stainless steel AISI 304  
 height 9 mm and screw E7  
 suitable for food industry



ZANUSSI 046853

**3449476 HOSE CLAMP 70-90**  
 for pipes  $\varnothing$  70÷90 mm  
 made of stainless steel AISI 304  
 height 12 mm and screw E7  
 suitable for food industry



ZANUSSI 0E1354

**3449461 HOSE CLAMP 8-12**  
 for pipes  $\varnothing$  8÷12 mm  
 made of stainless steel AISI 304  
 height 9 mm and screw E7  
 suitable for food industry



ZANUSSI 046946

ZANUSSI 048224



Suitable for:

Suitable for:

## Column faucets

### 3359682 COLUMN FAUCET 84319

oil bath spindles  
spout  $\varnothing$  20x240 mm  
connection  $\varnothing$  1/2" M  
overall height 555 mm  
rod length 435 mm



ZANUSSI 206158

ZANUSSI 216036

### 3359140 COLUMN TAP

swivel column  
swivel spout 250 mm  
fitting  $\varnothing$  3/4" M  
height 425 mm  
overall height 700 mm  
25l/min at 4 bar



ZANUSSI 927130

## Contact thermostats

### 3443048 CONTACT THERMOSTAT 210°C

with manual reset  
for Fryer (ZANUSSI) - Series HD700 - Series PR700



ZANUSSI 003329

## Contactors

### 3446223 CONTACTOR AEG LS02K 6A 230V 2.2Kw


coil 230V 50/60Hz  
4 normally open contacts  
no auxiliary contact  
for Kitchen electric (AMBASSADE) CFE705RT  
CFE714RT



ZANUSSI 004159

### 3454068 CONTACTOR BENEDIKT/JAGER K3-10ND10

10A 400V 4Kw  
coil 220/240V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact  
for Boiling pan (ZANUSSI)  
for Bratt pan (ZANUSSI)  
for Fryer (ZANUSSI)  
for Pasta cooker (ZANUSSI)



ZANUSSI 082986

ZANUSSI 088477

### 3446561 CONTACTOR LOVATO BF0910A

coil 9A 230V 50/60Hz 4.2Kw  
3 normally open contacts  
1 normally open auxiliary contact



ZANUSSI 003027

ZANUSSI 004206

### 3446552 CONTACTOR LOVATO BG0610A

coil 6A 230V 50/60Hz 2.2Kw  
3 normally open contacts  
1 normally open auxiliary contact




ZANUSSI 086215



Suitable for:

**3446557 CONTACTOR LOVATO BG0901A**  
 coil 9A 230V 50/60Hz 4Kw  
 3 normally open contacts  
 1 normally closed auxiliary contact



ZANUSSI 086169

Suitable for:

**3446556 CONTACTOR LOVATO BG0910A**  
 coil 9A 230V 50/60Hz 4Kw  
 3 normally open contacts  
 1 normally open auxiliary contact



ZANUSSI 048519

ZANUSSI 075796

## Cooking baskets and accessories

**3055125 BLACK KNOB  $\varnothing$  28x86 mm M8x1**  
 plastic replacement for PASTA COOKER baskets



ZANUSSI 057728

**3055318 HANDGRIP PROTECTION**



ZANUSSI 002272

**3055319 SPINDLE FOR KNOB**



ZANUSSI 053705

**3055145 FALSE BOTTOM 500x290x120 mm**  
 for round baskets



ZANUSSI 056922

**3055318 HANDGRIP PROTECTION**



ZANUSSI 002272

**3055124 PASTA COOKER BASKET  $\varnothing$  135x180 mm**  
 made of stainless steel  
 for Pasta cooker (ZANUSSI) - Series H900



ZANUSSI 056918

**3055123 PASTA COOKER BASKET  $\varnothing$  170x180 mm**  
 made of stainless steel  
 for Pasta cooker (ZANUSSI) - Series H900



ZANUSSI 056917



Suitable for:

Suitable for:

**3055144 PASTA COOKER BASKET 1/3 150x275x180 mm**  
 made of stainless steel  
 for Pasta cooker (ZANUSSI) - Series HD700



ZANUSSI 056919

**3055337 PASTA COOKER BASKET 140x140x205 mm LEFT**  
 made of STAINLESS STEEL  
 for Pasta cooker electric (ZANUSSI) SCPE350  
 for Pasta cooker gas (ZANUSSI) SCPG350



ZANUSSI 005806

**3055125 BLACK KNOB ø 28x86 mm M8x1**  
 plastic replacement for PASTA COOKER baskets



ZANUSSI 057728

**3055338 PASTA COOKER BASKET 140x140x205 mm RIGHT**  
 made of STAINLESS STEEL  
 for Pasta cooker electric (ZANUSSI) SCPE350  
 for Pasta cooker gas (ZANUSSI) SCPG350



ZANUSSI 005807

**3055125 BLACK KNOB ø 28x86 mm M8x1**  
 plastic replacement for PASTA COOKER baskets



ZANUSSI 057728

**3055332 PASTA COOKER BASKET 175x115x130 mm**  
 made of stainless steel  
 for Pasta cooker electric (ZANUSSI) MCP/E1SH  
 MCP/E2SH - MCP/E2SHB



ZANUSSI 006886

**3055331 PASTA COOKER BASKET 230x180x270 mm**  
 made of stainless steel  
 for Pasta cooker (ZANUSSI) - Series N700  
 Series N900 - Series PR700



ZANUSSI 004875

**3055122 PASTA COOKER BASKET 275x150x210 mm**  
 made of stainless steel  
 for Pasta cooker (ZANUSSI) - Series H900



ZANUSSI 0C1340

ZANUSSI 056915

**3055121 PASTA COOKER BASKET 275x230x210 mm**  
 made of stainless steel  
 for Pasta cooker (ZANUSSI) - Series H900



ZANUSSI 0C1339

ZANUSSI 056916



Suitable for:

**3055120 PASTA COOKER BASKET 275x480x215 mm**  
made of stainless steel  
for Pasta cooker (ZANUSSI) - Series H900



ZANUSSI 0C1341

ZANUSSI 056920

Suitable for:

**3055336 PASTA COOKER BASKET 285x160x215 mm**  
stainless steel  
for Pasta cooker gas (ZANUSSI) JCP/G800 - PCP/G800



ZANUSSI 0G2326

**3055339 PASTA COOKER BASKET 290x145x205 mm**  
made of stainless steel  
for Pasta cooker electric (ZANUSSI) SCPE350  
for Pasta cooker gas (ZANUSSI) SCPG350



ZANUSSI 0C6290(1PZ)

ZANUSSI 005808

**3055125 BLACK KNOB ø 28x86 mm M8x1**  
plastic replacement for PASTA COOKER baskets



ZANUSSI 005728

**3055349 PASTA COOKER BASKET 360x115x270 mm**  
made of stainless steel  
for Pasta cooker (ZANUSSI) - Series N700 - N900  
Series PR700



ZANUSSI 004873

**3055265 PASTA COOKER BASKET 360x230x270 mm**  
for Pasta cooker (ZANUSSI) - Series H700  
Series N700 - Series N900 - Series PR700  
Series R700



ZANUSSI 004874

**3055319 SPINDLE FOR KNOB**



ZANUSSI 0053705

## Detergents

**3092248 DETERGENT ECOLAB KIT 1 L - 4 PCS**  
detergent for grills and hot plates  
it can be used hot



ZANUSSI 0S1195



Suitable for:

# ZANUSSI



Suitable for:

## Door glasses for oven and accessories

### 3519009 COMPLETE CHAMBER GLASS

complete with glass and gasket  
for Bain-marie (ZANUSSI)  
for Boiling pan (ZANUSSI)  
for Bratt pan (ZANUSSI)  
for Fryer (ZANUSSI)  
for Pasta cooker (ZANUSSI)  
for Solid top range (ZANUSSI)



ZANUSSI 0C5340

ZANUSSI 057400

### 3519001 FRAME 35x35 mm



ZANUSSI 057382

### 3519009 COMPLETE CHAMBER GLASS

complete with glass and gasket  
for Bain-marie (ZANUSSI)  
for Boiling pan (ZANUSSI)  
for Bratt pan (ZANUSSI)  
for Fryer (ZANUSSI)  
for Pasta cooker (ZANUSSI)  
for Solid top range (ZANUSSI)



ZANUSSI 0C5340

ZANUSSI 057400

### 3519002 GASKET GLASS FRAME



ZANUSSI 057402

### 3519002 GASKET GLASS FRAME



ZANUSSI 057402



Suitable for:

# ZANUSSI



Suitable for:

## Drain assembly

**3316010 BRASS DRAIN ASSEMBLY  $\varnothing$  1"1/2**  
external  $\varnothing$  67 mm - internal  $\varnothing$  40 mm  
connection  $\varnothing$  47 mm



ZANUSSI 0S1310

**3316011 BRASS DRAIN ASSEMBLY  $\varnothing$  2"**  
external  $\varnothing$  80 mm - internal  $\varnothing$  50 mm  
connection  $\varnothing$  59 mm



ZANUSSI 0S1317

ZANUSSI 069317

ZANUSSI 069654

**3316126 DRAIN ASSEMBLY**  
external  $\varnothing$  45 mm - internal  $\varnothing$  30 mm  
connection  $\varnothing$  36 mm  
for Self service counter (ZANUSSI)



ZANUSSI 032244

**3316125 DRAIN ASSEMBLY NUT 1"**  
for Self service counter (ZANUSSI)



ZANUSSI 032245

**3316124 DRAIN PIPE  $\varnothing$  25 mm**  
length 500 mm  
for Self service counter (ZANUSSI)



ZANUSSI 032238

**3186343 O-RING 02106 EPDM**



ZANUSSI 033462

**3448225 OVERFLOW PIPE  $\varnothing$  30x110 mm**  
made of stainless steel  
for Bain-marie (ZANUSSI)  
for Self service counter (ZANUSSI)  
for Warm table (ZANUSSI)



ZANUSSI 032246





Suitable for:

Suitable for:

**3316133 DRAIN ASSEMBLY**  
external  $\varnothing$  45 mm - internal  $\varnothing$  30 mm  
connection  $\varnothing$  38 mm  
for Bain-marie (ZANUSSI) - Series H900  
Series P1000

**3786007 DRAIN ASSEMBLY GASKET  $\varnothing$  46x39x2 mm**



ZANUSSI 050288

ZANUSSI 050295

**3316132 DRAIN ASSEMBLY NUT  $\varnothing$  36 mm**  
for Bain-marie (ZANUSSI) - Series H900



ZANUSSI 050287

**3316132 DRAIN ASSEMBLY NUT  $\varnothing$  36 mm**  
for Bain-marie (ZANUSSI) - Series H900



ZANUSSI 050287

**3316125 DRAIN ASSEMBLY NUT 1"**  
for Self service counter (ZANUSSI)



ZANUSSI 032245

**3316126 DRAIN ASSEMBLY**  
external  $\varnothing$  45 mm - internal  $\varnothing$  30 mm  
connection  $\varnothing$  36 mm  
for Self service counter (ZANUSSI)



ZANUSSI 032244

**3316124 DRAIN PIPE  $\varnothing$  25 mm**  
length 500 mm  
for Self service counter (ZANUSSI)



ZANUSSI 032238

**3316013 ST. STEEL/PLASTIC DRAIN ASSEMBLY  $\varnothing$  2"**  
external  $\varnothing$  70 mm - internal  $\varnothing$  50 mm  
connection  $\varnothing$  59 mm



ZANUSSI 051319



Suitable for:

**3316012 ST. STEEL/PLASTIC DRAIN ASSEMBLY  $\varnothing$  1"1/2**  
external  $\varnothing$  70 mm - internal  $\varnothing$  50 mm  
connection  $\varnothing$  47 mm



ZANUSSI 0S1318

Suitable for:

**3186606 O-RING 0144 EPDM**



ZANUSSI 047192

## Drain hoses

**3450032 DRAIN PIPE  $\varnothing$  38x2000 mm**  
muffs internal  $\varnothing$  31 and 40 mm  
max temperature 90°C



ZANUSSI 049748

**3356017 DRAIN TAP FITTING**  
for Pasta cooker (ZANUSSI) - Series H700  
Series H900 - Series R700



ZANUSSI 056884

**3356090 DRAIN TAP FITTING**  
for Pasta cooker (ZANUSSI) - Series N700  
Series N900 - Series PR700



ZANUSSI 0C5090

ZANUSSI 004728

## Drain plugs

**3448229 OVERFLOW PIPE  $\varnothing$  20x140 mm**  
made of chrome plated brass  
fitting  $\varnothing$  30 mm  
for Bain-marie (ZANUSSI) - Series H900  
Series P1000



ZANUSSI 050301

**3186143 GASKET OR 04093 EPDM**



ZANUSSI 050292

ZANUSSI 086551



Suitable for:

**3448236 OVERFLOW PIPE  $\varnothing$  20x85 mm**  
made of stainless steel  
for Bain-marie (ZANUSSI) - Series HD900  
Series N900



ZANUSSI 0A5181

Suitable for:

**1186238 O-RING 04081 EPDM**



ZANUSSI 0A5182

**3448225 OVERFLOW PIPE  $\varnothing$  30x110 mm**  
made of stainless steel  
for Bain-marie (ZANUSSI)  
for Self service counter (ZANUSSI)  
for Warm table (ZANUSSI)



ZANUSSI 032246

## Drain taps and accessories

**3356016 DRAIN NIPPLE  $\varnothing$  2"x80 mm**  
in brass



ZANUSSI 0A2393

**3356004 DRAIN TAP  $\varnothing$  1"F**  
TAPERED SEAL - fixed connection  $\varnothing$  1"F  
with gasket  
for BOILING PAN



ZANUSSI 0S0109

**3356154 DRAIN TAP  $\varnothing$  1"1/2F**  
with fixed connection  $\varnothing$  1"1/2F  
for Boiling pan (JUNO-RÖDER-SENKING)  
for Boiling pan (ZANUSSI)



ZANUSSI 0H6424

**3356156 DRAIN TAP  $\varnothing$  1"1/2F**  
flanged connection with screw fastening  $\varnothing$  1"1/2F  
for Boiling pan (JUNO-RÖDER-SENKING)  
for Boiling pan (KÜPPERSBUSCH)  
for Boiling pan (MKN)  
for Boiling pan (ZANUSSI)



ZANUSSI 0H6412



Suitable for:

Suitable for:

**3356007 DRAIN TAP  $\varnothing$  1"1/2F TECNO**  
 TAPERED SEAL - swivel nut  $\varnothing$  1"1/2F  
 with gasket  
 for BOILING PAN




ZANUSSI 0S0107

ZANUSSI 0S0110

ZANUSSI 002520

**3356153 DRAIN TAP  $\varnothing$  1"1/4F**  
 with fixed connection  $\varnothing$  1"1/4F  
 for Boiling pan (JUNO-RÖDER-SENKING)  
 for Boiling pan (ZANUSSI)



ZANUSSI 0H6421

**3356005 DRAIN TAP  $\varnothing$  1"1/4F TECNO**  
 TAPERED SEAL - fixed connection  $\varnothing$  1"1/4F  
 with gasket  
 for BOILING PAN



ZANUSSI 0S0136

**3356073 DRAIN TAP  $\varnothing$  2" F TECNO**  
 GASKET SEAL - with swivel nut  $\varnothing$  2" F  
 with safety lock  
 for BOILING PAN



ZANUSSI 0C4850

**3356100 DRAIN TAP  $\varnothing$  2" F TECNO**  
 GASKET SEAL - with swivel nut  $\varnothing$  2" F  
 for Boiling pan  
 for Bratt pan (CHARVET) 1000GMA200BM/C



ZANUSSI 0S0135

ZANUSSI 0S0285

ZANUSSI 008027

**3186242 ASBESTOS FREE FLAT GASKET  $\varnothing$  61x46x2 mm**  
 for drain tap  $\varnothing$  2" old model



ZANUSSI 004986

ZANUSSI 020279

**3186241 VITON O-RING 06212**  
 for DRAIN TAP  $\varnothing$  2" OLD MODEL AND  
 TECNO NEW MODEL



ZANUSSI 0S0286

**3356051 DRAIN TAP  $\varnothing$  3/4" F**  
 for Fryer (ZANUSSI) - Series QUICK



ZANUSSI 003433

ZANUSSI 055085

**3356053 DRAIN TAP HANDLE**  
 for Bain-marie (EMMEPI) - Series 650  
 for Bain-marie (ZANUSSI) - Series Q500  
 for Fryer (EMMEPI) - Series 650  
 for Fryer (ZANUSSI) - Series Q500  
 for Pasta cooker (EMMEPI) - Series 650



ZANUSSI 058111



Suitable for:

Suitable for:

**3356022 DRAIN TAP M 60x2 mm**  
TAPERED SEAL  
thread external  $\varnothing$  60 mm  
thread pitch 2 mm  
internal hole  $\varnothing$  40 mm  
for BOILING PAN



ZANUSSI 0S0112

ZANUSSI 017215

**3356024 DRAIN TAP M 78x3 mm**  
TAPERED SEAL  
thread external  $\varnothing$  78 mm  
thread pitch 3 mm  
internal hole  $\varnothing$  59.5 mm  
for BOILING PAN



ZANUSSI 0S0138

ZANUSSI 053159

**3186242 ASBESTOS FREE FLAT GASKET  $\varnothing$  61x46x2 mm**  
for drain tap  $\varnothing$  2" old model



ZANUSSI 004986

ZANUSSI 020279

**3356023 DRAIN TAP 68x3 mm**  
TAPERED SEAL  
thread external  $\varnothing$  68 mm  
thread pitch 3 mm  
internal hole  $\varnothing$  50 mm  
for BOILING PAN



ZANUSSI 052907

## Drawers

**3480001 OIL COLLECTION DRAWER 168x117x115 mm**  
for Fry top (ZANUSSI) - Series N700



ZANUSSI 0C2721



Suitable for:

# ZANUSSI



Suitable for:

## Drip trays for kitchens and ovens

**3015002 BURNER DRIP TRAY  $\varnothing$  102 mm**  
external dimensions 345x360 mm  
internal hole  $\varnothing$  125 mm  
for Pot stove gas (ZANUSSI) - Series H900  
Series P1000



ZANUSSI 052103

**3015003 BURNER DRIP TRAY  $\varnothing$  123 mm**  
external dimensions 345x360 mm  
internal hole  $\varnothing$  145 mm  
for Pot stove gas (ZANUSSI) - Series H900  
Series P1000



ZANUSSI 052104

**3015001 BURNER DRIP TRAY  $\varnothing$  83 mm**  
external dimensions 345x360 mm  
internal hole  $\varnothing$  105 mm  
for Pot stove gas (ZANUSSI) - Series H900  
Series P1000



ZANUSSI 052102

## Electric hot plates

**3311092 ELECTRIC HOT PLATE  $\varnothing$  145 mm 1500W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top  
for Kitchen electric (FAGOR) CE-740 - CE-741  
for Kitchen (AMBASSADE) GFR08HI



ZANUSSI 053406

ZANUSSI 058104

**3311096 ELECTRIC HOT PLATE  $\varnothing$  180 mm 2000W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top  
for Kitchen (AMBASSADE) GFR08HI  
for Kitchen electric (ROSINOX) 200EVICHEF



ZANUSSI 004914

**3311100 ELECTRIC HOT PLATE  $\varnothing$  220 mm 2600W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top  
for Hot plate electric (BONNET) B-B7.PE800  
for Kitchen electric (FAGOR) CE-741 - CE7-40  
for Pot stove electric (FAGOR) CE-720



ZANUSSI 053407

ZANUSSI 053606

**3311101 ELECTRIC HOT PLATE  $\varnothing$  220 mm 2600W 400V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top  
for Hot plate electric (MORICE) RE40010003  
for Kitchen electric (FAGOR) CE-741 - CE7-20  
CE7-40



ZANUSSI 003931



Suitable for:

### 3311088 ELECTRIC HOT PLATE ø 230 mm 2100W 230V

faston electric connections  
complete with energy regulation  
for Pot stove (ZANUSSI) - Series N700  
Series PR700



ZANUSSI 005008

Suitable for:

### 3311053 ELECTRIC HOT PLATE 2600W 230V

dimensions 220x220 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top  
for Hot plate electric (ZANUSSI) PCF/E2QE5 178028



ZANUSSI 0A2198

ZANUSSI 0A2199

ZANUSSI 006220

### 3311062 ELECTRIC HOT PLATE 3000W 230V

dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top  
for Kitchen electric (FAGOR) CE-941  
for Oven under cooktop electric (FAGOR) CE-920  
CE-940



ZANUSSI 0A2020

ZANUSSI 0K6680

ZANUSSI 052196

ZANUSSI 052198

### 3311063 ELECTRIC HOT PLATE 3000W 400V

dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top  
for Kitchen electric (FAGOR) CE-941  
for Oven under cooktop electric (FAGOR) CE-920  
CE-940



ZANUSSI 0K4756

ZANUSSI 052197

### 3311064 ELECTRIC HOT PLATE 4000W 230V

dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top  
for Kitchen electric (FAGOR) CE-941  
for Oven under cooktop electric (FAGOR) CE-920  
CE-940  
for Kitchen electric (EMMEPI) EE4F



ZANUSSI 052199

ZANUSSI 052201

### 3311048 ELECTRIC HOT PLATE 4000W 400V

dimensions 300x300 mm  
terminal block electric connections  
for electric cooking top



ZANUSSI



Suitable for:

**3311065 ELECTRIC HOT PLATE 4000W 400V**  
 dimensions 300x300 mm  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top  
 for Kitchen electric (FAGOR) CE-941  
 for Oven under cooktop electric (FAGOR) CE-920  
 CE-940



ZANUSSI 052200

Suitable for:

**3311121 HOT ELECTRIC PLATE PAIR KIT ø 200 mm**  
 complete with brackets for installation  
 attacchi elettrici a faston  
 complete with energy regulation  
 for INFRARED PLATE  
 1800W 230V



ZANUSSI 0D6264

## Electrical cables

**3050025 SPIRAL CABLE 750 mm**  
 3 wires ø 1.5 mm  
 overall length 800 mm  
 for Food-service trolley



ZANUSSI 0A3010

## Electrical gas valves and accessories

**3526270 VALVE 820 NOVA EXTENSION**  
 D shaft ø 10x8 mm  
 for Bratt pan gas (ZANUSSI) KBR/G2C - KBR/G2CH  
 KBR/G2F - KBR/G2FH - KBR/G3C - KBR/G3CH  
 KBR/G3F - KBR/G3FH  
 for Fryer gas (ZANUSSI) JFR/G2S40 - MFR/G2S40  
 PFR/G2S40 - RFR/G2S40 - TFR/G2S60 - XFR/G2S40



ZANUSSI 004667

**3526137 BUTTON FOR ELETTROSIT VALVE**



ZANUSSI 053820

ZANUSSI 053992

**3526098 COIL 220V**  
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ZANUSSI 0K3020

**3526142 DOUBLE COIL FOR VALVE**  
 220V 50Hz  
 for VALVE 830 TANDEM-836 TANDEM



ZANUSSI 002452





Suitable for:

Suitable for:

**3526085 ELETROSIT VALVE  $\varnothing$  3/4"FF**  
 inlet  $\varnothing$  3/4"F - outlet  $\varnothing$  3/4"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 pressure adjustment range  
 3÷18 mbar  
 ambient temperature 0÷60°C  
 power supply 230V 50Hz  
 pilot connection and LATERAL thermocouple



ZANUSSI

**3526086 ELETROSIT VALVE  $\varnothing$  3/4"FF**  
 inlet  $\varnothing$  3/4"F - outlet  $\varnothing$  3/4"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 pressure adjustment range  
 3÷18 mbar  
 ambient temperature 0÷60°C  
 power supply 230V 50Hz  
 pilot connection and LOWER thermocouple



ZANUSSI 0A2035

**3526087 ELETROSIT VALVE  $\varnothing$  3/4"FF**  
 inlet  $\varnothing$  3/4"F - outlet  $\varnothing$  3/4"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 pressure adjustment range  
 3÷18 mbar  
 ambient temperature 0÷60°C  
 power supply 24V 50Hz  
 pilot connection and LOWER thermocouple



ZANUSSI 054437

**3526090 ELETROSIT VALVE  $\varnothing$  3/4"FF**  
 inlet  $\varnothing$  3/4"F - outlet  $\varnothing$  3/4"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 pressure adjustment range  
 3÷18 mbar  
 ambient temperature 0÷60°C  
 power supply 230V 50Hz  
 long buttons  
 pilot connection and LATERAL thermocouple  
 for Bratt pan gas (BONNET)  
 for Bratt pan gas (OLIS) KBG970 - 725KBG - 94KBCM  
 94KBG  
 for Fryer gas (BONNET)



ZANUSSI 057543

**3526093 EXTENSION ELETROSIT BUTTON**  
 for switching on/off buttons



ZANUSSI 051281

ZANUSSI 055805

**3526066 HONEYWELL VALVE V4400C  $\varnothing$  3/4"FF 220V**  
 inlet  $\varnothing$  3/4"F - outlet  $\varnothing$  3/4"F  
 thermocouple connection ASA pitch  
 maximum gas inlet pressure 60 mbar  
 room temperature 0÷70°C  
 power supply 230V 50Hz



ZANUSSI 057340

**3526136 SPRING FOR PUSH-BUTTON**



ZANUSSI 053819

**3440200 TWIN LEAD THERMOPILE 580 mm**



ZANUSSI 002607



Suitable for:

**3526096 VALVE MICROSWITCH**  
 maximum load 0.2 A  
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ZANUSSI 054539

ZANUSSI 056601

Suitable for:

**3526079 VALVE 820 NOVA ø 1/2"FF**  
 inlet ø 1/2" F - outlet ø 1/2" F  
 thermocouple fitting M9x1  
 maximum gas inlet pressure 60 mbar  
 outlet pressure setting range  
 3÷30 mbar  
 room temperature 0÷70°C  
 power supply 230V 50Hz  
 for Fryer gas (ANGELO PO) - Series ALPHA  
 Series BIFRONTI - Series DELTA - Series GAMMA  
 Series OMEGA  
 for Fryer gas (CAPIC)



ZANUSSI 0A240

ZANUSSI 055446

ZANUSSI 056514

**3526179 VALVE 820 NOVA ø 1/2"FF**  
 inlet ø 1/2" F - outlet ø 1/2" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 60 mbar  
 outlet pressure adjustment range  
 5÷50 mbar  
 ambient temperature 0÷70°C  
 without slow start  
 power supply 220V 50Hz  
 for Boiling pan gas (ZANUSSI) - Series N700  
 Series N900  
 for Fryer (WHIRLPOOL) AFR/G410  
 for Fryer gas (ZANUSSI) - Series HD900  
 Series N900  
 for Pasta cooker gas (ZANUSSI) - Series N900



ZANUSSI 002903

**40C2408 VALVE 820 NOVA ø 1/2"FF**  
 inlet ø 1/2" F - outlet ø 1/2" F  
 thermocouple connection M9x1  
 gas max. inlet pressure 60 mbar  
 outlet pressure range setting  
 5÷50 mbar  
 room temperature 0÷70°C  
 power supply 24V 50Hz  
 for Bratt pan gas (ZANUSSI) CRN15G - CRN20G  
 for Pasta cooker gas (ZANUSSI) CR40G - CR42G



ZANUSSI 0C2408

**3526300 VALVE 820 NOVA mV ø 1/2"FF**  
 inlet ø 1/2" F - outlet ø 1/2" F  
 thermocouple fitting M9x1  
 maximum gas inlet pressure 60 mbar  
 outlet pressure range setting  
 outlet 5÷50 mbar  
 room temperature 0÷70°C  
 double wire thermopile power supply  
 (TPTH - TH terminal)  
 thermostat connection (TPTH - TH terminal)  
 suitable to replace the ITT valve  
 UB67 model  
 for Fryer gas (ELFRAMO) GSDT12 - GSDT20 - GST12  
 GST20 - GWDT12 - GWDT20 - GWD209T - GWM35T  
 GWT12 - GWT20 - GW209T



ZANUSSI 002806

**3526269 VALVE 820 NOVA EXTENSION**  
 D shaft ø 10x8 mm  
 for Bratt pan gas (WHIRLPOOL) ABR/G810-221560  
 for Bratt pan gas (ZANUSSI) ABR/G800 - ABR/G805  
 ABR/G810 - ABR/G811 - ABR/G815 - ABR/G816  
 ABR/G820 - ABR/G825 - OBR/G800UK  
 for Fryer gas (WHIRLPOOL) XFR/G351



ZANUSSI 002790



Suitable for:

Suitable for:

**3526361 VALVE 822 NOVA  $\varnothing$  1/2"FF**  
 inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
 thermocouple fitting M10x1  
 maximum gas inlet pressure 60 mbar  
 outlet pressure setting range  
 3÷30 mbar  
 room temperature 0÷60°C  
 power supply 230V 50Hz  
 for Bratt pan gas (ZANUSSI) - Series HD900



ZANUSSI 059473

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



ZANUSSI 052833

**3020084 NUT & OLIVE  $\varnothing$  6 mm**



ZANUSSI 052834

**3526141 VALVE 830 TANDEM  $\varnothing$  1/2"FF**  
 inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
 thermocouple fitting M10x1  
 maximum gas inlet pressure 60 mbar  
 outlet gas pressure setting range 3÷50 mbar  
 room temperature 0÷60°C  
 power supply 230V 50Hz



ZANUSSI 002340

ZANUSSI 005897

**3526142 DOUBLE COIL FOR VALVE**  
 220V 50Hz  
 for VALVE 830 TANDEM-836 TANDEM



ZANUSSI 002452

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



ZANUSSI 052833

**3020084 NUT & OLIVE  $\varnothing$  6 mm**



ZANUSSI 052834

**3348041 PIPE OLIVE  $\varnothing$  16 mm**  
 for model PEL 23



ZANUSSI 052671

ZANUSSI 054817



Suitable for:

# ZANUSSI



**3526268 VALVE 830 TANDEM  $\varnothing$  1/2"FF**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  1/2"F  
 maximum gas inlet pressure 60 mbar  
 outlet pressure adjustment range  
 3÷50 mbar  
 power supply 24V 60Hz  
 for Pasta cooker gas (ZANUSSI) CR40G - CR41G  
 CR42G



ZANUSSI 00526

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



ZANUSSI 052833

**3348041 PIPE OLIVE  $\varnothing$  16 mm**  
 for model PEL 23



ZANUSSI 052671

ZANUSSI 054817

**3526140 VALVE 836 TANDEM  $\varnothing$  1/2"FF**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  1/2"F  
 maximum gas inlet pressure 60 mbar  
 max.gas outlet pressure adjustment range 7÷50 mbar  
 outlet gas pressure setting range min.2÷45 mbar  
 room temperature 0÷60°C  
 power supply 230V 30A rectified  
 for Bratt pan gas (ZANUSSI) BR70G - BR70GZ  
 for Pasta cooker gas (ZANUSSI) - Series CPD



ZANUSSI 002714

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



ZANUSSI 052833

Suitable for:

**3526142 DOUBLE COIL FOR VALVE**  
 220V 50Hz  
 for VALVE 830 TANDEM-836 TANDEM



ZANUSSI 002452

**3020084 NUT & OLIVE  $\varnothing$  6 mm**



ZANUSSI 052834

**3526142 DOUBLE COIL FOR VALVE**  
 220V 50Hz  
 for VALVE 830 TANDEM-836 TANDEM



ZANUSSI 002452

**3020084 NUT & OLIVE  $\varnothing$  6 mm**



ZANUSSI 052834



Suitable for:

**3348041 PIPE OLIVE  $\varnothing$  16 mm**  
for model PEL 23



ZANUSSI 052671

ZANUSSI 054817

# ZANUSSI



Suitable for:

## Electronic boxes


**3091020 CONTROL BOX SM191.1**  
model BRAHMA - 230V 50/60Hz 7VA  
for Bratt pan (ZANUSSI) - Series H900



ZANUSSI 0A5167

## Electronic printed-circuit boards

**3390382 CONTROL ELECTRONIC BOARD 183x50 mm**  
cable length 600 mm  
for Hot plate (ZANUSSI) DZ/CCE - EZ/LUSA  
for Hot plate electric (ZANUSSI) DZ/LCE



ZANUSSI 0C1897

**3399137 CONTROL PLATE 265x85 mm**  
for Hot plate electric (ZANUSSI) DZ/LCE



ZANUSSI 0C2330

**3319297 PUSH-BUTTON EXTENSION**  
external  $\varnothing$  7 mm  
for circuit boards



ZANUSSI 002670



Suitable for:

**3390086 DISPLAY CIRCUIT BOARD 185x50 mm**  
 cable length 500 mm  
 for Fry top (ZANUSSI) - Series DR - Series ER  
 for Panini grill (ZANUSSI) - Series DH  
 Series DPG - Series EH - Series EPG  
 for Pot stove (ZANUSSI) - Series DI - Series EI



ZANUSSI 087481

Suitable for:

**3390303 MOTHERBOARD**  
 for Fryer (ZANUSSI) - Series HD900 - Series N900



ZANUSSI 006624

## Electronic thermostats and controllers

**3445375 CONTROLLER ELIWELL ID PLUS 902**  
 230V 50/60Hz  
 1 relay output 8A for compressor  
 1 selectable NTC/PTC/PT1000 probe (not included)  
 1 programmable digital/temperature input  
 TTL input for copy card connection  
 front dimension 74x32xdepth 59 mm  
 mounting hole 71x29 mm



ZANUSSI 0S0295

**3445028 PROBE NTC PVC 4000 mm**  
 temperature field -30°+80°C  
 bulb ø 6x20 mm



ZANUSSI 087832

ZANUSSI 092176

**3445070 PTC PVC PROBE 1500 mm**  
 2-wire probe temperature range -30+80°C  
 bulb ø 6x40 mm



ZANUSSI 0S0302

ZANUSSI 083583

**3445399 CONTROLLER ELIWELL ID PLUS 902**  
 12Vac/dc  
 1 relay output 8A for compressor  
 1 selectable NTC/PTC/PT1000 probe (not included)  
 1 programmable digital/temperature input  
 TTL input for copy card connection  
 front dimension 74x32x59 mm  
 mounting hole 71x29 mm



ZANUSSI 0S0296

ZANUSSI 082388

ZANUSSI 082396

**3445028 PROBE NTC PVC 4000 mm**  
 temperature field -30°+80°C  
 bulb ø 6x20 mm



ZANUSSI 087832

ZANUSSI 092176

ZANUSSI 082484



Suitable for:

## 3445070 PTC PVC PROBE 1500 mm

2-wire probe temperature range -30+80°C  
bulb ø 6x40 mm



Suitable for:

ZANUSSI 0S0302

ZANUSSI 083583

## 3445073 THERMOSTAT EVK411 TCJ

power supply 12Vca/dc 1.5VA  
thermostat setting range 0+600°C  
ON-OFF control with one actuation point only  
1 changeover relay output 16A  
alarm buzzer  
access to configuration parameters through  
password - TTL serial port  
room temperature 0+60°C  
thermocouple TCJ type probe (not included)  
connections by screw terminal block  
front dimensions 74x32x65 mm  
mounting hole 71x29mm



ZANUSSI 004109

ZANUSSI 053540

## 3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz  
secondary tension 12Vca 3VA  
room temperature 0+60°C  
screw terminal block  
IMQ approved



ZANUSSI 0A2269

ZANUSSI 004120

ZANUSSI 082378

## 3445109 PROBE TCJVETROTEX 3000 mm

2-wires probe temperature range -50+350°C  
error limits  $\pm 0.75\%$  below 0°C  
response time 30 sec  
bulb ø 6x100 mm



ZANUSSI 004116



Suitable for:

Suitable for:

## 3445019 THERMOSTAT IC912 PT100

power supply 24V  
 thermostat setting range  $-150+650^{\circ}\text{C}$   
 control with 1 actuation point  
 1 changeover relay output 8(3)A 250V  
 serial port for data exchange  
 room temperature  $-5\div 55^{\circ}\text{C}$   
 PT100 probe (not included)  
 connections by screw terminal block  
 front dimensions 74x32x59 mm  
 mounting hole 71x29mm  
 for Fryer (ZANUSSI) - Series HD900  
 for Pasta cooker (ZANUSSI) - Series N700  
 Series PR700



ZANUSSI 0C3421

ZANUSSI 006154

ZANUSSI 054796

ZANUSSI 006155

## 3445145 THERMOSTAT PROBE 1400 mm

2-wire probe  
 bulb  $\varnothing 4x40$  mm  
 for Fryer (ZANUSSI) - Series HD900  
 for Pasta cooker (ZANUSSI) - Series N700  
 Series PR700



## 3446209 TIMER EWTS950 LX 12Vac

1 exchange relay outlet 8(3)A 250V  
 room temperature  $0\div 55^{\circ}\text{C}$   
 power supply 12Vca/dc  
 connections by screwed terminal block  
 size 74x32x60 mm  
 mounting hole 71x29 mm  
 for Bratt pan electric (ZANUSSI) BR80E - BR80EZ  
 for Bratt pan gas (ZANUSSI) BR80G - BR80GZ  
 for Pasta cooker gas (ZANUSSI) CRN/15G - CRN/15GA  
 CRN/15G2 - CRN/30G - CRN/30GA - CRN/30G2



ZANUSSI 0C1281

ZANUSSI 003814





## Energy regulators

### 3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C  
 D-shaped pin ø 6x4.6 mm  
 double rotation direction  
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS  
 for Boiling pan (MORICE)  
 for Boiling pan (THIRODE)  
 for Bratt pan (MORICE)  
 for Bratt pan (THIRODE)  
 for Fry top (LOTUS) - Series 60 - Series 65  
 Series 70  
 for Grill (THIRODE)  
 for Hot plate (EMMEPI) - Series 650 - Series 700  
 for Hot plate (GICO) - Series 110 - Series 700  
 Series 920  
 for Pasta cooker electric (BONNET)



ZANUSSI 0A2482  
 ZANUSSI 005270

ZANUSSI 0C1605  
 ZANUSSI 026861

ZANUSSI 0K8611  
 ZANUSSI 055016

### 3350035 ENERGY ADJUSTER

contact capacity 230V 13A  
 max temperature 125°C  
 D-shaped pin ø 6x4.6 mm



ZANUSSI 0C6530

## Equipment, complete

### 3235015 WOK PAN ø 360 mm - 5,2 L

for cooking range "WOK"



ZANUSSI 653595

### 4927230 1/2 M ST.STEEL CHAMBER SERIES PR700 SET

0.65Kw 230V 50/60Hz  
 dimensions 532x282xh60 mm



ZANUSSI 927230

## Fans for hoods

### 3526202 SPEED REGULATOR 2500W

power supply 230V 50Hz  
 rated power 2500W  
 operating direct current 12A  
 max current 18A  
 sizes 105x82x170 mm  
 Technical note:  
 It starts and changes its speed gradually  
 in order to avoid harmful  
 motor hammers



ZANUSSI 032986



Suitable for:

# ZANUSSI



Suitable for:

## Feet

**3313036 ADJUSTABLE S/STEEL FOOT  $\varnothing$  1" x h 115 mm**  
with plastic support for tubular foot 40x40 mm  
adjustable height 115÷205 mm



ZANUSSI 032550

**3313045 ADJUSTABLE S/STEEL FOOT  $\varnothing$  2" x h 125 mm**  
with square flange 74x74x2.5 mm  
adjustable height 135÷235 mm



ZANUSSI 048579

**3313003 STAINLESS STEEL FOOT  $\varnothing$  2" x h 125 mm**  
with rectangular flange 100x90 mm



ZANUSSI 057536

**3313001 STAINLESS STEEL FOOT  $\varnothing$  2" HEIGHT 125 mm**  
for Bain-marie (ZANUSSI) - Series R701  
for Fry top (ZANUSSI) - Series H900  
for Oven under cooktop (ZANUSSI) - Series H900



ZANUSSI 053792

## Filters

**3160500 PAN FILTER S/STEEL**  
for Boiling pan (ZANUSSI) - Series HD900  
Series H900 - Series N700 - Series N900  
Series R700



ZANUSSI 027114

**3160265 STAINLESS STEEL DRAIN FILTER  $\varnothing$  50 mm**  
for Pasta cooker (ZANUSSI) - Series H900  
Series N900 - Series PR700 - Series R700



ZANUSSI 004836

**3160234 SUPPORT FOR FILTER**  
for Pasta cooker (ZANUSSI) - Series H900  
Series N900 - Series PR700 - Series R700



ZANUSSI 054905



Suitable for:

**3160234 SUPPORT FOR FILTER**  
for Pasta cooker (ZANUSSI) - Series H900  
Series N900 - Series PR700 - Series R700



ZANUSSI 054905

Suitable for:

**3160007 WATER FILTER 3/4"FF**



ZANUSSI 0C4113

ZANUSSI 068121

## Fittings

**3349590 FITTING WITH RING NUT**



ZANUSSI 049652

**3349588 LEVEL PIPE FITTING  $\varnothing$  3/8"**



ZANUSSI 002188

**3186340 OR GASKET 03037 EPDM**



ZANUSSI 002923

ZANUSSI 069550

**3349346 NICHEL-PL.HOSE-END FITTING  $\varnothing$  1/4" M  $\varnothing$  12**



ZANUSSI 0C1626

**3349319 NICHEL-PLATED FITTING  $\varnothing$  1/4" M-1/4" M**



ZANUSSI 006350

**3349357 NICHEL-PLATED FITTING  $\varnothing$  3/4" M-3/4" M**



ZANUSSI 0W3306



Suitable for:

# ZANUSSI



Suitable for:

## Fryer baskets and accessories

**3055466 FRYER BASKET HANDLE 140x40 mm**  
distance between holes 115 mm  
of plastic



ZANUSSI 058158

**3055181 FRYER BASKET 105x330x125 mm**  
made of chrome-plated iron  
for Fryer (ZANUSSI) - Series H700



ZANUSSI 054948

**3055180 FRYER BASKET 135x260x120 mm**  
made of chrome-plated iron  
for Fryer (ZANUSSI) - Series H700



ZANUSSI 053206

**3055206 FRYER BASKET 160x335x120 mm**  
made of chrome-plated iron  
for new series  
for Fryer (ZANUSSI) - Series H900



ZANUSSI 059327

**3055207 FRYER BASKET 185x270x120 mm**  
made of chrome-plated iron  
for Fryer (ZANUSSI) - Series HD700



ZANUSSI 058157

**3055466 FRYER BASKET HANDLE 140x40 mm**  
distance between holes 115 mm  
of plastic



ZANUSSI 058158

**3055208 FRYER BASKET 250x305x120 mm**  
made of chrome-plated iron  
for Fryer (ZANUSSI) - Series QUICK



ZANUSSI 055093

**3055466 FRYER BASKET HANDLE 140x40 mm**  
distance between holes 115 mm  
of plastic



ZANUSSI 058158

**3055298 FRYER BASKET 260x270x120 mm**  
for Fryer (ZANUSSI) - Series HD700 - Series R700



ZANUSSI 052683

**3055315 FRYER BASKET 260x270x120 mm**  
made of chrome-plated iron  
for Fryer (ZANUSSI) - Series N700 - Series PR700



ZANUSSI 004499



Suitable for:

**3055333 FRYER BASKET 265x210x110 mm**  
made of chrome-plated iron  
for Fryer gas (ZANUSSI) SFRG350 - SFRG700



ZANUSSI 005704

Suitable for:

**3055076 FRYER BASKET 290x280x120 mm**  
made of chrome-plated iron  
for Fryer (ZANUSSI) - Series 900



ZANUSSI 0A2603

**3055741 FRYER BASKET 300x160x140 mm**  
for Fryer (ZANUSSI)



ZANUSSI 0K1640

**3055314 FRYER BASKET 325x225x120 mm**  
made of chrome-plated iron  
for Fryer (ZANUSSI) - Series N900



ZANUSSI 005933

**3055335 FRYER BASKET 325x225x90 mm**  
made of chrome-plated iron  
for Fryer gas (ZANUSSI) MF/G1S07 - RF/G1S07  
RF/G2D07



ZANUSSI 004492

**3055317 FRYER BASKET 330x140x140 mm**  
made of chrome-plated iron  
for Fryer (ZANUSSI) - Series HD900 - Series N900



ZANUSSI 006133

**3055316 FRYER BASKET 330x285x140 mm**  
made of chrome-plated iron  
for Fryer (ZANUSSI) - Series N700 - Series N900



ZANUSSI 006539

**3055205 FRYER BASKET 335x335x120 mm**  
made of chrome-plated iron  
for new series  
for Fryer (ZANUSSI) - Series H900



ZANUSSI 059307

**3055196 FRYER BASKET 340x160x160 mm**  
made of chrome-plated iron  
for Fryer (ZANUSSI) - Series H900



ZANUSSI 052290



Suitable for:

# ZANUSSI



Suitable for:

## Fuses

**3049003 DELAY FUSE 5x20 - 10 PCS**  
250V 100mA



ZANUSSI 086338

**3049012 DELAY FUSE 5x20 - 10 PCS**  
250V 800mA



ZANUSSI 0C2301

**3049038 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 160mA



ZANUSSI 002820

**3049040 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 250mA



ZANUSSI 002920

**3049041 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 315mA



ZANUSSI 0W3499

ZANUSSI 005032

ZANUSSI 4005032

**3049042 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 400mA



ZANUSSI 002750

**3049044 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 630mA



ZANUSSI 058871

**3049049 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 2A



ZANUSSI 0A8438

**3049052 QUICK ACTING FUSE 5x20 - 10 PCS**  
250V 4A



ZANUSSI 057783



## Gas burners

- 3023202 AIR ADJUSTER  $\varnothing$  40 mm**  
 for Boiling pan gas (ZANUSSI) - Series N700  
 Series N900  
 for Fryer gas (ZANUSSI) - Series HD900  
 Series N700 - Series N900  
 for Pasta cooker gas (ZANUSSI) - Series N900  
 Series PR700



ZANUSSI 054039

- 3023224 BURNER  $\varnothing$  40x250 mm**  
 overall length 300 mm  
 made of stainless steel  
 for Bain-marie gas (ZANUSSI) - Series HD900  
 Series N900



ZANUSSI 059799

- 3023197 NOZZLE HOLDER FOR BURNER**  
 for nozzle M10



ZANUSSI 059250

- 3023189 BURNER  $\varnothing$  40x380 mm**  
 overall length 430 mm  
 made of stainless steel  
 for Fryer gas (ZANUSSI) - Series HD700  
 Series PR700



ZANUSSI 003326

- 3023197 NOZZLE HOLDER FOR BURNER**  
 for nozzle M10



ZANUSSI 059250

- 3023193 BURNER  $\varnothing$  40x480 mm**  
 overall length 535 mm  
 made of stainless steel  
 for Oven under cooktop gas (ZANUSSI)  
 Series PR700  
 for Solid top range gas (ZANUSSI) - Series PR700



ZANUSSI 004258

- 3023215 BURNER  $\varnothing$  40x480 mm**  
 overall length 530 mm  
 made of stainless steel  
 for Oven under cooktop gas (ZANUSSI)  
 Series HD700 - Series R701  
 for Solid top range gas (ZANUSSI) - Series HD700  
 Series R701



ZANUSSI 054117



Suitable for:

# ZANUSSI



Suitable for:

**3023214 BURNER  $\varnothing$  40x600 mm**  
 overall length 650 mm  
 made of stainless steel  
 for Bain-marie gas (ZANUSSI) - Series HD900  
 Series N900



ZANUSSI 059809

**3023149 BURNER  $\varnothing$  40x620 mm**  
 overall length 735 mm  
 made of stainless steel  
 for Oven under cooktop gas (WHIRLPOOL)  
 Series 700 - Series 900  
 for Oven under cooktop gas (ZANUSSI)  
 Series HD900 - Series N700 - Series N900  
 for Solid top range gas (ZANUSSI) - Series N900



ZANUSSI 059221

**3023188 BURNER  $\varnothing$  50x330 mm**  
 STAINLESS Steel made  
 overall length 400 mm  
 for Boiling pan gas (ZANUSSI) - Series N700  
 Series N900  
 for Pasta cooker gas (ZANUSSI) - Series N900



ZANUSSI 004847

**3023197 NOZZLE HOLDER FOR BURNER**  
 for nozzle M10



ZANUSSI 059250

**3023197 NOZZLE HOLDER FOR BURNER**  
 for nozzle M10



ZANUSSI 059250

**3023202 AIR ADJUSTER  $\varnothing$  40 mm**  
 for Boiling pan gas (ZANUSSI) - Series N700  
 Series N900  
 for Fryer gas (ZANUSSI) - Series HD900  
 Series N700 - Series N900  
 for Pasta cooker gas (ZANUSSI) - Series N900  
 Series PR700



ZANUSSI 054039





# ZANUSSI



Suitable for:

**3023190 BURNER  $\varnothing$  50x330 mm**  
overall length 440 mm  
made of STAINLESS STEEL  
for Boiling pan gas (ZANUSSI) - Series N900



ZANUSSI 0C0743

**3023196 BURNER  $\varnothing$  50x345 mm**  
overall length 400 mm  
made of STAINLESS STEEL  
for Pasta cooker gas (ZANUSSI) - Series N900  
Series PR700



ZANUSSI 004726

**3023197 NOZZLE HOLDER FOR BURNER**  
for nozzle M10



ZANUSSI 059250

**3023204 BURNER  $\varnothing$  50x390 mm**  
overall length 445 mm  
made of stainless steel  
for Fryer gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 005929

Suitable for:

**3023202 AIR ADJUSTER  $\varnothing$  40 mm**  
for Boiling pan gas (ZANUSSI) - Series N700  
Series N900  
for Fryer gas (ZANUSSI) - Series HD900  
Series N700 - Series N900  
for Pasta cooker gas (ZANUSSI) - Series N900  
Series PR700



ZANUSSI 054039

**3023202 AIR ADJUSTER  $\varnothing$  40 mm**  
for Boiling pan gas (ZANUSSI) - Series N700  
Series N900  
for Fryer gas (ZANUSSI) - Series HD900  
Series N700 - Series N900  
for Pasta cooker gas (ZANUSSI) - Series N900  
Series PR700



ZANUSSI 054039

**3023202 AIR ADJUSTER  $\varnothing$  40 mm**  
for Boiling pan gas (ZANUSSI) - Series N700  
Series N900  
for Fryer gas (ZANUSSI) - Series HD900  
Series N700 - Series N900  
for Pasta cooker gas (ZANUSSI) - Series N900  
Series PR700



ZANUSSI 054039



Suitable for:

**3023197 NOZZLE HOLDER FOR BURNER**  
for nozzle M10



ZANUSSI 059250

# ZANUSSI

Suitable for:



**3023203 BURNER ø 50x410 mm**  
overall length 475 mm  
made of stainless steel  
for Fryer gas (ZANUSSI) - Series HD900  
Series N900



ZANUSSI 006127

**3023202 AIR ADJUSTER ø 40 mm**  
for Boiling pan gas (ZANUSSI) - Series N700  
Series N900  
for Fryer gas (ZANUSSI) - Series HD900  
Series N700 - Series N900  
for Pasta cooker gas (ZANUSSI) - Series N900  
Series PR700



ZANUSSI 054039

**3023213 BURNER ø 50x500 mm**  
overall length 560 mm  
made of stainless steel  
for Oven under cooktop gas (ZANUSSI)  
Series HD700 - Series N700 - Series PR700



ZANUSSI 002513

**3023197 NOZZLE HOLDER FOR BURNER**  
for nozzle M10



ZANUSSI 059250

**3023198 BURNER LH 585x220 mm**  
made of stainless steel  
for Pasta cooker gas (ZANUSSI) CR40G - CR41G  
CR42G



ZANUSSI 003780

**3023206 BURNER 365x80 mm**  
overall length 465 mm  
for Fry top gas (ZANUSSI) - Series HD700  
Series R701



ZANUSSI 053380

ZANUSSI 058696

**3023046 BURNER 400x175 mm**  
made of stainless steel  
for Lava rock grill gas (ZANUSSI) - Series R701



ZANUSSI 052855



Suitable for:

**3023106 BURNER 435x200 mm**  
made of stainless steel  
for Lava rock grill gas (ZANUSSI) - Series N700  
Series PR700 - Series R701



ZANUSSI 056655

Suitable for:

**3020239 AERATION REGULATOR**  
internal  $\varnothing$  17 mm - external  $\varnothing$  22 mm  
height 42 mm



ZANUSSI 051389

**3023210 BURNER 530x195 mm**  
made of stainless steel  
for Fry top gas (ZANUSSI) - Series N700  
Series PR700



ZANUSSI 004591

**3023212 BURNER 545x240 mm**  
made of STAINLESS steel  
for Pasta cooker gas (ZANUSSI) MCP/G700 - MCP/G701  
MCP/G710 - MCP/G711



ZANUSSI 059523

**3023223 BURNER 550x670 mm**  
made of stainless steel  
for Bratt pan gas (ZANUSSI) ABR/G810 - BR/G800  
Series HD900



ZANUSSI 0A5166

**3023334 BURNER 550x830 mm**  
for Bratt pan gas (ZANUSSI) ABR/G800 - ABR/G805  
ABR/G810 - ABR/G811 - ABR/G815 - ABR/G816  
HBR/G800 - HBR/G805 - HBR/G810 - HBR/G811  
HBR/G815 - HBR/G816



ZANUSSI 059624

**3023200 BURNER 585x220 mm RH**  
made of stainless steel  
for Pasta cooker gas (ZANUSSI) CR40G - CR41G  
CR42G



ZANUSSI 003779

**3023160 BURNER 600x220 mm**  
made of stainless steel  
for Lava rock grill gas (ZANUSSI) - Series HD900



ZANUSSI 002358



Suitable for:

**3023219 BURNER 645x190 mm**  
made of stainless steel  
for Fry top gas (ZANUSSI) - Series HD900



ZANUSSI 0A5124

Suitable for:

**3023191 BURNER 685x190 mm**  
made of stainless steel  
for Fry top gas (ZANUSSI) - Series HD900  
Series N900  
for Hot plate gas (ZANUSSI) - Series N900



ZANUSSI 006650

**3023042 BURNER 690x395 mm**  
for Oven under cooktop gas (ZANUSSI) - Series H900



ZANUSSI 052717

**3352018 AERATION REGULATOR**  
internal  $\varnothing$  16 mm - external  $\varnothing$  18 mm  
height 42 mm  
for Kitchen gas (ZANUSSI) PCG1600NL - PCG1610  
PCG1610D - PCG1610F - PCG800NL - PCG810  
PCG810D - PCG810F - ZPC/G1210 - ZPC/G1610  
ZPC/G810



ZANUSSI 025009

ZANUSSI 052062

**3023209 BURNER 720x290 mm**  
made of stainless steel  
for Grill gas (ZANUSSI) - Series N900



ZANUSSI 0C0490

**3023183 BURNER 735x505 mm**  
made of stainless steel  
for Boiling pan gas (ZANUSSI) - Series HD900



ZANUSSI 059506

**3023182 FIREPROOF 505x200 mm**  
for Oven under cooktop gas (ZANUSSI) - Series H700  
Series PR700 - Series R701  
for Solid top range gas (ZANUSSI) - Series H700  
Series PR700 - Series R701



ZANUSSI 054119

**3023197 NOZZLE HOLDER FOR BURNER**  
for nozzle M10



ZANUSSI 059250



Suitable for:

Suitable for:

**3023195 VERTICAL BURNER 265x50 mm**  
made of stainless steel  
for Fryer gas (ZANUSSI) - Series HD700  
Series HD900 - Series PR700



ZANUSSI 059297

## Gas control boxes

**3054034 PRESSURE GAUGE  $\varnothing$  60 mm**  
coupling  $\varnothing$  1/8" M  
range 0-1 bar  
for Boiling pan (ZANUSSI) - Series HD900



ZANUSSI 059515

## Gas hoses

**3449228 COPPER TUBE 1x4 mm - 25 mt**



ZANUSSI 0C1547

**3449628 COPPER TUBE 1x4 mm - 5 mt**



ZANUSSI 0C1547

**3449228 COPPER TUBE 1x4 mm - 25 mt**



ZANUSSI 0C1547

**3449070 PILOT PIPE  $\varnothing$  4 mm**  
for cooktop HC/G410-HC/G810



ZANUSSI 005561

**3449078 PILOT PIPE  $\varnothing$  4 mm**  
for cooktop N700-N900



ZANUSSI 0C0152



Suitable for:

# ZANUSSI



Suitable for:

**40C0151 PILOT PIPING  $\phi$  4 mm**  
for COOKING RANGE series N700-N900  
for SOLID TOP RANGE series N700-N900



ZANUSSI 0C0151

## Gas taps and accessories

**3348017 CAP WITH PIN  $\phi$  10x8 mm**  
pin length 26 mm  
for model PEL 22



ZANUSSI 056597

**3348062 CAP WITH PIN  $\phi$  10x8 mm**  
pin length 35 mm  
for model PEL 23



ZANUSSI 059853

**3348020 CAP WITH PIN  $\phi$  8x6.5 mm**  
pin length 22 mm  
for model PEL 20S




ZANUSSI 059854

**3348021 CAP WITH PIN  $\phi$  8x6.5 mm**  
pin length 22 mm  
for model PEL 21S



ZANUSSI 002185

**3348029 FITTING FOR PIPE  $\phi$  4 mm**  
for model PEL 21-22



ZANUSSI 052125

**3348014 GAS COCK 20/S**  
without pilot flame  
fittings  $\phi$  M16x1.5mm  
thermocouple fitting M8x1  
D-shaped pin  $\phi$  8x6.5mm  
for Kitchen (THIRODE) B906.FV.CF.ALKP 128172



ZANUSSI 0A2163

ZANUSSI 054109

ZANUSSI 054628

**3348020 CAP WITH PIN  $\phi$  8x6.5 mm**  
pin length 22 mm  
for model PEL 20S



ZANUSSI 059854

ZANUSSI 054629



# ZANUSSI



Suitable for:

**3182011 MAGNETIC UNIT PEL SMALL HEADED**  
ø head 15 mm - ø end 11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



ZANUSSI 056595

**3348044 PIPE OLIVE ø 10 mm**  
for model PEL 20 - 21



ZANUSSI 060325

**3348075 GAS COCK 20/S**  
without pilot flame  
fittings M16x1.5 mm  
D-shaped long pin ø 8.5x6 mm  
thermocouple connection M8x1  
for Kitchen (ZANUSSI) - Series PR700  
for Solid top range (ZANUSSI) - Series PR700



ZANUSSI 004237


**3250097 SPRING FOR TAP MICROSWITCH ø 10x14 mm**  
for SOLID TOP RANGE series PR700



ZANUSSI 004243

Suitable for:

**3348043 PIPE FITTING ø 10 mm**  
for model PEL 20-21



ZANUSSI 0A2125

**3240282 MICROSWITCH 0.5A 250V**  
for Pot stove (ZANUSSI) - Series PR700  
for Pot stove gas (WHIRLPOOL) CC2TG003 - CC4TG007  
CC4VG007 - CC6VG010  
for Solid top range (ZANUSSI) - Series PR700  
for Solid top range gas (WHIRLPOOL) CTPF210



ZANUSSI 004241

**3348077 WASHER FOR TAP KNOB**  
for Kitchen (ZANUSSI) - Series PR700  
for Pasta cooker (ZANUSSI) - Series PR700  
for Solid top range (ZANUSSI) - Series PR700



ZANUSSI 004242



Suitable for:

**3348074 GAS COCK 21/S**  
 with pilot flame  
 with clamp flange  
 fittings  $\varnothing$  M16x1.5mm  
 thermocouple connection 8x1  
 D-shaped pin  $\varnothing$  8x6.5 mm  
 for Fry top (ZANUSSI) - Series N700  
 for Grill (ZANUSSI) - Series N700  
 for Kitchen (ZANUSSI) - Series N700 - Series N900  
 for Pasta cooker (ZANUSSI) - Series N700  
 Series N900  
 for Solid top range (ZANUSSI) - Series N900



ZANUSSI 0C0205

**3348016 GAS COCK 21/SV**  
 with pilot flame  
 fittings  $\varnothing$  M16x1.5mm  
 thermocouple connection M9x1 mm  
 D-shaped pin  $\varnothing$  8x6.5 mm  
 for Kitchen (THIRODE) B906.FV.CF.ALKP 128172



ZANUSSI 004961

**3348029 FITTING FOR PIPE  $\varnothing$  4 mm**  
 for model PEL 21-22



ZANUSSI 052125

**3348036 OLIVE FOR 4 mm  $\varnothing$  PIPE**  
 for model PEL 21-22



ZANUSSI 052127

Suitable for:

**3348079 GAS COCK 21/S**  
 with pilot flame  
 fittings  $\varnothing$  M16x1.5 mm  
 thermocouple connection M8x1  
 D-shaped long pin  $\varnothing$  8x6.5 mm  
 for Fry top (ZANUSSI) - Series PR700  
 for Solid top range (ZANUSSI) - Series PR700



ZANUSSI 004282

**3348021 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
 pin length 22 mm  
 for model PEL 21S



ZANUSSI 002185

**3182011 MAGNETIC UNIT PEL SMALL HEADED**  
 $\varnothing$  head 15 mm -  $\varnothing$  end 11 mm - length 44 mm  
 for PEL tap models 20-21  
 for EGA tap model 25213  
 for JUNKERS tap model CH110



ZANUSSI 056595

**3348037 PILOT OLIVE FOR PIPE  $\varnothing$  6 mm**  
 for model PEL 21-22



ZANUSSI 020992





Suitable for:

**3348043 PIPE FITTING  $\varnothing$  10 mm**  
for model PEL 20-21



ZANUSSI 0A2125

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 003859

**3348076 GAS COCK 21/SV**  
with pilot flame  
fittings  $\varnothing$  M16x1.5mm  
thermocouple connection M8x1 mm  
D-shaped pin  $\varnothing$  8x6.5 mm  
for Pot stove (ZANUSSI) - Series HD900




ZANUSSI 0A2169

ZANUSSI 059367

ZANUSSI 059460

**3348029 FITTING FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22



ZANUSSI 052125

**3348036 OLIVE FOR 4 mm  $\varnothing$  PIPE**  
for model PEL 21-22



ZANUSSI 052127

# ZANUSSI



Suitable for:

**3348044 PIPE OLIVE  $\varnothing$  10 mm**  
for model PEL 20 - 21



ZANUSSI 060325

**3348021 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22 mm  
for model PEL 21S



ZANUSSI 002185

**3182011 MAGNETIC UNIT PEL SMALL HEADED**  
 $\varnothing$  head 15 mm -  $\varnothing$  end 11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



ZANUSSI 056595

**3348037 PILOT OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22




ZANUSSI 020992



Suitable for:

**3348043 PIPE FITTING  $\varnothing$  10 mm**  
for model PEL 20-21



ZANUSSI 0A2125

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**  
for Kitchen gas (ANGELO PO) 3A1FA1G




ZANUSSI 003859

**3348002 GAS COCK 22/0**  
with pilot flame  
with horizontal flange  
fittings  $\varnothing$  M20x1.5mm  
with flow regulator  
thermocouple connection M8x1  
D-shaped pin  $\varnothing$  10x8 mm  
for Boiling pan (THIRODE)  
for Bratt pan gas (THIRODE) SA30 - SA41  
for Grill (FAGOR) - Series 900



ZANUSSI 0S0595

**3348029 FITTING FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22



ZANUSSI 052125

**3182009 MAGNETIC UNIT PEL BIG HEADED**  
 $\varnothing$  head 15.5 mm -  $\varnothing$  end 14 mm - length 44 mm  
for PEL tap model 22-24



ZANUSSI 056594

# ZANUSSI



Suitable for:

**3348044 PIPE OLIVE  $\varnothing$  10 mm**  
for model PEL 20 - 21



ZANUSSI 060325

**3348017 CAP WITH PIN  $\varnothing$  10x8 mm**  
pin length 26 mm  
for model PEL 22



ZANUSSI 056597

**3348023 HORIZONTAL FLANGE**  
for model PEL 22



ZANUSSI 0S0053

**3020082 OLIVE FOR 12 mm  $\varnothing$  PIPE**



ZANUSSI 027478

ZANUSSI 050682

ZANUSSI 054979



Suitable for:

**3348036 OLIVE FOR 4 mm ø PIPE**  
for model PEL 21-22



ZANUSSI 052127

**3348031 PIPE FITTING ø 10 mm**  
for model PEL 22



ZANUSSI 052124

**3348038 PIPE OLIVE ø 10 mm**  
for model PEL 22




ZANUSSI 052128

**3348005 GAS COCK 22/0**  
with pilot flame  
with horizontal flange  
fittings ø M20x1.5 mm  
with flow regulator  
thermocouple connection M8x1  
D-shaped pin ø 10x8 mm



ZANUSSI 0A2001

**3348029 FITTING FOR PIPE ø 4 mm**  
for model PEL 21-22



ZANUSSI 052125

# ZANUSSI



Suitable for:

**3348037 PILOT OLIVE FOR PIPE ø 6 mm**  
for model PEL 21-22



ZANUSSI 020992

**3348032 PIPE FITTING ø 12 mm**  
for model PEL 22



ZANUSSI 050670

**3020078 TUBING NUT FOR 6 mm ø PIPE**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 003859

**3348017 CAP WITH PIN ø 10x8 mm**  
pin length 26 mm  
for model PEL 22



ZANUSSI 056597

**3182009 MAGNETIC UNIT PEL BIG HEADED**  
ø head 15.5 mm - ø end 14 mm - length 44 mm  
for PEL tap model 22-24



ZANUSSI 056594



Suitable for:

**3020082 OLIVE FOR 12 mm Ø PIPE**



ZANUSSI 027478

ZANUSSI 050682

ZANUSSI 054979

**3348037 PILOT OLIVE FOR PIPE Ø 6 mm**  
for model PEL 21-22



ZANUSSI 020992

**3348032 PIPE FITTING Ø 12 mm**  
for model PEL 22



ZANUSSI 050670

**3020078 TUBING NUT FOR 6 mm Ø PIPE**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 003859

**3348003 GAS COCK 22/V**  
with pilot flame  
with vertical flange  
fittings Ø M20x1.5mm  
thermocouple connection M9x1  
D-shaped pin Ø 10x8 mm



ZANUSSI 0C0489

ZANUSSI 052146


ZANUSSI 052432

# ZANUSSI



Suitable for:

**3348036 OLIVE FOR 4 mm Ø PIPE**  
for model PEL 21-22



ZANUSSI 052127

**3348031 PIPE FITTING Ø 10 mm**  
for model PEL 22



ZANUSSI 052124

**3348038 PIPE OLIVE Ø 10 mm**  
for model PEL 22



ZANUSSI 052128

**3348017 CAP WITH PIN Ø 10x8 mm**  
pin length 26 mm  
for model PEL 22



ZANUSSI 056597



Suitable for:

**3182009 MAGNETIC UNIT PEL BIG HEADED**  
ø head 15.5 mm - ø end 14 mm - length 44 mm  
for PEL tap model 22-24



ZANUSSI 056594

**3020078 TUBING NUT FOR 6 mm ø PIPE**  
for Kitchen gas (ANGELO PO) 3A1FA1G




ZANUSSI 003859

**3348004 GAS COCK 22/V**  
with pilot flame  
with vertical flange  
fittings ø M20x1.5mm  
D-shaped pin ø 10x8 mm  
for Pot stove (ZANUSSI) - Series H900



ZANUSSI 052145

**3348029 FITTING FOR PIPE ø 4 mm**  
for model PEL 21-22



ZANUSSI 052125

**3348036 OLIVE FOR 4 mm ø PIPE**  
for model PEL 21-22



ZANUSSI 052127

# ZANUSSI



Suitable for:

**3020082 OLIVE FOR 12 mm ø PIPE**



ZANUSSI 027478

ZANUSSI 050682

ZANUSSI 054979

**3348017 CAP WITH PIN ø 10x8 mm**  
pin length 26 mm  
for model PEL 22



ZANUSSI 056597

**3020082 OLIVE FOR 12 mm ø PIPE**



ZANUSSI 027478

ZANUSSI 050682

ZANUSSI 054979

**3348037 PILOT OLIVE FOR PIPE ø 6 mm**  
for model PEL 21-22



ZANUSSI 020992



Suitable for:

**3348031 PIPE FITTING  $\varnothing$  10 mm**  
for model PEL 22



ZANUSSI 052124

**3348038 PIPE OLIVE  $\varnothing$  10 mm**  
for model PEL 22



ZANUSSI 052128

**3348012 GAS COCK 23/0**  
with pilot flame  
with horizontal flange  
inlet fitting M28x1.5mm - outlet fitting M24x1.5mm  
with flow regulator  
thermocouple connection M10x1  
D-shaped pin  $\varnothing$  10x8 mm



ZANUSSI 0A2146

**3348063 GAS COCK 2911/1**  
pipe fitting  $\varnothing$  8 mm  
flange outlet  
D-shaped pin  $\varnothing$  8x6.5 mm  
for Bain-marie gas (TECNOINOX) BM35G - BM70G  
for Fry top gas (TECNOINOX) FTL35G - FTL70G  
FTR35G - FTR70G  
for Pot stove electric (TECNOINOX) PC35G  
for Pot stove gas (TECNOINOX) PC70G



ZANUSSI 004956

# ZANUSSI



Suitable for:

**3348032 PIPE FITTING  $\varnothing$  12 mm**  
for model PEL 22



ZANUSSI 050670

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 003859

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 003859




Suitable for:

**3348015 GAS TAP 20/N**  
without pilot flame  
fittings  $\varnothing$  M16x1.5 mm  
D-shaped pin  $\varnothing$  8x6.5 mm



ZANUSSI 054166

**3348043 PIPE FITTING  $\varnothing$  10 mm**  
for model PEL 20-21



ZANUSSI 0A2125

**3348011 GAS TAP 23/0**  
with pilot flame  
with horizontal flange  
inlet fitting M28x1.5mm - outlet fitting M24x1.5mm  
thermocouple connection M9x1  
D-shaped pin  $\varnothing$  10x8 mm  
for Bain-marie (CHARVET)  
for Boiling pan (CHARVET)  
for Boiling pan (THIRODE)  
for Bratt pan gas (THIRODE) SA65 - SA85  
for Fryer (CHARVET)



ZANUSSI 054811

ZANUSSI 059855

**3348023 HORIZONTAL FLANGE**  
for model PEL 22



ZANUSSI 0S0053

**3348037 PILOT OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22



ZANUSSI 020992

Suitable for:

**3348020 CAP WITH PIN  $\varnothing$  8x6.5 mm**  
pin length 22 mm  
for model PEL 20S



ZANUSSI 059854

**3348044 PIPE OLIVE  $\varnothing$  10 mm**  
for model PEL 20 - 21



ZANUSSI 060325

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 003859

**3348036 OLIVE FOR 4 mm  $\varnothing$  PIPE**  
for model PEL 21-22



ZANUSSI 052127

**3348031 PIPE FITTING  $\varnothing$  10 mm**  
for model PEL 22




ZANUSSI 052124



Suitable for:

**3348043** PIPE FITTING  $\varnothing$  10 mm  
for model PEL 20-21



ZANUSSI 0A2125


Suitable for:

**3348032** PIPE FITTING  $\varnothing$  12 mm  
for model PEL 22



ZANUSSI 050670

**3348034** PIPE FITTING  $\varnothing$  16 mm  
for model PEL 23



ZANUSSI 054816

**3348035** PIPE FITTING  $\varnothing$  20 mm  
for model PEL 23



ZANUSSI 054814

**3348038** PIPE OLIVE  $\varnothing$  10 mm  
for model PEL 22



ZANUSSI 052128

**3348044** PIPE OLIVE  $\varnothing$  10 mm  
for model PEL 20 - 21



ZANUSSI 060325

**3348041** PIPE OLIVE  $\varnothing$  16 mm  
for model PEL 23



ZANUSSI 052671

ZANUSSI 054817

**3348042** PIPE OLIVE  $\varnothing$  20 mm  
for model PEL 23



ZANUSSI 054815

**3348077** WASHER FOR TAP KNOB  
for Kitchen (ZANUSSI) - Series PR700  
for Pasta cooker (ZANUSSI) - Series PR700  
for Solid top range (ZANUSSI) - Series PR700



ZANUSSI 004242





Suitable for:

# ZANUSSI



Suitable for:

## Gas valves and accessories

**3186171 CONTROL PANEL PROTECTION GASKET**  
replacement for SIT VR8 valve



ZANUSSI 052730

**3241435 EUROSIT VALVE EXTENSION**  
D shaft  $\varnothing$  10x8 mm



ZANUSSI 0C8571

ZANUSSI 004491

**3526126 EUROSIT VALVE EXTENSION**  
D shaft  $\varnothing$  10x8 mm



ZANUSSI 003391

**3526134 EUROSIT VALVE FOR FRY TOP 40÷280°C**  
inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
outlet pressure adjustment range  
3÷18 mbar  
ambient temperature 0÷80°C  
capillary length 1050 mm  
bulb  $\varnothing$  4x72 mm  
for Fry top gas (ZANUSSI) - Series N700  
Series PR700  
for Oven under cooktop gas (ZANUSSI)  
Series HD700 - Series HD900



ZANUSSI 058772

**3526133 EUROSIT VALVE FOR FRY TOP 60÷300°C**  
inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
outlet pressure adjustment range  
3÷18 mbar  
ambient temperature 0÷80°C  
capillary length 1050 mm  
bulb  $\varnothing$  4x72 mm  
for Fry top gas (GIGA) - Series 650  
for Fry top gas (TECNOINOX) FTC70G  
for Fry top gas (WHIRLPOOL) AGB455 - AGB457  
AGB459 - AGB461 - AGB463 - AGB465 - AGB467  
AGB470  
for Fry top gas (ZANUSSI) MRV/G1CL  
for Kitchen (ZANUSSI) ACF/G810



ZANUSSI 058772

**3526131 EUROSIT VALVE FOR FRYER 110÷190°C**  
inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
outlet pressure adjustment range  
3÷18 mbar  
ambient temperature 0÷80°C  
capillary length 1050 mm  
bulb  $\varnothing$  4x200 mm  
for Fryer gas (ELFRAMO) GBD10 - GB10  
for Fryer gas (STAR 10) 7515 FRV74IRGT



ZANUSSI 003334

ZANUSSI 004947



Suitable for:

**3526139 EUROSIT VALVE FOR OVEN 80÷320°C**  
 inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 outlet pressure adjustment range  
 3÷18 mbar  
 capillary length 1000 mm  
 bulb  $\varnothing$  4x72 mm  
 for Oven under cooktop gas (ANGELO PO)  
 Series ALPHA - Series DELTA  
 for Kitchen gas (MARENO) 92TP2FG160



ZANUSSI 0C6235

Suitable for:

**3526127 FLANGE FOR KNOB EXTENSION**



ZANUSSI 058773

**3526125 KNOB EXTENSION 47 mm**  
 D-shaped pin  $\varnothing$  8x6.5 mm



ZANUSSI 002130

**3523035 KNOB FOR MINISIT VALVE**  
 for Fry top gas (FAGOR) FTG-705 - FTG-710  
 FTG-905 - FTG-910



ZANUSSI 029648

ZANUSSI 054268

**3523053 MERTIK GAS VALVE 100÷340°C**  
 model GV31T-C1A7GK0-001  
 inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 complete with ignition cable length 1250 mm  
 capillary length 720 mm  
 bulb  $\varnothing$  4x65 mm  
 D-shaped pin 8x6.5 mm  
 for Fry top gas (ZANUSSI) - Series N900  
 for Oven under cooktop gas (ZANUSSI) - Series N700  
 Series N900



ZANUSSI 0C0209

ZANUSSI 0C5247



Suitable for:

Suitable for:

**3523055 MERTIK GAS VALVE 100÷340°C**  
model GV30T-C3A7A2K6E0/1  
inlet  $\varnothing$  3/8"F - outlet  $\varnothing$  3/8"F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
complete with ignition cable length 880 mm  
capillary length 720 mm  
bulb  $\varnothing$  4x65 mm  
D-shaped pin 8x6.5 mm  
for Fry top gas (ZANUSSI) - Series N900

**3186666 KNOB GASKET  $\varnothing$  38x27x5 mm**



ZANUSSI 0C5246

ZANUSSI 006692

ZANUSSI 006465

**3523065 PLUG FOR MERTIK GAS VALVE**



ZANUSSI 0C0625

**3523056 MERTIK GAS VALVE 100÷340°C**  
model GV30T-C3A7A2K6E0  
inlet  $\varnothing$  3/8"F - outlet  $\varnothing$  3/8"F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
complete with ignition cable length 900 mm  
capillary length 720 mm  
bulb  $\varnothing$  4x65 mm  
D-shaped pin 8x6.5 mm  
for Fry top gas (ZANUSSI) BR/G1FL - BR/G1FR  
BR/G2FL - BR/G2FR

**3186666 KNOB GASKET  $\varnothing$  38x27x5 mm**



ZANUSSI 0C5245

ZANUSSI 006460

ZANUSSI 006465

**3523054 MERTIK GAS VALVE 110÷190°C**  
model GV31T-C5AXE2K0E0  
inlet  $\varnothing$  3/8"F - outlet  $\varnothing$  3/8"F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
complete with ignition cable length 840 mm  
capillary length 720 mm  
bulb  $\varnothing$  4x165 mm  
D-shaped pin 8x6.5 mm  
for Fryer gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0624

ZANUSSI 0C5248

ZANUSSI 006574



Suitable for:

**3523057 MERTIK GAS VALVE 30÷110°C**  
 model GV31T-C2AKA2K0E0  
 inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 complete with ignition cable length 900 mm  
 capillary length 730 mm  
 bulb  $\varnothing$  6x78 mm  
 for Bain-marie gas (ZANUSSI) - Series N900



ZANUSSI 0C0444

ZANUSSI 0C5249

Suitable for:

**3241709 KNOB ADAPTER  $\varnothing$  27 mm**  
 D shaft hole 8x6.5 mm



ZANUSSI 0C5400

**3523040 MINISIT SENSING ELEMENT 100÷340°C**  
 capillary length 1050 mm  
 bulb  $\varnothing$  5x70 mm  
 for Fry top gas  
 for Oven under cooktop gas



ZANUSSI 056592

**3523048 MINISIT SENSING ELEMENT 100÷340°C**  
 stainless steel capillary length 1050 mm  
 bulb  $\varnothing$  4x72 mm  
 for Oven under cooktop gas (OM GAS)  
 for Oven under cooktop gas (WHIRLPOOL)  
 for Oven under cooktop gas (ZANUSSI)



ZANUSSI 056593

**3523051 MINISIT SENSING ELEMENT 110÷190°C**  
 capillary length 1050 mm  
 bulb  $\varnothing$  6x105 mm  
 for Fryer gas



ZANUSSI 056590

**3523039 MINISIT SENSING ELEMENT 30÷100°C**  
 capillary length 1050 mm  
 bulb  $\varnothing$  5x125 mm  
 for Bain-marie gas  
 for Pasta cooker gas



ZANUSSI 056646

**3523042 MINISIT SENSING ELEMENT 50÷190°C**  
 capillary length 1200 mm  
 bulb  $\varnothing$  5x95 mm  
 for Fryer gas



ZANUSSI 056591

**3523019 MINISIT VALVE FOR FOOD-WARMER 30÷100°C**  
 inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  5x125 mm  
 with an elbow flange  $\varnothing$  3/8" F  
 for Bain-marie gas



ZANUSSI



Suitable for:

Suitable for:

**3523919 MINISIT VALVE FOR FOOD-WARMER 30÷100°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  5x125 mm  
 without cover, knob and flanges  
 for Hot cupboard gas (ZANUSSI) - Series H900



ZANUSSI 052431

ZANUSSI 053210

**3523033 MINISIT VALVE FOR FRYER 110÷190°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 with screw for gas outlet pressure regulation  
 capillary length 1050 mm  
 bulb  $\varnothing$  6x105 mm  
 with an elbow flange  $\varnothing$  3/8"F  
 for Fryer gas (MARENO) FQC-40 - FQC-60



ZANUSSI

**3523049 MINISIT VALVE FOR FRYER 110÷190°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  6x105 mm  
 with an elbow flange  $\varnothing$  3/8"F  
 for Fryer gas (EMMEPI)



ZANUSSI

**3523933 MINISIT VALVE FOR FRYER 110÷190°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 with screw for gas outlet pressure regulation  
 capillary length 1050 mm  
 bulb  $\varnothing$  6x105 mm  
 without cover, knob and flanges  
 for Fryer gas (MARENO) FQG-40 - FQG-60



ZANUSSI 052952

ZANUSSI 056689

**3523949 MINISIT VALVE FOR FRYER 110÷190°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  6x105 mm  
 supplied without lid knob and flanges  
 for Fryer gas (ZANUSSI) - Series R701  
 for Fryer gas (OFFCAR) FRG734N



ZANUSSI 052685

ZANUSSI 058496

ZANUSSI 059570

**3523023 MINISIT VALVE FOR FRYER 50÷190°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 length capillary 1200 mm  
 bulb  $\varnothing$  5x95 mm  
 with an elbow flange  $\varnothing$  3/8"F  
 for Fryer gas  
 for Fryer gas (DIAMOND) G65/F16-7T



ZANUSSI

ZANUSSI 059698



Suitable for:

# ZANUSSI



**3523024 MINISIT VALVE FOR FRYER 50÷190°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 lenght capillary 1200 mm  
 bulb  $\varnothing$  5x95 mm  
 with an elbow flange  $\varnothing$  1/2"F  
 for Fryer gas



ZANUSSI

Suitable for:

**3523923 MINISIT VALVE FOR FRYER 50÷190°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 lenght capillary 1200 mm  
 bulb  $\varnothing$  5x95 mm  
 without cover, knob and flanges  
 for Fryer gas (ZANUSSI) - Series R701



ZANUSSI 026824

ZANUSSI 053368

**3523020 MINISIT VALVE FOR OVEN 100÷340°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  5x70 mm  
 with an elbow flange  $\varnothing$  3/8"F  
 for Fry top gas  
 for Oven under cooktop gas



ZANUSSI

**3523032 MINISIT VALVE FOR OVEN 100÷340°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 stainless steel capillary length 1050 mm  
 bulb  $\varnothing$  4x72 mm  
 with an elbow flange  $\varnothing$  3/8"F  
 for Oven under cooktop gas



ZANUSSI

**3523920 MINISIT VALVE FOR OVEN 100÷340°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  5x70 mm  
 without cover, knob and flanges  
 for Fry top gas  
 for Oven under cooktop gas  
 for Kitchen gas (OLIS) 749CGV



ZANUSSI 052068

ZANUSSI 056833

**3523932 MINISIT VALVE FOR OVEN 100÷340°C**  
 inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  3/8"F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 stainless steel capillary length 1050 mm  
 bulb  $\varnothing$  4x72 mm  
 without cover, knob and flanges  
 for Oven under cooktop gas (ZANUSSI)  
 Series P1000



ZANUSSI 053193

ZANUSSI 053289

**3523065 PLUG FOR MERTIK GAS VALVE**



ZANUSSI 0C0625



Suitable for:

**3523005 VALVE B3/C  $\varnothing$  3/8"MM**



ZANUSSI 026489

ZANUSSI 057989

Suitable for:

**3182005 MAGNETIC UNIT SIT**  
 $\varnothing$  head 19 mm -  $\varnothing$  end 14,5 mm - length 47 mm  
for valve SIT B3-BABYSIT-SIMPLOSIT-COMPOSIT



ZANUSSI 056588

**3523004 VALVE B3C  $\varnothing$  3/8" M 1/4" F**  
with pilot outlet  
inlet  $\varnothing$  3/8" M - outlet  $\varnothing$  1/4" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature 0÷80°C  
90° inlet and outlet for valves



ZANUSSI 025846

**3182005 MAGNETIC UNIT SIT**  
 $\varnothing$  head 19 mm -  $\varnothing$  end 14,5 mm - length 47 mm  
for valve SIT B3-BABYSIT-SIMPLOSIT-COMPOSIT



ZANUSSI 056588

**3523010 VALVE D3  $\varnothing$  1/2" FF**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
room temperature 0÷80°C  
with thread for ring nut under the push-button



ZANUSSI 050106

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



ZANUSSI 052833

**3523011 VALVE D3  $\varnothing$  3/4" FF**  
inlet  $\varnothing$  3/4" F - outlet  $\varnothing$  3/4" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
room temperature 0÷80°C  
with thread for ring nut under the push-button



ZANUSSI 026888

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



ZANUSSI 052833



Suitable for:

# ZANUSSI



Suitable for:

## Gaskets and seals

**3186242 ASBESTOS FREE FLAT GASKET  $\varnothing$  61x46x2 mm**  
for drain tap  $\varnothing$  2" old model



ZANUSSI 004986

ZANUSSI 020279

**3186341 ASBESTOS FREE FLAT GASKET  $\varnothing$  9x6x1 mm**  
for Pot stove (ZANUSSI) - Series HD700  
Series H700



ZANUSSI 054100

**4054807 ASBESTOS FREE FLAT GASKET 37x27x2 mm**



ZANUSSI 054807

**3186026 BURNER GASKET FOR COOKING TOP**




ZANUSSI 054093

**3186027 BURNER GASKET/GAS BOIL.TOP-SNACK SER.**



ZANUSSI 054094

**3786007 DRAIN ASSEMBLY GASKET  $\varnothing$  46x39x2 mm**



ZANUSSI 050295

**3186479 FIBERGLASS GASKET**  
profile dimensions 12x12 mm  
max temperature 600°C  
COLOUR WHITE  
SOLD PER METRE  
for Bratt pan (ZANUSSI) - Series HD700  
for Fry top (ZANUSSI) - Series HD900 - Series N900  
for Solid top range (ZANUSSI)



ZANUSSI 058404

**3786401 FLAT GASKET  $\varnothing$  33x24x2 mm**  
for Bain-marie electric (ZANUSSI) DCBE21  
HMS/E400 - HMS/E800  
for Bain-marie gas (ZANUSSI) HMS/G400 - HMS/G800  
PMG600 - PMG600D



ZANUSSI 050296

**3786576 FLAT RUBBER GASKET  $\varnothing$  30x22x2 mm**



ZANUSSI 005921

**3186342 GASKET FOR OVEN**  
soft - external  $\varnothing$  13,5 mm



ZANUSSI 053816





Suitable for:

**3186667 GASKET FOR TAP PROTECTION**  
for Boiling pan (ZANUSSI) - Series HD900



ZANUSSI 003209

Suitable for:

**3186098 HEATING ELEMENT GASKET**  
external dimensions 71x23 mm



ZANUSSI 057534

**3186187 HEATING ELEMENT GASKET**  
external dimensions 68x14 mm



ZANUSSI 0H6665


ZANUSSI 0K1831

**3186666 KNOB GASKET  $\varnothing$  38x27x5 mm**



ZANUSSI 006465

**3186665 PTFE FLAT GASKET  $\varnothing$  35x21x2 mm**



ZANUSSI 002448

## Gaskets for oven door

**3186107 OVEN DOOR GASKET**  
made of silicone elastomer  
profile dimensions 15x5.2 mm  
COLOUR BLACK  
SOLD PER METRE  
for Oven under cooktop (ZANUSSI) - Series HD700  
Series H700 - Series PR700 - Series R701  
for Solid top range (ZANUSSI) - Series PR700



ZANUSSI 054111

ZANUSSI 054112

## Gastronorm pans

**3018001 DRIP TRAY U-PAN GN 1/1 530x325xH20 mm**  
NON-STICK



ZANUSSI 0S0870

**3018002 DRIP TRAY U-PAN GN 1/1 530x325xH40 mm**  
NON-STICK



ZANUSSI 0S0871



Suitable for:

# ZANUSSI



Suitable for:

**3018003 DRIP TRAY U-PAN GN 1/1 530x325xH60 mm**  
NON-STICK



ZANUSSI 0S0872

## Glues

**9065001 GREY SEALER NOVASIL 310 ml**  
Max temperature +265°C  
HIGH SEALING ABILITY  
ideal for GLASCERAMIC TOP



ZANUSSI 0K3948

**3180052 RED HIGH TEMPERATURE SEALER 280 ml**  
operating temperature -65+260°C with peaks 320°C  
for OVEN GASKETS



ZANUSSI 059611

## Greases

**3180006 GREASE NONTROP/PLBDR 1000 g**  
high quality grease  
for water tap lubrication  
physiologically harmless, unscented, tasteless



ZANUSSI 0S0004

**3180002 GREASE STABURAGS N32 60 g**  
high quality grease for high temperatures  
to lubricate gas taps



ZANUSSI 0S0001

ZANUSSI 0S0245

ZANUSSI 0S0002

ZANUSSI 0S0183

## Grids for kitchen

**3185085 FLUE GRID 395x70 mm**  
for Pot stove (ZANUSSI) - Series HD900



ZANUSSI 002438

ZANUSSI 006580

**3185058 FLUE GRID 400x75 mm**  
for Pot stove (ZANUSSI) - Series HD900



ZANUSSI 006029

ZANUSSI 059246



Suitable for:

**3185064 GRILL 320X530 mm**  
for Pot stove electric (TECNOINOX) PC35G  
for Pot stove gas (TECNOINOX) PC70G



ZANUSSI 004976

Suitable for:

**3185066 PAN SUPPORT GRID 345x285 mm**  
for Pot stove (ZANUSSI) - Series HD700  
Series H700 - Series PR700 - Series R701



ZANUSSI 002436  
ZANUSSI 058558

ZANUSSI 004245

ZANUSSI 055064

**3185087 PAN SUPPORT GRID 380x370 mm**  
for Pot stove (ZANUSSI) - Series N900



ZANUSSI 0C0132

**3185057 PAN SUPPORT GRID 390x350 mm**  
for Pot stove (ZANUSSI) - Series HD900



ZANUSSI 002437

**3185001 PAN SUPPORT GRID 400x345 mm**  
for Pot stove (ZANUSSI) - Series H900  
Series P1000



ZANUSSI 058179

**3185080 PAN SUPPORT GRID 595x340 mm**  
for Pot stove (ZANUSSI) - Series HD700  
Series H700



ZANUSSI 002446

**3185099 S/STEEL PAN SUPPORT GRID 370x395 mm**  
for Pot stove (ZANUSSI) - Series N900



ZANUSSI 0C0130

## Grids for refrigerator-oven

**3185054 CHROME PLATED GRID GN 1/1 530x325 mm**



ZANUSSI 057468

**3185055 CHROME PLATED GRID GN 2/1 530x650 mm**  
for Oven under cooktop (WHIRLPOOL) CC4FE007  
CC4FG007 - CC6FG010 - CTPF007  
for Solid top range gas (WHIRLPOOL) CTPF207  
CTPF210



ZANUSSI 025020

ZANUSSI 081883



Suitable for:

# ZANUSSI



Suitable for:

## Guides

**3053223 DOOR SLIDEWAY**  
for Hot cupboard (ZANUSSI)



ZANUSSI 032928

**3391036 DOOR SLIDEWAY**  
for TABLE-CUPBOARD



ZANUSSI 031060

**3063031 DOOR SLIDEWAY 45x20 mm**  
distance between holes 25 mm - h 14 mm  
for Self service counter (ZANUSSI)



ZANUSSI 031902

## Handles

**3242112 DOOR LOCK MAGNET**  
distance between magnetic part holes 37 mm  
distance between holes of strike plate 31 mm  
for Fryer (ZANUSSI) - Series PR700  
for Oven under cooktop (ZANUSSI) - Series PR700  
for Pasta cooker (ZANUSSI) - Series PR700  
for Solid top range (ZANUSSI) - Series PR700



ZANUSSI 004266

**3242115 DOOR LOCK MAGNET ø 33 mm**  
for Fryer (ZANUSSI) - Series HD700 - Series HD900  
Series H700 - Series N900  
for Pasta cooker (ZANUSSI) - Series HD700  
Series HD900 - Series H700



ZANUSSI 059902

**3398021 OVEN DOOR CATCH**  
distance between holes 47 mm  
catch distance 27 mm



ZANUSSI 057414

**3242336 OVEN DOOR HANDLE ø 29x90 mm M10**



ZANUSSI 004107

**3242343 HAND GUARD WASHER**



ZANUSSI 004195



Suitable for:

Suitable for:

## 3242579 RH-LH CATCH WITHOUT LOCK 570 CR

straight handgrip  
length 230x23 mm  
mounting distance 110 mm



ZANUSSI 032156

## Heating elements

**3355826 CERAMIC HEATING ELEMENT 400W 230V**  
length 245 mm - width 60 mm  
for Potato heater electric (ZANUSSI) QME300I  
QME600I



ZANUSSI 058144

**3310016 CERAMIC HEATING ELEMENT 500W 230V**  
length 245 mm - width 60 mm



ZANUSSI

**3355829 CERAMIC HEATING ELEMENT 650W 230V**  
length 245 mm - width 60 mm  
for Potato heater electric (ZANUSSI) SCCE350



ZANUSSI 004898

**3355339 HEAT.ELEM.F/TANK 1450W 220V**  
length 510 mm - width 55 mm  
flange 60x27 mm  
for Pasta cooker electric (ZANUSSI)



ZANUSSI 056906

**3355044 HEATING ELEMENT 1000W 220V**  
length 410 mm - width 45 mm  
height 90 mm  
for Boiling pan electric (ZANUSSI) - Series H900



ZANUSSI 051855

**3355720 HEATING ELEMENT 1000W 220V**  
immersed length 225 mm - width 60 mm  
flange 80x28 mm - with receptacle hole



ZANUSSI 0H6199



Suitable for:

# ZANUSSI



**3755570 HEATING ELEMENT 1000W 220V**

length 600 mm - width 55 mm  
height 80 mm  
for Fry top electric (ZANUSSI) HRS/E401 - HRS/E411  
HRS/E801 - HRS/E811



ZANUSSI 052919

ZANUSSI 052920

Suitable for:

**3355850 HEATING ELEMENT 1000W 230V**

length 220 mm - width 95 mm  
flange 107x33 mm  
for Salamander electric (TECNOINOX) SE80



ZANUSSI 003014

**3755205 HEATING ELEMENT 1000W 230V**

length 250 mm - height 285 mm  
for Pasta cooker electric (ZANUSSI) PCP/E1S  
PCP/E2D



ZANUSSI 0A5492

**3755595 HEATING ELEMENT 1050W 230V**

length 425 mm - width 40 mm  
height 95 mm  
for Boiling pan electric (ZANUSSI) - Series HD900



ZANUSSI 059680

**3755539 HEATING ELEMENT 10750W 230V**

immersed length 540 mm  
eternal flange  $\varnothing$  63 mm  
complete with O-RING gasket  
for Boiling pan electric (ZANUSSI) - Series N900  
WPI/E15



ZANUSSI 0C0715

**3186013 O-RING GASKET 06187 EPDM  $\varnothing$  58 mm**



ZANUSSI 046213

ZANUSSI 067620

ZANUSSI 069456

**3355036 HEATING ELEMENT 1100W 220V**

length 365 mm - width 230 mm  
upon request nut and washer  
for Bain-marie electric (ZANUSSI)  
for Hot cupboard electric (ZANUSSI)



ZANUSSI 050233

**3755287 HEATING ELEMENT 1100W 380V**

length 540 mm - height 62 mm  
with cables  
for Fry top electric (JUNO-RÖDER-SENKING)  
for Fry top electric (ZANUSSI)



ZANUSSI 0H6155



Suitable for:

**3755314 HEATING ELEMENT 1160W 400V**  
 length 295 mm - width 245 mm  
 total height 103 mm  
 for BAINMARIE ELECTRIC HLE249/259  
 for Fry top electric (THERMA)



ZANUSSI 0K4815

Suitable for:

**3755263 HEATING ELEMENT 1250W 230V**  
 length 475 mm - width 55 mm  
 height 60 mm  
 for Fry top electric (ZANUSSI) - Series PR700



ZANUSSI 004649

**3755522 HEATING ELEMENT 1250W 230V**  
 length 470 mm - width 55 mm  
 height 40 mm  
 for Fry top electric (ZANUSSI) - Series H700  
 Series R701



ZANUSSI 053393

**3755596 HEATING ELEMENT 1250W 230V**  
 length 480 mm - width 45 mm  
 height 95 mm  
 for Boiling pan electric (ZANUSSI) - Series HD900



ZANUSSI 059679

**3755267 HEATING ELEMENT 1250W 240V**  
 length 480 mm - width 50 mm  
 height 60 mm  
 for Fry top electric (ZANUSSI) - Series HD700  
 Series R701



ZANUSSI 053614

**3355337 HEATING ELEMENT 1300W 220V**  
 length 535 mm - width 80 mm  
 height 105 mm  
 complete with cables  
 for Bratt pan electric (ZANUSSI) - Series HD900  
 Series H900



ZANUSSI 051355

ZANUSSI 051356

ZANUSSI 051358

**3355824 HEATING ELEMENT 1300W 230V**  
 length 330 mm - width 200 mm  
 2 flanges 40x18 mm  
 for Bain-marie electric (TECNOINOX) BM35E - BM70E  
 for Bain-marie electric (ZANUSSI) BM35E6U - SME350  
 SME700



ZANUSSI 004910

**3355836 HEATING ELEMENT 1300W 230V**  
 length 475 mm - width 80 mm  
 height 50 mm  
 for Fry top electric (TECNOINOX) FTC35E - FTC70E  
 FTL35E - FTL70E - FTR35E - FTR70E  
 for Fry top electric (ZANUSSI) SRE350 - SRE360  
 SRE370 - SRE700 - SRE710 - SRE720



ZANUSSI 004918



Suitable for:

**3755313 HEATING ELEMENT 1335W 400V**  
 length 327 mm - width 270 mm  
 total length 97 mm  
 for BAINMARIE ELECTRIC HLE249/259  
 for Fry top electric (THERMA)



ZANUSSI 0K4814

Suitable for:

**3755508 HEATING ELEMENT 1350W 230V**  
 length 395 mm - width 60 mm  
 height 35 mm - fittings  $\varnothing$  1/4"  
 for Grill electric (TECNOINOX) GR35E  
 for Grill electric (ZANUSSI) GR35E6U - SGE350



ZANUSSI 004907

**3355042 HEATING ELEMENT 1500W 220/380V**  
 flange with threaded connection  $\varnothing$  2"  
 complete with gasket  
 upon request nut  
 for Self service counter electric (ZANUSSI)



ZANUSSI 026044

**3355038 HEATING ELEMENT 1500W 220V**  
 length 395 mm - width 205 mm  
 for Bain-marie electric (ZANUSSI) - Series N700  
 Series PR700 - Series R700 - Series R701



ZANUSSI 050933

ZANUSSI 050934

**3355061 HEATING ELEMENT 1500W 220V**  
 length 385 mm - width 205 mm  
 flange 245x20 mm  
 for Bain-marie electric (ZANUSSI)  
 for Hot cupboard electric (ZANUSSI)



ZANUSSI 053174

ZANUSSI 053577

**3355338 HEATING ELEMENT 1500W 220V**  
 length 535 mm - width 80 mm  
 height 105 mm  
 complete with cables  
 for Bratt pan electric (ZANUSSI) - Series H900



ZANUSSI 051356

**3455279 HEATING ELEMENT 1500W 220V**  
 length 370 mm - width 75 mm  
 height 75 mm  
 for Bratt pan electric (ZANUSSI) CBR/E700  
 MBR/E700 - MBR/E700UK - MBR/E706 - MBR/E710D  
 MBR/E716 - M70EBP - RBR/E700UK - RBR/E706  
 RBR/E716 - XBR/E706 - XBR/E710 - XBR/E710D  
 XBR/E716 - 7BRE60X - 7BRE60XN



ZANUSSI 002559

**3755601 HEATING ELEMENT 1500W 220V**  
 length 380 mm - width 25 mm  
 height 260 mm - flange 33x40 mm  
 for Fryer electric (ZANUSSI) - Series H700



ZANUSSI 054951

ZANUSSI 058612





Suitable for:

**3755133 HEATING ELEMENT 1500W 230V**  
length 395 mm - width 200 mm  
2 flanges 30x15 mm  
for Bain-marie electric (BLANCO)



ZANUSSI 0G2290

Suitable for:

**3755202 HEATING ELEMENT 1500W 230V**  
length 530 mm - width 140 mm  
flange 162x18 mm  
for Oven under cooktop electric (ZANUSSI)  
Series N700 - Series N900



ZANUSSI 0C0310

**3755516 HEATING ELEMENT 1500W 230V**  
length 370 mm - width 80 mm  
height 75 mm  
for Bratt pan electric (ZANUSSI) - Series HD700



ZANUSSI 058345

**3755569 HEATING ELEMENT 1500W 230V**  
length 330 mm - width 25 mm  
height 220 mm - flange 33x31 mm  
for Fryer electric (ZANUSSI) MF/E1D05 - RF/E1D05



ZANUSSI 004752

**3755588 HEATING ELEMENT 1500W 230V**  
length 480 mm - width 90 mm  
height 60 mm  
for Fry top electric (ZANUSSI) RR/E1CL - RR/E2CL



ZANUSSI 004671

**3455280 HEATING ELEMENT 1500W 400V**  
length 535 mm width 150 mm  
flange 163x18 mm  
for Oven under cooktop electric (ZANUSSI)  
Series N700 - Series N900



ZANUSSI 0C0269

ZANUSSI 0C2813

**3755312 HEATING ELEMENT 1505W 400V**  
length 350 mm - width 305 mm  
total length 83 mm  
for Fry top electric (THERMA)  
for Fry top electric (ZANUSSI)



ZANUSSI 0K4813

**3755268 HEATING ELEMENT 1550W 220V**  
length 530 mm - width 50 mm  
flange 60x28 mm  
for Pasta cooker electric (ZANUSSI) - Series HD900  
Series H900



ZANUSSI 059066



Suitable for:

Suitable for:

**3355127 HEATING ELEMENT 1600W 220V**  
 external  $\varnothing$  190 mm - total height 70 mm  
 flange 70x22 mm  
 for Bain-marie electric (ART SERF) BCA1618  
 for Hot cupboard electric (ALPENINOX)  
 for Hot cupboard electric (ZANUSSI)  
 for Kitchen gas (AMBASSADE) CG741  
 for Oven under cooktop electric (ALPENINOX)  
 for Oven under cooktop electric (ZANUSSI)  
 for Oven under cooktop gas (AMBASSADE) CG1051  
 CG731 - CG831



ZANUSSI 0A2017

ZANUSSI 037611

**3186098 HEATING ELEMENT GASKET**  
 external dimensions 71x23 mm



ZANUSSI 057534

**3755599 HEATING ELEMENT 1600W 230V**  
 length 365 mm - width 75 mm  
 total height 195 mm  
 for Pasta cooker electric (ZANUSSI) SCPE350



ZANUSSI 005816

**3755269 HEATING ELEMENT 1650W 230V**  
 length 540 mm - width 150 mm  
 fittings  $\varnothing$  10 mm  
 for Oven under cooktop electric (ZANUSSI)  
 Series HD700 - Series PR700 - Series R701



ZANUSSI 054147

**3755562 HEATING ELEMENT 1650W 230V**  
 length 550 mm - width 60 mm  
 flange 60x30 mm  
 for Pasta cooker electric (ZANUSSI) KCP/E2  
 MCP/E1SH - MCP/E2SH



ZANUSSI 006853

**3755556 HEATING ELEMENT 1750W 220V**  
 external  $\varnothing$  200 mm - total height 70 mm  
 flange 70x22 mm  
 for Dish warmer electric (MOBILE CONTAINING)  
 SHU-MS/A - SHU-MS/B - SHU-MS/D - THNU-MS210  
 THNU-MS240 - THNU-MS280 - THNU-MS310



ZANUSSI 0H6212

**3186098 HEATING ELEMENT GASKET**  
 external dimensions 71x23 mm



ZANUSSI 057534



Suitable for:

**3755178 HEATING ELEMENT 1800W 230V**  
length 550 mm - width 95 mm  
for Bratt pan electric (ZANUSSI)



ZANUSSI 0H6707


Suitable for:

**3755589 HEATING ELEMENT 1800W 230V**  
length 620 mm - width 90 mm  
flange 60x30 mm  
for Grill electric (ZANUSSI) HG/E400 - HG/E800  
ZG/E400 - ZG/E800



ZANUSSI 002403

**3755013 HEATING ELEMENT 1900W 220V**  
length 245 mm - width 225 mm  
for Salamander electric (ZANUSSI) SL/E851  
SL/E901



ZANUSSI 056783

**3355048 HEATING ELEMENT 2000W 220V**  
length 570 mm - width 90 mm  
height 50 mm  
for Fry top electric (ZANUSSI) - Series R700



ZANUSSI 026944

**3355847 HEATING ELEMENT 2000W 220V**  
length 230 mm - width 280 mm  
flange 107x33 mm  
for Salamander electric (TECNOINOX) SE40



ZANUSSI 003016

**3355849 HEATING ELEMENT 2000W 220V**  
length 230 mm - width 230 mm  
flange 107x33 mm  
for Salamander electric (TECNOINOX) SE60



ZANUSSI 003012

**3755598 HEATING ELEMENT 2000W 220V**  
length 595 mm - width 90 mm  
height 50 mm  
for Fry top electric (ZANUSSI) HRS/G802 - HRS/G812



ZANUSSI 055998

**3355285 HEATING ELEMENT 2000W 230V**  
length 255 mm - width 45 mm  
height 200 mm - fittings  $\varnothing$  13 mm  
for Fryer electric (TECNOINOX) FR35E - FR70E  
for Fryer electric (ZANUSSI) SFRE350 - SFRE700



ZANUSSI 004926



Suitable for:

**3355363 HEATING ELEMENT 2000W 230V**  
length 200 mm - width 35 mm  
for 180 mm tangential fan



ZANUSSI 0K4812

Suitable for:

**3355848 HEATING ELEMENT 2000W 230V**  
length 230 mm - width 255 mm  
flange 70x22 mm  
for Salamander electric (TECNOINOX) SEF1 - SEF2  
SEL1 - SEL2



ZANUSSI 0C7090

**3355080 HEATING ELEMENT 2200W 220V**  
length 565 mm - width 90 mm  
height 97 mm  
for Bratt pan electric (ZANUSSI) - Series HD900  
for Fry top electric (ZANUSSI) - Series HD900



ZANUSSI 059401

**40C5383 HEATING ELEMENT 24000W 400V SET**  
immersed length 570 mm  
flange external 72 mm  
with bulb sheath  
complete with O-Ring  
for boiler  
for Kitchen electric (ZANUSSI) CL121



ZANUSSI 0C5383

ZANUSSI 007101

**3186014 O-RING GASKET 06225 EPDM ø 67 mm**



ZANUSSI 0E5037  
ZANUSSI 049909

ZANUSSI 007029

ZANUSSI 047156

**3355055 HEATING ELEMENT 2500W 220V**  
external ø 190 mm - overall height 93 mm  
flange 70x22 mm  
for Oven under cooktop electric (ZANUSSI)



ZANUSSI 054317

ZANUSSI 054843

**3186098 HEATING ELEMENT GASKET**  
external dimensions 71x23 mm



ZANUSSI 057534



Suitable for:

**3355889 HEATING ELEMENT 2500W 230V**  
 external  $\varnothing$  190 mm - total height 70 mm  
 flange 70x22 mm  
 for Kitchen electric (MBM) E4F6  
 for Oven under cooktop electric (GIGA)  
 Series COUNTER700 - Series KAPPA900  
 Series SNACK650



ZANUSSI 004934

Suitable for:

**3186098 HEATING ELEMENT GASKET**  
 external dimensions 71x23 mm



ZANUSSI 057534

**3755288 HEATING ELEMENT 2500W 230V**  
 length 285 mm - width 70 mm  
 height 40 mm - fittings  $\varnothing$  12 mm  
 for Fryer electric (JUNO-RÖDER-SENKING)  
 for Fryer electric (ZANUSSI)



ZANUSSI 0K0569

**3755482 HEATING ELEMENT 2500W 230V**  
 external  $\varnothing$  193 mm - total height 75 mm  
 flange 70x22 mm  
 for Oven under cooktop electric (SILKO)



ZANUSSI 005217

**3186098 HEATING ELEMENT GASKET**  
 external dimensions 71x23 mm



ZANUSSI 057534

**3755571 HEATING ELEMENT 2500W 230V**  
 length 540 mm - width 80 mm  
 flange 70x22 mm  
 for Bratt pan electric (ZANUSSI) KBR/E2C - KBR/E2F  
 KBR/E3C - KBR/E3F



ZANUSSI 0C0686

ZANUSSI 270686

**3355057 HEATING ELEMENT 2500W 240V**  
 external  $\varnothing$  200 mm - total height 64 mm  
 flange 100x22 mm  
 for Warm table electric (ZANUSSI)



ZANUSSI 031064

ZANUSSI 031483

ZANUSSI 031485



Suitable for:

# ZANUSSI



**3455348 HEATING ELEMENT 2500W 400V**  
 length 620 mm - width 87 mm  
 flange 60x30 mm  
 for Grill electric (ZANUSSI) KGR/E1 - KGR/E2  
 QGR/E1 - QGR/E2



ZANUSSI 0C0495

**3755566 HEATING ELEMENT 2500W 400V**  
 length 540 mm - width 80 mm  
 flange 70x22 mm  
 for Bratt pan electric (ZANUSSI) KBR/E2C - KBR/E2F  
 KBR/E3C - KBR/E3F - WBR/E2F



ZANUSSI 0C0685

**3755591 HEATING ELEMENT 2500W 400V**  
 length 570 mm - width 90 mm  
 height 90 mm  
 for Fry top electric (ZANUSSI) HR/E413W - HR/E433W  
 HR/E813 - HR/E833W



ZANUSSI 006681

**3755723 HEATING ELEMENT 2600W 230V**  
 external  $\varnothing$  203 mm - total height 65 mm  
 flange 70x22 mm  
 for Oven under cooktop electric  
 (JUNO-RÖDER-SENKING)  
 for Oven under cooktop electric (ZANUSSI)



ZANUSSI 0H6157

**3186098 HEATING ELEMENT GASKET**  
 external dimensions 71x23 mm



ZANUSSI 057534

**3755563 HEATING ELEMENT 2900W 230V**  
 length 265 mm - width 60 mm  
 height 245 mm - flange 67x31 mm  
 for Fryer electric (ZANUSSI) MF/E1S12 - RF/E1S12  
 RF/E2D12



ZANUSSI 0A5565

**3755587 HEATING ELEMENT 2900W 230V**  
 length 305 mm - width 60 mm  
 height 200 mm - flange 65x30 mm  
 for Fryer electric (ZANUSSI) MF/E1S12 - MF/E2D12  
 RF/E1S12 - RF/E2D12



ZANUSSI 005964



Suitable for:

**3755592 HEATING ELEMENT 2900W 230V**  
length 285 mm - width 80 mm  
height 250 mm - flange 85x30 mm  
for Fryer electric (ZANUSSI) MFR/E2S40 - RFR/E2S40



ZANUSSI 004767

Suitable for:

**3355817 HEATING ELEMENT 3000W 220V**  
length 358 mm - width 230 mm  
flange 70x22 mm  
for Salamander electric (ZANUSSI) SALE08 - SL/E802  
SLE802UK



ZANUSSI 052836

**3755204 HEATING ELEMENT 3000W 230V**  
length 490 mm - width 130 mm  
total height 60 mm  
for Grill electric (ZANUSSI) - Series HD700  
Series R701



ZANUSSI 053451

ZANUSSI 053613

**3755517 HEATING ELEMENT 3000W 230V**  
length 320 mm - width 50 mm  
height 260 mm - flange 68x40 mm  
for Fryer electric (ZANUSSI) - Series H700



ZANUSSI 054962

ZANUSSI 058615

**3755602 HEATING ELEMENT 3000W 230V**  
length 125 mm - width 525 mm  
height 50 mm - flange 70x22 mm  
for Bratt pan electric (ZANUSSI) RBR/E2FM  
RBR/E2IM



ZANUSSI 004469

**3755172 HEATING ELEMENT 3500W 230V**  
length 240 mm - width 380 mm  
2 flanges 70x22 mm



ZANUSSI 0H6213

**3455301 HEATING ELEMENT 4000W 220V**  
length 410 mm - width 90 mm  
height 330 mm - couplings  $\varnothing$  12 mm  
for Fryer electric (ZANUSSI) - Series H900



ZANUSSI 052326



Suitable for:

Suitable for:

**3355033 HEATING ELEMENT 4200W 220/380V**  
 for tank and boiler  
 immersed length 335 mm  
 flange external ø 63 mm  
 with thermostat probe receptacle  
 with o-ring  
 upon request nut and washer  
 for Boiling pan electric (KÜPPERSBUSCH) FEK040  
 NEK040 - PEK048

**3186013 O-RING GASKET 06187 EPDM ø 58 mm**



ZANUSSI 046622

ZANUSSI 046623

ZANUSSI 046213

ZANUSSI 067620

ZANUSSI 069456

**3755211 HEATING ELEMENT 4500W 230V**  
 immersed length 320 mm  
 flange external ø 63 mm  
 with thermostat probe receptacle  
 with O-ring  
 for Boiling pan electric (KÜPPERSBUSCH) FES040  
 NES040 - PES048

**3186013 O-RING GASKET 06187 EPDM ø 58 mm**



ZANUSSI 046627

ZANUSSI 046213

ZANUSSI 067620

ZANUSSI 069456

**3755540 HEATING ELEMENT 480W 230V**  
 length 440 mm - width 185 mm  
 for Bain-marie electric (ZANUSSI)

**3355125 HEATING ELEMENT 550W 220V**  
 length 430 mm - width 45 mm  
 flange 60x40 mm  
 for Bain-marie electric (ZANUSSI)



ZANUSSI 031288

ZANUSSI 0A2197

**3355510 HEATING ELEMENT 5500W 230V**  
 length 325 mm - width 100 mm  
 height 275 mm - flange 60x30 mm  
 for Fryer electric (ZANUSSI) - Series HD900

**3755593 HEATING ELEMENT 5500W 400V**  
 length 310 mm - width 80 mm  
 height 250 mm - flange 60x30 mm  
 for Fryer electric (ZANUSSI) HFR/E431 - HFR/E831  
 ZFR/E421 - ZFR/E83



ZANUSSI 059563

ZANUSSI 006571





Suitable for:

Suitable for:

**3355046 HEATING ELEMENT 6000W 220/380V**  
immersed length 490 mm  
flange external  $\varnothing$  63 mm  
with thermostat probe receptacle  
with O-ring  
for Boiling pan electric (ZANUSSI) - Series HD900  
Series H900  
for Pasta cooker electric (ZANUSSI) - Series H900  
Series 900

**3186013 O-RING GASKET 06187 EPDM  $\varnothing$  58 mm**



ZANUSSI 051632

ZANUSSI 046213

ZANUSSI 067620

ZANUSSI 069456

**3355034 HEATING ELEMENT 700W 220V**  
length 320 mm - width 140 mm  
flange 175x20 mm  
for Bain-marie electric (ZANUSSI)  
for Self service counter electric (ZANUSSI)

**3755290 HEATING ELEMENT 750W 230V**  
length 470 mm - width 28 mm  
flange 44x20 mm



ZANUSSI 050232

ZANUSSI 0H6183

**3755594 HEATING ELEMENT 750W 230V**  
length 315 mm - width 45 mm  
height 100 mm  
for Boiling pan electric (ZANUSSI) - Series HD900



ZANUSSI 059681

**3755203 HEATING ELEMENT 7500W 220V**  
immersed length 560 mm  
flange external  $\varnothing$  63 mm  
with thermostat probe receptacle  
with O-ring  
for Boiling pan electric (ZANUSSI) - Series HD900  
for Pasta cooker electric (ZANUSSI) CR20EI - CR20V

**3186013 O-RING GASKET 06187 EPDM  $\varnothing$  58 mm**



ZANUSSI 059665

ZANUSSI 046213

ZANUSSI 067620

ZANUSSI 069456



Suitable for:

# ZANUSSI



**3755549 HEATING ELEMENT 765W 230V**  
 length 330 mm - width 150 mm  
 for Bain-marie electric (ZANUSSI) DB/A21 - DB/A22  
 DB/A31 - DB/A32 - DB/G21 - DB/G22 - DB/G31  
 DB/G32



ZANUSSI 032759

**3355039 HEATING ELEMENT 800W 220V**  
 overall length 545 mm  
 winged part length 400 mm  
 for Food-service trolley electric (ZANUSSI)



ZANUSSI 026710

**3355126 HEATING ELEMENT 800W 220V**  
 length 655 mm - width 45 mm  
 flange 60x40 mm  
 for Bain-marie electric (ALPENINOX) - Series 900  
 for Bain-marie electric (ZANUSSI) - Series 900



ZANUSSI 0A2137

**3355506 HEATING ELEMENT 810W 240V**  
 length 260 mm - width 60 mm  
 fitting  $\varnothing$  1/4"  
 for Bain-marie electric (ZANUSSI) DL14/C - DL21/C  
 SM08C - SM15C - SM15CP - SM21C



ZANUSSI 032072

**3755021 HEATING ELEMENT 875W 240V TOP**  
 length 190 mm - width 310 mm  
 for Panini grill (SIRMAN) CORT - ELIO



ZANUSSI 0SI277

**3355507 HEATING ELEMENT 900W 240V**  
 length 490 mm - width 50 mm  
 fittings  $\varnothing$  1/4"  
 for Dish warmer electric (ZANUSSI) CMS - CS3



ZANUSSI 031383

**3355508 HEATING ELEMENT 950W 220V**  
 length 550 mm - width 70 mm  
 flange 90x25 mm  
 for Oven under cooktop electric (ZANUSSI)  
 Series HD900



ZANUSSI 059237

**3755564 RADIANT HEATING ELEMENT 2700W 230V**  
 length 410 mm - width 170 mm  
 for Fryer electric (ZANUSSI) - Series N700  
 Series PR700



ZANUSSI 004755



Suitable for:

**3755266 RADIANT HEATING ELEMENT 5000W 230V**  
length 415 mm - width 280 mm  
for Bratt pan electric (ZANUSSI) - Series N700  
Series PR700  
for Fryer electric (ZANUSSI) - Series N900



ZANUSSI 005942

Suitable for:

**3755575 RADIANT HEATING ELEMENT 9000W 400V**  
length 435 mm - width 340 mm  
for Fryer electric (ZANUSSI) - Series HD900  
Series N900



ZANUSSI 006158

**3355336 SILICONE HEATING ELEMENT 1000W 240V**  
length 400 mm - width 290 mm  
complete with thermostat 150°C automatic reset  
for Bain-marie electric (MACFRIN)  
for Bain-marie electric (ZANUSSI)



ZANUSSI 032094

**3355332 SILICONE HEATING ELEMENT 500W 240V**  
length 290 mm - width 175 mm  
complete with thermostat 150° automatic reset  
for Bain-marie electric (ZANUSSI) DL07/C - DL14/C  
DL21/C - MDBM21 - MDBM22 - MDBM31 - MDBM33



ZANUSSI 032086

## Hinges, catches and accessories

**3053225 DOOR HINGE**  
for Pasta cooker electric (ZANUSSI) CR40E - CR40V  
CR42E - CR42V  
for Pasta cooker gas (ZANUSSI) CR40G - CR41G  
CR42G



ZANUSSI 005980

**3053003 DOOR HINGE ROLL HOLDER**  
distance between holes 95 mm - overall length 118  
height 23 mm  
for Kitchen electric (FAGOR) CE-741 - CE9-41  
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41  
CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61  
CG9-82  
for Oven under cooktop  
for Oven under cooktop electric (FAGOR) HE9-10  
HE9-20  
for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10  
HG9-20



ZANUSSI 053096

ZANUSSI 059227

**3053276 HINGE BLOCK**  
for Boiling pan (ZANUSSI) - Series HD900



ZANUSSI 059865

**3053277 HINGE BLOCK**  
for Boiling pan (ZANUSSI) - Series HD900



ZANUSSI 059864



Suitable for:

**3391059 HINGE BUSHING RIGHT-LEFT**  
 for Bratt pan (ZANUSSI) - Series HD900  
 for Bratt pan electric (ZANUSSI) ABR/E800  
 ABR/E810  
 for Bratt pan gas (ZANUSSI) ABR/G800 - ABR/G810



ZANUSSI 0A5151

Suitable for:

**3225009 LEVER FOR LID**  
 for Bratt pan (ZANUSSI) - Series HD900  
 for Bratt pan electric (ZANUSSI) ABR/E800  
 ABR/E810  
 for Bratt pan gas (ZANUSSI) ABR/G800 - ABR/G810



ZANUSSI 0A5148

**3053221 HINGE COVER**  
 distance between holes 95 mm - size 122x20 mm



ZANUSSI 052725

**3053226 HINGE LOCK**  
 for Boiling pan (ZANUSSI) - Series H900  
 for Bratt pan (ZANUSSI) - Series H900



ZANUSSI 051266

**3053278 HINGE LOCK**  
 for Boiling pan (ZANUSSI) - Series HD900



ZANUSSI 059863

**3053227 HINGE RETAINER**  
 for Boiling pan (ZANUSSI) - Series H900  
 for Bratt pan (ZANUSSI) - Series H900



ZANUSSI 051267

**3053224 HINGE SUPPORT**  
 for Boiling pan (ZANUSSI) - Series H900  
 for Bratt pan (ZANUSSI) - Series H900



ZANUSSI 002107

ZANUSSI 051260

**3053229 HINGE SUPPORT**  
 for Boiling pan (ZANUSSI) - Series H900  
 for Bratt pan (ZANUSSI) - Series H900



ZANUSSI 002106

**3053280 HINGE SUPPORT**  
 for Boiling pan (ZANUSSI) - Series HD900



ZANUSSI 002944

**3391058 HINGE SUPPORT**  
 for Bratt pan (ZANUSSI) - Series HD900  
 for Bratt pan electric (ZANUSSI) ABR/E800  
 ABR/E810  
 for Bratt pan gas (ZANUSSI) ABR/G800 - ABR/G810



ZANUSSI 0A5147



Suitable for:

## 3053007 LEFTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205  
height 160 mm  
for Oven under cooktop



ZANUSSI 0A2004

Suitable for:

## 3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118  
height 23 mm  
for Kitchen electric (FAGOR) CE-741 - CE9-41  
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41  
CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61  
CG9-82  
for Oven under cooktop  
for Oven under cooktop electric (FAGOR) HE9-10  
HE9-20  
for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10  
HG9-20



ZANUSSI 053096

ZANUSSI 059227

## 3225009 LEVER FOR LID

for Bratt pan (ZANUSSI) - Series HD900  
for Bratt pan electric (ZANUSSI) ABR/E800  
ABR/E810  
for Bratt pan gas (ZANUSSI) ABR/G800 - ABR/G810



ZANUSSI 0A5148

## 3053111 LH SPRING Ø 4 FOR HINGE RADIUS 320/395

replacement spring Ø 4 mm  
for radius 320-395 hinges



ZANUSSI 008010

## 3053555 LID SHAFT Ø 20x334 mm

for Boiling pan (ZANUSSI) - Series H900  
for Bratt pan (ZANUSSI) - Series H900



ZANUSSI 051278

## 3053226 HINGE LOCK

for Boiling pan (ZANUSSI) - Series H900  
for Bratt pan (ZANUSSI) - Series H900



ZANUSSI 051266

## 3053227 HINGE RETAINER

for Boiling pan (ZANUSSI) - Series H900  
for Bratt pan (ZANUSSI) - Series H900



ZANUSSI 051267

## 3053224 HINGE SUPPORT

for Boiling pan (ZANUSSI) - Series H900  
for Bratt pan (ZANUSSI) - Series H900



ZANUSSI 002107

ZANUSSI 051260



Suitable for:

**3053229 HINGE SUPPORT**

for Boiling pan (ZANUSSI) - Series H900  
for Bratt pan (ZANUSSI) - Series H900



ZANUSSI 002106

**3053228 SUPPORT SCREW**

for Boiling pan (ZANUSSI) - Series H900  
for Bratt pan (ZANUSSI) - Series H900



ZANUSSI 051393

**3053110 RH SPRING Ø 4 FOR HINGE RADIUS 320/395**

replacement spring Ø 4 mm  
for radius 320-395 hinges



ZANUSSI 008010

**3053008 RIGHT-LEFTHAND DOOR HINGE FOR OVEN**

distance between holes 175 mm - overall length 205  
height 156 mm  
for Oven under cooktop (BONNET) 31082A42/NG90  
for Oven under cooktop (ZANUSSI) - Series HD900  
Series H900



ZANUSSI 00203

ZANUSSI 050766

ZANUSSI 059227

# ZANUSSI



Suitable for:

**3250026 LID SPRING Ø 40x300 mm**

for BRATT PAN series HD900  
for BOILING PAN H900/HD900  
for PASTA COOKER CR40G-CR41G-CR42G-CR42E/V-CR40E/



ZANUSSI 051268

**3053003 DOOR HINGE ROLL HOLDER**

distance between holes 95 mm - overall length 118  
height 23 mm  
for Kitchen electric (FAGOR) CE-741 - CE9-41  
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41  
CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61  
CG9-82  
for Oven under cooktop  
for Oven under cooktop electric (FAGOR) HE9-10  
HE9-20  
for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10  
HG9-20



ZANUSSI 053096

ZANUSSI 059227



Suitable for:

**3053221 HINGE COVER**

distance between holes 95 mm - size 122x20 mm



ZANUSSI 052725

# ZANUSSI



Suitable for:

**3053006 RIGHTHAND DOOR HINGE FOR OVEN**

distance between holes 175 mm - overall length 205 mm  
height 160 mm  
for Oven under cooktop  
for Kitchen gas (FAGOR) CG941



ZANUSSI 0A2005

**3053003 DOOR HINGE ROLL HOLDER**

distance between holes 95 mm - overall length 118 mm  
height 23 mm  
for Kitchen electric (FAGOR) CE-741 - CE9-41  
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41  
CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61  
CG9-82  
for Oven under cooktop  
for Oven under cooktop electric (FAGOR) HE9-10  
HE9-20  
for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10  
HG9-20



ZANUSSI 053096

ZANUSSI 059227

**3053279 SHAFT  $\varnothing$  16x437 mm**

for Boiling pan (ZANUSSI) - Series HD900



ZANUSSI 059862

**3053276 HINGE BLOCK**

for Boiling pan (ZANUSSI) - Series HD900



ZANUSSI 059865

**3053277 HINGE BLOCK**

for Boiling pan (ZANUSSI) - Series HD900



ZANUSSI 059864

**3053278 HINGE LOCK**

for Boiling pan (ZANUSSI) - Series HD900



ZANUSSI 059863

**3053280 HINGE SUPPORT**

for Boiling pan (ZANUSSI) - Series HD900



ZANUSSI 002944

**3528016 SCREW M6**



ZANUSSI 059859



Suitable for:

**3528014 SLOTTED SCREW M6x16 mm**



ZANUSSI 059860

**3053228 SUPPORT SCREW**

for Boiling pan (ZANUSSI) - Series H900  
for Bratt pan (ZANUSSI) - Series H900



ZANUSSI 051393

## Hood filters

**3160203 HOOD LABYRINTH FILTER 500x400x25 mm**  
in AISI 304 stainless steel



ZANUSSI 032269

**3160023 HOOD SCREEN FILTER 400x250x20 mm**  
5 coats in STAINLESS steel:  
3 crossed internal coats (2 smooth, 1 rolled)  
2 external containing coats with wide-meshed net



ZANUSSI 0S0052

**3160019 HOOD SCREEN FILTER 500x400x20 mm**  
5 coats in STAINLESS steel:  
3 crossed internal coats (2 smooth, 1 rolled)  
2 external containing coats with wide-meshed net



ZANUSSI 0S0049



**ZANUSSI**

Suitable for:





Suitable for:

# ZANUSSI



Suitable for:

## Hose reels

**3359553 WASHING UNIT MINIREEL**  
stainless steel case aisi 304  
with automatic retractor  
EPDM hose  $\varnothing$  13 mm  
pull-out hose length 160 cm  
complete with shower ECO/F  
for fixing to any equipment



ZANUSSI 0T1747

ZANUSSI 006696

**3359610 BLACK SHOWER CASE ECO  $\varnothing$  1/2" M**  
with coupling 3/8" M x 1/2" M



ZANUSSI 003175

## Hydraulic plumbing

**3450152 REINFORCED RUBBER HOSE  $\varnothing$  12/20 mm**  
internal  $\varnothing$  12 mm - external  $\varnothing$  20 mm  
SOLD PER METER  
for Pasta cooker (ZANUSSI)



ZANUSSI 055445

## Ignitors

**3001007 PIEZO IGNITER**  
a  $\varnothing$  22 mm hole is needed for the assembly  
2.4 mm  $\varnothing$  male faston connector  
for Lava rock grill gas (FAGOR)



ZANUSSI 0H6070

ZANUSSI 058497

**3001009 PIEZO IGNITER JUNKERS**  
with faston 6.35x0.8 mm



ZANUSSI 0K0210

ZANUSSI 052539

ZANUSSI 058225

**3001013 PIEZO IGNITER 10015**  
a  $\varnothing$  18 mm hole is needed for the assembly  
male faston connector  $\varnothing$  2.4 mm



ZANUSSI 002605

**3001014 WATERTIGHT PIEZO CAP**  
made of silicone rubber  
complete with washer



ZANUSSI 0C9409

ZANUSSI 002816



Suitable for:

**3001020 PIEZO IGNITER 10015**  
18 mm  $\varnothing$  mounting hole  
2.4 mm  $\varnothing$  male faston connector



ZANUSSI 0A2127

ZANUSSI 059251

Suitable for:

**3001029 SIT PIEZO IGNITER**  
for mounting a hole  $\varnothing$  22 mm is required  
male faston  $\varnothing$  2.4 mm  
for SERIES SNACK



ZANUSSI 004944

**3001014 WATERTIGHT PIEZO CAP**  
made of silicone rubber  
complete with washer



ZANUSSI 0C9409

ZANUSSI 002816

## Injectors

**3500150 GAS JET  $\varnothing$  0.70 mm**



ZANUSSI 050679

**3500151 GAS JET  $\varnothing$  0.85 mm**



ZANUSSI 025983

**3500152 GAS JET  $\varnothing$  0.95 mm**



ZANUSSI 026717

**3500153 GAS JET  $\varnothing$  1.00 mm**



ZANUSSI 026212

ZANUSSI 050501

**3500154 GAS JET  $\varnothing$  1.10 mm**



ZANUSSI 025865

**3500155 GAS JET  $\varnothing$  1.15 mm**



ZANUSSI 026785



# ZANUSSI



Suitable for:

Suitable for:

**3500156 GAS JET  $\varnothing$  1.25 mm**

**3500157 GAS JET  $\varnothing$  1.30 mm**



ZANUSSI 026788

ZANUSSI 026718

**3500158 GAS JET  $\varnothing$  1.35 mm**

**3500159 GAS JET  $\varnothing$  1.40 mm**



ZANUSSI 025866

ZANUSSI 026786

**3500160 GAS JET  $\varnothing$  1.45 mm**

**3500161 GAS JET  $\varnothing$  1.50 mm**



ZANUSSI 045676

ZANUSSI 025954

**3500162 GAS JET  $\varnothing$  1.55 mm**

**3500163 GAS JET  $\varnothing$  1.60 mm**



ZANUSSI 050515

ZANUSSI 026000

ZANUSSI 026622

ZANUSSI 026954

**3500165 GAS JET  $\varnothing$  1.80 mm**

**3500166 GAS JET  $\varnothing$  1.90 mm**



ZANUSSI 025867

ZANUSSI 051872

ZANUSSI 025953

**3500167 GAS JET  $\varnothing$  2.00 mm**

**3500168 GAS JET  $\varnothing$  2.10 mm**



ZANUSSI 026720

ZANUSSI 026787



# ZANUSSI



Suitable for:

Suitable for:

**3500169 GAS JET  $\varnothing$  2.20 mm**

**3500170 GAS JET  $\varnothing$  2.40 mm**



ZANUSSI 026214

ZANUSSI 050807

**3500171 GAS JET  $\varnothing$  2.50 mm**

**3500021 GAS JET M10x1  $\varnothing$  0.95 mm**



ZANUSSI 051072

ZANUSSI 0A2088

**3500022 GAS JET M10x1  $\varnothing$  1.00 mm**

**3500023 GAS JET M10x1  $\varnothing$  1.10 mm**



ZANUSSI 059342

ZANUSSI 0A2076

**3500025 GAS JET M10x1  $\varnothing$  1.20 mm**

**3500026 GAS JET M10x1  $\varnothing$  1.25 mm**



ZANUSSI 0A2650

ZANUSSI 0A2101

**3500027 GAS JET M10x1  $\varnothing$  1.30 mm**

**3500028 GAS JET M10x1  $\varnothing$  1.45 mm**



ZANUSSI 002393

ZANUSSI 0A2082

ZANUSSI 0A2091

**3500029 GAS JET M10x1  $\varnothing$  1.50 mm**

**3500030 GAS JET M10x1  $\varnothing$  1.60 mm**



ZANUSSI 0A2103

ZANUSSI 0A2089



# ZANUSSI



Suitable for:

Suitable for:

**3500083 GAS JET M10x1 ø 1.70 mm**

**3500031 GAS JET M10x1 ø 1.90 mm**



ZANUSSI 054083

ZANUSSI 0A2077

ZANUSSI 056793

**3500082 GAS JET M10x1 ø 1.90 mm**

**3500032 GAS JET M10x1 ø 2.00 mm**



ZANUSSI 054033

ZANUSSI 0A2102

**3500081 GAS JET M10x1 ø 2.10 mm**

**3500033 GAS JET M10x1 ø 2.20 mm**



ZANUSSI 056147

ZANUSSI 0A2083

ZANUSSI 0C0143

**3500034 GAS JET M10x1 ø 2.30 mm**

**3500035 GAS JET M10x1 ø 2.50 mm**



ZANUSSI 0A2081

ZANUSSI 0A2104

ZANUSSI 0A2302

ZANUSSI 059382

**3500084 GAS JET M10x1 ø 3.30 mm**

**3500085 GAS JET M10x1 ø 3.40 mm**



ZANUSSI 055388

ZANUSSI 054128

**3500062 GAS JET M7x1 ø 0.85 mm**

**3500066 GAS JET M7x1 ø 1.35 mm**



ZANUSSI 055112

ZANUSSI 055113



Suitable for:

**3500051 GAS JET M9x1 ø 1.90 mm**



ZANUSSI 058375

Suitable for:

**3500274 GAS NOZZLE ø 0.80 mm**



ZANUSSI 050675

**3500019 GAS NOZZLE M10x1 ø 1.45 mm**



ZANUSSI 056470

**3500346 GAS NOZZLE ø M10x1 ø 2,45 mm**



ZANUSSI 002267

**3500281 GAS NOZZLE ø 0.90 mm**



ZANUSSI 051121

**3500302 GAS NOZZLE ø 1,20 mm**



ZANUSSI 026213

**3500070 GAS NOZZLE M10x1 ø 1.70 mm**



ZANUSSI 059336

**3500338 GAS NOZZLE M10x1 ø 1,35 mm**  
for Boiling pan gas (WHIRLPOOL) AGB371 - AGB373  
AGB374 - AGB376 - AGB378 - AGB379 - AGB395  
AGB397 - AGB398 - AGB400 - AGB402 - AGB403  
for Bratt pan gas (WHIRLPOOL) AGB504 - AGB506



ZANUSSI 004732

**3500284 GAS NOZZLE M10x1 ø 2,25 mm**  
for Pot stove (OLIS) - Series 700 - Series 900



ZANUSSI 0A2475

## Interference suppression filters

**3160099 INTERFERENCE SUPPRESSION FILTER 0.47μF**



ZANUSSI 046217

**3160233 THREE-PHASE FILTER RFI 250V**  
for Fryer (ZANUSSI) - Series PR700  
for Pasta cooker (ZANUSSI) - Series PR700  
for Pot stove (ZANUSSI) - Series PR700



ZANUSSI 049303

**1160049 TRAP FILTER 250V 50/60Hz 16A**



ZANUSSI 059078

## Ironmongery (screws,nuts,washers)

**1349504 NUT FOR TAP Ø 1/2"**



ZANUSSI 003035

**3528016 SCREW M6**



ZANUSSI 059859

**3528002 SELF-LOCKING NUT M10**



ZANUSSI 000651

**3528014 SLOTTED SCREW M6x16 mm**



ZANUSSI 059860

**1528030 ST.STEEL HEXAGONAL NUT M6 UNI 5588**



ZANUSSI 0K4516



Suitable for:

# ZANUSSI



Suitable for:

## Knobs

**3241247 BLACK KNOB**  
round hole  $\varnothing$  6 mm  
for Fryer electric (TECNOINOX) FR35E - FR70E



ZANUSSI 004906

**3241429 BLACK KNOB  $\varnothing$  30 mm SILK-SCREEN PRINTED**



ZANUSSI 003704

**3241189 BLACK KNOB  $\varnothing$  32 mm**  
for Oven under cooktop gas (ZANUSSI) - Series N700  
Series N900  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0190

**3241190 BLACK KNOB RING NUT 110-270°C**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0194

**3241243 BLACK KNOB  $\varnothing$  39 mm SILK-SCREEN PRINTED**  
D shaft hole 6x4.6 mm  
for Salamander (TECNOINOX) SE - SEF - SEL



ZANUSSI 003029

**3241209 BLACK KNOB  $\varnothing$  41 mm**  
D shaft hole 6x4.6 mm  
for Hot cupboard (ZANUSSI)  
for Self service counter (WHIRLPOOL) DL121/C  
DL14/C  
for Self service counter (ZANUSSI) DL21/CP



ZANUSSI 033050

**3241107 BLACK KNOB  $\varnothing$  50 mm**  
square hole 7x7 mm  
for Pasta cooker (ZANUSSI) - Series H900



ZANUSSI 025260

ZANUSSI 054254

**3241117 BLACK KNOB  $\varnothing$  50 mm SILK-SCREEN PRINTED**  
D shaft hole 10x8 mm  
for Solid top range (ZANUSSI) - Series 701



ZANUSSI 052604





Suitable for:


**3241118 BLACK KNOB ø 50 mm SILK-SCREEN PRINTED**  
D shaft hole 8x6.5 mm  
for Solid top range gas (ZANUSSI) - Series 701



ZANUSSI 054105

Suitable for:

**3241433 BLACK KNOB ø 50 mm 1-2-3-4-5-6-7-8**  
D shaft hole 8x6 mm  
for Pot stove gas (ZANUSSI) RCF/G720 - RCF/G730



ZANUSSI 054126

**3241866 BLACK KNOB ø 54 mm 0-300°C**  
D shaft hole 6x4.6 mm  
for Bratt pan (WHIRLPOOL) ABR/E800 - ABR/E810  
ABR/G810  
for Bratt pan (ZANUSSI) - Series HD900



ZANUSSI 0A5143

**3241817 BLACK KNOB ø 55 mm**  
D shaft hole 6x4.6 mm  
for Bratt pan (ZANUSSI) - Series N700  
Series N900  
for Fryer (ZANUSSI) - Series N700 - Series N900  
for Pasta cooker (ZANUSSI) - Series N700  
Series N900  
for Pot stove (ZANUSSI) - Series N700



ZANUSSI 0A5621

**3241881 BLACK KNOB ø 55 mm**  
D shaft hole 8x6 mm  
for Pasta cooker (ZANUSSI) OC/G1 - OC/G2 - OCP/G1S  
OCP/G2D - OR/G1CL - OR/G1FL - OR/G1FR  
OR/G2FL - WS/G2 - WSF/G2



ZANUSSI 0C1007

**40C1233 BLACK KNOB ø 55 mm**  
D-shaped hole 8x6.5 mm  
for Bain-marie (ZANUSSI) - Series N900  
for Bratt pan (ZANUSSI) - Series N700  
for Fry top (ZANUSSI) - Series N900  
for Fryer (ZANUSSI) - Series N700 - Series N900  
for Pot stove (ZANUSSI) - Series N700  
Series N900  
for Solid top range (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C1233

**3241043 BLACK KNOB ø 55 mm SILK-SCREEN PRINTED**  
D shaft hole 8x6.5 mm  
for Pot stove gas (ALPENINOX) - Series 700  
for Pot stove gas (ZANUSSI) - Series 700



ZANUSSI 0A2126

**3241044 BLACK KNOB ø 55 mm SILK-SCREEN PRINTED**  
D shaft hole 10x8 mm  
for Boiling pan gas (ALPENINOX)  
for Boiling pan gas (ZANUSSI)  
for Fry top gas (ALPENINOX)  
for Fry top gas (ZANUSSI)  
for Pot stove gas (ALPENINOX)  
for Pot stove gas (ZANUSSI)  
for Solid top range gas (ALPENINOX)  
for Solid top range gas (ZANUSSI)



ZANUSSI 0A2260



Suitable for:

**3241443 BLACK KNOB ø 55 mm SILK-SCREEN PRINTED**  
D shaft hole 6x4.6 mm  
for Pot stove (ZANUSSI) HCF/GE810 - ZCF/GE810



ZANUSSI 059850

Suitable for:

**3241267 BLACK KNOB ø 55 mm 1-2-3-4-5-6-7**  
D shaft hole 6x4.6 mm  
for Bratt pan (ZANUSSI) - Series HD900



ZANUSSI 059469

**3241413 BLACK KNOB ø 55 mm 100-280°C**  
D shaft hole 8x6 mm  
for Fry top (ZANUSSI) MR/G1070 - MR/G1071  
MR/G720 - MR/G721



ZANUSSI 058776

**3241430 BLACK KNOB ø 55 mm 105-185°C**  
D shaft hole 6x4.6 mm  
for Fryer (ZANUSSI) FR/E2D08 - MF/E1S08 - RF/E1S08



ZANUSSI 004783

**3241408 BLACK KNOB ø 55 mm 110-350°C**  
D shaft hole 6x4.6 mm  
for Pot stove (ZANUSSI) - Series HD900



ZANUSSI 059236

**3241417 BLACK KNOB ø 55 mm 120-300°C**  
D shaft hole 6x4.6 mm  
for Bratt pan (ZANUSSI) - Series HD900



ZANUSSI 059468

**3241440 BLACK KNOB ø 55 mm 120-330°C**  
D shaft hole 8x6 mm  
for Oven under cooktop gas (ZANUSSI) HCF/G1210  
HCF/G1610 - HCF/G810 - ZCF/G1210 - ZCF/G1610  
ZCF/G810



ZANUSSI 059220

**3241869 BLACK KNOB ø 55 mm 120-330°C**  
D shaft hole 8x6.5 mm  
for Pot stove gas (ZANUSSI) - Series HD900  
for Solid top range gas (ZANUSSI) - Series HD900



ZANUSSI 0A9065



# ZANUSSI



Suitable for:

## 3241066 BLACK KNOB ø 60 mm SILK-SCREEN PRINTED

D shaft hole 10x8 mm  
for Bain-marie gas (ZANUSSI)  
for Fry top gas (ZANUSSI)  
for Hot cupboard gas (ZANUSSI)  
for Pot stove gas (ZANUSSI)  
for Solid top range gas (ZANUSSI)



ZANUSSI 052138

Suitable for:

## 3241260 BLACK KNOB ø 60 mm SILK-SCREEN PRINTED

D shaft hole 8x6.5 mm  
for Bain-marie gas (TECNOINOX) BM35G - BM70G  
for Pot stove electric (TECNOINOX) PC35G  
for Pot stove gas (TECNOINOX) PC70G



ZANUSSI 004957

## 3241064 BLACK KNOB ø 60 mm 0-1-0-1

D shaft hole 6x4.6 mm  
for Boiling pan electric (ZANUSSI)  
for Fryer electric (ZANUSSI)



ZANUSSI 050341

## 3241137 BLACK KNOB ø 60 mm 0-1-2-3-4

D shaft hole 6x4.6 mm  
for Pot stove electric (ZANUSSI) - Series H900



ZANUSSI 052183

## 3241414 BLACK KNOB ø 60 mm 0-1-2-3-4-5-6

D shaft hole 6x4.6 mm  
for Pot stove electric (ZANUSSI) SCE350 - SCE700



ZANUSSI 004913

## 3241062 BLACK KNOB ø 60 mm 1-2-3-4-5

D shaft hole 6x4.6 mm  
for Boiling pan electric (ZANUSSI)



ZANUSSI 051552

## 3241067 BLACK KNOB ø 60 mm 1-2-3-4-5-6-7-8

D shaft hole 6x4.6 mm  
for Bain-marie electric (ZANUSSI)  
for Bratt pan electric (ZANUSSI)  
for Fry top electric (ZANUSSI)  
for Fryer electric (ZANUSSI)  
for Hot cupboard electric (ZANUSSI)  
for Oven under cooktop electric (ZANUSSI)



ZANUSSI 026915

## 3241244 BLACK KNOB ø 60 mm 1-2-3-4-5-6-7-8

D shaft hole 6x4.6 mm  
for Pot stove (TECNOINOX) PCC35E - PCC70E  
for Potato heater (TECNOINOX) SP35E



ZANUSSI 004897



Suitable for:

**3241246 BLACK KNOB ø 60 mm 100-190°C**  
D shaft hole 6x4.6 mm  
for Fryer electric (TECNOINOX) FR35E - FR70E



ZANUSSI 004924

Suitable for:

**3241248 BLACK KNOB ø 60 mm 100-300°C**  
D shaft hole 6x4.6 mm  
for Fry top electric (TECNOINOX) FTC35E - FTC70E  
FTL35E - FTL70E - FTR35E - FTR70E



ZANUSSI 004916

**3241245 BLACK KNOB ø 60 mm 30-90°C**  
D shaft hole 6x4.6 mm  
for Bain-marie electric (TECNOINOX) BM35E - BM70E



ZANUSSI 004909

**3241421 BLACK KNOB ø 60 mm 90-250°C**  
hole for mertik gas valve knob  
for Pot stove gas (ZANUSSI) MMV/G1C - MMV/G2C  
RMV/G1C - RMV/G2C



ZANUSSI 0A5586

ZANUSSI 006464

**3241262 BLACK KNOB ø 68 mm SILK-SCREEN PRINTED**  
D shaft hole 8x6.5 mm  
for Pot stove (ZANUSSI) - Series HD900



ZANUSSI 059265

**3241419 BLACK KNOB ø 70 mm HOT WATER**  
D shaft hole 10x8 mm  
for Boiling pan (ZANUSSI) - Series HD900  
for Solid top range (ZANUSSI) - Series HD900



ZANUSSI 0G2258

ZANUSSI 059538

**3241438 BLACK KNOB ø 70 mm HOT WATER**  
D shaft hole 10x8 mm  
for Boiling pan (ZANUSSI) - Series HD900  
Series H900



ZANUSSI 059516

**3241140 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED**  
D shaft hole 10x8 mm  
for Bratt pan (ZANUSSI) - Series HD900  
for Fryer (ZANUSSI) - Series PR700



ZANUSSI 059304

**3241268 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED**  
D shaft hole 10x8 mm  
for Bain-marie (ZANUSSI) - Series PR700  
for Pasta cooker (ZANUSSI) - Series PR700



ZANUSSI 004483

**3241313 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED**  
D shaft hole 10x8 mm  
for Boiling pan (ZANUSSI) - Series HD700  
for Fry top (ZANUSSI) - Series HD700  
for Solid top range (ZANUSSI) - Series HD700



ZANUSSI 058597



Suitable for:

**3241314 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED**

D shaft hole 8x6.5 mm  
for Pot stove gas (ZANUSSI) - Series HD900




ZANUSSI 059206

Suitable for:

**3241315 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED**

D shaft hole 10x8 mm  
for Pasta cooker (ZANUSSI) - Series HD900



ZANUSSI 002308

ZANUSSI 059378

**3241410 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED**

D shaft hole 6x4.6 mm  
for Kitchen gas (ZANUSSI) MCF/GE1050 - MCF/GE700  
RCF/GE1051



ZANUSSI 058541

**3241416 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED**

D shaft hole 10x8 mm  
for Boiling pan (ZANUSSI) - Series HD700  
Series HD900



ZANUSSI 0A5002

**3241418 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED**


D shaft hole 8x6 mm  
for Pot stove (ZANUSSI) - Series PR700  
for Solid top range (ZANUSSI) - Series PR700



ZANUSSI 004329

**3241420 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED**

D shaft hole 8x6 mm  
for Pot stove (ZANUSSI) - Series HD700



ZANUSSI 0A2958

**3241622 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED**

D shaft hole 10x8 mm  
for Boiling pan gas (ZANUSSI) - Series 700  
for Pasta cooker gas (ZANUSSI) - Series 700  
for Pot stove gas (ZANUSSI) - Series 700  
for Solid top range gas (ZANUSSI) - Series 700



ZANUSSI 0A2986

**3241815 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED**

D shaft hole 10x8 mm  
for Bratt pan (WHIRLPOOL) ABR/G810  
for Bratt pan (ZANUSSI) BR/G810  
for Bratt pan gas (ZANUSSI) BR/G800 - M40GBP90  
for Fryer (ZANUSSI) AFR/G410 - AFR/G410D  
AFR/G810 - AFR/G810D - AFR/G810NL - AFR/410NL  
AFR/412 - CFR/G351 - CFR/G741 - M20GFR90  
M40GFR90 - OFR/G810 - S20GFR90 - XFR/G351  
for Fryer gas (WHIRLPOOL) XFR/G351



ZANUSSI 0A5188



Suitable for:

**3241818 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED**  
 D shaft hole 8x6 mm  
 for Oven under cooktop (WHIRLPOOL) CC4FG007  
 CC6FG010  
 for Pot stove (ZANUSSI) - Series PR700  
 for Pot stove gas (WHIRLPOOL) CC2TG003 - CC4TG007  
 CC4VG007 - CC6VG010  
 for Solid top range gas (WHIRLPOOL) CTPF207  
 CTPF210



ZANUSSI 004291

Suitable for:

**3241820 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED**  
 D shaft hole 8x6 mm  
 for Solid top range (ZANUSSI) - Series PR700



ZANUSSI 004304

**3241868 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED**  
 D shaft hole 10x8 mm  
 for Bain-marie (ZANUSSI) - Series PR700  
 for Boiling pan (ZANUSSI) - Series PR700  
 for Bratt pan (ZANUSSI) - Series PR700  
 for Pasta cooker (ZANUSSI) - Series PR700



ZANUSSI 0A5421

**3525019 EXTENSION FOR BALLCOCK VALVE**  
 for Bain-marie (ZANUSSI) - Series PR700  
 for Boiling pan (ZANUSSI) - Series HD900  
 for Bratt pan (ZANUSSI) - Series HD700  
 Series N700 - Series PR700  
 for Pasta cooker (ZANUSSI) - Series PR700



ZANUSSI 0A2135

**3241879 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED**  
 D shaft hole 10x8 mm  
 for Lava rock grill gas (ZANUSSI) HG/G400  
 HG/G800  
 for Pot stove (ZANUSSI) HCP/G400 - HCP/G800  
 HPN/GI805 - HPN/GI806 - HT/G800 - HTF/G1210  
 HTF/G810



ZANUSSI 059386

**3241880 BLACK KNOB ø 70 mm SILK-SCREEN PRINTED**  
 D shaft hole 10x8 mm  
 for Bratt pan gas (ZANUSSI) HBR/G800 - HBR/G805  
 HBR/G810  
 for Pot stove (ZANUSSI) HFR/G410 - HFR/G411  
 HFR/G412 - HFR/G430 - HFR/G810



ZANUSSI 059348

**3241400 BLACK KNOB ø 70 mm UNIVERSAL**  
 D shaft hole 10x8 mm



ZANUSSI 059062

**3241448 BLACK KNOB ø 70 mm 0-1-0-1**  
 D shaft hole 6x4.6 mm  
 for Grill electric (ZANUSSI) HG/E400 - HG/E800  
 ZG/E400 - ZG/E800



ZANUSSI 059333



# ZANUSSI



Suitable for:

**3241316 BLACK KNOB  $\varnothing$  70 mm 0-1-2-3-4-5-6**  
D shaft hole 6x4.6 mm  
for Pot stove electric (ZANUSSI) - Series HD700  
Series HD900



ZANUSSI 059230

Suitable for:

**3241269 BLACK KNOB  $\varnothing$  70 mm 1-2-3-4-5-6-7-8**  
D shaft hole 6x4.6 mm  
for Boiling pan (ZANUSSI) - Series PR700  
for Pasta cooker (ZANUSSI) - Series PR700



ZANUSSI 059779

**3241270 BLACK KNOB  $\varnothing$  70 mm 1-2-3-4-5-6-7-8**  
D shaft hole 6x4.6 mm  
for Pasta cooker (ZANUSSI) - Series HD900  
for Pot stove (ZANUSSI) - Series HD900



ZANUSSI 059554

**3241428 BLACK KNOB  $\varnothing$  70 mm 100-280°C**  
D shaft hole 8x6 mm  
for Fry top gas (ZANUSSI) HR/G420 - HR/G820  
HR/G821 - ZR/G420 - ZR/G820




ZANUSSI 059422

**3241506 BLACK KNOB  $\varnothing$  70 mm 105-185°C**  
D shaft hole 6x4.6 mm  
for Fryer (ZANUSSI) - Series N900 - Series PR700



ZANUSSI 059303

**3241832 BLACK KNOB  $\varnothing$  70 mm 105-185°C**  
D shaft hole 8x6 mm  
for Fryer (WHIRLPOOL) - Series 700  
for Fryer (ZANUSSI) - Series 700



ZANUSSI 058591

**3241411 BLACK KNOB  $\varnothing$  70 mm 120-280°C**  
D shaft hole 6x4.6 mm  
for Bratt pan (ZANUSSI) MBK/E2FM - RBK/E2FM  
for Bratt pan electric (ZANUSSI) RBR/E2FM  
RBR/E2IM



ZANUSSI 059403

**3241816 BLACK KNOB  $\varnothing$  70 mm 120-300°C**  
D shaft hole 6x4.6 mm  
for Bratt pan (WHIRLPOOL) M40GBP90  
for Bratt pan (ZANUSSI) M40EBP90  
for Bratt pan gas (ZANUSSI) M40GBP90



ZANUSSI 0A5279

**3241317 BLACK KNOB  $\varnothing$  70 mm 140-300°C**  
D shaft hole 8x6.5 mm  
for Oven under cooktop (ZANUSSI) - Series 700  
for Kitchen gas (ZANUSSI) MCF/G705F



ZANUSSI 058537

**3241441 BLACK KNOB  $\varnothing$  70 mm 140-300°C**  
D shaft hole 8x6 mm  
for Pot stove (ZANUSSI) - Series HD700  
for Solid top range (ZANUSSI) - Series HD700



ZANUSSI 0A2965



Suitable for:


**3241415 BLACK KNOB  $\varnothing$  70 mm 140-320°C**  
D shaft hole 6x4.6 mm  
for Pot stove (ZANUSSI) MCF/M2 - MCF/M3 - RCF/M2  
RCF/M3



ZANUSSI 004330

Suitable for:

**3241446 BLACK KNOB  $\varnothing$  70 mm 140-320°C**  
D shaft hole 6x4.6 mm  
for Kitchen gas (ZANUSSI) MCF/GE1050 - MCF/GE700  
RCF/GE1051



ZANUSSI 058542

**3241477 BLACK KNOB  $\varnothing$  70 mm 150-290°C**  
D shaft hole 8x6 mm  
for Pot stove gas (ZANUSSI) MCF/G2 - RCF/G2



ZANUSSI 004336

**3241819 BLACK KNOB  $\varnothing$  70 mm 150-290°C**  
D shaft hole 8x6 mm  
for Oven under cooktop (WHIRLPOOL) CCF6G010  
CC4FG007 - CTPF007  
for Oven under cooktop (ZANUSSI) - Series PR700  
for Pot stove (ZANUSSI) - Series PR700  
for Solid top range (ZANUSSI) - Series PR700  
for Solid top range gas (WHIRLPOOL) CTPF207  
CTPF210



ZANUSSI 004299

**3241447 BLACK KNOB  $\varnothing$  70 mm 150-310°C**  
D shaft hole 6x4.6 mm  
for Fry top electric (ZANUSSI) RR/E1FL - RR/E1FR  
RR/E2FL - RR/E2FM



ZANUSSI 004710

**3241412 BLACK KNOB  $\varnothing$  70 mm 180-300°C**  
D shaft hole 8x6 mm  
for Fry top (ZANUSSI) HR/G403 - HR/G803 - HR/G814



ZANUSSI 058413

**3241106 BLACK KNOB  $\varnothing$  70 mm 30-90°C**  
D shaft hole 8x6.5 mm  
for Bain-marie gas (ZANUSSI) - Series HD900



ZANUSSI 059801

**3241444 BLACK KNOB POINER**  
for Pot stove (ZANUSSI)



ZANUSSI 059207





# ZANUSSI



Suitable for:

**3241190 BLACK KNOB RING NUT 110-270°C**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0194

Suitable for:

**3241425 BLACK KNOB RING NUT 110-270°C**  
for Bratt pan (ZANUSSI) - Series N700  
for Fry top (ZANUSSI) - Series N900



ZANUSSI 0C0597

**3241442 BLACK KNOB RING NUT 120-190°C**  
for Fryer gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0623

**3241422 BLACK KNOB RING NUT 30-90°C**  
for Bain-marie gas (ZANUSSI) PBV/G2



ZANUSSI 0C0503

**3241193 BLACK KNOB 46x51 mm**  
old type  
for Pot stove (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0189

**3241190 BLACK KNOB RING NUT 110-270°C**  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0194

**3241425 BLACK KNOB RING NUT 110-270°C**  
for Bratt pan (ZANUSSI) - Series N700  
for Fry top (ZANUSSI) - Series N900



ZANUSSI 0C0597

**3241442 BLACK KNOB RING NUT 120-190°C**  
for Fryer gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0623

**3241422 BLACK KNOB RING NUT 30-90°C**  
for Bain-marie gas (ZANUSSI) PBV/G2



ZANUSSI 0C0503



Suitable for:

**3241197 BLACK KNOB 46x51 mm**  
D-shaped hole 8x6.5 mm  
for Pot stove (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0191

**3241195 KNOB RING NUT ø 84 mm SILK-SCREEN PRINTE**  
for Fry top (ZANUSSI) - Series N700 - Series N900  
for Lava rock grill (ZANUSSI) - Series N700  
for Pasta cooker (ZANUSSI) - Series N900  
for Pot stove (ZANUSSI) - Series N700  
for Solid top range (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0193

**3241266 BLACK KNOB 46x51 mm**  
D-shaped pin ø 6x4.6 mm  
for Pot stove (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0257

**3241445 KNOB RING NUT ø 84 mm SILK-SCREEN PRINTE**  
for Boiling pan (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0711

Suitable for:

**3241801 FASTENING RING - 10 PCS**



ZANUSSI 0C6288

ZANUSSI 069567

**3241196 KNOB RING NUT ø 84 mm SILK-SCREEN PRINTE**  
for Grill electric (ZANUSSI) - Series N900  
for Grill gas (ZANUSSI) - Series N700  
Series N900  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900  
for Solid top range gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0192

**3241439 KNOB RING NUT ø 84 mm SCREEN-PRINTED**  
for Pot stove (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0259

**3241449 KNOB RING NUT ø 84 mm 0-1-0-1**  
for Bain-marie (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0518



Suitable for:

**3241479** **KNOB RING NUT  $\varnothing$  84 mm 0-1-2-3**  
for Pasta cooker electric (ZANUSSI) PCP/E1SH  
PCP/E2SH



ZANUSSI 0C0560

**3241507** **KNOB RING NUT  $\varnothing$  84 mm 1-2-3-4-5-6**  
for Pot stove (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0304

**3241469** **KNOB RING NUT  $\varnothing$  84 mm 1-2-3-4-5-6-7-8**  
for Pasta cooker electric (ZANUSSI) PCP/E1SH  
PCP/E2SH



ZANUSSI 0C0318

ZANUSSI 0C03187

**3241436** **KNOB RING NUT  $\varnothing$  84 mm 105-185°C**  
for Fryer (ZANUSSI) - Series N700



ZANUSSI 0C0615

**3241427** **KNOB RING NUT  $\varnothing$  84 mm 30-90°C**  
for Bain-marie (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0515

# ZANUSSI



Suitable for:

**3241468** **KNOB RING NUT  $\varnothing$  84 mm 1-2-3-4-5-6**  
for Pasta cooker (ZANUSSI) - Series N700  
for Pot stove (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0307

**3241424** **KNOB RING NUT  $\varnothing$  84 mm 1-2-3-4-5-6-7-8**  
for Boiling pan (ZANUSSI) - Series N900  
for Pasta cooker (ZANUSSI) - Series N700  
for Pot stove (ZANUSSI) - Series N700



ZANUSSI 0C0317

ZANUSSI 0C3017

**3241478** **KNOB RING NUT  $\varnothing$  84 mm 100-300°C**  
for Oven under cooktop (ZANUSSI) PCF/M2 - PCF/M3



ZANUSSI 0C0258

**3241426** **KNOB RING NUT  $\varnothing$  84 mm 120-280°C**  
for Fry top (ZANUSSI) PR/E1FL - PR/E1FR - PR/E2FL



ZANUSSI 0C0466



Suitable for:

# ZANUSSI



## 3241437 BLACK KNOB 46x51 mm

D shaft hole 10x8 mm  
for Bratt pan (ZANUSSI) - Series N700  
Series N900  
for Fry top (ZANUSSI) - Series N700 - Series N900  
for Grill (ZANUSSI) - Series N700 - Series N900  
for Pasta cooker (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0465

## 3241196

## KNOB RING NUT ø 84 mm SILK-SCREEN PRINTE

for Grill electric (ZANUSSI) - Series N900  
for Grill gas (ZANUSSI) - Series N700  
Series N900  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900  
for Solid top range gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0192

## 3241708 BLACK KNOB 46x51 mm

new type  
D shaft hole 8x6.5 mm  
for Bratt pan (ZANUSSI) - Series N700  
Series N900  
for Fry top (ZANUSSI) - Series N700 - Series N900  
for Fryer (ZANUSSI) - Series N700 - Series N900



ZANUSSI 0C5251

## 40C5254

## BLUE KNOB ø 60 mm 110-190°C

D-shaped hole 8x6.5 mm  
for Fryer (ZANUSSI)



ZANUSSI 0C5254

## 3241801 FASTENING RING - 10 PCS



ZANUSSI 0C6288

ZANUSSI 069567

## 3241055

## FIXING CLIP

for knob with ø 8 mm hole



ZANUSSI 025245

## 3241119 GASKET FOR KNOB

for Solid top range gas (ZANUSSI) - Series 701



ZANUSSI 054108



Suitable for:

**3241069 GREY KNOB ø 55 mm 0-120°C**  
D-shaped hole 6x4.6 mm  
for Food-service trolley electric (ZANUSSI)  
for Warm table electric (ZANUSSI)



ZANUSSI 0C3022

ZANUSSI 003844

ZANUSSI 075543

Suitable for:

**3186342 GASKET FOR OVEN**  
soft - external ø 13,5 mm



ZANUSSI 053816

**3241104 GREY KNOB ø 55 mm 120-330°C**  
D shaft hole 8x6.5 mm  
for Oven under cooktop (ZANUSSI) NUOVA SERIE 700



ZANUSSI 059249

**3241199 GREY KNOB ø 70 mm COLD WATER**  
D shaft hole 10x8 mm  
for Boiling pan (ZANUSSI) - Series HD900  
for Pasta cooker (ZANUSSI) - Series HD900



ZANUSSI 059531

**3241103 GREY KNOB ø 70 mm SILK-SCREEN PRINTED**  
D shaft hole 8x6.5 mm  
for Pot stove gas (ZANUSSI) - Series HD900



ZANUSSI 059244

**3241109 GREY KNOB ø 70 mm SILK-SCREEN PRINTED**  
D shaft hole 8x6.5 mm  
for Pot stove gas (ZANUSSI) - Series HD700



ZANUSSI 058534

**3241110 GREY KNOB ø 70 mm SILK-SCREEN PRINTED**  
D shaft hole 8x6.5 mm  
for Pot stove gas (ZANUSSI) - Series NUOVA 700



ZANUSSI 058561

**3241198 GREY KNOB ø 70 mm 0-1-2-3**  
D shaft hole 6x4.6 mm  
for Pasta cooker electric (ZANUSSI) - Series PR700



ZANUSSI 059546

**3241113 GREY KNOB ø 70 mm 110-190°C**  
D shaft hole 10x8 mm  
for Fryer (ZANUSSI) - Series HD700



ZANUSSI 003392

**3241210 GREY KNOB ø 70 mm 120-300°C**  
D shaft hole 6x4.6 mm  
for Bratt pan gas (ZANUSSI) - Series HD900



ZANUSSI 002104



Suitable for:

**3241263 GREY KNOB SILK-SCREEN PRINTED**  
D shaft hole 10x8 mm  
for Pot stove (ZANUSSI) - Series 900



ZANUSSI 0A2460

Suitable for:

**3241709 KNOB ADAPTER ø 27 mm**  
D shaft hole 8x6.5 mm



ZANUSSI 0C5400

**3241108 KNOB CAP**



ZANUSSI 025255

ZANUSSI 054367

**3241141 KNOB EXTENSION**  
D-shaped hole 10x8 mm  
for gas valve  
for OVEN-FRYER



ZANUSSI 059305

**3241142 KNOB GASKET ø 44 mm**



ZANUSSI 059326

**3241439 KNOB RING NUT ø 84 mm SCREEN-PRINTED**  
for Pot stove (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0259

**3241195 KNOB RING NUT ø 84 mm SILK-SCREEN PRINTE**  
for Fry top (ZANUSSI) - Series N700 - Series N900  
for Lava rock grill (ZANUSSI) - Series N700  
for Pasta cooker (ZANUSSI) - Series N900  
for Pot stove (ZANUSSI) - Series N700  
for Solid top range (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0193

**3241196 KNOB RING NUT ø 84 mm SILK-SCREEN PRINTE**  
for Grill electric (ZANUSSI) - Series N900  
for Grill gas (ZANUSSI) - Series N700  
Series N900  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900  
for Solid top range gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0192

**3241445 KNOB RING NUT ø 84 mm SILK-SCREEN PRINTE**  
for Boiling pan (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0711

**3241449 KNOB RING NUT ø 84 mm 0-1-0-1**  
for Bain-marie (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0518



# ZANUSSI



Suitable for:

**3241479 KNOB RING NUT  $\varnothing$  84 mm 0-1-2-3**  
for Pasta cooker electric (ZANUSSI) PCP/E1SH  
PCP/E2SH



ZANUSSI 0C0560

Suitable for:

**3241468 KNOB RING NUT  $\varnothing$  84 mm 1-2-3-4-5-6**  
for Pasta cooker (ZANUSSI) - Series N700  
for Pot stove (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0307

**3241507 KNOB RING NUT  $\varnothing$  84 mm 1-2-3-4-5-6**  
for Pot stove (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0304

**3241424 KNOB RING NUT  $\varnothing$  84 mm 1-2-3-4-5-6-7-8**  
for Boiling pan (ZANUSSI) - Series N900  
for Pasta cooker (ZANUSSI) - Series N700  
for Pot stove (ZANUSSI) - Series N700



ZANUSSI 0C0317

ZANUSSI 0C3017

**3241469 KNOB RING NUT  $\varnothing$  84 mm 1-2-3-4-5-6-7-8**  
for Pasta cooker electric (ZANUSSI) PCP/E1SH  
PCP/E2SH



ZANUSSI 0C0318

ZANUSSI 0C03187

**3241478 KNOB RING NUT  $\varnothing$  84 mm 100-300°C**  
for Oven under cooktop (ZANUSSI) PCF/M2 - PCF/M3



ZANUSSI 0C0258

**3241436 KNOB RING NUT  $\varnothing$  84 mm 105-185°C**  
for Fryer (ZANUSSI) - Series N700



ZANUSSI 0C0615

**3241426 KNOB RING NUT  $\varnothing$  84 mm 120-280°C**  
for Fry top (ZANUSSI) PR/E1FL - PR/E1FR - PR/E2FL



ZANUSSI 0C0466

**3241427 KNOB RING NUT  $\varnothing$  84 mm 30-90°C**  
for Bain-marie (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0515



Suitable for:

# ZANUSSI



Suitable for:

## Lamps

**3221053 GASKET FOR OVEN LAMP RECEPTACLE**  
dimensions  $\varnothing$  48x38x5 mm  
for OVEN



ZANUSSI

**3221349 GLASS F.OVEN RECEPTACLE LAMP  $\varnothing$  72 mm**



ZANUSSI 003451

ZANUSSI 004163

**3221005 GREEN INDICATOR LAMP 220/380V**  
head 16x16 mm - hole  $\varnothing$  12 mm - 120°C  
universal application



ZANUSSI 026456

ZANUSSI 053148

ZANUSSI 053154

**3221032 GREEN INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ZANUSSI 0A2224

ZANUSSI 058544

**3221132 GREEN INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ZANUSSI 004169

ZANUSSI 058544

**3221164 GREEN INDICATOR LAMP 230V**  
head  $\varnothing$  7 mm - hole  $\varnothing$  6 mm - 120°C  
dashboard mounting  
for Salamander (TECNOINOX) - Series SE  
Series SEF - Series SEL



ZANUSSI 054150+054151

**3221045 GREEN LAMP CAP  $\varnothing$  7 mm**



ZANUSSI 054151

**3221329 GREEN INDICATOR LAMP 230V**  
 $\varnothing$  head 16 mm -  $\varnothing$  hole 10 mm - 150°C  
for (MBM) - Series DOMINA - Series MAGIS MAGISTRA



ZANUSSI 0M0755





Suitable for:

**3221207 GREEN INDICATOR LAMP 250V**  
 ø head 15 mm - ø hole 13 mm - 150°C  
 for Fry top (ZANUSSI)  
 for Fryer (ZANUSSI)  
 for Kitchen (ZANUSSI)  
 for Pasta cooker (ZANUSSI)



ZANUSSI 005010

ZANUSSI 058658

Suitable for:

**3221301 RED INDICATOR LAMP 240V**  
 head ø 16 mm - hole ø 13 mm - 150°C



ZANUSSI 000687

**3221034 GREEN INDICATOR LAMP 400V**  
 head ø 13.5 mm - hole ø 10 mm - 120°C  
 universal application



ZANUSSI 004157

**3221045 GREEN LAMP CAP ø 7 mm**



ZANUSSI 054151

**3221008 GREEN LAMP RECEPTACLE**  
 head ø 15 mm - hole ø 12.5 mm  
 universal application



ZANUSSI 075096

**3221126 INDICATOR LAMP 24V**  
 head ø 8 mm



ZANUSSI 075110

**3221097 NEUTRAL INDICATOR LAMP 220V**  
 head ø 8 mm - 120°C



ZANUSSI 004895

ZANUSSI 046241

ZANUSSI 048488

**3221162 GREEN LAMP RECEPTACLE**  
 head ø 14.5 mm - hole ø 10 mm  
 for Fry top electric (TECNOINOX) FTC35E - FTC70E  
 FTL35E - FTL70E - FTR35E - FTR70E  
 for Fryer electric (TECNOINOX) FR35E - FR70E  
 for Potato heater electric (TECNOINOX) SP35E



ZANUSSI 004896

**3221126 INDICATOR LAMP 24V**  
 head ø 8 mm



ZANUSSI 075110



Suitable for:

# ZANUSSI



**3221040 LAMP RECEPTACLE WITH LAMP E14 15W 230V**

lamp glass ø 54 mm  
mounting hole ø 45 mm  
max temperature 300°C




ZANUSSI 056708

Suitable for:

**3221041 OVEN LAMP E14 15W 230V**

max temperature 300°C  
for OVEN - PIZZA OVEN



ZANUSSI 0H7035

**3221062 LAMP RECEPTACLE WITH LAMP E14 15W 230V**


lamp glass ø 57 mm  
mounting hole ø 42 mm  
max temperature 300°C  
for OVEN



ZANUSSI

**3221041 OVEN LAMP E14 15W 230V**

max temperature 300°C  
for OVEN - PIZZA OVEN



ZANUSSI 0H7035

**3221050 LAMP RECEPTACLE WITH LAMP E14 40W 240V**

lamp glass ø 72 mm  
mounting hole ø 68 mm  
max temperature 300°C  
for Display cabinet warm (CB) ESP/2 - EV16 - EV24  
EV35 - VR12E - VR12G - VR20 - VR24 - VR30  
VR36 - VR48 - VR8E



ZANUSSI 004160

**3221192 LAMP SUPPORT**



ZANUSSI 0A8268

**3221068 NEON LAMP FOR OVEN E14 2W 380V**

dimensions ø 13x30 mm  
for OVEN



ZANUSSI 0H7037

**3221097 NEUTRAL INDICATOR LAMP 220V**

head ø 8 mm - 120°C



ZANUSSI 004895

ZANUSSI 046241

ZANUSSI 048488

ZANUSSI 048832



Suitable for:

**3221006 ORANGE INDICATOR LAMP 220/380V**  
head 16x16 mm - hole  $\varnothing$  12 mm - 120°C  
universal application



ZANUSSI 045272

ZANUSSI 053149

ZANUSSI 053155

Suitable for:

**3221112 ORANGE INDICATOR LAMP 220V**  
head  $\varnothing$  7 mm - hole  $\varnothing$  6 mm - 120°C  
application to the board



ZANUSSI 053811+053812

**3221011 ORANGE INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ZANUSSI 0A2225

**3221032 GREEN INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ZANUSSI 0A2224

ZANUSSI 058544

**3221033 RED INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ZANUSSI 0A2408

**3221094 ORANGE INDICATOR LAMP 230V**  
head  $\varnothing$  14.5 mm - hole  $\varnothing$  11.5 mm - 120°C  
for Fryer electric (AMBASSADE) CME413FR



ZANUSSI 0H6618

**3221095 ORANGE INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ZANUSSI 005215

ZANUSSI 058522

**3221208 ORANGE INDICATOR LAMP 250V**  
 $\varnothing$  head 15 mm -  $\varnothing$  hole 13 mm - 150°C  
for Fry top (ZANUSSI)  
for Fryer (ZANUSSI)  
for Kitchen (ZANUSSI)  
for Pasta cooker (ZANUSSI)



ZANUSSI 005011

ZANUSSI 058631

ZANUSSI 058659

**3221014 ORANGE INDICATOR LIGHT 220V**  
mounting hole 30x22 mm - 125°C  
universal application



ZANUSSI 0KM981



Suitable for:

# ZANUSSI



**3221007 ORANGE LAMP RECEPTACLE**  
head ø 15 mm - hole ø 12.5 mm  
universal application



ZANUSSI 075095

**3221097 NEUTRAL INDICATOR LAMP 220V**  
head ø 8 mm - 120°C



ZANUSSI 004895

ZANUSSI 046241

ZANUSSI 048488

ZANUSSI 048832

Suitable for:

**3221126 INDICATOR LAMP 24V**  
head ø 8 mm



ZANUSSI 075110

**3221163 ORANGE LAMP RECEPTACLE**  
head ø 15 mm - hole ø 10 mm



ZANUSSI 004928

**3221041 OVEN LAMP E14 15W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



ZANUSSI 0H7035

**3221061 OVEN LAMP E14 25W 230V**  
max temperature 300°C



ZANUSSI 054319

ZANUSSI 054840

**3221140 OVEN LAMP E14 40W 230V**  
max temperature 300°C  
for Oven under cooktop



ZANUSSI 081696

**3221330 QUARTZ LAMP 1000W 230V**  
overall length 480 mm  
glass length 338 mm  
for Rotisserie electric (CB) GV16 - GV16MAN - GV20  
GV20MAN - GV24 - GV24MAN - GV28 - GV28MAN  
GV35 - GV35MAN - GV42 - GV42MAN



ZANUSSI 0K3359



Suitable for:

**3221004 RED INDICATOR LAMP 220/380V**  
head 16x16 mm - hole  $\varnothing$  12 mm - 120°C  
universal application



ZANUSSI 053153

**3221006 ORANGE INDICATOR LAMP 220/380V**  
head 16x16 mm - hole  $\varnothing$  12 mm - 120°C  
universal application



ZANUSSI 045272

ZANUSSI 053149

ZANUSSI 053155

Suitable for:

**3221005 GREEN INDICATOR LAMP 220/380V**  
head 16x16 mm - hole  $\varnothing$  12 mm - 120°C  
universal application



ZANUSSI 026456

ZANUSSI 053148

ZANUSSI 053154

**3221009 RED INDICATOR LAMP 220V**  
head 17x17 mm -  $\varnothing$  hole 13 mm - 120°C  
universal application



ZANUSSI 057294

**3221033 RED INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



ZANUSSI 0A2408

**3221301 RED INDICATOR LAMP 240V**  
head  $\varnothing$  16 mm - hole  $\varnothing$  13 mm - 150°C



ZANUSSI 0C0687

**3221298 RED INDICATOR LAMP 250V**  
head  $\varnothing$  15 mm - hole  $\varnothing$  13 mm - 150°C



ZANUSSI 005012

ZANUSSI 058712

**3221358 WHITE LAMP RECEPTACLE**  
head  $\varnothing$  16 mm - hole  $\varnothing$  13 mm



ZANUSSI 046289



Suitable for:

# ZANUSSI



Suitable for:

## Lava rock grids

**3185051 STAINLESS STEEL GRILL 440x290x20 mm**  
for Lava rock grill gas (ZANUSSI) - Series HD700  
Series R701



ZANUSSI 056657

**3185103 STAINLESS STEEL GRILL 445x285x20 mm**  
for Lava rock grill gas (ZANUSSI) MG/G1 - MG/G2  
RG/G1 - RG/G2



ZANUSSI 006205

**3185059 STAINLESS STEEL GRILL 600x345x20 mm**  
for new series  
for Lava rock grill gas (ZANUSSI) - Series HD900



ZANUSSI 002385

**3185079 STAINLESS STEEL GRILL 635x445x20 mm**  
for Lava rock grill gas (ZANUSSI) - Series PR700



ZANUSSI 006206

**3185078 STAINLESS STEEL GRILL 715x600x20 mm**  
for Lava rock grill gas (ZANUSSI) - Series HD900



ZANUSSI 002395

## Lavarock

**3312086 GLASS-CERAMIC PLATE 545x290 mm**  
for Pot stove (ZANUSSI) - Series HD700  
Series N700 - Series PR700



ZANUSSI 059045

**3310008 MEDIUM-LARGE LAVA ROCK 5 Kg**  
medium-large size



ZANUSSI 050859



## Leak detektors for gas

**3394009 GAS LEAK FINDER SE151NM**

for natural gas and lpg leaks finding.  
 standard 4 batteries 1.5V power supply  
 battery life 7 hours of continuous working  
 with imitation leather case  
 calibration is reached through sensitivity adjustm  
 in no polluting gas air so that  
 the buzzer gives one pulse every second.  
 As soon as the sensor is in a polluted  
 environment the pulses frequency  
 increases.



ZANUSSI 0S2023

## Level gauges

**3201004 LEVEL GLASS ø 10x167 mm**  
 for PAN


ZANUSSI 0C5352

ZANUSSI 059856

**3186340 OR GASKET 03037 EPDM**


ZANUSSI 002923

ZANUSSI 069550

## Level regulators

**3341038 LEVEL ADJUSTER RL30/3ES/11**

24V 50/60Hz  
 for Pasta cooker electric (ZANUSSI) CR40E



ZANUSSI 053913

## Magnet groups

**3182018 MAGNETIC UNIT MINISIT**

ø head 25 mm - ø end 17 mm - length 56 mm  
 thermocouple connection M10x1



ZANUSSI 0K0669

**3182009 MAGNETIC UNIT PEL BIG HEADED**

ø head 15.5 mm - ø end 14 mm - length 44 mm  
 for PEL tap model 22-24



ZANUSSI 056594



Suitable for:

## 3182011 MAGNETIC UNIT PEL SMALL HEADED

ø head 15 mm - ø end 11 mm - length 44 mm  
for PEL tap models 20-21  
for EGA tap model 25213  
for JUNKERS tap model CH110



ZANUSSI 056595

Suitable for:

## 3182003 MAGNETIC UNIT SIT

ø head 25 mm - ø end 17 mm - length 56 mm  
for valve SIT AC2 - VR8-MINISIT  
for Fry top gas (FAGOR) - Series 900  
for Oven under cooktop gas (FAGOR) HG9-10 - HG9-20  
for Pot stove gas (FAGOR) - Series 900



ZANUSSI 056587

## 3182005 MAGNETIC UNIT SIT

ø head 19 mm - ø end 14,5 mm - length 47 mm  
for valve SIT B3-BABYSIT-SIMPLOSIT-COMPOSIT



ZANUSSI 056588

## 3182008 MAGNETIC UNIT SIT

ø head 35 mm - ø end 20 mm - length 47 mm  
for valve SIT NOVASIT 820



ZANUSSI 056589

## 3182020 PEL MAGNETIC GROUP

head ø 24 mm - end ø 18 mm - length 59 mm  
thermocouple fitting M9x1  
for tap PEL model 23S



ZANUSSI 056596

## Measuring tools

### 3394207 BLACK DIGITAL THERMOMETER F/PANEL MOUNT.

battery powered  
front battery  
RANGE -50°+70°C  
precision  $\pm 1^\circ\text{C}$   
resolution 0.1°C  
remote probe length 1600 mm  
dimensions 62.5x29.5x19 mm



ZANUSSI 099993

### 3394952 DIGITAL THERMOMETER PDT300/1C

probe protected by its case  
range -50+150°C/-58+300°F  
resolution 0,1° - precision  $\pm 1^\circ\text{C}$   
auto power-off  
memory button - ON/OFF button



ZANUSSI 0S2040





## Microswitches

**3240401 ACTUATOR FOR MICROSWITCH**  
for OVEN



ZANUSSI 054902

**3240605 DOOR MICROSWITCH M1AX20 10A 250V**



ZANUSSI 002785

ZANUSSI 046063

**3240407 MECHANICAL MICROSWITCH KIT 16A 250V**  
3 locking positions  
the kit includes 5 levers:  
lever 75 mm - lever 27 mm - lever 15 mm  
lever 15 mm with wheels - lever 27 mm with wheels  
for Fryer electric (FRYMASTER) EPH14 - EPH17 - H14  
H17 - H22  
for Fryer gas (FRYMASTER) MJCFEC - MJH50 - MJ35  
MJ45E  
for Fryer electric (BONNET) B-B9P.FR15DC



ZANUSSI 069484

**3240927 MICRO SWITCH XGG2 88 S21 16A 250V**  
lever with roller  $\varnothing$  4.8 mm  
length 25.9 mm - 6.6 mm width



ZANUSSI

**3240439 MICROSWITCH XTD225 15A 400V**  
for Fryer electric (ZANUSSI)



ZANUSSI 004927

**3240155 MICROSWITCH FR530A 3A 400V**  
for COLD ROOMS DOORS  
for Pasta cooker (ZANUSSI) - Series HD900  
Series H900



ZANUSSI 046884

**3240144 MICROSWITCH S16 16A 250V**



ZANUSSI 0W2466

**3240282 MICROSWITCH 0.5A 250V**  
for Pot stove (ZANUSSI) - Series PR700  
for Pot stove gas (WHIRLPOOL) CC2TG003 - CC4TG007  
CC4VG007 - CC6VG010  
for Solid top range (ZANUSSI) - Series PR700  
for Solid top range gas (WHIRLPOOL) CTPF210



ZANUSSI 004241



Suitable for:

**3240584 MICROSWITCH 0.5A 250V**  
for Solid top range gas (WHIRLPOOL) CTPF207  
CTPF210  
for Solid top range gas (ZANUSSI) - Series PR700



ZANUSSI 004288

# ZANUSSI



Suitable for:

**3240410 MICROSWITCH 16(4)A 250V**  
for ANGELO PO OLD OVENS FC-FCV  
for ANGELO PO OVEN FC611G-FC611E-FC1011G-FC1011E  
FC1211G-FC1211E  
for ANGELO PO FRYER 030FE1-030FE1B-70FE  
70FE1-70FE1B-70FES-70FES2-71FE-71FE2-71FE2B-30FES  
30FES2-30FES2B-091FE28  
for IMESA DRYER ES10-ES55-ES75  
for IMESA WASHING MACHINE  
LM30-LM40-LM55-LM70-LM85  
RC30-RC40-RC55-RC70  
for SIRMAN CUTTER C4-C6-C6VV-C9  
for GRANDIMPIANTI DRYER EMS10-EMS15  
for FAGOR CALENDER PE30/140-PE30/160-PE30/200  
for FOINOX OVEN JO0611E-JO0611G-JO1011E-JO1011G  
JO1021E-JO1021G-JO2011E-JO2011G-JO2021E-JO2021G  
for IPSO CALENDER RI1600/30-RI1600/30AV



ZANUSSI

**3240123 MICROSWITCH 16A 250V**



ZANUSSI 0KI505

**3240151 MICROSWITCH 16A 250V**  
for ZANUSSI TRAINO RT  
for BIANCHI LEVEL TANK



ZANUSSI 0E0209

ZANUSSI 004904

ZANUSSI 047485

**3240473 GASKET FOR BUSHING**



ZANUSSI 047490

**3240154 SPRING FOR MICROSWITCH ROD**



ZANUSSI 047489

**3240152 BUSHING FOR MICROSWITCH**



ZANUSSI 047487

**3240153 ROD FOR MICROSWITCH**



ZANUSSI 047488



Suitable for:

Suitable for:

## 3240406 MICROSWITCH 16A 250V



ZANUSSI 0H6597

## 3240820 MICROSWITCH 16A 250V



ZANUSSI 0KB678

ZANUSSI 046286

ZANUSSI 047485

## 3240401 ACTUATOR FOR MICROSWITCH for OVEN



ZANUSSI 054902

## 3240166 MOUNTING PLATE FOR MICROSWITCH external dimensions 46x26 mm



ZANUSSI 045404

ZANUSSI 45404

## 3240166 MOUNTING PLATE FOR MICROSWITCH external dimensions 46x26 mm



ZANUSSI 045404

ZANUSSI 45404

## Motors

## 3240000 MOTOR WITH FAN 45W 220V 50/60Hz fan ø 150 mm for Hot cupboard for Warm table for Dish warmer electric (MBM) TE147A



ZANUSSI 0A2010

ZANUSSI 004933

ZANUSSI 031484

ZANUSSI 054314



Suitable for:

# ZANUSSI



Suitable for:

## Outlet siphons

**3395026 PIPE SIPHON  $\varnothing$  1"1/2**



ZANUSSI 069404

## OR and ORM gaskets

**4059475 GASKET OR 04087 VITON**



ZANUSSI 059475

**3186143 GASKET OR 04093 EPDM**



ZANUSSI 050292

ZANUSSI 086551

**1186230 O-RING GASKET 0164 EPDM**



ZANUSSI 068799

**3186013 O-RING GASKET 06187 EPDM  $\varnothing$  58 mm**



ZANUSSI 046213

ZANUSSI 067620

ZANUSSI 069456

**3186014 O-RING GASKET 06225 EPDM  $\varnothing$  67 mm**



ZANUSSI 0E5037  
ZANUSSI 049909

ZANUSSI 007029

ZANUSSI 047156

**3061011 O-RING SEAL 04375 EPDM**



ZANUSSI 047458

**3243139 O-RING 02025 EPDM**



ZANUSSI 067898

ZANUSSI 086109

**3243266 O-RING 02081 EPDM**




ZANUSSI 052779

**3186343 O-RING 02106 EPDM**



ZANUSSI 033462

**3186317 O-RING 02131 RED SILICONE  
for pod punch**



ZANUSSI 0C0188



Suitable for:

Suitable for:

**1186759 O-RING 03106 EPDM**

**1186238 O-RING 04081 EPDM**



ZANUSSI 0L0922

ZANUSSI 0A5182

**3243142 O-RING 04118 EPDM**

**3186314 O-RING 06225 SILICONE ø 67 mm**



ZANUSSI 027301

ZANUSSI 0L2304

**3186340 OR GASKET 03037 EPDM**

**3186860 OR GASKET 03056 EPDM  
EX OR 0118**



ZANUSSI 002923

ZANUSSI 069550

ZANUSSI 0KK400

ZANUSSI 068642

**1186990 OR-GASKET 04137 RED SILICONE**

**3186241 VITON O-RING 06212**  
for DRAIN TAP ø 2" OLD MODEL AND  
TECNO NEW MODEL



ZANUSSI

ZANUSSI 0S0286

## Pilot burners and accessories

**3020144 BRASS NUT M15x1**

**3020441 BURNER FITTING**  
for Pot stove gas (ZANUSSI) - Series N700



ZANUSSI 020997

ZANUSSI 0C3646



Suitable for:

# ZANUSSI



Suitable for:

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 046755

**3020145 JET HOLDER M15**  
for Boiling pan gas (ZANUSSI)  
for Fry top gas (ZANUSSI)  
for Kitchen gas (ZANUSSI)  
for Oven under cooktop gas (ZANUSSI)



ZANUSSI 020988

ZANUSSI 051948

**3020144 BRASS NUT M15x1**



ZANUSSI 020997

**3020382 LPG PILOT BURNER LOWER PART**  
for Pot stove gas (ZANUSSI) JCA/G800 - JCF/GG1600  
JCF/GG800 - JCF/G1600 - PCF/GG1600 - PCF/G1600  
PZA/G800 - PZF/GG800



ZANUSSI 0G2037

ZANUSSI 0H6316

**3020021 NATURAL GAS PILOT BURNER CB 505.021**  
with NATURAL GAS nozzle  
with pilot pipe fitting



ZANUSSI 0K1172

ZANUSSI 066583

**3020381 NG PILOT BURNER LOWER PART**  
for Pot stove gas (ZANUSSI) JCA/G800 - JCF/GG1600  
JCF/GG800 - JCF/G1600 - PCF/GG1600 - PCF/G1600  
PZA/G800 - PZF/GG800



ZANUSSI 0G2024

**3020541 NOZZLE FOR PILOT BURNER 0.35 mm**



ZANUSSI

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



ZANUSSI 052833

**3020084 NUT & OLIVE  $\varnothing$  6 mm**



ZANUSSI 052834



Suitable for:

Suitable for:

**3020085 NUT FOR SPARKING PLUG CONNECTION**

**3020082 OLIVE FOR 12 mm ø PIPE**



ZANUSSI 057960

ZANUSSI 027478

ZANUSSI 050682

ZANUSSI 054979

**3020111 OLIVE FOR 4 mm ø PIPE**  
for Kitchen gas (ANGELO PO) 3A1FA1G

**3020081 OLIVE FOR 6 mm ø PIPE**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 053865

ZANUSSI 053666

**3020007 ONE-FLAME FIXED PILOT BURNER SIT**  
multigas with nozzle ø 0.20 mm  
fixed without bracket

**3020083 NUT & OLIVE ø 4 mm**



ZANUSSI 027239

ZANUSSI 052833

**3020084 NUT & OLIVE ø 6 mm**

**3020097 PILOT AERATION REGULATOR**  
internal ø 7 mm - external ø 9 mm  
height 10 mm



ZANUSSI 052834

ZANUSSI 057251

**3020054 PILOT JET ø 0.20 mm**

**3020055 PILOT JET ø 0.35 mm**



ZANUSSI 056799

ZANUSSI 056656

ZANUSSI 056750

ZANUSSI 056797



Suitable for:

**3020001 ONE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 2 positions bracket  
for Bratt pan gas (ZANUSSI) - Series R700  
for Kitchen gas (ZANUSSI)



ZANUSSI 0H6314

ZANUSSI 027073

**3020054 PILOT JET  $\varnothing$  0.20 mm**



ZANUSSI 056799

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



ZANUSSI 0C0488

ZANUSSI 051565

ZANUSSI 051977

ZANUSSI 056754

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 003859

**3020008 ONE-FLAME PILOT BURNER SIT**  
with NG nozzle  $\varnothing$  0.30 mm  
for Kitchen gas (ZANUSSI) - Series H900  
Series P1000



ZANUSSI 052144

ZANUSSI 056751

Suitable for:

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 046755

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ZANUSSI 056656

ZANUSSI 056750

ZANUSSI 056797

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm  
for Fryer gas (DIAMOND) G65/F16-7T



ZANUSSI 052610

ZANUSSI 056720

ZANUSSI 057410

ZANUSSI 059380

ZANUSSI 059988

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



ZANUSSI 052833





Suitable for:

**3020084 NUT & OLIVE  $\varnothing$  6 mm**



ZANUSSI 052834

**3020057 PILOT GAS JET  $\varnothing$  0.30 mm**



ZANUSSI 056750

**3020250 ONE-FLAME PILOT BURNER SIT**  
without sparking plug, gas nozzle  
for Pot stove gas (ZANUSSI) - Series HD900  
for Solid top range gas (ZANUSSI) - Series HD900



ZANUSSI 059214

**3020286 ONE-FLAME PILOT BURNER SIT**  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included  
for Boiling pan gas (MARENO)  
Series 900 PROTAGONISTA NUOVA  
for Lava rock grill gas (ANGELO PO) - Series ALPHA  
Series DELTA - Series GAMMA - Series OMEGA  
for Oven under cooktop gas (MARENO)  
Series 900 PROTAGONISTA NUOVA  
for Pasta cooker gas (MARENO)  
Series 900 PROTAGONISTA NUOVA



ZANUSSI 0A2472

**3020085 NUT FOR SPARKING PLUG CONNECTION**



ZANUSSI 057960

# ZANUSSI



Suitable for:

**3020056 PILOT GAS JET  $\varnothing$  0.20 mm**



ZANUSSI 056578

**3020243 PILOT GUARD**  
for Kitchen gas (ZANUSSI) - Series PCG  
Series ZPC



ZANUSSI 056580

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 046755

**3020040 PILOT JET  $\varnothing$  0.30 mm**



ZANUSSI 053667

ZANUSSI 057388



Suitable for:

**3020041 PILOT JET  $\varnothing$  0.41 mm**



ZANUSSI 053670

# ZANUSSI



Suitable for:

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm  
for Fryer gas (DIAMOND) G65/F16-7T



ZANUSSI 052610  
ZANUSSI 059380

ZANUSSI 056720  
ZANUSSI 059988

ZANUSSI 057410

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 003859

**3020308 PILOT ASSEMBLY WITH NOZZLE  $\varnothing$  0.40 mm**



ZANUSSI 006725

**3020147 PILOT BURNER**  
supplied without nozzle, fittings  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0199

ZANUSSI 0C3644

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 046755

**3020441 BURNER FITTING**  
for Pot stove gas (ZANUSSI) - Series N700



ZANUSSI 0C3646

**3020541 NOZZLE FOR PILOT BURNER 0.35 mm**



ZANUSSI



Suitable for:

**3020111 OLIVE FOR 4 mm  $\varnothing$  PIPE**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 053665

**3020157 PILOT JET  $\varnothing$  0.25 mm**



ZANUSSI 054593

**3020041 PILOT JET  $\varnothing$  0.41 mm**



ZANUSSI 053670

**3020440 PIPE OLIVE  $\varnothing$  7 mm**  
for Pot stove gas (ZANUSSI) - Series N700



ZANUSSI 0C3645

**3020018 PILOT BURNER CB 503.003**  
with LPG jet and pilot olive  
with pilot pipe connection



ZANUSSI 050693

## ZANUSSI



Suitable for:

**3020423 PILOT EXTENSION**  
for Pot stove gas (ZANUSSI) - Series N700



ZANUSSI 0C3643

**3020040 PILOT JET  $\varnothing$  0.30 mm**



ZANUSSI 053667

ZANUSSI 057388

**3020187 PILOT NOZZLE  $\varnothing$  0.51 mm**



ZANUSSI 053668

**3020200 THERMOCOUPLE NUT**



ZANUSSI 0C0121

ZANUSSI 003609

**3020379 PILOT BURNER GASKET**



ZANUSSI 0H6645



Suitable for:

**3020159 PILOT BURNER GPL CB 503.006**  
with LPG nozzle and pilot olive



ZANUSSI 0K0205

Suitable for:

**3020380 PILOT BURNER MIDDLE PART**  
for Pot stove gas (ZANUSSI) JCA/G800 - JCF/GG1600  
JCF/GG800 - JCF/G1600 - PCF/GG1600 - PCF/G1600  
PZA/G800 - PZF/GG800



ZANUSSI 0H6343

**3020151 PILOT BURNER SIT**  
supplied without sparking plug, head and gasket  
with thermocouple fitting  
with fitting and olive



ZANUSSI 0H6338

**3020083 NUT & OLIVE ø 4 mm**



ZANUSSI 052833

**3020152 PILOT HEAD**



ZANUSSI 0H6050

**3020054 PILOT JET ø 0.20 mm**



ZANUSSI 056799

**3020055 PILOT JET ø 0.35 mm**



ZANUSSI 056656

ZANUSSI 056750

ZANUSSI 056797

**3020383 PILOT BURNER UPPER PART**  
for Pot stove gas (ZANUSSI) JCA/G800 - JCF/GG1600  
JCF/GG800 - JCF/G1600 - PCF/GG1600 - PCF/G1600  
PZA/G800 - PZF/GG800



ZANUSSI 0H6342

ZANUSSI 0K1210

**3020382 LPG PILOT BURNER LOWER PART**  
for Pot stove gas (ZANUSSI) JCA/G800 - JCF/GG1600  
JCF/GG800 - JCF/G1600 - PCF/GG1600 - PCF/G1600  
PZA/G800 - PZF/GG800



ZANUSSI 0G2037

ZANUSSI 0H6316



Suitable for:

**3020381 NG PILOT BURNER LOWER PART**  
for Pot stove gas (ZANUSSI) JCA/G800 - JCF/GG1600  
JCF/GG800 - JCF/G1600 - PCF/GG1600 - PCF/G1600  
PZA/G800 - PZF/GG800



ZANUSSI 0G2024

**3020379 PILOT BURNER GASKET**



ZANUSSI 0H6645

**3020054 PILOT JET  $\varnothing$  0.20 mm**



ZANUSSI 056799

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ZANUSSI 056656

ZANUSSI 056750

ZANUSSI 056797

**3020116 PILOT DEFLECTOR**  
for Fryer gas (ZANUSSI) - Series HD700  
Series H900 - Series R701



ZANUSSI 052280

# ZANUSSI



Suitable for:

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



ZANUSSI 052833

**3020380 PILOT BURNER MIDDLE PART**

for Pot stove gas (ZANUSSI) JCA/G800 - JCF/GG1600  
JCF/GG800 - JCF/G1600 - PCF/GG1600 - PCF/G1600  
PZA/G800 - PZF/GG800



ZANUSSI 0H6343

**3020156 PILOT JET  $\varnothing$  0.25 mm**



ZANUSSI 058330

**3020173 PILOT DEFLECTOR**  
for Fryer gas (ZANUSSI) - Series HD700  
Series HD900



ZANUSSI 059301



Suitable for:

**3020183 PILOT DEFLECTOR**  
for Fryer gas (ZANUSSI) - Series HD900  
Series N900



ZANUSSI 006128

Suitable for:

**3020188 PILOT DEFLECTOR**  
for Fryer gas (ZANUSSI) - Series N700  
Series N900 - Series PR700



ZANUSSI 0A5441

**3020240 PILOT DEFLECTOR**  
for Fryer gas (ZANUSSI) - Series HD700  
Series N700 - Series PR700



ZANUSSI 003328

**3020423 PILOT EXTENSION**  
for Pot stove gas (ZANUSSI) - Series N700



ZANUSSI 0C3643

**3020201 PILOT GAS JET  $\varnothing$  0.14 mm**



ZANUSSI 059216

**3020044 PILOT GAS JET  $\varnothing$  0.20 mm**



ZANUSSI 054037

ZANUSSI 054286

**3020056 PILOT GAS JET  $\varnothing$  0.20 mm**



ZANUSSI 056578

**3020202 PILOT GAS JET  $\varnothing$  0.27 mm**



ZANUSSI 059215

**3020049 PILOT GAS JET  $\varnothing$  0.28 mm**



ZANUSSI 050661

**3020057 PILOT GAS JET  $\varnothing$  0.30 mm**



ZANUSSI 056750

**3020043 PILOT GAS JET  $\varnothing$  0.36 mm**



ZANUSSI 003826

**3020045 PILOT GAS JET  $\varnothing$  0.50 mm**



ZANUSSI 054038



# ZANUSSI



Suitable for:

Suitable for:

**3020243 PILOT GUARD**  
for Kitchen gas (ZANUSSI) - Series PCG  
Series ZPC

**3020152 PILOT HEAD**



ZANUSSI 056580

ZANUSSI 0H6050

**3020054 PILOT JET  $\varnothing$  0.20 mm**

**3020156 PILOT JET  $\varnothing$  0.25 mm**



ZANUSSI 056799

ZANUSSI 058330

**3020157 PILOT JET  $\varnothing$  0.25 mm**

**3020040 PILOT JET  $\varnothing$  0.30 mm**



ZANUSSI 054593

ZANUSSI 053667

ZANUSSI 057388

**3020055 PILOT JET  $\varnothing$  0.35 mm**

**3020041 PILOT JET  $\varnothing$  0.41 mm**



ZANUSSI 056656

ZANUSSI 056750

ZANUSSI 056797

ZANUSSI 053670

**5015516 PILOT NOZZLE  $\varnothing$  0.40 mm**

**3020187 PILOT NOZZLE  $\varnothing$  0.51 mm**



ZANUSSI 003327

ZANUSSI 053668

**3020113 PILOT OLIVE TARGET  $\varnothing$  4 mm**

**3020114 PILOT OLIVE TARGET  $\varnothing$  6 mm**



ZANUSSI 059161

ZANUSSI 003863



Suitable for:

Suitable for:

**3020237 PILOT PROTECTION**  
for Pot stove gas (ZANUSSI) - Series HD900



ZANUSSI 003547

**3020106 PILOT WITH 0.25 mm ø JET**




ZANUSSI 052281

**3020107 PILOT WITH 0.35 mm ø JET**



ZANUSSI 052686

**3020440 PIPE OLIVE ø 7 mm**  
for Pot stove gas (ZANUSSI) - Series N700



ZANUSSI 0C3645

**3020146 TARGET ONE-FLAME PILOT BURNER SIT**  
without sparking plug, gas nozzle and gasket  
for Bain-marie gas (ZANUSSI) - Series N900  
for Fry top gas (ZANUSSI) - Series N700  
Series N900  
for Pot stove gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 005503

**40C7102 TARGET PILOT BURNER SIT 1 FLAME**  
without sparking plug, gas nozzle and gasket  
for Bain-marie gas (ZANUSSI) - Series N700  
Series N900  
for Bratt pan gas (ZANUSSI) - Series N700  
Series N900  
for Fry top gas (ZANUSSI) - Series HD900  
Series N700 - Series N900  
for Pot stove gas (ZANUSSI) - Series HD900  
Series N700 - Series N900  
for Solid top range gas (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C7102

**3020010 TARGET PILOT BURNER SIT 2 FLAMES**  
supplied without sparking plug, nozzle and gasket  
with thermocouple fitting  
for Boiling pan gas (ZANUSSI) - Series HD900  
for Fry top gas (ZANUSSI) - Series HD900  
Series PR700  
for Pasta cooker gas (ZANUSSI) - Series HD900  
for Solid top range gas (ZANUSSI) - Series HD900



ZANUSSI 059379

**3020200 THERMOCOUPLE NUT**



ZANUSSI 0C0121

ZANUSSI 003609





Suitable for:

Suitable for:

**3020011 THREE-FLAME PILOT BURNER**  
 without sparking plug, gas jet  
 with pipe fitting and pilot pipe olive  
 with thermocouple connection  
 with sparking plug fitting  
 for Bratt pan gas (ZANUSSI)  
 for Pasta cooker gas (ZANUSSI) - Series N900  
 Series PR700



ZANUSSI 054032

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**  
 for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 046755

**3020085 NUT FOR SPARKING PLUG CONNECTION**



ZANUSSI 057960

**3020111 OLIVE FOR 4 mm  $\varnothing$  PIPE**  
 for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 053665

**3020044 PILOT GAS JET  $\varnothing$  0.20 mm**



ZANUSSI 054037

ZANUSSI 054286

**3020045 PILOT GAS JET  $\varnothing$  0.50 mm**



ZANUSSI 054038

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
 male faston M 4x1 mm  
 model CB505/021 Junkers  
 for model P502F  
 total length 82 mm  
 for Fryer gas (DIAMOND) G65/F16-7T



ZANUSSI 052610

ZANUSSI 056720

ZANUSSI 057410

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**  
 for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 003859

ZANUSSI 059380

ZANUSSI 059988



Suitable for:

Suitable for:

**3020003 THREE-FLAME PILOT BURNER SIT**  
 multigas with jet  $\varnothing$  0.20 mm  
 with 2 positions bracket  
 for Fryer gas (ZANUSSI) - Series H900  
 for Lava rock grill gas (ZANUSSI)  
 for Pasta cooker gas (ZANUSSI)



ZANUSSI 004216

ZANUSSI 004962

ZANUSSI 020152

**3020054 PILOT JET  $\varnothing$  0.20 mm**



ZANUSSI 056799

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
 male faston M4x1 mm  
 total length 65 mm



ZANUSSI 0C0488

ZANUSSI 051565

ZANUSSI 051977

ZANUSSI 056754

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**  
 for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 003859

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**  
 for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 046755

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ZANUSSI 056656

ZANUSSI 056750

ZANUSSI 056797

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
 male faston M 4x1 mm  
 model CB505/021 Junkers  
 for model P502F  
 total length 82 mm  
 for Fryer gas (DIAMOND) G65/F16-7T



ZANUSSI 052610

ZANUSSI 056720

ZANUSSI 057410

ZANUSSI 059380

ZANUSSI 059988



Suitable for:

Suitable for:

## 3020006 THREE-FLAME PILOT BURNER SIT

multigas with jet  $\varnothing$  0.20 mm  
 with 3 positions bracket  
 for Bain-marie gas (FAGOR)  
 for Bain-marie gas (GIGA) - Series 650  
 Series 700 - Series 900  
 for Boiling pan gas (FAGOR)  
 for Fry top gas (GIGA) - Series 650 - Series 700  
 Series 900  
 for Lava rock grill gas (GIGA) - Series 650  
 Series 700 - Series 900  
 for Oven under cooktop gas (FAGOR)



ZANUSSI 0C0494  
 ZANUSSI 051976  
 ZANUSSI 058329

ZANUSSI 050813  
 ZANUSSI 054335

ZANUSSI 051624  
 ZANUSSI 057737

## 3020077 FITTING FOR PIPE $\varnothing$ 4 mm

for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 046755

## 3020054 PILOT JET $\varnothing$ 0.20 mm



ZANUSSI 056799

## 3020055 PILOT JET $\varnothing$ 0.35 mm



ZANUSSI 056656

ZANUSSI 056750

ZANUSSI 056797

## 3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm

male faston M4x1 mm  
 total length 65 mm



ZANUSSI 0C0488  
 ZANUSSI 056754

ZANUSSI 051565

ZANUSSI 051977

## 3020060 ROUND SPARKING PLUG $\varnothing$ 7x44 mm

male faston M 4x1 mm  
 model CB505/021 Junkers  
 for model P502F  
 total length 82 mm  
 for Fryer gas (DIAMOND) G65/F16-7T



ZANUSSI 052610  
 ZANUSSI 059380

ZANUSSI 056720  
 ZANUSSI 059988

ZANUSSI 057410

## 3020078 TUBING NUT FOR 6 mm $\varnothing$ PIPE

for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 003859



Suitable for:

Suitable for:

**3020036 THREE-FLAME PILOT BURNER SIT**  
 with NG nozzle  $\varnothing$  0.35 mm  
 with 3 positions bracket  
 for Fry top gas (ZANUSSI) - Series H900  
 Series R701  
 for Grill gas (ZANUSSI) - Series R701  
 for Kitchen gas (ZANUSSI) - Series P1000  
 for Oven under cooktop gas (ZANUSSI) - Series H900  
 for Solid top range gas (ZANUSSI) - Series H900



ZANUSSI 050812

ZANUSSI 058329

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**  
 for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 046755

**3020054 PILOT JET  $\varnothing$  0.20 mm**



ZANUSSI 056799

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ZANUSSI 056656

ZANUSSI 056750

ZANUSSI 056797

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
 male faston M4x1 mm  
 total length 65 mm



ZANUSSI 0C0488

ZANUSSI 051565

ZANUSSI 051977

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
 male faston M 4x1 mm  
 model CB505/021 Junkers  
 for model P502F  
 total length 82 mm  
 for Fryer gas (DIAMOND) G65/F16-7T



ZANUSSI 052610

ZANUSSI 059380

ZANUSSI 056720

ZANUSSI 059988

ZANUSSI 057410

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**  
 for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 003859

**3020199 THREE-FLAME PILOT BURNER SIT**  
 supplied without sparking plug, nozzle and gasket



ZANUSSI 002783

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**  
 for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 046755



Suitable for:

**3020083 NUT & OLIVE  $\varnothing$  4 mm**



ZANUSSI 052833

**3020085 NUT FOR SPARKING PLUG CONNECTION**



ZANUSSI 057960

**3020040 PILOT JET  $\varnothing$  0.30 mm**



ZANUSSI 053667

ZANUSSI 057388

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm  
for Fryer gas (DIAMOND) G65/F16-7T



ZANUSSI 052610

ZANUSSI 056720

ZANUSSI 057410

ZANUSSI 059380

ZANUSSI 059988

**3020037 THREE-FLAME PRINTED PILOT BURNER SIT**  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included  
for Bratt pan gas (ZANUSSI) - Series H900



ZANUSSI 0H6336

ZANUSSI 057411

# ZANUSSI



Suitable for:

**3020084 NUT & OLIVE  $\varnothing$  6 mm**



ZANUSSI 052834

**3020111 OLIVE FOR 4 mm  $\varnothing$  PIPE**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 053665

**3020041 PILOT JET  $\varnothing$  0.41 mm**



ZANUSSI 053670

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 003859

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 046755



Suitable for:

**3020085 NUT FOR SPARKING PLUG CONNECTION**



ZANUSSI 057960

**3020041 PILOT JET  $\varnothing$  0.41 mm**



ZANUSSI 053670

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 003859

**3020038 THREE-FLAME PRINTED PILOT BURNER SIT**  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included  
for Lava rock grill gas (ANGELO PO) - Series SNACK



ZANUSSI 058146

**3020085 NUT FOR SPARKING PLUG CONNECTION**



ZANUSSI 057960

# ZANUSSI



Suitable for:

**3020040 PILOT JET  $\varnothing$  0.30 mm**



ZANUSSI 053667

ZANUSSI 057388

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm  
for Fryer gas (DIAMOND) G65/F16-7T



ZANUSSI 052610

ZANUSSI 056720

ZANUSSI 057410

ZANUSSI 059380

ZANUSSI 059988

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 046755

**3020040 PILOT JET  $\varnothing$  0.30 mm**



ZANUSSI 053667

ZANUSSI 057388



Suitable for:

**3020041 PILOT JET  $\varnothing$  0.41 mm**



ZANUSSI 053670

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 003859

**3020238 THREE-FLAME ST. STEEL PILOT BURNER SIT**  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included  
for Boiling pan gas (ZANUSSI) - Series N900  
for Kitchen gas (ZANUSSI) - Series N900



ZANUSSI 0C0744

**3020085 NUT FOR SPARKING PLUG CONNECTION**



ZANUSSI 057960

**3020040 PILOT JET  $\varnothing$  0.30 mm**



ZANUSSI 053667

ZANUSSI 057388

# ZANUSSI



Suitable for:

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm  
for Fryer gas (DIAMOND) G65/F16-7T



ZANUSSI 052610  
ZANUSSI 059380

ZANUSSI 056720  
ZANUSSI 059988

ZANUSSI 057410

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 046755

**3020111 OLIVE FOR 4 mm  $\varnothing$  PIPE**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 053665

**3020041 PILOT JET  $\varnothing$  0.41 mm**



ZANUSSI 053670



Suitable for:

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm  
for Fryer gas (DIAMOND) G65/F16-7T



ZANUSSI 052610  
ZANUSSI 059380

ZANUSSI 056720  
ZANUSSI 059988

ZANUSSI 057410

# ZANUSSI



Suitable for:

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 003859

**3020103 THREE-POSITION BRACKET**



ZANUSSI 005618

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 003859

**3020013 TWO-FLAME PILOT BURNER RH**  
without sparking plug, gas jet and gasket  
with thermocouple fitting  
for Boiling pan gas (ANGELO PO) - Series ALPHA  
Series DELTA



ZANUSSI 058383

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 046755

**3020085 NUT FOR SPARKING PLUG CONNECTION**



ZANUSSI 057960

**3020040 PILOT JET  $\varnothing$  0.30 mm**



ZANUSSI 053667

ZANUSSI 057388





Suitable for:

**3020041 PILOT JET  $\varnothing$  0.41 mm**



ZANUSSI 053670

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 003859

**3020002 TWO-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 2 positions bracket  
for Bain-marie gas (FAGOR)  
for Boiling pan gas (FAGOR)  
for Grill gas (ZANUSSI)  
for Oven under cooktop gas (FAGOR)



ZANUSSI 029776

**3020054 PILOT JET  $\varnothing$  0.20 mm**



ZANUSSI 056799

# ZANUSSI



Suitable for:

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm  
for Fryer gas (DIAMOND) G65/F16-7T



ZANUSSI 052610  
ZANUSSI 059380

ZANUSSI 056720  
ZANUSSI 059988

ZANUSSI 057410

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 046755

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ZANUSSI 056656

ZANUSSI 056750

ZANUSSI 056797



Suitable for:

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



ZANUSSI 0C0488  
ZANUSSI 056754

ZANUSSI 051565

ZANUSSI 051977

Suitable for:

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm  
for Fryer gas (DIAMOND) G65/F16-7T



ZANUSSI 052610  
ZANUSSI 059380

ZANUSSI 056720  
ZANUSSI 059988

ZANUSSI 057410



**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 003859

**3020005 TWO-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket  
for Fryer gas (TECNOINOX) - Series FR



ZANUSSI 004946

**3020054 PILOT JET  $\varnothing$  0.20 mm**



ZANUSSI 056799

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



ZANUSSI 0C0488  
ZANUSSI 056754

ZANUSSI 051565

ZANUSSI 051977

**3020077 FITTING FOR PIPE  $\varnothing$  4 mm**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 046755

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ZANUSSI 056656

ZANUSSI 056750

ZANUSSI 056797

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm  
for Fryer gas (DIAMOND) G65/F16-7T



ZANUSSI 052610  
ZANUSSI 059380

ZANUSSI 056720  
ZANUSSI 059988

ZANUSSI 057410



Suitable for:

**3020078 TUBING NUT FOR 6 mm ø PIPE**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 003859

**ZANUSSI**



Suitable for:

**3020100 TWO-POSITION BRACKET**



ZANUSSI 052256

**3020101 TWO-POSITION BRACKET CLAMP**



ZANUSSI 052246

## Pressure gauges

**3245022 PRESSURE GAUGE ø 63 mm**  
coupling ø 1/8" M  
scale 0-1 bar  
for Boiling pan electric (ZANUSSI) KPI/E10  
KPI/E10H - KPI/E15 - KPI/E15A - KPI/E15H  
KPI/E60  
for Boiling pan gas (ZANUSSI) KPI/G06 - KPI/G10  
KPI/G10H - KPI/G15 - KPI/G15A - KPI/G15H



ZANUSSI 0C0712

## Pressure regulators

**3350003 PRESSURE REGULATOR RGP120**  
capacity 12 Kg/h  
inlet ø 1/4" F  
outlet ø 1/2" F  
LPG low pressure regulator  
outlet pressure 30mbar(25÷45mbar)



ZANUSSI 0S0028

**3350001 PRESSURE REGULATOR RGP40**  
capacity 4 Kg/h  
inlet ø 1/4" F  
outlet ø 3/8" F  
LPG low pressure regulator  
outlet pressure 30mbar



ZANUSSI 0S0026



Suitable for:

# ZANUSSI



Suitable for:

## 3350002 PRESSURE REGULATOR RGP70

capacity 7 Kg/h  
inlet  $\varnothing$  1/4" F  
outlet  $\varnothing$  3/8" F  
LPG low pressure regulator  
outlet pressure 30mbar(25÷45mbar)



ZANUSSI 0S0027

## Pressure switches

**3320199 PRESSURE SWITCH 320/200 mm 16A 250V**  
for Pasta cooker electric (ZANUSSI) PCP/E1SH  
PCP/E2SH - PCP/E2SH3B



ZANUSSI 0C0872

**3320133 THREE-POLE PRESSURE SWITCH 0.3-0.8 BAR**  
model HB46A214  
connection 1/4" M - 10A 250V  
for Boiling pan (WHIRLPOOL)  
for Boiling pan (ZANUSSI) - Series HD900  
Series N900



ZANUSSI 0A2480

## Probes

**3397181 PROBE BUSH**



ZANUSSI 033478

**3445109 PROBE TCJVETROTEX 3000 mm**  
2-wires probe temperature range -50+350°C  
error limits  $\pm$ 0.75% below 0°C  
response time 30 sec  
bulb  $\varnothing$  6x100 mm



ZANUSSI 004116

**3445070 PTC PVC PROBE 1500 mm**  
2-wire probe temperature range -30+80°C  
bulb  $\varnothing$  6x40 mm



ZANUSSI 0S0302

ZANUSSI 083583



Suitable for:

Suitable for:

**3397182 SCREW PROBE**  
probe length 55 mm -  $\varnothing$  8 mm  
for Pasta cooker electric (ZANUSSI) CR/41E  
CR/41V - CR40V  
for Pasta cooker gas (ZANUSSI) CR40G - CR42G

**3397181 PROBE BUSH**



ZANUSSI 033477

ZANUSSI 033478

**3445144 TEMPERATURE PROBE NTC 1000 mm**  
2-wire probe  
bulb  $\varnothing$  4x40 mm  
for Fryer (ZANUSSI) - Series HD900 - Series N900

**3445145 THERMOSTAT PROBE 1400 mm**  
2-wire probe  
bulb  $\varnothing$  4x40 mm  
for Fryer (ZANUSSI) - Series HD900  
for Pasta cooker (ZANUSSI) - Series N700  
Series PR700



ZANUSSI 006609

ZANUSSI 006155

## Protection plates

**3244006 CONTROL PLATE**  
length 180 mm - width 70 mm  
for Hot cupboard  
for Warm table

**3244001 PROTECTION COVER ELETTROSIT**  
length 80 mm - width 60 mm  
for Bratt pan



ZANUSSI 033049

ZANUSSI 051280

**3244002 PROTECTION COVER ELETTROSIT**  
length 190 mm - width 90 mm  
for Fryer

**3244005 PROTECTION COVER ELETTROSIT**  
length 190 mm - width 90 mm  
for Fryer (ZANUSSI) HFR/G420 - HFR/G840



ZANUSSI 052272

ZANUSSI 053105



Suitable for:

# ZANUSSI



Suitable for:

## Rating-plates

**3399137 CONTROL PLATE 265x85 mm**  
for Hot plate electric (ZANUSSI) DZ/LCE



ZANUSSI 0C2330

**3399138 CONTROL PLATE 265x85 mm**  
for Hot plate electric (ZANUSSI) DW/H1CE - DWH1G  
DZ/D2CE - DZ/H1CE - DZ/L2CE - DZC2G - DZH1G  
DZL2G



ZANUSSI 0D6267


## Relays

**3351158 BASE UNDECAL ES11 10A 400V**  
11 poles




ZANUSSI 049236

**3351037 MINI RELAY 40.52 8A 230V 50/60Hz**  
2 switching contacts



ZANUSSI 0E5849

**3351601 RELAY B1-3 16A 230V 50/60Hz**  
3 NO contacts



ZANUSSI 046380

**3351901 RELAY 60.62 10A 230V 50/60Hz**  
2 switching contacts




ZANUSSI 0D0013

ZANUSSI 058857

ZANUSSI 069882

ZANUSSI 083215

**3351605 RELAY 60.63 10A 230V 50/60Hz**  
3 switching contacts



ZANUSSI 056446


ZANUSSI 056466

ZANUSSI 056510

ZANUSSI 085296


ZANUSSI 086214

**3351021 RELAY 62.82 16A 230V 50/60Hz**  
2 switching contacts



ZANUSSI 0PE302

**3351008 RELAY 62.83 16A 230V 50/60Hz**  
3 switching contacts




ZANUSSI 0A9596

ZANUSSI 005033

ZANUSSI 005034

ZANUSSI 088197

**3351602 RELAY 65.31 30A 250V 50/60Hz**  
1 cut-off contact



ZANUSSI 085647



## Rotary switches

**3057050 CONNECTING BRACKET**  
connecting thermostat and switch



ZANUSSI 0A2205  
ZANUSSI 054376

ZANUSSI 0KT779

ZANUSSI 006712

**3057014 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D spindle  $\varnothing$  6x4.6 mm  
back connection for thermostat



ZANUSSI 026945


**3057015 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D spindle  $\varnothing$  6x4.6 mm



ZANUSSI 003565

ZANUSSI 028390

**3057018 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm  
back connection for thermostat  
for Bain-marie (ALPENINOX)  
for Bratt pan (ALPENINOX)  
for Bratt pan (BARON) - Series 900  
for Fry top (ALPENINOX)  
for Fryer (ZANUSSI) - Series N700 - Series PR700  
for Oven under cooktop (ALPENINOX)



ZANUSSI 0A2036

**3057019 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm  
for Boiling pan (ALPENINOX)  
for Bratt pan (ZANUSSI) - Series R700 - Series 700  
for Fry top (ALPENINOX)  
for Fryer (STAR 10)  
for Fryer (ZANUSSI) - Series R700 - Series 700  
for Kitchen (ALPENINOX)  
for Solid top range (ALPENINOX)



ZANUSSI 0A2227

ZANUSSI 003142

**3057026 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm  
for Bain-marie (EMMEPI) - Series 650  
for Bain-marie electric (OLIS) 72/02CBE  
72/02TCBE  
for Bratt pan electric (OLIS) 74/02KBEBI  
for Bratt pan gas (OLIS) 74/02KBGMB  
for Fryer (GICO) - Series 500 - Series 700  
Series 900 - Series 920  
for Fryer electric (OLIS) 72/02FRE - 74/02FRE  
92/02FRE - 92/04FRE  
for Hot cupboard (OLIS) TAC210 - TAC211 - TAC212  
for Kitchen gas (OLIS) 76/02CGGE  
for Oven under cooktop (GICO) - Series 500  
Series 700



ZANUSSI 054375




Suitable for:

# ZANUSSI



## 3057140 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 25A 400V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm  
for Fry top (ZANUSSI) - Series HD900 - Series N900  
for Grill (ZANUSSI) - Series N700 - Series N900



ZANUSSI 006649

## 3057177 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
for Bain-marie (EMMEPI) - Series 700 - Series 750 Series 900  
for Bain-marie (OLIS) - Series 700 - Series 900  
for Fry top (ALPENINOX)  
for Fry top (EMMEPI) - Series 700 - Series 750 Series 900  
for Fry top (OLIS) - Series 700  
for Fry top (ZANUSSI) - Series N700 - Series PR700  
for Fryer (ALPENINOX)  
for Fryer (OLIS) - Series 700 - Series 900  
for Grill (ZANUSSI) - Series 700  
for Kitchen electric (ZANUSSI) - Series 900  
for Oven under cooktop (ALPENINOX)



ZANUSSI 0A2134

ZANUSSI 0H6605

ZANUSSI 004908

## 3057178 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C  
D-shaped pin 6x4.6 mm  
for Fryer electric (GIORIK) FRE33 - FRE63 - FT33 FT63  
for Self service counter (ZANUSSI)  
for Warm table (ZANUSSI)



ZANUSSI 032677

## 3057255 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C  
D spindle  $\varnothing$  6x4.6 mm  
for Bratt pan (CAPIC)  
for Fryer gas (CAPIC) AB20 - A20 - CA10 - C10 2045 - 3085  
for Grill (CAPIC)  
for Boiling pan (CAPIC) W221101



ZANUSSI 0H6688

## 3057002 SELECTOR SWITCH 0-1 0-1 POSITIONS

contact capacity 32A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm




ZANUSSI 0H6683

ZANUSSI 028590

## 3057013 SELECTOR SWITCH 0-1 0-1 POSITIONS

contact capacity 32A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm  
for Bain-marie (ZANUSSI) - Series H900  
for Boiling pan (ZANUSSI) - Series H900 Series R701 - Series 700  
for Bratt pan (MARENO) - Series 700  
for Bratt pan (ZANUSSI) - Series H900  
for Fry top (MARENO) - Series 700  
for Fryer (ZANUSSI) - Series H900  
for Pasta cooker (ZANUSSI) - Series H900 Series R701 - Series 700



ZANUSSI 050857





Suitable for:

Suitable for:

**3057017 SELECTOR SWITCH 0-1 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D shaft  $\varnothing$  6x4.6 mm  
 for Boiling pan (ZANUSSI) - Series HD900  
 for Bratt pan (ZANUSSI) - Series HD700  
 Series R700  
 for Fryer (ZANUSSI) - Series HD900  
 for Potato heater (ZANUSSI) - Series HD700  
 Series N700 - Series PR700



ZANUSSI 0A2162

**3057022 SELECTOR SWITCH 0-1 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm  
 for Bain-marie (ZANUSSI) - Series N700  
 Series PR700  
 for Rotisserie electric (MCM) 1EE - 2EE - 3EE  
 4EE - 6EE - 8EE  
 for Toaster electric (DOSILET) TT0001 - TT4000



ZANUSSI 0A2241

**3057094 SELECTOR SWITCH 0-1 0-1 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D spindle  $\varnothing$  6x4.6 mm



ZANUSSI 0H6682

ZANUSSI 0K0472

ZANUSSI 0K1379

**3057003 SELECTOR SWITCH 0-1-2-3-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm  
 for Boiling pan electric (ZANUSSI) - Series H900




ZANUSSI 051634

**3057004 SELECTOR SWITCH 0-1-2-3-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D spindle  $\varnothing$  6x4.6 mm  
 for Boiling pan electric (ZANUSSI) - Series 700  
 for Pasta cooker electric (ZANUSSI) CCP/E700  
 HCP/E400 - HCP/E800 - MCP/E700 - M70EPC  
 RCP/E700



ZANUSSI 051647

**3057001 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D spindle  $\varnothing$  6x4.6 mm  
 for Pot stove gas (ZANUSSI) JUN90002 - JUN90012  
 JUN90022 - JUN90042 - JUN90069 - JUN92012  
 JUN92032




ZANUSSI 029147

**3057064 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm  
 for Boiling pan electric (ZANUSSI) KPI/E15  
 for Pasta cooker (ZANUSSI) - Series HD900



ZANUSSI 059544

**3057142 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm  
 for Oven under cooktop (WHIRLPOOL) - Series 700  
 Series 701  
 for Oven under cooktop (ZANUSSI) - Series HD700  
 Series H700 - Series PR700 - Series R701



ZANUSSI 0C7965

ZANUSSI 053866



Suitable for:

# ZANUSSI




**3057164 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 140°C  
 D-shaft  $\varnothing$  6x4.6 mm  
 for Oven under cooktop electric (ZANUSSI)  
 Series N700 - Series N900



ZANUSSI 0C0320


ZANUSSI 0C9725

**3057006 SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm  
 for Kitchen electric (ZANUSSI) - Series H900



ZANUSSI 025300

**3057031 SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 32A 250V-25A 400V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm  
 for Pasta cooker electric (ANGELO PO)  
 Series JUNIOR - Series SENIOR - Series SUMMIT  
 for Pot stove electric (ANGELO PO) - Series ALPHA  
 Series DELTA - Series OMEGA - Series SENIOR  
 Series SUMMIT




ZANUSSI 0A2285

**3057093 SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm



ZANUSSI 0H6602

**3057141 SELECTOR SWITCH 0-4 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin 6x4.6 mm  
 for Oven under cooktop (ZANUSSI) - Series PR700



ZANUSSI 0C9080

ZANUSSI 004268

**3057023 SELECTOR SWITCH 0-6 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D shaft  $\varnothing$  6x4.6 mm  
 for Bratt pan electric (COMETTO)  
 for Hot plate electric (COMETTO)  
 for Kitchen electric (EMMEPI) - Series 900  
 for Pot stove electric (COMETTO)  
 for Kitchen electric (ALPENINOX)  
 for Kitchen electric (EMMEPI) EE4F



ZANUSSI 0A2022

ZANUSSI 0K4922

**3057076 SELECTOR SWITCH 0-6 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D shaft  $\varnothing$  6x4.6 mm  
 for Kitchen electric (ZANUSSI) - Series N700  
 Series PR700 - Series R701 - XC/E1 - XC/E2  
 XCF/E2 - XCV/E3



ZANUSSI 059238

**3057089 SELECTOR SWITCH 0-6 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D shaft  $\varnothing$  6x4.6 mm  
 for Boiling pan (ZANUSSI)  
 for Pasta cooker (ZANUSSI) - Series N700  
 Series PR700



ZANUSSI 004741



Suitable for:

## 3057092 SELECTOR SWITCH 0-6 POSITIONS

contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm  
for Kitchen electric (KÜPPERSBUSCH) - Series FEH  
for Hot plate (BERTO'S) E7P2M



ZANUSSI 004915

ZANUSSI 053408

Suitable for:

## 3057024 SELECTOR SWITCH 0-7 POSITIONS

contact capacity 16A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm  
for Kitchen electric (EMMEPI) - Series 650  
Series 700 - Series 750  
for Kitchen electric (GICO) - Series 700  
for Kitchen electric (GIGA) - Series 600  
Series 700 - Series 800 - Series 900  
for Kitchen electric (OFFCAR) - Series 700  
Series 900  
for Kitchen electric (OLIS) 72/02CEPT - 76/02CEPT  
for Pot stove electric (OLIS) 72/02TCE - 74/02CEPT  
74/02TCE - 76/02TCE - 92/04CE - 92/04TCE  
94/04CE - 94/04TCE



ZANUSSI 0A2021

## Safety groups for pans and spare parts

### 3184011 DEPRESSION VALVE $\varnothing$ 1/4" M

in chrome plated brass  
for safety group  $\varnothing$  3/4"  
for safety group  $\varnothing$  1" 1/4



ZANUSSI 010246

### 3184013 DEPRESSION VALVE $\varnothing$ 3/4" M

in chrome plated brass  
for safety group  $\varnothing$  1" 1/4



ZANUSSI 0S0140

ZANUSSI 008021

ZANUSSI 010023

### 3184029 DEPRESSION VALVE $\varnothing$ 3/8" M

in chrome plated brass  
for security valve 3/4"  
for Boiling pan (ZANUSSI)  
for Boiling pan electric (ZANUSSI) KPI/E15



ZANUSSI 051566

### 3184007 PRESSURE GAUGE $\varnothing$ 60 mm

in chrome plated brass  
radial connection 1/4"  
scale 0-1 bar  
for safety groups



ZANUSSI 008022

ZANUSSI 017055

### 3184003 SAFETY GROUP $\varnothing$ 1" 1/4

elbow connection  $\varnothing$  1" 1/4  
complete with safety valve, depression valve,  
tap for pressure gauge holder and pressure gauge  
for STEAM BOILING KETTLE



ZANUSSI 008019

ZANUSSI 008061

### 3184013 DEPRESSION VALVE $\varnothing$ 3/4" M

in chrome plated brass  
for safety group  $\varnothing$  1" 1/4



ZANUSSI 0S0140

ZANUSSI 008021

ZANUSSI 010023



Suitable for:

**3184007 PRESSURE GAUGE  $\varnothing$  60 mm**  
in chrome plated brass  
radial connection 1/4"  
scale 0-1 bar  
for safety groups



ZANUSSI 008022

ZANUSSI 017055

# ZANUSSI



Suitable for:

**3184018 SAFETY VALVE  $\varnothing$  1"1/4M**  
max pressure 0.5 atm  
for safety group 1"1/4  
ISPESL approved



ZANUSSI 010298

ZANUSSI 056691

ZANUSSI 057493

**3184018 SAFETY VALVE  $\varnothing$  1"1/4M**  
max pressure 0.5 atm  
for safety group 1"1/4  
ISPESL approved



ZANUSSI 010298

ZANUSSI 056691

ZANUSSI 057493

**3184017 SAFETY VALVE  $\varnothing$  3/4" M**  
max pressure 0.5 atm  
for safety group  $\varnothing$  3/4"



ZANUSSI 054806

## Sleeves

**3450124 DRAIN PIPE 720 mm**  
external  $\varnothing$  40 mm - internal  $\varnothing$  30 mm  
for Pasta cooker (ZANUSSI) - Series H900  
Series N700 - Series N900 - Series PR700  
Series R700



ZANUSSI 056888

## Solenoid valves

**3120138 COIL FOR GAS SOLENOID VALVE 1/2" 230V**  
for Boiling pan (ZANUSSI) - Series HD900



ZANUSSI 005548

**3120042 COIL SIRAI Z610A 6W 230V 50/60Hz**  
width 25 mm - height 33 mm  
depth 33 mm



ZANUSSI 0KG317

ZANUSSI 067609



Suitable for:

**3120064 GAS SOLENOID VALVE 1/2" 230V**  
50/60Hz 20VA - max 500 mbar  
for Boiling pan (ZANUSSI) - Series HD900



ZANUSSI 059509

Suitable for:

**3120138 COIL FOR GAS SOLENOID VALVE 1/2" 230V**  
for Boiling pan (ZANUSSI) - Series HD900



ZANUSSI 005548

**3120261 MULLER SOLENOID VALVE 230V ø 12 mm**  
solenoid valve 180° - 220/230V 50/60Hz - max 90°C  
3/4" inlet - ø 12 mm outlet



ZANUSSI 0G2196

**3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL**  
for solenoid valve ELBI  
rated value +/- 25%



ZANUSSI 0L0166

**3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN**  
for solenoid valve ELBI  
rated value +/- 25%



ZANUSSI 0W2908

**3120373 SOLENOID VALVE L621B03 230V 50Hz**  
for water  
2 ways - connections G1/2"-G1/4"FF  
coil model EMZA34AA 230V 50Hz  
for Pasta cooker (ZANUSSI) - Series N700  
Series N900



ZANUSSI 0C0561

ZANUSSI 0C2390

**3120404 SOLENOID VALVE 230V ø 10.5 mm**  
solenoid valve 90° - 230V 50/60Hz - max 90°C  
3/4" inlet - 1 outlet ø 10.5 mm



ZANUSSI 0C0688

ZANUSSI 0C4984

ZANUSSI 056350

**3120406 SOLENOID VALVE 230V ø 10.5 mm**  
solenoid valve 90° - 230V 50/60Hz - max 90°C  
inlet 3/4" - 2 outlets ø 10.5 mm



ZANUSSI 069295

**3120013 SOLENOID VALVE 263 220/240V ø 10 mm**  
solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - triple outlet ø 10 mm



ZANUSSI 047539

ZANUSSI 047540

ZANUSSI 049077

ZANUSSI 069296

**3120014 SOLENOID VALVE 264 220/240V ø 10 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - triple outlet ø 10 mm



ZANUSSI 0E0330

ZANUSSI 047538

ZANUSSI 069464



Suitable for:

Suitable for:

**3120004 SOLENOID VALVE 319 220/240V ø 10 mm**  
 solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - outlet ø 10 mm



ZANUSSI 0A2064      ZANUSSI 0KM766      ZANUSSI 002613  
 ZANUSSI 047531      ZANUSSI 055350

**3120005 SOLENOID VALVE 329 220/240V ø 10 mm**  
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - outlet ø 10 mm



ZANUSSI 002753      ZANUSSI 047756      ZANUSSI 048894  
 ZANUSSI 055352      ZANUSSI 086014

**3120505 SOLENOID VALVE 329 24V ø 10 mm**  
 solenoid valve 180° - 24V 50Hz - max 90°C  
 inlet 3/4" - outlet ø 10 mm



ZANUSSI 058996

**3120006 SOLENOID VALVE 339 220/240V ø 10 mm**  
 solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - dual outlet ø 10 mm



ZANUSSI 055444      ZANUSSI 056872

**3120007 SOLENOID VALVE 349 220/240V ø 10 mm**  
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - dual outlet ø 10 mm



ZANUSSI 0K5389      ZANUSSI 045631      ZANUSSI 046427  
 ZANUSSI 047536      ZANUSSI 069463

**3120507 SOLENOID VALVE 349 24V ø 10 mm**  
 solenoid valve 180° - 24V 50Hz - max 90°C  
 inlet 3/4" - dual outlet ø 10 mm



ZANUSSI 046796      ZANUSSI 048180

**3120008 SOLENOID VALVE 350 220/240V ø 14 mm**  
 solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - outlet ø 14 mm



ZANUSSI 047529      ZANUSSI 047532      ZANUSSI 048178  
 ZANUSSI 048898      ZANUSSI 069179

**3120511 SOLENOID VALVE 350 24V ø 14 mm**  
 solenoid valve 90° - 24V 50Hz - max 90°C  
 3/4" inlet - ø 14 mm outlet



ZANUSSI 0H2513      ZANUSSI 0L0175

**3120009 SOLENOID VALVE 351 220/240V ø 14 mm**  
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - outlet ø 14 mm



ZANUSSI 072282

**3120512 SOLENOID VALVE 351 24V ø 14 mm**  
 solenoid valve 180° - 24V 50Hz - max 90°C  
 3/4" inlet - ø 14 mm outlet



ZANUSSI 0E5070



Suitable for:

**3120010 SOLENOID VALVE 352 220/240V ø 14 mm**  
solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - dual outlet ø 14 mm



ZANUSSI 049056

Suitable for:

**3120011 SOLENOID VALVE 353 220/240V ø 14 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - dual outlet ø 14 mm



ZANUSSI 069262

ZANUSSI 072364

**3120514 SOLENOID VALVE 353 24V ø 14 mm**  
solenoid valve 180° - 24V 50Hz - max 90°C  
inlet 3/4" - two outlets ø 14 mm



ZANUSSI 0KZ810

**1120310 2-WAY SOLENOID VALVE SIRAI 230V 50Hz**  
L121V02 - connections ø 1/4"FF - max 20 bar  
VITON seal - orifice ø 2.5 mm  
coil ZA30A 9W 230V 50Hz 14VA



ZANUSSI 0K5341

## Spark generators

**3181002 SPARK GENERATOR 2 OUTLETS**  
220/240V 50/60Hz  
for Boiling pan gas (CHARVET)  
for Fryer gas (CAPIC) CTI - CTIB - C10 - TI - TIB  
for Kitchen (THIRODE) B7.FV.CF.FG



ZANUSSI 0A2073

ZANUSSI 003376

ZANUSSI 004240

ZANUSSI 051884

ZANUSSI 053647

**3181003 SPARK GENERATOR 4 OUTLETS**  
220/240V 50/60Hz  
for Kitchen (THIRODE) B7.FV.CF.FG



ZANUSSI 0A2097

ZANUSSI 0K9979

ZANUSSI 0M0476

ZANUSSI 003214

ZANUSSI 004248

ZANUSSI 054134

**3181004 SPARK GENERATOR 6 OUTLETS**  
220/240V - 50/60Hz



ZANUSSI 003552

ZANUSSI 004251

ZANUSSI 054141

## Sparking and detection plugs

**3020206 ROUND DETECTOR ELECTRODE ø 9.5x60 mm**  
overall length 109 mm



ZANUSSI 002638



Suitable for:

# ZANUSSI



Suitable for:

## Sparking and detection plugs

**3020074 ROUND IGNITION ELECTRODE  $\varnothing$  5/8x52 mm**  
model 2/B  
total length 66 mm  
for Pot stove gas (ZANUSSI) - Series HD700



ZANUSSI 054099

**3186341 ASBESTOS FREE FLAT GASKET  $\varnothing$  9x6x1 mm**  
for Pot stove (ZANUSSI) - Series HD700  
Series H700



ZANUSSI 054100

**3020128 ROUND IGNITION ELECTRODE  $\varnothing$  6x32 mm**  
with silicone lead 770 mm  
overall length 800 mm  
for Pot stove electric (TECNOINOX) PC35G  
for Pot stove gas (TECNOINOX) PC70G



ZANUSSI 004970

**3020073 ROUND IGNITION ELECTRODE  $\varnothing$  7/10x52 mm**  
model 1/B  
female connection  
overall length 54 mm  
for Kitchen gas (WHIRLPOOL) AGB351 - AGB579  
AGB580 - AGB581 - AGB582 - AGB583 - AGB584



ZANUSSI 0A2164

**3020124 ROUND IGNITION ELECTRODE  $\varnothing$  7x44 mm**  
female connection  
overall length 58 mm  
for Fryer gas (ELFRAMO) GBD10 - GB10  
for Fryer gas (KOMEL) KBGD10 - KGB10  
for Pot stove (ROSINOX) RCS2X2FV



ZANUSSI 054336

ZANUSSI 056754

**3020205 ROUND IGNITION ELECTRODE  $\varnothing$  9.5x60 mm**  
overall length 90 mm



ZANUSSI 002637

**3020208 ROUND IGNITION ELECTRODE  $\varnothing$  9x60 mm**  
with silicone lead 900 mm  
overall length 1010 mm  
for BRATT PAN series HD900



ZANUSSI 0A5169

**3020306 ROUND IGNITION ELECTRODE  $\varnothing$  9x60 mm**  
overall length 117 mm  
for Bratt pan gas (ZANUSSI) - Series HD900



ZANUSSI 0A5168

ZANUSSI 003556





Suitable for:

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



ZANUSSI 0C0488  
ZANUSSI 056754

ZANUSSI 051565

ZANUSSI 051977

Suitable for:

**3020060 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M 4x1 mm  
model CB505/021 Junkers  
for model P502F  
total length 82 mm  
for Fryer gas (DIAMOND) G65/F16-7T



ZANUSSI 052610  
ZANUSSI 059380

ZANUSSI 056720  
ZANUSSI 059988

ZANUSSI 057410

**3020067 SQUARE IGNITION ELECTRODE 6/7x53 mm**  
total length 85 mm



ZANUSSI 026847

## Springs

**3250098 DOOR HINGE SPRING  $\varnothing$  36x240 mm**  
for BRATT PAN series HD900



ZANUSSI 0A5150

**3250099 SPRING SCREW**  
for BRATT PAN series HD900



ZANUSSI 0A2551

**3250134 LID SPRING  $\varnothing$  28x115 mm**  
for BOILING PAN series N700  
for WASHER-EXTRACTOR LVA100



ZANUSSI 004850

**3391058 HINGE SUPPORT**  
for Bratt pan (ZANUSSI) - Series HD900  
for Bratt pan electric (ZANUSSI) ABR/E800  
ABR/E810  
for Bratt pan gas (ZANUSSI) ABR/G800 - ABR/G810



ZANUSSI 0A5147

**3250135 LID SPRING  $\varnothing$  38x250 mm**  
for BOILING PAN series H900



ZANUSSI 051527



Suitable for:

**3250081 LID SPRING  $\varnothing$  38x375 mm**  
for BOILING PAN series HD900-N900



ZANUSSI 059518

Suitable for:

**3250096 LID SPRING  $\varnothing$  39x375 mm**  
for BOILING PAN series N900-HD900  
for PASTA COOKER CR15G-CR15E-CR15V-CR20G-CR20GI



ZANUSSI 002981

**3250026 LID SPRING  $\varnothing$  40x300 mm**  
for BRATT PAN series HD900  
for BOILING PAN H900/HD900  
for PASTA COOKER CR40G-CR41G-CR42G-CR42E/V-CR40E/



ZANUSSI 051268

**3250141 SPRING  $\varnothing$  21x75 mm**  
for SANDWICH PLATE DPG/RCE



ZANUSSI 0C1836

**3250097 SPRING FOR TAP MICROSWITCH  $\varnothing$  10x14 mm**  
for SOLID TOP RANGE series PR700



ZANUSSI 004243

**3250099 SPRING SCREW**  
for BRATT PAN series HD900



ZANUSSI 0A2551

## Steam valves

**3524006 "REX" STEAM VALVE  $\varnothing$  1"MM**  
partially chromed steam valve "REX"  
square connection  $\varnothing$  1" MM



ZANUSSI 0S0142

ZANUSSI 038020

**3524002 STEAM VALVE  $\varnothing$  1"1/4FF**  
chromed plated steam valve  
square connection  
with nut



ZANUSSI 017028

**3525013 VALVE  $\varnothing$  1"1/4 FF**



ZANUSSI 0S0143

**3524007 VALVE KNOB**  
hole 7x7 mm  
for valve "REX"  $\varnothing$  1"1/4



ZANUSSI 017052


ZANUSSI 017053



Suitable for:

Suitable for:

**3524009 VALVE KNOB**  
hole 9x9 mm  
for valve  $\varnothing$  3/4" - 1 1/4"



ZANUSSI 0A2148

## Switches

**3319150 BIPOLAR PUSH-BUTTON 16A 250V BLACK**  
mounting hole  $\varnothing$  25 mm  
for Oven under cooktop gas (ZANUSSI) - Series R701  
Series 700



ZANUSSI 053978

ZANUSSI 058274

**3319151 SWITCH PROTECTION CAP**  
 $\varnothing$  external 34 mm  
for push-buttons with mounting hole  $\varnothing$  25 mm  
for Oven under cooktop gas (ZANUSSI) - Series R701  
Series 700



ZANUSSI 053979

**3319920 BLACK TWO-POLE SWITCH 16A 250V**



ZANUSSI 0A8754

**3319923 BLACK/RED CAM**



ZANUSSI 0A8272

**3319160 GREEN BIPOLAR PUSH-BUTTON 16A 250V**  
16(4)A 250V - with indicator light  
lightning silk-screen printing  
max temperature 120°C  
mounting hole 22x30 mm



ZANUSSI 056717

**3319012 GREEN BIPOLAR SWITCH 16A 250V**  
16(4)A 250V  
with indicator light and switch cover  
screen printing 0 - I  
max temperature 120°C  
mounting hole 22x30 mm



ZANUSSI 053810



Suitable for:

# ZANUSSI



Suitable for:

**3319013 GREEN BIPOLAR SWITCH 16A 250V**  
 16(4)A 250V  
 with indicator lamp and switch cover  
 "0 - II" symbol screenprinted  
 max temperature 120°C  
 mounting hole 22x30 mm



ZANUSSI 053837

**3319014 GREEN BIPOLAR SWITCH 16A 250V**  
 16(4)A 250V  
 with indicator lamp and switch cover  
 "fan" symbol screenprinted  
 max temperature 120°C  
 mounting hole 22x30 mm



ZANUSSI 054552

**3319928 GREEN BIPOLAR SWITCH 16A 250V**  
 16(4)A 250V - with indicator light  
 max temperature 120°C  
 mounting hole ø 25 mm



ZANUSSI 054518

**3319151 SWITCH PROTECTION CAP**  
 ø external 34 mm  
 for push-buttons with mounting hole ø 25 mm  
 for Oven under cooktop gas (ZANUSSI) - Series R701  
 Series 700



ZANUSSI 053979

**3319944 GREEN BIPOLAR SWITCH 16A 250V**  
 16(4)A 250V - with indicator light  
 0-I silk-screen printing  
 temperature max 120°C  
 mounting hole 22x30 mm



ZANUSSI 056703

**3319967 GREEN SINGLE-POLE SWITCH 16A 250V**  
 16(4)A 250V - max temperature 120°C  
 mounting hole 11x30 mm



ZANUSSI 004110

**1319202 GREEN TWO-POLE SWITCH 16A 250V**  
 16(4)A 250V - with indicator lamp  
 silk-screen printing 0 - I  
 temperature max 120°C  
 mounting hole 22x30 mm  
 for Hood electric (MORETTI) TIVOLI KAPPA



ZANUSSI 056703

ZANUSSI 081680

**3319088 ORANGE BIPOLAR SWITCH 16A 250V**  
 16(4)A 250V  
 with indicator lamp and push-button cover  
 temperature max 120°C  
 mounting hole 22x30 mm



ZANUSSI 056878

ZANUSSI 056879

ZANUSSI 056880



Suitable for:

## 3319297 PUSH-BUTTON EXTENSION

external  $\varnothing$  7 mm  
for circuit boards



ZANUSSI 002670

Suitable for:

## 3319015 RED BIPOLAR PUSH BUTTON 16A 250V

16(4)A 250V - with indicator lamp  
silk-screen print 0 - I  
max temperature 120°C  
mounting hole 22x30 mm



ZANUSSI 005899

## 3319011 RED BIPOLAR PUSH-BUTTON 16A 250V

16(4)A 250V - normally closed  
with indicator light and push-button cap  
max temperature 120°C  
mounting hole 22x30 mm



ZANUSSI 054547

ZANUSSI 055014

## 4059843 RED PUSH BUTTON WITH BLOCK

1 NC contact  
mounting hole  $\varnothing$  22 mm  
for BRATT PAN



ZANUSSI 0A2196

ZANUSSI 059843

## 3319270 RED UNIPOLAR PUSH-BUTTON 3A 250V

with protection cap  
mounting hole  $\varnothing$  16 mm  
for Pot stove electric (ZANUSSI)



ZANUSSI 002418

## 3319921 SINGLE-POLE SWITCH 16A 250V



ZANUSSI 0A8274

## 3319923 BLACK/RED CAM



ZANUSSI 0A8272

## 3319151 SWITCH PROTECTION CAP

$\varnothing$  external 34 mm  
for push-buttons with mounting hole  $\varnothing$  25 mm  
for Oven under cooktop gas (ZANUSSI) - Series R701  
Series 700



ZANUSSI 053979



Suitable for:

# ZANUSSI



Suitable for:

## Tangential fans

**3526150 TANGENTIAL FAN 180 mm LEFT**  
230V 50/60Hz -  $\varnothing$  60 mm - 25 W  
operating temperature  $-30^{\circ}+135^{\circ}\text{C}$



ZANUSSI 0A2272

ZANUSSI 0A3008

**3526165 TANGENTIAL FAN 180x180 mm**  
230V 50/60Hz -  $\varnothing$  60 mm - 45 W  
fan dimensions 180+180 mm  
operating temperature max  $135^{\circ}\text{C}$



ZANUSSI 0K3707

**3526966 TANGENTIAL FAN 300 mm LEFT**  
230V 50/60Hz -  $\varnothing$  60 mm - 26 W  
operating temperature  $-30^{\circ}+135^{\circ}\text{C}$



ZANUSSI 083737

## Taps for tank refilling

**3525005 LEFT-HAND WATER INLET TAP  $\varnothing$  1/2" FF**  
square pin 7x7 mm  
brass valve for hot water  
max flow rate 4 bar 24 l/min  
with external fixing thread  $\varnothing$  27x19 mm  
for Boiling pan (ZANUSSI) - Series H900  
Series R701  
for Boiling pan electric (OLIS) 915PEB  
for Boiling pan gas (OLIS) 910PGB - 911PGB  
915PGB  
for Pasta cooker electric (OLIS) 72/02CPE  
74/02CPE  
for Pasta cooker gas (OLIS) 912PCCPG - 914PCCPG



ZANUSSI 026537

**3241107 BLACK KNOB  $\varnothing$  50 mm**  
square hole 7x7 mm  
for Pasta cooker (ZANUSSI) - Series H900



ZANUSSI 025260

ZANUSSI 054254

**3241108 KNOB CAP**



ZANUSSI 025255

ZANUSSI 054367



Suitable for:

Suitable for:

- 3183028 SPOUT CONNECTION  $\varnothing$  16 mm**  
for Bain-marie (ZANUSSI) - Series N700  
Series PR700  
for Boiling pan electric (ZANUSSI)  
for Boiling pan gas (ZANUSSI)  
for Pasta cooker (ZANUSSI) - Series N900  
Series PR700




ZANUSSI 004537

- 3359142 WATER INLET TAP  $\varnothing$  1/2" M**  
swivel spout  $\varnothing$  18 mm  
for Bratt pan (ZANUSSI) - Series HD900



ZANUSSI 002322

- 3186665 PTFE FLAT GASKET  $\varnothing$  35x21x2 mm**



ZANUSSI 002448

- 3358003 WATER INLET TAP  $\varnothing$  1/2" MM**  
square shaft 7x7 mm  
for Pasta cooker (ZANUSSI) - Series H900  
for Pasta cooker electric (DESCO) CPE1 - CPE2  
for Pasta cooker gas (DESCO)  
till 31/12/01  
CPG1 - CPG1/PS - CPG2 - CPG3 - CPG7/1 - CPG7/2



ZANUSSI 056616

- 3241107 BLACK KNOB  $\varnothing$  50 mm**  
square hole 7x7 mm  
for Pasta cooker (ZANUSSI) - Series H900



ZANUSSI 025260

ZANUSSI 054254

- 3241108 KNOB CAP**



ZANUSSI 025255

ZANUSSI 054367



Suitable for:

**3525004 WATER INLET TAP DX  $\varnothing$  1/2"FF**  
 square shaft 7x7 mm  
 brass valve for cold water  
 max. flow rate 4 bar 24L/min  
 with external fastening thread  $\varnothing$  27x19 mm  
 for Bain-marie (ZANUSSI) - Series H900  
 for Boiling pan (ZANUSSI) - Series H900  
 Series R701  
 for Boiling pan electric (OLIS) 915PEB  
 for Boiling pan gas (OLIS) 910PGB - 911PGB  
 915PGB  
 for Bratt pan (ZANUSSI) - Series H900  
 for Pasta cooker (ZANUSSI) - Series H900  
 for Pasta cooker electric (OLIS) 72/02CPE  
 74/02CPE  
 for Pasta cooker gas (OLIS) 912PCCPG - 914PCCPG



ZANUSSI 025733

ZANUSSI 053703

Suitable for:

**3241107 BLACK KNOB  $\varnothing$  50 mm**  
 square hole 7x7 mm  
 for Pasta cooker (ZANUSSI) - Series H900



ZANUSSI 025260

ZANUSSI 054254

**3241108 KNOB CAP**



ZANUSSI 025255

ZANUSSI 054367

**3525040 WATER INLET TAP DX  $\varnothing$  1/2"FF**  
 D-shaft  $\varnothing$  10x8 mm  
 for Bain-marie (ZANUSSI) - Series HD900  
 for Boiling pan (ZANUSSI) - Series HD700  
 for Pasta cooker (ZANUSSI) - Series HD900



ZANUSSI 003516

**3525041 WATER INLET TAP LH  $\varnothing$  1/2"FF**  
 D-shaft  $\varnothing$  10x8 mm  
 for Boiling pan (MARENO) - Series 900  
 for Boiling pan (ZANUSSI) - Series HD700  
 Series HD900  
 for Bratt pan (MARENO) - Series 900 PROTAGONISTA  
 for Pasta cooker (MARENO) - Series 700  
 Series 900  
 for Pasta cooker (ZANUSSI) - Series HD900



ZANUSSI 003517





## Telethermometers

### 3441021 TELETHERMOMETER BLACK $\varnothing$ 52 mm 0-250°C

metal body  
capillary length 1500 mm  
bulb  $\varnothing$  6x43 mm  
for Fryer (ZANUSSI) - Series H900



ZANUSSI 053687

### 3441024 TELETHERMOMETER BLACK $\varnothing$ 52 mm 50-350°C

metal body  
covered capillary length 1500 mm  
bulb  $\varnothing$  6x30 mm



ZANUSSI 053808

ZANUSSI 056383

### 3441026 TELETHERMOMETER BLACK $\varnothing$ 60 mm 50-350°C

metal body  
capillary length 1500 mm  
bulb  $\varnothing$  4x104 mm



ZANUSSI 057622

ZANUSSI 058081

### 3441025 TELETHERMOMETER WHITE $\varnothing$ 52 mm 50-350°C

metal body  
capillary length 1500 mm  
bulb  $\varnothing$  4x120 mm



ZANUSSI 052987

### 3441006 WHITE TELETHERMOMETER $\varnothing$ 52 mm 0-120°C

metal case  
PVC covered capillary 1500 mm  
spring bulb  $\varnothing$  8x32 mm  
bulb fitting M10x1  
for Hot cupboard (ZANUSSI)  
for Self service counter (ZANUSSI)  
for Warm table (ZANUSSI)



ZANUSSI 032085

ZANUSSI 034075

## Terminal blocks

### 4059794 JUNCTION BOX



ZANUSSI 059794

### 3247015 12-POLE PLASTIC TERMINAL BLOCK

for cable max 4 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450V



ZANUSSI 0W3543



Suitable for:

## 3247006 2-POLE CERAMIC TERMINAL BLOCK

for cable max 6 mm<sup>2</sup>  
operating temperature 300°C  
nominal voltage 450V  
dimensions 25x22x21 mm



ZANUSSI 053805

Suitable for:

## 3247016 3-POLE TERMINAL BLOCK FV273 40A 450V

for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ZANUSSI 046357

## 3247005 4-POLE CERAMIC TERMINAL BLOCK

for cable max 2.5 mm<sup>2</sup>  
operating temperature 300°C  
nominal voltage 450V  
dimensions 40x18x16 mm



ZANUSSI 054042

## 3247011 6-POLE TERMINAL BLOCK FV122 40A 600V

for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ZANUSSI 046347

## 3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ZANUSSI 005420

ZANUSSI 058613

## Thermocouples and accessories

### 3440085 CUT-OFF THERMOCOUPLE M9x1 100 cm

cut-off contact with cables 100 cm



ZANUSSI 002784

ZANUSSI 003528

ZANUSSI 056914

### 3440145 CUT-OFF THERMOCOUPLE M9x1 100 cm

cut-off contact with cables 100 cm  
for Boiling pan gas (WHIRLPOOL)  
for Boiling pan gas (ZANUSSI) HPA/GI815 - HPA/G815  
HPN/GI810 - HPN/GI815 - HPN/G810 - HPN/G815  
HQN/GI122 - HQN/GI1225 - HQN/G1225 - HQN/G1917



ZANUSSI 051635



Suitable for:

Suitable for:

**3440185 CUT-OFF THERMOCOUPLE M9x1 100 cm**  
cut-off contact with cables 70 cm  
for Fryer (ZANUSSI) AFR/G410

**3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.**  
interrupted contact with terminals



ZANUSSI 0C3162  
ZANUSSI 0K5790  
ZANUSSI 056573

ZANUSSI 0K2898  
ZANUSSI 051932  
ZANUSSI 058387

ZANUSSI 0K2954  
ZANUSSI 054055

ZANUSSI 056574

**3440015 INTERRUPTION CONNECTOR M9x1**

**3440064 NUT FOR THERMOCOUPLE M8x1**



ZANUSSI 005687

ZANUSSI 055033

**3440895 THERMOCOUP.SIT QUICK M9x1 150 cm -10 PCS**

**3440045 THERMOCOUPLE ASA SIT 150 cm**



ZANUSSI 0M0893

ZANUSSI 003281

ZANUSSI 056715

**3440042 THERMOCOUPLE ASA SIT 85 cm**

**3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.**  
female nut M9x1



ZANUSSI 057343

ZANUSSI 055032

**3440079 THERMOCOUPLE M8x1 60 cm.COUPLING M6x1**



ZANUSSI 004955

**3440047 THERMOCOUPLE M8x1 75 cm**

**3440847 THERMOCOUPLE SIT M8x1 75 cm - 10 PCS**



ZANUSSI 054102  
ZANUSSI 058332

ZANUSSI 054103

ZANUSSI 054104

ZANUSSI 054102  
ZANUSSI 058332

ZANUSSI 054103

ZANUSSI 054104



# ZANUSSI



Suitable for:

**3440133 THERMOCOUPLE SIT M10x1 100 cm**



ZANUSSI 0A2161

Suitable for:

**3440135 THERMOCOUPLE SIT M10x1 150 cm**



ZANUSSI 0H6252

**3440126 THERMOCOUPLE SIT M10x1 75 cm**



ZANUSSI 0H6251

ZANUSSI 0H6253

**3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS**



ZANUSSI 0U2960

**3440055 THERMOCOUPLE SIT M8x1 100 cm THREAD M8x1**



ZANUSSI 0U2960

**3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS**



ZANUSSI 0U2960

**3440031 THERMOCOUPLE SIT M8x1 120 cm**



ZANUSSI 0K5730

**3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS**



ZANUSSI 0K5730

**3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS**



ZANUSSI 0K5730

**3440032 THERMOCOUPLE SIT M8x1 150 cm**



ZANUSSI 0G2023

ZANUSSI 051119

**3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS**



ZANUSSI 0G2023

ZANUSSI 051119



Suitable for:

**3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS**



ZANUSSI 0G2023

ZANUSSI 051119

Suitable for:

**3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS**



ZANUSSI 050235

**3440057 THERMOCOUPLE SIT M8x1 150 cm THREAD M8x1**



ZANUSSI 050235

**3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS**



ZANUSSI 050235

**3440028 THERMOCOUPLE SIT M8x1 60 cm**



ZANUSSI 050856

**3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**



ZANUSSI 050856

**3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**



ZANUSSI 050856

**3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**



ZANUSSI 0K5688

ZANUSSI 055106

**3440053 THERMOCOUPLE SIT M8x1 60 cm THREAD M8x1**



ZANUSSI 0K5688

ZANUSSI 055106

**3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**



ZANUSSI 0K5688

ZANUSSI 055106

**3440075 THERMOCOUPLE SIT M8x1 75 cm**



ZANUSSI 0C0202

**3440875 THERMOCOUPLE SIT M8x1 75 cm - 10 PCS**



ZANUSSI 0C0202



Suitable for:

**3440847 THERMOCOUPLE SIT M8x1 75 cm - 10 PCS**



ZANUSSI 054102  
ZANUSSI 058332

ZANUSSI 054103

ZANUSSI 054104

Suitable for:

**3440875 THERMOCOUPLE SIT M8x1 75 cm - 10 PCS**



ZANUSSI 0C0202

**3440029 THERMOCOUPLE SIT M8x1 85 cm**



ZANUSSI 0G2906

**3440829 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS**



ZANUSSI 0G2906

**3440829 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS**



ZANUSSI 0G2906

**3440809 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



ZANUSSI 052163

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



ZANUSSI 027036

ZANUSSI 027350

ZANUSSI 053043

**3440861 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



ZANUSSI LF-3440061

**3440061 THERMOCOUPLE SIT M9x1 100 cm THREAD M8x1**



ZANUSSI

**3440861 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



ZANUSSI LF-3440061

**3440037 THERMOCOUPLE SIT M9x1 100 cm.**



ZANUSSI 027036

ZANUSSI 027350

ZANUSSI 053043

**3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



ZANUSSI 027036

ZANUSSI 027350

ZANUSSI 053043



# ZANUSSI



Suitable for:

Suitable for:

**3440038 THERMOCOUPLE SIT M9x1 120 cm**

**3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS**



ZANUSSI 0K3464

ZANUSSI 020094

ZANUSSI 0K3464

ZANUSSI 020094

**3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS**

**3440062 THERMOCOUPLE SIT M9x1 120cm THREAD M8x1**



ZANUSSI 0K3464

ZANUSSI 020094

ZANUSSI

**3440039 THERMOCOUPLE SIT M9x1 150 cm**

**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



ZANUSSI 059064

ZANUSSI 059064

**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**

**3440863 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



ZANUSSI 059064

ZANUSSI 020756

**3440063 THERMOCOUPLE SIT M9x1 150 cm THREAD M8x1**

**3440863 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



ZANUSSI 020756

ZANUSSI 020756

**3440034 THERMOCOUPLE SIT M9x1 50 cm**  
for Fry top gas (SILKO) BG74TLC  
for Fryer gas (DIAMOND) G65/F16-7T

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**



ZANUSSI 025204

ZANUSSI 027317

ZANUSSI 025204

ZANUSSI 027317



Suitable for:

Suitable for:

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**

**3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



ZANUSSI 025204

ZANUSSI 027317

ZANUSSI 004942

ZANUSSI 025031

ZANUSSI 057781

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



ZANUSSI 025677

ZANUSSI 026273

**3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1**

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



ZANUSSI 025677

ZANUSSI 026273

ZANUSSI 025677

ZANUSSI 026273

**3440035 THERMOCOUPLE SIT M9x1 60 cm.**

**3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



ZANUSSI 004942

ZANUSSI 025031

ZANUSSI 057781

ZANUSSI 004942

ZANUSSI 025031

ZANUSSI 057781

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**

**3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



ZANUSSI 052814

ZANUSSI 058386

ZANUSSI 028982

**3440060 THERMOCOUPLE SIT M9x1 85 cm THREAD M8x1**

**3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



ZANUSSI 028982

ZANUSSI 028982





Suitable for:

Suitable for:

**3440036 THERMOCOUPLE SIT M9x1 85 cm.**

**3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS**



ZANUSSI 052814

ZANUSSI 058386

ZANUSSI 052814

ZANUSSI 058386

**3440009 THERMOCOUPLE SIT M9x1 100 cm M8x1**

**3440809 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS**



ZANUSSI 052163

ZANUSSI 052163

**3440095 THERMOCOUPLE SIT QUICK M9x1 150 cm**

**3440895 THERMOCOUPLE SIT QUICK M9x1 150 cm - 10 PCS**



ZANUSSI 0M0893

ZANUSSI 003281

ZANUSSI 0M0893

ZANUSSI 003281

**3440000 UNIVERSAL THERMOCOUPLE LF 120 cm**  
12 slotted pieces kit

**3440001 UNIVERSAL THERMOCOUPLE LF 90 cm**  
12 slotted pieces kit



ZANUSSI 0S0056

ZANUSSI 0S0055

## Thermoregulators

**3442005 THERMOREGULATOR ø 60 mm 0-250°C**

metal body  
 white dial  
 capillary length 1500 mm  
 bulb ø 6x60 mm  
 contact capacity 16(4)A 250V  
 lead connector 6,35x0,8 mm  
 mounting hole ø 61 mm  
 for Fryer (ZANUSSI) ZFR/E1680 - ZFR/E2480  
 for Fryer electric (ZANUSSI) HFR/E1680 - HFR/E2480  
 for Fryer gas (ZANUSSI) HFR/G1680 - HFR/G2480



ZANUSSI 054433



Suitable for:

# ZANUSSI



Suitable for:

## Thermostatic gas valves

**3345006 THERMOSTATIC TAP 24ST**  
 temperature range 120-320°C  
 fittings inlet and outlet M20x1.5 mm  
 capillary length 900 mm  
 thermocouple connection M9x1  
 bulb  $\varnothing$  6x100 mm  
 D-shaped pin  $\varnothing$  10x8 mm  
 for Bratt pan  
 for Fry top  
 for Oven under cooktop



ZANUSSI 058369

**3020082 OLIVE FOR 12 mm  $\varnothing$  PIPE**



ZANUSSI 027478

ZANUSSI 050682

**3348037 PILOT OLIVE FOR PIPE  $\varnothing$  6 mm**  
 for model PEL 21-22



ZANUSSI 020992

**3348032 PIPE FITTING  $\varnothing$  12 mm**  
 for model PEL 22



ZANUSSI 050670

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**  
 for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 003859

**3348029 FITTING FOR PIPE  $\varnothing$  4 mm**  
 for model PEL 21-22



ZANUSSI 052125

**3348036 OLIVE FOR 4 mm  $\varnothing$  PIPE**  
 for model PEL 21-22



ZANUSSI 052127

**3348031 PIPE FITTING  $\varnothing$  10 mm**  
 for model PEL 22



ZANUSSI 052124

**3348038 PIPE OLIVE  $\varnothing$  10 mm**  
 for model PEL 22



ZANUSSI 052128



Suitable for:

**3345016 THERMOSTATIC TAP 24ST**  
temperature range 120-320°C  
fittings inlet and outlet M20x1.5 mm  
capillary length 1200 mm  
swivel connections  
thermocouple connection M9x1  
bulb  $\varnothing$  6x100 mm  
D-shaped pin  $\varnothing$  10x8 mm  
for Oven under cooktop (ZANUSSI)



ZANUSSI 026335

**3348036 OLIVE FOR 4 mm  $\varnothing$  PIPE**  
for model PEL 21-22



ZANUSSI 052127

**3348031 PIPE FITTING  $\varnothing$  10 mm**  
for model PEL 22



ZANUSSI 052124

**3020078 TUBING NUT FOR 6 mm  $\varnothing$  PIPE**  
for Kitchen gas (ANGELO PO) 3A1FA1G



ZANUSSI 003859

Suitable for:

**3348029 FITTING FOR PIPE  $\varnothing$  4 mm**  
for model PEL 21-22



ZANUSSI 052125

**3348037 PILOT OLIVE FOR PIPE  $\varnothing$  6 mm**  
for model PEL 21-22



ZANUSSI 020992

**3348038 PIPE OLIVE  $\varnothing$  10 mm**  
for model PEL 22



ZANUSSI 052128



Suitable for:

Suitable for:

**3345005 THERMOSTATIC TAP 25ST**  
 temperature range 140-300°C  
 fittings inlet and outlet M16x1.5 mm  
 thermocouple connection M8x1  
 bulb ø 6x120 mm  
 D-shaped pin ø 8x6.5 mm  
 for Oven under cooktop (ZANUSSI) - Series PR700  
 for Solid top range (ZANUSSI) - Series PR700  
 for Solid top range (ZANUSSI) MTF/G2 168921

**3345038 THERMOSTATIC TAP 25ST KIT**  
 REPLACES EGA TAP  
 supplied with accessories  
 temperature range 140-300°C  
 inlet 3/8"F - outlet 3/8"M - fitting 1/8"F  
 bulb ø 6x120 mm - D-shaped pin ø 8x6.5 mm  
 capillary length 1240 mm  
 for Oven under cooktop gas (ZANUSSI) MCF/G1050D  
 MCF/G1055NL - MCF/G700 - MCF/G700D  
 MCF/G705NL - RCF/G1050D - RCF/G700 - RCF/G700D



ZANUSSI 006597

ZANUSSI 0C0006

## Thermostats

**3444279 BULB HOLDING CLIP**  
 per termostato resistenza

**3444579 BULB HOLDING CLIP**  
 per termostato resistenza



ZANUSSI 066823

ZANUSSI 052262

**3744084 BULB HOLDING CLIP**  
 for heating element thermostat

**3444215 GLAND FOR THERMOSTAT 12x1**



ZANUSSI 0H6907

ZANUSSI 067899

**3444121 MILLED GLAND FOR THERMOSTAT 9x1**

**3444124 PROTECTION CAP**  
 for security thermostat




ZANUSSI 027061

ZANUSSI 0A2187



Suitable for:

**3744061 SINGLE-PHASE THERMOSTAT 125°C**  
with manual reset  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x150 mm



ZANUSSI 0K0673

Suitable for:

**3444352 SINGLE-PHASE THERMOSTAT 130°C**  
with manual reset  
covered capillary length 870 mm - 16A 250V  
bulb  $\varnothing$  6x129 mm  
for Bain-marie (BERTO'S) BM55E - BM70E



ZANUSSI 004912

**3444476 SINGLE-PHASE THERMOSTAT 170°C**  
2 contacts  
covered capillary length 560 mm - 16A 250V  
bulb  $\varnothing$  3x160 mm  
for Hot cupboard electric (ZANUSSI)  
for Warm table electric (ZANUSSI)



ZANUSSI 031482

**3444670 SINGLE-PHASE THERMOSTAT 190°C**  
with manual reset  
capillary length 350 mm - 16A 250V  
bulb  $\varnothing$  3.1x178 mm - with adapter nipple bland M9x1



ZANUSSI 0H6142

**3444554 SINGLE-PHASE THERMOSTAT 210°C**  
covered capillary length 1250 mm  
bulb  $\varnothing$  6x47 mm  
for Boiling pan (ZANUSSI) - Series N900



ZANUSSI 0C1000

**3444026 SINGLE-PHASE THERMOSTAT 220°C**  
with manual reset  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x80 mm  
for Bratt pan (ZANUSSI)



ZANUSSI 057347

**3444080 SINGLE-PHASE THERMOSTAT 220°C**  
with manual reset  
covered capillary length 2020 mm - 16A 250V  
bulb  $\varnothing$  6x133 mm  
for Boiling pan (ZANUSSI)  
for Bratt pan (ZANUSSI)  
for Fryer (ZANUSSI)



ZANUSSI 0A2011

**3444483 SINGLE-PHASE THERMOSTAT 230°C**  
with manual reset  
capillary length 900 mm - 0.5A 12V  
bulb  $\varnothing$  6x87 mm  
for Fryer (AMBACH) - Series FG - Series GF  
Series GY



ZANUSSI 0C4279



Suitable for:

# ZANUSSI



**3444348 SINGLE-PHASE THERMOSTAT 235°C**  
 with manual reset  
 capillary length 1000 mm - 15A 250V  
 bulb  $\varnothing$  5x100 mm  
 for Fryer (STAR 10) F4 - F4+4 - F6+6  
 for Fryer electric (STAR 10) LT3 - LT8  
 for Fryer electric (ZANUSSI) HFR/E1680 - HFR/E2480  
 for Fryer gas (ZANUSSI) HFR/G1680 - HFR/G2480



ZANUSSI 053012

**3444558 SINGLE-PHASE THERMOSTAT 238°C**  
 with automatic reset  
 covered capillary length 1250 mm  
 bulb  $\varnothing$  6x74 mm  
 for Boiling pan (ZANUSSI) - Series HD900



ZANUSSI 006709

**3444239 SINGLE-PHASE THERMOSTAT 240°C**  
 with manual reset  
 covered capillary length 860 mm - 16A 250V  
 bulb  $\varnothing$  6x77 mm - with stuffing gland M10x1  
 complete with wiring 330mm for thermocouple  
 for Fryer (EMMEPI) - Series 650 - Series 700  
 Series 750 - Series 900  
 for Fryer (OFFCAR) - Series 700 - Series 900  
 for Fryer gas (GIORIK) - Series FRG



ZANUSSI 058164

**3444377 SINGLE-PHASE THERMOSTAT 240°C**  
 with manual reset  
 covered capillary length 1300 mm - 16A 250V  
 bulb  $\varnothing$  6x80 mm - with adapter nipple bland M10x1  
 for Fryer electric (GIORIK) - Series FT - FTR3  
 FTR5 - FTR6



ZANUSSI 003121

**3744065 SINGLE-PHASE THERMOSTAT 240°C**  
 with manual reset  
 double bulb  
 covered capillary length 2000 mm  
 bulb  $\varnothing$  6x135 mm  
 for Fryer (WHIRLPOOL) - Series 900  
 for Fryer (ZANUSSI) - Series HD900



ZANUSSI 059559

**3444124 PROTECTION CAP**  
 for security thermostat



ZANUSSI 0A2187



Suitable for:

**3444684 SINGLE-PHASE THERMOSTAT 250°C**  
 with manual reset  
 covered capillary length 900 mm  
 bulb  $\varnothing$  6x90 mm  
 for Fryer (ZANUSSI) - Series N700 - Series N900



ZANUSSI 005931

Suitable for:

**3444018 SINGLE-PHASE THERMOSTAT 30-90°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1000 mm - 16A 250V  
 bulb  $\varnothing$  6x175 mm  
 for Bain-marie electric (ZANUSSI) - Series HD900  
 Series N700 - Series N900 - Series PR700  
 Series R701  
 for Hot cupboard electric (ZANUSSI)



ZANUSSI 051142

**3444019 SINGLE-PHASE THERMOSTAT 30-90°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1000 mm - 16A 250V  
 bulb  $\varnothing$  6x130 mm  
 for Bain-marie (ZANUSSI)



ZANUSSI 003262

ZANUSSI 051920

**3444560 SINGLE-PHASE THERMOSTAT 30-90°C**  
 D-shaped pin 6x4.6 mm  
 capillary covered length 1450 mm - 23A 400V  
 bulb  $\varnothing$  6x90 mm  
 for Food-service trolley (ZANUSSI)



ZANUSSI 033716

**3444266 SINGLE-PHASE THERMOSTAT 338°C**  
 with manual reset  
 covered capillary length 830 mm - 16A 250V  
 button bulb  $\varnothing$  14x10 mm  
 for Rotisserie (CB)



ZANUSSI 002730

**3444312 SINGLE-PHASE THERMOSTAT 360°C**  
 with manual reset  
 covered capillary 1500 mm - 3 contacts 16A 250V  
 bulb  $\varnothing$  4x110 mm  
 for Fry top gas (ANGELO PO) - Series ALPHA  
 Series BIFRONTI - Series DELTA - Series GAMMA  
 Series JUNIOR - Series OMEGA - Series SENIOR  
 Series SUMMIT  
 for Oven under cooktop (SILKO)



ZANUSSI 003594

ZANUSSI 053980

ZANUSSI 057442

**3444391 SINGLE-PHASE THERMOSTAT 45-170°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 870 mm  
 bulb  $\varnothing$  3x220 mm  
 for Hot cupboard (ZANUSSI)  
 for Warm table (ZANUSSI)



ZANUSSI 031480

**3444477 SINGLE-PHASE THERMOSTAT 50-260°C**  
 with auxiliary switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1270 mm - 16A 250V  
 bulb  $\varnothing$  4x120 mm  
 for Bratt pan (ZANUSSI) - Series HD900  
 Series N700 - Series N900 - Series PR700



ZANUSSI 002109



Suitable for:

**3444043 SINGLE-PHASE THERMOSTAT 50-270°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1300 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm



ZANUSSI 029918

ZANUSSI 057937

Suitable for:

**3444176 SINGLE-PHASE THERMOSTAT 50-270°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1300 mm - 16A 250V  
 bulb  $\varnothing$  4x120 mm  
 for Bratt pan (ZANUSSI) - Series H900



ZANUSSI 051360

**3444174 SINGLE-PHASE THERMOSTAT 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm



ZANUSSI 005421

**3444754 SINGLE-PHASE THERMOSTAT 50-98°C**  
 D-shaped pin 6x4.6 mm  
 covered capillary length 2400 mm - 16A 230V  
 bulb  $\varnothing$  3x335 mm - with stuffing gland M9x1



ZANUSSI 0H6440

**3444438 SINGLE-PHASE THERMOSTAT 90-180°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1300 mm - 0.5A 12V  
 bulb  $\varnothing$  4x230 mm  
 for Bratt pan (ZANUSSI) - Series HD900  
 for Fryer (ZANUSSI) - Series PR700



ZANUSSI 0G2351

ZANUSSI 002602

**3444031 SINGLE-PHASE THERMOSTAT 90-185°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 2500 mm - 16A 250V  
 bulb  $\varnothing$  4x230 mm  
 for Fryer (ZANUSSI) - Series HD900 - Series N700  
 Series N900 - Series PR700



ZANUSSI 003049

ZANUSSI 052300

ZANUSSI 052330

**3444032 SINGLE-PHASE THERMOSTAT 90-185°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1300 mm - 16A 250V  
 bulb  $\varnothing$  4x230 mm  
 for Bratt pan (ZANUSSI) - Series H900  
 for Fryer (ZANUSSI) - Series R700



ZANUSSI 050412

**3444376 SINGLE-PHASE THERMOSTAT 95-190°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1010 mm - 16A 250V  
 bulb  $\varnothing$  6x100 mm - with adapter nipple band M10x1  
 for Fryer (EMMEPI) - Series 650 - Series 700  
 Series 750 - Series 900  
 for Fryer electric (GIORIK) - Series FT - FTR3  
 FTR5 - FTR6  
 for Fryer electric (MBM) EF45 - EF90  
 for Fryer electric (ZANUSSI) QFE300 - QFE600



ZANUSSI 058163





Suitable for:

**3444007 THERMOSTAT TR2 0-300°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1500 mm - 15A 250V  
bulb  $\varnothing$  3.5x190 mm



ZANUSSI 054323

Suitable for:

**3444078 THREE-PHASE THERMOSTAT 100-175°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2000 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm  
for Fryer (ALPENINOX) - Series 700 - Series 900



ZANUSSI 0A2003

**3444040 THREE-PHASE THERMOSTAT 100-300°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1150 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm  
for Bratt pan electric (GIGA) SKBR40E  
for Fry top (ZANUSSI) - Series H900



ZANUSSI 052916

**3744062 THREE-PHASE THERMOSTAT 100-350°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1470 mm - 16A 400V  
bulb  $\varnothing$  6x75 mm  
for Bain-marie (MORICE)  
for Boiling pan (MORICE)  
for Fry top (MORICE)  
for Grill (BONNET) - Series 400 - Series 600  
for Oven under cooktop (MORICE)



ZANUSSI 0M0725

**3444028 THREE-PHASE THERMOSTAT 105-185°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2800 mm - 10A 400V  
bulb  $\varnothing$  4x235 mm  
for Bratt pan (ZANUSSI) - Series R700  
Series R701  
for Fryer (ZANUSSI) - Series R700 - Series R701  
for Fryer electric (FRI FRI) D6



ZANUSSI 004925

ZANUSSI 051361

ZANUSSI 054931

**3444443 THREE-PHASE THERMOSTAT 115-300°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1150 mm - 10A 400V  
bulb  $\varnothing$  3x144 mm  
for Fry top (ZANUSSI) - Series N700 - Series PR700



ZANUSSI 004363

**3444221 THREE-PHASE THERMOSTAT 140°C**  
with manual reset  
covered capillary length 1000 mm - 10A 400V  
bulb  $\varnothing$  6x175 mm  
for Fryer (MBM) - Series CLASSICA



ZANUSSI 051644

**3444567 THREE-PHASE THERMOSTAT 145°C**  
with manual reset  
capillary length 1750 mm - 16A 230V  
bulb  $\varnothing$  3.1x180 mm - with adapter nipple band M9x1



ZANUSSI 0H6219



Suitable for:

# ZANUSSI



**3444024 THREE-PHASE THERMOSTAT 160°C**  
 with manual reset  
 capillary length 900 mm - 10A 400V  
 bulb ø 6x175 mm  
 for Boiling pan (ZANUSSI) - Series H900  
 for Pasta cooker (ZANUSSI) - Series H900



ZANUSSI 051637

**3444442 THREE-PHASE THERMOSTAT 170°C**  
 with manual reset  
 covered capillary 880 mm  
 bulb ø 6x88 mm  
 for Boiling pan (ZANUSSI) - Series HD900  
 Series N900



ZANUSSI 005295

**3444556 THREE-PHASE THERMOSTAT 170°C**  
 with manual reset  
 covered capillary length 900 mm - 20A 400V  
 bulb ø 6x87 mm  
 for Pasta cooker (ZANUSSI) - Series N700  
 Series PR700



ZANUSSI 004742

**3444079 THREE-PHASE THERMOSTAT 220°C**  
 with manual reset  
 covered capillary length 1790 mm - 10A 400V  
 bulb ø 6x130 mm  
 for Fryer (ZANUSSI)



ZANUSSI 0A2204

**3444323 THREE-PHASE THERMOSTAT 225°C**  
 with manual reset  
 covered capillary length 950 mm - 20A 380V  
 bulb ø 6x155 mm  
 for Pasta cooker (ZANUSSI) - Series HD900



ZANUSSI 059552

**3444035 THREE-PHASE THERMOSTAT 240°C**  
 with manual reset  
 covered capillary length 2600 mm - 10A 400V  
 bulb ø 6x240 mm  
 for Fryer (ZANUSSI) - Series R700 - Series R701



ZANUSSI 051369

**3444143 THREE-PHASE THERMOSTAT 240°C**  
 with manual reset  
 capillary length 1600 mm - 10A 400V  
 bulb ø 6x85 mm  
 for Fryer (ANGELO PO) - Series JUNIOR  
 Series SENIOR - Series SUMMIT



ZANUSSI 0A5435

**3444036 THREE-PHASE THERMOSTAT 245°C**  
 with manual reset  
 capillary length 1200 mm - 10A 400V  
 bulb ø 6x160 mm  
 for Bratt pan (ZANUSSI) - Series H900  
 for Fryer (ZANUSSI) AFR/G410 - Series HD700  
 Series H900 - Series R701



ZANUSSI 052331



Suitable for:

**3444368 THREE-PHASE THERMOSTAT 245°C**  
 with manual reset  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x80 mm  
 for Fryer (LOTUS) - Series 600 - Series 650  
 Series 700 - Series 900



ZANUSSI 004951

Suitable for:

**3444436 THREE-PHASE THERMOSTAT 245°C**  
 with manual reset  
 covered capillary length 2700 mm - 20A 400V  
 bulb  $\varnothing$  6x90 mm  
 for Fryer (WHIRLPOOL)  
 for Fryer (ZANUSSI) - Series HD900 - Series N700  
 Series N900 - Series PR700  
 for Hot plate (WHIRLPOOL)



ZANUSSI 004472

**3444439 THREE-PHASE THERMOSTAT 245°C**  
 with manual reset  
 covered capillary length 900 mm  
 bulb  $\varnothing$  6x80 mm  
 for Bain-marie (ZANUSSI) - Series N900  
 for Fryer (WHIRLPOOL) - Series 900  
 for Fryer (ZANUSSI) - Series HD900 - Series N900



ZANUSSI 006282

**3444437 THREE-PHASE THERMOSTAT 250°C**  
 with manual reset  
 covered capillary length 2500 mm - 20A 380V  
 bulb  $\varnothing$  6x240 mm  
 for Bratt pan (WHIRLPOOL) - Series 700  
 for Bratt pan (ZANUSSI) - Series H700  
 for Fryer (WHIRLPOOL) - Series 700  
 for Fryer (ZANUSSI) - Series H700




ZANUSSI 054932

**3444444 THREE-PHASE THERMOSTAT 250°C**  
 with manual reset  
 covered capillary length 900 mm - 20A 400V  
 bulb  $\varnothing$  6x90 mm  
 for Fryer (ZANUSSI) - Series N700 - Series N900



ZANUSSI 005941

**3444557 THREE-PHASE THERMOSTAT 270°C**  
 with manual reset  
 covered capillary length 870 mm - 20A 400V  
 bulb  $\varnothing$  6x78 mm  
 for Fry top (ZANUSSI) - Series N700 - Series PR700



ZANUSSI 006307

**3444575 THREE-PHASE THERMOSTAT 285°C**  
 with manual reset  
 covered capillary 940 mm - 20A 380V  
 bulb  $\varnothing$  6x157 mm  
 for Boiling pan (WHIRLPOOL) - Series H900  
 for Boiling pan (ZANUSSI) - Series HD900  
 Series H900



ZANUSSI 053183

**3444351 THREE-PHASE THERMOSTAT 295°C**  
 with manual reset  
 covered capillary 1800 mm - 10A 400V  
 bulb  $\varnothing$  4x125 mm - 10A 400V  
 for TECNOINOX OVEN  
 for EMMEPI OVEN 900-750-700-650 - FRYTOP 900-750



ZANUSSI 004921



Suitable for:

## 3444076 THREE-PHASE THERMOSTAT 30-110°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1200 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm



ZANUSSI 0A2237  
ZANUSSI 025468

ZANUSSI 0H6220  
ZANUSSI 032858

ZANUSSI 0H6228

Suitable for:

## 3444088 THREE-PHASE THERMOSTAT 30-110°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm  
with adapter nipple band M9x1  
for Bain-marie (ZANUSSI)



ZANUSSI 004911

## 3444067 THREE-PHASE THERMOSTAT 30-90°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1000 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm  
for Hot cupboard (ANGELO PO)  
for Hot cupboard (MARENO)  
for Hot cupboard (ZANUSSI)



ZANUSSI 052000

ZANUSSI 057237

## 3444703 THREE-PHASE THERMOSTAT 315°C

with manual reset  
covered capillary length 1500 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm - with adapter nipple band M9x1



ZANUSSI 0H6215

## 3444025 THREE-PHASE THERMOSTAT 350°C

with manual reset  
capillary length 1200 mm - 10A 400V  
bulb  $\varnothing$  6x160 mm  
for Boiling pan (ZANUSSI) - Series HD900  
Series H900  
for Bratt pan (ZANUSSI) - Series HD900 - H900  
for Fry top (ZANUSSI) - Series HD700



ZANUSSI 051454

ZANUSSI 051643

## 3444354 THREE-PHASE THERMOSTAT 350°C

with manual reset  
capillary length 1120 mm - 10A 400V  
bulb  $\varnothing$  3x190 mm  
for Fry top electric (TECNOINOX) FTC35E - FTC70E  
FTL35E - FTL70E - FTR35E - FTR70E



ZANUSSI 0H6134

ZANUSSI 004919



Suitable for:

**3444445 THREE-PHASE THERMOSTAT 350°C**  
covered capillary length 900 mm - 16A 380V  
bulb  $\varnothing$  3x190 mm  
for Bratt pan (ZANUSSI) - Series N900  
for Oven under cooktop (ZANUSSI) - Series N900



ZANUSSI 0C0270

Suitable for:

**3444306 THREE-PHASE THERMOSTAT 360°C**  
with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  4x120 mm  
for Bratt pan (BARON) - Series 700 - Series 900  
for Bratt pan (ZANUSSI) - Series N700  
Series PR700  
for Fry top (BARON) - Series 600 - Series 700  
Series 900  
for Fry top (ZANUSSI) - Series HD900 - Series N900  
for Kitchen (BARON) - Series 700 - Series 900  
for Pot stove (ZANUSSI) - Series PR700



ZANUSSI 004269

**3444574 THREE-PHASE THERMOSTAT 360°C**  
with manual reset  
covered capillary length 1200 mm - 20A 400V  
bulb  $\varnothing$  6x79 mm  
for Boiling pan (ZANUSSI) - Series HD900  
for Fry top (ZANUSSI) - Series N700 - Series PR700  
for Kitchen (ZANUSSI) - Series N700



ZANUSSI 004600

**3444251 THREE-PHASE THERMOSTAT 50-300°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1100 mm - 10A 400V  
bulb  $\varnothing$  3x220 mm  
for Fry top (TECNOINOX) - Series 700  
for Fry top (ZANUSSI) - Series HD900 - Series N900  
for Oven under cooktop (MBM) - Series DOMINA  
Series MAGIS MAGISTRA  
for Oven under cooktop (TECNOINOX) - Series 700  
for Oven under cooktop (ZANUSSI) - Series HD900  
Series N700 - Series N900



ZANUSSI 004917

ZANUSSI 059235

**3444435 THREE-PHASE THERMOSTAT 50-300°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1150 mm - 16A 380V  
bulb  $\varnothing$  2.5x330 mm  
for Fry top (ZANUSSI) - Series H900



ZANUSSI 055996

**3444561 THREE-PHASE THERMOSTAT 50-300°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1740 mm - 16A 230V  
bulb  $\varnothing$  6x80 mm



ZANUSSI 0H6217



Suitable for:

## 3444052 THREE-PHASE THERMOSTAT 50-320°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  3x230 mm  
for Grill electric (ZANUSSI) MG/E1 - MG/E2 - RG/E1  
RG/E2



ZANUSSI 0A2206

ZANUSSI 0A2236

Suitable for:

## 3444033 THREE-PHASE THERMOSTAT 60-165°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  8x115 mm  
with adapter nipple bland M14x1  
for Fryer (ZANUSSI)



ZANUSSI 026860

## 3444559 THREE-PHASE THERMOSTAT 60-185°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1200 mm - 16A 250V  
bulb  $\varnothing$  4x229 mm  
for Fryer (ZANUSSI) - Series N700



ZANUSSI 005940

## 3444044 THREE-PHASE THERMOSTAT 60-260°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm - 10A 400V  
bulb  $\varnothing$  4x130 mm  
for Bratt pan (ZANUSSI)



ZANUSSI 051362

## 3444038 THREE-PHASE THERMOSTAT 60-320°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm - 10A 400V  
bulb  $\varnothing$  4x130 mm  
for Oven under cooktop (ZANUSSI) - Series H900  
for Pot stove (ZANUSSI) - Series H900  
Series R701



ZANUSSI 052099

## 3444166 THREE-PHASE THERMOSTAT 95-180°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1800 mm - 10A 400V  
bulb  $\varnothing$  6x135 mm - with adapter nipple bland M9x1  
with complete tank joint M12x1  
for Fryer (ZANUSSI)



ZANUSSI 0H6233

## 3444570 THREE-PHASE THERMOSTAT 95-230°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1250 mm  
bulb  $\varnothing$  4x128 mm  
for frytop N700  
for Fry top (ZANUSSI) - Series N700  
for Grill (ZANUSSI) - Series N900



ZANUSSI 0C7528

ZANUSSI 002402



Suitable for:

# ZANUSSI



Suitable for:

## Timers

**3446065 TIMER R12B52209VA 220Vac**  
programmable time scale from 0-12s to 0-120h  
for Fryer (ZANUSSI) - Series H900  
for Pasta cooker (ZANUSSI) - Series N700



ZANUSSI 054504

**3446001 TIMER 120 MINUTES**  
complete with silk-screen printed plate  
mechanical timer with sound alarm  
mechanical movement with balance wheel  
manual left hand positioning possible  
120 minutes manually set cycle  
bipolar with contact capacity 16(3)A 250V  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm



ZANUSSI 003432  
ZANUSSI 057936

ZANUSSI 029920

ZANUSSI 053817

**3446004 TIMER 120 MINUTES**  
complete with silk-screen printed plate  
mechanical timer with sound alarm  
mechanical movement with balance wheel  
manual left hand positioning possible  
120 minutes manually set cycle  
bipolar with contact capacity 16(3)A 250V  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm



ZANUSSI 003431

**3446104 TIMER 60 MINUTES M2**  
manually set mechanical timer  
manually set cycle 60 minutes  
2 poles with contact capacity 16(4)A 250V  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm



ZANUSSI 0H6684

## Tool holder shafts

**9742006 TOOL SHAFT FEATHER**  
dimensions 6x6x25 mm



ZANUSSI 0E5048

ZANUSSI 0K8973

## Tools

**3394038 GROOVED FRYTOP SCRAPER**



ZANUSSI 056940



Suitable for:

# ZANUSSI



Suitable for:

## Tools

**3394406 SCRAPER**  
with 1 blade 102 mm



ZANUSSI 055995

**3394408 SCRAPER BLADE - 10 PCS**



ZANUSSI 0C2519

ZANUSSI 056347

**3394408 SCRAPER BLADE - 10 PCS**



ZANUSSI 0C2519

ZANUSSI 056347

## Transformers

**3445110 TRANSFORMER 230V/12V 3VA**  
primary tension 230Vca 50/60Hz  
secondary tension 12Vca 3VA  
room temperature 0+60°C  
screw terminal block  
IMQ approved



ZANUSSI 0A2269

ZANUSSI 004120

ZANUSSI 082378

ZANUSSI 083833

## Wheels and accessories

**3522015 ARTICULATION FOR SCREW**



ZANUSSI 051294

**3522024 CROSS-HEAD NUT FOR TAP WORM**



ZANUSSI 0A5155

**3522030 EXTENSION FOR TAP WORM**



ZANUSSI 002355

**3522029 HAND WHEEL CRANK**  
hole for shaft  $\varnothing$  16 mm  
for Bratt pan (ZANUSSI) - Series HD900  
Series N700 - Series N900 - Series PR700



ZANUSSI 002276





Suitable for:

Suitable for:

**3522004** **HAND WHEEL HANDLE IR407/90**  
for Bratt pan



ZANUSSI 052393

**3522003** **HANDWHEEL ø 175 mm**  
central hole ø 20 mm  
for Bratt pan (ZANUSSI) - Series H900



ZANUSSI 052392

**3522019** **RING FOR SCREW**



ZANUSSI 051277

**3522010** **SCREW BEARING 6004 LD1**  
extern. ø 42 mm - intern. ø 20 mm - thic kn. 12 mm  
for Bratt pan (ZANUSSI) - Series H900



ZANUSSI 051298

**3522009** **SCREW FOR TILTING**  
total length 885 mm  
for Bratt pan (ZANUSSI) - Series HD900



ZANUSSI 002136

**3522004** **HAND WHEEL HANDLE IR407/90**  
for Bratt pan



ZANUSSI 052393

**3522020** **RING NUT FOR SCREW**



ZANUSSI 051276

**3522028** **SCREW FOR TAP WORM**



ZANUSSI 0A5163

**3522035** **SCREW FOR TILTING**  
length 615 mm  
for Bratt pan (ZANUSSI) - Series HD900



ZANUSSI 002314

ZANUSSI 002731



Suitable for:

**3522049 SCREW NUT FOR VITON**



ZANUSSI 0C0675

Suitable for:

**3522014 SCREW SUPPORT**



ZANUSSI 051265

**3522021 SCROLL FOR SCREW**



ZANUSSI 051264

**3002009 SEEGER RING  $\varnothing$  38 mm**  
internal  $\varnothing$  32.5 mm - thickn. 1.5 mm  
for Bratt pan (ZANUSSI) - Series HD900  
Series N700 - Series N900



ZANUSSI 0A2592

**3522018 SPINDLE FOR TILTING SCREW**



ZANUSSI 051365

**3522006 WHEEL  $\varnothing$  158 mm**  
central hole  $\varnothing$  16 mm  
complete with folding handle  
for Bratt pan (ZANUSSI) - Series HD900  
Series N700 - Series N900 - Series PR700



ZANUSSI 0A5164

**3522015 ARTICULATION FOR SCREW**



ZANUSSI 051294

**1063911 BEARING 6202 2Z**  
external  $\varnothing$  35 mm-internal  $\varnothing$  15 mm-thickness 11 mm



ZANUSSI 056820

**1063901 BEARING 6204 2RS NSK**  
external  $\varnothing$  47 mm -internal  $\varnothing$  20 mm-thickness 14 mm



ZANUSSI 0KQ395

ZANUSSI 045726

ZANUSSI 065048



Suitable for:

**3522024 CROSS-HEAD NUT FOR TAP WORM**



ZANUSSI 0A5155

**3522019 RING FOR SCREW**



ZANUSSI 051277

**3522010 SCREW BEARING 6004 LD1**  
extern.  $\varnothing$  42 mm - intern.  $\varnothing$  20 mm - thickn. 12 mm  
for Bratt pan (ZANUSSI) - Series H900



ZANUSSI 051298

**3522009 SCREW FOR TILTING**  
total length 885 mm  
for Bratt pan (ZANUSSI) - Series HD900



ZANUSSI 002136

**3522049 SCREW NUT FOR VITON**



ZANUSSI 0C0675

# ZANUSSI



Suitable for:

**3522030 EXTENSION FOR TAP WORM**



ZANUSSI 002355

**3522020 RING NUT FOR SCREW**



ZANUSSI 051276

**3522028 SCREW FOR TAP WORM**



ZANUSSI 0A5163

**3522035 SCREW FOR TILTING**  
length 615 mm  
for Bratt pan (ZANUSSI) - Series HD900



ZANUSSI 002314

**3522014 SCREW SUPPORT**



ZANUSSI 051265

ZANUSSI 002731



Suitable for:

**3522021 SCROLL FOR SCREW**



ZANUSSI 051264

**3522018 SPINDLE FOR TILTING SCREW**



ZANUSSI 051365

**3522041 WHEEL ø 160 mm**  
central hole ø 14 mm  
with handle



ZANUSSI

# ZANUSSI



Suitable for:

**3002009 SEEGER RING ø 38 mm**  
internal ø 32.5 mm - thickn. 1.5 mm  
for Bratt pan (ZANUSSI) - Series HD900  
Series N700 - Series N900



ZANUSSI 0A2592

**3522023 THRUST BEARING 51102**  
external ø 28 mm - internal ø 15 mm - thickn.9 mm



ZANUSSI 056821

**3522011 WHEEL ø 200 mm**  
central hole ø 20 mm  
with folding handle  
for Bratt pan (FAGOR) - Series 700 - Series 900



ZANUSSI 0H6471

## Wire pan supports

**3354001 GRID REDUCER FOR MOKA 265x265 mm**  
in stainless steel



ZANUSSI 025056

**3354002 MOKA ADAPTER 100x340 mm**  
made of chrome-plated iron  
for old series  
for Pot stove (ALPENINOX) - Series 900



ZANUSSI 0A2000