




Spare parts for:

Cooking equipment



Suitable for:

BERTO'S



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

BERTO'S



Suitable for:

Alarms

3397302 ALARM BELL 220V



BERTO'S 25079300

Burners, flame spreaders and accessories

3025406 BURNER ø 120 mm
for Pot stove gas (BERTO'S) - Series 600
Series 700 - Series 900



BERTO'S 31280500

3025405 BURNER ø 130 mm
for Pot stove gas (BERTO'S) - Series 900




BERTO'S 35280500

3025168 BURNER ø 75 mm 3.5 KW
for Kitchen gas (ROSINOX) SI766E
for Pot stove gas (SILKO) - Series 700
Series 900



BERTO'S 22280300

3025399 BURNER ø 90 mm
for Pot stove gas (BERTO'S) - Series 600
Series 700 - Series 900



BERTO'S 31280200

3025171 BURNER ø 95 mm 5.5Kw
for Kitchen gas (ROSINOX) SI766E
for Pot stove gas (SILKO) - Series 700
Series 900



BERTO'S 22280400

3025364 BURNER BOWL ø 78 mm
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (BERTO'S) - Series 600
Series 700 - Series 900
for Pot stove gas (TECNOINOX) PC70G



BERTO'S 31280100



Suitable for:

3025179 BURNER RING ø 90 mm
for Pot stove gas (LOTUS) - Series 650



BERTO'S 22285300

Suitable for:

3025363 FLAME SPREADER ø 120 mm
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (BERTO'S) - Series 600
Series 700 - Series 900
for Pot stove gas (TECNOINOX) PC70G



BERTO'S 31280700

BERTO'S 31281300

3025575 FLAME SPREADER ø 120 mm
for Pot stove gas (BERTO'S) - Series 600
Series 700 - Series 900



BERTO'S 31280600

3025397 FLAME SPREADER ø 130 mm UNPOLISHED
for Pot stove gas (BERTO'S) - Series 900
for Pot stove gas (EMMEPI) - Series 650



BERTO'S 35281400

3025398 FLAME SPREADER ø 60 mm UNPOLISHED
for Pot stove gas (BERTO'S) - Series 900
for Pot stove gas (EMMEPI) - Series 650



BERTO'S 35281300

3025169 FLAME SPREADER ø 75 mm 4.3Kw
for Kitchen gas (ROSINOX) SI766E
for Pot stove gas (SILKO) - Series 700
Series 900



BERTO'S 22293700

3025168 BURNER ø 75 mm 3.5 KW
for Kitchen gas (ROSINOX) SI766E
for Pot stove gas (SILKO) - Series 700
Series 900



BERTO'S 22280300

3020093 BURNER INJECTOR ASSEMBLY
with LPG and natural gas nozzles M9x1
pipe ø 12 mm



BERTO'S 22913400

3025170 VENTURI F/FLAME SPREADER 75 mm 3.5Kw
for Kitchen gas (ROSINOX) SI766E
for Pot stove gas (SILKO) - Series 700
Series 900



BERTO'S 22993300



Suitable for:

BERTO'S



3025176 FLAME SPREADER \varnothing 80 mm
for Kitchen gas (WHIRLPOOL) AGB579 - AGB580
AGB581 - AGB583 - AGB584
for Pot stove gas (GIGA) - Series 650



BERTO'S 22294100

3025361 FLAME SPREADER \varnothing 90 mm
for Pot stove electric (TECNOINOX) PC35G
for Pot stove gas (BERTO'S) - Series 600
Series 700 - Series 900
for Pot stove gas (TECNOINOX) PC70G



BERTO'S 31280400

BERTO'S 31281000

3025574 FLAME SPREADER \varnothing 90 mm
for Pot stove gas (BERTO'S) - Series 600
Series 700 - Series 900



BERTO'S 31280300

3025172 FLAME SPREADER 6.4Kw \varnothing 95 mm
for Kitchen gas (ROSINOX) SI766E
for Pot stove gas (SILKO) - Series 700
Series 900



BERTO'S 22293900

3025171 BURNER \varnothing 95 mm 5.5Kw
for Kitchen gas (ROSINOX) SI766E
for Pot stove gas (SILKO) - Series 700
Series 900



BERTO'S 22280400

3020093 BURNER INJECTOR ASSEMBLY
with LPG and natural gas nozzles M9x1
pipe \varnothing 12 mm



BERTO'S 22913400

3025173 VENTURI F/FLAME SPREADER 95 mm 5.5Kw
for Kitchen gas (ROSINOX) SI766E
for Pot stove gas (SILKO) - Series 700
Series 900



BERTO'S 22993400

3025199 JET HOLDER ASSEMBLY
pipe fitting \varnothing 10 mm
jet hole \varnothing M10x1



BERTO'S 32327600

3025400 VENTURI F/FLAME SPREADER 130 mm
for Pot stove gas (BERTO'S) - Series 900



BERTO'S 35280100



Suitable for:

3025170 VENTURI F/FLAME SPREADER 75 mm 3.5Kw
for Kitchen gas (ROSINOX) SI766E
for Pot stove gas (SILKO) - Series 700
Series 900



BERTO'S 22993300

Suitable for:

3025173 VENTURI F/FLAME SPREADER 95 mm 5.5Kw
for Kitchen gas (ROSINOX) SI766E
for Pot stove gas (SILKO) - Series 700
Series 900



BERTO'S 22993400


Contactors

3446561 CONTACTOR LOVATO BF0910A
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally open auxiliary contact



BERTO'S 23105800

3446582 CONTACTOR LOVATO BF1810A
coil 18A 230V 50/60Hz 7.5Kw
3 normally open contacts
1 normally open auxiliary contact



BERTO'S 23107100

Cooking baskets and accessories

3055355 PASTA COOKER BASKET 290x105x200 mm
made of stainless steel
for Pasta cooker (BERTO'S) - Series 900



BERTO'S 31613800

BERTO'S 31614800

Drain taps and accessories

3356007 DRAIN TAP ø 1"1/2F TECNO
TAPERED SEAL - swivel nut ø 1"1/2F
with gasket
for BOILING PAN



BERTO'S 31274400

3526632 GAS/WATER BALLCOCK VALVE ø 3/4"FF
heavy series with PN 40 total passage
DIN - DVGW approved
aluminium throttle



BERTO'S 32686300

BERTO'S 32831900



Suitable for:

BERTO'S



Suitable for:

Electric hot plates

3311096 ELECTRIC HOT PLATE ø 180 mm 2000W 230V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



BERTO'S 36037500

3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Hot plate electric (BONNET) B-B7.PE800
for Kitchen electric (FAGOR) CE-741 - CE7-40
for Pot stove electric (FAGOR) CE-720



BERTO'S 22037800

3311089 ELECTRIC HOT PLATE ø 300 mm 3500W 230V

terminal block electric connections
with STAINLESS steel edge
for Pot stove (MBM) - Series DOMINA900



BERTO'S 35037800

3311053 ELECTRIC HOT PLATE 2600W 230V

dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



BERTO'S 22037400

BERTO'S 22044900

3311054 ELECTRIC HOT PLATE 2600W 400V

dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



BERTO'S

3311064 ELECTRIC HOT PLATE 4000W 230V

dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Kitchen electric (FAGOR) CE-941
for Oven under cooktop electric (FAGOR) CE-920
CE-940



BERTO'S 35037400



Suitable for:

BERTO'S

Suitable for:



Electrical gas valves and accessories

3526090 ELETROSIT VALVE \varnothing 3/4"FF
inlet \varnothing 3/4"F - outlet \varnothing 3/4"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple
for Bratt pan gas (BONNET)
for Bratt pan gas (OLIS) KBG970 - 725KBG - 94KBCM
94KBG
for Fryer gas (BONNET)



BERTO'S 23270900

3526079 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz
for Fryer gas (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA
Series OMEGA
for Fryer gas (CAPIC)



BERTO'S 32271300

3526140 VALVE 836 TANDEM \varnothing 1/2"FF
inlet \varnothing 1/2"F - outlet \varnothing 1/2"F
maximum gas inlet pressure 60 mbar
max.gas outlet pressure adjustment range 7÷50 mbar
outlet gas pressure setting range min.2÷45 mbar
room temperature 0÷60°C
power supply 230V 30A rectified
for Bratt pan gas (ZANUSSI) BR70G - BR70GZ
for Pasta cooker gas (ZANUSSI) - Series CPD



BERTO'S 25271500



Suitable for:

BERTO'S



Suitable for:

Energy regulators

3350024 ENERGY ADJUSTER

contact capacity 240V 12A
 max temperature 125°C
 D-shaped pin ø 6x4.6 mm
 double rotation direction
 for Bain-marie electric (BERTO'S) E6BM3B - E6BM3M
 E6BM6B - E6BM6M - SE9BM4M - SE9BM8M
 for Grill electric (BERTO'S) E6PL60B - E6PL60M
 E9PL40M - E9PL80M - PLE40BE - PLE40ME
 PLE80BE - PLE80ME - SE9PL40M - SE9PL80M
 for Salamander electric (BERTO'S) SA/E48 - SA/E60
 SA/E60-E - SA/E68M - SA/E68M-E



BERTO'S 27114900

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
 D-shaped pin ø 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
 for Boiling pan (MORICE)
 for Boiling pan (THIRODE)
 for Bratt pan (MORICE)
 for Bratt pan (THIRODE)
 for Fry top (LOTUS) - Series 60 - Series 65
 Series 70
 for Grill (THIRODE)
 for Hot plate (EMMEPI) - Series 650 - Series 700
 for Hot plate (GICO) - Series 110 - Series 700
 Series 920
 for Pasta cooker electric (BONNET)



BERTO'S 24114800

3350035 ENERGY ADJUSTER

contact capacity 230V 13A
 max temperature 125°C
 D-shaped pin ø 6x4.6 mm



BERTO'S 31150200

Fryer baskets and accessories

3055257 FRYER BASKET 200x295x105 mm

in chromium plated iron
 for Fryer electric (GIGA) CF4E - CF6E - IF1E4
 IF2E6 - IF4E - IF6E - KFE1 - KFE2 - SKF1E
 SKF2E - SKF4E - SKF6E - SK10DSE - SK10SE



BERTO'S 22617400

3055266 FRYER BASKET 255x135x100 mm

in chromium plated iron
 for Fryer electric (BERTO'S) ELT4B



BERTO'S 33613800



Suitable for:

Suitable for:

3055258 FRYER BASKET 280x100x100 mm
 in chromium plated iron
 for Fryer electric (GIGA) CF4E - CF6E - IF1E4
 IF2E6 - IF4E - IF6E - KFE1 - KFE2 - SKF1E
 SKF2E - SKF4E - SKF6E - SK10DSE - SK10SE



BERTO'S 22502200

Gas burners

3023177 BURNER 445x200 mm
 made of stainless steel
 for Lava rock grill gas (BERTO'S) PLG40 - PLG40BE
 PLG40M - PLG40ME - PLG80B - PLG80BE - PLG80M
 PLG80ME



BERTO'S 31278400

3023239 BURNER 635x200 mm
 made of stainless steel
 for Lava rock grill gas (BERTO'S) G9PL40B
 G9PL40M - G9PL80B - G9PL80M - SG9PL40M
 SG9PL80M



BERTO'S 35278400

Gas taps and accessories

3348089 BRACKET FOR TAP



BERTO'S 22966200

3348097 GAS COCK SABAF
 without pilot outlet
 flange outlet
 pipe fitting M13
 eye thermocouple fitting
 D-shaped pin \varnothing 8x6.5 mm
 for Pot stove (BERTO'S) - Series 600 - Series 700



BERTO'S 31274500

BERTO'S 31275000

3348014 GAS COCK 20/S
 without pilot flame
 fittings \varnothing M16x1.5mm
 thermocouple fitting M8x1
 D-shaped pin \varnothing 8x6.5mm



BERTO'S 22272900

3348016 GAS COCK 21/SV
 with pilot flame
 fittings \varnothing M16x1.5mm
 thermocouple connection M9x1 mm
 D-shaped pin \varnothing 8x6.5 mm



BERTO'S 22272500

BERTO'S 22783600

BERTO'S 22273500

BERTO'S 31273700

BERTO'S 22783500



Suitable for:

BERTO'S



Suitable for:

3348042 PIPE OLIVE \varnothing 20 mm
for model PEL 23



BERTO'S

Gas valves and accessories

3526130 EUROSIT VALVE FOR OVEN 100 \div 340°C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3 \div 18 mbar
ambient temperature 0 \div 120°C
capillary length 1050 mm
bulb \varnothing 4x72 mm
for Oven under cooktop gas (ANGELO PO)
Series ALPHA - Series BIFRONTI - Series DELTA
Series GAMMA - Series OMEGA



BERTO'S 35271600

3523949 MINISIT VALVE FOR FRYER 110 \div 190°C
inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0 \div 60°C
capillary length 1050 mm
bulb \varnothing 6x105 mm
supplied without lid knob and flanges
for Fryer gas (ZANUSSI) - Series R701



BERTO'S 32271600

3523036 STRAIGHT REDUCTION \varnothing 1/2" x 3/8"
in brass with internal and external thread
for MINISIT flange



BERTO'S 32924100


Gaskets for oven door

3186102 OVEN DOOR GASKET
made of silicone elastomer
profile dimensions 15.8x11.5 mm
COLOUR BLACK
SOLD PER METRE
for Oven under cooktop (BERTO'S) - Series 600
Series 700 - Series 900



BERTO'S 31859000

3186403 OVEN DOOR GASKET 1400 mm
made of silicone elastomer
profile dimensions 21x12 mm
COLOUR BLACK
for Oven under cooktop (GIGA) - Series 600
for Oven under cooktop (MBM) - Series MINIMA



BERTO'S 22594400



Suitable for:


5024140 OVEN DOOR GASKET 530x270 mm
 made of silicone elastomer
 with fastening clips - 3 sides
 profile dimensions 10x9 mm
 COLOUR BLACK
 for BUILT-IN OVEN series 600
 for Oven under cooktop (BERTO'S) - Series 600



BERTO'S 22594300

Suitable for:

3186298 OVEN DOOR GASKET 580x290 mm
 made of silicone elastomer
 with fastening clips - 3 sides
 profile dimensions 10x9 mm
 COLOUR BLACK
 for Oven under cooktop (BERTO'S) - Series 700
 Series 900



BERTO'S 22594200

Grids for kitchen

3185116 GRID 575x360 mm
 for Pot stove (BERTO'S) - Series 600



BERTO'S 31856600

BERTO'S 31856700

BERTO'S 31858100

3185115 PAN SUPPORT GRID 380x380 mm
 for Pot stove (BERTO'S) - Series 900



BERTO'S 35856600

BERTO'S 35856700

BERTO'S 35858700

3185071 PAN SUPPORT GRID 580x370 mm
 for Pot stove (BERTO'S) - Series 700



BERTO'S 31856200

BERTO'S 31856500

3185026 SHELF 580x370 mm
 for Pot stove (BERTO'S) - Series 655
 for Pot stove (GIGA) - Series SNACK600



BERTO'S 22642100

3185025 SHELF 580x385 mm
 for Pot stove (BERTO'S) - Series 655
 for Pot stove (GIGA) - Series COUNTER700



BERTO'S 22642300



Suitable for:

BERTO'S



Suitable for:

Handles

3242718 DOOR HANDLE STRIKE
for high temperatures
mounting distance 43 mm
for OVEN



BERTO'S 23679700

3398021 OVEN DOOR CATCH
distance between holes 47 mm
catch distance 27 mm



BERTO'S 24577700

BERTO'S 24579500

Heating elements

3355829 CERAMIC HEATING ELEMENT 650W 230V
length 245 mm - width 60 mm
for Potato heater electric (ZANUSSI) SCCE350



BERTO'S 22016100

3455307 HEATING ELEMENT FOR TANK 2750W 230V
length 300 mm - width 100 mm
fittings \varnothing 14 mm
for Pasta cooker electric (BERTO'S) E6CPM - E6CP6B
for Pasta cooker electric (GIGA) CCPE4 - CCPE6
ICPE4 - ICPE6 - SKCP40E - SKCP60E - TCP40E
TCP60E
for Pasta cooker electric (WHIRLPOOL) AGB528/WP
AGB592/WP - AGB593/WP



BERTO'S 22015900

3355309 HEATING ELEMENT 1000W 230V BOTTOM
length 185 mm - width 180 mm
complete with cables
for Panini grill electric (BERTO'S) PD/VTR
PDL/LD - PDL/ST - PDL/SX - PDM/LD - PDM/ST
PDR/LD - PDR/VTR - PDT/L - PDT/M - PDT/R
PDT/SX - PDT/VTR - PSL/LD - PSL/LX - PSR/LD
PSR/ST - PST/L - PST/R



BERTO'S 30023500

3355310 HEATING ELEMENT 1000W 230V TOP
length 185 mm - width 320 mm
complete with cables
for Panini grill electric (BERTO'S) PDT/VTR
PM+VTR - PML/LD - PML/ST - PMR/ST - PMR/VTR



BERTO'S 30024100



Suitable for:

3355441 HEATING ELEMENT 1135W 220/240V
 length 425 mm - width 65 mm
 height 80 mm
 for Fry top electric (GIGA) SKT40E - SKT40EC
 SKT40ER - SKT60E - SKT60EC - SKT60EC2
 SKT60ELR - SKT60ER - SKT60ER2 - SKT60E2
 SKT80EC2 - SKT80ELR - SKT80ER2 - SKT80E2



BERTO'S 22039300

3355440 HEATING ELEMENT 1500W 220V
 length 435 mm - width 75 mm
 height 60 mm - fittings \varnothing 12 mm
 for Hot plate electric (GIGA) SKR40E - SKR60E



BERTO'S 22039100

3355802 HEATING ELEMENT 1600W 230V
 length 300 mm - width 205 mm
 flange 70x22 mm
 for Salamander electric (BERTO'S) SA/E60 - SA/E68M



BERTO'S 27022300

3755686 HEATING ELEMENT 2300W 230V
 length 300 mm - width 210 mm
 total height 85 mm - flange 70x22 mm
 for Salamander electric (BERTO'S) SA/E60
 SA/E60-E - SA/E68M - SA/E68M-E



BERTO'S 27023000


Suitable for:

3355442 HEATING ELEMENT 1500/1800W 220/240V
 length 420 mm - width 50 mm
 fittings \varnothing 16 mm
 for Bain-marie electric (GIGA) EBMS4 - EBMS8
 SKB40E - SKB80E



BERTO'S 22038900

3355311 HEATING ELEMENT 1500W 230V BOTTOM
 length 185 mm - width 320 mm
 complete with cables
 for Panini grill electric (BERTO'S) PM+VTR
 PML/LD - PML/ST - PMR/LD - PMR/ST - PMR/VTR
 PMT/VTR



BERTO'S 30024300

3355843 HEATING ELEMENT 1800W 230V
 length 245 mm - width 135 mm
 height 150 mm - connection \varnothing 12 mm
 for Fryer electric (BERTO'S) ELT4+4B - ELT4B



BERTO'S 33024600

3355055 HEATING ELEMENT 2500W 220V
 external \varnothing 190 mm - overall height 93 mm
 flange 70x22 mm
 for Oven under cooktop electric (ZANUSSI)



BERTO'S 23021800



Suitable for:

BERTO'S



3355889 HEATING ELEMENT 2500W 230V
 external \varnothing 190 mm - total height 70 mm
 flange 70x22 mm
 for Kitchen electric (MBM) E4F6
 for Oven under cooktop electric (GIGA)
 Series COUNTER700 - Series KAPPA900
 Series SNACK650



BERTO'S 22015500

3355844 HEATING ELEMENT 2700W 230V
 length 240 mm - width 200 mm
 height 120 mm - connection \varnothing 12 mm
 for Fryer electric (BERTO'S) ELT8+8B - ELT8+8BE
 ELT8B - ELT8BE



BERTO'S 33024700

3355846 HEATING ELEMENT 3450W 230V
 length 290 mm - width 190 mm
 height 155 mm - connection \varnothing 12 mm
 for Fryer electric (BERTO'S) ELT12+12B - ELT12B



BERTO'S 33025600

3755685 HEATING ELEMENT 3450W 230V
 length 265 mm - width 195 mm
 height 170 mm - fittings \varnothing 13 mm
 for Fryer electric (BERTO'S) ELT8BE



BERTO'S 33024900

3355830 HEATING ELEMENT 350W 230V
 length 280 mm - width 60 mm
 flange 110x22 mm
 for Potato heater electric (BERTO'S) E6SP6B
 E6SP6M - E7SP-4B - E7SP-4M
 for Potato heater electric (GIGA) SKP40E



BERTO'S 22016400

BERTO'S 22016500

3355445 HEATING ELEMENT 6000W 230V
 length 310 mm - width 250 mm
 total height 265 mm - with cables
 for Bain-marie electric (BERTO'S) E7F10
 for Fryer electric (GIGA) SKF10E - SKF20E



BERTO'S 22016200

3355308 HEATING ELEMENT 700W 230V TOP
 length 185 mm - width 180 mm
 complete with cables
 for Panini grill electric (BERTO'S) PD/VTR
 PDL/LD - PDL/ST - PDL/SX - PDM/LD - PDM/ST
 PDR/LD - PDR/ST - PDR/VTR - PSL/LD - PSL/SX
 PSM/ST - PSR/LD - PSR/ST



BERTO'S 30022500

3755486 HEATING ELEMENT 990W 240V
 length 470 mm - width 105 mm
 height 25 mm - 2 flanges 55x18 mm
 for Oven under cooktop electric (SILKO) CCG7046/P
 CCG70662/P - CCG7246 - CCG72662 - CCG72663
 CCQ7246 - CCT7246 - CCT7246/V - CE84EPQ
 CG84EPS



BERTO'S 31320000



Suitable for:

3755680 INSULATING PAIR MALE/FEMALE
for HEATING ELEMENTS



BERTO'S 30194200

BERTO'S 30194300

Suitable for:

3355349 QUARTZ HEATING ELEMENT 1000W 230V
length 390 mm - flange 130x11 mm
for Toaster electric (DIHR) F120 - F60
for Toaster electric (ELETTROBAR) 412
for Toaster electric (SICOMEX)



BERTO'S 30014100

3355299 QUARTZ TUBE \varnothing 10x390 mm
for Toaster electric (ARISTARCO)



BERTO'S 30043100

3355343 WIRE HEATING ELEMENT 500W 110V
length 390 mm
for Toaster electric (BERTO'S) 12T - 6T
for Toaster electric (ELETTROBAR) 3P - 6P



BERTO'S 30040800

3355299 QUARTZ TUBE \varnothing 10x390 mm
for Toaster electric (ARISTARCO)



BERTO'S 30043100

3755680 INSULATING PAIR MALE/FEMALE
for HEATING ELEMENTS



BERTO'S 30194200

BERTO'S 30194300



Suitable for:

BERTO'S



Suitable for:

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118 mm
height 23 mm
for Kitchen electric (FAGOR) CE-741 - CE9-41
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41
CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61
CG9-82
for Oven under cooktop
for Oven under cooktop electric (FAGOR) HE9-10
HE9-20
for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10
HG9-20



BERTO'S 31802500

3053019 DOOR HINGE ROLL HOLDER

mounting distance 95 mm - overall length 110 mm
height 25 mm
for Oven under cooktop (LOTUS) - Series CF
for Oven under cooktop electric (BERTO'S)
G9F4E+FE1 - G9F6E+FE1
for Oven under cooktop electric (GIGA) CCG80E
CC80E
for Oven under cooktop electric (MARENO) FOE-60M
for Oven under cooktop gas (BERTO'S) G9F4E+FG1
G9F6E+FG1
for Oven under cooktop gas (GIGA) CC80G



BERTO'S 22608200

BERTO'S 22609200

3053101 LEFT-HAND DOOR HINGE FOR OVEN

mounting distance 120 mm - overall length 155 mm
height 148 mm
for Oven under cooktop electric (GIGA) CCG80E
CC80E
for Oven under cooktop electric (LOTUS)
Series CF
for Oven under cooktop gas (GIGA) CC80G
for Oven under cooktop gas (LOTUS) - Series CF



BERTO'S 22608100

3053019 DOOR HINGE ROLL HOLDER

mounting distance 95 mm - overall length 110 mm
height 25 mm
for Oven under cooktop (LOTUS) - Series CF
for Oven under cooktop electric (BERTO'S)
G9F4E+FE1 - G9F6E+FE1
for Oven under cooktop electric (GIGA) CCG80E
CC80E
for Oven under cooktop electric (MARENO) FOE-60M
for Oven under cooktop gas (BERTO'S) G9F4E+FG1
G9F6E+FG1
for Oven under cooktop gas (GIGA) CC80G



BERTO'S 22608200

BERTO'S 22609200

3053007 LEFTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205 mm
height 160 mm
for Oven under cooktop



BERTO'S 31802100

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118 mm
height 23 mm
for Kitchen electric (FAGOR) CE-741 - CE9-41
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41
CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61
CG9-82
for Oven under cooktop
for Oven under cooktop electric (FAGOR) HE9-10
HE9-20
for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10
HG9-20



BERTO'S 31802500



Suitable for:

3053018 LEFTHAND DOOR HINGE FOR OVEN

distance between holes 120 mm - overall length 155 mm
height 146 mm
for Oven under cooktop electric (MARENO) FOE-60M



BERTO'S

Suitable for:

3053019 DOOR HINGE ROLL HOLDER

mounting distance 95 mm - overall length 110 mm
height 25 mm
for Oven under cooktop (LOTUS) - Series CF
for Oven under cooktop electric (BERTO'S)
G9F4E+FE1 - G9F6E+FE1
for Oven under cooktop electric (GIGA) CCG80E
CC80E
for Oven under cooktop electric (MARENO) FOE-60M
for Oven under cooktop gas (BERTO'S) G9F4E+FG1
G9F6E+FG1
for Oven under cooktop gas (GIGA) CC80G



BERTO'S 22608200

BERTO'S 22609200

3053100 RIGHT-HAND DOOR HINGE FOR OVEN

mounting distance 120 mm - overall length 155 mm
height 148 mm
for Oven under cooktop electric (GIGA) CCG80E
CC80E
for Oven under cooktop electric (LOTUS)
Series CF
for Oven under cooktop gas (GIGA) CC80G
for Oven under cooktop gas (LOTUS) - Series CF



BERTO'S 22607800

3053019 DOOR HINGE ROLL HOLDER

mounting distance 95 mm - overall length 110 mm
height 25 mm
for Oven under cooktop (LOTUS) - Series CF
for Oven under cooktop electric (BERTO'S)
G9F4E+FE1 - G9F6E+FE1
for Oven under cooktop electric (GIGA) CCG80E
CC80E
for Oven under cooktop electric (MARENO) FOE-60M
for Oven under cooktop gas (BERTO'S) G9F4E+FG1
G9F6E+FG1
for Oven under cooktop gas (GIGA) CC80G



BERTO'S 22608200

BERTO'S 22609200

3053006 RIGHTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205 mm
height 160 mm
for Oven under cooktop



BERTO'S 31802000

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118 mm
height 23 mm
for Kitchen electric (FAGOR) CE-741 - CE9-41
for Kitchen gas (FAGOR) CG-741 - CG-761 - CGE7-41
CGE9-41 - CG7-41 - CG7-61 - CG9-41 - CG9-61
CG9-82
for Oven under cooktop
for Oven under cooktop electric (FAGOR) HE9-10
HE9-20
for Oven under cooktop gas (FAGOR) CG9-11 - HG9-10
HG9-20



BERTO'S 31802500



Suitable for:

BERTO'S



3053017 RIGHTHAND DOOR HINGE FOR OVEN

distance between holes 120 mm - overall length 155 mm
height 146 mm
for Oven under cooktop electric (MARENO) FOE-60M



BERTO'S

Suitable for:

3053019 DOOR HINGE ROLL HOLDER

mounting distance 95 mm - overall length 110 mm
height 25 mm
for Oven under cooktop (LOTUS) - Series CF
for Oven under cooktop electric (BERTO'S)
G9F4E+FE1 - G9F6E+FE1
for Oven under cooktop electric (GIGA) CCG80E
CC80E
for Oven under cooktop electric (MARENO) FOE-60M
for Oven under cooktop gas (BERTO'S) G9F4E+FG1
G9F6E+FG1
for Oven under cooktop gas (GIGA) CC80G



BERTO'S 22608200

BERTO'S 22609200

Hydraulic plumbing

3349485 EDPM 100 PIPE

internal \varnothing 28 mm - external \varnothing 36 mm
sold per meter



BERTO'S 35987700

Injectors

3500021 GAS JET M10x1 \varnothing 0.95 mm



BERTO'S 40109300

BERTO'S 40109500

3500025 GAS JET M10x1 \varnothing 1.20 mm



BERTO'S 40112000

3500028 GAS JET M10x1 \varnothing 1.45 mm



BERTO'S 40114000

3500030 GAS JET M10x1 \varnothing 1.60 mm



BERTO'S 40116000



Suitable for:

Suitable for:

3500376 GAS NOZZLE M10x1 \varnothing 2.65 mm
for Kitchen gas (WHIRLPOOL) AGB354 - AGB490



BERTO'S 40526500

BERTO'S 40527000

Knobs

3241402 BLACK KNOB \varnothing 70 mm
D shaft hole 6x4.6 mm
for thermostat. selector switch. timer.
program switch. energy regulator



BERTO'S 31876000

3241178 BLACK KNOB \varnothing 50 mm SILK-SCREEN PRINTED
D shaft hole 6x4.6 mm
for Salamander (BERTO'S) SAE



BERTO'S 27653300

3241863 BLACK KNOB \varnothing 70 mm
D shaft hole 6x4.6 mm



BERTO'S

3241864 BLACK KNOB \varnothing 70 mm MIN-MAX
D shaft hole 6x4.6 mm



BERTO'S

3241401 BLACK KNOB \varnothing 70 mm UNIVERSAL
D shaft hole 8x6.5 mm



BERTO'S 31875900

3241860 BLACK KNOB \varnothing 70 mm 0-1-0-1
D shaft hole 6x4.6 mm



BERTO'S

3241861 BLACK KNOB \varnothing 70 mm 0-1-2-3
D shaft hole 6x4.6 mm



BERTO'S

3241862 BLACK KNOB \varnothing 70 mm 0-1-2-3-4-5-6
D shaft hole 6x4.6 mm



BERTO'S



Suitable for:

3241855 BLACK KNOB \varnothing 70 mm 30-110°C
D shaft hole 6x4.6 mm



BERTO'S

Suitable for:

3241853 BLACK KNOB \varnothing 70 mm 30-90°C
D shaft hole 6x4.6 mm



BERTO'S

3241854 BLACK KNOB \varnothing 70 mm 30-90°C
D shaft hole 6x4.6 mm



BERTO'S

3241154 RED KNOB \varnothing 70 mm OFF-5-10-15
D shaft hole 6x4.6 mm
for Toaster electric (BERTO'S) 12T - 6T



BERTO'S 30949200

BERTO'S 35876300

BERTO'S 35877500

3241155 RED KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D shaft hole 8x6 mm
for Pot stove (BERTO'S) - Series 700 - Series 900



BERTO'S 31952000
BERTO'S 35877000

BERTO'S 35875800
BERTO'S 35877200

BERTO'S 35876200
BERTO'S 35877300

3241342 RED KNOB \varnothing 72 mm OFF 5-10-15
D-shaped hole 8x6 mm
for Panini grill (BERTO'S) - Series 600
Series 900



BERTO'S 30949200
BERTO'S 35877200

BERTO'S 35876200
BERTO'S 35877300

BERTO'S 35877000

3241344 RED KNOB \varnothing 72 mm 50-300°C
D shaft hole 8x6 mm
for Panini grill (BERTO'S) - Series 600
Series 900



BERTO'S 30654700
BERTO'S 35877000

BERTO'S 31953500
BERTO'S 35877200

BERTO'S 35876200
BERTO'S 35877300

3241452 SELF-STICK DISK 1-2-3-4-5-6-7-8
external \varnothing 63 mm
for thermostatic gas taps PEL



BERTO'S 31952300

Lamps

3221053 GASKET FOR OVEN LAMP RECEPTACLE
dimensions \varnothing 48x38x5 mm
for OVEN



BERTO'S 23602800

3221052 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 57 mm
for OVEN-PIZZA OVEN



BERTO'S 23160700



Suitable for:

3221032 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



BERTO'S 30168800

Suitable for:

3221132 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



BERTO'S 30168800

3221156 GREEN INDICATOR LIGHT 380V
head \varnothing 14 mm - hole \varnothing 12 mm
for Bain-marie electric (BERTO'S) EBMD8 - EBMM6
EBMS4 - EBR54
for Boiling pan electric (BERTO'S) E9P10I
E9P10IA - E9P15I - E9P15IA
for Bratt pan electric (BERTO'S) E9BR8
for Fry top electric (BERTO'S) EFLD8 - EFLM6
EFLS4 - EFMD8 - EFRM6 - EFRS4
for Fryer electric (BERTO'S) E10+10MB6 - E10B4
for Grill electric (BERTO'S) EGMR4 - EGRS4
for Kitchen electric (BERTO'S) E4F+FCD8
for Pasta cooker electric (BERTO'S) ECRM6
for Pot stove electric (BERTO'S) E2FS4 - E4FD8



BERTO'S 22167900

BERTO'S 33170800

3221194 GREEN NEON INDICATOR LAMP 220V
 \varnothing head 9 mm



BERTO'S 30169100

3221183 GREEN PILOT LIGHT 400V
 \varnothing head 13.5 mm - hole \varnothing 10 mm - 150°C
universal application



BERTO'S 33171000

3221184 ORANGE PILOT LIGHT 400V
 \varnothing head 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



BERTO'S 33171100

3221095 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



BERTO'S 30168500

3221155 ORANGE INDICATOR LIGHT 380V
head \varnothing 14 mm - hole \varnothing 12 mm
for Boiling pan electric (BERTO'S) E9P10I
E9P10IA - E9P15I - E9P15IA - SE9P10I
SE9P10IA - SE9P15I
for Bratt pan electric (BERTO'S) E9BR8 - E9BR8/I
SE9BR8 - SE9BR8/I



BERTO'S 22167800

BERTO'S 33170900



Suitable for:

BERTO'S



3221184 ORANGE PILOT LIGHT 400V
ø head 13.5 mm - hole ø 10 mm - 120°C
universal application



BERTO'S 33171100

Suitable for:

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



BERTO'S 23155100

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C



BERTO'S 23155300

Microswitches

3240918 BIPOLAR MICROSWITCH M10x0,75
for Fryer electric (BERTO'S) E6F103B - E6F103M
E6F106B - E6F106M - E6F83B - E6F83M - E6F86B
E6F86M



BERTO'S 33059400

3240189 MICRO SWITCH M1DX20 10A 250V
for Bain-marie (BONNET)
for Boiling pan (BONNET)
for Fryer (BONNET)



BERTO'S 22060300

3240410 MICRO SWITCH 16A 250V
for ANGELO PO OLD OVENS FC-FCV
for ANGELO PO OVEN FC611G-FC611E-FC1011G-FC1011E
FC1211G-FC1211E
for ANGELO PO FRYER 030FE1-030FE1B-70FE
70FE1-70FE1B-70FES-70FES2-71FE-71FE2-71FE2B-30FES
30FES2-30FES2B-091FE28
for IMESA DRYER ES10-ES55-ES75
for IMESA WASHING MACHINE
LM30-LM40-LM55-LM70-LM85
RC30-RC40-RC55-RC70
for SIRMAN CUTTER C4-C6-C6VV-C9
for GRANDIMPIANTI DRYER EMS10-EMS15
for FAGOR CALENDER PE30/140-PE30/160-PE30/200
for FOINOX OVEN J00611E-J00611G-J01011E-J01011G
J01021E-J01021G-J02011E-J02011G-J02021E-J02021G
for IPSO CALENDER RI1600/30-RI1600/30AV



BERTO'S 23060600

3240623 MICROSWITCH CHAIN 4 BURNERS
0.2A 250V - max 140°C
for Pot stove (BERTO'S) - Series 600 - Series 700
Series 900



BERTO'S 31877500

BERTO'S 31877600



Suitable for:

3240624 MICROSWITCH CHAIN 6 BURNERS
0.2A 250V - max 140°C
for Pot stove (BERTO'S) - Series 600 - Series 700
Series 900



BERTO'S 31877700

BERTO'S 31877800

Suitable for:

3240225 MICROSWITCH 16A 250V
for Fryer electric (BERTO'S) ELT4B



BERTO'S 33059200

Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan \varnothing 150 mm
for Hot cupboard
for Warm table



BERTO'S 23117700

BERTO'S 23118000

OR and ORM gaskets

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm



BERTO'S 35859500

Piezo ignitors

3001037 IGNITION BATTERY HOLDER
for battery 1.5V



BERTO'S 31915000

3001005 PIEZO IGNITER
a \varnothing 18 mm hole is needed for the assembly
male faston \varnothing 2.4 mm
for Bain-marie gas (SILKO) BMG40 - BMG60
for Fry top gas (SILKO) SKT



BERTO'S 22188300



Suitable for:

BERTO'S



Suitable for:

3001020 PIEZO IGNITER 10015
18 mm \varnothing mounting hole
2.4 mm \varnothing male faston connector



BERTO'S 32188200

Pilot burners and accessories

3020093 BURNER INJECTOR ASSEMBLY
with LPG and natural gas nozzles M9x1
pipe \varnothing 12 mm



BERTO'S 22913400

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



BERTO'S 32365300

3020001 ONE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket
for Bratt pan gas (ZANUSSI) - Series R700
for Kitchen gas (ZANUSSI)



BERTO'S 31291300

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



BERTO'S 23297400

3020004 ONE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket
for Kitchen gas (BERTO'S) - Series 600
Series 700 - Series 900



BERTO'S 31291400

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



BERTO'S 23297400

3020449 PILOT GAS JET \varnothing 0.54 mm
for Bratt pan gas (BERTO'S) G9BR8



BERTO'S 40902700

5015516 PILOT NOZZLE \varnothing 0.40 mm



BERTO'S 35997200



Suitable for:

3020187 PILOT NOZZLE \varnothing 0.51 mm



BERTO'S 32366900

Suitable for:

3020010 TARGET PILOT BURNER SIT 2 FLAMES

supplied without sparking plug, nozzle and gasket
with thermocouple fitting
for Boiling pan gas (ZANUSSI) - Series HD900
for Fry top gas (ZANUSSI) - Series HD900
Series PR700
for Pasta cooker gas (ZANUSSI) - Series HD900
for Solid top range gas (ZANUSSI) - Series HD900



BERTO'S 22291200

3020401 THREE-FLAME PILOT BURNER

supplied without sparking plug
with LPG and NATURAL GAS nozzle
with thermocouple fitting
with sparking plug fitting
with pilot pipe fitting



BERTO'S 31291500

3020006 THREE-FLAME PILOT BURNER SIT

multigas with jet \varnothing 0.20 mm
with 3 positions bracket
for Bain-marie gas (FAGOR)
for Bain-marie gas (GIGA) - Series 650
Series 700 - Series 900
for Boiling pan gas (FAGOR)
for Fry top gas (GIGA) - Series 650 - Series 700
Series 900
for Lava rock grill gas (GIGA) - Series 650
Series 700 - Series 900
for Oven under cooktop gas (FAGOR)



BERTO'S 25291400

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M4x1 mm
total length 65 mm



BERTO'S 23297400

3020038 THREE-FLAME PRINTED PILOT BURNER SIT

without sparking plug, gas nozzle and gasket
thermocouple fitting included
for Lava rock grill gas (ANGELO PO) - Series SNACK



BERTO'S 27291100



Suitable for:

BERTO'S



Suitable for:

Pliers for sandwiches und toasts

- 3317051 GRILL PLIER**
length 100 mm
height 180 mm
for Toaster



BERTO'S 30611300

Probes

- 3445117 PROBE PT100 VETROTEX 3000 mm**
3-wire probe temperature range 0+350°C
bulb \varnothing 6x100 mm



BERTO'S 24076500

Relays

- 3351007 MINI RELAY 55.32 10A 240V 50/60Hz**
2 switching contacts
manual push-button



BERTO'S 25080600



Rotary switches

3057050 CONNECTING BRACKET

connecting thermostat and switch



BERTO'S 22699200

3057026 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm
 for Bain-marie (EMMEPI) - Series 650
 for Bain-marie electric (OLIS) 72/02CBE
 72/02TCBE
 for Bratt pan electric (OLIS) 74/02KBEBI
 for Bratt pan gas (OLIS) 74/02KBGMB
 for Fryer (GICO) - Series 500 - Series 700
 Series 900 - Series 920
 for Fryer electric (OLIS) 72/02FRE - 74/02FRE
 92/02FRE - 92/04FRE
 for Hot cupboard (OLIS) TAC210 - TAC211 - TAC212
 for Kitchen gas (OLIS) 76/02CGGE
 for Oven under cooktop (GICO) - Series 500
 Series 700



BERTO'S 22051000

3057027 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
 D-shaft \varnothing 6x4.6 mm
 rear hole for thermostat
 for Fryer (MORICE)
 for Fryer electric (GIGA) SKF2E - Series 600
 Series 700 - Series 800 - Series 900
 for Grill (MORICE)
 for Hot plate (MORICE)
 for Kitchen (OM GAS) - Series MERCURY
 Series SCORPION
 for Kitchen (THIRODE) - Series 700 - Series 900
 for Kitchen electric (EMMEPI) - Series 650
 Series 700 - Series 750 - Series 900



BERTO'S 22050400

3057177 SELECTOR SWITCH 0-1 POSITIONS

contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm
 for Bain-marie (EMMEPI) - Series 700 - Series 750
 Series 900
 for Bain-marie (OLIS) - Series 700 - Series 900
 for Fry top (ALPENINOX)
 for Fry top (EMMEPI) - Series 700 - Series 750
 Series 900
 for Fry top (OLIS) - Series 700
 for Fry top (ZANUSSI) - Series N700 - Series PR700
 for Fryer (ALPENINOX)
 for Fryer (OLIS) - Series 700 - Series 900
 for Grill (ZANUSSI) - Series 700
 for Kitchen electric (ZANUSSI) - Series 900
 for Oven under cooktop (ALPENINOX)



BERTO'S 22050300



Suitable for:

BERTO'S



3057305 SELECTOR SWITCH 0-1-2-3 POSITIONS

contact capacity 18A 240V - max 150°C
D-shaped pin 6x4.6 mm
for Boiling pan electric (GIGA) CPEI - KPIGN27E
KPI10E - KPI15E - KPI15EA - OPPI10E - OPPI15E
OPPI15EA
for Boiling pan electric (WHIRLPOOL) AGB372
AGB375 - AGB377 - AGB382 - AGB396 - AGB399
AGB401 - AGB511



BERTO'S 35050100

Suitable for:

3057151 SELECTOR SWITCH 0-2 POSITIONS


contact capacity 16A 250V - max temperature 150°
D spindle ø 6x4.6 mm
for Toaster electric (BERTO'S) 12T - 4T0 - 6T
for Toaster electric (ELETTROBAR) 404 - 406 - 412
for Toaster electric (SILANOS) FA3



BERTO'S 30051600

3057180 SELECTOR SWITCH 0-3 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaft ø 6x4.6 mm
for Kitchen electric (MARENO) - Series 700
Series 900
for Pasta cooker electric (BERTO'S) CPE40 - E9CP40



BERTO'S 22049800

3057092 SELECTOR SWITCH 0-6 POSITIONS

contact capacity 16A 250V - max 150°C
D-shaft ø 6x4.6 mm
for Kitchen electric (KÜPPERSBUSCH) - Series FEH



BERTO'S 22049900

Solenoid valves

3120005 SOLENOID VALVE 329 220/240V ø 10 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 10 mm



BERTO'S 23116200

3120007 SOLENOID VALVE 349 220/240V ø 10 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet ø 10 mm



BERTO'S 23116900

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS

220/240V 50/60Hz
for Boiling pan gas (CHARVET)
for Fryer gas (CAPIC) CTI - CTIB - C10 - T1 - TIB
for Kitchen (THIRODE) B7.FV.CF.FG



BERTO'S 31002600

BERTO'S 32164200

Spark generators

3181501 SPARK GENERATOR 4 OUTLETS
1.5V battery powered



BERTO'S 31002200

3001037 IGNITION BATTERY HOLDER
for battery 1.5V



BERTO'S 31915000

3181004 SPARK GENERATOR 6 OUTLETS
220/240V - 50/60Hz



BERTO'S 31002400

Sparking and detection plugs

3020127 ROUND IGNITION ELECTRODE \varnothing 6.5x55 mm
with silicone lead 625 mm
overall length 680 mm
for Pot stove gas (GIGA) - Series 700 - Series 800



BERTO'S 22296200

3020258 ROUND IGNITION ELECTRODE \varnothing 6x30 mm
female faston connection
with silicone lead 600 mm
overall length 630 mm



BERTO'S 31187800

3020294 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
overall length 67 mm
for Fryer gas (GIGA) - Series 600 - Series 700
Series 900
for Fryer gas (WHIRLPOOL) AGB512 - AGB513 - AGB517
AGB518 - AGB595 - AGB596
for Kitchen gas (WHIRLPOOL) AGB352 - AGB353
AGB484 - AGB485 - AGB489 - AGB491
for Oven under cooktop gas (GIGA) - Series 700
Series 900
for Oven under cooktop gas (WHIRLPOOL) AGB356
AGB357 - AGB488



BERTO'S 31187000

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



BERTO'S 23297400



Suitable for:

BERTO'S



Suitable for:

3020060 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M 4x1 mm
model CB505/021 Junkers
for model P502F
total length 82 mm



BERTO'S 22296800

BERTO'S 22296900

Springs

3250003 SPRING \varnothing 20x115 mm
for ELECTRIC GRIDDLE PS-PM-PD/ST



BERTO'S 30613100

3250146 SPRING \varnothing 21.5x117 mm
for Panini grill electric (BERTO'S) PDM/LD
PDR/LD - PSL/LD - PSR/LD
for Panini grill electric (ELETTROBAR) G34 - G37
G38 - G39 - 433 - 434 - 436 - 437 - 438 - 439



BERTO'S 30612800

3250110 SPRING FOR PLATE



BERTO'S 30612900

Switches

3319012 GREEN BIPOLAR SWITCH 16A 250V
with indicator light and switch cover
screen printing 0 - I
max temperature 120°C
mounting hole 22x30 mm



BERTO'S 22056600

Terminal blocks

3247018 2-POLE TERMINAL BLOCK FV77 20A 600V

for cable max 4 mm²
operating temperature 150°C
nominal voltage 450 V



BERTO'S 30184500

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



BERTO'S 30183800

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



BERTO'S 30184200

Thermocouples and accessories

3440104 CUT-OFF THERMOCOUPLE QUICK M9x1 60 cm

cut-off contact with cables 60 cm



BERTO'S 32290100

3440150 DISPLAY DEVICE FOR THERMOCOUPLES



BERTO'S 25326200

3440064 NUT FOR THERMOCOUPLE M8x1



BERTO'S 22290900

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



BERTO'S 23288900

3440037 THERMOCOUPLE SIT M9x1 100 cm.



BERTO'S 23288900

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



BERTO'S 23288900



Suitable for:

Suitable for:

3440039 THERMOCOUPLE SIT M9x1 150 cm

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



BERTO'S 31289000

BERTO'S 31289000

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



BERTO'S 31289000

BERTO'S 22289200

3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



BERTO'S 22286900

3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1

3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



BERTO'S 22286900

BERTO'S 22286900

3440035 THERMOCOUPLE SIT M9x1 60 cm.

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



BERTO'S 22289200

BERTO'S 22289200

3440108 THERMOCOUPLE 70 cm FASTON CONNECTION
threaded coupling M6x0.75
for Pot stove (BERTO'S) - Series 600 - Series 700
Series 900



BERTO'S 31289200



Thermostatic gas valves

3345018 THERMOSTATIC GAS COCK PEL25ST

temperature range 100-300°C
 fitting inlet/outlet M16x1.5 mm
 thermocouple connection M9x1
 bulb \varnothing 6x100 mm
 D-shaped pin \varnothing 8x6.5 mm
 for Fry top
 for Oven under cooktop



BERTO'S 22274500

BERTO'S 22274600

Thermostats

3444352 SINGLE-PHASE THERMOSTAT 130°C

with manual reset
 covered capillary length 870 mm - 16A 250V
 bulb \varnothing 6x129 mm
 for Bain-marie (BERTO'S) BM55E - BM70E



BERTO'S 25070000

3444651 SINGLE-PHASE THERMOSTAT 230°C

with manual reset
 capillary length 950 mm - 16A 250V
 bulb \varnothing 3x190 mm
 for Fryer electric (BERTO'S) ELT10 - ELT4 - ELT8
 for Fryer electric (ELETTOBAR) FRI12 - FRI6
 FRI9



BERTO'S 33070300

3444624 SINGLE-PHASE THERMOSTAT 235°C

with manual reset
 covered capillary length 870 mm
 bulb \varnothing 6x133 mm
 for Fryer (BARON) - Series 600



BERTO'S 32070300

3444372 SINGLE-PHASE THERMOSTAT 245°C

with manual reset
 covered capillary length 1170 mm - 16A 250V
 bulb \varnothing 6x133 mm
 for Fryer (GIGA) - Series 600 - Series 700
 Series 800
 for Fryer electric (GIGA) SKF2E
 for Fryer electric (WHIRLPOOL) AGB433 - AGB435
 AGB437 - AGB439 - AGB441 - AGB443 - AGB447
 AGB514 - AGB515 - AGB516 - AGB521 - AGB522
 AGB523 - AGB524 - AGB525
 for Fryer gas (WHIRLPOOL) AGB513



BERTO'S 22069400



Suitable for:

BERTO'S



3744094 SINGLE-PHASE THERMOSTAT 30-150°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1600 mm
 bulb \varnothing 3x145 mm
 for Boiling pan (GIGA) - Series 700 - Series 900



BERTO'S 35301000

3444388 SINGLE-PHASE THERMOSTAT 50-190°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary 600 mm - 16A 250V
 bulb \varnothing 6x75 mm
 for Fryer electric (BERTO'S) ELT10 - ELT4 - ELT8
 E9F18-8M



BERTO'S 33065600

BERTO'S 33065700

3444043 SINGLE-PHASE THERMOSTAT 50-270°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm - 16A 250V
 bulb \varnothing 3x220 mm



BERTO'S 23063300

BERTO'S 24063323

3444174 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb \varnothing 3x220 mm



BERTO'S 23063600

3444005 THERMOSTAT TR2 0-120°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary 1500 mm - 15A 250V
 bulb \varnothing 6.5x95 mm



BERTO'S 22062400

BERTO'S 24064000

3444336 THERMOSTAT TR2 0-270°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 940 mm - 15A 250V
 bulb \varnothing 3.5x190 mm
 for Hot plate electric (ELETTOBAR)
 for Hot plate electric (FIMAR)



BERTO'S 30064600

3444198 THREE-PHASE THERMOSTAT 100-180°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 2000 mm - 10A 400V
 bulb \varnothing 6x130 mm
 for Fryer (BARON)
 for Fryer (BERTO'S)
 for Fryer (OLIS) - Series 700 - Series 900
 for Fryer electric (FRI FRI) D6 - D8
 for Fryer electric (THIRODE) FR10



BERTO'S 22062900

BERTO'S 33066000

BERTO'S 33066200

3444040 THREE-PHASE THERMOSTAT 100-300°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1150 mm - 10A 400V
 bulb \varnothing 6x80 mm
 for Bratt pan electric (GIGA) SKBR40E
 for Fry top (ZANUSSI) - Series H900



BERTO'S 22062600

BERTO'S 30064900



BERTO'S



Suitable for:

3444775 THREE-PHASE THERMOSTAT 159°C
 with manual reset
 capillary length 1100 mm - 16A 230V
 bulb \varnothing 3.1x185 mm
 for Boiling pan (EMMEPI) - Series 700 - Series 750
 Series 900



BERTO'S 31290200

Suitable for:

3444631 THREE-PHASE THERMOSTAT 230°C
 with manual reset
 covered capillary length 1700 mm - 20A 400V
 bulb \varnothing 6x80 mm
 for Fryer (BERTO'S) - Series 600 - Series 700
 Series 900



BERTO'S 33070800

3444632 THREE-PHASE THERMOSTAT 350°C
 with manual reset
 covered capillary length 3000 mm - 20A 300V
 bulb \varnothing 6x90 mm
 for Bratt pan (BERTO'S) - Series 900
 for Fry top (BERTO'S) - Series 600 - Series 700
 Series 900
 for Kitchen (BERTO'S) - Series 700 - Series 900



BERTO'S 22069700

3444371 THREE-PHASE THERMOSTAT 70-195°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1500 mm - 10A 400V
 bulb \varnothing 6x135 mm
 for Fryer (GIGA) - Series 600 - Series 700
 Series 800 - Series 900
 for Fryer electric (GIGA) SKF2E
 for Fryer electric (WHIRLPOOL) AGB515 - AGB516
 AGB521 - AGB523 - AGB597 - AGB598



BERTO'S 22062900

Timers

3446004 TIMER 120 MINUTES
 complete with silk-screen printed plate
 mechanical timer with sound alarm
 mechanical movement with balance wheel
 manual left hand positioning possible
 120 minutes manually set cycle
 bipolar with contact capacity 16(3)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm



BERTO'S 25078600

3446138 TIMER 15 MINUTES M2
 mechanical movement with balance wheel
 manually set mechanical timer
 manually set cycle 15 minutes
 2 poles with contact capacity 16(4)A 250V
 max temperature 125°C
 square pin 3x3 mm



BERTO'S 30082100



Suitable for:

BERTO'S



Suitable for:

Transformers

- 3445110 TRANSFORMER 230V/12V 3VA**
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



BERTO'S 25164500

Water filling taps

- 3359138 WATER INLET TAP \varnothing 1/2" FF**
for Bain-marie (FAGOR) - Series 900
for Boiling pan (REPAGAS)
for Bratt pan (BERTO'S) - Series 900
for Pasta cooker (BERTO'S) - Series 600
Series 900
for Pasta cooker (REPAGAS)



BERTO'S 31686800