



Spare parts for:

Superautomatic machines



Suitable for:

NUOVA SIMONELLI



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

Suitable for:

Baffles

1252465 COFFEE OUTLET CONVEYOR
for Superautomatic coffee machine (NUOVA SIMONELLI) MASTER



NUOVA SIMONELLI 05000108

NUOVA SIMONELLI 05000109

NUOVA SIMONELLI 80005011

Bearings

3063051 BEARING 6200
external \varnothing 30 mm-internal \varnothing 10 mm-thickness 9 mm
for Superautomatic coffee machine (NUOVA SIMONELLI) MASTER



NUOVA SIMONELLI 08000051


3063005 BEARING 6202 2RS
external \varnothing 35 mm -internal \varnothing 15 mm-thickness 11 mm



NUOVA SIMONELLI 15010034

NUOVA SIMONELLI 15100086

1063010 BEARING 625 2RS
for Superautomatic coffee machine (NUOVA SIMONELLI) MASTER



NUOVA SIMONELLI 08000050

1063009 BEARING 626 2RS
for Superautomatic coffee machine (NUOVA SIMONELLI) MASTER



NUOVA SIMONELLI 08000052

Boiler safety valves

1523534 BOILER VALVE \varnothing 1/4" M
stainless steel - new model
internal teflon coating - or viton



NUOVA SIMONELLI 01000023

1523537 BOILER VALVE \varnothing 1/4" M
stainless steel - old model
internal teflon coating - or viton



NUOVA SIMONELLI 01000023

Suitable for:

Suitable for:

1523572 BOILER VALVE \varnothing 3/8" M - 1,8 bar CE/PED
 calibration pressure 1,8 bar
 steam drain flow rate 77 Kg/h
 viton teflon seal
 operating range -20/+200°C
 certified valve CE/PED
 for GAGGIA GE-GD-XE-XD-E90-D90-LCD




NUOVA SIMONELLI 98013000

NUOVA SIMONELLI 98013001

NUOVA SIMONELLI 98013022

Booster pumps

1330022 ROTARY VANE PUMP ROTOFLOW \varnothing 3/8" GAS
 compact model
 clamp connection
 flowrate 50L/h
 with balanced bypass
 length 58 mm
 fitting \varnothing 3/8" gas
 N.S.F. Approved



NUOVA SIMONELLI 01300004

Capacitors

3068016 CAPACITOR μ F 10 450V 50/60Hz
 operating temperature -25+85°C
 in compliance with EEC 93/68 and 92/31 regulations



NUOVA SIMONELLI 04000043

NUOVA SIMONELLI 15050009


3068024 CAPACITOR μ F 16 450V 50/60Hz
 operating temperature -25+85°C
 in compliance with EEC 93/68 and 92/31 regulations



NUOVA SIMONELLI 15050002

NUOVA SIMONELLI 15050023

3068008 CAPACITOR μ F 5 450V 50/60Hz
 operating temperature -25+85°C
 in compliance with EEC 93/68 and EEC 92/31 regulat



NUOVA SIMONELLI

3068010 CAPACITOR μ F 6.3 450V 50/60Hz
 operating temperature -25+85°C
 in compliance with EEC 93/68 and EEC 92/31 regulat



NUOVA SIMONELLI 04000010



Suitable for:

Suitable for:

Cappuccino makers - Cappuccinatore

1079002 CAPPUCINATORE NYLON



NUOVA SIMONELLI 01000075

1079004 CAPPUCINATORE NYLON

for Superautomatic coffee machine (NUOVA SIMONELLI) MASTER



NUOVA SIMONELLI 01000112

1079022 CAPPUCINATORE NYLON

for Superautomatic coffee machine (NUOVA SIMONELLI) MICROBAR



NUOVA SIMONELLI 01000120

1079023 CREAM ADJUSTER

for Superautomatic coffee machine (NUOVA SIMONELLI) MICROBAR - TALENTO



NUOVA SIMONELLI 01000121

Caps

1439023 BOILER CAP \varnothing 3/8" M



NUOVA SIMONELLI 07300130


1439020 CAP \varnothing 1/4" M FOR BREW GROUP



NUOVA SIMONELLI 07300128

Circlips

1250023 STAINLESS STEEL CIRCLIP RA-5 UNI 7437



NUOVA SIMONELLI 08000015

Contact thermostats

1444535 CONTACT THERMOSTAT 135°C 16A 250V


with manual reset

for NUOVA SIMONELLI AURELIA-APPIA-OSCAR-PROGRAM
JAZZ-PREMIER

for NUOVA SIMONELLI SUPERAUTOMATICA MASTER
CAFFETTERIA ITALIANA

for NUOVA SIMONELLI CAFFÈ CIALDA JAZZ

for VICTORIA ARDUINO ADONIS-ATHENAS-VENUSCENTURY
for MARZOCCO GB5-FB80-GS3-MISTRAL-LINEA-FB70



NUOVA SIMONELLI 09500004

1444601 CONTACT THERMOSTAT 150°C

for SAECO

SG700-COMBISNACK-SG200E-FS400-QUARZO500-

QUARZO700-AMBRA-CRISTALLO600

for SAECO MAGIC DELUXE-MAGIC COMFORT-ROYAL-VIENNA



NUOVA SIMONELLI 09500011


1443006 CONTACT THERMOSTAT 55°C 250V 16A

automatic reset

for NUOVA SIMONELLI AURELIA-APPIA

for NUOVA SIMONELLI SUPER-AUTOMATIC MASTER

for VICTORIA ARDUINO ADONIS



NUOVA SIMONELLI 09500006

Containers for coffee

1080059 COFFEE CONTAINER CLOSING SHEET



NUOVA SIMONELLI 15000040

1080103 COFFEE HOPPER

for Superautomatic coffee machine (NUOVA
SIMONELLI) CAFFETTERIA ITALIANA - MASTER



NUOVA SIMONELLI 01100002

1080057 COFFEE HOPPER LID 168x168 mm

for Superautomatic coffee machine (NUOVA
SIMONELLI) CAFFETTERIA ITALIANA - MASTER



NUOVA SIMONELLI 15000050



Suitable for:

NUOVA SIMONELLI



Suitable for:

Feet

1313516 FOOT \varnothing 48x40 mm M10
for Superautomatic coffee machine (NUOVA SIMONELLI) CAFFETTERIA ITALIANA - MASTER MASTER CAPPUCCINO




NUOVA SIMONELLI 98001001

NUOVA SIMONELLI 98001006

Filters

1160566 STAINLESS STEEL WATER FILTER \varnothing 8 mm



NUOVA SIMONELLI 98004001

Fittings

1349243 "T" FITTING \varnothing 1/4"F-1/4"F-1/4"M



NUOVA SIMONELLI 07300365

1349702 "T" FITTING \varnothing 1/4"F-1/4"F-1/4"M NICKEL-P



NUOVA SIMONELLI 07300366

1349244 "T" FITTING \varnothing 1/4"M-1/4"M-1/4"F




NUOVA SIMONELLI 07300116

1349240 "T" FITTING \varnothing 3/8"M-3/8"F-3/8"M




NUOVA SIMONELLI 07300146

1349242 "T" FITTING \varnothing 3/8"M-3/8"M-3/8"F



NUOVA SIMONELLI 07300209


1349090 BOTTOM SHAFT FITTING
for NUOVA SIMONELLI SUPER AUTOMATIC MASTER



NUOVA SIMONELLI 07300308

Suitable for:


1349102 FITTING \varnothing 1/4"M-1/4"M



NUOVA SIMONELLI 07300012


Suitable for:

1349112 FITTING \varnothing 1/4"M-3/8"M




NUOVA SIMONELLI 07300017

1349101 FITTING \varnothing 1/8"M-1/8"M NICKEL-PLATED



NUOVA SIMONELLI 07300004

1349103 FITTING \varnothing 3/8"M-3/8"M



NUOVA SIMONELLI 07300015

1315002 HOSE-END FITTING A "L" \varnothing 7 mm 1/8"




NUOVA SIMONELLI 05000015

1349706 L-FITTING \varnothing 3/8"M-3/8"M NICKEL-PLATED



NUOVA SIMONELLI 07300068

3349342 NICHEL-PL.HOSE-END FITTING \varnothing 1/4"M \varnothing 7



NUOVA SIMONELLI

1349031 SPRING HOLDER FITTING 3/8"




NUOVA SIMONELLI 07300110

3349340 NICHEL-PL.T-FITTING \varnothing 1/4"M-1/4"M-1/4"M



NUOVA SIMONELLI 07300051

1349091 STRAIGHT FITTING M6 \varnothing 6/4 mm



NUOVA SIMONELLI 07300201

3349314 TURNING ELBOW FITTING 1/8"M \varnothing 6/4



NUOVA SIMONELLI 07300375



Suitable for:

Suitable for:

Flowmeters

1455031 FLOWMETER GICAR
connection \varnothing 1/8"FF



NUOVA SIMONELLI

5032820 VOLUMETRIC FLOWMETER GICAR NSF
hose-end inlet/outlet \varnothing 7 mm
jet \varnothing 1,2 mm
for Superautomatic coffee machine (NUOVA SIMONELLI) MICROBAR - PRONTOBAR



NUOVA SIMONELLI 04900660

Gaskets and seals

1186362 "O" RING 02021 EPDM



NUOVA SIMONELLI 02280005

1186394 ASBESTOS FREE FLAT GASKET \varnothing 22x17x2 mm



NUOVA SIMONELLI 02060023

1186619 COPPER FLAT GASKET \varnothing 18x14x1.5 mm



NUOVA SIMONELLI

3743110 FLAT GASKET \varnothing 57x41x2 mm TEFLON



NUOVA SIMONELLI

1186625 GASKET OR 03281 EPDM
for BOILER FAMILY



NUOVA SIMONELLI 02280015.EP

1186790 GREEN VITON O-RING 04118



NUOVA SIMONELLI 02290017

NUOVA SIMONELLI 2290017

1186403 GREEN VITON O-RING 04137
for coffee group \varnothing 44 mm
for Superautomatic coffee machine (CIMBALI) M1
for Superautomatic coffee machine (FAEMA) X1



NUOVA SIMONELLI 02290020

1186789 GROUP SEALING GASKET
dimensions 86x58 mm
for Superautomatic coffee machine (NUOVA SIMONELLI) MASTER



NUOVA SIMONELLI 01000061

Suitable for:

3243009 O-RING GASKET 0106 EPDM



NUOVA SIMONELLI 02280007

NUOVA SIMONELLI 18010162

Suitable for:

1186902 O-RING 0108 - RED SILICONE
for steam tap DELONGHI machines



NUOVA SIMONELLI 02000002

1186422 O-RING 0108 EPDM



NUOVA SIMONELLI 02280010

1186304 O-RING 0112 EPDM



NUOVA SIMONELLI 18010048

1186626 O-RING 0114 EPDM



NUOVA SIMONELLI 02280032

1186805 O-RING 0115 EPDM



NUOVA SIMONELLI 02280004

3243086 O-RING 0117 EPDM



NUOVA SIMONELLI 02280011

NUOVA SIMONELLI 18010551

1786117 O-RING 0147 VITON
for coffee group



NUOVA SIMONELLI

1186014 O-RING 02015 EPDM



NUOVA SIMONELLI 18010559

1186514 O-RING 02015 SILICON



NUOVA SIMONELLI 02280014

NUOVA SIMONELLI 2280014

1186411 O-RING 02031 EPDM



NUOVA SIMONELLI 02280001

1186352 O-RING 02050 EPDM



NUOVA SIMONELLI 18010006



NUOVA SIMONELLI



Suitable for:

Suitable for:

1186366 O-RING 02050 RED SILICONE

1186223 O-RING 02056 EPDM



NUOVA SIMONELLI 0200003

NUOVA SIMONELLI 0228032

1186655 O-RING 04131 EPDM

3186271 OR-GASKET 04312 EPDM




NUOVA SIMONELLI 02280009

NUOVA SIMONELLI 18000022

NUOVA SIMONELLI 18010613

1186405 RED SILICONE O RING 03281

1186610 RED SILICONE O-RING R5 GASKET



NUOVA SIMONELLI 02280015

NUOVA SIMONELLI 02290016

1186487 SILICONE FLAT GASKET \varnothing 12x4.5x4 mm

1186791 VITON OR-GASKET R6



NUOVA SIMONELLI 02590009

NUOVA SIMONELLI 02290018

NUOVA SIMONELLI 02290019

1786140 O-RING 0147 RED SILICONE



NUOVA SIMONELLI 02290030

Grinders

1251060 GRINDING BURRS EUREKA (PAIR) RIGHT
 external \varnothing 74 mm - internal \varnothing 38 mm
 thickness 9 mm - 3 mounting holes
 for EUREKA LUSSO MDLCA75-LUSSO MDML
 for NUOVA SIMONELLI MDL-MDLCA
 for NUOVA SIMONELLI SUPERAUTOMATICA CAFFETTERIA ITALIANA
 for Superautomatic coffee machine (NUOVA SIMONELLI) CAFFETTERIA ITALIANA



NUOVA SIMONELLI 15080002

1251069 GRINDING BURRS EUREKA (PAIR) RIGHT
 \varnothing external 50 mm - \varnothing internal 30 mm
 thickness 8 mm - 3 mounting holes
 for Superautomatic coffee machine (NUOVA SIMONELLI) MICROBAR



NUOVA SIMONELLI 15800039

NUOVA SIMONELLI 15800045

1251074 GRINDING BURRS EUREKA (PAIR) RIGHT
 external \varnothing 64 mm - internal \varnothing 38 mm
 thickness 9 mm - 3 mounting holes
 for Superautomatic coffee machine (NUOVA SIMONELLI) MASTER



NUOVA SIMONELLI 15050001

Grinding burr holders

1251058 GRINDING BURRS BOTTOM HOLDER
 for Superautomatic coffee machine (NUOVA SIMONELLI) CAFFETTERIA ITALIANA




NUOVA SIMONELLI 15080009

1251059 GRINDING BURRS BOTTOM HOLDER
 for Superautomatic coffee machine (NUOVA SIMONELLI) MASTER



NUOVA SIMONELLI 15000043

1528038 GRINDING BURRS HOLDER LOCKING NUT
 for Superautomatic coffee machine (NUOVA SIMONELLI) CAFFETTERIA ITALIANA - MASTER



NUOVA SIMONELLI 15000064

1251065 TOP HOLDER F/GRINDING BURRS 65mm
 for Superautomatic coffee machine (NUOVA SIMONELLI) MASTER



NUOVA SIMONELLI 15000044



Suitable for:



Suitable for:

Heating elements

1755020 CARTRIDGE HEATING ELEMENT 14W 230V
cartridge \varnothing 12.5x62 mm
for Superautomatic coffee machine (NUOVA SIMONELLI) MASTER



NUOVA SIMONELLI 14100030

NUOVA SIMONELLI 14100035

1755110 CARTRIDGE HEATING ELEMENT 200W 230V
length 60 mm - \varnothing 10 mm
for Superautomatic coffee machine (NUOVA SIMONELLI) CAFFETTERIA ITALIANA



NUOVA SIMONELLI 14100052

1755023 HEATING ELEMENT 1000W 230V
immersed length 65 mm - 2 poles
 \varnothing 50 mm - fittings 1/4"
for Superautomatic coffee machine (NUOVA SIMONELLI) MICROBAR



NUOVA SIMONELLI 14100001

1755029 HEATING ELEMENT 1800W 230V
immersed length 190 mm - 2 poles
connection 1"
for Superautomatic coffee machine (NUOVA SIMONELLI) MASTER



NUOVA SIMONELLI 14100029

1186655 O-RING 04131 EPDM



NUOVA SIMONELLI 02280009

NUOVA SIMONELLI 18000022

1755030 HEATING ELEMENT 2300W 230V
immersed length 170 mm - 2 poles
connection 1"
for Superautomatic coffee machine (NUOVA SIMONELLI) CAFFETTERIA ITALIANA - MASTER



NUOVA SIMONELLI 14100038

NUOVA SIMONELLI 14100054

Suitable for:

Suitable for:

1755111 HEATING ELEMENT 2600W 230V
 length 155 mm - connection \varnothing 1"1/4
 with bulb sheath
 for Superautomatic coffee machine (NUOVA
 SIMONELLI) CAFFETTERIA ITALIANA - TALENTO

1786140 O-RING 0147 RED SILICONE



NUOVA SIMONELLI 14100050

NUOVA SIMONELLI 14100088

NUOVA SIMONELLI 02290030

1755112 HEATING ELEMENT 90W 230V
 length 300 mm - width 170 mm
 for Superautomatic coffee machine (NUOVA
 SIMONELLI) MASTER



NUOVA SIMONELLI 14100034

Injectors

1349075 JET M8x1 HOLE \varnothing 0.8 mm
 for brew group



NUOVA SIMONELLI 07300125

Inlet hoses

1449682 SILICONE HOSE \varnothing 5x8 SHORE 60 - 10 m
 alimentary

1449282 SILICONE HOSE \varnothing 5x8 SHORE 60 - 100 m
 alimentary




NUOVA SIMONELLI 11600002

NUOVA SIMONELLI 11600002

1449500 TEFLON PIPE \varnothing 2x4 mm - 10 m
 alimentary

1449502 TEFLON PIPE \varnothing 4x6 mm - 10 m
 alimentary



NUOVA SIMONELLI 11740002

NUOVA SIMONELLI 11740001

NUOVA SIMONELLI 18010755



Suitable for:

Suitable for:

Ironmongery (screws,nuts,washers)

3528291 CROSS HEAD FLUSH SCREW M4x8 UNI 7688



NUOVA SIMONELLI

1528631 CROSS HEAD SCREW M4x8 UNI 7687



NUOVA SIMONELLI

1348813 HEXAGONAL NORM.NUT M4 ST.STEEL UNI 5588



NUOVA SIMONELLI

3053140 HEXAGONAL SELF-LOCKING NUT M5 UNI 7473



NUOVA SIMONELLI 00300023

1348041 HEXAGONAL SELF-LOCKING NUT M8 UNI 7473



NUOVA SIMONELLI 00300018

1348036 NUT \varnothing 3/8" WRENCH 21x6mm



NUOVA SIMONELLI 00300012

1348035 NUT 1/8"



NUOVA SIMONELLI 00300005

1528062 PIN \varnothing 4x30 mm UNI 5927



NUOVA SIMONELLI 00000114

1184820 S/ STEEL SCREW M6x25 UNI 5739 DIN 24017



NUOVA SIMONELLI 00000107

1184006 S/S SCREW T.C.C.E.I. M4x12 UNI 7984



NUOVA SIMONELLI 00000089

NUOVA SIMONELLI 00000118

3528112 S/S SCREW T.E. M6x16 UNI 5739 DIN 24017



NUOVA SIMONELLI

3528088 S/S SCREW T.E. M8x20 UNI 5739 DIN 24017



NUOVA SIMONELLI 00000094



NUOVA SIMONELLI



Suitable for:

Suitable for:

1528001 SCREW M4x10 UNI 6109

3053163 SELF-RETAINING HEXAGONAL NUT M6 UNI 7473



NUOVA SIMONELLI

NUOVA SIMONELLI 00300020

1528030 ST.STEEL HEXAGONAL NUT M6 UNI 5588

1528061 ST.STEEL SCREW TSPTC M4x14 mm



NUOVA SIMONELLI

NUOVA SIMONELLI 00300022

1186399 ZINC-PLATED WASHER 30x17x3 mm




NUOVA SIMONELLI 00200011

Knobs

1241113 ADJUSTMENT KNOB

1241548 WATER/STEAM TAP KNOB



NUOVA SIMONELLI 15000042

NUOVA SIMONELLI 05000022

1241546 WATER/STEAM TAP KNOB LH



NUOVA SIMONELLI 05000039



Level gauges

1201100 LEVEL GLASS ASSEMBLY

total length 144 mm - connections \varnothing 3/8"
 for NUOVA SIMONELLI SUPERAUTOMATICA MASTER
 for NUOVA SIMONELLI PREMIER-PROGRAM-MAC2000
 MACCUP-APPIA-AURELIA
 for VICTORIA ARDUINO ATHENALEVA-ATHENAS
 VENUSCENTURY
 for Superautomatic coffee machine (NUOVA
 SIMONELLI) MASTER



NUOVA SIMONELLI 75010001


NUOVA SIMONELLI 75010002

NUOVA SIMONELLI 98010020

Level tanks

1015006 ANTHRACITE COFFEE COLLECTION TRAY

for Superautomatic coffee machine (NUOVA
 SIMONELLI) MASTER



NUOVA SIMONELLI 05000107

Lever ball valves


3526699 BALL VALVE \varnothing 1/4" MF



NUOVA SIMONELLI 09000008

NUOVA SIMONELLI 09000018

3526704 BALLCOCK VALVE \varnothing 3/8"MF



NUOVA SIMONELLI 09000016

Locks

1388003 CARD LOCK DISPLAY KEY


for Superautomatic coffee machine (NUOVA
 SIMONELLI) MASTER



NUOVA SIMONELLI 04900184

1388001 CARD LOCK WITH KEYS

for Superautomatic coffee machine (NUOVA
 SIMONELLI) MASTER



NUOVA SIMONELLI 04900119

NUOVA SIMONELLI 04900170

Microswitches

- 1240061** **MAGNET FOR MICROSWITCH**
 dimensions 25x14x7 mm
 for Superautomatic coffee machine (NUOVA SIMONELLI) CAFFETTERIA ITALIANA



NUOVA SIMONELLI 04000313

- 1240062** **MAGNETIC MICROSWITCH**
 dimensions 25x14x7 mm - cable length 950 mm
 for Superautomatic coffee machine (NUOVA SIMONELLI) CAFFETTERIA ITALIANA



NUOVA SIMONELLI 04000312

- 3240119** **MICROSWITCH D45 16A 250V**
 lever length 60 mm
 for Superautomatic coffee machine (NUOVA SIMONELLI) CAFFETTERIA ITALIANA - MASTER MICROBAR - PRONTOBAR



NUOVA SIMONELLI 04200043

- 1240006** **MICROSWITCH 250V 16A**
 for Superautomatic coffee machine (NUOVA SIMONELLI) MASTER



NUOVA SIMONELLI 04200042

Motors

- 1240063** **GEARMOTOR 200/210V 60Hz 73W**
 for Superautomatic coffee machine (NUOVA SIMONELLI) CAFFETTERIA ITALIANA - MASTER




NUOVA SIMONELLI 04600002

- 1240064** **GEARMOTOR 230V 50Hz 73W**
 for Superautomatic coffee machine (NUOVA SIMONELLI) CAFFETTERIA ITALIANA - MASTER



NUOVA SIMONELLI 04600001

- 1240065** **MOTOR RPM WITH CLAMP 120W**
 model C004320
 power 120W 230V 50/60Hz
 capacitor 6 mf
 for rotary vane pump
 for Superautomatic coffee machine (NUOVA SIMONELLI) CAFFETTERIA ITALIANA - MASTER - TALENTO



NUOVA SIMONELLI 04500033



Suitable for:

NUOVA SIMONELLI



Suitable for:

Non-return valves

1523561 EXPANSION VALVE \varnothing 1/4" M



NUOVA SIMONELLI

1523405 EXPANSION VALVE \varnothing 1/4" M-1/4" M



NUOVA SIMONELLI 72012007

5036751 EXPANSION VALVE \varnothing 1/8" M - 8 mm
calibration 16.5 bar
for Superautomatic coffee machine (NUOVA SIMONELLI) PRONTOBAR



NUOVA SIMONELLI 98120001

1523065 EXPANSION VALVE \varnothing 1/8" M-7 mm
for Superautomatic coffee machine (NUOVA SIMONELLI) CAFFETTERIA ITALIANA - MICROBAR



NUOVA SIMONELLI 73012002

1523007 NON-RETURN VALVE \varnothing 1/4" M-1/4" M
for Superautomatic coffee machine (NUOVA SIMONELLI) MASTER



NUOVA SIMONELLI 98003016

NUOVA SIMONELLI 98003018

1523700 NON-RETURN VALVE \varnothing 1/8" M-1/8" M
for Superautomatic coffee machine (NUOVA SIMONELLI) MICROBAR



NUOVA SIMONELLI 73017002

Pins

1324022 PIPE ARTICULATION PIN



NUOVA SIMONELLI 07300113

1324064 SPRING PIN



NUOVA SIMONELLI 07300107

1324069 STEAM TAP PIN



NUOVA SIMONELLI 07300104

NUOVA SIMONELLI 07300810

1324021 TAP CONTROL SPINDLE



NUOVA SIMONELLI 07300105

1324073 TAP STAINLESS STEEL PIN



NUOVA SIMONELLI 07300221

Pressure gauges

1245503 BOILER-PUMP PRESSURE GAUGE ø 60 mm

double scale 0÷2.5/0÷15 bar - connections ø 1/8" M
rim ø 65 mm - body ø 60 mm
for Superautomatic coffee machine (NUOVA SIMONELLI) CAFFETTERIA ITALIANA - MASTER



NUOVA SIMONELLI 09100003

Pressure switches

1320533 MEMBRANE KIT FOR PRESSURE SWITCH


model P302-6 ø 55 mm



NUOVA SIMONELLI

1320541 PRESSURE SWITCH PARKER

fitting ø 1/4"
scale 0.5÷1.4 bar
differential 0.18÷0.03 bar
pressure max 2.1 bar
temperature max 140°



NUOVA SIMONELLI

1320531 PRESSURE SWITCH P302/6 3-POLES 30A

CE-SEV-ASE-UL approved
ISO 228 G connection 1/4" M for pipe ø 4x6 mm
adjustable scale 0.5÷1.4 bar
fixed differential 0.15 (j 0.06) bar
fluid temperature max :140°C
max contact load : 220V 7KW (30A)
400V 12KW (30A)



NUOVA SIMONELLI 09200006



Probes

1397041 PROBE PTP-51F R100
for delivery assembly
for NUOVA SIMONELLI COFFEE POD JAZZ
for NUOVA SIMONELLI SUPERAUTOMATICA PRONTOBAR



NUOVA SIMONELLI 04900560

1397024 TEMPERATURE PROBE
bulb \varnothing 8x65 mm - fitting \varnothing 1/8"
cable length 400 mm
for NUOVA SIMONELLI SUPERAUTOMATICA MICROBAR
for NUOVA SIMONELLI CAFFÈ CIALDA JAZZ



NUOVA SIMONELLI 04900561

1397001 TEMPERATURE PROBE NTC
coupling \varnothing 1/4" - bulb \varnothing 8x20 mm
for NUOVA SIMONELLI PROGRAMVIP-AURELIA
for NUOVA SIMONELLI SUPER AUTOMATIC CAFFETTERIA ITALIANA
for VICTORIA ARDUINO ADONIS



NUOVA SIMONELLI 04900154

Pull-through brushes

1384001 BRUSH FOR COFFEE SHOWER



NUOVA SIMONELLI 05080012

Regulators and level sensors


1341013 LEVEL PROBE \varnothing 1/4" M-130 mm
for Superautomatic coffee machine (NUOVA SIMONELLI) CAFFETTERIA ITALIANA - MASTER MICROBAR - TALENTO



NUOVA SIMONELLI 09000005


Relays

3351154 BASE OCTAL ES8 10A 400V
8 poles




NUOVA SIMONELLI 09000011

3351004 RELAY 56.32 12A 230V 50/60Hz
2 switching contacts
for ZANUSSI DISHWASHER LS7-LV70-Z70-LB1-LB2
for LINEA BLANCA DISHWASHER LC80-LC140-LC1000
LC1500-LC1700-LC2000-LC2300-LC2300TR-LC2600-LC2800
LC3800-LC4200
for NUOVA SIMONELLI SUPERAUTOMATIC MASTER



NUOVA SIMONELLI 04200044


3351021 RELAY 62.82 16A 230V 50/60Hz
2 switching contacts



NUOVA SIMONELLI 04200046

Shower screens for brew group

1081019 SPOUT \varnothing 34 mm
for Superautomatic coffee machine (NUOVA SIMONELLI) MASTER




NUOVA SIMONELLI 03000067

1081018 SPOUT \varnothing 40 mm
for Superautomatic coffee machine (CIMBALI) M1 M2
for Superautomatic coffee machine (FAEMA) X1 - X2
for Superautomatic coffee machine (NUOVA SIMONELLI) CAFFETTERIA ITALIANA - MASTER



NUOVA SIMONELLI 03000069

1081017 SPOUT \varnothing 47 mm
for Superautomatic coffee machine (NUOVA SIMONELLI) CAFFETTERIA ITALIANA



NUOVA SIMONELLI 03001128



Suitable for:

NUOVA SIMONELLI



Suitable for:

Showerholder diffusers

1086012 **BOTTOM SHOWER HOLDER PISTON \varnothing 37 mm**
for Superautomatic coffee machine (NUOVA SIMONELLI) MASTER



NUOVA SIMONELLI 07300314

1086013 **BOTTOM SHOWER HOLDER PISTON \varnothing 43 mm**
for Superautomatic coffee machine (NUOVA SIMONELLI) CAFFETTERIA ITALIANA - MASTER



NUOVA SIMONELLI 07300345

1086011 **BOTTOM SHOWER HOLDER PISTON \varnothing 50 mm**
for Superautomatic coffee machine (NUOVA SIMONELLI) CAFFETTERIA ITALIANA



NUOVA SIMONELLI 07300412

1086009 **TOP SHOWER HOLDER PISTON \varnothing 36 mm**
for Superautomatic coffee machine (NUOVA SIMONELLI) MASTER



NUOVA SIMONELLI 07300315

1086008 **TOP SHOWER HOLDER PISTON \varnothing 43 mm**
for Superautomatic coffee machine (NUOVA SIMONELLI) CAFFETTERIA ITALIANA - MASTER



NUOVA SIMONELLI 07300346

1086010 **TOP SHOWER HOLDER PISTON \varnothing 50 mm**
for Superautomatic coffee machine (NUOVA SIMONELLI) CAFFETTERIA ITALIANA



NUOVA SIMONELLI 07300414

Solenoid valves

5020858 **SOLENOID VALVE ODE 3-WAYS \varnothing 1/8" 230V 5W**
VITON seal - orifice \varnothing 2.3 mm
with coil LBV05230AY 230/240V 50/60Hz 5W
temperature $-10^{\circ}\text{C}+140^{\circ}\text{C}$
for Superautomatic coffee machine (NUOVA SIMONELLI) MICROBAR - PRONTOBAR



NUOVA SIMONELLI 04100054

Solenoid valves

1120471 2-WAY SOLENOID VALVE CEME \varnothing 1/4" 230V

6660 - max 4.5bar
 VITON seal - orifice \varnothing 3.0 mm
 with coil B6 17VA 230V 50Hz
 fluids temperature -10°C+140°C
 with total lock regulator
 ITALIANA-MASTER1
 for Superautomatic coffee machine (NUOVA
 SIMONELLI) CAFFETTERIA ITALIANA - MASTER1



NUOVA SIMONELLI 04100024

NUOVA SIMONELLI 04100033

3120569 COIL CEME B6 230V 50 Hz



1120012 2-WAY SOLENOID VALVE ODE \varnothing 1/8" 230V 5W

VITON seal - orifice \varnothing 2.3 mm
 coil LBA05230AS 230V 50/60Hz 5W
 temperature -10°C+140°C



NUOVA SIMONELLI 04100042

1120122 COIL ODE LBA05230AS 230V 5W 50/60Hz

width 22 mm - height 29.5 mm
 depth 27.5 mm



1120354 2-WAY SOLENOID VALVE PARKER 230V 50/60Hz

VE146NV - fittings \varnothing 1/4"FF - max 10 bar
 VITON sealing - orifice \varnothing 2.5 mm
 with coil ZB09 9W 220/230V 50/60Hz
 fluid temperature -10°C +140°C



NUOVA SIMONELLI 04100022

3120032 COIL PARKER ZB09 9W 220/240V 50/60Hz

width 34 mm - height 33 mm
 depth 43 mm



NUOVA SIMONELLI

1120310 2-WAY SOLENOID VALVE SIRAI 230V 50Hz

L121V02 - connections \varnothing 1/4"FF - max 20 bar
 VITON seal - orifice \varnothing 2.5 mm
 coil ZA30A 9W 230V 50Hz 14VA



NUOVA SIMONELLI 04100012

1120008 COIL SIRAI ZA30A 9W 230V 50Hz

width 30 mm - height 39 mm
 depth 41 mm





NUOVA SIMONELLI



Suitable for:


1120806 3-WAY ODE SOLENOID VALVE 1/8" 230V 8W
RUBY seal - hole \varnothing 1,5 mm
with coil BDA08223DS 220/230V 50/60Hz 8W
thermal drilling -40°C+180°C



NUOVA SIMONELLI 04100009

Suitable for:

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm



1120121 3-WAY SOLENOID VALVE ODE \varnothing 1/8" 230V 5W
VITON seal - orifice \varnothing 1.2 mm
with coil LBA05230AS 230/240V 50/60Hz 5W
temperature -10°C+140°C
for Superautomatic coffee machine (NUOVA SIMONELLI) MICROBAR - PRONTOBAR - TALENTO



NUOVA SIMONELLI 04100046

1120122 COIL ODE LBA05230AS 230V 5W 50/60Hz
width 22 mm - height 29.5 mm
depth 27.5 mm



1120321 3-WAY SOLENOID VALVE PARKER 230V 50/60Hz
VE141BV - drain \varnothing 1/8" conical - fittings \varnothing 1/8" F
VITON seal - orifice \varnothing 2 mm
with coil ZB09 9W 220/230V 50/60Hz
fluid temperature -40°C+140°C



NUOVA SIMONELLI 04100011


3120032 COIL PARKER ZB09 9W 220/240V 50/60Hz
width 34 mm - height 33 mm
depth 43 mm



NUOVA SIMONELLI

Spouts for coffee

1022005 ANTHRACITE SPOUT
for Superautomatic coffee machine (NUOVA SIMONELLI) MASTER - MASTER CAPPUCCINO



NUOVA SIMONELLI 05000106

NUOVA SIMONELLI 05000106.A

1022006 ANTHRACITE SPOUT
for Superautomatic coffee machine (NUOVA SIMONELLI) MASTER - MASTER CAPPUCCINO



NUOVA SIMONELLI 05000095

Suitable for:

1022008 ANTHRACITE SPOUT TANK COVER
for Superautomatic coffee machine (NUOVA SIMONELLI) MASTER



NUOVA SIMONELLI 05000114

Suitable for:

1022024 SPOUT
for Superautomatic coffee machine (NUOVA SIMONELLI) MICROBAR



NUOVA SIMONELLI 05000727

NUOVA SIMONELLI 05000728

NUOVA SIMONELLI 05000729

Springs

1250532 ARTICULATION SPRING 20.4x15.9x16.5 mm



NUOVA SIMONELLI 08000013

1250531 SPRING \varnothing 11.5x25 mm



NUOVA SIMONELLI 08000005

NUOVA SIMONELLI 08000007

1250019 SPRING \varnothing 12x16.5 mm



NUOVA SIMONELLI 08000027

NUOVA SIMONELLI 08000049

1250220 SPRING \varnothing 15x61 mm
for group delivery piston \varnothing 43 mm
for NUOVA SIMONELLI SUPER AUTOMATIC MASTER
CAFFETTERIA ITALIANA




NUOVA SIMONELLI 08000044

1250221 SPRING \varnothing 15x61 mm
for group delivery piston \varnothing 36 mm
for NUOVA SIMONELLI SUPER AUTOMATIC MASTER



NUOVA SIMONELLI 08000024

1250222 SPRING \varnothing 16.5x80 mm
for bottom piston
for NUOVA SIMONELLI SUPER AUTOMATIC MASTER



NUOVA SIMONELLI 08000025

Steam taps and spares for coffee mach.


1349516 ARTICULATION FITTING \varnothing 3/8"



NUOVA SIMONELLI

NUOVA SIMONELLI 01000102

1321601 COMPLETE GASKET HOLDER FOR TAP



NUOVA SIMONELLI 07300034

NUOVA SIMONELLI 98008004



Suitable for:

1186988 STEAM TAP JOINT BUSHING
external \varnothing 12/8.5 mm - internal \varnothing 7 mm
thickness 6/3 mm



NUOVA SIMONELLI 07300293


Suitable for:

1348038 TAP ASSEMBLY




NUOVA SIMONELLI 07300354

1348039 TAP ASSEMBLY



NUOVA SIMONELLI 07300119

1348040 TAP FORK



NUOVA SIMONELLI 07300108

NUOVA SIMONELLI 07300355

Steam-water pipes coffee machines

5030025 BURN PREVENTING RUBBERP.F./PIPE \varnothing 10 mm



NUOVA SIMONELLI 05000001

1449868 COMPLEYE S/STEEL WATER PIPE \varnothing 10 mm
for Superautomatic coffee machine (NUOVA SIMONELLI) MASTER



NUOVA SIMONELLI 75006019

NUOVA SIMONELLI 80007005

1383002 STEAM NOZZLE



NUOVA SIMONELLI

NUOVA SIMONELLI 75006015

1449036 WATER SPRINKLER



NUOVA SIMONELLI 82007003

Switches

1319259 PUSH-BUTTON PANEL DIAPHRAGM
dimensions 296x95 mm
for Superautomatic coffee machine (NUOVA SIMONELLI) MASTER



NUOVA SIMONELLI 05000131.0

NUOVA SIMONELLI 05000131.1

1319260 PUSH-BUTTON PANEL DIAPHRAGM
dimensions 330x200 mm
for Superautomatic coffee machine (NUOVA SIMONELLI) CAFFETTERIA ITALIANA



NUOVA SIMONELLI 04900300.0

Suitable for:

Suitable for:

1319261 PUSH-BUTTON PANEL DIAPHRAGM
 dimensions 296x95 mm
 for Superautomatic coffee machine (NUOVA SIMONELLI) MASTER CAPPUCCINO



NUOVA SIMONELLI 05000132.0

NUOVA SIMONELLI 05000132.1

Telethermometers

3441069 BLACK TELETHERMOMETER 61x12 mm -40+40°C
 capillary length 1500 mm
 bulb \varnothing 8.5x20 mm



NUOVA SIMONELLI 09300001

Terminal blocks

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V
 for cable max 6 mm²
 operating temperature 150°C
 nominal voltage 450 V



NUOVA SIMONELLI 04000310

Terminals

3120034 CONNECTOR FEMALE LARGE
 for coils



NUOVA SIMONELLI

1455033 CONNECTOR FEMALE SMALL
 for volumetric flowmeter



NUOVA SIMONELLI



Suitable for:

NUOVA SIMONELLI



Suitable for:

Vibrating pumps


1331023 SQUARE DAMPER EX-EP-EK-EA



NUOVA SIMONELLI 05180005

1122735 VIBRATORY PUMP EX5 48W 230V 50Hz

fittings \varnothing 1/8" - \varnothing 6 mm
pressure max 15 bar
water temperature max 20°C
integrated diode (1N 4007P)
lead connector 6.3x0.8 mm



NUOVA SIMONELLI 04800005

1349652 90° FITTING \varnothing 1/8 F



NUOVA SIMONELLI 07300369

Water containers for OCS HORECA

1080161 WATER CONTAINER 2 L
for Superautomatic coffee machine (NUOVA SIMONELLI) MICROBAR



NUOVA SIMONELLI 05000178

NUOVA SIMONELLI 73004010

1080169 WATER CONTAINER 5 L WITH FLOAT
for Superautomatic coffee machine (NUOVA SIMONELLI) MICROBAR



NUOVA SIMONELLI 05000755

NUOVA SIMONELLI 9820000000022

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



LF SpA

via Voltri, 80 - 47522 Cesena (FC) ITALIA
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - www.lfricambi724.mobi
info@lfricambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspaceparts.com

FRANCE



EPGC Sas

13, Rue des Forts - 59960 Neuville en Ferrain
Tél. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com

DEUTSCHLAND



LF GmbH

Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de

SCHWEIZ



LF GmbH Verkaufsbüro

Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch

ESPAÑA



LF Repuestos Horeca S.L.U.

Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tif. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es

UNITED KINGDOM



LF Spare Parts Ltd.

A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspaceparts.co.uk

RUSSIA



OOO LF

ul, Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspaceparts.ru

CHINA



LF China

Room 102, House 8, Lane 725, Mao Tai Rd.
Changning Dist. - 200336 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspaceparts.com