





TOASTER 4TO-6T-12T


4TO



6T



12T





BERTO'S




Position	LF code no.	Description
1	3317051	GRILL PLIER
4	3241342	RED KNOB \varnothing 72 mm OFF 5-10-15
6	3446138	TIMER 15 MINUTES M2
18	3355343	WIRE HEATING ELEMENT 500W 110V
19	3355299	QUARTZ TUBE \varnothing 10x390 mm
20	3755680	INSULATING PAIR MALE/FEMALE
21	3755680	INSULATING PAIR MALE/FEMALE
25	3241343	RED KNOB \varnothing 72 mm OFF 1-2
27	3057151	SELECTOR SWITCH 0-2 POSITIONS



SINGLE PLATE PSR/LD

PSR/LD





BERTO'S




Position	LF code no.	Description
3	3355308	HEATING ELEMENT 700W 230V TOP
4	3250146	SPRING ø 21.5x117 mm
14	3355309	HEATING ELEMENT 1000W 230V BOTTOM
18	3444336	THERMOSTAT TR2 0-270°C
21	3241344	RED KNOB ø 72 mm 50-300°C
22	3221095	ORANGE INDICATOR LAMP 230V
23	3221132	GREEN INDICATOR LAMP 230V
25	3247016	3-POLE TERMINAL BLOCK FV273 40A 450V




MEDIUM PLATE PMR/LD-PMR/VTR

PMR/LD



PMR/VTR





BERTO'S




Position	LF code no.	Description
3	3355310	HEATING ELEMENT 1000W 230V TOP
4	3250110	SPRING FOR PLATE
14	3355311	HEATING ELEMENT 1500W 230V BOTTOM
18	3444336	THERMOSTAT TR2 0-270°C
21	3241344	RED KNOB ø 72 mm 50-300°C
22	3221095	ORANGE INDICATOR LAMP 230V
23	3221132	GREEN INDICATOR LAMP 230V
25	3247016	3-POLE TERMINAL BLOCK FV273 40A 450V
32	3250003	SPRING ø 20x115 mm




DOUBLE PLATE PDR/LD-PDR/VTR

PDR/LD



PDR/VTR





BERTO'S



Position	LF code no.	Description
3	3355308	HEATING ELEMENT 700W 230V TOP
4	3250146	SPRING \varnothing 21.5x117 mm
16	3355309	HEATING ELEMENT 1000W 230V BOTTOM
20	3444336	THERMOSTAT TR2 0-270°C
24	3241344	RED KNOB \varnothing 72 mm 50-300°C
28	3221132	GREEN INDICATOR LAMP 230V
29	3221095	ORANGE INDICATOR LAMP 230V
30	3247009	6-POLE TERMINAL BLOCK FV122/B 40A 600V
33	3250003	SPRING \varnothing 20x115 mm



Suitable for:

BERTO'S



Suitable for:

Burners and flame spreaders

3025406 BURNER ø 120 mm



BERTO'S 31280500

3025364 BURNER BOWL ø 78 mm
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2



BERTO'S 31280100

3025363 FLAME SPREADER ø 120 mm
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2



BERTO'S 31280700

BERTO'S 31281300

3025406 BURNER ø 120 mm



BERTO'S 31280500

3025364 BURNER BOWL ø 78 mm
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2



BERTO'S 31280100

3025575 FLAME SPREADER ø 120 mm



BERTO'S 31280600

3025362 FLAME SPREADER ASSY. ø 120 mm
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2



Energy regulators

3350026 ENERGY ADJUSTER
contact capacity 230V 13A - max temperature 125°C
D-shaped pin ø 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
for Sausage grill (CF CENEDESE)
for Toaster (CF CENEDESE)
for Toaster electric (DOSILET) GG4000 - TT6000



BERTO'S 24114800



Gas taps and accessories

3348014 GAS COCK 20/S
 without pilot flame
 fittings \varnothing M16x1.5mm
 thermocouple fitting M8x1
 D-shaped pin \varnothing 8x6.5mm




BERTO'S 22272900

3348058 MAGNET PROTECTION NUT M8x1
 for model PEL 20-21-22
 thermocouple fitting M8x1



3348043 PIPE FITTING \varnothing 10 mm
 for model PEL 20-21



3348020 CAP WITH PIN \varnothing 8x6.5 mm
 pin length 22 mm
 for model PEL 20S



3182011 MAGNETIC UNIT PEL SMALL HEADED
 \varnothing head 15 mm - \varnothing end 11 mm - length 44 mm
 for PEL tap models 20-21
 for EGA tap model 25213
 for JUNKERS tap model CH110



3348044 PIPE OLIVE \varnothing 10 mm
 for model PEL 20 - 21



Heating elements

3355309 HEATING ELEMENT 1000W 230V BOTTOM
 length 185 mm - width 180 mm
 complete with cables
 for Panini grill electric (BERTO'S) PD/VTR
 PDL/LD - PDL/ST - PDL/SX - PDM/LD - PDM/ST
 PDR/LD - PDR/VTR - PDT/L - PDT/M - PDT/R
 PDT/SX - PDT/VTR - PSL/LD - PSL/LX - PSR/LD
 PSR/ST - PST/L - PST/R



BERTO'S 30023500

3355310 HEATING ELEMENT 1000W 230V TOP
 length 185 mm - width 320 mm
 complete with cables
 for Panini grill electric (BERTO'S) PDT/VTR
 PM+VTR - PML/LD - PML/ST - PMR/ST - PMR/VTR



BERTO'S 30024100



Suitable for:

BERTO'S



3355311 HEATING ELEMENT 1500W 230V BOTTOM
 length 185 mm - width 320 mm
 complete with cables
 for Panini grill electric (BERTO'S) PM+VTR
 PML/LD - PML/ST - PMR/LD - PMR/ST - PMR/VTR
 PMT/VTR



BERTO'S 30024300

3755686 HEATING ELEMENT 2300W 230V
 length 300 mm - width 210 mm
 total height 85 mm - flange 70x22 mm



BERTO'S 27023000

3355308 HEATING ELEMENT 700W 230V TOP
 length 185 mm - width 180 mm
 complete with cables
 for Panini grill electric (BERTO'S) PD/VTR
 PDL/LD - PDL/ST - PDL/SX - PDM/LD - PDM/ST
 PDR/LD - PDR/ST - PDR/VTR - PSL/LD - PSL/SX
 PSM/ST - PSR/LD - PSR/ST



BERTO'S 30022500

3755680 INSULATING PAIR MALE/FEMALE
 for HEATING ELEMENTS



BERTO'S 30194200

BERTO'S 30194300

3355349 QUARTZ HEATING ELEMENT 1000W 230V
 length 390 mm - flange 130x11 mm
 for Toaster electric (DIHR) F120 - F60
 for Toaster electric (ELETTROBAR) 412
 for Toaster electric (SICOMEX)



BERTO'S 30014100

3355299 QUARTZ TUBE \varnothing 10x390 mm
 for Toaster electric (ARISTARCO)



BERTO'S 30043100

3355343 WIRE HEATING ELEMENT 500W 110V
 length 390 mm
 for Toaster electric (BERTO'S) 12T - 6T
 for Toaster electric (ELETTROBAR) 3P - 6P



BERTO'S 30040800

3755680 INSULATING PAIR MALE/FEMALE
 for HEATING ELEMENTS



BERTO'S 30194200

BERTO'S 30194300



Suitable for:

3355299 **QUARTZ TUBE ø 10x390 mm**
for Toaster electric (ARISTARCO)



BERTO'S



Suitable for:

BERTO'S 30043100

Knobs

3241402 **BLACK KNOB ø 70 mm**
D shaft hole 6x4.6 mm
for thermostat. selector switch. timer.
program switch. energy regulator



BERTO'S 31876000


3241463 **SELF-STICK DISK WITH ARROW SYMBOL**
external ø 63 mm



3241451 **SELF-STICK DISK WITHOUT PILOT SYMBOL**
external ø 63 mm
for gas taps without pilot



3241466 **SELF-STICK DISK 0-1-2-3**
external ø 63 mm




3241464 **SELF-STICK DISK MIN/MAX**
external ø 63 mm



3241450 **SELF-STICK DISK WITH PILOT SYMBOL**
external ø 63 mm
for gas taps with pilot



3241465 **SELF-STICK DISK 0-1-0-1**
external ø 63 mm



3241467 **SELF-STICK DISK 0-1-2-3-4-5-6**
external ø 63 mm





Suitable for:

3241452 SELF-STICK DISK 1-2-3-4-5-6-7-8
external ø 63 mm
for thermostatic gas taps PEL



BERTO'S 31952300


3241458 SELF-STICK DISK 100-180°C
external ø 63 mm



3241457 SELF-STICK DISK 30-110°C
external ø 63 mm



3241455 SELF-STICK DISK 30-90°C
external ø 63 mm



3241460 SELF-STICK DISK 50-300°C
external ø 63 mm



3241462 SELF-STICK DISK 50-320°C
external ø 63 mm




BERTO'S




Suitable for:

3241453 SELF-STICK DISK 1-2-3-4-5-6-7-8
external ø 63 mm
for thermostatic gas taps EGA




3241456 SELF-STICK DISK 30-110°C
external ø 63 mm




3241454 SELF-STICK DISK 30-90°C
external ø 63 mm



3241459 SELF-STICK DISK 50-250°C
external ø 63 mm



3241461 SELF-STICK DISK 50-300°C
external ø 63 mm





Suitable for:

3241343 RED KNOB ø 72 mm OFF 1-2
D-shaped hole 8x6 mm
for Panini grill (BERTO'S) - Series 700
Series 900



BERTO'S 30949300
BERTO'S 35877200

BERTO'S 35876200
BERTO'S 35877300

BERTO'S 35877000

Suitable for:

3241342 RED KNOB ø 72 mm OFF 5-10-15
D-shaped hole 8x6 mm
for Panini grill (BERTO'S) - Series 600
Series 900



BERTO'S 30949200
BERTO'S 35877200

BERTO'S 35876200
BERTO'S 35877300

BERTO'S 35877000

3241344 RED KNOB ø 72 mm 50-300°C
D shaft hole 8x6 mm
for Panini grill (BERTO'S) - Series 600
Series 900



BERTO'S 30654700
BERTO'S 35877000

BERTO'S 31953500
BERTO'S 35877200

BERTO'S 35876200
BERTO'S 35877300

Lamps

3221132 GREEN INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



BERTO'S 30168800

3221183 GREEN PILOT LIGHT 400V
ø head 13.5 mm - hole ø 10 mm - 150°C
universal application



BERTO'S 33171000

3221184 ORANGE PILOT LIGHT 400V
ø head 13.5 mm - hole ø 10 mm - 120°C
universal application



BERTO'S 33171100



Suitable for:

BERTO'S



Suitable for:

3221095 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



BERTO'S 30168500

Piezo ignitors

3001020 PIEZO IGNITER 10015
18 mm \varnothing mounting hole
2.4 mm \varnothing male faston connector



BERTO'S 32188200

5035512 WATERTIGHT PIEZO CAP
of silicone rubber



Pliers for sandwiches

3317051 GRILL PLIER
length 100 mm
height 180 mm
for Toaster



BERTO'S 30611300

Rotary switches

3057151 SELECTOR SWITCH 0-2 POSITIONS
contact capacity 16A 250V - max temperature 150°
D spindle \varnothing 6x4.6 mm
for Toaster electric (BERTO'S) 12T - 4T0 - 6T
for Toaster electric (ELETTROBAR) 404 - 406 - 412
for Toaster electric (SILANOS) FA3



BERTO'S 30051600



Suitable for:

BERTO'S



Suitable for:

Springs

3250003 SPRING \varnothing 20x115 mm
for ELECTRIC GRIDDLE PS-PM-PD/ST



BERTO'S 30613100

3250146 SPRING \varnothing 21.5x117 mm
for Panini grill electric (BERTO'S) PDM/LD
PDR/LD - PSL/LD - PSR/LD
for Panini grill electric (ELETTOBAR) G34 - G37
G38 - G39 - 433 - 434 - 436 - 437 - 438 - 439



BERTO'S 30612800

3250110 SPRING FOR PLATE



BERTO'S 30612900

Switches

3319012 GREEN BIPOLAR SWITCH 16A 250V
with indicator light and switch cover
screen printing 0 - I
max temperature 120°C
mounting hole 22x30 mm



BERTO'S 22056600

Terminal blocks

3247018 2-POLE TERMINAL BLOCK FV77 20A 600V
for cable max 4 mm²
operating temperature 150°C
nominal voltage 450 V



BERTO'S 30184500

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



BERTO'S 30183800



Suitable for:

BERTO'S



Suitable for:

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



BERTO'S 30184200

Thermostats

3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm



BERTO'S 23063600

3444005 THERMOSTAT TR2 0-120°C

D-shaped pin \varnothing 6x4.6 mm
capillary 1500 mm - 15A 250V
bulb \varnothing 6.5x95 mm



BERTO'S 22062400

BERTO'S 24064000

3444336 THERMOSTAT TR2 0-270°C

complete with auxiliary selector switch
D-shaped pin \varnothing 6x4.6 mm
capillary length 940 mm - 15A 250V
bulb \varnothing 3.5x190 mm



BERTO'S 30064600

Timers

3446004 TIMER 120 MINUTES

mechanical timer with acoustic signal
mechanical movement with balance wheel
manual operating position on the left
manual winding cycle 120 minutes
bipolar timer with contact capacity 16(3)A 250V
max temperature 125°C
D shaft \varnothing 6x4.6 mm
complete with screenprinted label
for OVEN



BERTO'S 25078600

3446005 BLACK KNOB ABS 38x38 mm

D-shaped hole \varnothing 6x4.6 mm
for timer





BERTO'S



Suitable for:

3446138 **TIMER 15 MINUTES M2**

mechanical movement with balance wheel
manually set mechanical timer
manually set cycle 15 minutes
2 poles with contact capacity 16(4)A 250V
max temperature 125°C
square pin 3x3 mm



BERTO'S 30082100

Suitable for:

3241168 **BLACK KNOB 38x38 mm**

square hole 3x3 mm
for Bread toaster (ARISTARCO)

