



Spare parts for:

**Bar equipment**



Suitable for:

**CF CENEDESE**



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*






## SANDWICH TOASTER



1



2



3



4



5



6



7



8



9



# CF CENEDESE



Position	LF code no.	Description
1	3221340	DOUBLE GREEN-WHITE INDICATOR LAMP 230V
2	3444336	THERMOSTAT TR2 0-270°C
3	3755806	HEATING ELEMENT 900W 230V
4	3755807	HEATING ELEMENT 900W 230V
5	3755808	HEATING ELEMENT 1200W 230V
6	3755809	RADIANT HEATING ELEMENT 750W 230V
7	3250002	RIGHTHAND SPRING ø 20x42 mm
8	3250001	LEFTHAND SPRING ø 20x42 mm
9	3250146	SPRING ø 21.5x117 mm



## TOASTER



1



2



3



4



5



6



7



# CF CENEDESE



Position	LF code no.	Description
1	3221014	ORANGE INDICATOR LIGHT 220V
2	3319304	RED DOUBLE SWITCH 16A 250V
3	3446051	TIMER 15 MINUTES C20
4	3317051	GRILL PLIER
6	3755769	QUARTZ HEATING ELEMENT 500W 115V



## ROTARY TOASTER AND ROLLER GRILL



1



2



3



4



5



6



7



8



9



# CF CENEDESE



Position	LF code no.	Description
1	3057183	SPEED REGULATING BOARD 96x65 mm
2	3221012	GREEN INDICATOR LIGHT 220V
3	3221132	GREEN INDICATOR LAMP 230V
4	3221340	DOUBLE GREEN-WHITE INDICATOR LAMP 230V
5	3240638	GEARMOTOR 230V 50/60Hz
6	3319371	BLACK BIPOLAR SWITCH 16A 250V
7	3350026	ENERGY ADJUSTER
8	3355351	HEATING ELEMENT 220W 240V



## HOT DOG AND DISPLAY CABINETS



1



2




3



4




5



6



7



8





# CF CENEDESE



Position	LF code no.	Description
1	3221012	GREEN INDICATOR LIGHT 220V
2	3241566	BLACK KNOB $\varnothing$ 50 mm 0-1-2-3
3	3319296	BLACK BIPOLAR SWITCH 16A 250V
4	3350026	ENERGY ADJUSTER
5	3319378	BLACK THREE-POLE SWITCH 16A 250V
6	3444004	THERMOSTAT TR2 0-90°C
7	3444008	BLACK KNOB $\varnothing$ 41 mm 0-90°C
8	3755814	HEATING ELEMENT 400W 230V



Suitable for:

# CF CENEDESE



Suitable for:

## Electronic printed-circuit boards

**3057183 SPEED REGULATING BOARD 96x65 mm**  
with potentiometer  
for Toaster (CF CENEDESE) TN30



CF CENEDESE 63.7.0627

## Energy regulators

**3350026 ENERGY ADJUSTER**  
contact capacity 230V 13A - max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction  
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS  
for Sausage grill (CF CENEDESE)  
for Toaster (CF CENEDESE)  
for Toaster electric (DOSILET) GG4000 - TT6000



CF CENEDESE 63.7.0601

## Equipment and accessories

**3235502 ENAMELLED CAST IRON RIBBED SINGLE PLATE**  
1650W 230V  
max dimensions 275x400x240 mm  
cooking plate 250x250 mm



CF CENEDESE PS1010R

**1235003 HOT SHOWCASE 1 SHELF 400W 230V**  
dimensions 500x350x270 mm



CF CENEDESE VEC510INOX

**1235004 HOT SHOWCASE 2 SHELVES 400W 230V**  
dimensions 500x350x410 mm



CF CENEDESE VEC520INOX

**3235511 PYROCERAM RIBBED SINGLE PLATE**  
1500W 230V  
dimensions 320x440x180 mm



CF CENEDESE PSV3010



# CF CENEDESE



Suitable for:

**1235001 SHOWCASE 1 SHELF**  
dimensions 500x350x200 mm



CF CENEDESE VEN510INOX

Suitable for:

**1235002 SHOWCASE 2 SHELVES**  
dimensions 500x350x340 mm



CF CENEDESE VEN520INOX

**3235521 2-PLIER TOASTER 1600W 230V**  
quartz electric heating elements  
dimensions 375x250x240 mm



CF CENEDESE T920

**3235522 3-PLIER TOASTER 2000W 230V**  
quartz electric heating elements  
dimensions 480x250x240 mm



CF CENEDESE T930

## Heating elements

**3755808 HEATING ELEMENT 1200W 230V**  
length 195 mm - width 300 mm  
for Panini grill electric (CF CENEDESE)



CF CENEDESE 63.7.1015

**3355351 HEATING ELEMENT 220W 240V**  
length 410 mm  
for Sausage grill electric (CB)  
for Sausage grill electric (CF CENEDESE)



CF CENEDESE

**3755814 HEATING ELEMENT 400W 230V**  
length 300 mm - width 140 mm  
fittings  $\varnothing$  12 mm



CF CENEDESE 63.7.1090

**3755291 HEATING ELEMENT 750W 230V**  
length 180 mm - width 180 mm



CF CENEDESE 63.7.1012

**3755806 HEATING ELEMENT 900W 230V**  
length 180 mm - width 175 mm  
for Panini grill electric (CF CENEDESE)



CF CENEDESE 63.7.1011

**3755807 HEATING ELEMENT 900W 230V**  
length 195 mm - width 300 mm  
for Panini grill electric (CF CENEDESE)



CF CENEDESE 63.7.1016



Suitable for:

## 3755768 QUARTZ HEATING ELEMENT 400W 230V

length 290 mm - width 130 mm  
for TOASTER T920-T940



CF CENEDESE 63.7.1094

Suitable for:

## 3755769 QUARTZ HEATING ELEMENT 500W 115V

total length 385 mm -  $\varnothing$  11.5 mm  
for Toaster electric (CF CENEDESE) T930 - T960



CF CENEDESE 63.7.1095

## 3755809 RADIANT HEATING ELEMENT 750W 230V

length 225 mm - width 225 mm  
height 30 mm  
for Panini grill electric (CF CENEDESE) PDV3020LL  
PDV3020LR - PDV3020RR



CF CENEDESE 63.7.1100

## Knobs

### 3241566 BLACK KNOB $\varnothing$ 50 mm 0-1-2-3

D shaft hole 6x4.6 mm  
for EGO energy regulator



CF CENEDESE 63.6.0280

CF CENEDESE 63.7.0280

## Lamps

### 3221340 DOUBLE GREEN-WHITE INDICATOR LAMP 230V

mounting hole 30x22 mm - 120°C  
for HOT DOG COOKER-BAIN MARIE-FRYER



CF CENEDESE 63.7.0821

### 3221132 GREEN INDICATOR LAMP 230V

head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



CF CENEDESE 63.7.0811

### 3221012 GREEN INDICATOR LIGHT 220V

mounting hole 30x22 mm - 125°C  
universal application



CF CENEDESE 63.7.0820

### 3221095 ORANGE INDICATOR LAMP 230V

head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



CF CENEDESE 63.7.0810



Suitable for:

Suitable for:

**3221014 ORANGE INDICATOR LIGHT 220V**  
 mounting hole 30x22 mm - 125°C  
 universal application  
 for MORETTI PROOFING CABINET AHL-MHL-RHL-P110L  
 F80L-TVHL-AMALFI L-P60/80/120EL-F80/40EL-L60.60  
 L65.105-L105.105-L105.65-TEVERE HI/TECH



CF CENEDESE 63.7.0805

## Motors

**3240638 GEARMOTOR 230V 50/60Hz**  
 TYPE MR5/47559SP R5/F004 G4.5  
 pin 8x6 mm - pin height 24 mm  
 for Toaster (CF CENEDESE) TN30



CF CENEDESE 63.7.0751

## Pliers for sandwiches

**3317051 GRILL PLIER**  
 length 100 mm  
 height 180 mm  
 for Toaster



CF CENEDESE 63.3.3095

## Springs

**3250001 LEFTHAND SPRING  $\varnothing$  20x42 mm**  
 for ELECTRIC PLATE all models  
 for SIRMAN ELECTRIC PLATE PD R/L/M/x upto 99  
 for SIRMAN ELECTRIC PLATE ELIO L/R/X upto 99  
 for SIRMAN ELECTRIC PLATE ELIO ECO upto 99



CF CENEDESE 63.3.0853

**3250002 RIGHTHAND SPRING  $\varnothing$  20x42 mm**  
 for ELECTRIC PLATE all models  
 for SIRMAN ELECTRIC PLATE PD R/L/M/x upto 99  
 for SIRMAN ELECTRIC PLATE ELIO L/R/X upto 99  
 for SIRMAN ELECTRIC PLATE ELIO ECO upto 99



CF CENEDESE 63.3.0852



Suitable for:

# CF CENEDESE



Suitable for:

**3250146 SPRING  $\varnothing$  21.5x117 mm**  
 for Panini grill electric (BERTO'S) PDM/LD  
 PDR/LD - PSL/LD - PSR/LD  
 for Panini grill electric (ELETTOBAR) G34 - G37  
 G38 - G39 - 433 - 434 - 436 - 437 - 438 - 439



CF CENEDESE 63.3.0861

## Switches

**3319296 BLACK BIPOLAR SWITCH 16A 250V**  
 with red led indicator light  
 max temperature 120°C  
 mounting hole 22x30 mm



CF CENEDESE 63.7.0861

**3319371 BLACK BIPOLAR SWITCH 16A 250V**  
 silk-screen printing 0 - I  
 temperature max. 120°C  
 mounting hole 22x30 mm



CF CENEDESE 63.7.0860

**3319378 BLACK THREE-POLE SWITCH 16A 250V**  
 with orange indicator lamp  
 max temperature 120°C  
 mounting hole 22x30 mm



CF CENEDESE 63.7.0863

**3319304 RED DOUBLE SWITCH 16A 250V**  
 with indicator lamp  
 max temperature 100°C  
 mounting hole 22x30 mm  
 for Toaster (CF CENEDESE) T920  
 for Toaster electric (CF CENEDESE) T930



CF CENEDESE 63.7.0852

## Thermostats

**3444008 BLACK KNOB  $\varnothing$  41 mm 0-90°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 for thermostat TR/2



CF CENEDESE 63.6.0262

CF CENEDESE 63.6.0264

**3444336 THERMOSTAT TR2 0-270°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 940 mm - 15A 250V  
 bulb  $\varnothing$  3.5x190 mm



CF CENEDESE 63.7.0651



Suitable for:

Suitable for:

**3444004 THERMOSTAT TR2 0-90°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary 1500 mm - 15A 250V  
bulb  $\varnothing$  6.5x95 mm



CF CENEDESE 63.7.0655

CF CENEDESE 63.7.0658

## Timers

**3446051 TIMER 15 MINUTES C20**  
manually set mechanical timer  
manually set cycle 15 minutes  
2 poles with contact capacity 16(3)A 250V  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
complete with knob  
for FIMAR TOASTER TOP3-6  
for LOTUS TOASTER TS-1  
for CF TOASTER T920-T930-T940-T960  
for CF SMALL OVEN FP36-FP66



CF CENEDESE 63.7.0665

CF CENEDESE 63.7.0666

**3241161 BLACK KNOB  $\varnothing$  40 mm**  
D shaft hole 6x4.6 mm  
for Panini grill (ARISTARCO) ORION

