



Spare parts for:

Bar equipment



Suitable for:

SILANOS



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.


Suitable universal spare parts may not be included






DOUBLE PLATE

DOPPIA



MEDIA





SILANOS




Position	LF code no.	Description
6	3313023	FOOT \varnothing 25x21 mm HOLE \varnothing 4 mm
8	3444174	SINGLE-PHASE THERMOSTAT 50-320°C
9	3057019	SELECTOR SWITCH 0-1 POSITIONS
10	3241165	BLACK KNOB \varnothing 50 mm 50°-300°C
11	3241332	BLACK KNOB \varnothing 40 mm
12	3221136	ORANGE INDICATOR LIGHT 400V
13	3221183	GREEN PILOT LIGHT 400V
14	3444341	CONTACT THERMOSTAT 300°C 16A 250V
18	3355327	HEATING ELEMENT 1000W 230V BOTTOM
24	3250008	RIGHTHAND SPRING \varnothing 19x45 mm
25	3250009	LEFTHAND SPRING \varnothing 19x45 mm
30	3355326	HEATING ELEMENT 750W 230V TOP
48	3250105	LEFTHAND SPRING \varnothing 20x56 mm
49	3250104	RIGHTHAND SPRING \varnothing 20x56 mm
54	3355328	HEATING ELEMENT 1200W 230V TOP



SMALL OVEN FA3

FA3





SILANOS



Position	LF code no.	Description
	3455472	QUARTZ HEATING ELEMENT 500W 110V
2	3355299	QUARTZ TUBE ø 10x390 mm
4	3444341	CONTACT THERMOSTAT 300°C 16A 250V
5	3057151	SELECTOR SWITCH 0-2 POSITIONS
6	3446137	TIMER 15 MINUTES M2
8	3241173	BLACK KNOB ø 44 mm
9	3241174	BLACK KNOB ø 44 mm
10	3317051	GRILL PLIER



Suitable for:

SILANOS



Suitable for:

Capacitors

3068016 CAPACITOR μ F 10 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



SILANOS 901730

Clamps

3449402 DOUBLE-WIRE CLAMP 7.8-8.3 - 100 PCS
for hoses \varnothing 7.8÷8.3 mm



SILANOS 902425

3449462 HOSE CLAMP 12-20
for hoses \varnothing 12÷20 mm
made of stainless steel AISI 304
height 9 mm and screw E7



SILANOS 902440

3449452 HOSE CLAMP 16-25
for hoses \varnothing 16÷25 mm
made of stainless steel AISI 304
height 9 mm and screw E7



SILANOS 902450

3449453 HOSE CLAMP 25-40
for pipes \varnothing 25÷40 mm
made of stainless steel AISI 304
height 9 mm and screw E7



SILANOS 902460

3449454 HOSE CLAMP 32-50
for pipes \varnothing 32÷50 mm
made of stainless steel AISI 304
height 9 mm and screw E7



SILANOS 902441


3449456 HOSE CLAMP 50-70
for hoses \varnothing 50÷70 mm
made of stainless steel AISI 304
height 9 mm and screw E7



SILANOS 902490

Contact thermostats

3444341 CONTACT THERMOSTAT 300°C 16A 250V
with manual reset
for ELECTRIC PLATE all models



SILANOS 907101

Feet

3313023 FOOT \varnothing 25x21 mm HOLE \varnothing 4 mm



SILANOS 904960

Gaskets and seals

1186630 GASKET OR 04087 EPDM



SILANOS 904404

1186643 GASKET OR 04212 EPDM



SILANOS 904395

1186358 O-RING 03030 EPDM
for Vegetable washing machine (LAMBER) A81



SILANOS 904430

Heating elements

3355327 HEATING ELEMENT 1000W 230V BOTTOM
length 180 mm - width 180 mm
for Panini grill electric (SILANOS) DOPPIA
DOPPIA RIGATA



SILANOS 905670

SILANOS 905671

3355328 HEATING ELEMENT 1200W 230V TOP
length 265 mm - width 170 mm
for Panini grill electric (SILANOS) MEDIA RIGATA



SILANOS 905611

SILANOS 905615



Suitable for:

SILANOS



Suitable for:

3355326 HEATING ELEMENT 750W 230V TOP
length 175 mm - width 185 mm
complete with cables
for Panini grill electric (SILANOS) DOPPIA
DOPPIA RIGATA



SILANOS 905650

SILANOS 905651

3455472 QUARTZ HEATING ELEMENT 500W 110V
length 390 mm - \varnothing 10 mm
for Toaster electric (SILANOS) FA3



SILANOS 905590

SILANOS 907382

3355299 QUARTZ TUBE \varnothing 10x390 mm
for Toaster electric (ARISTARCO)



SILANOS 907380

3355299 QUARTZ TUBE \varnothing 10x390 mm
for Toaster electric (ARISTARCO)



SILANOS 907380

Ironmongery (screws,nuts,washers)

3528075 S/STEEL OPEN WASHER \varnothing 8 mm UNI 1751



SILANOS 905940


1528030 ST.STEEL HEXAGONAL NUT M6 UNI 5588



SILANOS 902010


Knobs

3241332 BLACK KNOB \varnothing 40 mm
D-shaped hole 6x4.6 mm



SILANOS 903973

3241173 BLACK KNOB \varnothing 44 mm
D shaft hole 6x4.6 mm
for Toaster (SILANOS)



SILANOS 903940



SILANOS



Suitable for:

3241174 BLACK KNOB \varnothing 44 mm
D shaft hole 6x4.6 mm
for Toaster (SILANOS)



SILANOS 903961

SILANOS 903973

Suitable for:

3241165 BLACK KNOB \varnothing 50 mm 50°-300°C
D shaft hole 6x4.6 mm
for Panini grill (SILANOS) ROLLY



SILANOS 903970

SILANOS 903972

Lamps

3221183 GREEN PILOT LIGHT 400V
 \varnothing head 13.5 mm - hole \varnothing 10 mm - 150°C
universal application



SILANOS 903641

3221136 ORANGE INDICATOR LIGHT 400V
head \varnothing 10 mm - hole \varnothing 9 mm
for SAUSAGE GRILL ROLLY5 - ROLLY8
for BREAD WARMER P5




SILANOS 903629

SILANOS 903640

SILANOS 903642

Pliers for sandwiches


3317051 GRILL PLIER
length 100 mm
height 180 mm
for Toaster



SILANOS 905030

Relays

3351008 RELAY 62.83 16A 230V 50/60Hz
3 switching contacts
for CIMBALI MAGNUM-SPECIAL-6/S-6/SNEW
for FAEMA MD3000
for SILANOS 030A-N50/90/700-E1000



SILANOS 905474

SILANOS 905475

SILANOS 905479



Suitable for:


SILANOS



Suitable for:


Rotary switches

3057019 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm



SILANOS 901727

3057151 SELECTOR SWITCH 0-2 POSITIONS
contact capacity 16A 250V - max temperature 150°
D spindle \varnothing 6x4.6 mm
for Toaster electric (BERTO'S) 12T - 4T0 - 6T
for Toaster electric (ELETTROBAR) 404 - 406 - 412
for Toaster electric (SILANOS) FA3



SILANOS 901720

Springs

3250009 LEFTHAND SPRING \varnothing 19x45 mm
for ELECTRIC PLATE SINGLE AND DOUBLE



SILANOS 904081

3250105 LEFTHAND SPRING \varnothing 20x56 mm
for MIDDLE PLATE



SILANOS 904101

3250104 RIGHTHAND SPRING \varnothing 20x56 mm
for MIDDLE PLATE



SILANOS 904100


3250008 RIGHTHAND SPRING \varnothing 19x45 mm
for ELECTRIC PLATE SINGLE AND DOUBLE



SILANOS 904080

Switches

1319082 SINGLE-POLE PUSH BUTTON 16A 250V



SILANOS 905343

Terminal blocks

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



SILANOS 904140

3247011 6-POLE TERMINAL BLOCK FV122 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



SILANOS 904150

Thermostats

3444008 BLACK KNOB \varnothing 41 mm 0-90°C


D-shaped pin \varnothing 6x4.6 mm
for thermostat TR/2



SILANOS 903982

3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm



SILANOS 907132

SILANOS 908326

Timers

3446137 TIMER 15 MINUTES M2


mechanical movement with balance wheel
manually set mechanical timer
manually set cycle 15 minutes
2 poles with contact capacity 16(4)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
for HORIZONTAL TOASTER all models



SILANOS 907055

3241173 BLACK KNOB \varnothing 44 mm

D shaft hole 6x4.6 mm
for Toaster (SILANOS)



SILANOS 903940

3241174 BLACK KNOB \varnothing 44 mm

D shaft hole 6x4.6 mm
for Toaster (SILANOS)



SILANOS 903961

SILANOS 903973

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



LF SpA
via Voltri, 80 - 47522 Cesena (FC) ITALIA
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfricambi724.it - www.lfricambi724.mobi
info@lfricambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspaceparts.com

FRANCE



EPGC Sas
13, Rue des Forts - 59960 Neuville en Ferrain
Tél. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com

DEUTSCHLAND



LF GmbH
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de

SCHWEIZ



LF GmbH Verkaufsbüro
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch

ESPAÑA



LF Repuestos Horeca S.L.U.
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tif. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es

UNITED KINGDOM



LF Spare Parts Ltd.
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspaceparts.co.uk

RUSSIA



OOO LF
ul, Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspaceparts.ru

CHINA



LF China
Room 102, House 8, Lane 725, Mao Tai Rd.
Changning Dist. - 200336 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspaceparts.com