



Spare parts for:
Blast chillers



Suitable for:

SAGI



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.
Suitable universal spare parts may not be included

Rel. 2015-12241017





Suitable for:


SAGI



Suitable for:

Axial motors

3240544 AXIAL FAN EBM A2E200 AI38-01
230V 50/60Hz 64W 2600rpm 0.3A
ø 200 mm - capacitor 1.5µF (not included)



SAGI 32M6610

5021659 AXIAL FAN EBM A2E200 AI38-10
230V 50/60Hz 64W 0.3A 2600rpm
ø 200 mm - capacitor 1.5µF (not included)



SAGI 32M6230

3240496 AXIAL FAN EBM A2E250 AM06-12
230V 50/60Hz 120W 2500rpm 0.53A
ø 250 mm - capacitor 3µF (not included)



SAGI 32M4720

SAGI 32M6850

3240497 AXIAL FAN EBM A2E300 AP02-11
230V 50/60Hz 230W 2700rpm 1.1A
ø 300 mm - capacitor 8µF (not included)
for Blast chiller (SAGI) IM102S



SAGI 32M7050

Capacitors, electrical

3068087 CAPACITOR ELECTRICAL 35µF
450V 50/60Hz - ø 45xh91 mm



SAGI 32V5980

Compressors and spares

3070040 COMPRESSOR EMBRACO NEK6213GK CSIR
220/240V 50Hz
power 1/2 Hp, displacement 12.12 cc
gas R404a/R507 HMBP
ASPERA



SAGI 3138720



Contactors

5023908 CONTACTOR SIEMENS 3RT1025-1AL20
 17A 400V 7.5Kw - coil 230V 50/60Hz
 3 normally open contacts



SAGI 32Z9250

Drain assembly

3160198 ING NUT FOR INLET BOSS \varnothing 1"1/4



SAGI 33Q2160

Electronic controllers

5017470 CONTROLLER EVCO ECS-804 P220 D306
 230V 50Hz
 3 relay outputs (Comp-Def-Fan)
 2 probes PTC + penetration probe PTC
 front dimensions 72x143 mm
 for Blast chiller (SAGI) - Series AF



SAGI 32V0171


5013339 CONTROLLER EVCO ECS-805 P220 D306
 230V 50Hz
 3 relay outlets (Comp-Def-Fan)
 2 probes PTC + penetration probe PTC
 mounting hole 135x67 mm
 dimension 72x143. 5x depth 68 mm
 for Blast chiller (SAGI) - Series AF2L
 Series AF3S
 for Blast chiller (SAGI) - Series AF2S



SAGI 32V0421

Electronic printed-circuit boards

3390119 POWER CIRCUIT BOARD CT1SA0020100
 for Blast chiller (SAGI) - Series IM
 for Blast chiller (SAGI) IM102S



SAGI 32V8030



Suitable for:


SAGI



Suitable for:


Gaskets for refrigerators

3186596 SNAP-IN GASKET 1017x958 mm
magnetic - grey
for Blast chiller (SAGI) IM102S - IM72R - IM72S
for Blast chiller (SAGI) IM102S




SAGI 37Q5380

3186595 SNAP-IN GASKET 660x420 mm
magnetic - grey
for Blast chiller (SAGI) IM51A - IM51M
for Blast chiller (SAGI) AF1L7 - IR51




SAGI 37Q4490

3186627 SNAP-IN GASKET 690x440 mm
magnetic - grey color
for Blast chiller (SAGI) AM1L




SAGI 37Q3810

3186622 SNAP-IN GASKET 835x690 mm
magnetic - grey colour
for Blast chiller (SAGI) AM2L



SAGI 37Q3800

3186594 SNAP-IN GASKET 850x715 mm
magnetic - grey
for Blast chiller (SAGI) IM101L



SAGI 37Q5340

Grids for refrigerator-oven

3185910 PLASTIC-COATED GRID GN 1/1 530x325 mm
grey colour



SAGI 36A2430



Heating elements

3355676 HEATING ELEMENT 31W 230V
for door
length 5000 mm
for Blast chiller (SAGI) IM51A - IM51M



SAGI 32G3290

3355675 HEATING ELEMENT 45W 230V
for door
length 6000 mm
for Blast chiller (SAGI) IM101L



SAGI 32G2280

3355677 HEATING ELEMENT 53W 230V
for door
length 6800 mm
for Blast chiller (SAGI) IM72S - IM72SR



SAGI 32G3500

Hinges, catches and accessories

7103332 HINGE UPPER
pin \varnothing 7 mm



SAGI 36C5000

3053920 LONG PIN HINGE INTERTECNICA 28L
with square pin 7.5 mm



SAGI 36G6520

Indicator lights

3221032 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



SAGI 3106710

SAGI 32W1330

SAGI 32W1331



Suitable for:

SAGI



Suitable for:

Indicator lights

3221011 ORANGE INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



SAGI 3106730

SAGI 32W0790

SAGI 32W0791

3221032 GREEN INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



SAGI 3106710

SAGI 32W1330

SAGI 32W1331

3221033 RED INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



SAGI 32W1340

3221033 RED INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



SAGI 32W1340


Labels for control panels

3319355 HORIZONTAL CONTROL PANEL ADHESIVE PLATE



SAGI 37M7340

3319382 HORIZONTAL CONTROL PANEL ADHESIVE PLATE




SAGI 37N0480

7101875 MEMBRANE SILKSCREENED STICKER
for Blast chiller (SAGI) IM102S IM51



SAGI 3107080

3319356 VERTICAL CONTROL PANEL ADHESIVE PLATE



SAGI 37M7330



Microswitches

3240498 MAGNETIC MICROSWITCH \varnothing 10x33 mm
 1-NO 1A 250V 50W
 with cable length 2000 mm
 lunghezza cavo 2000 mm



SAGI 32W1890

SAGI 32W3460

3240256 MICROSWITCH MAGNETIC E5501B
 1 contact NO 250V 1A 50W
 cable length 1200 mm



SAGI 32W2160

3240148 MICROSWITCH MAGNET 63x19x11 mm



SAGI 3023650

SAGI 32W0870

SAGI 32W1680

9014042 RECTANGULAR MAGNET 32x13x8 mm



SAGI 32V0080


Penetration probes

3397076 HEATED PENETRATION PROBE 90° PT100
 probe length 175 mm
 cable length 3500 mm
 for Blast chiller (SAGI) IR101L - IR51A - IR51M
 IM51M



SAGI 32V7960

5028341 PENETRATION PROBE 90° NTC
 probe length 100 mm - cable length 3800 mm
 for Blast chiller (SAGI) DM101 - DM31 - DM51



SAGI 32V8360



Suitable for:

SAGI



Suitable for:

3397079 PENETRATION PROBE 90° PTC

probe length 200 mm
cable length 3800 mm
for Blast chiller (SAGI)



SAGI 32V0010

SAGI 32V0441

SAGI 32V8600

Probes

3445335 PROBE NTC IP68 3000 mm
temperature range -50+110°C
bulb ø 5x20 mm watertight
for Blast chiller (SAGI) IM51M



SAGI 32V6010

3445107 PTC PVC PROBE 3000 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



SAGI 32V0150

Relays

3351097 RELAY POWER FINDER 62.82.8.230.0309
230V 50/60Hz
2 NO contacts 16A



SAGI 32V7090

Switches

5063235 INTERRUTTORE UNIPOLARE ARGENTO
completo di OR
dima di foratura ø 25 mm



SAGI 3203760



SAGI



Suitable for:

Suitable for:

Terminal blocks

3247015 12-POLE PLASTIC TERMINAL BLOCK
for cable max 4 mm²
operating temperature 150°C
nominal voltage 450V





















SAGI 32D1450

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfrcambi724.it - www.lfrcambi724.mobi
info@lfrcambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
-  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
-  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
-  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
-  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
-  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch
-  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
-  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
-  **BALKAN COUNTRIES**
www.lfspareparts724.com
matijaramov@lfspareparts.com
-  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
-  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
-  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
-  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
-  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
-  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
-  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us