



Spare parts for:

Commercial faucets



Suitable for:

R.D.FRIULI



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

R.D.FRIULI




Suitable for:

Column faucets

3459001 COLUMN MIXER WITH DOUBLE SPOUT

spout $\varnothing$ 24x400 + $\varnothing$ 18x250 mm
connections $\varnothing$ 1/2"
flow rate 18 l/min. 3 bar
mounting hole $\varnothing$ 60 mm (2")



R.D.FRIULI 00206665

2111836 CARTRIDGE $\varnothing$ 40 PIN 10x10.5 for lever model GOAL



R.D.FRIULI 36100841


3259015 SHORT HANDLE FOR CARTRIDGE



R.D.FRIULI 36103372

3359140 COLUMN TAP

swivel column
swivel spout 250 mm
fitting $\varnothing$ 3/4"M
height 425 mm
overall height 700 mm
25l/min at 4 bar





Suitable for:

3241480 TAP KNOB - RED
square fitting 7x7
for hot water



R.D.FRIULI 36103609

R.D.FRIULI



Suitable for:

3359452 SINGLE-HOLE MIXER
spout $\varnothing$ 24x400 mm
flow rate 24 L/min by 4 bar
connection $\varnothing$ 1/2" F
mounting hole min 48 max 50 mm



R.D.FRIULI 00105403

R.D.FRIULI 00165400

3241485 TAP KNOB - BLUE
square hole 7x7 mm
per acqua fredda



R.D.FRIULI 36103620

3241480 TAP KNOB - RED
square fitting 7x7
for hot water



R.D.FRIULI 36103609

Drain assembly

3316011 BRASS DRAIN ASSEMBLY $\varnothing$ 2"
external $\varnothing$ 80 mm - internal $\varnothing$ 50 mm
connection $\varnothing$ 59 mm




R.D.FRIULI 01701009

3448079 OVERFLOW PIPE
of stainless steel
 $\varnothing$ 50 mm - overall height 300 mm
for drain assembly $\varnothing$ 2"




R.D.FRIULI 01708309

3448081 OVERFLOW PIPE
of stainless steel
 $\varnothing$ 50 mm - overall height 230 mm
for drain assembly $\varnothing$ 2"



R.D.FRIULI 01708239

3448082 OVERFLOW PIPE
of stainless steel
 $\varnothing$ 50 mm - overall height 280 mm
for drain assembly $\varnothing$ 2"



R.D.FRIULI 01708289



Suitable for:

3349454 COMPLETE DRAIN ASSEMBLY $\varnothing$ 1"1/2
with overflow filter $\varnothing$ 40 x 200 mm



R.D.FRIULI 01714207+01706007

R.D.FRIULI 01760220+01706007

Suitable for:

3349455 COMPLETE DRAIN ASSEMBLY $\varnothing$ 1"1/2
with overflow filter $\varnothing$ 40 x 270 mm



R.D.FRIULI 01714257+01706007

R.D.FRIULI 01760270+01706007

3349456 COMPLETE DRAIN ASSEMBLY $\varnothing$ 1"1/2
with overflow filter $\varnothing$ 40 x 300 mm



R.D.FRIULI 01714320+01706007

R.D.FRIULI 01760320+01706007

3349457 COMPLETE DRAIN ASSEMBLY $\varnothing$ 1"1/2
with overflow filter $\varnothing$ 40 x 370 mm



R.D.FRIULI 01714357+01706007

R.D.FRIULI 01760370+01706007

3316008 DRAIN ASSEMBLY $\varnothing$ 3/4"
threaded part 48 mm
complete with ring nut and gasket



R.D.FRIULI 01703504

3448237 OVERFLOW PIPE $\varnothing$ 20x165 mm
made of stainless steel



R.D.FRIULI 01709142

R.D.FRIULI 01709154

3448086 OVERFLOW PIPE IN CHROME PLATED BRASS
 $\varnothing$ 20 mm
overall height 84 mm
for drain assembly $\varnothing$ 3/4"



R.D.FRIULI 01709354

3448087 OVERFLOW PIPE IN CHROME PLATED BRASS
 $\varnothing$ 20 mm
overall height 94 mm
for drain assembly $\varnothing$ 3/4"



R.D.FRIULI 01709544

3448088 OVERFLOW PIPE IN CHROME PLATED BRASS
 $\varnothing$ 20 mm
overall height 104 mm
for drain assembly $\varnothing$ 3/4"



R.D.FRIULI 01709554

3448091 OVERFLOW PIPE IN CHROME PLATED BRASS
 $\varnothing$ 20 mm
overall height 144 mm
for drain assembly $\varnothing$ 3/4"



R.D.FRIULI 01709144

Drain taps and accessories

3356100 DRAIN TAP Ø 2" F TECNO
GASKET SEAL - with swivel nut Ø 2" F



R.D.FRIULI 01301109

R.D.FRIULI 01331009

3356101 CAP FOR DRAIN TAP
for DRAIN TAP Ø 2" OLD MODEL



R.D.FRIULI 31006410

3242191 PIN M6x40
for DRAIN TAP Ø 2" OLD MODEL



R.D.FRIULI 31004866

3186241 VITON O-RING 06212
for DRAIN TAP Ø 2" OLD MODEL AND
TECNO NEW MODEL



R.D.FRIULI 34044795

3186242 ASBESTOS FREE FLAT GASKET Ø 61x46x2 mm
for drain tap Ø 2" old model



R.D.FRIULI 34012781

3242190 DRAIN TAP HANDGRIP
for DRAIN TAP Ø 2" OLD MODEL
AND FOR TECNO NEW MODEL



R.D.FRIULI 34003012


3186199 TAP INNER EPDM GASKET
NSF APPROVED
for DRAIN TAP Ø 1"1/4 e 1"1/2



R.D.FRIULI 34044796

Faucets and mixers

3759173 EXTRACTABLE SHOWER MIXER
short lever
flow rate 13 l/min. 3 bar
connections 1/2" F
mounting hole Ø 32 mm



R.D.FRIULI 00209103

2111836 CARTRIDGE Ø 40 PIN 10x10.5
for lever model GOAL



R.D.FRIULI 36100841



Suitable for:


3259015 SHORT HANDLE FOR CARTRIDGE



R.D.FRIULI 36103372

3759174 EXTRACTABLE SHOWER MIXER

long lever
flow rate 13 l/min. 3 bar
connections 1/2" F
mounting hole 32 mm



R.D.FRIULI 00209203

3259016 LONG LEVER FOR CARTRIDGE



R.D.FRIULI 36103373

3359474 HORIZONTAL TAP

spout $\varnothing$ 18x300 mm
flow rate 25L/min by 4 bar
connection $\varnothing$ 1/2" M



R.D.FRIULI 00503303

3359475 HORIZONTAL TAP

spout $\varnothing$ 18x300 mm
flow rate 25L/min by 4 bar
connection $\varnothing$ 1/2" M



R.D.FRIULI 00504303

R.D.FRIULI

Suitable for:



2111836 CARTRIDGE $\varnothing$ 40 PIN 10x10.5 for lever model GOAL



R.D.FRIULI 36100841

3359805 TAP WORM



R.D.FRIULI 36107363

3359805 TAP WORM



R.D.FRIULI 36107363

Suitable for:

Suitable for:

3359410 SINGLE-HOLE MIXER
 spout $\varnothing$ 18x250 mm
 flow rate 21 L/min by 4 bar
 connections $\varnothing$ 1/2"FF
 mounting hole min 30 max 32 mm



R.D.FRIULI 00101253

3359733 HANDLE SCREW COUPLING 8x20




R.D.FRIULI 36107379

3183043 SWIVEL SPOUT $\varnothing$ 18x250 mm TYPE U



R.D.FRIULI 36100804

3359411 SINGLE-HOLE MIXER
 spout $\varnothing$ 18x300 mm
 flow rate 21 L/min by 4 bar
 connections $\varnothing$ 1/2"FF
 mounting hole min 30 max 32 mm



R.D.FRIULI 00101303

7103023 RED HOT WATER TAP KNOB



R.D.FRIULI 36103643

7103024 BLUE COLD WATER TAP KNOB



R.D.FRIULI 36103642

7103023 RED HOT WATER TAP KNOB



R.D.FRIULI 36103643

3359805 TAP WORM



R.D.FRIULI 36107363

7103024 BLUE COLD WATER TAP KNOB



R.D.FRIULI 36103642

3359805 TAP WORM



R.D.FRIULI 36107363



Suitable for:

3359414 SINGLE-HOLE MIXER
spout $\varnothing$ 18x250 mm
flow rate 21 L/min by 4 bar
connection $\varnothing$ 1/2" F
mounting hole min 30 max 32 mm



R.D.FRIULI 00102253

3359805 TAP WORM



R.D.FRIULI 36107363

3359415 SINGLE-HOLE MIXER
spout $\varnothing$ 18x300 mm
flow rate 21 L/min by 4 bar
connection $\varnothing$ 1/2" F
mounting hole min 30 max 32 mm



R.D.FRIULI 00102303

3759075 SINGLE-HOLE MIXER
spout $\varnothing$ 18x300 mm
flow rate 21 l/min a 4 bar
fittings $\varnothing$ 3/8" FF
mounting hole min.30, max 32 mm



R.D.FRIULI 00101302

7103023 RED HOT WATER TAP KNOB



R.D.FRIULI 36103643

Suitable for:

3183043 SWIVEL SPOUT $\varnothing$ 18x250 mm TYPE U



R.D.FRIULI 36100804

3359805 TAP WORM



R.D.FRIULI 36107363

7103024 BLUE COLD WATER TAP KNOB



R.D.FRIULI 36103642

3359805 TAP WORM



R.D.FRIULI 36107363

Suitable for:

3759171 SINGLE-HOLE MIXER ECO
with "U" shaped spout $\varnothing$ 18x250mm
flow rate 17 l/min. 3 bar
connections 1/2"F
mounting hole 32 mm



R.D.FRIULI 00201253

3759179 BROACH RED KNOB A.C. $\varnothing$ 8x20




R.D.FRIULI 36103604

3359805 TAP WORM



R.D.FRIULI 36107363

3759172 SINGLE-HOLE MIXER ECO 1/4" TURN
with "U" shaped spout $\varnothing$ 18x250mm
flow rate 20 l/min. 3 bar
connections 1/2"F
mounting hole 32 mm



R.D.FRIULI 00203253

3359914 CERAMIC DISK VALVE SX 1/4 TURN
for hot water



R.D.FRIULI 36107373

Suitable for:

3759178 BROACH BLUE KNOB A.F. $\varnothing$ 8x20



R.D.FRIULI 36103603

3183043 SWIVEL SPOUT $\varnothing$ 18x250 mm TYPE U



R.D.FRIULI 36100804

3359119 CERAMIC DISK VALVE RH 1/4 TURN
for cold water



R.D.FRIULI 36107374

3359929 SINGLE/TWO-HOLE KNOB 1/4 TURN



R.D.FRIULI 36103627



Suitable for:

3359976 SINGLE/TWO-HOLE KNOB 1/4 TURN



R.D.FRIULI 36103616

R.D.FRIULI



Suitable for:

3183043 SWIVEL SPOUT ø 18x250 mm TYPE U



R.D.FRIULI 36100804

3359413 SINGLE-HOLE MIXER 1/4 TURN
spout ø 18x300 mm
flow 21 L/min 4 bar
connection ø 1/2"F
mounting hole min 30 max 32 mm



R.D.FRIULI 00103303

3359914 CERAMIC DISK VALVE SX 1/4 TURN
for hot water



R.D.FRIULI 36107373

3359976 SINGLE/TWO-HOLE KNOB 1/4 TURN



R.D.FRIULI 36103616

3759170 SINGLE-HOLE MIXER 1/4 TURN
with "U" shaped spout ø 18x250mm
flow rate 20lt min. 3 bar
connections 1/2"F
mounting hole 32 mm



R.D.FRIULI 00103253

3359119 CERAMIC DISK VALVE RH 1/4 TURN
for cold water



R.D.FRIULI 36107374

3359929 SINGLE/TWO-HOLE KNOB 1/4 TURN



R.D.FRIULI 36103627

3359119 CERAMIC DISK VALVE RH 1/4 TURN
for cold water



R.D.FRIULI 36107374



Suitable for:

3359914 CERAMIC DISK VALVE SX 1/4 TURN
for hot water



R.D.FRIULI 36107373

3359976 SINGLE/TWO-HOLE KNOB 1/4 TURN



R.D.FRIULI 36103616

3759169 SINGLE-HOLE MIXER 1/4" TURN
with "U" shaped spout $\varnothing$ 18x250mm
flow rate 17lt min. 3 bar
connections 1/2"F
mounting hole 32 mm



R.D.FRIULI 00101253

3359450 TWO-HOLE MIXER
spout $\varnothing$ 18x300 mm
flow rate 26L/min by 4 bar
distance between holes 160 mm
connections $\varnothing$ 3/4"MM
mounting hole $\varnothing$ 27 mm



R.D.FRIULI 00301304

R.D.FRIULI 00302304

R.D.FRIULI 00321304

3759076 TWO-HOLE MIXER
spout $\varnothing$ 18x300 mm
flow rate 26 l/min a 4 bar
mounting distance 160 mm
fittings $\varnothing$ 1/2"MM
mounting hole min $\varnothing$ 27 mm



R.D.FRIULI 00321303

R.D.FRIULI



Suitable for:

3359929 SINGLE/TWO-HOLE KNOB 1/4 TURN



R.D.FRIULI 36103627

3183043 SWIVEL SPOUT $\varnothing$ 18x250 mm TYPE U



R.D.FRIULI 36100804

3359082 SWIVEL SPOUT $\varnothing$ 18x200 mm TYPE U



R.D.FRIULI R802000

R.D.FRIULI 36100803

3359805 TAP WORM



R.D.FRIULI 36107363

7103024 BLUE COLD WATER TAP KNOB



R.D.FRIULI 36103642



Suitable for:

7103023 RED HOT WATER TAP KNOB



R.D.FRIULI 36103643

R.D.FRIULI



Suitable for:

3359805 TAP WORM



R.D.FRIULI 36107363

3359477 VERTICAL TAP
spout $\varnothing$ 18x300 mm
flow rate 26L/min by 4 bar
connection $\varnothing$ 1/2" M
mounting hole $\varnothing$ 27/28 mm



R.D.FRIULI 00501303

R.D.FRIULI 00601303

3359805 TAP WORM



R.D.FRIULI 36107363

3359473 WALL MOUNTED TWO-HOLE MIXER
spout $\varnothing$ 18x300 mm
flow rate 26 L/min by 4 bar
distance between holes 130/170 mm
connections $\varnothing$ 1/2" MM
washer $\varnothing$ 68 mm



R.D.FRIULI 00401303

3359805 TAP WORM



R.D.FRIULI 36107363

3759107 WALL-MOUNTED ECO TAP WITH SHOWER FITTING
spout $\varnothing$ 18 x 300 mm
mounting distance 130/170 mm



R.D.FRIULI 00407033

Fittings

1349108 FLAT BRASS LOCK NUT 3/4"




R.D.FRIULI 32005877



Foot operated taps

3359431 FOOT OPERATED MIXER


when pressing the lever cold water flows
then gradually mixed and hot water
flow rate with 4 bar 18 L/min
connections $\varnothing$ 1/2"FF



R.D.FRIULI 00802003

3359432 FOOT OPERATED MIXER


one pedal for cold water only and one for
hot water only
upon pressing the 2 pedals simultaneously,
the result will be a good mixing
flow rate 18L/min by 4 bar
connections $\varnothing$ 1/2"FF



R.D.FRIULI 00801003

3359434 FOOT OPERATED MIXER

with locking lever
flow rate 18L/min by 4 bar
connections $\varnothing$ 3/8"FF



R.D.FRIULI 00805003


3359439 FIXING BRACKET



R.D.FRIULI 31016370

3359440 FOOT OPERATED MIXER

with locking device
cold water pedal and hot water
pedal
by pressing the 2 pedals simultaneously
a good mixing is achieved
flowrate 18 L/min by 4 bar
connections $\varnothing$ 1/2"FF



R.D.FRIULI 00821003

3359435 FOOT OPERATED MIXER ASSEMBLY

with locking lever
flow rate 18L/min by 4 bar
connections $\varnothing$ 3/8"FF
complete with hose $\varnothing$ 3/8" Mx1/2" F x 1100 mm
complete with spout $\varnothing$ 18x300 mm



R.D.FRIULI 00805304

3359439 FIXING BRACKET



R.D.FRIULI 31016370




Suitable for:

R.D.FRIULI



Suitable for:

3359433 FOOT OPERATED TAP
cold water only
flow rate 18L/min by 4 bar
connections $\varnothing$ 1/2"FF



R.D.FRIULI 00803003

Ironmongery (screws,nuts,washers)

2103687 FIXING WASHER 26xM19



R.D.FRIULI 32005872

Lever mixers

3259014 PONNY SHOWER HEAD



R.D.FRIULI 36100264

3259013 PONNY SHOWER HOSE



R.D.FRIULI 31002341

3259012 PONNY SHOWER SPRING



R.D.FRIULI 36103835

3259008 SINGLE LEVER MIXER
spout $\varnothing$ 22x250 mm
flow rate 18 l/min at 3 bar
connection $\varnothing$ 1/2"F
mounting hole 32 mm



R.D.FRIULI 00121130+36103374

3359408 BLACK LEVER FOR MIXER
length 310 mm
connection 7x8 mm



R.D.FRIULI 36103374



Suitable for:

3359461 MIXER CARTRIDGE



R.D.FRIULI 34030830

R.D.FRIULI 36100845

R.D.FRIULI



Suitable for:

3183043 SWIVEL SPOUT $\varnothing$ 18x250 mm TYPE U



R.D.FRIULI 36100804

3259010 SINGLE LEVER MIXER SLIM
spout $\varnothing$ 22x250 mm
flow rate 18 l/min at 3 bar
connection $\varnothing$ 1/2"F
mounting hole 32 mm




R.D.FRIULI 00171030+36103374

3759114 SINGLE-HOLE BASIN MIXER
spout $\varnothing$ 22 x 200 mm
capacity 22 l/min 4 bar
connection $\varnothing$ 3/8"F
mounting hole $\varnothing$ 32 mm



R.D.FRIULI

3359466 SINGLE-HOLE LEVER MIXER
spout 200 mm
flow rate 22L/min by 4 bar
connection $\varnothing$ 1/2"F
mounting hole min 30 max 32 mm



R.D.FRIULI 00121020+36103378

3359408 BLACK LEVER FOR MIXER
length 310 mm
connection 7x8 mm



R.D.FRIULI 36103374

3359409 BLUE LEVER FOR MIXER
length 345 mm
fitting 7x8 mm



R.D.FRIULI 36103378

3359461 MIXER CARTRIDGE



R.D.FRIULI 34030830

R.D.FRIULI 36100845

3359824 SPOUT 200 mm



R.D.FRIULI 36100659



Suitable for:

3359486 SINGLE-HOLE LEVER MIXER
spout 225 mm
flow rate 17L/min by 4 bar
connection $\varnothing$ 1/2"F
mounting hole min 31 max 35 mm




R.D.FRIULI 00208223

3259016 LONG LEVER FOR CARTRIDGE



R.D.FRIULI 36103373

3259011 TWO-HOLE SINGLE LEVER MIXER
spout $\varnothing$ 22x250 mm
flow rate 202 l/min at 3 bar
distance between holes 155 mm
connections $\varnothing$ 3/4"mm
mounting hole $\varnothing$ 28 mm



R.D.FRIULI 00351130+36103374


3359461 MIXER CARTRIDGE



R.D.FRIULI 34030830

R.D.FRIULI 36100845

3359442 TWO-HOLE SINGLE LEVER MIXER
spout 200 mm
flow rate 22 L/min by 4 bar
distance between holes 155 mm
connections $\varnothing$ 3/4"MM
mounting hole $\varnothing$ 27/28 mm



R.D.FRIULI 00351020+36103378

Suitable for:

2111836 CARTRIDGE $\varnothing$ 40 PIN 10x10.5
for lever model GOAL



R.D.FRIULI 36100841

3259015 SHORT HANDLE FOR CARTRIDGE



R.D.FRIULI 36103372

3359408 BLACK LEVER FOR MIXER
length 310 mm
connection 7x8 mm



R.D.FRIULI 36103374

3359408 BLACK LEVER FOR MIXER
length 310 mm
connection 7x8 mm



R.D.FRIULI 36103374



Suitable for:

3359409 BLUE LEVER FOR MIXER
length 345 mm
fitting 7x8 mm




R.D.FRIULI 36103378

3359824 SPOUT 200 mm




R.D.FRIULI 36100659

3359443 TWO-HOLE SINGLE LEVER MIXER
spout 250 mm
flow rate 22 L/min by 4 bar
distance between holes 155 mm
connections $\varnothing 3/4"$ MM
mounting hole $\varnothing 27/28$ mm



R.D.FRIULI 00351030+36103378

3359409 BLUE LEVER FOR MIXER
length 345 mm
fitting 7x8 mm



R.D.FRIULI 36103378

3359823 SPOUT 250 mm



R.D.FRIULI 36100661

R.D.FRIULI



Suitable for:

3359461 MIXER CARTRIDGE



R.D.FRIULI 34030830

R.D.FRIULI 36100845

3359408 BLACK LEVER FOR MIXER
length 310 mm
connection 7x8 mm



R.D.FRIULI 36103374

3359461 MIXER CARTRIDGE




R.D.FRIULI 34030830

R.D.FRIULI 36100845



Suitable for:


3759110 WALL-MOUNTED LEVER MIXER 200 mm
with spout 200 mm
connections $\varnothing 1/2"$
mounting distance 130/170 mm



R.D.FRIULI 00405203


Suitable for:

3759111 WALL-MOUNTED LEVER MIXER 200 mm
connections $\varnothing 1/2"$
with spout 250 mm
mounting distance 130/170 mm



R.D.FRIULI 00405253

3759112 WALL-MOUNTED LEVER MIXER 200 mm
connections $\varnothing 1/2"$
with spout 300 mm
mounting distance 130/170 mm



R.D.FRIULI 00405303

Lubricants

3180005 GREASE NONTROP/PLBDR 100 g
high quality grease
to lubricate water taps
physiologically harmless. unscented. tasteless



R.D.FRIULI 36206760

Outlet siphons

3350070 COMPLETE SIPHON 1"1/2
of chrome plated brass



R.D.FRIULI G500018

R.D.FRIULI 01716227

3350071 COMPLETE SIPHON 2"
of chrome plated brass



R.D.FRIULI G500022

R.D.FRIULI 01716229

Pre-rinse units

- 3359459 COUNTERTOP PULL-OUT SHOWER $\varnothing$ 1" M**
extractable hose length 200 cm



R.D.FRIULI 00904005

- 2102948 MATIC SHOWER GROUP H1050**
spout at half pipe $\varnothing$ 18x200 mm
connection $\varnothing$ 3/4"
flow rate 15 l/min at 3 bar



R.D.FRIULI 00919120

- 2102949 MATIC SHOWER GROUP H1050 WITH SPOUT**
spout at half pipe $\varnothing$ 18x250 mm
connection $\varnothing$ 3/4"
flow rate 15 l/min at 3 bar




R.D.FRIULI 00919125

- 3759176 MIGNON PRE-WASHING KIT H600**
flow rate 17 L/min at 3 bar
connection 3/4"



R.D.FRIULI 00971000

- 3359425 MIGNON PRE-WASHING KIT H600 WITH SPOUT**
spout $\varnothing$ 18x300 mm
flow rate 18 L/min at 4 bar
connection 3/4"



R.D.FRIULI 00971030

- 3559003 MATIC SHOWER WITHOUT LEVER $\varnothing$ 1/2"**




R.D.FRIULI 00919001

- 3559003 MATIC SHOWER WITHOUT LEVER $\varnothing$ 1/2"**



R.D.FRIULI 00919001


- 3359484 BLACK SPRAY HEAD $\varnothing$ 1/2" M**



R.D.FRIULI 00931000

R.D.FRIULI 00935000

- 3359480 BLUE SPRAY HEAD $\varnothing$ 1/2" M**



R.D.FRIULI 00931000

R.D.FRIULI 00935000



Suitable for:

3359119 CERAMIC DISK VALVE RH 1/4 TURN
for cold water




R.D.FRIULI 36107374

3359880 HOSE $\varnothing$ 1/2" 800 mm



R.D.FRIULI 31002313

3759177 MIGNON PRE-WASHING KIT H600 WITH SPOUT
spout $\varnothing$ 18x200 mm
flow rate 17 L/min at 3 bar
connection 3/4"



R.D.FRIULI 00971020

3259009 MIXER FOR SHOWER GROUP
spout $\varnothing$ 22x250 mm
flow rate 18 l/min. at 3 bar
connection $\varnothing$ 1/2"
mounting hole $\varnothing$ 32 mm



R.D.FRIULI 00123130+36103374

3359461 MIXER CARTRIDGE



R.D.FRIULI 34030830

R.D.FRIULI 36100845

R.D.FRIULI



Suitable for:

3359497 COMPLETE STAR SHOWER FASTENING BRACKET



R.D.FRIULI 36106390

2111701 KNOB FOR SHOWER TAP 1/4 REV.



R.D.FRIULI 36103619

3359484 BLACK SPRAY HEAD $\varnothing$ 1/2" M



R.D.FRIULI 00931000

R.D.FRIULI 00935000

3359408 BLACK LEVER FOR MIXER
length 310 mm
connection 7x8 mm



R.D.FRIULI 36103374

Suitable for:

Suitable for:

3359417 PRE-WASH UNIT STAR
height 1200 mm
flow rate 17 L/min by 4 bar
connection $\varnothing$ 3/4" F




R.D.FRIULI 00901110

R.D.FRIULI 00906904

R.D.FRIULI 00909324

R.D.FRIULI 00931100

3359480 BLUE SPRAY HEAD $\varnothing$ 1/2" M



R.D.FRIULI 00931000

R.D.FRIULI 00935000

3359497 COMPLETE STAR SHOWER FASTENING BRACKET



R.D.FRIULI 36106390

3359237 SHOWER SPRING



R.D.FRIULI 36103810

3359198 STEEL HOSE $\varnothing$ 1/2" FF 106 cm
for shower units with hose spout



R.D.FRIULI 31002300

3359465 HOSE $\varnothing$ 1/2" FF 1100 mm



R.D.FRIULI 31002320

R.D.FRIULI 31002403

3359426 STAINLESS STEEL HOSE $\varnothing$ 1/2" FF 110 cm
for showers STAR
stainless steel 18/10 double braid
coated with transparent PVC
nickel-plated brass coupling $\varnothing$ 1/2" F



R.D.FRIULI 31002310

3359490 SHOWER MIXER



R.D.FRIULI 00201013

3359728 SPARE HEADWORK



R.D.FRIULI 36107378



R.D.FRIULI



Suitable for:

3759175 SHOWER PRE-WASHING KIT SKY H1000



R.D.FRIULI 00981110

3359465 HOSE $\varnothing$ 1/2" FF 1100 mm



R.D.FRIULI 31002320

R.D.FRIULI 31002403

3359237 SHOWER SPRING



R.D.FRIULI 36103810

3359462 SHOWER UNIT DEVIATOR SPOUT 250 mm
modifying group for washing equipment
with shower fitting
spout $\varnothing$ 18x250 mm



R.D.FRIULI 00915254

3359469 SINGLE-HOLE LEVER MIXER
for shower unit fitting
spout 250 mm
flow rate 22L/min by 4 bar
fitting $\varnothing$ 1/2" M
mounting hole min 30 max 32 mm



R.D.FRIULI 00123030+36103378

Suitable for:

3359497 COMPLETE STAR SHOWER FASTENING BRACKET



R.D.FRIULI 36106390

3759154 SHOWER HEAD "SKY" $\varnothing$ 1/2"



R.D.FRIULI 00981000

3359914 CERAMIC DISK VALVE SX 1/4 TURN
for hot water



R.D.FRIULI 36107373

3359408 BLACK LEVER FOR MIXER
length 310 mm
connection 7x8 mm



R.D.FRIULI 36103374



Suitable for:

3359409 BLUE LEVER FOR MIXER
length 345 mm
fitting 7x8 mm



R.D.FRIULI 36103378

3359915 HANDLE 1/4 TURN FOR SWITCH



R.D.FRIULI 36103618

3359823 SPOUT 250 mm



R.D.FRIULI 36100661

3759113 SINGLE-HOLE LEVER OPERATED MIXER

with pre-washing set
spout $\varnothing$ 18x200 mm
connection $\varnothing$ 1/2"
mounting hole $\varnothing$ 32 mm
flow rate 18 l/min 4 bar



R.D.FRIULI 00206113

R.D.FRIULI 00231013

R.D.FRIULI 00231013+00981125

R.D.FRIULI 00981125

3359456 SINGLE-HOLE SHOWER MIXER SKY

with pre-washing set
connection $\varnothing$ 1/2
flow rate 17 l/min at 4 bar
mounting hole 34 mm



R.D.FRIULI 00201003

R.D.FRIULI 00901124

R.D.FRIULI 00904124+00201003

R.D.FRIULI 00981100

R.D.FRIULI 00981100+00201003

R.D.FRIULI



Suitable for:

3359119 CERAMIC DISK VALVE RH 1/4 TURN
for cold water



R.D.FRIULI 36107374

3359461 MIXER CARTRIDGE



R.D.FRIULI 34030830

R.D.FRIULI 36100845

3359465 HOSE $\varnothing$ 1/2" FF 1100 mm



R.D.FRIULI 31002320

R.D.FRIULI 31002403




Suitable for:

3359237 SHOWER SPRING



R.D.FRIULI 36103810

3359460 SPRAY HEAD LUXI Ø 1/2" M WHITE



R.D.FRIULI 00906003

3359198 STEEL HOSE Ø 1/2" FF 106 cm
for shower units with hose spout



R.D.FRIULI 31002300

3359457 SINGLE-HOLE SHOWER MIXER SKY
with pre-washing set
connection Ø 3/8"
spout Ø 18x250 mm
flow rate 17 L/min at 4 bar
mounting hole 34 mm



R.D.FRIULI 00201012+00901125

R.D.FRIULI 00201012+00981125

R.D.FRIULI 00204013+00905254

R.D.FRIULI 00905254+00201002

3359465 HOSE Ø 1/2" FF 1100 mm



R.D.FRIULI 31002320

R.D.FRIULI 31002403

R.D.FRIULI

Suitable for:

3359496 SHOWER UNIT FIXING BRACKET
Ø internal 20 mm



R.D.FRIULI 36106363

3359426 STAINLESS STEEL HOSE Ø 1/2" FF 110 cm
for showers STAR
stainless steel 18/10 double braid
coated with transparent PVC
nickel-plated brass coupling Ø 1/2" F



R.D.FRIULI 31002310

3359805 TAP WORM



R.D.FRIULI 36107363

3359119 CERAMIC DISK VALVE RH 1/4 TURN
for cold water



R.D.FRIULI 36107374

7103158 HOSE FOR SHOWER 1000 mm



R.D.FRIULI 31002212



Suitable for:

2111701 KNOB FOR SHOWER TAP 1/4 REV.




R.D.FRIULI 36103619

3359496 SHOWER UNIT FIXING BRACKET
ø internal 20 mm



R.D.FRIULI 36106363

3359463 SPRAY HEAD ø 1/2" M



R.D.FRIULI 00906103

3359426 STAINLESS STEEL HOSE ø 1/2" FF 110 cm
for showers STAR
stainless steel 18/10 double braid
coated with transparent PVC
nickel-plated brass coupling ø 1/2" F



R.D.FRIULI 31002310

3759078 SINGLE-HOLE SHOWER MIXER SKY
with pre-washing set
connection ø 1/2"
spout ø 18x250 mm
flow rate 17 L/min at 4 bar
mounting hole 34 mm



R.D.FRIULI 00201013+00981125

R.D.FRIULI 00204013

R.D.FRIULI

Suitable for:

3359237 SHOWER SPRING




R.D.FRIULI 36103810

3359428 SPOUT 250 mm FOR STAR



R.D.FRIULI 36100843

3359460 SPRAY HEAD LUXI ø 1/2" M WHITE



R.D.FRIULI 00906003

3359805 TAP WORM



R.D.FRIULI 36107363





Suitable for:


3359900 SINGLE-HOLE SHOWER MIXER STAR

with pre-washing set
controls 1/4 turn
spout $\varnothing$ 18x250 mm
flow rate 17 L/min at 4 bar
connections $\varnothing$ 1/2"
mounting hole $\varnothing$ 30 mm



R.D.FRIULI 00103013+00931125

3359480 BLUE SPRAY HEAD $\varnothing$ 1/2" M



R.D.FRIULI 00931000

R.D.FRIULI 00935000

3359497 COMPLETE STAR SHOWER FASTENING BRACKET



R.D.FRIULI 36106390

3359496 SHOWER UNIT FIXING BRACKET $\varnothing$ internal 20 mm



R.D.FRIULI 36106363

3359910 SINGLE-HOLE SHOWER MIXER STAR

with pre-washing set
controls 1/4 turn
flow rate 17 l/min at 4 bar
connections $\varnothing$ 1/2"
mounting hole $\varnothing$ 30 mm




R.D.FRIULI

R.D.FRIULI 00103013+00931110

Suitable for:

3359484 BLACK SPRAY HEAD $\varnothing$ 1/2" M



R.D.FRIULI 00931000

R.D.FRIULI 00935000

3359119 CERAMIC DISK VALVE RH 1/4 TURN for cold water



R.D.FRIULI 36107374

3359237 SHOWER SPRING




R.D.FRIULI 36103810

3359426 STAINLESS STEEL HOSE $\varnothing$ 1/2" FF 110 cm for showers STAR stainless steel 18/10 double braid coated with transparent PVC nickel-plated brass coupling $\varnothing$ 1/2" F



R.D.FRIULI 31002310

3359484 BLACK SPRAY HEAD $\varnothing$ 1/2" M



R.D.FRIULI 00931000

R.D.FRIULI 00935000



Suitable for:

3359480 BLUE SPRAY HEAD $\varnothing$ 1/2" M



R.D.FRIULI 00931000

R.D.FRIULI 00935000

3359497 COMPLETE STAR SHOWER FASTENING BRACKET



R.D.FRIULI 36106390

3359426 STAINLESS STEEL HOSE $\varnothing$ 1/2" FF 110 cm

for showers STAR
stainless steel 18/10 double braid
coated with transparent PVC
nickel-plated brass coupling $\varnothing$ 1/2" F



R.D.FRIULI 31002310

3359419 SINGLE-HOLE SINGLE-LEVER JOLLY

with pre-washing set
spout $\varnothing$ 24x200 mm
connection $\varnothing$ 1/2"
flow rate 18 L/min at 4 bar
mounting hole 32 mm



R.D.FRIULI 00941000

3359119 CERAMIC DISK VALVE RH 1/4 TURN
for cold water



R.D.FRIULI 36107374

R.D.FRIULI

Suitable for:

3359119 CERAMIC DISK VALVE RH 1/4 TURN
for cold water




R.D.FRIULI 36107374

3359237 SHOWER SPRING



R.D.FRIULI 36103810

3359480 BLUE SPRAY HEAD $\varnothing$ 1/2" M



R.D.FRIULI 00931000

R.D.FRIULI 00935000

3359914 CERAMIC DISK VALVE SX 1/4 TURN
for hot water



R.D.FRIULI 36107373






Suitable for:

3359880 HOSE $\varnothing$ 1/2" 800 mm




R.D.FRIULI 31002313

3359124 MIXER CARTRIDGE
for product mixers until 2005



R.D.FRIULI 34030835

3359468 SINGLE-HOLE SINGLE-LEVER MIXER
for shower connection
with 200 mm spout
flow rate 22 L/min by 4 bar
fittings 1/2"M
mounting hole min 30 max 32 mm



R.D.FRIULI 00123020

R.D.FRIULI 00123020+36103378

3359409 BLUE LEVER FOR MIXER
length 345 mm
fitting 7x8 mm



R.D.FRIULI 36103378

3359915 HANDLE 1/4 TURN FOR SWITCH



R.D.FRIULI 36103618

R.D.FRIULI



Suitable for:

2111701 KNOB FOR SHOWER TAP 1/4 REV.



R.D.FRIULI 36103619

3359408 BLACK LEVER FOR MIXER
length 310 mm
connection 7x8 mm



R.D.FRIULI 36103374

3359119 CERAMIC DISK VALVE RH 1/4 TURN
for cold water



R.D.FRIULI 36107374

3359461 MIXER CARTRIDGE



R.D.FRIULI 34030830

R.D.FRIULI 36100845



Suitable for:

3359824 SPOUT 200 mm



R.D.FRIULI 36100659

R.D.FRIULI



Suitable for:

2102806 SKY PRE-WASHING KIT H1200 WITH SPOUT
spout at half pipe $\varnothing$ 18x250 mm



R.D.FRIULI 00901125

R.D.FRIULI 00905254

R.D.FRIULI 00905304

R.D.FRIULI 00909254

R.D.FRIULI 00981125

R.D.FRIULI 901125

3359029 SPRAY HEAD $\varnothing$ 1/2" M



R.D.FRIULI 00916003

3359436 STAR PRE-WASHING KIT
height 1000 mm
flow rate 17L/min by 4 bar
fitting 3/4" F



R.D.FRIULI 00931110

3359480 BLUE SPRAY HEAD $\varnothing$ 1/2" M



R.D.FRIULI 00931000


R.D.FRIULI 00935000

3359497 COMPLETE STAR SHOWER FASTENING BRACKET



R.D.FRIULI 36106390

3359237 SHOWER SPRING



R.D.FRIULI 36103810

3359465 HOSE $\varnothing$ 1/2" FF 1100 mm



R.D.FRIULI 31002320

R.D.FRIULI 31002403

3359426 STAINLESS STEEL HOSE $\varnothing$ 1/2" FF 110 cm
for showers STAR
stainless steel 18/10 double braid
coated with transparent PVC
nickel-plated brass coupling $\varnothing$ 1/2" F




R.D.FRIULI 31002310



Suitable for:

3359198 STEEL HOSE $\varnothing$ 1/2" FF 106 cm
for shower units with hose spout




R.D.FRIULI



Suitable for:

R.D.FRIULI 31002300

3359445 TWO-HOLE SINGLE LEVER MIXER
for shower unit fitting
spout 250 mm
flow rate 22L/min by 4 bar
connections $\varnothing$ 3/4"MM
distance between holes 155 mm
mounting hole $\varnothing$ 27/28 mm



R.D.FRIULI 00353030

R.D.FRIULI 00353030+36103378

3359409 BLUE LEVER FOR MIXER
length 345 mm
fitting 7x8 mm



R.D.FRIULI 36103378

3359915 HANDLE 1/4 TURN FOR SWITCH



R.D.FRIULI 36103618

3359823 SPOUT 250 mm



R.D.FRIULI 36100661

3359408 BLACK LEVER FOR MIXER
length 310 mm
connection 7x8 mm



R.D.FRIULI 36103374

3359119 CERAMIC DISK VALVE RH 1/4 TURN
for cold water



R.D.FRIULI 36107374

3359461 MIXER CARTRIDGE



R.D.FRIULI 34030830

R.D.FRIULI 36100845

Suitable for:

3359455 TWO-HOLE SINGLE LEVER MIXER
 with pre-wash unit
 with upstanding single lever mixer
 connections $\varnothing 3/4"$ MM
 spout 250 mm
 flow rate 22L/min by 4 bar
 distance between holes 155 mm
 mounting hole $\varnothing 27/28$ mm



R.D.FRIULI A213012

R.D.FRIULI 00306304

R.D.FRIULI 00353030+...

3359409 BLUE LEVER FOR MIXER
 length 345 mm
 fitting 7x8 mm



R.D.FRIULI 36103378

3359915 HANDLE 1/4 TURN FOR SWITCH



R.D.FRIULI 36103618

3359461 MIXER CARTRIDGE



R.D.FRIULI 34030830

R.D.FRIULI 36100845

3359496 SHOWER UNIT FIXING BRACKET
 $\varnothing$ internal 20 mm



R.D.FRIULI 36106363

Suitable for:

3359408 BLACK LEVER FOR MIXER
 length 310 mm
 connection 7x8 mm



R.D.FRIULI 36103374

3359119 CERAMIC DISK VALVE RH 1/4 TURN
 for cold water



R.D.FRIULI 36107374

3359465 HOSE $\varnothing 1/2"$ FF 1100 mm



R.D.FRIULI 31002320

R.D.FRIULI 31002403

3359237 SHOWER SPRING



R.D.FRIULI 36103810

3359823 SPOUT 250 mm




R.D.FRIULI 36100661



Suitable for:

3359463 SPRAY HEAD ø 1/2" M



R.D.FRIULI 00906103

3359426 STAINLESS STEEL HOSE ø 1/2" FF 110 cm
for showers STAR
stainless steel 18/10 double braid
coated with transparent PVC
nickel-plated brass coupling ø 1/2" F



R.D.FRIULI 31002310

3359458 WALL MOUNTED TWO-HOLE MIXER
with pre-wash unit
spout ø18x200 mm
connctions ø 1/2" MM
washer ø 68 mm
distance between holes 130/170 mm
flow rate 25 L/min by 4 bar



R.D.FRIULI 00407023

R.D.FRIULI 00407133

R.D.FRIULI 0095.0021

R.D.FRIULI 00407023+00901110

R.D.FRIULI 00407203

R.D.FRIULI 00981110

R.D.FRIULI 00407023+00981110

R.D.FRIULI 00903904

3359465 HOSE ø 1/2" FF 1100 mm



R.D.FRIULI 31002320

R.D.FRIULI 31002403

3359496 SHOWER UNIT FIXING BRACKET
ø internal 20 mm




R.D.FRIULI 36106363

R.D.FRIULI



Suitable for:

3359460 SPRAY HEAD LUXI ø 1/2" M WHITE



R.D.FRIULI 00906003

3359198 STEEL HOSE ø 1/2" FF 106 cm
for shower units with hose spout



R.D.FRIULI 31002300

3359915 HANDLE 1/4 TURN FOR SWITCH




R.D.FRIULI 36103618

3359237 SHOWER SPRING



R.D.FRIULI 36103810

3359463 SPRAY HEAD ø 1/2" M




R.D.FRIULI 00906103



Suitable for:

3359460 SPRAY HEAD LUXI ø 1/2" M WHITE



R.D.FRIULI 00906003

3359198 STEEL HOSE ø 1/2" FF 106 cm
for shower units with hose spout



R.D.FRIULI 31002300

R.D.FRIULI



Suitable for:

3359426 STAINLESS STEEL HOSE ø 1/2" FF 110 cm
for showers STAR
stainless steel 18/10 double braid
coated with transparent PVC
nickel-plated brass coupling ø 1/2" F



R.D.FRIULI 31002310

3359805 TAP WORM



R.D.FRIULI 36107363

Taps for tank refilling

3183052 FIXED SPOUT CONNECTION ø 1/2" M



R.D.FRIULI 01107003

3183053 FIXED SPOUT CONNECTION ø 1/2" M
head 30 mm - h 28 mm



R.D.FRIULI 01111803

3759109 LEFT-HAND LOCKING ELBOW TAP ø 1/2"
blue cap



R.D.FRIULI 02308963

3759108 RIGHT-HAND LOCKING ELBOW TAP ø 1/2"
red cap



R.D.FRIULI 02307963

3356111 WATER INLET TAP ø 1/2" FF



R.D.FRIULI 02402903

3359138 WATER INLET TAP ø 1/2" FF



R.D.FRIULI 02401903



Suitable for:

3359739 WATER INLET TAP $\varnothing$ 1/2"FF



R.D.FRIULI 02403003

Suitable for:

3359740 WATER INLET TAP $\varnothing$ 1/2"FF



R.D.FRIULI 02404003

3359142 WATER INLET TAP $\varnothing$ 1/2" M
swivel spout $\varnothing$ 18 mm



R.D.FRIULI 00502173

R.D.FRIULI 00601103

R.D.FRIULI 0502173

Washing showers for ovens

3359551 BLACK SHOWER FOR OVENS
flow rate 14 L/min by 4 bar
with covered hose $\varnothing$ 1/2" F 200 cm



R.D.FRIULI 01003203

3359602 BLACK SPRAY HEAD $\varnothing$ 1/2" M



R.D.FRIULI 01003003

3359416 COMPLETE OVEN WASH SHOWER SET
flow rate 11 L/min at 4 bar
with stainless steel hose $\varnothing$ 1/2" FF 2000 mm
with shower support



R.D.FRIULI 00922000

3559001 PUSH-BUTTON OVEN WASHING SHOWER KIT
flow rate 11 l/min at 3 bar
stainless steel hose $\varnothing$ 1/2" FF 200 cm
with shower support



R.D.FRIULI 00922010

3559002 PUSH-BUTTON SHOWER FOR OVEN $\varnothing$ 1/2" F



R.D.FRIULI 00920004



Suitable for:

3559004 STAR SHOWER FOR OVEN

hose $\varnothing$ 1/2"x 2000 mm
flow rate 13 l/min 3 bar



R.D.FRIULI 00925200

R.D.FRIULI



Suitable for:

3359332 WALL BRACKET SUPPORT for flexible sliding



R.D.FRIULI 34036360

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|---|
| <p> LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb724.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com</p> | <p> OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru</p> |
| <p> EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com</p> | <p> LF Repuestos Horeca S.L.U. SPAIN
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es</p> |
| <p> LF GmbH GERMANY
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de</p> | <p> LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch</p> |
| <p> LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com</p> | <p> LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk</p> |
-
- | | |
|---|---|
| <p> AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com</p> | <p> DENMARK
www.lfspareparts724.dk
michael.leth@lfspareparts.com</p> |
| <p> AUSTRIA
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at</p> | <p> SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com</p> |
| <p> BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com</p> | <p> TURKEY
www.lyedekparca724.com
basar.ergun@lyedekparca.com</p> |
| <p> BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com</p> | <p> USA AND CANADA
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us</p> |
| <p> CENTRAL AND EASTERN EUROPE
www.lfspareparts724.cz
jiri.kremela@lfspareparts.cz</p> | |