



Spare parts for:

Commercial faucets



Suitable for:

ZANUSSI



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

ZANUSSI



Suitable for:

Ball valves and accessories

3526671 BALL VALVE $\varnothing$ 1/2" FF



ZANUSSI 002033

3526178 BALLCOCK VALVE 1" MF



ZANUSSI 0A5439

3526632 GAS/WATER BALLCOCK VALVE $\varnothing$ 3/4" FF
heavy series with PN 40 total passage
DIN - DVGW approved
aluminium throttle



ZANUSSI 0K7222

3526673 GAS/WATER VALVE $\varnothing$ 1" FF
ball valve
heavy series with PN 40 total passage
aluminum lever



ZANUSSI 0A2071

ZANUSSI 004729

3526691 WATER VALVE $\varnothing$ 1/2" MF
ball valve
heavy series with PN 25 total passage
aluminium lever



ZANUSSI 004486

3526693 WATER VALVE $\varnothing$ 1" MF
ball valve
heavy series with PN 25 total passage
aluminium lever



ZANUSSI 056617

3526184 WATER VALVE 3/8" MF
ballcock valve
heavy series with complete pass-through PN 40
aluminum lever



ZANUSSI 0A5258

Clamps

- 3449455 HOSE CLAMP 40-60**
for pipes $\varnothing$ 40÷60 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ZANUSSI 0L0193

- 3449456 HOSE CLAMP 50-70**
for pipes $\varnothing$ 50÷70 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ZANUSSI 0E1358

ZANUSSI 0K8983

ZANUSSI 046855

- 3449457 HOSE CLAMP 60-80**
for pipes $\varnothing$ 60÷80 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ZANUSSI 046853

Column faucets

- 3359682 COLUMN FAUCET 84319**
oil reserve valve assembly
nozzle $\varnothing$ 20x240 mm
mounting hole $\varnothing$ 27 mm
connection $\varnothing$ 1/2" M
overall height 555 mm
rod length 435 mm



ZANUSSI 206158

ZANUSSI 216036

- 3359140 COLUMN TAP**
swivel column
swivel spout 250 mm
fitting $\varnothing$ 3/4" M
height 425 mm
overall height 700 mm
25l/min at 4 bar



ZANUSSI 927130

Detergents

- 3092269 DETERGENT "SATINOX" SPRAY 400 ml**
shining and cleaning for stainless steel,
brass, copper and silver
not suitable for food without rinsing
please see the attached documentation for use



ZANUSSI 0S0314

ZANUSSI 0S0995



Suitable for:

ZANUSSI



Suitable for:

Drain assembly

3316010 BRASS DRAIN ASSEMBLY $\varnothing$ 1"1/2
external $\varnothing$ 67 mm - internal $\varnothing$ 40 mm
connection $\varnothing$ 47 mm



ZANUSSI 0S1310

ZANUSSI 069816

3316011 BRASS DRAIN ASSEMBLY $\varnothing$ 2"
external $\varnothing$ 80 mm - internal $\varnothing$ 50 mm
connection $\varnothing$ 59 mm



ZANUSSI 0S1317

ZANUSSI 069317

ZANUSSI 069816

3316013 ST. STEEL/PLASTIC DRAIN ASSEMBLY $\varnothing$ 2"
external $\varnothing$ 70 mm - internal $\varnothing$ 50 mm
connection $\varnothing$ 59 mm



ZANUSSI 0S1319

3316012 ST. STEEL/PLASTIC DRAIN ASSEMBLY $\varnothing$ 1"1/2
external $\varnothing$ 70 mm - internal $\varnothing$ 50 mm
connection $\varnothing$ 47 mm



ZANUSSI 0S1318

3186606 O-RING 0144 EPDM



ZANUSSI 047192

Drain taps and accessories

3356100 DRAIN TAP $\varnothing$ 2" F TECNO
GASKET SEAL - with swivel nut $\varnothing$ 2" F




ZANUSSI 0S0135

ZANUSSI 0S0285

ZANUSSI 008027

Faucets and mixers

- 3359474 HORIZONTAL TAP**
 spout $\varnothing$ 18x300 mm
 flow rate 25L/min by 4 bar
 connection $\varnothing$ 1/2" M



ZANUSSI 0C3108

- 3359356 SINGLE-HOLE LEVER MIXER**
 with extractable shower
 mounting hole $\varnothing$ 52 mm
 hoses $\varnothing$ 12 mm
 hose length 1475 mm




ZANUSSI KL1S.2930.80.81

- 3359163 SINK HOLE TAP STYL-K3**
 spout $\varnothing$ 20x300h150 mm
 mixer connection 3/4" h 50 mm
 power source nickel plate copper $\varnothing$ 1/2"



ZANUSSI 0S0862

- 3759244 SINK HOLE TAP STYL-K3e**
 spout $\varnothing$ 20x350h150 mm
 mixer connection 3/4" h 50 mm
 power source nickel plate copper $\varnothing$ 1/2"



ZANUSSI LF-2111309


- 3359186 TWO-HOLE STRAIGHT COUNTER STYL-K3**
 valves $\varnothing$ 3/4"
 spout $\varnothing$ 20 x 250 h 120 mm
 distance between holes 155 mm
 connections $\varnothing$ 3/4" h 50 mm



ZANUSSI 033125

ZANUSSI 069964


- 3359165 WALL MOUNTED HORIZONTAL TAP**
 spout: $\varnothing$ 20 x 300 mm
 connection $\varnothing$ 1/2" M



ZANUSSI 0S0103

Hose reels

- 3359553 WASHING UNIT MINIREEL**
 stainless steel case aisi 304
 with automatic retractor
 EPDM hose $\varnothing$ 13 mm
 pull-out hose length 160 cm
 complete with shower ECO/F
 for fixing to any equipment



ZANUSSI 0T1747

ZANUSSI 006696

- 3359610 BLACK SHOWER CASE ECO $\varnothing$ 1/2" M**
 with coupling 3/8" Mx1/2" M



ZANUSSI 003175



Suitable for:

ZANUSSI



Suitable for:

Lever mixers

3259008 SINGLE LEVER MIXER
spout $\varnothing$ 22x250 mm
flow rate 18 l/min at 3 bar
connection $\varnothing$ 1/2" F
mounting hole 32 mm




ZANUSSI 037616

3359178 SINGLE-HOLE LEVER MIXER STYL
cartridge with ceramic discs V090 $\varnothing$ 40
gray lever 220 mm
pipe $\varnothing$ 20 x 300 mm
power $\varnothing$ 1/2"



ZANUSSI 0S1244

3359181 TWO-HOLE SINGLE LEVER MIXER
connections $\varnothing$ 3/4" MM
distance between holes 155 mm
spout 250 mm




ZANUSSI 0S1457

ZANUSSI 069965

ZANUSSI 850021

3359443 TWO-HOLE SINGLE LEVER MIXER
spout 250 mm
flow rate 22 L/min by 4 bar
distance between holes 155 mm
connections $\varnothing$ 3/4" MM
mounting hole $\varnothing$ 27/28 mm



ZANUSSI 0S0341

3359408 BLACK LEVER FOR MIXER
length 310 mm
connection 7x8 mm



ZANUSSI 0S0343

Outlet siphons

3395026 PIPE SIPHON $\varnothing$ 1 1/2



ZANUSSI 069404

Pre-rinse units

3359028 BLUE SPRAY HEAD NEW TYPE Ø 1/2" M



ZANUSSI 069973

3359148 SINGLE-HOLE LEVER SHOWER STYL cartridge with ceramic discs Ø 70 mm gray clinical lever 220 mm spout Ø 25 x 275 mm nichel plated copper fittings Ø 1/2" basin connection Ø 3/4" with non-return valves



ZANUSSI 0S0874

3359209 SINGLE-HOLE PREWASH SET STYL

with pre-wash set
mixer with basin connections
with retention valves
connection Ø 3/4" M



ZANUSSI 0S1036

3359456 SINGLE-HOLE SHOWER MIXER SKY

with pre-washing set
connection Ø 1/2
flow rate 17 l/min at 4 bar
mounting hole 34 mm



ZANUSSI 069968

3359237 SHOWER SPRING



ZANUSSI 0S0349

ZANUSSI 0S1086

ZANUSSI 069975

3359198 STEEL HOSE Ø 1/2" FF 106 cm for shower units with hose spout



ZANUSSI 0KC217

ZANUSSI 0L0641



ZANUSSI



Suitable for:

3359029 SPRAY HEAD $\varnothing$ 1/2" M



ZANUSSI 069973


Suitable for:

3359455 TWO-HOLE SINGLE LEVER MIXER
with pre-wash unit
with upstanding single lever mixer
connections $\varnothing$ 3/4" MM
spout 250 mm
flow rate 22L/min by 4 bar
distance between holes 155 mm
mounting hole $\varnothing$ 27/28 mm



ZANUSSI 0S0342

3359605 WHITE SHOWER HEAD NEW $\varnothing$ 1/2" F



ZANUSSI 003167


Taps for tank refilling

3359142 WATER INLET TAP $\varnothing$ 1/2" M
swivel spout $\varnothing$ 18 mm



ZANUSSI 002322

3186665 PTFE FLAT GASKET $\varnothing$ 35x21x2 mm



ZANUSSI 002448

Washing showers for ovens

3359416 COMPLETE OVEN WASH SHOWER SET
flow rate 11 L/min at 4 bar
with stainless steel hose $\varnothing$ 1/2" FF 2000 mm
with shower support



ZANUSSI 0S0323

3359614 STAINLESS STEEL HOSE $\varnothing$ 1/2" FF 150 cm
stainless steel 18/10 double braid
with transparent PVC coating
nickel-plated brass coupling $\varnothing$ 1/2" F



ZANUSSI 0S0348

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|---|
| <p> LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb724.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com</p> | <p> OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru</p> |
| <p> EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com</p> | <p> LF Repuestos Horeca S.L.U. SPAIN
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es</p> |
| <p> LF GmbH GERMANY
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de</p> | <p> LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch</p> |
| <p> LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com</p> | <p> LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk</p> |
-
- | | |
|---|---|
| <p> AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com</p> | <p> DENMARK
www.lfspareparts724.dk
michael.leth@lfspareparts.com</p> |
| <p> AUSTRIA
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at</p> | <p> SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com</p> |
| <p> BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com</p> | <p> TURKEY
www.lyedekparca724.com
basar.ergun@lyedekparca.com</p> |
| <p> BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com</p> | <p> USA AND CANADA
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us</p> |
| <p> CENTRAL AND EASTERN EUROPE
www.lfspareparts724.cz
jiri.kremela@lfspareparts.cz</p> | |