



Spare parts for:

Commercial refrigeration



Suitable for:

ANGELO PO



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

ANGELO PO



Suitable for:

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



ANGELO PO 32M7130

ANGELO PO 32V5790

3240503 AXIAL VENTILATOR SUNON 92x92x25 mm
ball bearings
230V 50/60Hz 14,5W 2350rpm
SF23092A 2092HBT.GN



ANGELO PO 3113740

ANGELO PO 3205930

Bushings

5034457 BUSHING LOWER \varnothing 9 mm
for COOLED BASES series 6E-6ER



ANGELO PO 3088710

5034456 BUSHING UPPER \varnothing 10/13 mm
for COOLED BASES series 6E-6ER



ANGELO PO 3044110

Capacitors, electrical

3068014 CAPACITOR μ F 8 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ANGELO PO 32Z2490

3068087 CAPACITOR ELECTRICAL 35 μ F
450V 50/60Hz - \varnothing 45xh91 mm



ANGELO PO 32V5980

3068101 STARTING CAPACITOR 43/52 μ F 330V



ANGELO PO 32V1490

Castors, rollers and accessories

5013059 WHEEL WITH SLIDEWAY
external \varnothing 31 mm hole 10 mm



ANGELO PO 36G3940



Compressors and spares

3070012 COMPRESSOR CUBIGEL GL60TB CSIR
 220/240V. 50Hz
 power 1/5 Hp, displacement 5.67 cc
 gas R134a HMBP



ANGELO PO 34D6390

3070013 COMPRESSOR CUBIGEL GL80TB CSIR
 220/240V 50Hz
 power 1/5 Hp, displacement 7.57 cc
 gas R134a HMBP



ANGELO PO 34D6500

3070014 COMPRESSOR CUBIGEL GL90TB CSIR
 220/240V 50Hz
 power 1/4 Hp, displacement 8.85 cc
 gas R134a HMBP



ANGELO PO 34D6510

3070015 COMPRESSOR CUBIGEL GP12TB CSIR
 220/240V 50Hz
 power 1/3 Hp, displacement 12.00 cc
 gas R134a HMBP



ANGELO PO 34D6520

ANGELO PO 34D6760

3070218 COMPRESSOR EMBRACO EMT6144Z CSIR
 220/240V 50Hz
 power 1/6 Hp, displacement 5.20 cc
 gas R134a HMBP
 ASPERA



ANGELO PO 34D6390

3070174 COMPRESSOR EMBRACO NEK6187Z CSIR
 220/240V 50Hz
 power 1/3 Hp, displacement 10.00 cc
 gas R134a HMBP
 ASPERA



ANGELO PO 34D5490

3070040 COMPRESSOR EMBRACO NEK6213GK CSIR
 220/240V 50Hz
 power 1/2 Hp, displacement 12.12 cc
 gas R404a/R507 HMBP
 ASPERA



ANGELO PO 3138720



Suitable for:

ANGELO PO



Suitable for:

Contactors

3446562 CONTACTOR LOVATO BF0901A
 coil 9A 230V 50/60Hz 4.2Kw
 3 normally open contacts
 1 normally closed auxiliary contact



ANGELO PO 3100940

ANGELO PO 32V5290

3454022 CONTACTOR LOVATO BF1201A
 coil 12A 230V 50/60Hz 5.7Kw
 3 normally closed contacts
 1 normally closed auxiliary contact



ANGELO PO 3100910

ANGELO PO 32Z2083

3446587 CONTACTOR LOVATO BF2600A
 coil 26A 230V 50/60Hz 13Kw
 3 normally open contacts
 no auxiliary contact



ANGELO PO 3110890

ANGELO PO 32Z2091

3446588 CONTACTOR LOVATO BF3200A
 coil 32A 230V 50/60Hz 16Kw
 3 normally open contacts
 no auxiliary contact



ANGELO PO 3100930

3446558 CONTACTOR LOVATO BGF0901A
 9A 400V 4Kw - coil 230V 50/60Hz
 3 NO contacts
 1 NC auxiliary contact



ANGELO PO 32Z3512

3446557 CONTACTOR LOVATO BG0901A
 coil 9A 230V 50/60Hz 4Kw
 3 normally open contacts
 1 normally closed auxiliary contact



ANGELO PO 32V6550

3446556 CONTACTOR LOVATO BG0910A
 coil 9A 230V 50/60Hz 4Kw
 3 normally open contacts
 1 normally open auxiliary contact



ANGELO PO 32V1880

5023908 CONTACTOR SIEMENS 3RT1025-1AL20
 17A 400V 7.5Kw - coil 230V 50/60Hz
 3 normally open contacts



ANGELO PO 32Z9250



Drip trays for refrigeration

5024381 COLLECTOR CONDENSATE OUTLET
overall length 180 mm - hose \varnothing 18 mm




ANGELO PO 36E2270

5034948 DRAIN FITTING



ANGELO PO 36E3870

3015004 DRIP TRAY
for Refrigerated cupboard (ANGELO PO) SP120
SP135



ANGELO PO 36Z6431

3015905 DRIP TRAY
610x300x50 mm



ANGELO PO 36Z0300

5004446 TRAY FOR WATER OUTLET 560x110x30 mm
with hole for heating element and cartridge



ANGELO PO 36Z1530

Electronic controllers

7104477 CONTROLLER DISPLAY
dimensions 173x63 mm
with probe IP68 3000 mm



ANGELO PO 3161350

3445128 CONTROLLER EVCO EVK203N7
230V 50/60Hz
1 relay outlet 16A for compressor
1 outlet relay 8A for defrosting
1 outlet relay 8A for evaporator fans
NTC/PTC probe selectable (not included)
with buzzer and serial port
dimension 75x33x depth 59 mm
mounting hole 71x29 mm



ANGELO PO 3048060

ANGELO PO 3107300

ANGELO PO 3096600

ANGELO PO 3119780

ANGELO PO 3106300



Suitable for:

Suitable for:

3445113 CONTROLLER EVCO EVK211N7
 230V 50/60Hz
 1 relay outlet 16A for compressor
 pause defrosting
 1 NTC/PTC probe selectable (not included)
 with buzzer and serial port
 front dimension 75x33X depth 59 mm
 mounting hole 71x29 mm

3445124 CONTROLLER EVCO EVK213N3
 12-24Vac/dc
 1 relay outlet 16A for compressor
 1 outlet realy 8A for defrosting
 1 outlet relay 8A for evaporator fans
 NTC/PTC probe selectable (not included)
 with buzzer and serial port
 dimension 75x33x depth 59 mm
 mounting hole 71x29 mm



ANGELO PO 3087950
 ANGELO PO 32V6920
 ANGELO PO 32V8590

ANGELO PO 3107290
 ANGELO PO 32V7490

ANGELO PO 3120900
 ANGELO PO 32V7820

ANGELO PO 3049890

Evaporators

3123004 EVAPORATOR ROLL BOND
 dimensions 892x430 mm
 with capillary

3123903 EVAPORATOR ROLL BOND
 dimensions 1340x430 mm
 (old series)




ANGELO PO 34D4280

ANGELO PO 34D4400

ANGELO PO 34D0360

Fans for motors

3240964 SUCTION BLADE \varnothing 250 mm 28°



ANGELO PO 32M2260

Fittings

3526811 ACCESS VALVE ODS \varnothing 6 mm



ANGELO PO 33A1200



Fuses

3049073 QUICK ACTING FUSE \varnothing 10x38 mm - 10 PCS
500V 10A



ANGELO PO 32V6210

3049043 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 500mA



ANGELO PO 3201540


3049046 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 1A



ANGELO PO 3200020


Gaskets for refrigerators

3186949 MIDDLE EDGED GASKET 1360x660 mm
magnetic - white colour
for REFRIGERATOR




ANGELO PO 37Q0450

3286093 MIDDLE EDGED GASKET 1560x660 mm
magnetic - grey color




ANGELO PO 37Q0760

3186948 MIDDLE EDGED GASKET 383x298 mm
magnetic - grey colour




ANGELO PO 37Q2050

3186947 MIDDLE EDGED GASKET 605x375 mm
magnetic - grey colour
for TABLES




ANGELO PO 37Q2040

3186841 MIDDLE EDGED GASKET 610x580 mm
magnetic - grey colour
for TABLES



ANGELO PO 37Q2380

3186952 MIDDLE EDGED GASKET 614x595 mm
white colour - magnet only on 3 sides



ANGELO PO 37Q0470




ANGELO PO



Suitable for:


3286092 MIDDLE EDGED GASKET 755x660 mm
magnetic - grey color



ANGELO PO 37Q0770


Suitable for:

3186624 SNAP-IN GASKET 1508x668 mm
magnetic - grey color




ANGELO PO 37Q5450

3186625 SNAP-IN GASKET 1530x670 mm
magnetic - grey color




ANGELO PO 37Q0210

3186089 SNAP-IN GASKET 1550x650 mm
magnetic - grey color
for REFRIGERATORS




ANGELO PO 37Q1890

3786577 SNAP-IN GASKET 1598x605 mm
magnetic - grey colour
for Refrigerated cupboard (ANGELO PO) S1200 - S600




ANGELO PO 37Q4850

3186940 SNAP-IN GASKET 1600x685 mm
magnetic - grey colour
for REFRIGERATOR




ANGELO PO 37Q2590

3186626 SNAP-IN GASKET 1610x605 mm
magnetic - grey color




ANGELO PO 37Q1020

3186700 SNAP-IN GASKET 1618x668 mm
magnetic - grey colour




ANGELO PO 37Q4370

3186944 SNAP-IN GASKET 381x254 mm
magnetic - grey color
for REFRIGERATED TABLES



ANGELO PO 37Q7690

3186623 SNAP-IN GASKET 386x265 mm
magnetic - grey color
for 1/2 DRAWER




ANGELO PO 37Q3950

ANGELO PO 37Q4720



Suitable for:


3186946 SNAP-IN GASKET 580x385 mm
magnetic - grey colour
for TABLES



ANGELO PO 37Q7590


Suitable for:

3786452 SNAP-IN GASKET 583x386 mm
magnetic - grey colour
for Refrigerated cupboard (ANGELO PO) 6MAA
for Refrigerated table (ANGELO PO) 6MBA




ANGELO PO 37Q4710

3786247 SNAP-IN GASKET 593x386 mm
magnetic - grey colour
for Refrigerated table (ANGELO PO) 6JB




ANGELO PO 37Q3870

3786583 SNAP-IN GASKET 613x463 mm
magnetic - grey colour




ANGELO PO 37Q4140

3186630 SNAP-IN GASKET 716x668 mm
magnetic - grey colour




ANGELO PO 37Q5460

3186095 SNAP-IN GASKET 755x655 mm
magnetic - grey color
for REFRIGERATORS




ANGELO PO 37Q2010

3786005 SNAP-IN GASKET 771x668 mm
magnetic - color grey



ANGELO PO 37Q4470

3186941 SNAP-IN GASKET 780x685 mm
magnetic - grey colour
for REFRIGERATOR



ANGELO PO 37Q2600

Grids for refrigerator-oven

3185054 CHROME PLATED GRID GN 1/1 530x325 mm



ANGELO PO G610

ANGELO PO 3012000

ANGELO PO 36M3540

3185055 CHROME PLATED GRID GN 2/1 530x650 mm



ANGELO PO G241

ANGELO PO 36A0990



ANGELO PO



Suitable for:

Suitable for:

5023508 GRID PLASTIC-COATED 585x325 mm

5021340 GRID PLASTIC-COVERED 552x532 mm



ANGELO PO 36A5640

ANGELO PO 36A5380

5058036 GRID PLASTICIZED 600x280 mm

**3185910 PLASTIC-COATED GRID GN 1/1 530x325 mm
grey colour**



ANGELO PO 36A0161

ANGELO PO 36A2430

**3185050 PLASTIC-COATED GRID GN 2/1 650x530 mm
white colour**

3185967 PLASTIC-COATED GRID 535x517 mm



ANGELO PO RGP/2-1


ANGELO PO 36A0710

ANGELO PO 36A3630

ANGELO PO 36A2550

3185920 PLASTIC-COATED GRID 555x510 mm

3185966 PLASTIC-COATED GRID 555x670 mm



ANGELO PO 36A3010

ANGELO PO 36A3020

**3185052 STAINLESS STEEL GRID GN 1/1 530x325 mm
thickness 7 mm**

3185053 STAINLESS STEEL GRID GN 2/1 530x650 mm



ANGELO PO G610X

ANGELO PO G241X

Guides

5008725 SLIDEWAY FOR GRIDS 638x23x13 mm



ANGELO PO 35R9140



Handles

- 3242924 HANDLE 8745 PLASTIC BLACK**
 length 426 mm - height 40 mm
 distance between holes 376 mm
 with aluminum insert



ANGELO PO 36M4040

- 3242921 LH-RH CATCH WITHOUT LOCK 560 CR**
 straight handgrip
 base length 150x23x30h mm
 mounting distance 110 mm



ANGELO PO 36M0470

- 3242922 STRIKE FOR DOOR CATCH**



ANGELO PO 36M0480

- 3242922 STRIKE FOR DOOR CATCH**



ANGELO PO 36M0480

Heating elements

- 3455468 CARTRIDGE HEATING ELEMENT PTC 330W 230V**
 cartridge length 240 mm \varnothing 12 mm
 power in absence of water 30W
 fitting 3/8"G
 cable length 1000 mm



ANGELO PO 32G3310

- 5017367 HEATING ELEMENT TRAY 9.25W 230V**
 total length 5250 mm



ANGELO PO 32G2420



Suitable for:

ANGELO PO



3355916 HEATING ELEMENT 100W 220V
in copper braided cable 5320 mm
for half door



ANGELO PO 32G1820


Suitable for:

3355919 HEATING ELEMENT 150W 220V
for evaporator
in copper braiding cable 7000 mm
for Refrigerated cupboard (ANGELO PO)



ANGELO PO 32G1810

3355917 HEATING ELEMENT 400W 220V
length 435 mm - width 330 mm
for Refrigerated cupboard (ANGELO PO)



ANGELO PO 32G1840

3355915 HEATING ELEMENT 60W 220V
in silicone cable 6600 mm
for inner door



ANGELO PO 32G1790

Hinges, catches and accessories

3053524 BOTTOM HINGE BRACKET
for Refrigerated table (ANGELO PO) K16APGPZ
K16XPZAP - SA16AGB - SA16GB



ANGELO PO 30T2050

ANGELO PO 30T2051

3053908 BRACKET BUSHING 22 x 22 mm



ANGELO PO 3178300

3053944 HINGE FERMOD 176
with square shaft 8 mm
for Refrigerated cupboard (ANGELO PO) 607



ANGELO PO 36M2460

5026720 HINGE LOWER
pin \varnothing 8.3xh14.5 mm



ANGELO PO 3088700

5027468 HINGE UPPER
pin \varnothing 7 mm



ANGELO PO 3043180

3053920 LONG PIN HINGE INTERTECNICA 28L
with square pin 7.5 mm



ANGELO PO 36G6520



Suitable for:

3053921 LOWER BRACKET
for Refrigerated cupboard (ANGELO PO)



ANGELO PO 30T5810

Suitable for:

3053924 UPPER LEFT HAND DOOR HINGE
for REFRIGERATORS 650-1400 lt.(old model)
for Refrigerated cupboard (ANGELO PO)



ANGELO PO 36M0350

3053923 UPPER RIGHT HAND DOOR HINGE
for REFRIGERATORS 650-1400 lt. (old model)
for Refrigerated cupboard (ANGELO PO)



ANGELO PO 36M0340

Incandescent lamps and neon lamps

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ANGELO PO 32W0210

ANGELO PO 32W3900

Indicator lights

3221032 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ANGELO PO 3106710

ANGELO PO 32W1330

ANGELO PO 32W1331

3221011 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ANGELO PO 3106730

ANGELO PO 32W0790

ANGELO PO 32W0791

3221032 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ANGELO PO 3106710

ANGELO PO 32W1330

ANGELO PO 32W1331



Suitable for:

3221033 RED INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ANGELO PO 32W1340

3221033 RED INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ANGELO PO 32W1340

Ironmongery (screws,nuts,washers)

3523086 NUT \varnothing 3/4"



ANGELO PO 36Q1100

Knobs

5018078 KNOB \varnothing 14xh22 mm
F connector M4



ANGELO PO 36M4640

3241913 THERMOSTAT KNOB \varnothing 54 mm
hole \varnothing 6x4 mm



ANGELO PO 36M5060

Labels for control panels

5033586 MEMBRANE SILK SCREEN PRINT ADHES. SAGI



ANGELO PO 3093580




Lamp receptacles and spare parts

3221921 WATERTIGHT LAMP RECEPTACLE 190x100 mm
for Refrigerated cupboard (ANGELO PO)



ANGELO PO 32W2360

3221059 OVEN LAMP E27 40W 230V
max temperature 300°C
for OVEN and PIZZA OVEN



ANGELO PO 32W2350

Locks

3388902 COMPLETE LOCK
cylindre ø 19x21 mm.



ANGELO PO 36M0140

ANGELO PO 36M5020

3388905 LOCK COMPLETE
cylinder ø 19x21 mm



ANGELO PO 36M7070

Microswitches

3240498 MAGNETIC MICROSWITCH ø 10x33 mm
1-NO 1A 250V 50W
with cable length 2000 mm
lunghezza cavo 2000 mm



ANGELO PO 32W1890

ANGELO PO 32W3460

5050688 MICROSWITCH ARCOLECTRIC HK3141
1-NC 1-NO 5A 250V
white colour




ANGELO PO 3096020

3240526 MICROSWITCH BURGESS XKA304W
1-NO 1-NC 1A 250V
white colour



ANGELO PO 32W3770

3240407 MICROSWITCH KIT 16A 250V
3 locking positions
the kit includes 5 levers:
lever 75 mm - lever 27 mm - lever 15 mm
lever 15 mm with wheel - lever 27 mm with wheel



ANGELO PO 32W4240

3240148 MICROSWITCH MAGNET 63x19x11 mm



ANGELO PO 3023650

ANGELO PO 32W0870

ANGELO PO 32W1680



Suitable for:

3240256 MICROSWITCH MAGNETIC E5501B
1 contact NO 250V 1A 50W
cable length 1200 mm



ANGELO PO 32W2160

Suitable for:

3240148 MICROSWITCH MAGNET 63x19x11 mm



ANGELO PO 3023650

ANGELO PO 32W0870

ANGELO PO 32W1680

3240176 MICROSWITCH MOUJEN MN-5310
1-NO 1-NC 10A 250V
for Refrigerated cupboard (ANGELO PO) SP65NN
65NN



ANGELO PO 32W1410

3240820 MICROSWITCH 16A 250V



ANGELO PO 32W1320

Motors

3240211 MOTOR ELCO VN 10-20 PENTA VALENT
230V 50/60Hz 10/38W 1300rpm



ANGELO PO 32M1060

ANGELO PO 32M4041

ANGELO PO 32M4371

3240210 MOTOR ELCO VN 5-13 PENTA VALENT
230V 50/60Hz 5/32W 1300rpm



ANGELO PO 32M4350

ANGELO PO 32M4351

Pins

5018079 PIN FOR DOOR PLEXIGLASS
overall length 12 mm - thread 3MA



ANGELO PO 3190630

Probes

3445335 PROBE NTC IP68 3000 mm
temperature range -50+110°C
bulb ø 5x20 mm watertight



ANGELO PO 32V6010

3445107 PTC PVC PROBE 3000 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



ANGELO PO 32V0150



Relays

3351021 POWER RELAY FINDER 62.82.8.230.0000
230V 50/60Hz
2 exchange contacts 16A



ANGELO PO 32V7100

ANGELO PO 32Z2000

3351008 POWER RELAY FINDER 62.83.8.230.0000
230V 50/60Hz
3 exchange contacts 16A



ANGELO PO 32V2950

3351602 POWER RELAY FINDER 65.31.8.230.0300
230V 50/60Hz
1 contact NO 30A



ANGELO PO 32V3720

3351097 RELAY POWER FINDER 62.82.8.230.0309
230V 50/60Hz
2 NO contacts 16A



ANGELO PO 32V7090

Shock absorbers

5046865 GAS SPRING SUSPA 16-1 016 10757A 150N
overall length 170 mm
holes \varnothing 6 mm distance 160 mm
for REFRIGERATED SHOWCASE A1IRISFISH



ANGELO PO 36H1860


5044891 GAS SPRING SUSPA 16-1 016 10757A 200N
overall length 170 mm
fixing holes \varnothing 6 mm distance 160 mm



ANGELO PO 36H1140

Supports

3391014 GRID SUPPORT



ANGELO PO 36G8640

3391911 GRIDS SUPPORT 650x56x35 mm
for 8 grids



ANGELO PO 36D9470

3391912 SHELF HOOK



ANGELO PO 3600280



Suitable for:

ANGELO PO



Suitable for:

3391912 SHELF HOOK



ANGELO PO 3600280

3391910 SHELF SUPPORT 650x47x35 mm
for 8 shelves



ANGELO PO 35T5060


3391912 SHELF HOOK



ANGELO PO 3600280

Switches

1319902 BLACK BIPOLAR SWITCH 16A 250V
with indicator led lamp
mounting hole 22x30 mm



ANGELO PO 32W1930

3319920 BLACK TWO-POLE SWITCH 16A 250V



ANGELO PO 32W4150

3319646 GREEN/ORANGE CAM



ANGELO PO 33Q6440

3319943 CHANGE OVER SWITCH BUTTON 16A 250V
16(4)A 250V - max temperature 120°C
lead connector 6.35x0.8 mm
mounting hole 11x30 mm
for Refrigerated cupboard (ANGELO PO) 1400 - 1403
600 - 650



ANGELO PO 32W0090

3319951 SWITCH 2 POLE GREEN 16A 250V
16(4)A 250V - max. temperature 125°C
with indicator lamp - mounting hole 25x27 mm
lead connector 6.35x0.8 mm



ANGELO PO 32W0990

ANGELO PO 32W3970



Suitable for:


3319012 SWITCH 2-POLE GREEN 16A 250V
 16(4)A 250V - max. temperature 120°C
 with indicator lamp and push-button cap
 mounting hole 22x30 mm - silk screen print 0 - I



ANGELO PO 32W0631

Suitable for:


3319940 SWTCH 2-POLE GREEN 16A 250V
 16(4)A 250V - with indicator lamp and switch cover
 max. temperature 120°C
 mounting hole 22x30 mm



ANGELO PO 32W2331

ANGELO PO 32W2990

3319941 WHITE SINGLE POLE CHANGE OVER SWITCH
 16(4)A 250V - silk-screen printing I - II
 with indicator lamp and light switch cover
 max temperature 125°C
 lead connector 6.35x0.8 mm
 mounting hole 22x30 mm
 for Refrigerated cupboard (ANGELO PO)



ANGELO PO 32W3190

Tangential and radial fans

3526150 FAN TANGENTIAL 180 mm LH
 25W 230V 50/60Hz - ø 60 mm
 operating temperature -30°+100°C



ANGELO PO 32M0050

ANGELO PO 32M0521

ANGELO PO 32M5920

5026343 FAN TANGENTIAL 300 mm LH WITH CABLE
 230V 50/60Hz - ø 60 mm
 operating temperature -30°+40°C



ANGELO PO 3046940

5066600 TANGENTIAL BLOWER 180 mm LH W/CABLE
 230V 50/60Hz 28W - ø 60 mm
 EMMEVI 116223 TGO 60/1-180/20



ANGELO PO 32M6010



Suitable for:



Suitable for:

Telethermometers

3441913 TELETHERMOMETER -40+40°C
 dimensions 58x25 mm
 covered capillary 2530 mm
 plastic covered bulb ø 6x60 mm



ANGELO PO 32Z6400

ANGELO PO 32Z7120

3441003 TELETHERMOMETER WHITE ø 60 mm -40+40°C
 metal case
 covered capillary length 2000 mm
 bulb ø 6x150 mm



ANGELO PO 32Z3190

Terminal blocks

3247003 TERMINAL BLOCK 2-POLE CERAMIC
 for cable max. 4 mmq
 operating temperature 300°C
 nominal voltage 450V
 dimensions 20x21x18 mm



ANGELO PO 3000060

3247015 12-POLE PLASTIC TERMINAL BLOCK
 for cable max 4 mm2
 operating temperature 150°C
 nominal voltage 450V



ANGELO PO 32D1450

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V
 for cable max 6 mm2
 operating temperature 150°C
 nominal voltage 450 V



ANGELO PO 32D0171

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V
 for cable max 6 mm2
 operating temperature 150°C
 nominal voltage 450 V



ANGELO PO 32D0250

ANGELO PO 32D0251

Thermostatic valves for refrigeration

3150112 VALVE THERMOSTATIC DANFOSS TN2
 gas R134a
 with internal equalizer
 inlet 3/8"sae
 outlet 12 mm
 operating range -40°/+10°C
 Danfoss 068Z3384




ANGELO PO 33A0780



Thermostats

3444172 THERMOSTAT -35+35°C TR711N
 3 contacts 16A 400V
 capillary 1500 mm
 bulb \varnothing 6x110 mm
 D shaft \varnothing 6x4.6 mm



ANGELO PO 32Z6310

ANGELO PO 32Z7110

3241913 THERMOSTAT KNOB \varnothing 54 mm
 hole \varnothing 6x4 mm



ANGELO PO 36M5060

3444932 THERMOSTAT RANCO K50 L3207
 2 contacts 6A 250V
 capillary 1500 mm
 COLD -10.0°C - WARM +10.0°C
 D shaft \varnothing 6x4.6 mm




ANGELO PO 32Z6360

3444931 THERMOSTAT RANCO K52 L4512
 2 contacts 6A 250V
 double capillary
 capillaries 2100 mm - 1850 mm
 COLD -6,4°C - WARM +8,5°C
 COLD -6.0°C - WARM +8.8°C
 D shaft \varnothing 6x4.6 mm



ANGELO PO 32Z0920


3444930 THERMOSTAT T50 -30+30°C
 3 contacts 6A 250V
 with adjusting screw
 capillary length 1450 mm
 bulb \varnothing 6x105 mm



ANGELO PO 32Z1090

Timers

3322024 TIMER D94.44L 1 CAM
 230V 50/60HZ
 6h - 10min
 clockwise rotation



ANGELO PO 32Z2420

ANGELO PO 32Z2421



Suitable for:

ANGELO PO



Suitable for:

Transformers

3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved





















ANGELO PO 32Z3470

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfrcambi724.it - www.lfrcambi724.mobi
info@lfrcambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
 -  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matijaramov@lfspareparts.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
 -  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
 -  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us