



Spare parts for:

## Commercial refrigeration



Suitable for:

# COSMETAL



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

# COSMETAL



Suitable for:

## Booster pumps

### 1330026 ROTARY VANE PUMP ROTOFLOW ø 3/8" GAS

clamp connection  
flowrate 200 L/h  
equipped with bypass  
connection ø 3/8" gas  
N.S.F. approved



COSMETAL 1761514002

## Check-safety valves for refrigeration

### 3153001 CARBONATOR SAFETY VALVE + O-RING



COSMETAL 2641526

## Compressors and spares

### 3070275 COMPRESSOR SAMSUNG CD130Q-S1ZA RSIR

220-240V 50Hz  
power 1/12 Hp - displacement 2.93 cc  
gas R134a LBP



COSMETAL 1581178

### 3070208 COMPRESSOR SECOP NL10MF CSIR

220/230V 50/60Hz  
power 1/3 Hp - displacement 10.10 cc  
gas R134a MBP  
DANFOSS 105G6885



COSMETAL 1581176

### 3070078 COMPRESSOR SECOP TL4G CSIR

220/230V 50Hz  
power 1/8 Hp - displacement 3.90 cc  
gas R134a HMBP  
102G4452-HST DANFOSS



COSMETAL 1581181

### 3070077 COMPRESSOR SECOP TL5G CSIR


220/230V 50Hz  
power 1/6 Hp - displacement 5.10 cc  
gas R134a HMBP  
102G4550-HST DANFOSS



COSMETAL 1581174

**Condensers**

**3123089 CONDENSER STFT 14121 1x200 mm**  
output 1000W DT15°C  
220x60x220h mm



COSMETAL 1601130

**3123095 PLASTIC FAN SHROUD CF21**  
dimensions 210x215 mm

**Dispenser taps and accessories**

**5058504 BLACK LEVER**



COSMETAL 2781313

**3359320 BLACK TAP WITH BLUE LEVER**



COSMETAL 2521726

**3786281 TAP GASKET**



COSMETAL 2661513

**3359322 BLACK TAP WITH WHITE LEVER**



COSMETAL 2521725

**3786281 TAP GASKET**



COSMETAL 2661513

**3359319 WHITE TAP WITH BLUE LEVER**



COSMETAL 2521702

**3786281 TAP GASKET**



COSMETAL 2661513



Suitable for:

Suitable for:

3359321 WHITE TAP WITH WHITE LEVER

3786281 TAP GASKET



COSMETAL 2521701

COSMETAL 2661513

Dispensing taps for beverage

3120358 FLOW RATE ADJUSTING WASHER ø 11 mm

3123106 STAINLESS STEEL JET



COSMETAL 4741734

COSMETAL 2781329

1359814 TAP G61  
connection ø 11x24 mm  
height 270 mm

3359318 TAP G62



COSMETAL 2521705

COSMETAL 2521706

3359317 TAP G63

3359323 TAP G65  
height 275 mm



COSMETAL 2521707

COSMETAL 2521712

Drain assembly

3349465 DRAIN FUNNEL FOR SINK



COSMETAL 090096



**Drain hoses**

**3449157 DRAIN PIPE**



COSMETAL 2801318

**Electronic boxes**

**3054040 CONTROL BOX H2O EC GICAR 9.9.06.22G01**  
 230V 50/60Hz  
 compressor, solenoid valve (cold-cold2-normal-inlet), probe (antiflooding-ice-temperature), gas pressure switch, connection for display board,RS232,volumetric flowmeters.



COSMETAL 817010229

**3390398 CONTROL BOX H2O WG EC GICAR 9.9.06.22G00**  
 230V 50/60Hz  
 compressor, pump, solenoid valve (cold-normal gas-inlet), probe (carbonator-antiflooding ice-temperature), gas pressure switch, connection for display board,RS232,volumetric flowmeters. version since 2009



COSMETAL 3822967

**3390394 CONTROLLER H2O GICAR 9.9.05.03G00**  
 230V 50/60Hz  
 relay output 5A for carbonator pump  
 relay output 10A for compressor  
 connection for aux relay board. display board.  
 volumetric flowmeters.  
 inlet for temperature probe. min/max level



COSMETAL 3822937


**5048330 LEVEL CONTROL GICAR RL30/1S/2R**  
 230V 50/60Hz  
 relay output 8A for pump  
 indicator light, safety connection, ok for delivery. level probe.



COSMETAL 3821914

**Electronic printed-circuit boards**

**3390396 DISPLAY H2O DISPENSER GICAR 8.8.15.24G**  
 only printed circuit 8.5.67.23/A



COSMETAL 3822933

**3390397 DISPLAY NIAGARA GICAR 8.8.15.79G**  
 only printed circuit 8.5.66.22/B



COSMETAL 3822966



Suitable for:

# COSMETAL



Suitable for:

**3390395 RELAY EXPANSION BOARD GICAR 8.8.17.31G**  
only printed circuit GICAR 8.5.25.16



COSMETAL 3822932

## Feet

**3313067 FOOT M8x30 mm**  
overall height 30 mm



COSMETAL 2781315

## Filters for refrigeration

**7100513 COPPER FILTER 10 g**  
2 ways - inlet 6.5 mm output 2.6 mm  
ø 16 mm - length 112 mm



COSMETAL 2641411

## Gaskets and seals

**3786281 TAP GASKET**



COSMETAL 2661513

## Incandescent lamps and neon lamps

**3221667 LAMP UV-C PHILIPS TUV 4W G4T5**  
length 135.9 mm - total 150.1 mm  
diameter 16 mm



COSMETAL 3822913

**3221668 STARTER PHILIPS S2**  
lamp power 4-22W



COSMETAL 3822503



**Indicator lights****3221670 GREEN LED PILOT LIGHT 230V**

COSMETAL 815614021

**3221671 RED LED PILOT LIGHT 230V**

COSMETAL 815614022

**Motors****2105673 MOTOR MIXER SAP H**  
230V 50Hz 2800rpm 19W 0.14A  
shaft dimensions  $\varnothing$  7x220 mm

COSMETAL 17613008

**3340191 MOTOR MIXER SAP H**  
230V 50Hz 2800rpm 19W 0.14A  
shaft dimensions  $\varnothing$  7x160 mm

COSMETAL 17613010

**3340192 PUMP CLAMP MOTOR RPM CU313.05**  
230V 50/60Hz 180W 1.65A 1400rpm  
with capacitor 7 $\mu$ F

COSMETAL 176130407

**Pressure reducers****3197001 CO2 PRESSURE REDUCER**  
safety valve calibrated at 4.8 bar  
outlet with fitting JG 8 mm

COSMETAL 090026

**7103403 WATER PRESSURE ADJUSTER 3/8 FF**

COSMETAL 2521515



Suitable for:

# COSMETAL



Suitable for:

## Pressure switches

**3320247 PRESSURE SWITCH MA-TER GP600**  
setting range 0.2-3 bar  
connection 1/4"  
for CO2



COSMETAL 3823712

## Probes

**3397211 PROBE 112 mm WITH BUSHING FOR CARBONATOR**



COSMETAL 2641527

## Pump motors

**3122873 ELECTRIC PUMP AQUATEC CDP 8800**  
230V 50Hz  
inlet/outlet JG 10 mm



COSMETAL 1761517008

**3122872 ELECTRIC PUMP AQUATEC CDP 8851-2J12-V423**  
24Vac 50Hz  
inlet/outlet JG 8 mm



COSMETAL 1761517002

## Solenoid valves

**3120356 INJECTION PIPE**  
sold per meter



COSMETAL 2801363

**3120584 SOLENOID VALVE ODL PX100**  
24V 50Hz  
for carbonated water  
for version since 2009



COSMETAL 099198



Suitable for:

**3120579 SOLENOID VALVE ODL PX101A1/3S**  
24V 50Hz  
for carbonated water



COSMETAL 2641125

Suitable for:

**3120350 SOLENOID VALVE RPE R-MINI 310 1 WAY 180°**  
24Vac 50Hz - max. temperature 90°  
inlet 1/4" F - outlet ø 1/4"  
series R Mini - foodgrade - NC  
length 53 mm - height 60 mm



COSMETAL 2641124

**3120586 SOLENOID VALVE RPE 12Vdc JG8mm**  
1146DC12DC20AL  
for version since 2009



COSMETAL 2641143

**3120585 SOLENOID VALVE SAFETY RPE 24Vac**  
inlet ø 3/4"  
outlet JG 8 mm  
for version since 2009



COSMETAL 2641138

## Switches

**3319568 BLACK SWITCH 22x30 mm**  
250V 12A  
1-switch 2 push-buttons



COSMETAL 3822719

**3319780 BLOCK CONNECTION WHITE 30x22 mm**



**3319779 BLOCK CONNECTIONS BLACK 30x22 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 30x22 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 30x22 mm**



**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm





Suitable for:

# COSMETAL



**3319944 SWITCH 2-POLE GREEN 16A 250V**  
16(4)A 250V - max. temperature 120°C  
with indicator lamp - silk screen printing 0 - I  
mounting hole 22x30 mm



COSMETAL 3822714

**3319779 BLOCK CONNECTIONS BLACK 30x22 mm**



Suitable for:

**3319780 BLOCK CONNECTION WHITE 30x22 mm**



**3319782 FRAME SAFETY 2 SIDES BLACK 30x22 mm**



**3319783 FRAME SAFETY 4 SIDES BLACK 30x22 mm**



**3319501 PUSH-BUTTON PROTECTION CAP**  
external dimensions 29x36 mm  
for switches with mounting hole 22x30 mm



## Thermostats

**5043354 THERMOSTAT RANCO K14 P0163**  
2 contacts 6A 250V  
capillary 700 mm - spiral bulb



COSMETAL 3824929

**3444897 THERMOSTAT RANCO K50 L3295**  
2 contacts 6A 250V  
capillary 1300 mm  
Alternative Atea A01 0584



COSMETAL 3824910

## Transformers

**3221669 MAGNETIC REACTOR ERC MEC92 608903**  
230V 50Hz 4-8W



COSMETAL 3822501

**3739031 TRANSFORMER 230/24V 30VA**  
black cables 230V  
red cables 24Vac



COSMETAL 3825101009



Suitable for:

**COSMETAL**

Suitable for:



## **Water valves**

**3120352 MECHANICAL WATER VALVE**






















COSMETAL 2781193

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfircambi724.it](http://www.lfircambi724.it) - [www.lfircambi724.mobi](http://www.lfircambi724.mobi)  
[info@lfircambi.it](mailto:info@lfircambi.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 34149 Trieste - Italia - AREA Science Park  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.com](mailto:info@lfspareparts.com)
-  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
-  **LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
-  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
-  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
-  **LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
-  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
-  **AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
-  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matijaramov@lfspareparts.com](mailto:matijaramov@lfspareparts.com)
-  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
-  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)
-  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.leth@lfspareparts.com](mailto:michael.leth@lfspareparts.com)
-  **JAPAN**  
[www.lfspareparts724.jp](http://www.lfspareparts724.jp)  
[hiroshi.ukai@lfspareparts.jp](mailto:hiroshi.ukai@lfspareparts.jp)
-  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
-  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
-  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)