



Spare parts for:

Commercial refrigeration



Suitable for:

DEXION



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

DEXION



Suitable for:

Axial motors

3240518 AXIAL FAN EBM 3414N
24Vdc 2.3W 2700rpm
92x92x25 mm
ball bearings



DEXION 019041-00

DEXION 019731-00

3240519 AXIAL FAN EBM 4656N
230V 50Hz 19W 2650rpm
119x119x38 mm
ball bearing



DEXION 013480-00

3240520 AXIAL FAN EBM 7855ES
230V 50Hz 45W 2800rpm
ø 150x55 mm
ball bearing
W2S130-AA03-01



DEXION 014685-00

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



DEXION 013480-01

3240503 AXIAL VENTILATOR SUNON 92x92x25 mm
ball bearings
230V 50/60Hz 14,5W 2350rpm
SF23092A 2092HBT.GN



DEXION 014680-00

Bearings

3063926 BEARING FOR DRAWER GUIDE ø 25 mm



DEXION 010006-00

DEXION 010006-00R

3063902 DRAWER SLIDWAY BEARING ø 28 mm
pin ø 6x2.8 mm



DEXION 010008-01

DEXION 010008-01R



Capacitors, electrical

3240556 CAPACITOR WITH CABLE 1,5µF



DEXION 019051-00

3240554 CAPACITOR WITH CABLE 3µF



DEXION 019056-00

Compressors and spares

3070014 COMPRESSOR CUBIGEL GL90TB CSIR
220/240V 50Hz
power 1/4 Hp, displacement 8.85 cc
gas R134a HMBP



DEXION 022260-00

3070045 COMPRESSOR EMBRACO NJ2212GK CSR
220/240V 50Hz
power 1.5 Hp, displacement 34.37 cc
gas R404a/R507 LBP
ASPERA



DEXION 019034-00

3070082 COMPRESSOR SECOP FR8.5CL CSIR
220/230V 50Hz
power 1/4 HP - displacement 7.95 cc
gas R404a/R507 LBP
103U2890-HST DANFOSS



DEXION 018599-00

3070039 COMPRESSOR SECOP FR8.5G CSIR
220/230V 50Hz
power 1/4L Hp - displacement 7.95 cc
gas R134a HMBP
103G6780-HST DANFOSS



DEXION 014614-00

3070073 COMPRESSOR SECOP SC12CL CSIR
220/230V 50Hz
power 3/8 HP - displacement 12.87 cc
gas R404a/R507 LBP
104L2623-HST DANFOSS



DEXION 015132-00

3070077 COMPRESSOR SECOP TL5G CSIR
220/230V 50Hz
power 1/6 Hp - displacement 5.10 cc
gas R134a HMBP
102G4550-HST DANFOSS



DEXION 015128-00



Suitable for:

DEXION



Suitable for:

Electronic controllers

3744058 CONTROLLER BETA RC33-2604-||
 12-24Vac/dc
 1 relay output 16A for compressor
 1 relay output 8A for defrosting
 1 relay output 5A for fan
 1 digital configurable input
 2 NTC/PTC sectionable probes
 mounting hole 76x35 mm depth 69 mm
 mounting hole 71x29 mm



DEXION 014673-01

DEXION 024170-00

DEXION 024170-00R


3445376 CONTROLLER ELIWELL ID PLUS 961
 230V 50/60Hz
 1 relay output 2Hp for compressor
 1 selectable NTC/PTC/PT1000 probe (not included)
 1 programmable digital/temperature input
 pause defrosting
 TTL input for copy card connection
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm



DEXION 019497-00

DEXION 024169-00

3445374 CONTROLLER LAE AT1-5AS2E-G
 230V 50/60Hz
 1 relay output 16A for compressor
 1 programmable relay output 7A
 1 selectable NTC/PTC probe (not included)
 front dimension 77x35xdepth 70 mm
 mounting hole 71x29 mm



DEXION 020518-01

5034121 CONTROLLER LAE LCD32Q4E-C
 230V 50/60Hz
 depth 75 mm
 1 relais output 20A for compressor - faston 6.3 mm
 1 relais output for defrosting - faston 6.3 mm
 1 relais output 8A for fans - faston 6.3 mm
 1 relais output 8A for aux - faston 6.3 mm
 2 digital inputs (microdoor and configurable)
 2 NTC probes (not included)
 front dimensions 170x38 mm
 mounting hole 150x31 mm
 RS485



DEXION 021226-00

3445287 POWER MODULE LAE LF28B2S3E-1FS
 230V
 1 relay output 20A for compressor
 1 relay output 12A for defrosting
 1 relay output 7A for fan
 2 digital inputs (door microswitch)
 2 NTC probes (not included)
 for assembly on DIN slideway
 serial outputs RS485
 dimensions 105x90x55 mm




DEXION 00-556225

Suitable for:

Suitable for:

3445289 POWER MODULE LAE SSD90C65E-C
 230V 50/60Hz
 1 relay output 20A for compressor
 1 relay output 12A for defrosting
 5 relay outputs 8A for fans, light, alarm, aux
 3 PTC probes (not included)
 1 door microswitch digital input
 RS485
 dimension 165x125 mm

3445295 EVAPORATOR PROBE 2000 mm WITH CONNECTOR



DEXION 020520-00

DEXION 020520-00R

DEXION 020525-00

DEXION 020526-00

Electronic printed-circuit boards

3445276 REMOTE DISPLAY LAE SMD12RU20
 for SSD90

3445277 REMOTE DISPLAY LAE SMD34RU
 for SMD90/SSD90



DEXION 020523-00

DEXION 020522-00

Filters for refrigeration

3160529 FILTER SPORLAN C-032S \varnothing 1/4"-6 mm
 length 97 mm \varnothing 44 mm
 solid cartridge





DEXION 014615-00

Gaskets for refrigerators

3786002 MIDDLE EDGED DOOR GASKET 424x198 mm
 magnetic - white colour

3186080 MIDDLE EDGED GASKET 390x185 mm
 magnetic - white colour
 for REFRIGERATED COUNTERS



DEXION 017104-00

DEXION 012365-00

DEXION 012365-00-R





Suitable for:

Suitable for:

3186086 MIDDLE EDGED GASKET 390x206 mm
magnetic - white colour
for REFRIGERATED COUNTERS

3186081 MIDDLE EDGED GASKET 390x310 mm
magnetic - white colour
for REFRIGERATED COUNTERS



DEXION 012361-00

DEXION 012361-00-R

DEXION 012363-00



DEXION 012363-00-R

DEXION 025696-00

DEXION 025696-00R

3186969 MIDDLE EDGED GASKET 422x255 mm
magnetic - white colour
for REFRIGERATED COUNTERS

3186571 MIDDLE EDGED GASKET 424x302 mm
magnetic - white color
for DRAWER



DEXION 013464-00



DEXION 013464-00-R

DEXION 017102-00

DEXION 017102-00-R

3186570 MIDDLE EDGED GASKET 424X182 mm
magnetic - white colour
for DRAWER

3186082 MIDDLE EDGED GASKET 435x390 mm
magnetic - white colour
for REFRIGERATED COUNTERS





DEXION 017103-00

DEXION 012362-00

DEXION 012362-00-R

3186967 MIDDLE EDGED GASKET 538x422 mm
magnetic - white colour
for REFRIGERATED COUNTERS

3186727 MIDDLE EDGED GASKET 630x424 mm
magnetic - white
for REFRIGERATED COUNTERS series



DEXION 012889-00



DEXION 012889-00-R

DEXION 017101-00

DEXION 017101-00-R

3186573 MIDDLE EDGED GASKET 630x630 mm
magnetic - white color

3186572 MIDDLE EDGED GASKET 635x495 mm
magnetic - white colour




DEXION 017107-00

DEXION 017106-00

Suitable for:

3186840 MIDDLE EDGED GASKET 635x598 mm
magnetic - white colour
for COUNTERS




DEXION 014052-00

DEXION 014052-00-R

Suitable for:

3186083 MIDDLE EDGED GASKET 640x390 mm
magnetic - white colour
for REFRIGERATED COUNTERS




DEXION 012364-00

DEXION 012364-00-R

DEXION 025695-00R


3186968 MIDDLE EDGED GASKET 678x538 mm
magnetic - white colour
for REFRIGERATED COUNTERS



DEXION 012888-01

DEXION 012888-01-R


3186965 SNAP-IN DOOR GASKET 1550x690 mm
magnetic - white colour
for REFRIGERATOR
for Refrigerated cupboard (DEXION) FD121.00.200E



DEXION 011535-00


DEXION 011535-00R

3786254 SNAP-IN GASKET 1554x688 mm
magnetic - black colour
for glass door



DEXION 017464-00

3186966 SNAP-IN GASKET 750x690 mm
magnetic - grey colour
for REFRIGERATOR



DEXION RIC0002904

DEXION 011537-00

DEXION 011537-00R


Grids for refrigerator-oven

3185910 PLASTIC-COATED GRID GN 1/1 530x325 mm
grey colour



DEXION OA000-00-023

3185966 PLASTIC-COATED GRID 555x670 mm



DEXION OA000-00-021

Handles

3242948 LH-RH CATCH WITH LOCK 795 CR
straight handgrip
base length 150x30x40.5h mm
mounting distance 133 mm
adjustable catch between 9 and 22 mm



DEXION 795CR-R

3242960 RH-LH DOOR HANDLE W/OUT KEY LOCK 1825
distance between holes 158 mm
plate dimensions 181x33 mm



DEXION 1825-R



Suitable for:

DEXION



Suitable for:

Heating elements

3355660 HEATING ELEMENT 135W 230V
length 470 mm - width 150 mm
for condense evaporation



DEXION 013532-00R
DEXION 019430-02R

DEXION 019430-01
DEXION 019430-03R

DEXION 019430-02

3355932 HEATING ELEMENT 46W 230V
for half-door frame
length 7550 mm



DEXION 011525-00

DEXION 011525-00R

DEXION 019021-00

3355930 HEATING ELEMENT 550W 230V
length 425 mm - width 250 mm



DEXION 011526-00

DEXION 011526-01

DEXION 011526-01-R

3355934 HEATING ELEMENT 82W 230V
for condensate evaporator
length 250 mm
width 150 mm
with thermal protection



DEXION 012336-00-R
DEXION 012336-02-R

DEXION 012336-01-R

DEXION 012336-02

3355661 HEATING ELEMENT 87W 240V
length 470 mm
width 65 mm



DEXION 012335-00
DEXION 012335-01-R

DEXION 012335-00-R

DEXION 012335-01

Hinges, catches and accessories

3053946 LEFT HAND DOOR RETURN SPRING
length 148 mm
ø 16.5 mm



DEXION 011572-00

DEXION 011572-00-R

DEXION 011572-00R

3053945 RIGHT HAND DOOR RETURN SPRING
length 148 mm
ø 16.5 mm



DEXION 011573-00

DEXION 011573-00-R


DEXION 011573-00R



Suitable for:

Suitable for:

3053930 SHORT PIN HINGE INTERTECNICA 28XC
with square pin 7.5 mm



DEXION 022104-00

3053258 UPPER HINGE LEFT/LOWER RIGHT



DEXION RIC0002971
DEXION 011563-00R

DEXION 011563-00

DEXION 011563-00-R

3053946 LEFT HAND DOOR RETURN SPRING
length 148 mm
ø 16.5 mm



DEXION 011572-00

DEXION 011572-00-R

DEXION 011572-00R

3053945 RIGHT HAND DOOR RETURN SPRING
length 148 mm
ø 16.5 mm



DEXION 011573-00

DEXION 011573-00-R

DEXION 011573-00R

3053259 UPPER HINGE RIGHT/LOWER LEFT



DEXION 011561-00

DEXION 011561-00R

3053946 LEFT HAND DOOR RETURN SPRING
length 148 mm
ø 16.5 mm



DEXION 011572-00

DEXION 011572-00-R

DEXION 011572-00R

3053945 RIGHT HAND DOOR RETURN SPRING
length 148 mm
ø 16.5 mm



DEXION 011573-00

DEXION 011573-00-R

DEXION 011573-00R



Suitable for:

DEXION



Suitable for:

Indicator lights

3221117 GREEN INDICATOR LAMP 400V
head \varnothing 18 mm - hole \varnothing 12 mm - 150°C



DEXION 011486-00-R

DEXION 5229054

3221935 INDICATOR LAMP GREEN 230V
mounting hole 30x11 mm - 120°C
for Refrigerated cupboard (DEXION)
for Refrigerated table (DEXION)



DEXION 013472-00-R

Locks

3388905 LOCK COMPLETE
cylinder \varnothing 19x21 mm



DEXION 013494-00

DEXION 013494-00R

3388910 LOCK COMPLETE
cylinder \varnothing 19x16 mm



DEXION 013486-00

DEXION 013486-00R


Microswitches

5050688 MICROSWITCH ARCOLECTRIC HK3141
1-NC 1-NO 5A 250V
white colour



DEXION 025063-00R

3240825 MICROSWITCH CHERRY DC2
1-NO 1.5A 250V with 600 mm cable



DEXION 012730-00

DEXION 012730-00R

Motors

3240211 MOTOR ELCO VN 10-20 PENTAVALENT
230V 50/60Hz 10/38W 1300rpm



DEXION 012725-00-R



Suitable for:

DEXION

Suitable for:



Probes

3445295 EVAPORATOR PROBE 2000 m m WITH CONNECTOR



DEXION 020525-00

DEXION 020526-00

Relays

3351901 POWER RELAY FINDER 60.62.8.230.0000
230V 50/60Hz
2 exchange contacts 10A



DEXION 019032-00-R

DEXION 01903200R

Springs

3053947 HALF DOOR UPPER SPRING



DEXION 011574-00

DEXION 011574-00R

Supports

3391911 GRIDS SUPPORT 650x56x35 mm
for 8 grids



DEXION SAG000053



Suitable for:

DEXION

Suitable for:



Switches

3319966 ORANGE SINGLE POLE SWITCH 16A 250V
 16(4)A 250V - with indicator light
 fan silk-screen printing
 max temperature 120°C
 lead connector 6.35x0.8 mm
 mounting hole 11x30 mm



DEXION 013474-00-R

3319965 SWITCH 1-POLE GREEN 16A 250V
 16(4)A 250V - with indicator lamp
 silk-screen printing 0 - I
 max temperature 120°C
 lead connector 6.35x0.8 mm
 mounting hole 11x30 mm



DEXION 013473-00-R

DEXION 017462-00

DEXION 017462-00-R

Tangential and radial fans

3526019 TANGENTIAL BLOWER QL45 180 mm RIGHT
 230V 50/60Hz - ø 45 mm
 QLK45/1800 A108-2513L-93 vr



DEXION 012726-00-R

Thermostatic valves for refrigeration

3150046 DANFOSS ORIFICE 00
 068-2003



DEXION 013485-00

3150041 THERMOSTATIC VALVE DANFOSS TN2
 gas R134a
 'with internal equalizer
 inlet 3/8"sae
 outlet 1/2"sae
 operating range -40°/+10°C
 Danfoss 068Z3346



DEXION 014607-00

3150043 THERMOSTATIC VALVE DANFOSS TS2
 gas R404a/R507
 'with internal equalizer
 inlet 3/8"sae
 outlet 1/2"sae
 operating range -40°/+10°C
 Danfoss 068Z3400




DEXION 018597-00



Thermostats

3444172 THERMOSTAT -35+35°C TR711N

3 contacts 16A 400V
capillary 1500 mm
bulb \varnothing 6x110 mm
D shaft \varnothing 6x4.6 mm



DEXION 012727-00

3444911 THERMOSTAT RANCO K50 L3078

2 contacts 6A 250V
capillary 2000 mm
COLD -7.0°C - WARM +7.5°C
D shaft \varnothing 6x4.6 mm



DEXION 013475-00

DEXION 013475-00-R

3444957 THERMOSTAT RANCO K50 L3194

2 contacts 6A 250V
capillary 1800 mm
COLD +1.0°C - WARM +10.0°C
D shaft \varnothing 6x4.6 mm



DEXION 013471-00

DEXION 013471-00-R

3444956 THERMOSTAT RANCO K50P1117

2 contacts 6A 250V
capillary length 2000 mm
COLD -34°C - WARM -12°C
D shaft \varnothing 6x4.6 mm




DEXION 013477-00

DEXION 013477-00-R

Timers

3322024 TIMER D94.44L 1 CAM

230V 50/60HZ
6h - 10min
clockwise rotation



DEXION 013467-00

DEXION 013467-00-R

Transformers

3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved





















DEXION 014675-00-R

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - www.lfircambi724.mobi
info@lfircambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
-  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
-  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
-  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
-  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
-  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
-  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
-  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
-  **BALKAN COUNTRIES**
www.lfspareparts724.com
matijaramov@lfspareparts.com
-  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
-  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
-  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
-  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
-  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
-  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
-  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us