



Spare parts for:

Commercial refrigeration



Suitable for:

ELECTROLUX PROFESSIONAL



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included

Rel. 2015-12241129





Suitable for:

Suitable for:

Axial motors

3240519 AXIAL FAN EBM 4656N
230V 50Hz 19W 2650rpm
119x119x38 mm
ball bearing



ELECTROLUX PROFESSIONAL

3240515 AXIAL FAN EBM 8556N
230V 50Hz 12W 2800rpm
80x80x38 mm
ball bearing



ELECTROLUX PROFESSIONAL 083528

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



ELECTROLUX PROFESSIONAL 0C1478 ELECTROLUX PROFESSIONAL 0C4106 ELECTROLUX PROFESSIONAL 0C4423 ELECTROLUX PROFESSIONAL 006125
ELECTROLUX PROFESSIONAL 0E2261 ELECTROLUX PROFESSIONAL 002656 ELECTROLUX PROFESSIONAL 002690
ELECTROLUX PROFESSIONAL 058855

3240502 AXIAL FAN SUNON 80x80x25 mm
ball bearings
230V 50/60Hz 14W 2450rpm
SF23080AT-2082HBL.GN



Bearings

3063900 BEARING FOR DRAWER GUIDE ø 24 mm



ELECTROLUX PROFESSIONAL 0A8292

Capacitors, electrical

3068016 CAPACITOR µF 10 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations



ELECTROLUX PROFESSIONAL 0U0403 ELECTROLUX PROFESSIONAL 056148

3068019 CAPACITOR µF 12.5 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations



ELECTROLUX PROFESSIONAL 037269 ELECTROLUX PROFESSIONAL 047541 ELECTROLUX PROFESSIONAL 047883



Suitable for:

3068024 CAPACITOR μF 16 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ELECTROLUX PROFESSIONAL 0A2914 ELECTROLUX PROFESSIONAL 0C1187 ELECTROLUX PROFESSIONAL 0H6812 ELECTROLUX PROFESSIONAL 0E0174

Suitable for:

3068002 CAPACITOR μF 2.5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



3068027 CAPACITOR μF 20 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ELECTROLUX PROFESSIONAL 0H1044 ELECTROLUX PROFESSIONAL 047744

3068008 CAPACITOR μF 5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



ELECTROLUX PROFESSIONAL 0K9108 ELECTROLUX PROFESSIONAL 037268

3068010 CAPACITOR μF 6.3 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



ELECTROLUX PROFESSIONAL 049260

3068014 CAPACITOR μF 8 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ELECTROLUX PROFESSIONAL 049126

3240552 CAPACITOR WITH CABLE $5\mu\text{F}$



ELECTROLUX PROFESSIONAL 083406

3068040 RUNNING CAPACITOR $15\mu\text{F}$ 450V
 $\varnothing 40 \times 98 \text{ mm}$



ELECTROLUX PROFESSIONAL 089915

3068036 RUNNING CAPACITOR $25\mu\text{F}$ 450V
 $\varnothing 45 \times 98 \text{ mm}$



ELECTROLUX PROFESSIONAL 005135

3068101 STARTING CAPACITOR $43/52\mu\text{F}$ 330V



ELECTROLUX PROFESSIONAL 0A8764 ELECTROLUX PROFESSIONAL 086359



Suitable for:

Suitable for:

3068103 STARTING CAPACITOR 88/103 μ F 330V



ELECTROLUX PROFESSIONAL 0KQ662 ELECTROLUX PROFESSIONAL 083449 ELECTROLUX PROFESSIONAL 086174

Check-safety valves for refrigeration

3150016 SAFETY VALVE 3060/23C300 30 bar
inlet 1/4"npt - outlet 3/8"sae



ELECTROLUX PROFESSIONAL 092141

Clamps

3449451 HOSE CLAMP 10-16
for pipes \varnothing 10÷16 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ELECTROLUX PROFESSIONAL 0L0266

3449454 HOSE CLAMP 32-50
for pipes \varnothing 32÷50 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ELECTROLUX PROFESSIONAL 0KB302 ELECTROLUX PROFESSIONAL 046878

3449457 HOSE CLAMP 60-80
for pipes \varnothing 60÷80 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ELECTROLUX PROFESSIONAL 046853

Compensation valves for refrigeration

4092573 COMPENSATION VALVE
 extensible - \varnothing 45 mm
 for temperature below 0 with heating element 230V



ELECTROLUX PROFESSIONAL 089676 ELECTROLUX PROFESSIONAL 092573

3526800 COMPENSATION VALVE MINI EL/TN
 length without flange 62mm - \varnothing 60 mm
 for positive temperature
 without heating element



ELECTROLUX PROFESSIONAL 081971

Compressors and spares

3070011 COMPRESSOR CUBIGEL GL45TB CSIR
 power 1/6 HP, displacement 4.50 cc
 220/240V 50Hz
 CUBIGEL



ELECTROLUX PROFESSIONAL 085501

3070012 COMPRESSOR CUBIGEL GL60TB CSIR
 220/240V, 50Hz
 power 1/5 Hp, displacement 5.67 cc
 gas R134a HMBP



ELECTROLUX PROFESSIONAL 085876

3070013 COMPRESSOR CUBIGEL GL80TB CSIR
 220/240V 50Hz
 power 1/5 Hp, displacement 7.57 cc
 gas R134a HMBP



ELECTROLUX PROFESSIONAL 083735

3070014 COMPRESSOR CUBIGEL GL90TB CSIR
 220/240V 50Hz
 power 1/4 Hp, displacement 8.85 cc
 gas R134a HMBP



ELECTROLUX PROFESSIONAL 083718

3070015 COMPRESSOR CUBIGEL GP12TB CSIR
 220/240V 50Hz
 power 1/3 Hp, displacement 12.00 cc
 gas R134a HMBP



ELECTROLUX PROFESSIONAL 083752

3070051 COMPRESSOR CUBIGEL GP14TB CSIR
 220/240V 50Hz
 power 3/8 Hp, displacement 14.00 cc
 gas R134a HMBP



ELECTROLUX PROFESSIONAL 083728



ELECTROLUX PROFESSIONAL



Suitable for:

3070086 COMPRESSOR CUBIGEL GS34TB CSIR
220/240V 50Hz
power 1 Hp, displacement 34.4 cc
gas R134a HMBP



ELECTROLUX PROFESSIONAL 084763

Suitable for:

3070031 COMPRESSOR CUBIGEL MP12FB CSIR
220/240V 50Hz
power 3/8 Hp, displacement 12.00 cc
gas R404a/R507 LBP



ELECTROLUX PROFESSIONAL 087001

3070032 COMPRESSOR CUBIGEL MP14FB CSIR
220/240V 50Hz
power 1/2 Hp, displacement 14.00 cc
gas R404a/R507 LBP



ELECTROLUX PROFESSIONAL 0A9615

3070066 COMPRESSOR CUBIGEL MS34FB CSIR
220/240V 50Hz
power 1.5 Hp, displacement 34.42 cc
gas R404a/R507 LBP



ELECTROLUX PROFESSIONAL 0A9727 ELECTROLUX PROFESSIONAL 084499

3070033 COMPRESSOR CUBIGEL MX18FBa CSR
220/240V 50Hz
power 5/8 Hp, displacement 18.39 cc
gas R404a/R507 LBP



ELECTROLUX PROFESSIONAL 091221

3070215 COMPRESSOR EMBRACO EMT6144GK CSIR
220/240V 50Hz
power 1/6 Hp, displacement 3.97 cc
gas R404a/R507 HMBP
ASPERA



ELECTROLUX PROFESSIONAL 092337

3070218 COMPRESSOR EMBRACO EMT6144Z CSIR
220/240V 50Hz
power 1/6 Hp, displacement 5.20 cc
gas R134a HMBP
ASPERA



ELECTROLUX PROFESSIONAL 0S0590 ELECTROLUX PROFESSIONAL 093267

3070216 COMPRESSOR EMBRACO EMT6152GK CSIR
220/240V 50Hz
power 1/5 Hp, displacement 4.50 cc
gas R404a/R507 HMBP
ASPERA



ELECTROLUX PROFESSIONAL 0S1499



Suitable for:

3070219 COMPRESSOR EMBRACO EMT6160Z CSIR
 220/240V 50Hz
 power 1/5 Hp, displacement 6.76 cc
 gas R134a HMBP
 ASPERA



ELECTROLUX PROFESSIONAL 093207

Suitable for:

3070217 COMPRESSOR EMBRACO EMT6165GK CSIR
 220/240V 50Hz
 power 1/4 Hp, displacement 5.20 cc
 gas R404a/R507
 ASPERA



ELECTROLUX PROFESSIONAL 093208

3070220 COMPRESSOR EMBRACO EMT6170Z CSIR
 220/240V 50Hz
 power 1/4 Hp, displacement 7.69 cc
 gas R134a HMBP
 ASPERA



ELECTROLUX PROFESSIONAL 093206

3070166 COMPRESSOR EMBRACO NEK2134GK CSIR
 220/240V 50Hz
 power 1/3 Hp, displacement 8.78 cc
 gas R404a/R507 LBP
 ASPERA



ELECTROLUX PROFESSIONAL 093374

3070120 COMPRESSOR EMBRACO NEK2150GK CSIR
 220/240V, 50Hz
 power 1/2 Hp, displacement 12.12 cc
 gas R404a/R507 LBP
 ASPERA



ELECTROLUX PROFESSIONAL 093630

3070183 COMPRESSOR EMBRACO NEK6181GK CSIR
 220/240V 50Hz
 power 1/3 Hp, displacement 7.28 cc
 gas R404a/R507 HMBP
 ASPERA



ELECTROLUX PROFESSIONAL 093373

3070174 COMPRESSOR EMBRACO NEK6187Z CSIR
 220/240V 50Hz
 power 1/3 Hp, displacement 10.00 cc
 gas R134a HMBP
 ASPERA



ELECTROLUX PROFESSIONAL 093379

3070184 COMPRESSOR EMBRACO NEK6210GK CSIR
 220/240V 50Hz
 power 3/8 Hp, displacement 8.78 cc
 gas R404a/R507 HMBP
 ASPERA



ELECTROLUX PROFESSIONAL 093377



ELECTROLUX PROFESSIONAL



Suitable for:

3070175 COMPRESSOR EMBRACO NEK6210Z CSIR
220/240V 50Hz
power 1/3 Hp, displacement 12.12 cc
gas R134a HMBP
ASPERA



ELECTROLUX PROFESSIONAL 093297

Suitable for:

3070176 COMPRESSOR EMBRACO NEK6212Z CSIR
220/240V 50Hz
power 1/2 Hp, displacement 14.30 cc
gas R134a HMBP
ASPERA



ELECTROLUX PROFESSIONAL 093205

3070040 COMPRESSOR EMBRACO NEK6213GK CSIR
220/240V 50Hz
power 1/2 Hp, displacement 12.12 cc
gas R404a/R507 HMBP
ASPERA



ELECTROLUX PROFESSIONAL 091161

3070186 COMPRESSOR EMBRACO NEK6217GK CSR
220/240V 50Hz
power 5/8 Hp, displacement 14.30 cc
gas R404a/R507 HMBP
ASPERA



ELECTROLUX PROFESSIONAL 092239

3070123 COMPRESSOR EMBRACO NJ2192GK CSR
220/240V, 50Hz
power 1.2 Hp, displacement 26.20 cc
gas R404a/R507 LBP
ASPERA



ELECTROLUX PROFESSIONAL 084076

3070045 COMPRESSOR EMBRACO NJ2212GK CSR
220/240V 50Hz
power 1.5 Hp, displacement 34.37 cc
gas R404a/R507 LBP
ASPERA



ELECTROLUX PROFESSIONAL 085097

3070050 COMPRESSOR EMBRACO NJ6220Z CSIR
220/240V 50Hz
power 3/4 Hp, displacement 26.20 cc
gas R134a HMBP
ASPERA



ELECTROLUX PROFESSIONAL 093454

3070052 COMPRESSOR EMBRACO NJ6226Z CSR
220/240V 50Hz
power 1 Hp, displacement 34.37 cc
gas R134a HMBP
ASPERA



ELECTROLUX PROFESSIONAL 093474

Suitable for:

3070018 COMPRESSOR EMBRACO NJ9232GK CSR
 220/240v 50Hz
 power 1.2 Hp, displacement 26.20 cc
 gas R404a/R507 HMBP
 ASPERA



ELECTROLUX PROFESSIONAL 092906

Suitable for:

3070027 COMPRESSOR EMBRACO NJ9232GS
 400V 3Ph 50Hz
 power 1.2 Hp, displacement 26.20 cc
 gas R404a/R507 HMBP
 ASPERA



ELECTROLUX PROFESSIONAL 085563

3070028 COMPRESSOR EMBRACO NJ9238GS
 400V 3Ph 50Hz
 power 1.5 Hp, displacement 32.70 cc
 gas R404a/R507
 ASPERA



ELECTROLUX PROFESSIONAL 089761

3070168 COMPRESSOR EMBRACO NT2168GK CSR
 220/240V 50Hz
 power 5/8 Hp, displacement 14.40 cc
 gas R404a/R507 LBP
 ASPERA



ELECTROLUX PROFESSIONAL 093787

3070170 COMPRESSOR EMBRACO NT2180GK CSR
 220/240V 50Hz
 power 1 Hp, displacement 20.40 cc
 gas R404a/R507 LBP
 ASPERA



ELECTROLUX PROFESSIONAL 093735

3070178 COMPRESSOR EMBRACO NT6215Z CSIR
 220/240V 50Hz
 power 1/2 Hp, displacement 17.40 cc
 gas R134a HMBP
 ASPERA



ELECTROLUX PROFESSIONAL 092312

3070179 COMPRESSOR EMBRACO NT6217Z CSIR
 220/240V 50Hz
 power 5/8 Hp, displacement 20.40 cc
 gas R134a HMBP
 ASPERA



ELECTROLUX PROFESSIONAL 0TTP29

3070068 COMPRESSOR SECOP SC15G CSIR
 220/230V 50Hz
 power 3/8 Hp - displacement 15.28 cc
 gas R134a HMBP
 104G8520-HST DANFOSS



ELECTROLUX PROFESSIONAL 0T5270



Suitable for:

Suitable for:


3070130 COMPRESSOR TECUMSEH CAJ9480Z CSR
 220/240V 50Hz
 Rotalock suction connection
 power 5/8 Hp, displacement 15.2 cc
 gas R404a/R507 HMBP



ELECTROLUX PROFESSIONAL 0D2530 ELECTROLUX PROFESSIONAL 0D2530 +089652
 ELECTROLUX PROFESSIONAL 089652 ELECTROLUX PROFESSIONAL 089652 +0D2530


Condensers

3123090 CONDENSER STFT 16224 1x230 mm
 output 1385W DT15°C
 250x60x250h mm



ELECTROLUX PROFESSIONAL 088661

3068901 CONDENSER STN 8324 1x230 mm
 output 1125W DT 15°C
 300x90x250h



ELECTROLUX PROFESSIONAL 082229

Contactors

3446223 CONTACTOR AEG LS02K400
 6A 400V 2.2Kw - coil 230V 50/60Hz
 4 normally open contacts



ELECTROLUX PROFESSIONAL 004159

3454001 CONTACTOR BENEDIKT/JAGER K3-10ND01
 10A 400V 4Kw - coil 230V 50/60HZ
 3 normally open contacts
 1 normally closed auxiliary contact



4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
 10A - 1 NO contact
 screw connection



ELECTROLUX PROFESSIONAL 0E3757 ELECTROLUX PROFESSIONAL 0L0285 ELECTROLUX PROFESSIONAL 047048 ELECTROLUX PROFESSIONAL 0C4704 ELECTROLUX PROFESSIONAL 046995
 ELECTROLUX PROFESSIONAL 048825 ELECTROLUX PROFESSIONAL 072319



Suitable for:

3454068 CONTACTOR BENEDIKT/JAGER K3-10ND10
 10A 400V 4Kw - coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



ELECTROLUX PROFESSIONAL 082986 ELECTROLUX PROFESSIONAL 088477

Suitable for:

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
 10A - 1 NO contact
 screw connection



ELECTROLUX PROFESSIONAL 0C4704 ELECTROLUX PROFESSIONAL 046995

3446510 CONTACTOR BENEDIKT/JAGER K3-14ND10
 14A 400V 5.5Kw - coil 24V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



ELECTROLUX PROFESSIONAL 0E0020 ELECTROLUX PROFESSIONAL 0E1291 ELECTROLUX PROFESSIONAL 0K3968 ELECTROLUX PROFESSIONAL 0C4704 ELECTROLUX PROFESSIONAL 046995
 ELECTROLUX PROFESSIONAL 0L0360 ELECTROLUX PROFESSIONAL 046994

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
 10A - 1 NO contact
 screw connection



3446561 CONTACTOR LOVATO BF0910A
 coil 9A 230V 50/60Hz 4.2Kw
 3 normally open contacts
 1 normally open auxiliary contact



ELECTROLUX PROFESSIONAL 003027 ELECTROLUX PROFESSIONAL 004206

3454022 CONTACTOR LOVATO BF1201A
 coil 12A 230V 50/60Hz 5.7Kw
 3 normally closed contacts
 1 normally closed auxiliary contact



ELECTROLUX PROFESSIONAL 0KD792

3446506 CONTACTOR LOVATO BF2510A
 25A 400V 12.5Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



ELECTROLUX PROFESSIONAL 0K4938 ELECTROLUX PROFESSIONAL 054928

3446552 CONTACTOR LOVATO BG0610A
 coil 6A 230V 50/60Hz 2.2Kw
 3 normally open contacts
 1 normally open auxiliary contact



ELECTROLUX PROFESSIONAL 086215



ELECTROLUX PROFESSIONAL



Suitable for:

3446214 CONTACTOR LOVATO BG09T4A
4KW 400V 9A - 4 normally open contacts
coil 230V 50/60Hz



ELECTROLUX PROFESSIONAL

Suitable for:

3446557 CONTACTOR LOVATO BG0901A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally closed auxiliary contact



ELECTROLUX PROFESSIONAL 086169

3446556 CONTACTOR LOVATO BG0910A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally open auxiliary contact



ELECTROLUX PROFESSIONAL 048519 ELECTROLUX PROFESSIONAL 054544 ELECTROLUX PROFESSIONAL 075796 ELECTROLUX PROFESSIONAL 0D1626

3351098 THERMAL RELAY ABB TA25DU
2.2÷3.1A
1 normally open contact
1 normally closed contact



Dispensing taps for beverage

3359317 TAP G63



ELECTROLUX PROFESSIONAL 0KM604 ELECTROLUX PROFESSIONAL 0KR205

Door catches

3398900 DOOR CATCH - 3 PIECES



ELECTROLUX PROFESSIONAL 082225

Doors

3058002 INNER DOOR FOR REFRIGERATOR
dimensions 670x1570 mm
grey
old series



ELECTROLUX PROFESSIONAL 081292

Drip trays for refrigeration

3015900 DRIP TRAY
530x325x40 mm
gastronorm 1/1



ELECTROLUX PROFESSIONAL 080803

3015008 STAINLESS STEEL DRIP TRAY
300x145x35 mm



ELECTROLUX PROFESSIONAL 083813

Electronic controllers

4091642 CONTROLLER CAREL IRELC0HN215
115/230V 50/60Hz
1 relay output 12A
3 relay outputs 8A
2 NTC probes (not included)
2 digital inputs
ELECTROLUX-ZANUSSI configuration



ELECTROLUX PROFESSIONAL 091642

4091609 CONTROLLER CAREL IRELF0EN215
115/230V 50/60Hz
2 relay outputs 8A
1 relay output 6A
2 NTC probes (not included)
1 digital input
ELECTROLUX-ZANUSSI configuration



ELECTROLUX PROFESSIONAL 091609

3445046 PROBE EVAPORATOR NTC 2000 mm
bulb \varnothing 6x20 mm



ELECTROLUX PROFESSIONAL 087654 ELECTROLUX PROFESSIONAL 092173 ELECTROLUX PROFESSIONAL 092174



ELECTROLUX PROFESSIONAL



Suitable for:

4093532 CONTROLLER CAREL IRELF0EN265

230V 50/60Hz
 1 relay output 8A for compressor
 1 relay output 8A for defrosting
 1 relay output 5A for fans
 2 NTC probes (not included)
 1 digital input
 ELECTROLUX-ZANUSSI set up



ELECTROLUX PROFESSIONAL 093532

Suitable for:

4092355 CONTROLLER CAREL IRELF0HN245

115/230V
 1 relay output 12A
 2 relay outputs 8A
 3 NCT probes (not included)
 1 digital input
 ELECTROLUX-ZANUSSI configuration



ELECTROLUX PROFESSIONAL 092355

4091433 CONTROLLER DIXELL XB580L-5N0C0

230V 50/60Hz
 1 relay output 12A for compressor
 1 relay output 12A for heating element
 1 relay output 8A for alarm
 1 relay output 8A for defrosting
 1 relay output 8A for ventilator 1
 1 relay output 12A for ventilator 2
 1 door microswitch digital input
 1 programmable digital input
 2 NTC probes (not included)
 RS485 serial output
 mounting hole 150x31 mm
 ELECTROLUX configuration
 for Refrigerated cupboard (ELECTROLUX PROFESSIONAL) TC10



ELECTROLUX PROFESSIONAL 091433

3445375 CONTROLLER ELIWELL ID PLUS 902

230V 50/60Hz
 1 relay output 8A for compressor
 1 selectable NTC/PTC/PT1000 probe (not included)
 1 programmable digital/temperature input
 TTL input for copy card connection
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm



ELECTROLUX PROFESSIONAL 0S0295

3445028 PROBE NTC PVC 4000 mm

temperature field -30°+80°C
 bulb ø 6x20 mm



ELECTROLUX PROFESSIONAL 087832 ELECTROLUX PROFESSIONAL 092176



ELECTROLUX PROFESSIONAL



Suitable for:

Suitable for:

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



ELECTROLUX PROFESSIONAL 0S0302 ELECTROLUX PROFESSIONAL 083583

3445399 CONTROLLER ELIWELL ID PLUS 902
12Vac/dc
1 relay output 8A for compressor
1 selectable NTC/PTC/PT1000 probe (not included)
1 programmable digital/temperature input
TTL input for copy card connection
front dimension 74x32x59 mm
mounting hole 71x29 mm



3445028 PROBE NTC PVC 4000 mm
temperature field -30°+80°C
bulb ø 6x20 mm



ELECTROLUX PROFESSIONAL 0S0296 ELECTROLUX PROFESSIONAL 082388 ELECTROLUX PROFESSIONAL 082396 ELECTROLUX PROFESSIONAL 087832 ELECTROLUX PROFESSIONAL 092176
ELECTROLUX PROFESSIONAL 082484

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



ELECTROLUX PROFESSIONAL 0S0302 ELECTROLUX PROFESSIONAL 083583

3445376 CONTROLLER ELIWELL ID PLUS 961
230V 50/60Hz
1 relay output 2Hp for compressor
1 selectable NTC/PTC/PT1000 probe (not included)
1 programmable digital/temperature input
pause defrosting
TTL input for copy card connection
front dimension 74x32xdepth 59 mm
mounting hole 71x29 mm



3445028 PROBE NTC PVC 4000 mm
temperature field -30°+80°C
bulb ø 6x20 mm



ELECTROLUX PROFESSIONAL 0S0786 ELECTROLUX PROFESSIONAL 0S1453 ELECTROLUX PROFESSIONAL 089903 ELECTROLUX PROFESSIONAL 087832 ELECTROLUX PROFESSIONAL 092176



ELECTROLUX PROFESSIONAL



Suitable for:

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm

Suitable for:



[ELECTROLUX PROFESSIONAL 0S0302](#) [ELECTROLUX PROFESSIONAL 083583](#)

3445378 CONTROLLER ELIWELL ID PLUS 974
230V 50/60Hz
1 relay output 2Hp for compressor
1 relay output 8A for defrosting
1 relay output 5A for fans
2 selectable NTC/PTC/PT1000 probes (not included)
1 programmable digital/temperature input
1 programmable digital input
TTL input for copy card connection
with buzzer
front dimension 74x32xdepth 59 mm
mounting hole 71x29 mm

3445028 PROBE NTC PVC 4000 mm
temperature field -30°+80°C
bulb ø 6x20 mm



[ELECTROLUX PROFESSIONAL 0S0788](#) [ELECTROLUX PROFESSIONAL 0S1454](#) [ELECTROLUX PROFESSIONAL 008904](#) [ELECTROLUX PROFESSIONAL 087832](#) [ELECTROLUX PROFESSIONAL 092176](#)
[ELECTROLUX PROFESSIONAL 087161](#) [ELECTROLUX PROFESSIONAL 089904](#) [ELECTROLUX PROFESSIONAL 089913](#)
[ELECTROLUX PROFESSIONAL 099276](#)

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



[ELECTROLUX PROFESSIONAL 0S0302](#) [ELECTROLUX PROFESSIONAL 083583](#)

3445402 CONTROLLER ELIWELL ID PLUS 974
12Vac/dc
1 relay output 2Hp for compressor
1 relay output 8A for defrosting
1 relay output 5A for fans
2 selectable NTC/PTC/PT1000 probes (not included)
1 programmable digital/temperature input
1 programmable digital input
TTL input for copy card connection
with buzzer
front dimension 74x32xdepth 59 mm
mounting hole 71x29 mm

3445028 PROBE NTC PVC 4000 mm
temperature field -30°+80°C
bulb ø 6x20 mm



[ELECTROLUX PROFESSIONAL 088395](#)

[ELECTROLUX PROFESSIONAL 087832](#) [ELECTROLUX PROFESSIONAL 092176](#)



Suitable for:

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm

Suitable for:



ELECTROLUX PROFESSIONAL 0S0302 ELECTROLUX PROFESSIONAL 083583

Electronic printed-circuit boards

3390086 BOARD DISPLAY 185x50 mm



ELECTROLUX PROFESSIONAL 087481


Evaporators

3123906 EVAPORATOR D4150 690x315x105 mm




ELECTROLUX PROFESSIONAL 082231

3123907 EVAPORATOR D4151 315x125x105 mm



ELECTROLUX PROFESSIONAL 082211

3068902 EVAPORATOR D4241 395x250x100 mm



ELECTROLUX PROFESSIONAL 082732

3123141 EVAPORATOR ECO D52686
size 430x100x60 mm




ELECTROLUX PROFESSIONAL 0A9106

3123142 EVAPORATOR ECO D53733
size 935x 100x110 mm



ELECTROLUX PROFESSIONAL 0A9210

3123135 EVAPORATOR ECO 57752
455x300x110 mm



ELECTROLUX PROFESSIONAL 082410



ELECTROLUX PROFESSIONAL



Suitable for:

3123140 EVAPORATOR ECO 81111
size 450x115x95 mm



ELECTROLUX PROFESSIONAL 0A9212


Suitable for:

3123086 EVAPORATOR ROLL BOND
dimensions 895x520 mm
with capillary




ELECTROLUX PROFESSIONAL 0A9550

40A8745 EVAPORATOR 440x395 mm




ELECTROLUX PROFESSIONAL 0A8745

40A9672 EVAPORATOR 460x205x200 mm



ELECTROLUX PROFESSIONAL 0A9672

3123001 EVAPORATOR 57602 410x230x130 mm
for 650 L



ELECTROLUX PROFESSIONAL 0A9681 ELECTROLUX PROFESSIONAL 087402

Fans for motors

3240394 PUSHER FAN \varnothing 230 mm 28°



ELECTROLUX PROFESSIONAL 085532

3240220 SUCTION BLADE \varnothing 200 mm 28°




ELECTROLUX PROFESSIONAL 0KM741 ELECTROLUX PROFESSIONAL 082874 ELECTROLUX PROFESSIONAL 084041

3240222 SUCTION BLADE \varnothing 230 mm 28°



ELECTROLUX PROFESSIONAL 0A8420 ELECTROLUX PROFESSIONAL 082230 ELECTROLUX PROFESSIONAL 086327 ELECTROLUX PROFESSIONAL 086311

3240964 SUCTION BLADE \varnothing 250 mm 28°



3240965 SUCTION BLADE \varnothing 300 mm 28°



ELECTROLUX PROFESSIONAL 0KM740 ELECTROLUX PROFESSIONAL 087797

Feet

3313036 ADJUSTABLE S/STEEL FOOT \varnothing 1" x h 115 mm
with plastic support for tubular foot 40x40 mm
adjustable height 115÷205 mm



ELECTROLUX PROFESSIONAL 032550

3313045 ADJUSTABLE S/STEEL FOOT \varnothing 2" x h 125 mm
with square flange 74x74x2.5 mm
adjustable height 135÷235 mm



ELECTROLUX PROFESSIONAL 048579

3313110 ADJUSTABLE STAINLESS STEEL FOOT \varnothing 2"
adjustable 145-230 mm
flange 130x90 mm



ELECTROLUX PROFESSIONAL 0A9138

3313109 FOOT M8xh39 mm
base \varnothing 39 mm



ELECTROLUX PROFESSIONAL 0A8640

3313003 STAINLESS STEEL FOOT \varnothing 2" x h 125 mm
with rectangular flange 100x90 mm
altezza regolabile 130÷190 mm



ELECTROLUX PROFESSIONAL 057536

3313001 STAINLESS STEEL FOOT \varnothing 2" HEIGHT 125 mm



ELECTROLUX PROFESSIONAL 053792

Filters for refrigeration

2101961 ANTI-ACID DEHYDRATOR FILTER 4305/2S
ODS connections \varnothing 1/4"-6 mm
length 110 mm - \varnothing 52 mm
with solid cartridge - INT. CODE 052S
rated volume 80 cm³



ELECTROLUX PROFESSIONAL

3160913 ANTIACID DEHYDRATOR FILTER 4305/2
1/4"MM sae lenght 119 mm \varnothing 52 mm
with solid cartridge - CODE INT.052
nominal cubature 80 cm³



ELECTROLUX PROFESSIONAL 086312

3160244 COPPER FILTER 30 g
2 ways - inlet 6.5 mm outlet 6.5 mm
 \varnothing 24 mm - length 140 mm



ELECTROLUX PROFESSIONAL 0A9410

3160401 COPPER FILTER 35 g
3 ways - inlet 6.5-6.5 mm outlet 3.2 mm
 \varnothing 16 mm - length 160 mm



ELECTROLUX PROFESSIONAL 083854



Suitable for:

Suitable for:

4084078 COPPER FILTER 40 g
 2 ways - inlet 6.5 mm outlet 3.2 mm
 ø 24 mm - length 170 mm



ELECTROLUX PROFESSIONAL 084078

Fittings

3526812 ACCES VALVE WITH TUBE 10 cm ø 6 mm

3526023 VALVE INTERNAL MECHANISM



ELECTROLUX PROFESSIONAL 0A8171

ELECTROLUX PROFESSIONAL 085290

Fuses

3049003 DELAY FUSE ø 5x20 mm - 10 PCS
 250V 100mA

3049012 DELAY FUSE ø 5x20 mm - 10 PCS
 250V 800mA



ELECTROLUX PROFESSIONAL 086338

ELECTROLUX PROFESSIONAL 0C2301

3049068 QUICK ACTING FUSE ø 10x38 mm - 10 PCS
 500V 1A

3049038 QUICK ACTING FUSE ø 5x20 mm - 10 PCS
 250V 160mA



ELECTROLUX PROFESSIONAL 048995 ELECTROLUX PROFESSIONAL 048995_10PZ

ELECTROLUX PROFESSIONAL 002820

3049040 QUICK ACTING FUSE ø 5x20 mm - 10 PCS
 250V 250mA

3049041 QUICK ACTING FUSE ø 5x20 mm - 10 PCS
 250V 315mA



ELECTROLUX PROFESSIONAL 002920

ELECTROLUX PROFESSIONAL 0W3499 ELECTROLUX PROFESSIONAL 005032 ELECTROLUX PROFESSIONAL 400503



Suitable for:

3049042 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 400mA



ELECTROLUX PROFESSIONAL 002750

Suitable for:

3049044 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 630mA



ELECTROLUX PROFESSIONAL 0W5452 ELECTROLUX PROFESSIONAL 058871

3049046 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 1A



ELECTROLUX PROFESSIONAL 0W5451

3049049 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 2A



ELECTROLUX PROFESSIONAL 0A8438


3049052 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 4A



ELECTROLUX PROFESSIONAL 057783


Gaskets for refrigerators

3186075 MIDDLE EDGED GASKET 1570x670 mm
magnetic - white colour




ELECTROLUX PROFESSIONAL 0A8048 ELECTROLUX PROFESSIONAL 081293 ELECTROLUX PROFESSIONAL 600107 ELECTROLUX PROFESSIONAL 084025

3186926 MIDDLE EDGED GASKET 382x335 mm
magnetic - white colour




3186080 MIDDLE EDGED GASKET 390x185 mm
magnetic - white colour
for REFRIGERATED COUNTERS



ELECTROLUX PROFESSIONAL 0A8083

3186769 MIDDLE EDGED GASKET 390x198 mm
magnetic - color white



ELECTROLUX PROFESSIONAL 0A8379




ELECTROLUX PROFESSIONAL



Suitable for:


3186081 MIDDLE EDGED GASKET 390x310 mm
magnetic - white colour
for REFRIGERATED COUNTERS



ELECTROLUX PROFESSIONAL 0A8079


Suitable for:

3186082 MIDDLE EDGED GASKET 435x390 mm
magnetic - white colour
for REFRIGERATED COUNTERS




ELECTROLUX PROFESSIONAL 0A8081

3186925 MIDDLE EDGED GASKET 590x382 mm
magnetic - white colour




ELECTROLUX PROFESSIONAL 084026

3186083 MIDDLE EDGED GASKET 640x390 mm
magnetic - white colour
for REFRIGERATED COUNTERS




ELECTROLUX PROFESSIONAL 0A8075

3186070 MIDDLE EDGED GASKET 770x670 mm
magnetic - white colour




ELECTROLUX PROFESSIONAL 0A8049 ELECTROLUX PROFESSIONAL 081294

4088076 SNA-IN GASKET 1699x618 mm
magnetic




ELECTROLUX PROFESSIONAL 088076

3186914 SNAP-IN DOOR GASKET 1470x690 mm
magnetic - grey colour
for REFRIGERATORS




ELECTROLUX PROFESSIONAL 0A8365

3186928 SNAP-IN DOOR GASKET 1530x660 mm
magnetic - grey colour
for REFRIGERATOR




ELECTROLUX PROFESSIONAL 082375

3186846 SNAP-IN DOOR GASKET 1530x665 mm
magnetic - black colour
for CABINETS



ELECTROLUX PROFESSIONAL 082586

3186933 SNAP-IN DOOR GASKET 1570x665 mm
magnetic - grey colour
for REFRIGERATOR (old type)




ELECTROLUX PROFESSIONAL 0A8225



Suitable for:


3186920 SNAP-IN DOOR GASKET 325x170 mm
magnetic - grey colour



ELECTROLUX PROFESSIONAL 082740


Suitable for:

3186923 SNAP-IN DOOR GASKET 385x155 mm
magnetic - grey colour




ELECTROLUX PROFESSIONAL 031694

3186930 SNAP-IN DOOR GASKET 385x215 mm
magnetic - grey colour




ELECTROLUX PROFESSIONAL 081772

3186921 SNAP-IN DOOR GASKET 385x275 mm
magnetic - grey colour




ELECTROLUX PROFESSIONAL 082759

3186932 SNAP-IN DOOR GASKET 385x335 mm
magnetic - grey colour




ELECTROLUX PROFESSIONAL 081815

3186931 SNAP-IN DOOR GASKET 600x385 mm
magnetic - grey colour




ELECTROLUX PROFESSIONAL 081805

3186929 SNAP-IN DOOR GASKET 735x660 mm
magnetic - grey colour
for REFRIGERATOR




ELECTROLUX PROFESSIONAL 082424

3186917 SNAP-IN DOOR GASKET 760x665 mm
magnetic - grey colour
for REFRIGERATORS




ELECTROLUX PROFESSIONAL 0A8230

3786465 SNAP-IN GASKET 1545x635 mm
magnetic - colour grey



ELECTROLUX PROFESSIONAL 083851

3186919 SNAP-IN GASKET 1480x640 mm
magnetic - grey



ELECTROLUX PROFESSIONAL 087129




ELECTROLUX PROFESSIONAL



Suitable for:


3186077 SNAP-IN GASKET 1500x710 mm
magnetic - grey colour



ELECTROLUX PROFESSIONAL 081724


Suitable for:

3786378 SNAP-IN GASKET 1512x642 mm
magnetic - color grey




ELECTROLUX PROFESSIONAL 089735

3186845 SNAP-IN GASKET 1515x685 mm
magnetic - grey colour
for 400 L CABINET




ELECTROLUX PROFESSIONAL 0A8647

3186599 SNAP-IN GASKET 1531x682 mm
magnetic - grey color




ELECTROLUX PROFESSIONAL 085719

3186074 SNAP-IN GASKET 1544x652 mm
magnetic - grey color




ELECTROLUX PROFESSIONAL 081943

3186076 SNAP-IN GASKET 1570x670 mm
magnetic - grey colour




ELECTROLUX PROFESSIONAL 080959

4094152 SNAP-IN GASKET 1590x610 mm
magnetic




ELECTROLUX PROFESSIONAL 093257 ELECTROLUX PROFESSIONAL 094152

3186505 SNAP-IN GASKET 1695x600 mm
magnetic-colour grey




ELECTROLUX PROFESSIONAL 087357

3186507 SNAP-IN GASKET 1700x612 mm
magnetic - grey colour
for REFRIGERATOR 600 L



ELECTROLUX PROFESSIONAL 0A9099

3786482 SNAP-IN GASKET 1705x663 mm
magnetic - grey colour




ELECTROLUX PROFESSIONAL 087824



Suitable for:


3786549 SNAP-IN GASKET 1805x740 mm
magnetic - grey colour



ELECTROLUX PROFESSIONAL 0A9180


Suitable for:

4088028 SNAP-IN GASKET 374x363 mm
magnetic




ELECTROLUX PROFESSIONAL 088028

3186485 SNAP-IN GASKET 385x170 mm
magnetic-colour grey




ELECTROLUX PROFESSIONAL 0A8752

3786484 SNAP-IN GASKET 407x175 mm
magnetic - colour grey




ELECTROLUX PROFESSIONAL 088484

3186486 SNAP-IN GASKET 407x270 mm
magnetic-colour grey




ELECTROLUX PROFESSIONAL 087691

4089148 SNAP-IN GASKET 411x280 mm
magnetic - grey colour
for Refrigerated table (ELECTROLUX PROFESSIONAL)
STRP11 - STRP16 - STRP22




ELECTROLUX PROFESSIONAL 089148

3786483 SNAP-IN GASKET 441x366 mm
magnetic - grey colour




ELECTROLUX PROFESSIONAL 088055

3786400 SNAP-IN GASKET 510x435 mm
magnetic - grey colour




ELECTROLUX PROFESSIONAL 0A9647

3186487 SNAP-IN GASKET 570x405 mm
magnetic-colour grey



ELECTROLUX PROFESSIONAL 087664

3186922 SNAP-IN GASKET 580x385 mm
magnetic - grey colour




ELECTROLUX PROFESSIONAL 082725



Suitable for:


3786553 SNAP-IN GASKET 580x407 mm
magnetic - grey colour



ELECTROLUX PROFESSIONAL 089183


Suitable for:

4099531 SNAP-IN GASKET 585x415 mm
magnetic




ELECTROLUX PROFESSIONAL 099531

5048656 SNAP-IN GASKET 590x385 mm
magnetic - colour grey




ELECTROLUX PROFESSIONAL 082725

3786586 SNAP-IN GASKET 590x397 mm
magnetic - grey color




ELECTROLUX PROFESSIONAL 0A9565

3186484 SNAP-IN GASKET 595x465 mm
magnetic-colour grey




ELECTROLUX PROFESSIONAL 0A8992

3186600 SNAP-IN GASKET 685x590 mm
magnetic - grey color




ELECTROLUX PROFESSIONAL 087451

3186488 SNAP-IN GASKET 710x650 mm
magnetic - grey colour




ELECTROLUX PROFESSIONAL 0A9741

3186071 SNAP-IN GASKET 730x710 mm
magnetic - grey colour



ELECTROLUX PROFESSIONAL 081725

4094153 SNAP-IN GASKET 765x610 mm
magnetic



ELECTROLUX PROFESSIONAL 093273 ELECTROLUX PROFESSIONAL 094153



Suitable for:

Suitable for:

Glues

- 3180021 THERMAL MASTIC PM8 228 g**
thermally conductive paste
operating temperature -45°+105°C



ELECTROLUX PROFESSIONAL 049196

Grids for refrigerator-oven

- 3185054 CHROME PLATED GRID GN 1/1 530x325 mm**



ELECTROLUX PROFESSIONAL 057468

- 3185055 CHROME PLATED GRID GN 2/1 530x650 mm**



ELECTROLUX PROFESSIONAL 025020 ELECTROLUX PROFESSIONAL 081883

- 3185911 PLASTIC COVERED GRID 530x530 mm**



ELECTROLUX PROFESSIONAL 082904

- 3185910 PLASTIC-COATED GRID GN 1/1 530x325 mm**
grey colour



ELECTROLUX PROFESSIONAL 082729

- 3185050 PLASTIC-COATED GRID GN 2/1 650x530 mm**
white colour



ELECTROLUX PROFESSIONAL 082885


- 3185053 STAINLESS STEEL GRID GN 2/1 530x650 mm**



ELECTROLUX PROFESSIONAL 003189


Guard grids

- 3185088 FAN GRILLE ø 200 mm**
height 25 mm
distance between mounting holes 236 mm



ELECTROLUX PROFESSIONAL 083440

- 3185248 FLAT GRID FOR FAN ø 315 mm**
distance between holes 330-360 mm



ELECTROLUX PROFESSIONAL 083393



Suitable for:

Suitable for:

Guides

3189001 LEFT-HAND DRAWER SLIDEWAY 620x30 mm

3063900 BEARING FOR DRAWER GUIDE ø 24 mm




ELECTROLUX PROFESSIONAL 082742

ELECTROLUX PROFESSIONAL 0A8292

3189903 LEFT-HAND DRAWER SLIDEWAY 580x60 mm

3189941 LEFT-HAND OVEN SHELF SLIDEWAY 645x20 mm
for REFRIGERATORS ALPENINOX (old model)



ELECTROLUX PROFESSIONAL 082761

ELECTROLUX PROFESSIONAL 0A8045

3391013 LEFT-RIGHT GRILL SLIDE 620x20 mm - 2 PCS

3189936 LH SHELF SLIDEWAY 565x20 mm
for REFRIGERATED TABLES



ELECTROLUX PROFESSIONAL 0A9680 ELECTROLUX PROFESSIONAL 093851

ELECTROLUX PROFESSIONAL 082719

3189937 RH SHELF SLIDEWAY 565x20 mm
for REFRIGERATED TABLES

3189902 RIGHT-HAND DRAWER SLIDEWAY 580x60 mm



ELECTROLUX PROFESSIONAL 082720

ELECTROLUX PROFESSIONAL 082760

3189000 RIGHT-HAND DRAWER SLIDEWAY 620x30 mm

3063900 BEARING FOR DRAWER GUIDE ø 24 mm



ELECTROLUX PROFESSIONAL 082743

ELECTROLUX PROFESSIONAL 0A8292

3189940 RIGHT-HAND OVEN SHELF SLIDEWAY 645x20 mm
for REFRIGERATORS ALPENINOX (old model)

3391907 SHELF SLIDEWAYS 580x20 mm



ELECTROLUX PROFESSIONAL 0A8042

ELECTROLUX PROFESSIONAL 082206 ELECTROLUX PROFESSIONAL 082263 ELECTROLUX PROFESSIONAL 093850



Suitable for:

Suitable for:

3189009 SLIPPER FOR GLAS



ELECTROLUX PROFESSIONAL 083893

Handles

40A8898 BUILT-IN HANDLE PLASTIC 448 mm



ELECTROLUX PROFESSIONAL 0A8898

3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE

base length 38x18x31 mm
fixing distance 26 mm
RAHRBACH



ELECTROLUX PROFESSIONAL 056581

3242907 DOOR HANDLE \varnothing 24x204 mm



ELECTROLUX PROFESSIONAL 081728

3242906 DOOR HANDLE BASE 315x175 mm



ELECTROLUX PROFESSIONAL 054261

3242907 DOOR HANDLE \varnothing 24x204 mm



ELECTROLUX PROFESSIONAL 081728

3242910 GREEN DOOR HANDLE \varnothing 24x203 mm



ELECTROLUX PROFESSIONAL 081726

3242061 HANDLE CAP



ELECTROLUX PROFESSIONAL 081727



ELECTROLUX PROFESSIONAL



Suitable for:

3242061 HANDLE CAP



ELECTROLUX PROFESSIONAL 081727

Suitable for:

3242914 HANDLE CHROMED 5210-25
length 251 mm
distance between holes 222 mm
with black insert



ELECTROLUX PROFESSIONAL 081838 ELECTROLUX PROFESSIONAL 081846

3242916 HANDLE CHROMED 5210-40
length 402 mm
distance between holes 376 mm
with black insert



ELECTROLUX PROFESSIONAL 081906+082448

3242923 HANDLE 8730 PLASTIC BLACK
length 276 mm - height 40 mm
distance between holes 226 mm
with aluminum insert



ELECTROLUX PROFESSIONAL 031529

3242133 LEFT PLASTIC HEAD



ELECTROLUX PROFESSIONAL 082728

3242579 LH-RH CATCH WITHOUT LOCK 570 CR
straight handgrip
base length 150x23x31h mm
mounting distance 110 mm
catch height 16.5 mm



ELECTROLUX PROFESSIONAL 032156

3242220 LOCKING WITHOUT CHROM.KEY LOCK ERGO 6188
RAHRBACH - distance between holes 150 mm
base length 185.5x23.5x33.2h mm



ELECTROLUX PROFESSIONAL 002278 ELECTROLUX PROFESSIONAL 055510 ELECTROLUX PROFESSIONAL 056459 ELECTROLUX PROFESSIONAL 056581

3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE
base length 38x18x31 mm
fixing distance 26 mm
RAHRBACH



3242131 PLASTIC HANDLE
length 430 mm
for REFRIGERATED TABLE



ELECTROLUX PROFESSIONAL 082726

3242133 LEFT PLASTIC HEAD



ELECTROLUX PROFESSIONAL 082728



Suitable for:

3242132 RIGHT PLASTIC HEAD



ELECTROLUX PROFESSIONAL 082727

Suitable for:

3242132 RIGHT PLASTIC HEAD



ELECTROLUX PROFESSIONAL 082727

Heating elements

3455466 CARTRIDGE HEATING ELEMENT PTC 110W 230V
cartridge length 120 mm \varnothing 12 mm
power in absence of water 10W
fitting 3/8"G
cable length 1000 mm



ELECTROLUX PROFESSIONAL 083814

3355911 CARTRIDGE HEATING ELEMENT PTC 95W 230V
cartridge length 130 mm \varnothing 12 mm
fitting 3/8"G
cable length 4000 mm
for TRAY



ELECTROLUX PROFESSIONAL 083814

4089912 DOOR HEATING ELEMENT 42.3W 230V
length 6200 mm



ELECTROLUX PROFESSIONAL 082247 ELECTROLUX PROFESSIONAL 089912

3355903 HEATING ELEMENT 105W 220V
length 430 mm - width 47 mm
height 120 mm



ELECTROLUX PROFESSIONAL 082731

3355905 HEATING ELEMENT 120W 220V
length 210 mm - width 110 mm
connection \varnothing 14 mm



ELECTROLUX PROFESSIONAL 082188

3355906 HEATING ELEMENT 160W 220V
length 380 mm - width 60 mm



ELECTROLUX PROFESSIONAL 082733



Suitable for:

3355900 HEATING ELEMENT 335W 220V
length 265 mm - width 320 mm



ELECTROLUX PROFESSIONAL 083093

Suitable for:

3355901 HEATING ELEMENT 350W 220V
length 470 mm - width 65 mm
height 90 mm



ELECTROLUX PROFESSIONAL 083530

3755271 HEATING ELEMENT 450W 230V
length 370 mm
width 35 mm
height 95 mm
for EVAPORATOR



ELECTROLUX PROFESSIONAL 0A9683

3355982 HEATING ELEMENT 480W 230V
length 365 mm - width 80 mm
height 190 mm



ELECTROLUX PROFESSIONAL 088377

3355902 HEATING ELEMENT 540W 220V
length 735 mm
width 310 mm



ELECTROLUX PROFESSIONAL 082279

3355904 HEATING ELEMENT 610W 220V
length 480 mm - width 250 mm



ELECTROLUX PROFESSIONAL 0A8017

3355908 HEATING ELEMENT 85W 220V
length 495 mm - width 60 mm



ELECTROLUX PROFESSIONAL 0A8134

Hinges, catches and accessories

3053523 BOTTOM HINGE



ELECTROLUX PROFESSIONAL 087826

3053908 BRACKET BUSHING 22 x 22 mm



ELECTROLUX PROFESSIONAL 081654



ELECTROLUX PROFESSIONAL



Suitable for:

3053913 DOOR BUSH
for REFRIGERATED TABLES



ELECTROLUX PROFESSIONAL 081807

Suitable for:

3053914 DOOR BUSH PIN
ø 5x20 mm



ELECTROLUX PROFESSIONAL 082757

3053915 GRIPPING ASSEMBLY WITH SPRING



ELECTROLUX PROFESSIONAL 082587

3053917 LEFT-HAND BRACKET



ELECTROLUX PROFESSIONAL 082499 ELECTROLUX PROFESSIONAL 082500 ELECTROLUX PROFESSIONAL 087136

3053916 RIGHT-HAND BRACKET



ELECTROLUX PROFESSIONAL 082501 ELECTROLUX PROFESSIONAL 087135

3053540 HINGE



ELECTROLUX PROFESSIONAL 0A9549

3704009 HINGE SUPPORT BUSH



ELECTROLUX PROFESSIONAL 0A9092

3704002 LOWER BUSH



ELECTROLUX PROFESSIONAL 082964

3324006 PIN



ELECTROLUX PROFESSIONAL 082962

3704003 UPPER BUSH



ELECTROLUX PROFESSIONAL 082965



ELECTROLUX PROFESSIONAL



Suitable for:


3053518 HINGE BUSH



ELECTROLUX PROFESSIONAL 083875

Suitable for:

3053905 HINGE CENTRAL BRACKET



ELECTROLUX PROFESSIONAL 082374

3704009 HINGE SUPPORT BUSH



ELECTROLUX PROFESSIONAL 0A9092

3053917 LEFT-HAND BRACKET



ELECTROLUX PROFESSIONAL 082499 ELECTROLUX PROFESSIONAL 082500 ELECTROLUX PROFESSIONAL 087136

3053920 LONG PIN HINGE INTERTECNICA 28L
with square pin 7.5 mm



ELECTROLUX PROFESSIONAL 081653 ELECTROLUX PROFESSIONAL 082219

3704002 LOWER BUSH



ELECTROLUX PROFESSIONAL 082964

3053537 LOWER HINGE



ELECTROLUX PROFESSIONAL 0A9353

3053909 LOWER LEFT-RIGHT HAND BRACKET
for hinge



ELECTROLUX PROFESSIONAL 082256

3053908 BRACKET BUSHING 22 x 22 mm



ELECTROLUX PROFESSIONAL 081654

3324006 PIN



ELECTROLUX PROFESSIONAL 082962

3053916 RIGHT-HAND BRACKET



ELECTROLUX PROFESSIONAL 082501 ELECTROLUX PROFESSIONAL 087135

Suitable for:

3053930 SHORT PIN HINGE INTERTECNICA 28XC
with square pin 7.5 mm



ELECTROLUX PROFESSIONAL 083876

Suitable for:

3053522 TOP HINGE



ELECTROLUX PROFESSIONAL 087822

3704003 UPPER BUSH



ELECTROLUX PROFESSIONAL 082965

Incandescent lamps and neon lamps

2102048 HALOGEN LAMP R7s 160W 230V
length 118 mm



ELECTROLUX PROFESSIONAL 093041

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ELECTROLUX PROFESSIONAL 054319 ELECTROLUX PROFESSIONAL 054840

Indicator lights

3221032 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 0A2224 ELECTROLUX PROFESSIONAL 058544

3221005 GREEN INDICATOR LIGHT 400V
head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 026456 ELECTROLUX PROFESSIONAL 053148 ELECTROLUX PROFESSIONAL 053154

3221014 INDICATOR LAMP ORANGE 230V
mounting hole 30x22 mm - 125°C
universal application



ELECTROLUX PROFESSIONAL 0KM981

3221112 ORANGE INDICATOR LAMP 220V
head \varnothing 7 mm - hole \varnothing 6 mm - 120°C
application to the board



ELECTROLUX PROFESSIONAL 053811 +053812



ELECTROLUX PROFESSIONAL



Suitable for:

3221011 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 0A2225

3221033 RED INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 0A2408

3221006 ORANGE INDICATOR LIGHT 400V
head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 045272 ELECTROLUX PROFESSIONAL 053149 ELECTROLUX PROFESSIONAL 053155 ELECTROLUX PROFESSIONAL 0A2408

3221004 RED INDICATOR LIGHT 400V
head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 053153

3221006 ORANGE INDICATOR LIGHT 400V
head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 045272 ELECTROLUX PROFESSIONAL 053149 ELECTROLUX PROFESSIONAL 053155

Suitable for:

3221032 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 0A2224 ELECTROLUX PROFESSIONAL 058544

3221033 RED INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



3221005 GREEN INDICATOR LIGHT 400V
head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application



ELECTROLUX PROFESSIONAL 026456 ELECTROLUX PROFESSIONAL 053148 ELECTROLUX PROFESSIONAL 053154

Insulators

3180024 INSULATING SHELL FOR THERMOSTATIC VALVE

suitable against condensate and ice formation
in network polyethylene foam with closed cells and CL1, M1 certification




ELECTROLUX PROFESSIONAL 089614

Interference suppression filters

3160099 INTERFERENCE SUPPRES. FILTER F3CF71112

0.47 μ F



ELECTROLUX PROFESSIONAL 046217

Ironmongery (screws,nuts,washers)

7150508 CLIP SWING



ELECTROLUX PROFESSIONAL 0D0275

Knobs

3241903 THERMOSTAT KNOB



ELECTROLUX PROFESSIONAL 082916

3241907 THERMOSTAT KNOB \varnothing 35 mm hole \varnothing 6x4 mm



ELECTROLUX PROFESSIONAL 0A8203

3241900 THERMOSTAT KNOB \varnothing 50 mm hole \varnothing 6x4 mm



ELECTROLUX PROFESSIONAL 080837



Suitable for:

Suitable for:

Labels for control panels

3319327 CONTROL PANEL



ELECTROLUX PROFESSIONAL 0A8881

Lamp receptacles and spare parts

3221914 LAMP SCREEN 105x65 mm



ELECTROLUX PROFESSIONAL 081697

Locks

3242565 COMPLETE LOCK
cylinder \varnothing 19x25 mm



ELECTROLUX PROFESSIONAL 093345

3388010 LOCK COMPLETE
cylinder \varnothing 18x15 mm



ELECTROLUX PROFESSIONAL 0A8655

3388900 LOCK COMPLETE
cylinder \varnothing 19x39 mm



ELECTROLUX PROFESSIONAL 0KM805 ELECTROLUX PROFESSIONAL 081694

3388910 LOCK COMPLETE
cylinder \varnothing 19x16 mm



ELECTROLUX PROFESSIONAL 0A8053

Magnets

7105989 MAGNET 45x19x11 mm



ELECTROLUX PROFESSIONAL 087533

Measuring tools

- 3394952 DIGITAL THERMOMETER -50+150°C/-58+300°F**
 watertight and shockproof
 battery powered and auto power off
 measurement unit selectable in degrees °C/°F
 resolution 0.1°C - accuracy $\pm 1^\circ\text{C}/\pm 2^\circ\text{F}$
 memory button - ON/OFF button
 complete with case



ELECTROLUX PROFESSIONAL 0S2040


- 3394207 DIGITAL THERMOMETER -50+70°C BLACK**
 battery powered
 front battery
 working temperature 0+50°C
 accuracy $\pm 1^\circ\text{C}$
 resolution 0.1°C
 dimensions 62.5x29.5x19 mm
 remote probe 1600 mm



ELECTROLUX PROFESSIONAL 099993

Microswitches

- 3240854 MICROSWITCH ARCOLECTRIC C3006 SX**
 1-NO 0.3A 250V
 white colour




ELECTROLUX PROFESSIONAL 084403

- 3240294 MICROSWITCH ARCOLECTRIC E3111**
 1-NO 1-NC 5A 250V
 white colour



ELECTROLUX PROFESSIONAL 087485

- 3240155 MICROSWITCH FR530-A**
 1NO-1NC 3A 400V



ELECTROLUX PROFESSIONAL 046884

- 3240407 MICROSWITCH KIT 16A 250V**
 3 locking positions
 the kit includes 5 levers:
 lever 75 mm - lever 27 mm - lever 15 mm
 lever 15 mm with wheel - lever 27 mm with wheel



ELECTROLUX PROFESSIONAL 069484

- 3240148 MICROSWITCH MAGNET 63x19x11 mm**



ELECTROLUX PROFESSIONAL 049627

- 9014016 MICROSWITCH MAGNETIC STEM E510 1A**
 1-NO 0.5A 250V - head 32x13x8 mm
 with cable length 750 mm



ELECTROLUX PROFESSIONAL 083881



ELECTROLUX PROFESSIONAL



Suitable for:

3240292 MICROSWITCH SAIA-BURGESS XKA304B
1-NO 1-NC 1A 250V
colour black



ELECTROLUX PROFESSIONAL 0A9383

Suitable for:

3240123 MICROSWITCH 16A 250V



ELECTROLUX PROFESSIONAL 0K1605

3240820 MICROSWITCH 16A 250V



ELECTROLUX PROFESSIONAL 0E0209 ELECTROLUX PROFESSIONAL 0KB678 ELECTROLUX PROFESSIONAL 004904 ELECTROLUX PROFESSIONAL 047487
ELECTROLUX PROFESSIONAL 046286 ELECTROLUX PROFESSIONAL 047485 ELECTROLUX PROFESSIONAL 053671

3240152 BUSHING FOR MICROSWITCH




3240473 GASKET FOR BUSHING



ELECTROLUX PROFESSIONAL 047490

3240166 MOUNTING PLATE FOR MICROSWITCH
external dimensions 46x26 mm



ELECTROLUX PROFESSIONAL 045404 ELECTROLUX PROFESSIONAL 45404

3240153 ROD FOR MICROSWITCH




ELECTROLUX PROFESSIONAL 047488

3240154 SPRING FOR MICROSWITCH ROD



ELECTROLUX PROFESSIONAL 047489

3240166 MOUNTING PLATE FOR MICROSWITCH
external dimensions 46x26 mm



ELECTROLUX PROFESSIONAL 045404 ELECTROLUX PROFESSIONAL 45404

Motors

3240211 MOTOR ELCO VN 10-20 PENTAVALENT
230V 50/60Hz 10/38W 1300rpm




ELECTROLUX PROFESSIONAL 0A8419 ELECTROLUX PROFESSIONAL 0A9350 ELECTROLUX PROFESSIONAL 0S0561
ELECTROLUX PROFESSIONAL 081393 ELECTROLUX PROFESSIONAL 084745 ELECTROLUX PROFESSIONAL 086207

3240220 SUCTION BLADE ø 200 mm 28°



3240902 MOTOR ELCO VN 16-25 PENTAVALENT
230V 50/60Hz 16/65W 1300rpm



ELECTROLUX PROFESSIONAL 0S0562 ELECTROLUX PROFESSIONAL 086310

3240220 SUCTION BLADE ø 200 mm 28°



ELECTROLUX PROFESSIONAL 0KM741 ELECTROLUX PROFESSIONAL 082874 ELECTROLUX PROFESSIONAL 084041

3240903 MOTOR ELCO VN 25-40 PENTAVALENT
230V 50/60Hz 25/95W 1300rpm



ELECTROLUX PROFESSIONAL 0S0563 ELECTROLUX PROFESSIONAL 081394

3240220 SUCTION BLADE ø 200 mm 28°



ELECTROLUX PROFESSIONAL 0KM741 ELECTROLUX PROFESSIONAL 082874 ELECTROLUX PROFESSIONAL 084041

3240904 MOTOR ELCO VN 34-45 PENTAVELENT
230V 50/60Hz 34/120W 1300rpm



ELECTROLUX PROFESSIONAL 0KM742

3240220 SUCTION BLADE ø 200 mm 28°




ELECTROLUX PROFESSIONAL 0KM741 ELECTROLUX PROFESSIONAL 082874 ELECTROLUX PROFESSIONAL 084041

3240210 MOTOR ELCO VN 5-13 PENTAVALENT
230V 50/60Hz 5/32W 1300rpm



ELECTROLUX PROFESSIONAL 0KD790

3240490 MOTOR ELCO 3FBT 50-40/15
230V 50/60Hz 45/120W 1300rpm
with capacitor 2µF
for bracket fastening 4 screws M4
distance 31 mm
shaft length 22 mm
for VM350-VM500-VM900-C150-C300-CB1565
G250-G500



ELECTROLUX PROFESSIONAL 087799 ELECTROLUX PROFESSIONAL 088013



Suitable for:

3240881 MOTOR EMI 101M-50130/3
230V 50/60Hz 130W 1300rpm
with thermal protection



ELECTROLUX PROFESSIONAL 0KM759

Suitable for:

3240631 MOTOR EMI 83D-2535
230V 50/60Hz 35/95W 1300rpm
with starting capacitor 2.5µF
4 screws M4 for flange and bracket mounting
distance 17 mm
shaft length 34 mm



ELECTROLUX PROFESSIONAL 0KM742

3240920 MOTOR FAN 10W WITH RING
fan ø 230 mm



ELECTROLUX PROFESSIONAL 081703

3240921 MOTOR FIME C09R1731
230V 50/60Hz
fan ø 100 mm



ELECTROLUX PROFESSIONAL 0A9308

4091603 MOTOR FIME C12R0233
230V 50/60Hz 17W
fan ø 150 mm



ELECTROLUX PROFESSIONAL 091603

OR and ORM gaskets

3186606 O-RING 0144 EPDM



ELECTROLUX PROFESSIONAL 047192

Pressure reducers


7103403 WATER PRESSURE ADJUSTER 3/8 FF



ELECTROLUX PROFESSIONAL 0PR626

Pressure valves for refrigeration

- 3526550 PRESSURE VALVE V46AA-9950 G 3/8"**
pressure range 5..18 bar
capillary length 750 mm - fitting to be welded



ELECTROLUX PROFESSIONAL 086246

Probes

- 3445046 PROBE EVAPORATOR NTC 2000 mm**
bulb \varnothing 6x20 mm



- 3445028 PROBE NTC PVC 4000 mm**
temperature field $-30^{\circ}+80^{\circ}\text{C}$
bulb \varnothing 6x20 mm



ELECTROLUX PROFESSIONAL 087654 ELECTROLUX PROFESSIONAL 092173 ELECTROLUX PROFESSIONAL 092174 ELECTROLUX PROFESSIONAL 087832 ELECTROLUX PROFESSIONAL 092176

- 3445070 PTC PVC PROBE 1500 mm**
2-wire probe temperature range $-30+80^{\circ}\text{C}$
bulb \varnothing 6x40 mm



ELECTROLUX PROFESSIONAL 0S0302 ELECTROLUX PROFESSIONAL 083583

Relays

- 3351901 POWER RELAY FINDER 60.62.8.230.0000**
230V 50/60Hz
2 exchange contacts 10A



- 3351021 POWER RELAY FINDER 62.82.8.230.0000**
230V 50/60Hz
2 exchange contacts 16A

ELECTROLUX PROFESSIONAL 0D0013 ELECTROLUX PROFESSIONAL 058857 ELECTROLUX PROFESSIONAL 069882 ELECTROLUX PROFESSIONAL 0PE302
ELECTROLUX PROFESSIONAL 083215



ELECTROLUX PROFESSIONAL



Suitable for:

3351008 POWER RELAY FINDER 62.83.8.230.0000
230V 50/60Hz
3 exchange contacts 16A



ELECTROLUX PROFESSIONAL 0A9596 ELECTROLUX PROFESSIONAL 005033 ELECTROLUX PROFESSIONAL 005034 ELECTROLUX PROFESSIONAL 085647
ELECTROLUX PROFESSIONAL 088197

Suitable for:

3351602 POWER RELAY FINDER 65.31.8.230.0300
230V 50/60Hz
1 contact NO 30A



3351900 POWER RELAY ITALIAN B2-3
230V 50/60Hz
3 exchange contacts 16A-250V



1351021 POWER-RELAY OMRON G7L-2A-TUB
230V 50Hz
2 contacts NO 25A



ELECTROLUX PROFESSIONAL 046001 ELECTROLUX PROFESSIONAL 054543 ELECTROLUX PROFESSIONAL 085092 ELECTROLUX PROFESSIONAL 088267

3351605 RELAY POWER FINDER 60.63.8.230.0000
230V 50/60Hz
3 exchange contacts 10A



ELECTROLUX PROFESSIONAL 056446 ELECTROLUX PROFESSIONAL 056466 ELECTROLUX PROFESSIONAL 056510
ELECTROLUX PROFESSIONAL 085296 ELECTROLUX PROFESSIONAL 086214

Solenoid valves

3120189 CASTEL COIL 110V HM2
50/60 Hz



ELECTROLUX PROFESSIONAL

3120910 CASTEL COIL 230V HM2
50/60 Hz



ELECTROLUX PROFESSIONAL 085289

3120917 COIL PARKER YB14 220V 14W WITH CABLE
50/60Hz



ELECTROLUX PROFESSIONAL 086051 ELECTROLUX PROFESSIONAL 086534

3120912 SOLENOID VALVE 1028/2 ø 1/4"-6 mm
direct action NC



ELECTROLUX PROFESSIONAL 087965

Suitable for:

3120158 SOLENOID VALVE 1068/M10 \varnothing 10 mm
diaphragm NC



ELECTROLUX PROFESSIONAL 089075

Suitable for:

4085847 SPULE PARKER ZB15 230V 15W
50/60Hz



ELECTROLUX PROFESSIONAL 085847

Springs

3053929 LEFT SPRING \varnothing 15 x 132 mm



ELECTROLUX PROFESSIONAL 082179

3053928 RIGHT SPRING \varnothing 15x132 mm



ELECTROLUX PROFESSIONAL 082178

3053919 SPRING



ELECTROLUX PROFESSIONAL 053342

3441906 SPRING FOR KNOB



ELECTROLUX PROFESSIONAL 082792

3250901 TORSION SPRING FOR RIGHTHAND HINGE
dimensions \varnothing 14x132 mm
wire: \varnothing 2.4 x 19 turns



ELECTROLUX PROFESSIONAL 088516

Supports

3391041 BRACKET 184x25 mm



ELECTROLUX PROFESSIONAL 082257

3391010 GRILL SUPPORT 540x27x18 mm
for back lower mounting
for 9 grills
for old series



ELECTROLUX PROFESSIONAL 082317



Suitable for:

3391009 GRILL SUPPORT 720x27x18 mm
for back upper mounting
for 12 grills
for old series



ELECTROLUX PROFESSIONAL 082316

Suitable for:

3391002 GRILL SUPPORT 720x48x18 mm
for back lateral mounting
for 12 grills
for old series



ELECTROLUX PROFESSIONAL 080811 ELECTROLUX PROFESSIONAL 081958

3391035 TRAY SUPPORT



ELECTROLUX PROFESSIONAL 031970

Switches

3319920 BLACK TWO-POLE SWITCH 16A 250V



ELECTROLUX PROFESSIONAL 0A8754

3319923 BLACK/RED CAM




ELECTROLUX PROFESSIONAL 0A8272

3319299 BUTTON 0-1



ELECTROLUX PROFESSIONAL 0A8691

3319932 CHANGEOVER SWITCH 1 POLE GRAY 16A 250V
16(4)A 250V
silk-screen printing I - II
max. temperature 120°C
mounting hole 22x30 mm



ELECTROLUX PROFESSIONAL 082473

3319330 GREEN BIPOLAR SWITCH 16A 250V
16(4)A 250V - silk-screen printing 0-1
with indicator light
mounting hole \varnothing 25 mm



ELECTROLUX PROFESSIONAL 087655

3319972 GREEN BIPOLAR SWITCH 16A 250V
16(4)A 250V - with indicator light
ON - OFF silk-screen printing
max temperature 120°C
mounting hole 22x30 mm



ELECTROLUX PROFESSIONAL 082873



Suitable for:

3319936 GREEN BIPOLAR SWITCH 250V 16A
16(4)A 250V - max temperature 120°C
with green indicator light



ELECTROLUX PROFESSIONAL 082486

Suitable for:

3319930 GREEN SWITCH SPL61 16A 250V
with indicator lamp
mounting hole \varnothing 25 mm
lead connector 6.35x0.8 mm



ELECTROLUX PROFESSIONAL 082337

3319415 KEY SUPPORTING BODY
for all models



ELECTROLUX PROFESSIONAL 083050

3319922 SINGLE POLE CHANGEOVER SWITCH
lead connector 6.35x0.8 mm



ELECTROLUX PROFESSIONAL 0A8273

3319923 BLACK/RED CAM



ELECTROLUX PROFESSIONAL 0A8272

3319921 SINGLE-POLE SWITCH 16A 250V



ELECTROLUX PROFESSIONAL 0A8274

3319923 BLACK/RED CAM



ELECTROLUX PROFESSIONAL 0A8272

3319967 SWITCH 1-POLE GREEN 16A 250V
16(4)A 250V - with indicator lamp
max. temperature 120°C
mounting hole 11x30 mm



ELECTROLUX PROFESSIONAL 004110

3319951 SWITCH 2 POLE GREEN 16A 250V
16(4)A 250V - max. temperature 125°C
with indicator lamp - mounting hole 25x27 mm
lead connector 6.35x0.8 mm



ELECTROLUX PROFESSIONAL 085987 ELECTROLUX PROFESSIONAL 099274



ELECTROLUX PROFESSIONAL



Suitable for:


1319202 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - with indicator lamp
silk-screen printing 0 - I
max. temperature 120°C
mounting hole 22x30 mm



ELECTROLUX PROFESSIONAL 056703 ELECTROLUX PROFESSIONAL 081680

Suitable for:

3319012 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp and push-button cap
mounting hole 22x30 mm - silk screen print 0 - I



ELECTROLUX PROFESSIONAL 053810

3319928 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light - mounting hole \varnothing 25 mm



ELECTROLUX PROFESSIONAL 054518

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
for push-buttons with mounting hole \varnothing 25 mm




ELECTROLUX PROFESSIONAL 053979

3319944 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp - silk screen printing 0 - I
mounting hole 22x30 mm



ELECTROLUX PROFESSIONAL 056703

3319931 SWITCH 2-POLE WHITE 16A 250V
16(4)A 250V - with indicator lamp
silk-screen printing 0-1
max. temperature 120°C
mounting hole 22x30 mm



ELECTROLUX PROFESSIONAL 081679 ELECTROLUX PROFESSIONAL 082390

3319328 SWITCHES BUTTON



ELECTROLUX PROFESSIONAL 0A8747

3319329 SWITCHES BUTTON



ELECTROLUX PROFESSIONAL 0A8692

3319924 SWITCHES BUTTON



ELECTROLUX PROFESSIONAL 083200

3319925 SWITCHES BUTTON



ELECTROLUX PROFESSIONAL 083201

Suitable for:

Suitable for:

- 3319013 SWITCH 2-POLE GREEN 16A 250V**
 16(4)A 250V - max. temperature 120°C
 with indicator lamp and push-button cap
 mounting hole 22x30 mm - silk screen print I - II



ELECTROLUX PROFESSIONAL 053837

Tangential and radial fans

- 3526150 FAN TANGENTIAL 180 mm LH**
 25W 230V 50/60Hz - ø 60 mm
 operating temperature -30°+100°C



ELECTROLUX PROFESSIONAL 0A2272 ELECTROLUX PROFESSIONAL 0A3008

- 3526166 TANGENTIAL BLOWER QLK45 120 mm RIGHT**
 230V 50/60Hz - ø 45 mm
 operating temperature -30°+135°C



ELECTROLUX PROFESSIONAL 081795

- 3526900 TANGENTIAL BLOWER QLK45 300 mm LEFT**
 230V 50/60Hz - ø 45 mm
 QLK45/0030 A35-2524L-70




ELECTROLUX PROFESSIONAL 082730

- 3526019 TANGENTIAL BLOWER QL45 180 mm RIGHT**
 230V 50/60Hz - ø 45 mm
 QLK45/1800 A108-2513L-93 vr



ELECTROLUX PROFESSIONAL 0A8087

- 3526966 TANGENTIAL FAN 300 mm LH**
 26W 230V 50/60Hz - ø 60 mm
 operating temperature -30°+100°C



ELECTROLUX PROFESSIONAL 083737

- 3240591 VENTILATOR RADIAL EBM R2E190-A026-73**
 230V 50/60Hz 58W 0.26A 2500rpm
 ø 190 mm - capacitor 2µF (not included)



ELECTROLUX PROFESSIONAL 0E5666

Tapes

- 3394158 SMOOTH ALUMINIUM BAND 50 m**



ELECTROLUX PROFESSIONAL 006451



Suitable for:

Suitable for:

Telethermometers

3441002 BLACK TELETHERMOMETER \varnothing 52 mm -40+40°C
 metal case
 covered capillary length 2500 mm
 plasticized bulb \varnothing 7.5x40 mm



ELECTROLUX PROFESSIONAL 081792

3441001 BLACK TELETHERMOMETER 58x25 mm -40+40°C
 covered capillary length 2500 mm
 bulb \varnothing 8.4x25 mm



ELECTROLUX PROFESSIONAL 082613 ELECTROLUX PROFESSIONAL 083101

3441003 TELETHERMOMETER WHITE \varnothing 60 mm -40+40°C
 metal case
 covered capillary length 2000 mm
 bulb \varnothing 6x150 mm



ELECTROLUX PROFESSIONAL 081512

Terminal blocks

3247006 TERMINAL BLOCK 2-POLE CERAMIC
 for cable max. 10 mm²
 operating temperature 300°C
 nominal voltage 450V
 dimensions 25x22x21 mm



ELECTROLUX PROFESSIONAL 053805

3247015 12-POLE PLASTIC TERMINAL BLOCK
 for cable max 4 mm²
 operating temperature 150°C
 nominal voltage 450V



ELECTROLUX PROFESSIONAL 0W3543

3247018 2-POLE TERMINAL BLOCK FV77 20A 600V
 for cable max 4 mm²
 operating temperature 150°C
 nominal voltage 450 V



ELECTROLUX PROFESSIONAL 0C9052 ELECTROLUX PROFESSIONAL 058873

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V
 for cable max 6 mm²
 operating temperature 150°C
 nominal voltage 450 V




ELECTROLUX PROFESSIONAL 046357



Suitable for:


3247005 4-POLE CERAMIC TERMINAL BLOCK
for cable max 2.5 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 40x18x16 mm



ELECTROLUX PROFESSIONAL 054042

Suitable for:

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ELECTROLUX PROFESSIONAL 005420 ELECTROLUX PROFESSIONAL 032669 ELECTROLUX PROFESSIONAL 046347
ELECTROLUX PROFESSIONAL 058613 ELECTROLUX PROFESSIONAL 088165

Terminals and electrical connectors

3051154 NAKED END PIPE 2.5x10 mm 100 PCS



ELECTROLUX PROFESSIONAL 0K4532

Thermostatic valves for refrigeration

3150065 THERMOSTATIC VALVE DANFOSS TUB 1

gas R134a
capacity 0.7 Kw - 0.19 TR
inlet 6 mm x outlet 12 mm
internal equalization
range N -40°/+10°C
Danfoss 068U2000



ELECTROLUX PROFESSIONAL 087333

Thermostats

3744052 SAFETY THERMOSTAT



ELECTROLUX PROFESSIONAL 0K203

3444448 SAFETY THERMOSTAT 40°C
cable length 1400 mm



ELECTROLUX PROFESSIONAL 0A9671



Suitable for:

3444971 THERMOSTAT END-DEFROSTING
37T31-501513
L25 - 10C - C0015



ELECTROLUX PROFESSIONAL 083113

Suitable for:

3444515 THERMOSTAT FOR END OF DEFROSTING
37T31-501510
L7-8C J0350



ELECTROLUX PROFESSIONAL 083106

3444518 THERMOSTAT FOR END OF DEFROSTING 20°C
cable length 1400 mm



ELECTROLUX PROFESSIONAL 085940

3444911 THERMOSTAT RANCO K50 L3078
2 contacts 6A 250V
capillary 2000 mm
COLD -7.0°C - WARM +7.5°C
D shaft \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 0A8089

3241907 THERMOSTAT KNOB \varnothing 35 mm
hole \varnothing 6x4 mm



ELECTROLUX PROFESSIONAL 0A8203

3444897 THERMOSTAT RANCO K50 L3295
2 contacts 6A 250V
capillary 1300 mm
Alternative Atea A01 0584



ELECTROLUX PROFESSIONAL 0KD779

3444919 THERMOSTAT RANCO K50 P1115
2 contacts 6A 250V
capillary 2000 mm
COLD +1.5°C - WARM +11.0°C
D shaft \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 083520

3441906 SPRING FOR KNOB



ELECTROLUX PROFESSIONAL 082792

Suitable for:

3444931 THERMOSTAT RANCO K52 L4512
 2 contacts 6A 250V
 double capillary
 capillaries 2100 mm - 1850 mm
 COLD -6,4°C - WARM +8,5°C
 COLD -6.0°C - WARM +8.8°C
 D shaft \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 0A8653

Suitable for:

3444916 THERMOSTAT RANCO K55 L5026
 2 contacts 6A 250V
 capillary 2000 mm
 COLD -0.5°C - WARM +8.5°C
 D shaft \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 082025

3444906 THERMOSTAT RANCO K55 L5027
 2 contacts 6A 250V
 capillary 2000 mm
 COLD -5.0°C - WARM +8.5°C
 D shaft \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 081689

3241903 THERMOSTAT KNOB



ELECTROLUX PROFESSIONAL 082916

3444909 THERMOSTAT RANCO K55 L5070
 2 contacts 6A 250V
 capillary length 2500 mm
 COLD -22°C - WARM -7.5°C
 D shaft \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 082985

3444905 THERMOSTAT RANCO K55 L5078
 2 contacts 6A 250V
 capillary 2000 mm
 COLD +1.4°C - WARM +10.5°C
 D shaft \varnothing 6x4.6 mm



ELECTROLUX PROFESSIONAL 083125

3241903 THERMOSTAT KNOB



ELECTROLUX PROFESSIONAL 082916



ELECTROLUX PROFESSIONAL



Suitable for:


3744066 THERMOSTAT RANCO K55 L5079
6A 250V
capillary 2000 mm
COLD -2°C - WARM +11°C



ELECTROLUX PROFESSIONAL 083135

Suitable for:

3344012 THERMOSTAT RANCO K55 L5080
2 contacts 6A 250V
capillary 1600 mm
COLD -3°C - WARM +10°C
D shaft \varnothing 6x4.6 mm




ELECTROLUX PROFESSIONAL 083147

3444447 THERMOSTAT RANCO K55 P5851
2 contacts 6A 250V
capillary 2500 mm
D-shaped pin 6x4,6 mm



ELECTROLUX PROFESSIONAL 087516

3444921 THERMOSTAT RANCO K60 L2034
2 contacts 6A 250V
capillary 1500 mm
COLD -17°C - WARM -10°C



ELECTROLUX PROFESSIONAL 081378

3441906 SPRING FOR KNOB




ELECTROLUX PROFESSIONAL 082792

3241900 THERMOSTAT KNOB \varnothing 50 mm
hole \varnothing 6x4 mm



ELECTROLUX PROFESSIONAL 080837

3444516 THERMOSTAT RANCO K60 L2112
2 contacts 6A 250V
capillary 2500 mm



ELECTROLUX PROFESSIONAL 083177

3444517 THERMOSTAT RANCO K60 L2141
2 contacts 6A 250V
capillary 800 mm



ELECTROLUX PROFESSIONAL 083178

Timers

3322902 TIMER ELIWELL EWTS 70

12Vac/dc
1 relay exit 8A for defrosting
1 digital entry for klixon thermostat
adjustable defrosting interval
adjustable defrosting time from 5 to 60 min
front dimension 74x32xdepth 67 mm
mounting hole 71x29 mm



ELECTROLUX PROFESSIONAL 082485

3322900 TIMER HAGER EH710 24h

230V 50Hz
1 contact 16A 250V
minimum programming interval 10 minutes
min interval between 2 switching 20 minutes
size 72x72 mm



ELECTROLUX PROFESSIONAL 083517

3322239 TIMER INVENSYS RZ-2001-21

230V 50Hz
cycle 4h 15min



ELECTROLUX PROFESSIONAL 084986

Transformers

3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved





















ELECTROLUX PROFESSIONAL 0A2269 ELECTROLUX PROFESSIONAL 004120 ELECTROLUX PROFESSIONAL 082378
ELECTROLUX PROFESSIONAL 083833

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfrcambi724.it - www.lfrcambi724.mobi
info@lfrcambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
-  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
-  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
-  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
-  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
-  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
-  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
-  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
-  **BALKAN COUNTRIES**
www.lfspareparts724.com
matijaramov@lfspareparts.com
-  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
-  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
-  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
-  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
-  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
-  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
-  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us