



Spare parts for:

Commercial refrigeration



Suitable for:

FERMOD



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included

Rel. 2015-12241138





Suitable for:


FERMOD



Suitable for:


Bodies

3028001 CURTAIN OF TRANSPARENT PVC
50 m roll - width 190 mm thickness 2 mm
suitable for cold rooms TN(0°C)



FERMOD 90201

3028020 CURTAIN OF TRANSPARENT PVC
roll 50 m - width 190 mm thickness 2 mm
suitable for cold rooms BT(-20°C)



FERMOD 90200

FERMOD 90200SPE

Gaskets in bundles


2105210 COLD ROOM DOOR GASKET 2311 - 24 m
colour black
dimensions 20x10 mm



FERMOD 02311NR024

FERMOD 2311

3986003 PVC PROFILE BLACK FOR GASKETS 2500 mm



FERMOD 03312NR200

FERMOD 03312NR250


2101890 COLD ROOM DOOR GASKET 8511 - 8 m
colour black
dimensions 35x11 mm



FERMOD 08511NR008

FERMOD 8511

3986003 PVC PROFILE BLACK FOR GASKETS 2500 mm



FERMOD 03312NR200

FERMOD 03312NR250


3186792 COLD ROOM GASKET G502
colour black
bar 4000 mm



FERMOD 00502NR400

FERMOD 502

3186794 GASKET COLD ROOM G4451 2500 mm
colour: black
bar-length 2500 mm
complete with stiffener



FERMOD 03352NR250

FERMOD 04451NR010



FERMOD 04451NR010-14

Suitable for:

Suitable for:

3986004 GASKET FOR COLD ROOM 67 2500 mm
 colour black
 bar length 2500 mm
 complete with band

3786257 GASKET 10xh19 mm
 colour white



FERMOD 00067NR025



FERMOD 00252NR500

FERMOD 00010BL025

FERMOD 00010BL025-11

3786258 GASKET 12xh27 mm
 colour white

3786255 GASKET 6xh16 mm
 -30° \varnothing 6 mm - colour white
 sold per meter





FERMOD 00012BL025-11

FERMOD 00006BL025

FERMOD 00006BL025-11

3786256 GASKET 8xh17 mm
 -30° \varnothing 8 mm - colour white
 sold per meter

3986003 PVC PROFILE BLACK FOR GASKETS 2500 mm



FERMOD 00008BL025-11

FERMOD 03312NR200


FERMOD 03312NR250

FERMOD 3312

Handles

3242572 CATCH WITHOUT STRIKE 521 HP
 with lock
 238x136,5 mm

3242573 STRIKE HP FOR DOOR THICKNESS 27/43 mm



FERMOD 520

FERMOD 521.HP

FERMOD 70522XX120

FERMOD 6677100

FERMOD 6677100-10

FERMOD 70523HP120

3242574 STRIKE HP FOR DOOR THICKNESS 44/60 mm

3242575 STRIKE HP FOR DOOR THICKNESS 61/77 mm



FERMOD 6677200

FERMOD 6677200-10

FERMOD 6677300

FERMOD 6677300-10



Suitable for:

3242576 STRIKE HP FOR DOOR THICKNESS 78/94 mm



FERMOD 6677400

FERMOD 6677400-10

FERMOD



Suitable for:

3242577 STRIKE HP FOR DOOR THICKNESS 95/111 mm



FERMOD 6677500

FERMOD 6677500-10

3242545 CATCH WITHOUT STRIKE 921HP



FERMOD 70921HP120

FERMOD 921.HP

3242546 SEAL FOR LOCK 50 mm




FERMOD CALE50.02

FERMOD SHIM50.02

FERMOD 6127991

3242547 SEAL FOR LOCK 80 mm



FERMOD CALE80.02

FERMOD SHIM80.02

FERMOD 6128191

3242568 STRIKE HP FOR DOOR THICKNESS 27/42 mm for 921HP




FERMOD 6407200

3242548 STRIKE HP FOR DOOR THICKNESS 42/57 mm for 921HP




FERMOD 6407800

3242561 STRIKE HP FOR DOOR THICKNESS 52/72 mm for 921HP
with micro switch in the strike
allowing to control:
open/closed door indicator
opening/closing operation count
alarm disconnection
evaporators and ventilators stop
Operating voltages 12 V (10 A) - 24 V (5A)
with cable 1500 mm




FERMOD 6407700CAP

3242708 STRIKE HP FOR DOOR THICKNESS 52/72 mm for 921 HP



FERMOD 6407700

3242569 STRIKE HP FOR DOOR THICKNESS 69/89 mm for 921HP




FERMOD 6676300



Suitable for:

3242570 STRIKE HP FOR DOOR THICKNESS 86/106 mm
for 921HP



FERMOD 6671900

FERMOD 6676400

FERMOD



Suitable for:

3242564 CATCH 129
complete with strike



FERMOD 00129XX

FERMOD 129

3242558 CATCH 158
complete with strike and cap



FERMOD 00158XX

FERMOD 158

3242751 CATCH 431 WITH LOCK
with internal safety handle
door thickness from 67 to 115 mm



FERMOD 00431XX066

FERMOD 00431XX115

FERMOD 00431XX115-14

3242752 CATCH 431 WITH LOCK
with internal safety handle
door thickness from 116 to 165 mm



FERMOD 00431XX165

FERMOD 00431XX165-14

3242585 CLOSING CATCH
distance between holes 35 mm
adjustable from 18 to 30 mm



FERMOD 6001801

3242595 CLOSING CATCH
mounting distance 43 mm
adjustable from 14 to 30 mm



FERMOD 6001301

3242578 CLOSING STRIKE



FERMOD 6192623

3242560 CLOSING STRIKE 620/621



FERMOD 6358602



Suitable for:

7105217 CLOSING 4181 WITH LOCK
with internal safety handle



FERMOD 04181

FERMOD 4181-F


Suitable for:

3242395 DOOR SHIM FITTING 27/42 mm




FERMOD 6407203

3242399 DOOR SHIM FITTING 42/57 mm




FERMOD 6407803

3242359 DOOR SHIM FITTING 52/72 mm
for lock 920/921



FERMOD 6407703

3242360 DOOR SHIM FITTING 69/89 mm
for lock 920/921



FERMOD 6671803

FERMOD 6676303

3242362 GREEN CAP



FERMOD 15618V-EX

3242369 HANDLE 651
complete with fastening - distance 44-16.5 mm
handle mounting distance 35-44-45.5 mm



FERMOD 0065101

3242585 CLOSING CATCH
distance between holes 35 mm
adjustable from 18 to 30 mm



FERMOD 6001801

3242595 CLOSING CATCH
mounting distance 43 mm
adjustable from 14 to 30 mm



FERMOD 6001301



Suitable for:

3242370 HANDLE 652
complete with fastening - distance 42-14.5 mm
handle mounting distance 31-35-36 mm



FERMOD 0065201

FERMOD 652.01

Suitable for:

3242585 CLOSING CATCH
distance between holes 35 mm
adjustable from 18 to 30 mm




FERMOD 6001801

3242361 INTERNAL RELEASE PUSH-BUTTON
for lock 620/621/920/921



FERMOD 6384200120

3242356 LH LOCK 1220 WITH 3 POINTS
1 external handle
2 locks and 2 lock clamps



FERMOD 1220.02

3242554 SUPPLEMENTARY LOCK 90x52 mm



FERMOD 64136

FERMOD 64136-14

3242945 LH-RH CATCH WITH LOCK 571 CR
straight handgrip
base length 150x23x30h mm
mounting distance 110 mm



FERMOD 005712114

FERMOD 571.21

3242922 STRIKE FOR DOOR CATCH



FERMOD 60761

3242948 LH-RH CATCH WITH LOCK 795 CR
straight handgrip
base length 150x30x40.5h mm
mounting distance 133 mm
adjustable catch between 9 and 22 mm



FERMOD 0079501-14

FERMOD 79501

FERMOD 79501-14

3242042 STRIKE FOR DOOR HANDLE
distance between holes 45 mm



FERMOD 6008723

FERMOD 6008723-13

FERMOD 6008723-14



Suitable for:

FERMOD



3242949 LH-RH CATCH WITH LOCK 796 CR
 curved handgrip
 base length 150x30x40.5h mm
 mounting distance 133 mm
 adjustable catch between 9 and 22 mm



FERMOD 0079601

FERMOD 0079601-14

FERMOD 796.01

3242042 STRIKE FOR DOOR HANDLE
 distance between holes 45 mm



FERMOD 6008723

FERMOD 6008723-13

FERMOD 6008723-14

3242583 LH-RH CATCH WITH LOCK 885 CR
 straight handgrip
 base length 122x28x35h mm
 mounting distance 104 mm
 adjustable catch mounting distance 31 mm



FERMOD 0088501

FERMOD 885.01

3242584 LH-RH CATCH WITH LOCK 885 CR HP
 straight handgrip
 base length 122x28x35h mm
 mounting distance 104 mm
 adjustable catch mounting distance 31 mm



FERMOD 885.HP

3242582 LH-RH CATCH WITH LOCK 885 PV
 black plastic straight handgrip
 base length 122x28x35h mm
 mounting distance 104 mm
 adjustable catch mounting distance 31 mm



FERMOD 00885.PV

FERMOD 00885PV

FERMOD 00885PV-14

FERMOD 885.PV

3242921 LH-RH CATCH WITHOUT LOCK 560 CR
 straight handgrip
 base length 150x23x30h mm
 mounting distance 110 mm



FERMOD 005602114

FERMOD 560.21

3242922 STRIKE FOR DOOR CATCH



FERMOD 60761



Suitable for:

Suitable for:

3242579 LH-RH CATCH WITHOUT LOCK 570 CR
 straight handgrip
 base length 150x23x31h mm
 mounting distance 110 mm
 catch height 16.5 mm

3242922 STRIKE FOR DOOR CATCH



FERMOD 005702114

FERMOD 570.21

FERMOD 60761

3242386 LH-RH CATCH WITHOUT LOCK 880 CR
 straight handgrip
 base length 120x28x39h mm
 mounting distance 104 mm
 adjustable catch mounting distance 31 mm



FERMOD 0088001

FERMOD 880.01

3242358 LOCKING HANDLE WITHOUT CLAMP 921
 with key lock
 245x108xh52 mm

3242395 DOOR SHIM FITTING 27/42 mm





FERMOD 70921XX120

FERMOD 921

FERMOD 6407203

3242399 DOOR SHIM FITTING 42/57 mm

3242359 DOOR SHIM FITTING 52/72 mm
 for lock 920/921




FERMOD 6407803

FERMOD 6407703

3242360 DOOR SHIM FITTING 69/89 mm
 for lock 920/921

3242563 LOCK ASSEMBLY
 for 921HP



FERMOD 6671803

FERMOD 6676303

FERMOD 127.3808

FERMOD 1273608

FERMOD 1273808



FERMOD



Suitable for:

Suitable for:

3242357 LOCKING HANDLE WITHOUT CLAMP 920
without key lock
245x108xh52 mm



FERMOD 70920XX120


FERMOD 920

3242395 DOOR SHIM FITTING 27/42 mm




FERMOD 6407203

3242399 DOOR SHIM FITTING 42/57 mm




FERMOD 6407803

3242359 DOOR SHIM FITTING 52/72 mm
for lock 920/921



FERMOD 6407703


3242360 DOOR SHIM FITTING 69/89 mm
for lock 920/921



FERMOD 6671803

FERMOD 6676303

3242348 LOCKING HANDLE 620
without key lock
213x104xh50 mm



FERMOD 0062002120


FERMOD 620.02

3242560 CLOSING STRIKE 620/621



FERMOD 6358602


3242396 SHIM 15 mm
for door thickness 42/57 mm



FERMOD CALE-15.02

FERMOD SHIM15.02

3242397 SHIM 30 mm
for door thickness 57/72 mm



FERMOD CALE-30.02


FERMOD SHIM30.02

FERMOD 6119602



Suitable for:

3242398 SHIM 40 mm
for door thickness 67/80 mm



FERMOD CALE-40.02

FERMOD SHIM40.02


FERMOD 6119702

FERMOD



Suitable for:

3242349 LOCKING HANDLE 621 WITH KEY LOCK
213x104xh50 mm



FERMOD 0062102120
FERMOD 62102120

FERMOD 621.02

FERMOD 62102080

3242560 CLOSING STRIKE 620/621



FERMOD 6358602


3242396 SHIM 15 mm
for door thickness 42/57 mm



FERMOD CALE-15.02

FERMOD SHIM15.02

3242397 SHIM 30 mm
for door thickness 57/72 mm




FERMOD CALE-30.02

FERMOD SHIM30.02

FERMOD 6119602

3242398 SHIM 40 mm
for door thickness 67/80 mm




FERMOD CALE-40.02

FERMOD SHIM40.02

FERMOD 6119702

3242355 RH LOCK 1220 WITH 3 POINTS
1 external handle
2 locks and 2 lock clamps



FERMOD 1220.02

3242554 SUPPLEMENTARY LOCK 90x52 mm



FERMOD 64136

FERMOD 64136-14



Suitable for:

FERMOD



3242581 RH-LH CATCH WITHOUT LOCK 880 PV
 black plastic straight handgrip
 base length 122x28x35h mm
 mounting distance 104 mm
 adjustable catch mounting distance 31 mm



FERMOD 00880PV

FERMOD 00880PV-14

FERMOD 880.PV

Suitable for:

3242960 RH-LH DOOR HANDLE W/OUT KEY LOCK 1825
 distance between holes 158 mm
 plate dimensions 181x33 mm



FERMOD 01825

3242946 RH/LH LOCKING HANDLE W/OUT KEYLOCK 790CR
 straight handle
 base length 254x30 mm
 distance between holes 133 mm
 adjustable catch between 9 and 22 mm



FERMOD 0079001

FERMOD 790.01

3242042 STRIKE FOR DOOR HANDLE
 distance between holes 45 mm



FERMOD 6008723

FERMOD 6008723-13

FERMOD 6008723-14

3242957 RH/LH LOCKING HANDLE W/OUT KEYLOCK 790CR
 straight handle
 length 254x30 mm - mounting distance 133 mm
 with adjustable strike from 9 to 22 mm
 for high temperatures
 for OVEN



FERMOD 0079001BRO

FERMOD 790.01.BRO

3242718 DOOR HANDLE STRIKE
 for high temperatures
 mounting distance 43 mm
 for OVEN



FERMOD 6107701LAI

3242947 RH/LH LOCKING HANDLE WITHOUT LOCK 791 CR
 curved handle
 length 254x30 mm - mounting distance 133 mm
 adjustable catch between 9 and 22 mm



FERMOD 0079101

FERMOD 791.01

3242718 DOOR HANDLE STRIKE
 for high temperatures
 mounting distance 43 mm
 for OVEN



FERMOD 6107701LAI



Suitable for:

3242042 STRIKE FOR DOOR HANDLE
distance between holes 45 mm



FERMOD 6008723

FERMOD 6008723-13

FERMOD 6008723-14

FERMOD

Suitable for:



3242546 SEAL FOR LOCK 50 mm



FERMOD CALE50.02

FERMOD SHIM50.02

FERMOD 6127991

3242547 SEAL FOR LOCK 80 mm




FERMOD CALE80.02

FERMOD SHIM80.02

FERMOD 6128191

3242396 SHIM 15 mm
for door thickness 42/57 mm




FERMOD CALE-15.02

FERMOD SHIM15.02

FERMOD 6119502

3242397 SHIM 30 mm
for door thickness 57/72 mm




FERMOD CALE-30.02

FERMOD SHIM30.02

FERMOD 6119602

3242398 SHIM 40 mm
for door thickness 67/80 mm



FERMOD CALE-40.02

FERMOD SHIM40.02

FERMOD 6119702

3242557 STRIKE



FERMOD 6033402

3242922 STRIKE FOR DOOR CATCH



FERMOD 60761

3242042 STRIKE FOR DOOR HANDLE
distance between holes 45 mm



FERMOD 6008723

FERMOD 6008723-13

FERMOD 6008723-14

3242562 STRIKE FOR SUPPLEMENTARY LOCK



FERMOD 10335

FERMOD 1033602

3242568 STRIKE HP FOR DOOR THICKNESS 27/42 mm
for 921HP



FERMOD 6407200




Suitable for:

FERMOD



3242573 STRIKE HP FOR DOOR THICKNESS 27/43 mm



FERMOD 6677100

FERMOD 6677100-10

Suitable for:

3242548 STRIKE HP FOR DOOR THICKNESS 42/57 mm for 921HP



FERMOD 6407800


3242574 STRIKE HP FOR DOOR THICKNESS 44/60 mm



FERMOD 6677200


FERMOD 6677200-10

3242561 STRIKE HP FOR DOOR THICKNESS 52/72 mm for 921HP
with micro switch in the strike
allowing to control:
open/closed door indicator
opening/closing operation count
alarm disconnection
evaporators and ventilators stop
Operating voltages 12 V (10 A) - 24 V (5A)
with cable 1500 mm



FERMOD 6407700CAP

3242708 STRIKE HP FOR DOOR THICKNESS 52/72 mm for 921 HP



FERMOD 6407700


3242575 STRIKE HP FOR DOOR THICKNESS 61/77 mm



FERMOD 6677300

FERMOD 6677300-10

3242569 STRIKE HP FOR DOOR THICKNESS 69/89 mm for 921HP



FERMOD 6676300


3242576 STRIKE HP FOR DOOR THICKNESS 78/94 mm



FERMOD 6677400

FERMOD 6677400-10

3242570 STRIKE HP FOR DOOR THICKNESS 86/106 mm for 921HP



FERMOD 6671900

FERMOD 6676400

3242577 STRIKE HP FOR DOOR THICKNESS 95/111 mm



FERMOD 6677500

FERMOD 6677500-10

Suitable for:

Suitable for:

3242551 SUPPLEMENTARY LOCK
mounting distance 121-136 mm

3242554 SUPPLEMENTARY LOCK 90x52 mm



FERMOD 6303602


FERMOD 64136

FERMOD 64136-14

FERMOD 6413802

3242550 3-POINT LH CATCH 1926 WITH KEY
including:
1 external handle
2 blocks
2 strike blocks
1 internal hooking button

3242557 STRIKE



FERMOD 0192602G

FERMOD 6926.02.G

FERMOD 6033402


3242551 SUPPLEMENTARY LOCK
mounting distance 121-136 mm



FERMOD 6303602

3242553 3-POINT RH CATCH 1221 WITH KEY
including:
1 external handle
2 blocks
2 strike blocks
1 internal hooking button

3242562 STRIKE FOR SUPPLEMENTARY LOCK



FERMOD 0122102D

FERMOD 1221.02

FERMOD 10335

FERMOD 1033602

3242554 SUPPLEMENTARY LOCK 90x52 mm



FERMOD 64136

FERMOD 64136-14




Suitable for:

Suitable for:

3242549 3-POINT RH CATCH 1926 WITH KEY

3242557 STRIKE

including:
 1 external handle
 2 blocks
 2 strike blocks
 1 internal hooking button



FERMOD 0192602D

FERMOD 1926.02.D

FERMOD 6926.02.D

FERMOD 6033402


Hinges, catches and accessories

3053388 CHROME PLATED HINGE 306

length 96 mm - mounting distance 38 mm

3053389 CHROME PLATED HINGE 308

length 120 mm - mounting distance 50 mm



FERMOD 0030601DET

FERMOD 306.01

FERMOD 0030801


FERMOD 308.01

3053363 CHROME PLATED HINGE 309

length 130 mm - mounting distance 50 mm

3053390 CHROME PLATED HINGE 360

length 140 mm - mounting distance 30-35 mm
 for door thickness from 27 mm gasket included



FERMOD 0030901

FERMOD 309.01

FERMOD 0036001


FERMOD 360.01

3053391 CHROME PLATED HINGE 361

length 140 mm - mounting distance 30-35 mm
 for door thickness from 37 mm gasket included

3053384 CHROME PLATED HINGE 401

length 96 mm - mounting distance 64-32 mm



FERMOD 0036101

FERMOD 361.01

FERMOD 0040101

FERMOD 0040121


FERMOD 401.21

3053386 CHROME PLATED HINGE 402

length 96 mm - mounting distance 64-32 mm

3053399 CHROME PLATED HINGE 525

length 134 mm - mounting distance 30.5 mm



FERMOD 0040201

FERMOD 0040221

FERMOD 402.21

FERMOD 0052501

FERMOD 525.01

Suitable for:

Suitable for:

3053401 CHROME PLATED HINGE 525
length 134 mm - mounting distance 30.5 mm
with brass bushings



FERMOD 0052501LAI

FERMOD 525.01.LAI

3053392 CHROME PLATED HINGE 710
length 113 mm



FERMOD 007100122

FERMOD 710.01

3053394 CHROME PLATED HINGE 730
length 222 mm
thickness 22 mm



FERMOD 007300122

FERMOD 730.01.22

3053395 CHROME PLATED HINGE 730
length 222 mm
thickness 27 mm



FERMOD 007300127

3053377 CROME-PLATED HINGE 720 mm



FERMOD 007200127

FERMOD 720.01

3053941 HINGE FERMOD 175
with cross pin



FERMOD 0017501HAU

FERMOD 175

3053944 HINGE FERMOD 176
with square shaft 8 mm



FERMOD 0017601HAU

FERMOD 176


3053396 HINGE WITH SPRING 125 mm
for door thickness 25/35 mm
adjustable spring



FERMOD 0452600

FERMOD 4526

3053397 HINGE WITH SPRING 150 mm
for door thickness 25/40 mm
adjustable spring



FERMOD 03.00

FERMOD 0452800

FERMOD 4528

3053365 HINGE 1370
distance between holes 50 mm



FERMOD 01370



FERMOD



Suitable for:

3053430 HINGE 1371 WITH RAMP
mounting distance 50 mm



FERMOD 01371

Suitable for:

3053558 HINGE 1670 HP
mounting distance 46-40 mm



FERMOD 01670HP

FERMOD 490.HP

3053589 HINGE 1671 HP WITH RAMP
mounting distance 46-40 mm



FERMOD G-491HP

FERMOD 01671HP

3053427 HINGE 362 LH WITH RAMP
length 150 mm - mounting distance 110-80 mm



FERMOD 362.01

3053426 HINGE 362 RH WITH RAMP
length 150 mm - mounting distance 110-80 mm



FERMOD 362.01

3053385 HINGE 401 PV
length 96 mm - mounting distance 64-32 mm
chrome plated and black rilsan



FERMOD 0401021

FERMOD 401.21.PV

3053387 HINGE 402 PV
length 96 mm - mounting distance 64-32 mm
chrome plated and black rilsan



FERMOD 0402001

FERMOD 0402021

FERMOD 402.21.PV

3053423 HINGE 4521
with 90° stop



FERMOD 04521

FERMOD 4520

FERMOD 4521

3053590 HINGE 4521.00
with 90° stop and stainless steel tie rod
adjustable angle



FERMOD 0452100

FERMOD 0452100R

3053424 HINGE 4523
90° without stop



FERMOD 04523

FERMOD 0452300R

FERMOD 4522

Suitable for:

Suitable for:

3053428 HINGE 470 HP
mounting distance 30 mm



FERMOD 00470HP

FERMOD 470HP

3053429 HINGE 471 HP WITH RAMP
mounting distance 30 mm



FERMOD 00471HP

FERMOD 471HP

3053562 HINGE 473 HP WITH RAMP
vertical adjustment
mounting distance 30 mm



FERMOD 00473RVHP

3053400 HINGE 481 HP WITH RAMP
mounting distance 30 mm



FERMOD 00481HP

FERMOD 481

FERMOD 481.HP


3053406 HINGE 546
mounting distance 60-32 mm



FERMOD 0054602


FERMOD 546.02

3053407 HINGE 746
length 170 mm - mounting distance 144-34 mm



FERMOD 0074602


3053409 HINGE 758 WITH RAMP AND SPRING LH
length 262 mm
mounting distance 232-45 mm



FERMOD 0075802G

FERMOD 758.02

3053408 HINGE 758 WITH RAMP AND SPRING RH
length 262 mm
mounting distance 232-45 mm



FERMOD 0075802D

FERMOD 758.02

3053499 LONG PIN HINGE FERMOD 176
with square pin 8 mm



FERMOD 6108001IT

3053559 PAINTED HINGE 446
mounting distance 32-16 mm



FERMOD 0044602

FERMOD 446.02



Suitable for:

3053560 PAINTED HINGE 456 WITH RAMP
mounting distance 32-16 mm



FERMOD 0045602

FERMOD 456.02

FERMOD



Suitable for:

3053402 STAINLESS STEEL HINGE W99/4100 RH
length 262.5 mm



FERMOD 316

Locks

3242563 LOCK ASSEMBLY
for 921HP



FERMOD 127.3808

FERMOD 1273608

FERMOD 1273808

Shelves

3380070 CLAMP FOR SHELF 4 PCS



FERMOD 61866

3380037 CORNER SUPPORT 360 mm



FERMOD 64234

3380038 CORNER SUPPORT 460 mm




FERMOD 64235

2102221 CORNER SUPPORT 560 mm




FERMOD 64236

3380069 SHELF INSERT POLYMER 420x430 mm




FERMOD 12784

3380039 SHELF INSERT POLYMER 6611 300x330 mm




FERMOD 13056

3380068 SHELF INSERT POLYMER 6611 300x430 mm



FERMOD 12783

3380040 SHELF INSERT POLYMER 6611 420x330 mm



FERMOD 13057



FERMOD



Suitable for:

Suitable for:

3380028 SHELF 1080x360 mm
with removable grids N.2 300x330 mm
N.1 420x330 mm
dishwasher safe
capacity 175 kg

3380048 SHELF 1080x460 mm
with removable grids N.2 300x430 mm
N.1 420x430 mm mod.6611
dishwasher safe
capacity 175 kg




FERMOD 64260

FERMOD 64268

2102225 SHELF 1080x560 mm
with removable grids N.2 300x531 mm
N.1 420x531 mm mod.6611
for dishwasher washing
capacity 175 kg

3380029 SHELF 1200x360 mm
with removable grids N.1 300x330 mm
N.2 420x330 mm mod.6611
dishwasher safe
capacity 175 kg




FERMOD 64276

FERMOD 64261

3380049 SHELF 1200x460 mm
with removable grids N.1 300x430 mm
N.2 420x430 mm mod.6611
dishwasher safe
capacity 175 kg

2102226 SHELF 1200x560 mm
with removable grids N.1 300x531 mm
N.2 420x531 mm mod.6611
for dishwasher washing
capacity 175 kg




FERMOD 64269

FERMOD 64277

3380030 SHELF 1320x360 mm
with removable grids N.3 420x330 mm mod.6611
dishwasher safe
capacity 175 kg

3380050 SHELF 1320x460 mm
with removable grids N.3 420x430 mm mod.6611
dishwasher safe
capacity 175 kg



FERMOD 64262

FERMOD 64270




Suitable for:

FERMOD



2102227 SHELF 1320x560 mm
 with removable grids
 N.3 420x531 mm mod.6611
 for dishwasher washing
 capacity 175 kg




FERMOD 64278

3380034 SHELF 1500x360 mm
 with removable grids N.2 300x330 mm
 N.2 420x330 mm mod.6611
 dishwasher safe
 capacity 175 kg




FERMOD 64263

3380055 SHELF 1500x460 mm
 with removable grids N.2 300x430 mm
 N.2 420x430 mm mod.6611
 dishwasher safe
 capacity 175 kg




FERMOD 64271

2102228 SHELF 1500x560 mm
 with removable grids N.2 300x531 mm
 N.2 420x531 mm mod.6611
 for dishwasher washing
 capacity 175 kg



FERMOD 64279

3380035 SHELF 1620x360 mm
 with removable grids N.1 300x330 mm
 N.3 420x330 mm mod.6611
 dishwasher safe
 capacity 120 kg




FERMOD 64356

3380057 SHELF 1620x460 mm
 with removable grids N.1 300x430 mm
 N.3 420x430 mm mod.6611
 dishwasher safe
 capacity 120 kg



FERMOD 64357

2102229 SHELF 1620x560 mm
 with removable grids N.1 300x531 mm
 N.3 420x531 mm mod.6611
 for dishwasher washing
 capacity 120 kg



FERMOD 64358

3380036 SHELF 1740x360 mm
 with removable grids N.4 420x330 mm mod.6611
 dishwasher safe
 capacity 120 kg



FERMOD 64359

Suitable for:

3380059 SHELF 1740x460 mm
with removable grids N.4 420x430 mm mod.6611
dishwasher safe
capacity 120 kg



FERMOD 64360

3380024 SHELF 660x360 mm
with removable grids N.2 300x330 mm mod.6611
dishwasher safe
capacity 175 kg




FERMOD 64256

3380025 SHELF 780x360 mm
with removable grids N.1 300x330 mm
N.1 420x330 mm mod.6611
dishwasher safe
capacity 175 kg



FERMOD 64257


2102222 SHELF 780x560 mm
with removable grids N.1 300x531 mm
N.1 420x531 mm mod.6611
for dishwasher washing
capacity 175 kg



FERMOD 64273


Suitable for:

2102529 SHELF 1740x560 mm
with removable grids N.4 420x531 mm mod.6611
for dishwasher washing
capacity 120 kg



FERMOD 64361

3380044 SHELF 660x460 mm
with removable grids N.2 300x430 mm mod.6611
dishwasher safe
capacity 175 kg




FERMOD 64264

3380045 SHELF 780x460 mm
with removable grids N.1 300x430 mm
N.1 420x430 mm mod.6611
dishwasher safe
capacity 175 kg



FERMOD 64265

3380026 SHELF 900x360 mm
with removable grids N.2 420x330 mm mod.6611
dishwasher safe
capacity 175 kg



FERMOD 64258



Suitable for:

FERMOD




3380046 SHELF 900x460 mm
with removable grids N.2 420x430 mm mod.6611
dishwasher safe
capacity 175 kg



FERMOD 64266

2102223 SHELF 900x560 mm
with removable grids N.2 420x531 mm mod.6611
for dishwasher washing
capacity 175 kg




FERMOD 64274

3380027 SHELF 960x360 mm
with removable grids N.3 300x330 mm mod.6611
dishwasher safe
capacity 175 kg




FERMOD 64259

3380047 SHELF 960x460 mm
with removable grids N.3 300x430 mm mod.6611
dishwasher safe
capacity 175 kg




FERMOD 64267

2102224 SHELF 960x560 mm
with removable grids N.3 300x531 mm mod.6611
for dishwasher washing
capacity 175 kg



FERMOD 64275

3380124 SUPPORT FOR FERMOSTOCK LABEL



FERMOD 61868

3380060 UPRIGHT 1685hx360 mm
with adjustable foot



FERMOD 6425311

3380067 UPRIGHT 1685hx460 mm
with adjustable foot



FERMOD 6425411

2102528 UPRIGHT 1685hx560 mm
with adjustable foot



FERMOD 6425511

2102211 UPRIGHT 1800hx360 mm
with adjustable foot



FERMOD 6425311180



FERMOD



Suitable for:

Suitable for:

2102212 UPRIGHT 1800hx460 mm
with adjustable foot

2102617 UPRIGHT 1800hx560 mm



FERMOD 6425411180

FERMOD 6425511180

2102213 UPRIGHT 2100hx360 mm
with adjustable foot

2102214 UPRIGHT 2100hx460 mm
with adjustable foot



FERMOD 6425311210

FERMOD 6425411210

2102220 UPRIGHT 2100hx560 mm
with adjustable foot

2102215 UPRIGHT 2400hx360 mm
with adjustable foot



FERMOD 6425511210

FERMOD 6425311240

2102216 UPRIGHT 2400hx460 mm
with adjustable foot

2102656 UPRIGHT 2400hx560 mm






















FERMOD 6425411240

FERMOD 6425511240

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfrcambi724.it - www.lfrcambi724.mobi
info@lfrcambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
-  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
-  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
-  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
-  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
-  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch
-  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
-  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
-  **BALKAN COUNTRIES**
www.lfspareparts724.com
matijaramov@lfspareparts.com
-  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
-  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
-  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
-  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
-  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
-  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
-  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us