



Spare parts for:

Commercial refrigeration



Suitable for:

INTERTECNICA



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.
Suitable universal spare parts may not be included

Rel. 2015-12241150





Suitable for:

INTERTECNICA



Suitable for:

Compensation valves for refrigeration

3526804 COMPENSATION VALVE ELEBAR/BT
length without flange 147 mm - \varnothing 80 mm
for negative temperature
with heating element 16W 230V



INTERTECNICA R017963

3526801 COMPENSATION VALVE ELEBAR/TN
length without flange 147 mm - \varnothing 80 mm
for positive temperature
without heating element



INTERTECNICA R012310

3150079 COMPENSATION VALVE MICROELEBAR
hole \varnothing 21 mm




INTERTECNICA R018589

3526800 COMPENSATION VALVE MINI EL/TN
length without flange 62mm - \varnothing 60 mm
for positive temperature
without heating element



INTERTECNICA R012308


3150078 MINI EL/BT COMPENSATION VALVE
extensible length without flange 92/152 mm
 \varnothing 67 mm
for negative temperature
with heating element 7W 230V



INTERTECNICA R020334


Handles

3242982 ADDITIONAL RELEASE 075
122x44x59 mm



INTERTECNICA R018862

3242959 ADDITIONAL RELEASE 1875
distance between holes 158 mm
dimensions 181x33 mm



INTERTECNICA R017529

Suitable for:

3242983 ADJUSTABLE CLAMP



INTERTECNICA R019020

Suitable for:

3242530 CATCH WITH LOCK 2225 RH/LH
with internal hinge
with lock release device




INTERTECNICA R018868

3242740 CATCH 7225 WITH LOCK
with internal safety push-button
complete with strike hook 27/42 mm



INTERTECNICA R020544

3242760 KIT 7000 DOOR THICKNESS 50/69 mm




INTERTECNICA R020392

3242762 KIT 7000 DOOR THICKNESS 90/109 mm



INTERTECNICA R020329

3242742 STRIKE SHIM 57/72 mm



INTERTECNICA R020321

3242744 STRIKE SHIM 87/102 mm



INTERTECNICA R020323

3242763 KIT 7000 DOOR THICKNESS 110/129 mm



INTERTECNICA R020393

3242761 KIT 7000 DOOR THICKNESS 70/89 mm



INTERTECNICA R020328

3242741 STRIKE SHIM 42/57 mm



INTERTECNICA R020320

3242743 STRIKE SHIM 72/87 mm



INTERTECNICA R020322



INTERTECNICA



Suitable for:

3242720 DOOR CATCH 4225 RIGHTHAND



INTERTECNICA R019386

3242721 DOOR SHIM KIT 60/80 mm



INTERTECNICA R019378

3242723 DOOR SHIM KIT 101/120 mm




INTERTECNICA R019380

3242721 DOOR SHIM KIT 60/80 mm



INTERTECNICA R019378

3242539 DOOR SHIM KIT 81/100 mm



INTERTECNICA R020501

3242923 HANDLE 8730 PLASTIC BLACK
length 276 mm - height 40 mm
distance between holes 226 mm
with aluminum insert



INTERTECNICA R015417+R015418

Suitable for:

3242723 DOOR SHIM KIT 101/120 mm



INTERTECNICA R019380

3242722 DOOR SHIM KIT 81/100 mm



INTERTECNICA R019379

3242537 DOOR SHIM KIT 50/60 mm



INTERTECNICA R020497

3242538 DOOR SHIM KIT 61/80 mm



INTERTECNICA R020499

3242722 DOOR SHIM KIT 81/100 mm



INTERTECNICA R019379

3242924 HANDLE 8745 PLASTIC BLACK
length 426 mm - height 40 mm
distance between holes 376 mm
with aluminum insert



INTERTECNICA R015419+R015420

Suitable for:

3242281 INTERNAL SECURITY HANDLE 2700
length 300 mm
distance between holes 65x35 mm



INTERTECNICA R018865

Suitable for:

3242763 KIT 7000 DOOR THICKNESS 110/129 mm



INTERTECNICA R020393

3242760 KIT 7000 DOOR THICKNESS 50/69 mm



INTERTECNICA R020392

3242761 KIT 7000 DOOR THICKNESS 70/89 mm



INTERTECNICA R020328

3242762 KIT 7000 DOOR THICKNESS 90/109 mm



INTERTECNICA R020329

3242948 LH-RH CATCH WITH LOCK 795 CR
straight handgrip
base length 150x30x40.5h mm
mounting distance 133 mm
adjustable catch between 9 and 22 mm



INTERTECNICA R011408

3242949 LH-RH CATCH WITH LOCK 796 CR
curved handgrip
base length 150x30x40.5h mm
mounting distance 133 mm
adjustable catch between 9 and 22 mm



INTERTECNICA R011537

3242583 LH-RH CATCH WITH LOCK 885 CR
straight handgrip
base length 122x28x35h mm
mounting distance 104 mm
adjustable catch mounting distance 31 mm



INTERTECNICA R017403

3242582 LH-RH CATCH WITH LOCK 885 PV
black plastic straight handgrip
base length 122x28x35h mm
mounting distance 104 mm
adjustable catch mounting distance 31 mm



INTERTECNICA R017404



Suitable for:

3242536 LOCKING HANDLE 5325AB
dimensions 195.5x147.3xh39 mm



INTERTECNICA R020496

3242538 DOOR SHIM KIT 61/80 mm



INTERTECNICA R020499

3242581 RH-LH CATCH WITHOUT LOCK 880 PV
black plastic straight handgrip
base length 122x28x35h mm
mounting distance 104 mm
adjustable catch mounting distance 31 mm



INTERTECNICA R017402

3242960 RH-LH DOOR HANDLE W/OUT KEY LOCK 1825
distance between holes 158 mm
plate dimensions 181x33 mm



INTERTECNICA R017480


3242946 RH/LH LOCKING HANDLE W/OUT KEYLOCK 790CR
straight handle
base length 254x30 mm
distance between holes 133 mm
adjustable catch between 9 and 22 mm



INTERTECNICA R011407

Suitable for:

3242537 DOOR SHIM KIT 50/60 mm



INTERTECNICA R020497

3242539 DOOR SHIM KIT 81/100 mm



INTERTECNICA R020501

3242731 RH-LH CELL HANDLE WITHOUT LOCK 3025
dimensions 200x39x59 mm



INTERTECNICA R020269

3242981 RH-LH HANDLE FOR COLD R. W/OUT LOCK 2025
Plate dimensions 197x44x59 mm



INTERTECNICA R018866

3242947 RH/LH LOCKING HANDLE WITHOUT LOCK 791 CR
curved handle
length 254x30 mm - mounting distance 133 mm
adjustable catch between 9 and 22 mm



INTERTECNICA R018802



Suitable for:

3242741 STRIKE SHIM 42/57 mm



INTERTECNICA R020320

Suitable for:

3242742 STRIKE SHIM 57/72 mm



INTERTECNICA R020321

3242743 STRIKE SHIM 72/87 mm



INTERTECNICA R020322

3242744 STRIKE SHIM 87/102 mm



INTERTECNICA R020323

3242706 WHITE ABS HANDLE

horizontal and vertical application
external mounting
dimensions 160x60 mm
distance between mounting holes 133 mm



INTERTECNICA R018515

Hinges, catches and accessories

3053908 BRACKET BUSHING 22 x 22 mm



INTERTECNICA R020268

INTERTECNICA R020411

3053640 HINGE SHIM SERIES 2900
00 (stackable)



INTERTECNICA R020606

3053633 HINGE 2510B WITH RAMP
interchangeability right-left
door retainer 55-66 mm
with horizontal adjustment ± 2 mm
with vertical adjustment ± 5 mm



INTERTECNICA R018888

3053634 HINGE 2530MB WITH RAMP
interchangeability right-left
door retainer 67-90 mm
with vertical adjustment ± 5 mm



INTERTECNICA R018858



Suitable for:

INTERTECNICA



3053635 HINGE 2650 WITH RAMP
interchangeability right-left
door retainer 63-90 mm



INTERTECNICA R020432


Suitable for:

3053636 HINGE 2810RV4 WITH RAMP
reversibility right-left
door retainer 48-62 mm
retainer with 1 shim 58-82 mm
vertical adjustment ± 4 mm
horizontal adjustment ± 6 mm
depth ± 6 mm



INTERTECNICA R020570

3053637 HINGE 2830RV WITH RAMP
reversibility right-left
door retainer 65-90 mm
retainer with 1 shim 75-110 mm
retainer with 2 shims 85-130 mm
vertical adjustment ± 8 mm
horizontal adjustment ± 5 mm
depth ± 3.5 mm



INTERTECNICA R020377

3053638 HINGE 2930RV WITH RAMP
reversibility right-left
door retainer 67-90 mm
retainer with 1 shim 77-110 mm
retainer with 2 shims 87-130 mm
with vertical adjustment 24 mm



INTERTECNICA R020604

3053640 HINGE SHIM SERIES 2900
00 (stackable)



INTERTECNICA R020606

3053639 HINGE 2950RV WITH RAMP
reversibility right-left
door retainer 78-112 mm
retainer with 1 shim 88-132 mm
retainer with 2 shims 98-152 mm
with vertical adjustment 24 mm



INTERTECNICA R020689

3053640 HINGE SHIM SERIES 2900
00 (stackable)



INTERTECNICA R020606



INTERTECNICA



Suitable for:

3053920 LONG PIN HINGE INTERTECNICA 28L
with square pin 7.5 mm



INTERTECNICA R020109

Suitable for:

3053930 SHORT PIN HINGE INTERTECNICA 28XC
with square pin 7.5 mm






















INTERTECNICA R020266

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - www.lfircambi724.mobi
info@lfircambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
 -  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
 -  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
 -  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us