



Spare parts for:

Commercial refrigeration



Suitable for:

ISA - TASSELLI



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

ISA - TASSELLI



Suitable for:

Axial motors

- 3540001 SUNON FANS + BRACKETS ASSEMBLY**
 N.2 MC30151V2-000U-A99 12Vdc 0.45W 7000rpm
 30x30x15 mm



ISA - TASSELLI 418000124200

Bodies

- 3028023 COMPLETE TILTING UNIT KIT**
 length 1270 mm
 for Display cabinet (ISA - TASSELLI) ISETTA 7R



ISA - TASSELLI 491090906000

- 3028024 COMPLETE TILTING UNIT KIT**
 length 1573 mm
 for Display cabinet (ISA - TASSELLI) ISETTA 9R



ISA - TASSELLI 491090908000

Compressors and spares

- 3070267 COMPRESSOR EMBRACO EMT2125U CSIR**
 220/240V 50Hz
 power 1/3 Hp, displacement 5.96 cc
 gas R290 LBP
 ASPERA



ISA - TASSELLI 452500005000

- 3070268 COMPRESSOR EMBRACO NEK2134U CSIR**
 220/240V 50Hz
 power 1/2 Hp, displacement 10.00 cc
 gas R290 LBP
 ASPERA



ISA - TASSELLI 452500001000

- 3070259 COMPRESSOR EMBRACO NEK2150U CSIR**
 220/240V 50Hz
 power 1/2 Hp, displacement 13.54 cc
 gas R290 LBP
 ASPERA



ISA - TASSELLI 452500019000

- 3070269 COMPRESSOR EMBRACO NEK2160U CSR**
 220/240V 50Hz
 power 5/8 Hp, displacement 16,80 cc
 gas R290 LBP
 ASPERA



ISA - TASSELLI 452500016000

Suitable for:

3070273 COMPRESSOR EMBRACO NEK6210U CSIR
 220/240V 50hz
 power 3/8 Hp, displacement 8.78 cc
 gas R290 HMBP
 ASPERA



ISA - TASSELLI 452500003000

Suitable for:

3070257 COMPRESSOR EMBRACO NJ2192GJ CSR GEMINI
 220/240V, 50Hz
 power 1.2 Hp, displacement 26.20 cc
 gas R404a/R507 LBP
 with oil equalisation
 ASPERA



ISA - TASSELLI 452400055000

3070258 COMPRESSOR EMBRACO NJ2212GJ CSR GEMINI
 220/240V, 50Hz
 power 1,7 HP, displacement 34.37 cc
 gas R404a/R507 LBP
 with oil equalization
 ASPERA



ISA - TASSELLI 452452285000

3070271 COMPRESSOR EMBRACO NT2170U CSR
 220/240V, 50Hz
 power 3/4 Hp, displacement 20.44 cc
 gas R290 LBP
 ASPERA



ISA - TASSELLI 452500000000

3070170 COMPRESSOR EMBRACO NT2180GK CSR
 220/240V 50Hz
 power 1 Hp, displacement 20.40 cc
 gas R404a/R507 LBP
 ASPERA
 for Refrigerated table (ISA - TASSELLI)
 MAGNUM PAS MAXI800V TB



ISA - TASSELLI 452400022000

Door catches

3398087 DOOR CATCH
 mounting distance 27 mm



ISA - TASSELLI 50230200300



Suitable for:

ISA - TASSELLI



Suitable for:

Drip trays for refrigeration


3015084 DRIP TRAY
400x295x90 mm
with hole for PTC cartridge heating element



ISA - TASSELLI 442200767000


ISA - TASSELLI 442254412000

3015081 PLASTIC DRIP TRAY
370x100x90 mm



ISA - TASSELLI 442107704000

3015082 PLASTIC DRIP TRAY
385x180x90 mm
with hole for cartridge heating element



ISA - TASSELLI 442200771000

ISA - TASSELLI 442243696000

3015083 PLASTIC DRIP TRAY
470x255x95-120 mm
with hole for cartridge heating element



ISA - TASSELLI 442200769000

ISA - TASSELLI 442241872100

Electronic controllers

3445417 BOARD DISPLAY DIXELLT840-100D0-X
8 buttons for panels format K
customized ISA-TASSELLI



ISA - TASSELLI 418249562000

3445426 CABLE WITH TELEPHONE PLUG 0.8 M



ISA - TASSELLI 438300238000

3445416 CONTROLLER CAREL PYIA1Z052N
230V 50/60Hz
1 relay outlet 12A for compressor
1 relay output 8A for defrosting
1 relay output 8A for ventilator
2 NTC probes (not included)
serial output for programming key
front dimensions 81x36 mm
mounting hole 71x29 mm
PZIAC0H010K
ISA-TASSELLI configured



ISA - TASSELLI 418200090000

3445439 CONTROLLER CAREL PYIA1Z055P
230V 50/60Hz
1 outlet relay 12A for compressor
1 outlet relay 8A for fan
1 outlet relay 8A for light
2 NTC probes (not included)
1 digital configurable inlet
serial output for programming key
frontal dimensions 81x36 mm
mounting hole 71x29 mm
PZIAC0H011K
configured ISA-ANCHORS





ISA - TASSELLI 418200101100

Suitable for:

Suitable for:

- 3445418 CONTROLLER DIXELL XM470K-510C1**
 230V 50/60Hz
 day-board
 1 relay output 8A for compressor
 1 relay output 16A for light
 1 relay output 8A for evaporator fans
 1 relay output 20A for defrosting
 1 relay output 16A for aux
 3 NTC probes (not included)
 1 programmable digital input
 1 energy saving digital input
 RS485 serial output
 X-REP remote display output
 RTC internal timer function

- 3445420 CONTROLLER DIXELL XM470K-510C1**
 230V 50/60Hz
 day-board
 1 relay output 20A for compressor
 1 relay output 16A for light
 1 relay output 8A for evaporator fans
 1 relay output 8A for defrosting
 1 relay output 8A for aux
 2 NTC probes (not included)
 1 door microswitch digital input
 RS485 serial output
 RTC internal timer function
 X-REP remote display output
 touch sensor output



ISA - TASSELLI 418249561100

ISA - TASSELLI 418249561200

ISA - TASSELLI 418200076000

ISA - TASSELLI 418200076100

- 3445412 CONTROLLER DIXELL XR44CX-0N0C8**
 12Vac/dc
 1 relay output 16A for compressor 1
 1 relay output 16A for compressor 2
 1 relay output 16A for defrosting 1
 1 relay output 16A for defrosting 2
 3 selectable NTC/PTC probes (not included)
 1 programmable digital input
 hot key input
 front dimension 78x34xdepth 59 mm
 mounting hole 71x29 mm
 ISA-TASSELLI configuration

- 3445428 CONTROLLER DIXELL XR72CX-0N0C8-U**
 12Vac/dc
 1 relay output 16A for compressor 1
 1 relay output 16A for compressor 2
 1 relay output 16A for defrosting
 1 relay output 16A for ventilator
 2 selectable NTC/PTC probes (not included)
 1 programmable digital input
 hot key/TTL input
 front dimension 78x34xdepth 59 mm
 mounting hole 71x29 mm
 ISA-TASSELLI configuration



ISA - TASSELLI 418256848200

ISA - TASSELLI 418257552000

- 3445413 CONTROLLER DIXELL XW260L-5N0D0-X**
 230V 50/60Hz
 1 relay output 20A for compressor
 1 relay output 16A for defrosting
 1 relay output 8A for ventilator
 1 relay output 8A for aux
 3 NTC probes (not included)
 1 door microswitch digital input
 1 programmable digital input
 hot key input
 front dimension 185x38
 mounting hole 150x31 mm
 ISA-TASSELLI configuration

- 3445422 CONTROLLER ELECTRO 120**



ISA - TASSELLI 418253494000

ISA - TASSELLI 418294090000



Suitable for:

ISA - TASSELLI



3445414 CONTROLLER ELIWELL EW974
 230V 50/60Hz
 1 relay output 2Hp for compressor
 1 relay output 8A aux
 1 relay output 5A aux
 2 selectable NTC/PTC probes (not included)
 1 programmable digital input
 TTL input for copy card connection
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm
 EW2EDIOXC4704
 ISA-TASSELLI configuration
 extractable terminals version



ISA - TASSELLI 418200073000

3445415 CONTROLLER ELIWELL EW974
 230V 50/60Hz
 1 relay output 2Hp for compressor
 1 relay output 8A aux
 1 relay output 5A aux
 2 selectable NTC/PTC probes (not included)
 1 programmable digital input
 TTL input for copy card connection
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm
 EW2EDIOXC4701
 ISA-TASSELLI configuration



ISA - TASSELLI 418200053000

3445427 CONTROLLER ELIWELL EW974
 230V 50/60Hz
 1 relay output 2Hp for compressor
 1 relay output 8A for defrosting
 1 relay output 5A for ventilator
 2 NTC probes (not included)
 1 programmable digital input
 TTL input for copy card connection
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm
 EW2EDIOXCH703
 ISA-TASSELLI configuration



ISA - TASSELLI 418200064100

3445411 CONTROLLER ELIWELL ID971
 230V 50/60Hz
 1 relay output 2Hp for compressor
 1 relay output 8A for defrosting
 2 selectable NTC/PTC probes (not included)
 TTL input for copy card connection
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm
 ID29D00TCH706
 ISA-TASSELLI configuration



ISA - TASSELLI 418227413000

3445421 CONTROLLER ELIWELL ID974
 230V 50/60Hz
 1 relay output 8A for compressor
 1 relay output 8A for defrosting
 1 relay output 5A for ventilator
 2 selectable NTC/PTC probes (not included)
 TTL input for copy card connection
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm
 ID23D00TCH703
 ISA-TASSELLI configuration



ISA - TASSELLI 418227691000

Electronic printed-circuit boards

3390388 BOARD DISPLAY CAREL PSTIALR400
mounting hole 138.5x29 mm
ISA-TASSELLI configuration



ISA - TASSELLI 418236624000

3390390 DISPLAY CAREL PST01VR100
1 NTC probe (not included)
mounting hole 71x29 mm



ISA - TASSELLI 418236625000

3445419 DIXELL SENSOR TOUCH PAD ONE-T-00000



ISA - TASSELLI 418200078000

3390387 ELECTR.CIRCUIT BOARD LED CONTROLLER DICE




ISA - TASSELLI 418200093000

3390386 ELECTR.CIRCUIT BOARD POWER ELECTRO 2
A-0136-08



ISA - TASSELLI 418215217000

3445424 ELECTRON.CIRCUIT BOARD CAREL PSBIA01110
115/230Vac
1 relay output 2Hp for compressor
1 relay output 16A for defrosting
1 relay output 10A for ventilators
1 relay output 10A for alarm
1 relay output 16A for light
1 relay output 10A for demisting heating element
2 digital inputs
LAN serial connection
3 NTC probes (not included)
RTC timer function
personalised ISA-TASSELLI




ISA - TASSELLI 418236623000

3390384 ELECTRON.CIRCUIT BOARD DICE B300136001
for pneumatic valve control



ISA - TASSELLI 418200094100

3390393 ELECTRONIC CIRCUIT BOARD BO496.01




ISA - TASSELLI 418200007100



Suitable for:

3390385 ELECTRONIC CIRCUIT BOARD ELECTRO ON-OFF
0-0017-12



ISA - TASSELLI 418221547100

Suitable for:


3390389 GRAPHIC DISPLAY CAREL PGD1000NW0
mounting hole 74x39 mm
graphical resolution 132x64 pixels



ISA - TASSELLI 418200042000

Gaskets for refrigerators


3186885 SNAP-IN DOOR GASKET 1320x632 mm
magnetic - grey colour
for REFRIGERATOR model with glass door



ISA - TASSELLI


ISA - TASSELLI 424019211000

3186884 SNAP-IN DOOR GASKET 760x690 mm
magnetic - grey colour
for REFRIGERATOR model with blind door




ISA - TASSELLI

3186729 SNAP-IN GASKET 1565x680 mm
magnetic - grey colour




ISA - TASSELLI LF-7100372

5035801 SNAP-IN GASKET 1565x689 mm
magnetic - grey
for Refrigerated cupboard (ISA - TASSELLI)
Series GOURMET600 - Series GOURMET700
for Refrigerated cupboard (ISA - TASSELLI)
GOURMET GNTN600 1400TNSS+SS




ISA - TASSELLI 29009

3186883 SNAP-IN GASKET 1570x690 mm
magnetic - grey colour
for REFRIGERATOR with blind door




ISA - TASSELLI

3186725 SNAP-IN GASKET 1613x647 mm
magnetic - grey colour




ISA - TASSELLI 28047721

3286099 SNAP-IN GASKET 432x180 mm
magnetic - grey colour
for drawer 1/3



ISA - TASSELLI 29013

3186709 SNAP-IN GASKET 614x434 mm
magnetic - grey colour
for Refrigerated table (ISA - TASSELLI)
Series SYSTEM



ISA - TASSELLI 29012

Grids for refrigerator-oven

3185962 CHROME-PLATED GRID 532x410 mm
for Display cabinet (ISA - TASSELLI)



ISA - TASSELLI

3185961 CHROME-PLATED GRID 532x505 mm
for Display cabinet (ISA - TASSELLI)




ISA - TASSELLI

3185965 CHROME-PLATED GRID 540x367xh27 mm
for Display cabinet (ISA - TASSELLI)



ISA - TASSELLI

3185982 CHROME-PLATED GRID 720x532 mm
for Display cabinet (ISA - TASSELLI)



ISA - TASSELLI

Guides

5067646 GUIDA PORTATEGLIE 595x43x18 mm
GE700TN



ISA - TASSELLI 24589

ISA - TASSELLI 430227570100

Handles

3242757 HANDLE ART-MPA GRAY
length 320 mm - height 49 mm
distance between holes 275 mm
with white insert
for Refrigerated cupboard (ISA - TASSELLI)
Series TORNADO



ISA - TASSELLI 491094841000

3242756 HANDLE RED D-ICE
length 130 mm



ISA - TASSELLI 442200560000

ISA - TASSELLI 442200560100

ISA - TASSELLI 491000292100



Suitable for:

ISA - TASSELLI



Suitable for:

Heating elements

3455477 CARTRIDGE HEATING ELEMENT PTC 250W 230V
cartridge length 130 mm \varnothing 12 mm
fitting 3/8"G
cable length 4000 mm



ISA - TASSELLI 418500028000

3455479 CARTRIDGE HEATING ELEMENT PTC 400W 230V
cartridge length 240 mm \varnothing 12 mm
fitting 3/8"G
cable length 500 mm



ISA - TASSELLI 418500030000

ISA - TASSELLI 418500030100

3455478 CARTRIDGE HEATING ELEMENT PTC 700W 230V
 \varnothing 12 mm
cartridge length 370 mm
cartridge width 90 mm
fitting 3/8"G
cable length 1500 mm



ISA - TASSELLI 418500020000

3455044 HEATING ELEMENT 400W 230V
length 380 mm
width 195 mm
for Refrigerated cupboard electric (ISA - TASSELLI) GE700TB



ISA - TASSELLI 30518770


3455480 HEATING ELEMENT 600W 230V
length 295 mm
width 170 mm
height 110 mm



ISA - TASSELLI 418503086200

Hinges, catches and accessories

3053598 BLACK PLASTIC HINGE



ISA - TASSELLI 50230102400

3053599 GREY PLASTIC HINGE



ISA - TASSELLI 50230102300

3053610 LEFT HINGE BRACKET ML/SY



ISA - TASSELLI 442700041005

3053920 LONG PIN HINGE INTERTECNICA 28L
with square pin 7.5 mm



ISA - TASSELLI 24563



Suitable for:

Suitable for:

3053617 LOWER LEFT DOOR HINGE ML/SY

3053596 LOWER LEFT HINGE BRACKET



ISA - TASSELLI 442700045005

ISA - TASSELLI 442700042005

3053597 RIGHT DOOR LOWER HINGE

3053600 RIGHT HINGE BRACKET



ISA - TASSELLI 442700040005

ISA - TASSELLI 442700043005

3053609 RIGHT HINGE BRACKET



ISA - TASSELLI LF-7100970

ISA - TASSELLI 442700044005

Motors

3240632 MOTOR COPREL W5/2A P.30 IV LC1
230V 50Hz
cable length 1300 mm



ISA - TASSELLI 418113259000

3240868 MOTOR MAFS 12 WITH RING ø 145-113 mm
230V 50/60Hz 9W 2700rpm
with bearings

3240870 ALUMINUM FAN ø 96 mm
26° sucking



ISA - TASSELLI 418129631000



Suitable for:

3240871 ALUMINUM FAN \varnothing 96 mm
26° pressure



ISA - TASSELLI



Suitable for:

3240872 THREE-POLE CABLE W/CONNECTOR 1500 mm



Reversing valves

3150056 REVERSING VALVE V2-408060
suction 12.84 mm - discharge 9.67 mm
capacity KW 2.81..6.33 (R22 - R407C)



ISA - TASSELLI 50600401200

3150055 COIL WITH CABLE 230V LDK 41
50Hz 5W - 60Hz 4W
cable length 1200 mm



ISA - TASSELLI 50504200500

Tangential and radial fans

3526900 TANGENTIAL BLOWER QLK45 300 mm LEFT
230V 50/60Hz - \varnothing 45 mm
QLK45/0030 A35-2524L-70



ISA - TASSELLI 50501502200

3805021 TANGENTIAL VENTILATOR 240x2 mm W/CABLE
230V 50/60Hz - \varnothing 60 mm DOUBLE
TAD24B-016



ISA - TASSELLI 50501506800

3805022 TANGENTIAL VENTILATOR 300x2 mm W/CABLE
230V 50/60Hz - \varnothing 60 mm DOUBLE
TAD30B-009



ISA - TASSELLI 50501506900

Transformers

3739030 TRANSFORMER MEAN WELL LPH-18-24
input 200-240Vac 50/60Hz 0.3A
output 24Vdc 0.75A 18W






















ISA - TASSELLI 419000015000

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - www.lfircambi724.mobi
info@lfircambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
 -  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matijaramov@lfspareparts.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
 -  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
 -  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us