

Spare parts for:

Commercial refrigeration



Suitable for:

JOHNSON CONTROLS



This catalogue is automatically generated. Therefore, the sequence of the items might not be always shown at best. Updates will be issued in case of additions and/or amendments. Suitable universal spare parts may not be included



JOHNSON CONTROLS



MINI PRESSURE SWITCHES JOHNSON CONTROLS





LF Code	Model	Low pressure	High pressure	Reset	Threaded connection	Cable length
		bar	bar		SAE	mm
3320139	P100AP-306D	2.8 In - 0.3 Out	-	aut	1/4" F	1000
3320137	P100CP-102D	-	11 In - 16 Out	aut	1/4" F	1000
3320140	P100CP-104D	-	18 In - 24 Out	aut	1/4" F	1000
3320138	P100CP-106D	-	23 In - 28 Out	aut	1/4" F	1000

WATER PRESSURE VALVES JOHNSON CONTROLS







LF Code	Model	Water connection	Calibration range	Capillary length	Drawing
		NPT	bar	mm	
3150060	V46SA-9300	3/8" F	5-23	-	1
3526194	V46SA-9952	3/8" F	5-23	750	2
3150061	V46AA-9300	3/8" F	5-23	-	1
3526551	V46AA-9609	3/8" F	5-23	750	3
3526550	V46AA-9950	3/8" F	5-18	750	2
3150062	V46AB-9300	1/2" F	5-23	_	1



JOHNSON CONTROLS



Suitable for:

Pressure switches

3320135 CONDENSATION PRESSURE SWITCH

for 2 sequential fans setpoint 4..21 bar set differential 1.8 bar contacts max 8A



JOHNSON CONTROLS P736ALA-9351

3320136 PRESSOSTATIC SPEED REGULATOR 3A pressure fitting 1/4"sae F range 10..25 bar - adjustable setpoint 19 bar for single-phase motors control



JOHNSON CONTROLS P215PR-9200

3525023 LIQUID FLOW SWITCH F61SB-9100

range 0.15/46 dm_/s - water 0°/110°C threaded coupling 1"FPT with 4 blades contact SPDT 15A 1 dm³/s = 3.6 m³/h



JOHNSON CONTROLS F61SB-9100

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.

