



Spare parts for:

## Commercial refrigeration



Suitable for:

# PEGO



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.

***Suitable universal spare parts may not be included***





Suitable for:

PEGO



Suitable for:

## Contactors

3351057 AUXILIARY CONTACT SIEMENS NC



PEGO CAU19111AA01

3351058 AUXILIARY CONTACT SIEMENS NO



PEGO CAU19111AA10

3446222 CONTACTOR SIEMENS MINI 3TG1010-0AL2

8.4A 400V 4Kw - coil 230V 50/60Hz  
4 normally open contacts



PEGO CON3TG1010

5023908 CONTACTOR SIEMENS 3RT1025-1AL20

17A 400V 7.5Kw - coil 230V 50/60Hz  
3 normally open contacts



PEGO CON10251AL20

5059050 AUXILIARY CONTACT SIEMENS 3RH1921

1 contact normally open  
1 contact normally closed



PEGO CAU19211EA11

PEGO 3RH-1921-1EA11

3454031 CONTACTOR SIEMENS 3RT1034-1AL20

32A 400V 15Kw - coil 230V 50/60Hz  
3 normally open contacts



PEGO CON10341AL20

3454033 CONTACTOR SIEMENS 3RT2016-1AB01

9A 400V 4Kw - coil 24V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



PEGO CON10161AB01

PEGO CON20161AB01

3351049 CONTACTOR SIEMENS 3RT2016-1AP01

9A 400V 4Kw - coil 230V 50/60Hz  
3 normally open contacts  
1 normally open auxiliary contact



PEGO CON10161AP01

PEGO CON20161AP01

Suitable for:

Suitable for:

**3454006 CONTACTOR SIEMENS 3RT2016-1AP02**  
 9A 400V 4Kw - coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally closed auxiliary contact



PEGO CON10161AP02

PEGO CON20161AP02

**5059050 AUXILIARY CONTACT SIEMENS 3RH1921**  
 1 contact normally open  
 1 contact normally closed



PEGO CAU19211EA11

PEGO 3RH-1921-1EA11

**3454072 CONTACTOR SIEMENS 3RT2017-1AB01**  
 12A 400V 5.5Kw - coil 24V 50/60Hz  
 3 contacts NO  
 1 NO auxiliary contact



PEGO CON10171AB01

PEGO CON20171AB01

**3454030 CONTACTOR SIEMENS 3RT2024-1AL20**  
 12A 400V 5.5Kw - coil 230V 50/60Hz  
 3 contacts NO  
 1 auxiliary contact NO  
 1 auxiliary contact NC



PEGO CON10241AL20

PEGO CON20241AL20

**5051716 RELAY THERMAL SIEMENS 1.4-2A**  
 1 contact NO  
 1 contact NC  
 3RU1116-1BB0 series S00



PEGO REL3RU21161BB0

**3351059 RELAY THERMAL SIEMENS 1.8-2.5A**  
 1 contact NO  
 1 contact NC  
 3RU2116-1CB0 series S00



PEGO REL3RU11161CB0

PEGO REL3RU21161CB0

**3351062 RELAY THERMAL SIEMENS 2.8-4 A**  
 1 contact NO  
 1 contact NC  
 3RU2116-1EB0 series S00



PEGO REL3RU11161EB0

PEGO REL3RU21161EB0

**3351063 RELAY THERMAL SIEMENS 3.5-5 A**  
 1 contact NO  
 1 contact NC  
 3RU1116-1FB0 series S00



PEGO REL3RU11161FB0

**3351064 RELAY THERMAL SIEMENS 4.5-6.3 A**  
 1 contact NO  
 1 contact NC  
 3RU1116-1GB0 series S00



PEGO REL3RU11161GB0

**3351065 RELAY THERMAL SIEMENS 5.5-8 A**  
 1 contact NO  
 1 contact NC  
 3RU2116-1HB0 series S00



PEGO REL3RU11161HB0

PEGO REL3RU21161HB0



Suitable for:

# PEGO



Suitable for:

## 3351066 RELAY THERMAL SIEMENS 7-10 A

1 contact NO  
1 contact NC  
3RU1116-1JB0 series S00



PEGO REL3RU11161JB0

## Electric boards

### 3445345 ALARM BOARD MAN IN COLD ROOM ECP APE 03

230V 50Hz  
acoustic detector 95 dB at 1 m  
and visual with flashing red led 12Vdc  
1 relay 8A NO  
this system was designed to work also  
in case of temporary black-out in the electric cir  
through a battery 12 Vdc  
Ni-MH 1300 mAh with complete recharge cycle 110h  
dimensions 203x193xh79 mm  
Emergency push-button with light for  
inside the cold room  
dimensions 84x84xh80 mm



PEGO 100APE03

### 3445340 CONTROL PANEL ECP 200 BASE 4 PEGO

230V 50Hz  
for single-phase system  
1 microinlet  
1 compressor outlet (max 1500W)  
1 output for cold room light (max 800W)  
1 output for defrosting (max 3000W)  
1 output for evaporator fans (max 500W)  
2 NTC probes included  
alert alarm with led and buzzer  
dimension 203x193xh79 mm



PEGO 200200BASE4CS

### 3445338 CONTROL PANEL ECP 205 PEGO

230V 50Hz  
electronic control with ELIWELL thermostat  
IDPlus 961 230V  
Compressor (to the power panel).  
cold room light (max 800W). door microswitch (it  
it not necessary to short circuit the terminals if  
not used.)  
2 switches : on/off and cold room light  
dimension 193x203xh79 mm



PEGO 200205

PEGO 200205961P

### 3445350 CONTROL PANEL ECP 208 PEGO

230V 50Hz  
for single-phase system  
electronic control with ELIWELL thermostat  
IS974LX.2 switches (on/off and cold room light)  
1 relay output for compressor 30A (max 2Hp)  
1 relay outlet for defrosting 30A  
1 relay output for evaporator fans 16A  
1 relay output for cold room light 8A  
1 relay output for alarm 8A  
1 inlet microswitch-door  
2 NTC probes included  
dimension 203x193xh79 mm



PEGO 2002083



Suitable for:

Suitable for:

**3445339 CONTROL PANEL PEGO ECP 200 BASE 2**  
 230V 50/60Hz  
 for single-phase system with pause defrosting  
 1 door microswitch input  
 1 compressor output (max 1500W)  
 1 output for cold room light (max 800W)  
 1 NTC probe included  
 warning alarm with led and buzzer  
 dimension 203x193x79 mm

**3445341 CONTROL PANEL PEGO ECP 200 EXPERT**  
 230V 50/60Hz  
 for single-phase system with general switch  
 bipolar differential magnetothermic 16A Id=300mA  
 interruption power 4.5 kA  
 1 relay output 10A for compressor  
 1 relay output 16A for defrosting  
 1 relay output 2.7A for fans  
 1 relay output 16A for cold room light  
 1 relay output 8A for Alarm/Aux  
 1 door microswitch input  
 pump-down function included  
 2 NTC probes included  
 dimension 262x168x97 mm



PEGO 200200BASE2

PEGO 200200BASE2+...

PEGO 200200EXPCS

**3445323 CONTROL PANEL PEGO SLIM BASE 2**  
 230V 50/60Hz  
 for single-phase system  
 pause defrosting  
 1 door microswitch input  
 1 output for compressor max 750W  
 1 output for cold room light max 400W  
 1 NTC probe included  
 warning alarm with led and buzzer  
 dimension 207x80x74 mm

**3445325 CONTROL PANEL PEGO SLIM BASE 4**  
 230V 50/60Hz  
 for single-phase system  
 1 door microswitch input  
 1 compressor output max 750W  
 1 output for cold room light max 400W  
 1 output for defrosting max 1500W  
 1 output for evaporator fans max 250W  
 2 NTC probes included  
 warning alarm with led and buzzer  
 dimension 207x80x74 mm



PEGO 200SLIM10017

PEGO 200SLIM10014

**3445331 CONTROL PANEL PEGO 2 TMS**  
 2-temperatures control panel with 1 unit  
 one-phase condenser device up to 1.5 Hp  
 dimension 203x193x79 mm  
 Important: connect the RC filters supplied  
 in parallel on the solenoid valve coil  
 to the control panel power supply.

**3445346 EMERGENCY PUSH-BUTTON WITH LIGHT**  
 inside cold chamber  
 1 contact NC  
 dimensions 84x84x80 mm



PEGO 2002TMS

PEGO 100APEPUL





Suitable for:

PEGO



Suitable for:

**3445342 POWER BOARD ECP 04**

power supply 3ph+N+GND  
ABS box - protection level IP65  
with door lock main switch 16A  
3-phase output for compressor 2,2Kw (3ph) with  
with thermal relay protection (2,8-4A)  
auxiliary terminal block  
1-2 thermostat/pressure switch high/low  
3-4 capacitor fans / solenoid valve 800W  
dimension 260x210xh130 mm



PEGO 10004B003

**3445343 POWER BOARD ECP 300 VD**

power supply 3ph+N+GND  
ABS box - protection level IP65  
with door lock main switch 16A  
output for compressor 2,2Kw (3ph) with  
with thermal relay protection (2,8-4A)  
outlet for heating elements 4Kw 3ph+N(strike n.151)  
auxiliary terminal block  
evaporator fans - kriwan  
solenoid valve/ capacitor fans  
thermostat - end of defrosting thermostat  
pressure switch high/low  
dimension 340x290xh145 mm



PEGO 100300VD023

**3445344 POWER BOARD ECP 300 VD+T**

power supply 3ph+N+GND  
complete with ELIWELL EWPlus 974 230V thermostat  
ABS box - protection level IP65  
with door lock main switch 16 A  
cabinet light and stand-by switch  
outlet for compressor 2.2Kw (3ph) with  
with thermal relay protection (2.8-4A)  
outlet for heating element 4Kw 3ph+N(strike n.151)  
auxiliary terminal block:  
evaporator fans - kriwan  
solenoid valve/ capacitor fans  
cold room light - micro door  
pressure switch high/low  
dimension 340x290xh145 mm




















PEGO 100300VD006

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfircambi724.it](http://www.lfircambi724.it) - [www.lfircambi724.mobi](http://www.lfircambi724.mobi)  
[info@lfircambi.it](mailto:info@lfircambi.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 34149 Trieste - Italia - AREA Science Park  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.com](mailto:info@lfspareparts.com)
-  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
-  **LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
-  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
-  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
-  **LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
-  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
-  **AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
-  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matijaramov@lfspareparts.com](mailto:matijaramov@lfspareparts.com)
-  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
-  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)
-  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.leth@lfspareparts.com](mailto:michael.leth@lfspareparts.com)
-  **JAPAN**  
[www.lfspareparts724.jp](http://www.lfspareparts724.jp)  
[hiroshi.ukai@lfspareparts.jp](mailto:hiroshi.ukai@lfspareparts.jp)
-  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
-  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
-  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)