



Spare parts for:

## Commercial refrigeration



Suitable for:

# THIRODE



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

# THIRODE



Suitable for:

## Axial motors

**3340001 AXIAL FAN EBM 4656Z**  
230V 50Hz 19W 2650rpm  
119x119x38 mm  
ball bearings



THIRODE 780002656

THIRODE 906107

**3240501 AXIAL FAN SUNON 120x120x38 mm**  
ball bearings  
230V 50/60Hz 22W 2850rpm  
DP200A 2123XBT.GN



THIRODE 304194

THIRODE 906107

## Capacitors, electrical

**3068016 CAPACITOR  $\mu$ F 10 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



THIRODE 5843E

THIRODE 904191

**3068024 CAPACITOR  $\mu$ F 16 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



THIRODE 2001118H

THIRODE 2002168H

THIRODE 304259

**3068027 CAPACITOR  $\mu$ F 20 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



THIRODE 2001119H

THIRODE 2002417H

**3068008 CAPACITOR  $\mu$ F 5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and EEC 92/31 regulat



THIRODE 2000001

THIRODE 2001120H

**3068010 CAPACITOR  $\mu$ F 6.3 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and EEC 92/31 regulat



THIRODE 2000059

THIRODE 2001121H

**3068014 CAPACITOR  $\mu$ F 8 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



THIRODE 3709E



## Compressors and spares

- 3070097 COMPRESSOR TECUMSEH CAJ2446Z CSR**  
 220/240V 50Hz  
 Rotalock suction connection  
 power 1.2 Hp, displacement 26.1 cc  
 gas R404a/R507 LBP  
 for Refrigerated cupboard (THIRODE)  
 Series ANTARTICA  
 for Refrigerated cupboard (THIRODE)  
 ANTARTICA2P 614007



THIRODE 653243

## Contactors

- 3454015 CONTACTOR SCHNEIDER LC1D18P7**  
 18A 400V 7.5Kw - coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact  
 1 normally closed auxiliary contact



THIRODE 1700732

THIRODE 300698

- 3454066 CONTACTOR SCHNEIDER LC1D25P7**  
 25A 400V 11Kw - coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact  
 1 normally closed auxiliary contact



THIRODE 300697

THIRODE 5875E

THIRODE 905241

THIRODE 910566

THIRODE 300699

THIRODE 900130

THIRODE 905686

THIRODE 300760

THIRODE 905239

THIRODE 906759

- 3351049 CONTACTOR SIEMENS 3RT2016-1AP01**  
 9A 400V 4Kw - coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact



THIRODE 2001923H

- 3454072 CONTACTOR SIEMENS 3RT2017-1AB01**  
 12A 400V 5.5Kw - coil 24V 50/60Hz  
 3 contacts NO  
 1 NO auxiliary contact



THIRODE 2001138H

THIRODE 2001140H

THIRODE 5875E



Suitable for:

# THIRODE



Suitable for:

## Electronic controllers

**3445124 CONTROLLER EVCO EVK213N3**  
 12-24Vac/dc  
 1 relay outlet 16A for compressor  
 1 outlet relay 8A for defrosting  
 1 outlet relay 8A for evaporator fans  
 NTC/PTC probe selectable (not included)  
 with buzzer and serial port  
 dimension 75x33x depth 59 mm  
 mounting hole 71x29 mm



THIRODE S094PB70

THIRODE S094P20

THIRODE 651094

**3445234 CONTROLLER LAE AT1-5A51E-G**  
 230V 50/60Hz  
 1 relay output 16A for compressor  
 1 selectable NTC/PTC probe (not included)  
 with buzzer  
 front dimension 77x35xdepth 70 mm  
 mounting hole 71x29 mm



THIRODE 651260

**3445076 THERMOSTAT EVK411 PTC/NTC/PT100/PT1000**  
 power supply 12Vca/dc 1.5VA  
 thermostat setting range 99+600°C  
 ON-OFF control with one actuation point  
 1 exchange relay output 6(3)A 250V  
 inbuilt alarm buzzer  
 access to configuration parameters through  
 password  
 serial port for data exchange  
 room temperature 0+60°C  
 PTC/NTC/PT100/PT1000 type probe (not included)  
 connections by screwed terminal block  
 front dimensions 74x32x65 mm  
 mounting hole 71x29 mm



THIRODE S225P20

THIRODE 651225

## Evaporators

**5043563 EVAPORATOR 335x120x110 mm**  
 for Refrigerated table (THIRODE) 613600



THIRODE S014P30

THIRODE 652014



## Feet

- 3313005 STAINLESS STEEL FOOT  $\varnothing$  2" x h 125 mm**  
with fixed screw M12x25 mm  
altezza regolabile 135÷200 mm



THIRODE 2001489H

THIRODE 2001871H

## Fuses

- 3049041 QUICK ACTING FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 315mA



THIRODE 309316

- 3049045 QUICK ACTING FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 800mA



THIRODE 2001921H

- 3049052 QUICK ACTING FUSE  $\varnothing$  5x20 mm - 10 PCS**  
250V 4A



THIRODE 2001981H

THIRODE 2002146H


- 3049034 QUICK ACTING FUSE  $\varnothing$  6.3x32 mm - 10 PCS**  
500V 10A



THIRODE 3090506

## Gaskets for refrigerators

- 3786270 SNAP-IN GASKET 1520x640 mm**  
magnetic - colour grey  
for Refrigerated cupboard (THIRODE)  
ANTARTICA5 614000 - Series NEPTUNE - 616533  
for Refrigerated cupboard (THIRODE)  
BONTAMI PS21/141 - 616162  
616164 ARM POLARIS P1 71 ANTARTICA5 614000  
616533 - 617055




THIRODE S138P11  
THIRODE 906002019

THIRODE 15398881

THIRODE 638138

- 3786271 SNAP-IN GASKET 1540x685 mm**  
magnetic - colour grey  
for Refrigerated cupboard (THIRODE)  
Series ANTARTICA - IXANE 614071 - NEPTUNE 612517  
614007  
for Refrigerated cupboard (THIRODE) ADELIE DB2.51  
BONTAMI PS21/141 - IXANE 614071 - IXANE 614075  
MAGELLAN P2BS 612615 - MAGELLAN 612612  
NEPTUNE 612517 - 614001 - 614007 - 614052  
614053 612600



THIRODE S136P11  
THIRODE 638354

THIRODE S355P11

THIRODE 638136




Suitable for:

# THIRODE




**3786274** SNAP-IN GASKET 1550x660 mm  
magnetic



THIRODE 74306

Suitable for:


**5045063** SNAP-IN GASKET 1566x688 mm  
magnetic - grey colour



THIRODE S400P11


THIRODE 638400

**3786269** SNAP-IN GASKET 1629x627 mm  
magnetic - colour grey  
for Refrigerated cupboard (THIRODE)  
Series NEPTUNE



THIRODE 638166


**3786268** SNAP-IN GASKET 1945x815 mm  
magnetic - colour grey  
for Refrigerated cupboard (THIRODE)  
Series NEPTUNE



THIRODE 638168

THIRODE 906004254

**3786266** SNAP-IN GASKET 582x398 mm  
magnetic - colour grey  
for Refrigerated cupboard (THIRODE) DR700  
for Refrigerated cupboard (THIRODE)  
DR2P700G1400 613000




THIRODE S255P11  
THIRODE 980451726

THIRODE 15398901


THIRODE 638255

**5033846** SNAP-IN GASKET 610x405 mm  
magnetic - grey colour



THIRODE 638427


**5045391** SNAP-IN GASKET 610x445 mm  
magnetic - grey colour  
for Refrigerated table (THIRODE) 615001



THIRODE S396P11


THIRODE 638396

**3786272** SNAP-IN GASKET 647x477 mm  
magnetic - color grey



THIRODE 638186

**5045974** SNAP-IN GASKET 790x715 mm  
magnetic - grey colour



THIRODE S218P11

THIRODE 638218



## Grids for refrigerator-oven

3185053 STAINLESS STEEL GRID GN 2/1 530x650 mm



THIRODE 635022

## Handles

3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE

base length 38x18x31 mm  
fixing distance 26 mm  
RAHRBACH



THIRODE S486P51

THIRODE 679486

3242948

LH-RH CATCH WITH LOCK 795 CR

straight handgrip  
base length 150x30x40.5h mm  
mounting distance 133 mm  
adjustable catch between 9 and 22 mm



THIRODE 74441

3242583 LH-RH CATCH WITH LOCK 885 CR

straight handgrip  
base length 122x28x35h mm  
mounting distance 104 mm  
adjustable catch mounting distance 31 mm



THIRODE 906392

3242579

LH-RH CATCH WITHOUT LOCK 570 CR


straight handgrip  
base length 150x23x31h mm  
mounting distance 110 mm  
catch height 16.5 mm



THIRODE 621002

3242349 LOCKING HANDLE 621 WITH KEY LOCK

213x104xh50 mm



THIRODE 21273E

3242946

RH/LH LOCKING HANDLE W/OUT KEYLOCK 790CR

straight handle  
base length 254x30 mm  
distance between holes 133 mm  
adjustable catch between 9 and 22 mm



THIRODE 384634



Suitable for:

# THIRODE



**3242957 RH/LH LOCKING HANDLE W/OUT KEYLOCK 790CR**  
 straight handle  
 length 254x30 mm - mounting distance 133 mm  
 with adjustable strike from 9 to 22 mm  
 for high temperatures  
 for OVEN



THIRODE 21433E

Suitable for:

**3242718 DOOR HANDLE STRIKE**  
 for high temperatures  
 mounting distance 43 mm  
 for OVEN



THIRODE LF-3242042

**3242947 RH/LH LOCKING HANDLE WITHOUT LOCK 791 CR**  
 curved handle  
 length 254x30 mm - mounting distance 133 mm  
 adjustable catch between 9 and 22 mm



THIRODE 71261E

## Heating elements

**3355932 HEATING ELEMENT 46W 230V**  
 for half-door frame  
 length 7550 mm



THIRODE S217P15

THIRODE 645217

## Hinges, catches and accessories

**3053391 CHROME PLATED HINGE 361**  
 length 140 mm - mounting distance 30-35 mm  
 for door thickness from 37 mm gasket included



THIRODE 71258E

**3053941 HINGE FERMOD 175**  
 with cross pin




THIRODE S083P01





Suitable for:


**3053944 HINGE FERMOD 176**  
with square shaft 8 mm



THIRODE 621083

Suitable for:

**3053427 HINGE 362 LH WITH RAMP**  
length 150 mm - mounting distance 110-80 mm



THIRODE 74445

**3053426 HINGE 362 RH WITH RAMP**  
length 150 mm - mounting distance 110-80 mm



THIRODE 74444

**3053400 HINGE 481 HP WITH RAMP**  
mounting distance 30 mm



THIRODE S090P01

THIRODE 621090

## Hydraulic piping

**7106041 CONNECTING PIPE**



THIRODE SH03018

## Incandescent lamps and neon lamps

**3221061 OVEN LAMP E14 25W 230V**  
max temperature 300°C  
for OVEN - PIZZA OVEN



THIRODE 70598E

## Indicator lights

**3221025 INDICATOR LAMP ORANGE 230V**  
head  $\varnothing$  15 mm - hole  $\varnothing$  13 mm - 120°C  
faston M 6.3x0.8 mm  
universal application



THIRODE 904360

**3221515 ORANGE INDICATOR LAMP 250V**  
head  $\varnothing$  14 mm - hole  $\varnothing$  13 mm



THIRODE S298P15

THIRODE 645298



Suitable for:

# THIRODE



Suitable for:

## Ironmongery (screws,nuts,washers)

**3523086 NUT  $\varnothing$  3/4"**



THIRODE 317881

## Microswitches

**5050688 MICROSWITCH ARCOLECTRIC HK3141**  
1-NC 1-NO 5A 250V  
white colour



THIRODE S128P15

THIRODE 645128

**3240407 MICROSWITCH KIT 16A 250V**  
3 locking positions  
the kit includes 5 levers:  
lever 75 mm - lever 27 mm - lever 15 mm  
lever 15 mm with wheel - lever 27 mm with wheel



THIRODE 300688

## Motors

**3805008 FAN MOTOR 5W WITH RING**  
230V 50/60Hz  
suction fan  $\varnothing$  154 mm  
VN 5-13/1692



THIRODE

**3240580 MOTOR EBM M4Q045-CA03-75 PENTAVALENT**  
230V 50/60Hz 10/36W 1300rpm



THIRODE 2010047

**3240627 MOTOR EBM M4Q045-DA01-75 PENTAVALENT**  
230V 50/60Hz 18/70W 1300rpm



THIRODE 2010048

**3240628 MOTOR EBM M4Q045-EA01-75 PENTAVALENT**  
230V 50/60Hz 25/90W 1300rpm



THIRODE 2010049




Suitable for:

Suitable for:

**3340106 MOTOR ELCO VN 10-20/1796**  
 NEC7T10ZVN001  
 230V 50/60Hz 1300rpm 10/38W  
 shaft length 120 mm - with bearings  
 back fastening  
 complete with stainless steel bracket h=100 mm

**3240210 MOTOR ELCO VN 5-13 PENTAVALENT**  
 230V 50/60Hz 5/32W 1300rpm



THIRODE F10D00004PC1  
 THIRODE S536P15  
 THIRODE 645157

THIRODE R45536  
 THIRODE S536P15+S321P46  
 THIRODE 645536

THIRODE S157P15  
 THIRODE 345536+674321  
 THIRODE 645536+674321

THIRODE 2010063

**3805017 MOTOR FAN 10 W WITH RING**  
 230V 50/60Hz  
 suction fan ø 200 mm  
 VN10.20/1410

**3805009 MOTOR FAN 5 W WITH RING**  
 230V 50/60Hz  
 suction fan ø 154 mm  
 VN5.13.115.154.31



THIRODE

THIRODE

**3805010 MOTOR FAN 5 W WITH RING**  
 230V 50/60Hz  
 suction fan ø 170 mm  
 NA5.13.606.172/22

**3805011 MOTOR VENTILATOR 10W WITH RING**  
 230V 50/60Hz  
 suction fan ø 200 mm  
 VN10.20/118.A200.31



THIRODE

THIRODE

## OR and ORM gaskets

**3186606 O-RING 0144 EPDM**



THIRODE 2001372H



Suitable for:

# THIRODE



Suitable for:

## Probes

**3445913 SILICONE PROBE NTC 1500 mm**  
temperature range -50+110°C  
bulb ø 6x40 mm



THIRODE S184P20

THIRODE 651184

**3445959 SILICONE PTC PROBE 5000 mm**  
temperature range -55°+150°C  
bulb ø 6x40 mm



THIRODE 25040403

## Relays

**3351901 POWER RELAY FINDER 60.62.8.230.0000**  
230V 50/60Hz  
2 exchange contacts 10A



THIRODE 2001867H

**3351021 POWER RELAY FINDER 62.82.8.230.0000**  
230V 50/60Hz  
2 exchange contacts 16A



THIRODE 2001873H

**3351008 POWER RELAY FINDER 62.83.8.230.0000**  
230V 50/60Hz  
3 exchange contacts 16A



THIRODE 2001258H

THIRODE 900073

**3351602 POWER RELAY FINDER 65.31.8.230.0300**  
230V 50/60Hz  
1 contact NO 30A



THIRODE 2001929H

THIRODE 300283

**3351605 RELAY POWER FINDER 60.63.8.230.0000**  
230V 50/60Hz  
3 exchange contacts 10A



THIRODE 2001887H

## Solenoid valves

**3120910 CASTEL COIL 230V HM2**  
50/60 Hz



THIRODE S074P20

THIRODE 651074



## Switches

- 1319702 SELECT.SWITCH ON-OFF-ON STABLE 16A 250V**  
 16(4)A 250V - max. temperature 120°C  
 mounting hole 22x30 mm - silk screen print I - O -



THIRODE 900010

## Tangential and radial fans


- 3526160 TANGENTIAL BLOWER 180x180 mm**  
 230V 50/60Hz - ø 60 mm DOUBLE  
 operating temperature -30°+100°C



THIRODE 504365

## Terminal blocks


- 3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V**  
 for cable max 6 mm<sup>2</sup>  
 operating temperature 150°C  
 nominal voltage 450 V



THIRODE 306090


## Thermostats

- 3444880 THERMOSTAT DANFOSS 077B-7002**  
 4 contacts 6A 250V  
 capillary 1300 mm  
 COLD -21°/-11,5°C - WARM 0°/-7,5°C  
 D-shaped pin ø 6x4.6 mm  
 with defrosting button



THIRODE 1176389

- 3444882 THERMOSTAT DANFOSS 077B-7004**  
 4 contacts 6A 250V  
 capillary 1600 mm  
 COLD -11°/-5°C - WARM +3,5°/-1°C  
 D-shaped pin ø 6x4.6 mm



THIRODE 1176387



Suitable for:

# THIRODE



**3444883 THERMOSTAT DANFOSS 077B-7005**  
3 contacts 6A 250V  
capillary 2300 mm  
COLD -32,5°/-21°C - WARM -1,5°/-7,5°C  
D-shaped pin  $\varnothing$  6x4.6 mm



THIRODE 1176388

**3444919 THERMOSTAT RANCO K50 P1115**  
2 contacts 6A 250V  
capillary 2000 mm  
COLD +1.5°C - WARM +11.0°C  
D shaft  $\varnothing$  6x4.6 mm



THIRODE 380101

## Timers

**3322900 TIMER HAGER EH710 24h**  
230V 50Hz  
1 contact 16A 250V  
minimum programming interval 10 minutes  
min interval between 2 switching 20 minutes  
size 72x72 mm






















THIRODE 42587E

THIRODE 651026

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfircambi724.it](http://www.lfircambi724.it) - [www.lfircambi724.mobi](http://www.lfircambi724.mobi)  
[info@lfircambi.it](mailto:info@lfircambi.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
  -  **LF SpA HOUSEHOLD COMPONENTS DIVISION**  
Via Padriciano, 34149 Trieste - Italia - AREA Science Park  
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.com](mailto:info@lfspareparts.com)
  -  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
  -  **LF GmbH GERMANY**  
Junkersstrasse, 3 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
  -  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
  -  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel./Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
  -  **LF Repuestos Horeca S.L.U. SPAIN**  
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
  -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteilech724.mobi](http://www.lfersatzteilech724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
  -  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
  -  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
  -  **AUSTRIA**  
[www.lfersatzteile724.at](http://www.lfersatzteile724.at)  
[info@lfersatzteile.at](mailto:info@lfersatzteile.at)
  -  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matijaramov@lfspareparts.com](mailto:matijaramov@lfspareparts.com)
  -  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
  -  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)
  -  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.leth@lfspareparts.com](mailto:michael.leth@lfspareparts.com)
  -  **JAPAN**  
[www.lfspareparts724.jp](http://www.lfspareparts724.jp)  
[hiroshi.ukai@lfspareparts.jp](mailto:hiroshi.ukai@lfspareparts.jp)
  -  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
  -  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
  -  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)