



Spare parts for:

Commercial refrigeration



Suitable for:

ZANUSSI



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

ZANUSSI



Suitable for:

Axial motors

3240519 AXIAL FAN EBM 4656N
230V 50Hz 19W 2650rpm
119x119x38 mm
ball bearing



ZANUSSI

3240515 AXIAL FAN EBM 8556N
230V 50Hz 12W 2800rpm
80x80x38 mm
ball bearing



ZANUSSI 083528

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



ZANUSSI 0C1478
ZANUSSI 0E2261
ZANUSSI 058855

ZANUSSI 0C4106
ZANUSSI 002656

ZANUSSI 0C4423
ZANUSSI 002690

3240502 AXIAL FAN SUNON 80x80x25 mm
ball bearings
230V 50/60Hz 14W 2450rpm
SF23080AT-2082HBL.GN



ZANUSSI 006125

Bearings

3063900 BEARING FOR DRAWER GUIDE ø 24 mm



ZANUSSI 0A8292

Capacitors, electrical

3068016 CAPACITOR µF 10 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 0U0403

ZANUSSI 056148

3068019 CAPACITOR µF 12.5 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 037269

ZANUSSI 047541

ZANUSSI 047883

Suitable for:

3068024 CAPACITOR μF 16 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 0A2914

ZANUSSI 0C1187

ZANUSSI 0H6812

Suitable for:

3068002 CAPACITOR μF 2.5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



ZANUSSI 0E0174

3068027 CAPACITOR μF 20 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 0H1044

ZANUSSI 047744

3068008 CAPACITOR μF 5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



ZANUSSI 0K9108

ZANUSSI 037268

3068010 CAPACITOR μF 6.3 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



ZANUSSI 049260

3068014 CAPACITOR μF 8 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ZANUSSI 049126

3240552 CAPACITOR WITH CABLE $5\mu\text{F}$



ZANUSSI 083406

3068040 RUNNING CAPACITOR $15\mu\text{F}$ 450V
 $\varnothing 40 \times 98 \text{ mm}$



ZANUSSI 089915

3068036 RUNNING CAPACITOR $25\mu\text{F}$ 450V
 $\varnothing 45 \times 98 \text{ mm}$



ZANUSSI 005135

3068101 STARTING CAPACITOR $43/52\mu\text{F}$ 330V



ZANUSSI 0A8764

ZANUSSI 086359



Suitable for:

ZANUSSI



Suitable for:

3068103 STARTING CAPACITOR 88/103µF 330V



ZANUSSI 0KQ662

ZANUSSI 083449

ZANUSSI 086174

Check-safety valves for refrigeration

3150016 SAFETY VALVE 3060/23C300 30 bar
inlet 1/4"npt - outlet 3/8"sae



ZANUSSI 092141

Clamps

3449451 HOSE CLAMP 10-16
for pipes $\varnothing 10 \div 16$ mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ZANUSSI 0L0266

3449454 HOSE CLAMP 32-50
for pipes $\varnothing 32 \div 50$ mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ZANUSSI 0KB302

ZANUSSI 046878

3449457 HOSE CLAMP 60-80
for pipes $\varnothing 60 \div 80$ mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ZANUSSI 046853



Compensation valves for refrigeration

4092573 COMPENSATION VALVE
 extensible - \varnothing 45 mm
 for temperature below 0 with heating element 230V



ZANUSSI 089676

ZANUSSI 092573

3526800 COMPENSATION VALVE MINI EL/TN
 length without flange 62mm - \varnothing 60 mm
 for positive temperature
 without heating element



ZANUSSI 081971

Compressors and spares

3070011 COMPRESSOR CUBIGEL GL45TB CSIR
 power 1/6 HP. displacement 4.50 cc
 220/240V 50Hz
 CUBIGEL



ZANUSSI 085501

3070012 COMPRESSOR CUBIGEL GL60TB CSIR
 220/240V. 50Hz
 power 1/5 Hp, displacement 5.67 cc
 gas R134a HMBP



ZANUSSI 085876

3070013 COMPRESSOR CUBIGEL GL80TB CSIR
 220/240V 50Hz
 power 1/5 Hp, displacement 7.57 cc
 gas R134a HMBP



ZANUSSI 083735

3070014 COMPRESSOR CUBIGEL GL90TB CSIR
 220/240V 50Hz
 power 1/4 Hp, displacement 8.85 cc
 gas R134a HMBP



ZANUSSI 083718

3070015 COMPRESSOR CUBIGEL GP12TB CSIR
 220/240V 50Hz
 power 1/3 Hp, displacement 12.00 cc
 gas R134a HMBP



ZANUSSI 083752

3070051 COMPRESSOR CUBIGEL GP14TB CSIR
 220/240V 50Hz
 power 3/8 Hp, displacement 14.00 cc
 gas R134a HMBP



ZANUSSI 083728



Suitable for:

ZANUSSI



3070086 COMPRESSOR CUBIGEL GS34TB CSIR
220/240V 50Hz
power 1 Hp, displacement 34.4 cc
gas R134a HMBP



ZANUSSI 084763

Suitable for:

3070031 COMPRESSOR CUBIGEL MP12FB CSIR
220/240V 50Hz
power 3/8 Hp, displacement 12.00 cc
gas R404a/R507 LBP



ZANUSSI 087001

3070032 COMPRESSOR CUBIGEL MP14FB CSIR
220/240V 50Hz
power 1/2 Hp, displacement 14.00 cc
gas R404a/R507 LBP



ZANUSSI 0A9615

3070066 COMPRESSOR CUBIGEL MS34FB CSIR
220/240V 50Hz
power 1.5 Hp, displacement 34.42 cc
gas R404a/R507 LBP



ZANUSSI 0A9727

ZANUSSI 084499

3070033 COMPRESSOR CUBIGEL MX18FBa CSIR
220/240V 50Hz
power 5/8 Hp, displacement 18.39 cc
gas R404a/R507 LBP



ZANUSSI 091221

3070215 COMPRESSOR EMBRACO EMT6144GK CSIR
220/240V 50Hz
power 1/6 Hp, displacement 3.97 cc
gas R404a/R507 HMBP
ASPERA



ZANUSSI 092337

3070218 COMPRESSOR EMBRACO EMT6144Z CSIR
220/240V 50Hz
power 1/6 Hp, displacement 5.20 cc
gas R134a HMBP
ASPERA



ZANUSSI 0S0590

ZANUSSI 093267

3070216 COMPRESSOR EMBRACO EMT6152GK CSIR
220/240V 50Hz
power 1/5 Hp, displacement 4.50 cc
gas R404a/R507 HMBP
ASPERA



ZANUSSI 0S1499

Suitable for:

3070219 COMPRESSOR EMBRACO EMT6160Z CSIR
 220/240V 50Hz
 power 1/5 Hp, displacement 6.76 cc
 gas R134a HMBP
 ASPERA



ZANUSSI 093207

Suitable for:

3070217 COMPRESSOR EMBRACO EMT6165GK CSIR
 220/240V 50Hz
 power 1/4 Hp, displacement 5.20 cc
 gas R404a/R507
 ASPERA



ZANUSSI 093208

3070220 COMPRESSOR EMBRACO EMT6170Z CSIR
 220/240V 50Hz
 power 1/4 Hp, displacement 7.69 cc
 gas R134a HMBP
 ASPERA



ZANUSSI 093206

3070166 COMPRESSOR EMBRACO NEK2134GK CSIR
 220/240V 50Hz
 power 1/3 Hp, displacement 8.78 cc
 gas R404a/R507 LBP
 ASPERA



ZANUSSI 093374

3070120 COMPRESSOR EMBRACO NEK2150GK CSIR
 220/240V, 50Hz
 power 1/2 Hp, displacement 12.12 cc
 gas R404a/R507 LBP
 ASPERA



ZANUSSI 093630

3070183 COMPRESSOR EMBRACO NEK6181GK CSIR
 220/240V 50Hz
 power 1/3 Hp, displacement 7.28 cc
 gas R404a/R507 HMBP
 ASPERA



ZANUSSI 093373

3070174 COMPRESSOR EMBRACO NEK6187Z CSIR
 220/240V 50Hz
 power 1/3 Hp, displacement 10.00 cc
 gas R134a HMBP
 ASPERA



ZANUSSI 093379

3070184 COMPRESSOR EMBRACO NEK6210GK CSIR
 220/240V 50Hz
 power 3/8 Hp, displacement 8.78 cc
 gas R404a/R507 HMBP
 ASPERA



ZANUSSI 093377



Suitable for:

ZANUSSI



3070175 COMPRESSOR EMBRACO NEK6210Z CSIR
 220/240V 50Hz
 power 1/3 Hp, displacement 12.12 cc
 gas R134a HMBP
 ASPERA



ZANUSSI 093297

Suitable for:

3070176 COMPRESSOR EMBRACO NEK6212Z CSIR
 220/240V 50Hz
 power 1/2 Hp, displacement 14.30 cc
 gas R134a HMBP
 ASPERA



ZANUSSI 093205

3070040 COMPRESSOR EMBRACO NEK6213GK CSIR
 220/240V 50Hz
 power 1/2 Hp, displacement 12.12 cc
 gas R404a/R507 HMBP
 ASPERA



ZANUSSI 091161

3070186 COMPRESSOR EMBRACO NEK6217GK CSR
 220/240V 50Hz
 power 5/8 Hp, displacement 14.30 cc
 gas R404a/R507 HMBP
 ASPERA



ZANUSSI 092239

3070123 COMPRESSOR EMBRACO NJ2192GK CSR
 220/240V, 50Hz
 power 1.2 Hp, displacement 26.20 cc
 gas R404a/R507 LBP
 ASPERA



ZANUSSI 084076

3070045 COMPRESSOR EMBRACO NJ2212GK CSR
 220/240V 50Hz
 power 1.5 Hp, displacement 34.37 cc
 gas R404a/R507 LBP
 ASPERA



ZANUSSI 085097

3070050 COMPRESSOR EMBRACO NJ6220Z CSIR
 220/240V 50Hz
 power 3/4 Hp, displacement 26.20 cc
 gas R134a HMBP
 ASPERA



ZANUSSI 093454

3070052 COMPRESSOR EMBRACO NJ6226Z CSR
 220/240V 50Hz
 power 1 Hp, displacement 34.37 cc
 gas R134a HMBP
 ASPERA



ZANUSSI 093474

Suitable for:

3070018 COMPRESSOR EMBRACO NJ9232GK CSR
 220/240v 50Hz
 power 1.2 Hp, displacement 26.20 cc
 gas R404a/R507 HMBP
 ASPERA



ZANUSSI 092906

Suitable for:

3070027 COMPRESSOR EMBRACO NJ9232GS
 400V 3Ph 50Hz
 power 1.2 Hp, displacement 26.20 cc
 gas R404a/R507 HMBP
 ASPERA



ZANUSSI 085563

3070028 COMPRESSOR EMBRACO NJ9238GS
 400V 3Ph 50Hz
 power 1.5 Hp, displacement 32.70 cc
 gas R404a/R507
 ASPERA



ZANUSSI 089761

3070168 COMPRESSOR EMBRACO NT2168GK CSR
 220/240V 50Hz
 power 5/8 Hp, displacement 14.40 cc
 gas R404a/R507 LBP
 ASPERA



ZANUSSI 093787

3070170 COMPRESSOR EMBRACO NT2180GK CSR
 220/240V 50Hz
 power 1 Hp, displacement 20.40 cc
 gas R404a/R507 LBP
 ASPERA
 for Refrigerated cupboard (ZANUSSI) RS13FX42F
 for Refrigerated cupboard (ZANUSSI) RS13FX42F



ZANUSSI 093735

3070178 COMPRESSOR EMBRACO NT6215Z CSIR
 220/240V 50Hz
 power 1/2 Hp, displacement 17.40 cc
 gas R134a HMBP
 ASPERA



ZANUSSI 092312

3070179 COMPRESSOR EMBRACO NT6217Z CSIR
 220/240V 50Hz
 power 5/8 Hp, displacement 20.40 cc
 gas R134a HMBP
 ASPERA



ZANUSSI 0TTP29

3070068 COMPRESSOR SECOP SC15G CSIR
 220/230V 50Hz
 power 3/8 Hp - displacement 15.28 cc
 gas R134a HMBP
 104G8520-HST DANFOSS



ZANUSSI 0T5270



Suitable for:

ZANUSSI



Suitable for:

3070130 COMPRESSOR TECUMSEH CAJ9480Z CSR
 220/240V 50Hz
 Rotalock suction connection
 power 5/8 Hp, displacement 15.2 cc
 gas R404a/R507 HMBP



ZANUSSI 0D2530


ZANUSSI 0D2530+089652

ZANUSSI 089652

ZANUSSI 089652+0D2530


Condensers

3123090 CONDENSER STFT 16224 1x230 mm
 output 1385W DT15°C
 250x60x250h mm



ZANUSSI 088661

3068901 CONDENSER STN 8324 1x230 mm
 output 1125W DT 15°C
 300x90x250h



ZANUSSI 082229

Contactors

3446223 CONTACTOR AEG LS02K400
 6A 400V 2.2Kw - coil 230V 50/60Hz
 4 normally open contacts



ZANUSSI 004159

3454001 CONTACTOR BENEDIKT/JAGER K3-10ND01
 10A 400V 4Kw - coil 230V 50/60HZ
 3 normally open contacts
 1 normally closed auxiliary contact



ZANUSSI 0E3757

ZANUSSI 0L0285

ZANUSSI 047048

ZANUSSI 048825

ZANUSSI 072319

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
 10A - 1 NO contact
 screw connection



ZANUSSI 0C4704

ZANUSSI 046995



Suitable for:

3454068 CONTACTOR BENEDIKT/JAGER K3-10ND10
 10A 400V 4Kw - coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



ZANUSSI 082986

ZANUSSI 088477

Suitable for:

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
 10A - 1 NO contact
 screw connection



ZANUSSI 0C4704

ZANUSSI 046995

3446510 CONTACTOR BENEDIKT/JAGER K3-14ND10
 14A 400V 5.5Kw - coil 24V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



ZANUSSI 0E0020

ZANUSSI 0E1291

ZANUSSI 0K3968

ZANUSSI 0L0360

ZANUSSI 046994

4046995 CONTACT AUXILIARY BENEDIKT/JAGER HN10
 10A - 1 NO contact
 screw connection



ZANUSSI 0C4704

ZANUSSI 046995


3446561 CONTACTOR LOVATO BF0910A
 coil 9A 230V 50/60Hz 4.2Kw
 3 normally open contacts
 1 normally open auxiliary contact



ZANUSSI 003027

ZANUSSI 004206

3454022 CONTACTOR LOVATO BF1201A
 coil 12A 230V 50/60Hz 5.7Kw
 3 normally closed contacts
 1 normally closed auxiliary contact



ZANUSSI 0KD792

3446506 CONTACTOR LOVATO BF2510A
 25A 400V 12.5Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



ZANUSSI 0K4938

ZANUSSI 054928

3446552 CONTACTOR LOVATO BG0610A
 coil 6A 230V 50/60Hz 2.2Kw
 3 normally open contacts
 1 normally open auxiliary contact



ZANUSSI 086215



Suitable for:

3446214 CONTACTOR LOVATO BG09T4A
4KW 400V 9A - 4 normally open contacts
coil 230V 50/60Hz



ZANUSSI

Suitable for:

3446557 CONTACTOR LOVATO BG0901A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally closed auxiliary contact



ZANUSSI 086169

3446556 CONTACTOR LOVATO BG0910A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally open auxiliary contact



ZANUSSI 048519

ZANUSSI 054544

3351098 THERMAL RELAY ABB TA25DU
2.2÷3.1A
1 normally open contact
1 normally closed contact



ZANUSSI 075796

ZANUSSI 0D1626

Dispensing taps for beverage

3359317 TAP G63



ZANUSSI 0KM604

ZANUSSI 0KR205

Door catches

3398900 DOOR CATCH - 3 PIECES



ZANUSSI 082225

Doors

3058002 INNER DOOR FOR REFRIGERATOR
dimensions 670x1570 mm
grey
old series



ZANUSSI 081292

Drip trays for refrigeration

3015900 DRIP TRAY
 530x325x40 mm
 gastronorm 1/1
 for Refrigerated cupboard (ZANUSSI) - Series ALF
 Series ALN - Series ALP
 for Refrigerated table (ZANUSSI) - Series MVR



ZANUSSI 080803

3015008 STAINLESS STEEL DRIP TRAY
 300x145x35 mm
 for Refrigerated cupboard (ZANUSSI)



ZANUSSI 083813

Electronic controllers

4091642 CONTROLLER CAREL IRELC0HN215
 115/230V 50/60Hz
 1 relay output 12A
 3 relay outputs 8A
 2 NTC probes (not included)
 2 digital inputs
 ELECTROLUX-ZANUSSI configuration



ZANUSSI 091642

4091609 CONTROLLER CAREL IRELF0EN215
 115/230V 50/60Hz
 2 relay outputs 8A
 1 relay output 6A
 2 NTC probes (not included)
 1 digital input
 ELECTROLUX-ZANUSSI configuration



ZANUSSI 091609

3445046 PROBE EVAPORATOR NTC 2000 mm
 bulb \varnothing 6x20 mm
 for Refrigerated cupboard (ZANUSSI) - Series ADF
 Series ADN



ZANUSSI 087654

ZANUSSI 092173

ZANUSSI 092174



Suitable for:

ZANUSSI



4093532 CONTROLLER CAREL IRELF0EN265

230V 50/60Hz
 1 relay output 8A for compressor
 1 relay output 8A for defrosting
 1 relay output 5A for fans
 2 NTC probes (not included)
 1 digital input
 ELECTROLUX-ZANUSSI set up



ZANUSSI 093532

4092355 CONTROLLER CAREL IRELF0HN245

115/230V
 1 relay output 12A
 2 relay outputs 8A
 3 NCT probes (not included)
 1 digital input
 ELECTROLUX-ZANUSSI configuration



ZANUSSI 092355

4091433 CONTROLLER DIXELL XB580L-5N0C0

230V 50/60Hz
 1 relay output 12A for compressor
 1 relay output 12A for heating element
 1 relay output 8A for alarm
 1 relay output 8A for defrosting
 1 relay output 8A for ventilator 1
 1 relay output 12A for ventilator 2
 1 door microswitch digital input
 1 programmable digital input
 2 NTC probes (not included)
 RS485 serial output
 mounting hole 150x31 mm
 ELECTROLUX configuration



ZANUSSI 091433

3445375 CONTROLLER ELIWELL ID PLUS 902

230V 50/60Hz
 1 relay output 8A for compressor
 1 selectable NTC/PTC/PT1000 probe (not included)
 1 programmable digital/temperature input
 TTL input for copy card connection
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm



ZANUSSI 0S0295

3445028 PROBE NTC PVC 4000 mm

temperature field -30°+80°C
 bulb ø 6x20 mm
 for Refrigerated cupboard (ZANUSSI) - Series ADF
 Series ADN



ZANUSSI 087832

ZANUSSI 092176



Suitable for:

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



ZANUSSI 0S0302

ZANUSSI 083583

ZANUSSI



Suitable for:

3445399 CONTROLLER ELIWELL ID PLUS 902
12Vac/dc
1 relay output 8A for compressor
1 selectable NTC/PTC/PT1000 probe (not included)
1 programmable digital/temperature input
TTL input for copy card connection
front dimension 74x32x59 mm
mounting hole 71x29 mm



ZANUSSI 0S0296
ZANUSSI 082484

ZANUSSI 082388

ZANUSSI 082396

3445028 PROBE NTC PVC 4000 mm
temperature field -30°+80°C
bulb ø 6x20 mm
for Refrigerated cupboard (ZANUSSI) - Series ADF
Series ADN



ZANUSSI 087832

ZANUSSI 092176

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



ZANUSSI 0S0302

ZANUSSI 083583

3445376 CONTROLLER ELIWELL ID PLUS 961
230V 50/60Hz
1 relay output 2Hp for compressor
1 selectable NTC/PTC/PT1000 probe (not included)
1 programmable digital/temperature input
pause defrosting
TTL input for copy card connection
front dimension 74x32xdepth 59 mm
mounting hole 71x29 mm



ZANUSSI 0S0786

ZANUSSI 0S1453

ZANUSSI 089903

3445028 PROBE NTC PVC 4000 mm
temperature field -30°+80°C
bulb ø 6x20 mm
for Refrigerated cupboard (ZANUSSI) - Series ADF
Series ADN



ZANUSSI 087832

ZANUSSI 092176



Suitable for:

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



ZANUSSI 0S0302

ZANUSSI 083583

ZANUSSI



Suitable for:

3445378 CONTROLLER ELIWELL ID PLUS 974
230V 50/60Hz
1 relay output 2Hp for compressor
1 relay output 8A for defrosting
1 relay output 5A for fans
2 selectable NTC/PTC/PT1000 probes (not included)
1 programmable digital/temperature input
1 programmable digital input
TTL input for copy card connection
with buzzer
front dimension 74x32xdepth 59 mm
mounting hole 71x29 mm
for Refrigerated cupboard (ZANUSSI) KL650R 728581



ZANUSSI 0S0788
ZANUSSI 087161
ZANUSSI 099276

ZANUSSI 0S1454
ZANUSSI 089904

ZANUSSI 008904
ZANUSSI 089913

3445028 PROBE NTC PVC 4000 mm
temperature field -30°+80°C
bulb ø 6x20 mm
for Refrigerated cupboard (ZANUSSI) - Series ADF
Series ADN



ZANUSSI 087832

ZANUSSI 092176

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



ZANUSSI 0S0302

ZANUSSI 083583



Suitable for:

3445402 CONTROLLER ELIWELL ID PLUS 974
 12Vac/dc
 1 relay output 2Hp for compressor
 1 relay output 8A for defrosting
 1 relay output 5A for fans
 2 selectable NTC/PTC/PT1000 probes (not included)
 1 programmable digital/temperature input
 1 programmable digital input
 TTL input for copy card connection
 with buzzer
 front dimension 74x32xdepth 59 mm
 mounting hole 71x29 mm



ZANUSSI 088395

Suitable for:

3445028 PROBE NTC PVC 4000 mm
 temperature field -30°+80°C
 bulb ø 6x20 mm
 for Refrigerated cupboard (ZANUSSI) - Series ADF
 Series ADN



ZANUSSI 087832

ZANUSSI 092176

3445070 PTC PVC PROBE 1500 mm
 2-wire probe temperature range -30+80°C
 bulb ø 6x40 mm



ZANUSSI 050302

ZANUSSI 083583

Electronic printed-circuit boards

3390086 BOARD DISPLAY 185x50 mm
 for Refrigerated cupboard (ZANUSSI) ADF110ES



ZANUSSI 087481

Evaporators

3123906 EVAPORATOR D4150 690x315x105 mm
 for Refrigerated cupboard (ZANUSSI) AKP230
 ALN220 - ALN240 - ALP220 - ALP240 - IKN220
 IKP220 - ILN220 - ILN240 - ILP220 - ILP240
 ISN220 - ISP220



ZANUSSI 082231

3123907 EVAPORATOR D4151 315x125x105 mm
 for Refrigerated cupboard (ZANUSSI) ILNN220
 ILN110 - ILP110 - ILP120
 for Refrigerated cupboard (ZANUSSI) MVP600V11C



ZANUSSI 082211




Suitable for:

ZANUSSI



3068902 **EVAPORATOR D4241 395x250x100 mm**
for Refrigerated table (ZANUSSI)
for Refrigerated table (ZANUSSI) TRN1301 113000



ZANUSSI 082732

3123141 **EVAPORATOR ECO D52686**
size 430x100x60 mm
for Refrigerated cupboard (ZANUSSI) ESMLR60
MLP600 - MLP601 - MLP602 - MLP609
for Refrigerated cupboard (ZANUSSI) MLP600V11C



ZANUSSI 0A9106

3123142 **EVAPORATOR ECO D53733**
size 935x 100x110 mm
for Refrigerated cupboard (ZANUSSI) MLP130
MLP131 - MLP132 - MLP139



ZANUSSI 0A9210

3123135 **EVAPORATOR ECO 57752**
455x300x110 mm
for Refrigerated cupboard (ZANUSSI) AKS110
ASS110 - IKP220N - IKS110 - ILS110 - ISS110



ZANUSSI 082410

3123140 **EVAPORATOR ECO 81111**
size 450x115x95 mm
for Refrigerated cupboard (ZANUSSI) ESMLF60
MLC600 - MLC601 - MLC602 - MLPC09




ZANUSSI 0A9212

3123086 **EVAPORATOR ROLL BOND**
dimensions 895x520 mm
with capillary
for Refrigerated cupboard (ZANUSSI)




ZANUSSI 0A9550

40A8745 **EVAPORATOR 440x395 mm**
for Refrigerated cupboard (ZANUSSI) TRNP1802




ZANUSSI 0A8745

40A9672 **EVAPORATOR 460x205x200 mm**
for Refrigerated cupboard (ZANUSSI) ADF220
ADN220 - AEF220 - AEF240 - AEN220 - AEN240
ALN220 - ALN240 - ASF220 - ASN220



ZANUSSI 0A9672

3123001 **EVAPORATOR 57602 410x230x130 mm**
for 650 L
for Refrigerated cupboard (ZANUSSI)



ZANUSSI 0A9681

ZANUSSI 087402

Fans for motors

3240394 PUSHER FAN \varnothing 230 mm 28°
for Refrigerated cupboard (ZANUSSI) C04NVF4D



ZANUSSI 085532

3240220 SUCTION BLADE \varnothing 200 mm 28°



ZANUSSI 0KM741

ZANUSSI 082874

ZANUSSI 084041

3240222 SUCTION BLADE \varnothing 230 mm 28°




ZANUSSI 0A8420

ZANUSSI 082230

ZANUSSI 086327

3240964 SUCTION BLADE \varnothing 250 mm 28°



ZANUSSI 086311

3240965 SUCTION BLADE \varnothing 300 mm 28°



ZANUSSI 0KM740

ZANUSSI 087797

Feet

3313036 ADJUSTABLE S/STEEL FOOT \varnothing 1" x h 115 mm
with plastic support for tubular foot 40x40 mm
adjustable height 115÷205 mm



ZANUSSI 032550

3313045 ADJUSTABLE S/STEEL FOOT \varnothing 2" x h 125 mm
with square flange 74x74x2.5 mm
adjustable height 135÷235 mm



ZANUSSI 048579

3313110 ADJUSTABLE STAINLESS STEEL FOOT \varnothing 2"
adjustable 145-230 mm
flange 130x90 mm
for Refrigerated cupboard (ZANUSSI) AKF110
ALF110 - ASF110 - FVNE061 - RSD36



ZANUSSI 0A9138

3313109 FOOT M8xh39 mm
base \varnothing 39 mm
for Refrigerated cupboard (ZANUSSI) EC406
Series EKE - EN406 - EP406 - MP402 - MRL402
NEPA40 - NEPV40 - RW24



ZANUSSI 0A8640



Suitable for:

3313003 STAINLESS STEEL FOOT \varnothing 2" x h 125 mm
with rectangular flange 100x90 mm
altezza regolabile 130÷190 mm



ZANUSSI 057536

Suitable for:

3313001 STAINLESS STEEL FOOT \varnothing 2" HEIGHT 125 mm



ZANUSSI 053792

Filters for refrigeration

2101961 ANTI-ACID DEHYDRATOR FILTER 4305/2S
ODS connections \varnothing 1/4"-6 mm
length 110 mm - \varnothing 52 mm
with solid cartridge - INT. CODE 052S
rated volume 80 cm³



ZANUSSI

3160913 ANTIACID DEHYDRATOR FILTER 4305/2
1/4"MM sae lenght 119 mm \varnothing 52 mm
with solid cartridge - CODE INT.052
nominal cubature 80 cm³



ZANUSSI 086312

3160244 COPPER FILTER 30 g
2 ways - inlet 6.5 mm outlet 6.5 mm
 \varnothing 24 mm - length 140 mm



ZANUSSI 0A9410

3160401 COPPER FILTER 35 g
3 ways - inlet 6.5-6.5 mm outlet 3.2 mm
 \varnothing 16 mm - length 160 mm
for Refrigerated cupboard (ZANUSSI) - Series IKN



ZANUSSI 083854

4084078 COPPER FILTER 40 g
2 ways - inlet 6.5 mm outlet 3.2 mm
 \varnothing 24 mm - length 170 mm



ZANUSSI 084078

Fittings

3526812 ACCES VALVE WITH TUBE 10 cm \varnothing 6 mm



ZANUSSI 0A8171

3526023 VALVE INTERNAL MECHANISM



ZANUSSI 085290



Fuses

3049003 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 100mA



ZANUSSI 086338

3049012 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 800mA



ZANUSSI 0C2301

3049068 QUICK ACTING FUSE \varnothing 10x38 mm - 10 PCS
500V 1A



ZANUSSI 048995

ZANUSSI 048995_10PZ

3049038 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 160mA



ZANUSSI 002820

3049040 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 250mA



ZANUSSI 002920

3049041 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 315mA



ZANUSSI 0W3499

ZANUSSI 005032

ZANUSSI 4005032

3049042 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 400mA



ZANUSSI 002750

3049044 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 630mA



ZANUSSI 0W5452

ZANUSSI 058871

3049046 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 1A



ZANUSSI 0W5451

3049049 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 2A



ZANUSSI 0A8438



Suitable for:

Suitable for:


3049052 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 4A



ZANUSSI 057783

Gaskets for refrigerators

3186075 MIDDLE EDGED GASKET 1570x670 mm
magnetic - white colour




ZANUSSI 0A8048

ZANUSSI 081293


ZANUSSI 600107

3186926 MIDDLE EDGED GASKET 382x335 mm
magnetic - white colour
for Refrigerated table (ZANUSSI) - Series TR




ZANUSSI 084025

3186080 MIDDLE EDGED GASKET 390x185 mm
magnetic - white colour
for REFRIGERATED COUNTERS




ZANUSSI 0A8083

3186769 MIDDLE EDGED GASKET 390x198 mm
magnetic - color white




ZANUSSI 0A8379

3186081 MIDDLE EDGED GASKET 390x310 mm
magnetic - white colour
for REFRIGERATED COUNTERS




ZANUSSI 0A8079

3186082 MIDDLE EDGED GASKET 435x390 mm
magnetic - white colour
for REFRIGERATED COUNTERS




ZANUSSI 0A8081

3186925 MIDDLE EDGED GASKET 590x382 mm
magnetic - white colour
for Refrigerated table (ZANUSSI) - Series TR



ZANUSSI 084026


3186083 MIDDLE EDGED GASKET 640x390 mm
magnetic -white colour
for REFRIGERATED COUNTERS



ZANUSSI 0A8075

Suitable for:

3186070 MIDDLE EDGED GASKET 770x670 mm
magnetic - white colour




ZANUSSI 0A8049

ZANUSSI 081294


Suitable for:

4088076 SNA-IN GASKET 1699x618 mm
magnetic
for Refrigerated cupboard (ZANUSSI) APF22B
APF223 - APF224 - APP11B - APP113 - APP114
APP224 - CM06RFWM - CM06RF3M - CM06RF4M
CM13FFWM - CM13FF3M - CM13FF4M - M06P0M1C
M06P2M1C - M06P9M1C - M13COM2C - M13C2M2C
M13C9M2C




ZANUSSI 088076

3186914 SNAP-IN DOOR GASKET 1470x690 mm
magnetic - grey colour
for REFRIGERATORS




ZANUSSI 0A8365

3186928 SNAP-IN DOOR GASKET 1530x660 mm
magnetic - grey colour
for REFRIGERATOR
for Refrigerated cupboard (ZANUSSI) IKP110 111100
IKP220 111140




ZANUSSI 082375

3186846 SNAP-IN DOOR GASKET 1530x665 mm
magnetic - black colour
for CABINETS




ZANUSSI 082586

3186933 SNAP-IN DOOR GASKET 1570x665 mm
magnetic - grey colour
for REFRIGERATOR (old type)




ZANUSSI 0A8225

3186920 SNAP-IN DOOR GASKET 325x170 mm
magnetic - grey colour
for Refrigerated table (ZANUSSI) - Series TRN



ZANUSSI 082740

3186923 SNAP-IN DOOR GASKET 385x155 mm
magnetic - grey colour
for Refrigerated table (ZANUSSI) - Series MVR
Series TRN



ZANUSSI 031694




Suitable for:

ZANUSSI




3186930 SNAP-IN DOOR GASKET 385x215 mm
 magnetic - grey colour
 for Refrigerated table (ZANUSSI) TR1202 - TR1221
 TR1603 - TR1622 - TR1641 - TR2004




ZANUSSI 081772

3186921 SNAP-IN DOOR GASKET 385x275 mm
 magnetic - grey colour
 for Refrigerated table (ZANUSSI) - Series TRN




ZANUSSI 082759

3186932 SNAP-IN DOOR GASKET 385x335 mm
 magnetic - grey colour
 for Refrigerated table (ZANUSSI) TR1202 - TR1221
 TR1603 - TR1622 - TR1641 - TR2004




ZANUSSI 081815

3186931 SNAP-IN DOOR GASKET 600x385 mm
 magnetic - grey colour
 for Refrigerated table (ZANUSSI) TR1202 - TR1221
 TR1603 - TR1622 - TR1641 - TR2004




ZANUSSI 081805

3186929 SNAP-IN DOOR GASKET 735x660 mm
 magnetic - grey colour
 for REFRIGERATOR




ZANUSSI 082424

3186917 SNAP-IN DOOR GASKET 760x665 mm
 magnetic - grey colour
 for REFRIGERATORS




ZANUSSI 0A8230

3786465 SNAP-IN GASKET 1545x635 mm
 magnetic - colour grey




ZANUSSI 083851

3186919 SNAP-IN GASKET 1480x640 mm
 magnetic - grey
 for Refrigerated cupboard (ZANUSSI) E14COD2C
 for Refrigerated cupboard (ZANUSSI) E14COD2C
 C14RE2F S48854




ZANUSSI 087129

3186077 SNAP-IN GASKET 1500x710 mm
 magnetic - grey colour



ZANUSSI 081724

3786378 SNAP-IN GASKET 1512x642 mm
 magnetic - color grey
 for Refrigerated cupboard (ZANUSSI) RS13FX2F



ZANUSSI 089735





Suitable for:

Suitable for:

3186845 SNAP-IN GASKET 1515x685 mm
magnetic - grey colour
for 400 L CABINET

3186599 SNAP-IN GASKET 1531x682 mm
magnetic - grey color
for Refrigerated cupboard (ZANUSSI) RS24
for Refrigerated cupboard (ZANUSSI) R04PVFW





ZANUSSI 0A8647

ZANUSSI 085719

3186074 SNAP-IN GASKET 1544x652 mm
magnetic - grey color

3186076 SNAP-IN GASKET 1570x670 mm
magnetic - grey colour





ZANUSSI 081943

ZANUSSI 080959

4094152 SNAP-IN GASKET 1590x610 mm
magnetic

3186505 SNAP-IN GASKET 1695x600 mm
magnetic-colour grey
for Refrigerated cupboard (ZANUSSI) - Series APF
Series APP - M13P0M2C 728260
for Refrigerated cupboard (ZANUSSI)
M13P0M2C 728260





ZANUSSI 093257

ZANUSSI 094152

ZANUSSI 087357

3186507 SNAP-IN GASKET 1700x612 mm
magnetic - grey colour
for REFRIGERATOR 600 L

3786482 SNAP-IN GASKET 1705x663 mm
magnetic - grey colour
for Refrigerated cupboard (ZANUSSI) WE751





ZANUSSI 0A9099

ZANUSSI 087824

3786549 SNAP-IN GASKET 1805x740 mm
magnetic - grey colour
for Refrigerated cupboard (ZANUSSI) EWDE602
EWDZ602 - EWE601 - EWZ601

4088028 SNAP-IN GASKET 374x363 mm
magnetic



ZANUSSI 0A9180

ZANUSSI 088028




Suitable for:

ZANUSSI




3186485 SNAP-IN GASKET 385x170 mm
magnetic-colour grey
for Refrigerated table (ZANUSSI) - Series EDON
Series EDORN




ZANUSSI 0A8752

3786484 SNAP-IN GASKET 407x175 mm
magnetic - colour grey
for Refrigerated table (ZANUSSI) - Series EDON
Series RCDR - Series TRNA - Series TRRN
for Refrigerated table (ZANUSSI) 727084




ZANUSSI 088484

3186486 SNAP-IN GASKET 407x270 mm
magnetic-colour grey
for Refrigerated table (ZANUSSI) - Series EDON
Series TRN




ZANUSSI 087691

4089148 SNAP-IN GASKET 411x280 mm
magnetic - grey colour
for Refrigerated table (ZANUSSI) STRP11 - STRP16
STRP22




ZANUSSI 089148

3786483 SNAP-IN GASKET 441x366 mm
magnetic - grey colour
for Refrigerated table (ZANUSSI) DRPAF12 - DRPAF16
SSDPC12 - SSDPC16




ZANUSSI 088055

3786400 SNAP-IN GASKET 510x435 mm
magnetic - grey colour
for Display cabinet refrigerated (ZANUSSI) SAL25




ZANUSSI 0A9647

3186487 SNAP-IN GASKET 570x405 mm
magnetic-colour grey
for Refrigerated table (ZANUSSI) - Series TRN
for Refrigerated table (ZANUSSI) 727084




ZANUSSI 087664

3186922 SNAP-IN GASKET 580x385 mm
magnetic - grey colour
for Refrigerated table (ZANUSSI) - Series TRN




ZANUSSI 082725

3786553 SNAP-IN GASKET 580x407 mm
magnetic - grey colour
for Refrigerated table (ZANUSSI) STRP1101



ZANUSSI 089183

4099531 SNAP-IN GASKET 585x415 mm
magnetic
for Refrigerated table (ZANUSSI) HB4P




ZANUSSI 099531



Suitable for:


5048656 SNAP-IN GASKET 590x385 mm
magnetic - colour grey
for Refrigerated table (ZANUSSI) - Series TRN



ZANUSSI 082725


Suitable for:

3786586 SNAP-IN GASKET 590x397 mm
magnetic - grey color




ZANUSSI 0A9565

3186484 SNAP-IN GASKET 595x465 mm
magnetic-colour grey
for Refrigerated table (ZANUSSI) - Series EDON
Series EDORN - Series ZBRAV




ZANUSSI 0A8992

3186600 SNAP-IN GASKET 685x590 mm
magnetic - grey color
for Refrigerated cupboard (ZANUSSI) PFF119




ZANUSSI 087451

3186488 SNAP-IN GASKET 710x650 mm
magnetic - grey colour
for Refrigerated cupboard (ZANUSSI) - Series ADN




ZANUSSI 0A9741

3186071 SNAP-IN GASKET 730x710 mm
magnetic - grey colour



ZANUSSI 081725

4094153 SNAP-IN GASKET 765x610 mm
magnetic



ZANUSSI 093273

ZANUSSI 094153

Glues

3180021 THERMAL MASTIC PM8 228 g
thermally conductive paste
operating temperature -45°+105°C



ZANUSSI 049196



Suitable for:

ZANUSSI



Suitable for:

Grids for refrigerator-oven

3185054 CHROME PLATED GRID GN 1/1 530x325 mm



ZANUSSI 057468

3185055 CHROME PLATED GRID GN 2/1 530x650 mm



ZANUSSI 025020

ZANUSSI 081883

3185911 PLASTIC COVERED GRID 530x530 mm
for Refrigerated cupboard (ZANUSSI)




ZANUSSI 082904

3185910 PLASTIC-COATED GRID GN 1/1 530x325 mm
grey colour



ZANUSSI 082729

3185050 PLASTIC-COATED GRID GN 2/1 650x530 mm
white colour
for Refrigerated cupboard (ZANUSSI)



ZANUSSI 082885


3185053 STAINLESS STEEL GRID GN 2/1 530x650 mm



ZANUSSI 003189


Guard grids

3185088 FAN GRILLE ø 200 mm
height 25 mm
distance between mounting holes 236 mm



ZANUSSI 083440

3185248 FLAT GRID FOR FAN ø 315 mm
distance between holes 330-360 mm



ZANUSSI 083393

Guides

3189001 LEFT-HAND DRAWER SLIDEWAY 620x30 mm
for Refrigerated table (ZANUSSI) - Series TRNP



ZANUSSI 082742

3063900 BEARING FOR DRAWER GUIDE ø 24 mm



ZANUSSI 0A8292



Suitable for:

3189903 LEFT-HAND DRAWER SLIDEWAY 580x60 mm
for Refrigerated table (ZANUSSI) - Series TRN-EDON



ZANUSSI 082761

3391013 LEFT-RIGHT GRILL SLIDE 620x20 mm - 2 PCS
for Refrigerated cupboard (ZANUSSI) - Series ADN



ZANUSSI 0A9680

ZANUSSI 093851

3189937 RH SHELF SLIDEWAY 565x20 mm
for REFRIGERATED TABLES



ZANUSSI 082720

3189000 RIGHT-HAND DRAWER SLIDEWAY 620x30 mm
for Refrigerated table (ZANUSSI) - Series TRNP



ZANUSSI 082743

3189940 RIGHT-HAND OVEN SHELF SLIDEWAY 645x20 mm
for REFRIGERATORS ALPENINOX (old model)



ZANUSSI 0A8042

3189009 SLIPPER FOR GLAS



ZANUSSI 083893

Suitable for:

3189941 LEFT-HAND OVEN SHELF SLIDEWAY 645x20 mm
for REFRIGERATORS ALPENINOX (old model)



ZANUSSI 0A8045

3189936 LH SHELF SLIDEWAY 565x20 mm
for REFRIGERATED TABLES



ZANUSSI 082719

3189902 RIGHT-HAND DRAWER SLIDEWAY 580x60 mm
for Refrigerated table (ZANUSSI) - Series TRN-EDON



ZANUSSI 082760

3063900 BEARING FOR DRAWER GUIDE ø 24 mm



ZANUSSI 0A8292

3391907 SHELF SLIDEWAYS 580x20 mm



ZANUSSI 082206

ZANUSSI 082263

ZANUSSI 093850



Suitable for:

ZANUSSI



Suitable for:

Handles

40A8898 BUILT-IN HANDLE PLASTIC 448 mm



ZANUSSI 0A8898

3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE
base length 38x18x31 mm
fixing distance 26 mm
RAHRBACH



ZANUSSI 056581

3242907 DOOR HANDLE ø 24x204 mm



ZANUSSI 081728

3242906 DOOR HANDLE BASE 315x175 mm



ZANUSSI 054261

3242907 DOOR HANDLE ø 24x204 mm



ZANUSSI 081728

3242910 GREEN DOOR HANDLE ø 24x203 mm



ZANUSSI 081726

3242061 HANDLE CAP



ZANUSSI 081727

3242061 HANDLE CAP



ZANUSSI 081727

3242914 HANDLE CHROMED 5210-25
length 251 mm
distance between holes 222 mm
with black insert



ZANUSSI 081838

ZANUSSI 081846

Suitable for:

3242916 HANDLE CHROMED 5210-40
length 402 mm
distance between holes 376 mm
with black insert



ZANUSSI 081906+082448

Suitable for:

3242923 HANDLE 8730 PLASTIC BLACK
length 276 mm - height 40 mm
distance between holes 226 mm
with aluminum insert



ZANUSSI 031529

3242133 LEFT PLASTIC HEAD



ZANUSSI 082728

3242579 LH-RH CATCH WITHOUT LOCK 570 CR
straight handgrip
base length 150x23x31h mm
mounting distance 110 mm
catch height 16.5 mm



ZANUSSI 032156

3242220 LOCKING WITHOUT CHROM.KEY LOCK ERGO 6188
RAHRBACH - distance between holes 150 mm
base length 185.5x23.5x33.2h mm



ZANUSSI 002278

ZANUSSI 055510

ZANUSSI 056459

3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE
base length 38x18x31 mm
fixing distance 26 mm
RAHRBACH



ZANUSSI 056581

3242131 PLASTIC HANDLE
length 430 mm
for REFRIGERATED TABLE



ZANUSSI 082726

3242133 LEFT PLASTIC HEAD



ZANUSSI 082728

3242132 RIGHT PLASTIC HEAD



ZANUSSI 082727



Suitable for:

ZANUSSI



Suitable for:

3242132 RIGHT PLASTIC HEAD



ZANUSSI 082727

Heating elements

3455466 CARTRIDGE HEATING ELEMENT PTC 110W 230V

cartridge length 120 mm \varnothing 12 mm
power in absence of water 10W
fitting 3/8"G
cable length 1000 mm



ZANUSSI 083814

3355911 CARTRIDGE HEATING ELEMENT PTC 95W 230V

cartridge length 130 mm \varnothing 12 mm
fitting 3/8"G
cable length 4000 mm
for TRAY
for Refrigerated cupboard (ZANUSSI)



ZANUSSI 083814

4089912 DOOR HEATING ELEMENT 42.3W 230V

length 6200 mm
for Refrigerated cupboard (ZANUSSI)
731270 DVC130V12C 726323 RS13FX2F



ZANUSSI 082247

ZANUSSI 089912

3355903 HEATING ELEMENT 105W 220V

length 430 mm - width 47 mm
height 120 mm
for Refrigerated table (ZANUSSI) - Series TRN



ZANUSSI 082731

3355905 HEATING ELEMENT 120W 220V

length 210 mm - width 110 mm
connection \varnothing 14 mm
for Refrigerated cupboard (ZANUSSI)



ZANUSSI 082188

3355906 HEATING ELEMENT 160W 220V

length 380 mm - width 60 mm
for Refrigerated table (ZANUSSI) - Series TRN



ZANUSSI 082733

3355900 HEATING ELEMENT 335W 220V

length 265 mm - width 320 mm
for Refrigerated cupboard (ZANUSSI)
for Refrigerated table (ZANUSSI)



ZANUSSI 083093

3355901 HEATING ELEMENT 350W 220V

length 470 mm - width 65 mm
height 90 mm
for Refrigerated table (ZANUSSI)



ZANUSSI 083530



Suitable for:

3755271 HEATING ELEMENT 450W 230V

length 370 mm
width 35 mm
height 95 mm
for EVAPORATOR

for Refrigerated cupboard (ZANUSSI) ADNF120
ADNF220 - ADNN220 - ADN111 - AEN110 - AEN120
ALN110 - ALN120 - ARDN110 - RGD36 - WDE752



ZANUSSI 0A9683

Suitable for:

3355982 HEATING ELEMENT 480W 230V

length 365 mm - width 80 mm
height 190 mm



ZANUSSI 088377

3355902 HEATING ELEMENT 540W 220V

length 735 mm
width 310 mm

for Refrigerated cupboard (ZANUSSI)



ZANUSSI 082279

3355904 HEATING ELEMENT 610W 220V

length 480 mm - width 250 mm
for Refrigerated cupboard (ZANUSSI)



ZANUSSI 0A8017

3355908 HEATING ELEMENT 85W 220V

length 495 mm - width 60 mm

for Refrigerated cupboard (ZANUSSI)



ZANUSSI 0A8134

Hinges, catches and accessories

3053523 BOTTOM HINGE

for Refrigerated cupboard (ZANUSSI) WE751 - WZ751



ZANUSSI 087826

3053908 BRACKET BUSHING 22 x 22 mm



ZANUSSI 081654



Suitable for:

ZANUSSI



3053913 DOOR BUSH
for REFRIGERATED TABLES
for Refrigerated table (ZANUSSI) TR1221 - TR1603
TR1622 - TR1641 - TR2004 - TR2023 - TR2042



ZANUSSI 081807

3053914 DOOR BUSH PIN
ø 5x20 mm
for Refrigerated table (ZANUSSI)



ZANUSSI 082757

3053915 GRIPPING ASSEMBLY WITH SPRING
for Refrigerated cupboard (ZANUSSI) ADN111
ADN221 - RVNE06 - RVNE14



ZANUSSI 082587

3053917 LEFT-HAND BRACKET
for Refrigerated cupboard (ZANUSSI) ADN111
ADN221 - RVNE06 - RVNE14



ZANUSSI 082499

ZANUSSI 082500

ZANUSSI 087136

3053916 RIGHT-HAND BRACKET
for Refrigerated cupboard (ZANUSSI) ADN111
ADN221 - RVNE06 - RVNE14



ZANUSSI 082501

ZANUSSI 087135

3053540 HINGE
for Refrigerated cupboard (ZANUSSI) MP402 - MRL402



ZANUSSI 0A9549

3704009 HINGE SUPPORT BUSH
for Refrigerated cupboard (ZANUSSI) ESMLF60
ESMLR60 - ESML60 - MLC130 - MLC131 - MLC132
MLC600 - MLC601 - MLC602 - MLP130 - MLP131
MLP132 - MLP601 - MLP602 - MP402 - MRL402



ZANUSSI 0A9092

3704002 LOWER BUSH
for Refrigerated cupboard (ZANUSSI) ESMLF60
ESMLR60 - ESML60 - MLC600 - MLC601 - MLC602
MLP130 - MLP131 - MLP132 - MLP601 - MLP602
MP402 - MRL402



ZANUSSI 082964

3324006 PIN
for Refrigerated cupboard (ZANUSSI) ESMLF60
ESMLR60 - ESML60 - MLC130 - MLC131 - MLC132
MLC600 - MLC601 - MLC602 - MLP130 - MLP131
MLP132 - MLP601 - MLP602 - MP402 - MRL402



ZANUSSI 082962



Suitable for:

3704003 UPPER BUSH

for Refrigerated cupboard (ZANUSSI) ESMLF60
ESMLR60 - ESML60 - MLC130 - MLC131 - MLC132
MLC600 - MLC601 - MLC602 - MLP130 - MLP131
MLP132 - MLP601 - MLP602 - MP402 - MRL402



ZANUSSI 082965

ZANUSSI



Suitable for:

3053518 HINGE BUSH



ZANUSSI 083875

3053905 HINGE CENTRAL BRACKET

for Refrigerated cupboard (ZANUSSI)



ZANUSSI 082374

3704009 HINGE SUPPORT BUSH

for Refrigerated cupboard (ZANUSSI) ESMLF60
ESMLR60 - ESML60 - MLC130 - MLC131 - MLC132
MLC600 - MLC601 - MLC602 - MLP130 - MLP131
MLP132 - MLP601 - MLP602 - MP402 - MRL402



ZANUSSI 0A9092

3053917 LEFT-HAND BRACKET

for Refrigerated cupboard (ZANUSSI) ADN111
ADN221 - RVNE06 - RVNE14



ZANUSSI 082499

ZANUSSI 082500

ZANUSSI 087136

3053920 LONG PIN HINGE INTERTECNICA 28L

with square pin 7.5 mm
for Refrigerated cupboard (ZANUSSI) APP113
for Refrigerated cupboard (ZANUSSI) APP113



ZANUSSI 081653

ZANUSSI 082219

3704002 LOWER BUSH

for Refrigerated cupboard (ZANUSSI) ESMLF60
ESMLR60 - ESML60 - MLC600 - MLC601 - MLC602
MLP130 - MLP131 - MLP132 - MLP601 - MLP602
MP402 - MRL402



ZANUSSI 082964



Suitable for:

ZANUSSI



Suitable for:

3053537 LOWER HINGE
 for Refrigerated cupboard (ZANUSSI) ESMLF60
 ESMLR60 - ESML60 - MLC130 - MLC131 - MLC132
 MLC600 - MLC601 - MLC602 - MLP130 - MLP131
 MLP132 - MLP600 - MLP601 - MLP602



ZANUSSI 0A9353

3053909 LOWER LEFT-RIGHT HAND BRACKET
 for hinge
 for Refrigerated cupboard (ZANUSSI)



ZANUSSI 082256

3053908 BRACKET BUSHING 22 x 22 mm



ZANUSSI 081654

3324006 PIN
 for Refrigerated cupboard (ZANUSSI) ESMLF60
 ESMLR60 - ESML60 - MLC130 - MLC131 - MLC132
 MLC600 - MLC601 - MLC602 - MLP130 - MLP131
 MLP132 - MLP601 - MLP602 - MP402 - MRL402



ZANUSSI 082962


3053916 RIGHT-HAND BRACKET
 for Refrigerated cupboard (ZANUSSI) ADN111
 ADN221 - RVNE06 - RVNE14



ZANUSSI 082501

ZANUSSI 087135

3053930 SHORT PIN HINGE INTERTECNICA 28XC
 with square pin 7.5 mm



ZANUSSI 083876

3053522 TOP HINGE
 for Refrigerated cupboard (ZANUSSI) WE751 - WZ751



ZANUSSI 087822

3704003 UPPER BUSH
 for Refrigerated cupboard (ZANUSSI) ESMLF60
 ESMLR60 - ESML60 - MLC130 - MLC131 - MLC132
 MLC600 - MLC601 - MLC602 - MLP130 - MLP131
 MLP132 - MLP601 - MLP602 - MP402 - MRL402



ZANUSSI 082965

Incandescent lamps and neon lamps

2102048 HALOGEN LAMP R7s 160W 230V
length 118 mm



ZANUSSI 093041

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ZANUSSI 054319

ZANUSSI 054840

Indicator lights

3221032 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ZANUSSI 0A2224

ZANUSSI 058544

3221005 GREEN INDICATOR LIGHT 400V
head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application



ZANUSSI 026456

ZANUSSI 053148

ZANUSSI 053154

3221014 INDICATOR LAMP ORANGE 230V
mounting hole 30x22 mm - 125°C
universal application



ZANUSSI 0KM981

3221112 ORANGE INDICATOR LAMP 220V
head \varnothing 7 mm - hole \varnothing 6 mm - 120°C
application to the board



ZANUSSI 053811+053812

3221011 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ZANUSSI 0A2225

3221032 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ZANUSSI 0A2224

ZANUSSI 058544

3221033 RED INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ZANUSSI 0A2408



Suitable for:

3221006 ORANGE INDICATOR LIGHT 400V
head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application



ZANUSSI 045272

ZANUSSI 053149

ZANUSSI 053155

Suitable for:

3221033 RED INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ZANUSSI 0A2408

3221004 RED INDICATOR LIGHT 400V
head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application



ZANUSSI 053153

3221005 GREEN INDICATOR LIGHT 400V
head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application



ZANUSSI 026456

ZANUSSI 053148

ZANUSSI 053154

3221006 ORANGE INDICATOR LIGHT 400V
head 16x16 mm - hole \varnothing 12 mm - 120°C
universal application



ZANUSSI 045272

ZANUSSI 053149

ZANUSSI 053155

Insulators

3180024 INSULATING SHELL FOR THERMOSTATIC VALVE
suitable against condensate and
ice formation
in network polyethylene foam with closed
cells and CL1, M1 certification



ZANUSSI 089614

Interference suppression filters

3160099 INTERFERENCE SUPPRES. FILTER F3CF71112
0.47 μ F



ZANUSSI 046217



Ironmongery (screws,nuts,washers)

7150508 CLIP SWING



ZANUSSI 0D0275

Knobs

3241903 THERMOSTAT KNOB
for Refrigerated cupboard (ZANUSSI)
Series KOMPACT - Series LUX - Series SLIM



ZANUSSI 082916

3241907 THERMOSTAT KNOB \varnothing 35 mm
hole \varnothing 6x4 mm



ZANUSSI 0A8203

3241900 THERMOSTAT KNOB \varnothing 50 mm
hole \varnothing 6x4 mm
for Self service counter (ZANUSSI)



ZANUSSI 080837

Labels for control panels

3319327 CONTROL PANEL
for Refrigerated cupboard (ZANUSSI) 12800100.1



ZANUSSI 0A8881

Lamp receptacles and spare parts

3221914 LAMP SCREEN 105x65 mm
for Refrigerated cupboard (ZANUSSI)



ZANUSSI 081697



Suitable for:

ZANUSSI



Suitable for:

Locks

3242565 COMPLETE LOCK
cylinder \varnothing 19x25 mm



ZANUSSI 093345

3388010 LOCK COMPLETE
cylinder \varnothing 18x15 mm
for Refrigerated cupboard (ZANUSSI) ESMLF60
ESMLR60 - MLC600 - MLC601 - MLC602 - MLP130
MLP131 - MLP132 - MLP600 - MLP601 - MLP602



ZANUSSI 0A8655

3388900 LOCK COMPLETE
cylinder \varnothing 19x39 mm
for Refrigerated cupboard (ZANUSSI) IKN110
IKN220 - ISF110 - ISF220 - ISN110 - ISN220
ISP110 - ISP220 - ISS110 - ISS220



ZANUSSI 0KM805

ZANUSSI 081694

3388910 LOCK COMPLETE
cylinder \varnothing 19x16 mm



ZANUSSI 0A8053

Magnets

7105989 MAGNET 45x19x11 mm



ZANUSSI 087533

Measuring tools

3394952 DIGITAL THERMOMETER -50+150°C/-58+300°F
watertight and shockproof
battery powered and auto power off
measurement unit selectable in degrees $^{\circ}$ C/ $^{\circ}$ F
resolution 0.1 $^{\circ}$ C - accuracy \pm 1 $^{\circ}$ C/ \pm 2 $^{\circ}$ F
memory button - ON/OFF button
complete with case



ZANUSSI 0S2040

3394207 DIGITAL THERMOMETER -50+70°C BLACK
battery powered
front battery
working temperature 0+50 $^{\circ}$ C
accuracy \pm 1 $^{\circ}$ C
resolution 0.1 $^{\circ}$ C
dimensions 62.5x29.5x19 mm
remote probe 1600 mm




ZANUSSI 099993



Microswitches

3240854 MICROSWITCH ARCOLECTRIC C3006 SX
1-NO 0.3A 250V
white colour



ZANUSSI 084403

3240294 MICROSWITCH ARCOLECTRIC E3111
1-NO 1-NC 5A 250V
white colour



ZANUSSI 087485

3240155 MICROSWITCH FR530-A
1NO-1NC 3A 400V



ZANUSSI 046884

3240407 MICROSWITCH KIT 16A 250V
3 locking positions
the kit includes 5 levers:
lever 75 mm - lever 27 mm - lever 15 mm
lever 15 mm with wheel - lever 27 mm with wheel



ZANUSSI 069484

3240148 MICROSWITCH MAGNET 63x19x11 mm



ZANUSSI 049627

9014016 MICROSWITCH MAGNETIC STEM E510 1A
1-NO 0.5A 250V - head 32x13x8 mm
with cable length 750 mm



ZANUSSI 083881

3240292 MICROSWITCH SAIA-BURGESS XKA304B
1-NO 1-NC 1A 250V
colour black



ZANUSSI 0A9383

3240123 MICROSWITCH 16A 250V



ZANUSSI 0KI505

3240820 MICROSWITCH 16A 250V



ZANUSSI 0E0209

ZANUSSI 046286

ZANUSSI 0KB678

ZANUSSI 047485

ZANUSSI 004904

ZANUSSI 053671

3240152 BUSHING FOR MICROSWITCH



ZANUSSI 047485



Suitable for:

3240473 GASKET FOR BUSHING




ZANUSSI 047490

3240153 ROD FOR MICROSWITCH



ZANUSSI 047488

3240166 MOUNTING PLATE FOR MICROSWITCH
external dimensions 46x26 mm



ZANUSSI 045404


ZANUSSI 45404

ZANUSSI



Suitable for:

3240166 MOUNTING PLATE FOR MICROSWITCH
external dimensions 46x26 mm



ZANUSSI 045404

ZANUSSI 45404

3240154 SPRING FOR MICROSWITCH ROD



ZANUSSI 047489

Motors

3240211 MOTOR ELCO VN 10-20 PENTA VALENT
230V 50/60Hz 10/38W 1300rpm



ZANUSSI 0A8419
ZANUSSI 081393

ZANUSSI 0A9350
ZANUSSI 084745

ZANUSSI 0S0561
ZANUSSI 086207

3240220 SUCTION BLADE ø 200 mm 28°



ZANUSSI 0KM741

ZANUSSI 082874

ZANUSSI 084041

3240902 MOTOR ELCO VN 16-25 PENTA VALENT
230V 50/60Hz 16/65W 1300rpm



ZANUSSI 0S0562

ZANUSSI 086310

3240220 SUCTION BLADE ø 200 mm 28°



ZANUSSI 0KM741

ZANUSSI 082874

ZANUSSI 084041

Suitable for:

3240903 MOTOR ELCO VN 25-40 PENTAVALENT
230V 50/60Hz 25/95W 1300rpm



ZANUSSI 0S0563

ZANUSSI 081394

Suitable for:

3240220 SUCTION BLADE ø 200 mm 28°



ZANUSSI 0KM741

ZANUSSI 082874

ZANUSSI 084041

3240904 MOTOR ELCO VN 34-45 PENTAVALENT
230V 50/60Hz 34/120W 1300rpm



ZANUSSI 0KM742

3240220 SUCTION BLADE ø 200 mm 28°



ZANUSSI 0KM741

ZANUSSI 082874


ZANUSSI 084041

3240210 MOTOR ELCO VN 5-13 PENTAVALENT
230V 50/60Hz 5/32W 1300rpm



ZANUSSI 0KD790


3240490 MOTOR ELCO 3FBT 50-40/15
230V 50/60Hz 45/120W 1300rpm
with capacitor 2µF
for bracket fastening 4 screws M4
distance 31 mm
shaft length 22 mm
for VM350-VM500-VM900-C150-C300-CB1565
G250-G500



ZANUSSI 087799

ZANUSSI 088013

3240881 MOTOR EMI 101M-50130/3
230V 50/60Hz 130W 1300rpm
with thermal protection



ZANUSSI 0KM759

3240631 MOTOR EMI 83D-2535
230V 50/60Hz 35/95W 1300rpm
with starting capacitor 2.5µF
4 screws M4 for flange and bracket mounting
distance 17 mm
shaft length 34 mm



ZANUSSI 0KM742



Suitable for:

3240920 MOTOR FAN 10W WITH RING
fan ø 230 mm
for Refrigerated cupboard (ZANUSSI) - Series AKP
Series ALN - Series ALP - Series IKN - Series ILP



ZANUSSI 081703

Suitable for:

3240921 MOTOR FIME C09R1731
230V 50/60Hz
fan ø 100 mm



ZANUSSI 0A9308

4091603 MOTOR FIME C12R0233
230V 50/60Hz 17W
fan ø 150 mm



ZANUSSI 091603

OR and ORM gaskets

3186606 O-RING 0144 EPDM



ZANUSSI 047192

Pressure reducers

7103403 WATER PRESSURE ADJUSTER 3/8 FF



ZANUSSI 0PR626

Pressure valves for refrigeration

3526550 PRESSURE VALVE V46AA-9950 G 3/8"
pressure range 5..18 bar
capillary length 750 mm - fitting to be welded



ZANUSSI 086246



Probes

3445046 PROBE EVAPORATOR NTC 2000 mm
bulb \varnothing 6x20 mm
for Refrigerated cupboard (ZANUSSI) - Series ADF
Series ADN



ZANUSSI 087654

ZANUSSI 092173

ZANUSSI 092174

3445028 PROBE NTC PVC 4000 mm
temperature field $-30^{\circ}+80^{\circ}\text{C}$
bulb \varnothing 6x20 mm
for Refrigerated cupboard (ZANUSSI) - Series ADF
Series ADN



ZANUSSI 087832

ZANUSSI 092176

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range $-30+80^{\circ}\text{C}$
bulb \varnothing 6x40 mm



ZANUSSI 090302

ZANUSSI 083583

Relays

3351901 POWER RELAY FINDER 60.62.8.230.0000
230V 50/60Hz
2 exchange contacts 10A



ZANUSSI 0D0013
ZANUSSI 083215

ZANUSSI 058857

ZANUSSI 069882

3351021 POWER RELAY FINDER 62.82.8.230.0000
230V 50/60Hz
2 exchange contacts 16A



ZANUSSI 0PE302

3351008 POWER RELAY FINDER 62.83.8.230.0000
230V 50/60Hz
3 exchange contacts 16A



ZANUSSI 0A9596
ZANUSSI 088197

ZANUSSI 005033

ZANUSSI 005034

3351602 POWER RELAY FINDER 65.31.8.230.0300
230V 50/60Hz
1 contact NO 30A



ZANUSSI 085647



Suitable for:

3351900 POWER RELAY ITALIAN B2-3
230V 50/60Hz
3 exchange contacts 16A-250V



ZANUSSI 046001

ZANUSSI 054543

ZANUSSI 085092

Suitable for:

1351021 POWER-RELAY OMRON G7L-2A-TUB
230V 50Hz
2 contacts NO 25A



ZANUSSI 088267

3351605 RELAY POWER FINDER 60.63.8.230.0000
230V 50/60Hz
3 exchange contacts 10A



ZANUSSI 056446

ZANUSSI 056466

ZANUSSI 056510

ZANUSSI 085296

ZANUSSI 086214

Solenoid valves

3120189 CASTEL COIL 110V HM2
50/60 Hz



ZANUSSI

3120910 CASTEL COIL 230V HM2
50/60 Hz



ZANUSSI 085289

3120917 COIL PARKER YB14 220V 14W WITH CABLE
50/60Hz



ZANUSSI 086051

ZANUSSI 086534

3120912 SOLENOID VALVE 1028/2 ø 1/4"-6 mm
direct action NC



ZANUSSI 087965

3120158 SOLENOID VALVE 1068/M10 ø 10 mm
diaphragm NC



ZANUSSI 089075

4085847 SPULE PARKER ZB15 230V 15W
50/60Hz



ZANUSSI 085847



Springs

3053929 LEFT SPRING \varnothing 15 x 132 mm
for Refrigerated cupboard (ZANUSSI)



ZANUSSI 082179

3053928 RIGHT SPRING \varnothing 15x132 mm
for Refrigerated cupboard (ZANUSSI)



ZANUSSI 082178

3053919 SPRING



ZANUSSI 053342

3441906 SPRING FOR KNOB



ZANUSSI 082792

3250901 TORSION SPRING FOR RIGHTHAND HINGE
dimensions \varnothing 14x132 mm
wire: \varnothing 2.4 x 19 turns



ZANUSSI 088516

Supports

3391041 BRACKET 184x25 mm
for Refrigerated cupboard (ZANUSSI)



ZANUSSI 082257

3391010 GRILL SUPPORT 540x27x18 mm
for back lower mounting
for 9 grills
for old series
for Refrigerated cupboard (ZANUSSI) - Series ASF
Series ASN - Series ASP - Series ASS - Series DVC
Series DVN - Series EDVN - Series EDVP
Series EMVN - Series ISF - Series ISN - Series ISP
Series ISS - Series MVP



ZANUSSI 082317



Suitable for:

3391009 GRILL SUPPORT 720x27x18 mm
 for back upper mounting
 for 12 grills
 for old series
 for Refrigerated cupboard (ZANUSSI) - Series ASF
 Series ASN - Series ASP - Series ASS - Series DVC
 Series DVN - Series EDVN - Series EDVP
 Series EMVN - Series ISF - Series ISN - Series ISP
 Series ISS - Series MVP



ZANUSSI 082316

Suitable for:

3391002 GRILL SUPPORT 720x48x18 mm
 for back lateral mounting
 for 12 grills
 for old series
 for Refrigerated cupboard (ZANUSSI) - Series ASF
 Series ASN - Series ASP - Series ASS - Series DVC
 Series DVN - Series EDVN - Series EDVP
 Series EMVN - Series ISF - Series ISN - Series ISP
 Series ISS - Series MVP



ZANUSSI 080811

ZANUSSI 081958

3391035 TRAY SUPPORT



ZANUSSI 031970

Switches

3319920 BLACK TWO-POLE SWITCH 16A 250V



ZANUSSI 0A8754

3319923 BLACK/RED CAM



ZANUSSI 0A8272

3319299 BUTTON 0-1
 for Refrigerated cupboard (ZANUSSI)



ZANUSSI 0A8691

3319932 CHANGEVER SWITCH 1 POLE GRAY 16A 250V
 16(4)A 250V
 silk-screen printing I - II
 max. temperature 120°C
 mounting hole 22x30 mm



ZANUSSI 082473



Suitable for:

3319330 GREEN BIPOLAR SWITCH 16A 250V
16(4)A 250V - silk-screen printing 0-1
with indicator light
mounting hole \varnothing 25 mm
for Refrigerated cupboard (ZANUSSI) - Series KLN
Series KLP



ZANUSSI 087655

Suitable for:

3319972 GREEN BIPOLAR SWITCH 16A 250V
16(4)A 250V - with indicator light
ON - OFF silk-screen printing
max temperature 120°C
mounting hole 22x30 mm



ZANUSSI 082873

3319936 GREEN BIPOLAR SWITCH 250V 16A
16(4)A 250V - max temperature 120°C
with green indicator light
for Refrigerated cupboard (ZANUSSI)



ZANUSSI 082486

3319930 GREEN SWITCH SPL61 16A 250V
with indicator lamp
mounting hole \varnothing 25 mm
lead connector 6.35x0.8 mm



ZANUSSI 082337

3319415 KEY SUPPORTING BODY
for all models



ZANUSSI 083050

3319922 SINGLE POLE CHANGEOVER SWITCH
lead connector 6.35x0.8 mm



ZANUSSI 0A8273

3319923 BLACK/RED CAM



ZANUSSI 0A8272

3319921 SINGLE-POLE SWITCH 16A 250V



ZANUSSI 0A8274

3319923 BLACK/RED CAM



ZANUSSI 0A8272



Suitable for:

ZANUSSI



3319967 SWITCH 1-POLE GREEN 16A 250V
16(4)A 250V - with indicator lamp
max. temperature 120°C
mounting hole 11x30 mm



ZANUSSI 004110

Suitable for:

3319951 SWITCH 2 POLE GREEN 16A 250V
16(4)A 250V - max. temperature 125°C
with indicator lamp - mounting hole 25x27 mm
lead connector 6.35x0.8 mm



ZANUSSI 085987

ZANUSSI 099274


1319202 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - with indicator lamp
silk-screen printing 0 - I
max. temperature 120°C
mounting hole 22x30 mm



ZANUSSI 056703

ZANUSSI 081680

3319012 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp and push-button cap
mounting hole 22x30 mm - silk screen print 0 - I



ZANUSSI 053810

3319928 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator light - mounting hole \varnothing 25 mm



ZANUSSI 054518

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
for push-buttons with mounting hole \varnothing 25 mm



ZANUSSI 053979

3319944 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp - silk screen printing 0 - I
mounting hole 22x30 mm



ZANUSSI 056703


3319931 SWITCH 2-POLE WHITE 16A 250V
16(4)A 250V - with indicator lamp
silk-screen printing 0-1
max. temperature 120°C
mounting hole 22x30 mm
for Refrigerated cupboard (ZANUSSI)



ZANUSSI 081679

ZANUSSI 082390

3319328 SWITCHES BUTTON



ZANUSSI 0A8747

3319329 SWITCHES BUTTON



ZANUSSI 0A8692

Suitable for:

3319924 SWITCHES BUTTON



ZANUSSI 083200

Suitable for:

3319925 SWITCHES BUTTON



ZANUSSI 083201

3319013 SWITCH 2-POLE GREEN 16A 250V

16(4)A 250V - max. temperature 120°C
with indicator lamp and push-button cap
mounting hole 22x30 mm - silk screen print I - II



ZANUSSI 053837

Tangential and radial fans

3526150 FAN TANGENTIAL 180 mm LH

25W 230V 50/60Hz - ø 60 mm
operating temperature -30°+100°C



ZANUSSI 0A2272

ZANUSSI 0A3008

3526166 TANGENTIAL BLOWER QLK45 120 mm RIGHT

230V 50/60Hz - ø 45 mm
operating temperature -30°+135°C



ZANUSSI 081795

3526900 TANGENTIAL BLOWER QLK45 300 mm LEFT

230V 50/60Hz - ø 45 mm
QLK45/0030 A35-2524L-70



ZANUSSI 082730

3526019 TANGENTIAL BLOWER QL45 180 mm RIGHT

230V 50/60Hz - ø 45 mm
QLK45/1800 A108-2513L-93 vr



ZANUSSI 0A8087

3526966 TANGENTIAL FAN 300 mm LH

26W 230V 50/60Hz - ø 60 mm
operating temperature -30°+100°C



ZANUSSI 083737

3240591 VENTILATOR RADIAL EBM R2E190-AO26-73

230V 50/60Hz 58W 0.26A 2500rpm
ø 190 mm - capacitor 2µF (not included)



ZANUSSI 0E5666



Suitable for:

ZANUSSI



Suitable for:

Tapes

3394158 SMOOTH ALUMINIUM BAND 50 m



ZANUSSI 006451

Telethermometers

3441002 BLACK TELETHERMOMETER \varnothing 52 mm -40+40°C
metal case
covered capillary length 2500 mm
plasticized bulb \varnothing 7.5x40 mm



ZANUSSI 081792

3441001 BLACK TELETHERMOMETER 58x25 mm -40+40°C
covered capillary length 2500 mm
bulb \varnothing 8.4x25 mm
for Refrigerated cupboard (ZANUSSI) - Series IKN
Series ISP
for Refrigerated cupboard (ZANUSSI) IKP110 111100



ZANUSSI 082613

ZANUSSI 083101

3441003 TELETHERMOMETER WHITE \varnothing 60 mm -40+40°C
metal case
covered capillary length 2000 mm
bulb \varnothing 6x150 mm



ZANUSSI 081512

Terminal blocks

3247006 TERMINAL BLOCK 2-POLE CERAMIC
for cable max. 10 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 25x22x21 mm



ZANUSSI 053805

3247015 12-POLE PLASTIC TERMINAL BLOCK
for cable max 4 mm²
operating temperature 150°C
nominal voltage 450V



ZANUSSI 0W3543



Suitable for:

3247018 2-POLE TERMINAL BLOCK FV77 20A 600V
for cable max 4 mm²
operating temperature 150°C
nominal voltage 450 V



ZANUSSI 0C9052

ZANUSSI 058873

Suitable for:

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V




ZANUSSI 046357

3247005 4-POLE CERAMIC TERMINAL BLOCK
for cable max 2.5 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 40x18x16 mm



ZANUSSI 054042

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ZANUSSI 005420

ZANUSSI 058613

ZANUSSI 032669

ZANUSSI 088165

ZANUSSI 046347

Terminals and electrical connectors

3051154 NAKED END PIPE 2.5x10 mm 100 PCS



ZANUSSI 0K4532

Thermostatic valves for refrigeration

3150065 THERMOSTATIC VALVE DANFOSS TUB 1
gas R134a
capacity 0.7 Kw - 0.19 TR
inlet 6 mm x outlet 12 mm
internal equalization
range N -40°/+10°C
Danfoss 068U2000



ZANUSSI 087333



Suitable for:

ZANUSSI



Suitable for:

Thermostats

3744052 SAFETY THERMOSTAT



ZANUSSI 0KK203

3444448 SAFETY THERMOSTAT 40°C
cable length 1400 mm



ZANUSSI 0A9671

3444971 THERMOSTAT END-DEFROSTING
37T31-501513
L25 - 10C - C0015



ZANUSSI 083113

3444515 THERMOSTAT FOR END OF DEFROSTING
37T31-501510
L7-8C J0350



ZANUSSI 083106

3444518 THERMOSTAT FOR END OF DEFROSTING 20°C
cable length 1400 mm




ZANUSSI 085940

3444911 THERMOSTAT RANCO K50 L3078
2 contacts 6A 250V
capillary 2000 mm
COLD -7.0°C - WARM +7.5°C
D shaft \varnothing 6x4.6 mm



ZANUSSI 0A8089

3241907 THERMOSTAT KNOB \varnothing 35 mm
hole \varnothing 6x4 mm



ZANUSSI 0A8203

3444897 THERMOSTAT RANCO K50 L3295
2 contacts 6A 250V
capillary 1300 mm
Alternative Atea A01 0584



ZANUSSI 0KD779

Suitable for:

Suitable for:

3444919 THERMOSTAT RANCO K50 P1115
 2 contacts 6A 250V
 capillary 2000 mm
 COLD +1.5°C - WARM +11.0°C
 D shaft \varnothing 6x4.6 mm

3441906 SPRING FOR KNOB



ZANUSSI 083520

ZANUSSI 082792

3444931 THERMOSTAT RANCO K52 L4512
 2 contacts 6A 250V
 double capillary
 capillaries 2100 mm - 1850 mm
 COLD -6,4°C - WARM +8,5°C
 COLD -6.0°C - WARM +8.8°C
 D shaft \varnothing 6x4.6 mm

3444916 THERMOSTAT RANCO K55 L5026
 2 contacts 6A 250V
 capillary 2000 mm
 COLD -0.5°C - WARM +8.5°C
 D shaft \varnothing 6x4.6 mm



ZANUSSI 0A8653

ZANUSSI 082025

3444906 THERMOSTAT RANCO K55 L5027
 2 contacts 6A 250V
 capillary 2000 mm
 COLD -5.0°C - WARM +8.5°C
 D shaft \varnothing 6x4.6 mm
 for Refrigerated cupboard (ZANUSSI)
 Series KOMPACT - Series LUX - Series SLIM

3241903 THERMOSTAT KNOB
 for Refrigerated cupboard (ZANUSSI)
 Series KOMPACT - Series LUX - Series SLIM



ZANUSSI 081689

ZANUSSI 082916

3444909 THERMOSTAT RANCO K55 L5070
 2 contacts 6A 250V
 capillary length 2500 mm
 COLD -22°C - WARM -7.5°C
 D shaft \varnothing 6x4.6 mm



ZANUSSI 082985



Suitable for:

3444905 THERMOSTAT RANCO K55 L5078
2 contacts 6A 250V
capillary 2000 mm
COLD +1.4°C - WARM +10.5°C
D shaft \varnothing 6x4.6 mm
for Refrigerated cupboard (ZANUSSI)
Series KOMPACT - Series LUX - Series SLIM



ZANUSSI 083125

Suitable for:

3241903 THERMOSTAT KNOB
for Refrigerated cupboard (ZANUSSI)
Series KOMPACT - Series LUX - Series SLIM




ZANUSSI 082916

3744066 THERMOSTAT RANCO K55 L5079
6A 250V
capillary 2000 mm
COLD -2°C - WARM +11°C
for Refrigerated cupboard (ZANUSSI) - Series EDVC
Series EDVN - Series EDVP - Series EMVC
Series EMVN - Series EMVP - Series IKF
Series IKN - Series IKS



ZANUSSI 083135

3344012 THERMOSTAT RANCO K55 L5080
2 contacts 6A 250V
capillary 1600 mm
COLD -3°C - WARM +10°C
D shaft \varnothing 6x4.6 mm




ZANUSSI 083147

3444447 THERMOSTAT RANCO K55 P5851
2 contacts 6A 250V
capillary 2500 mm
D-shaped pin 6x4,6 mm
for Refrigerated cupboard (ZANUSSI) C04PVG4D
730432



ZANUSSI 087516

3444921 THERMOSTAT RANCO K60 L2034
2 contacts 6A 250V
capillary 1500 mm
COLD -17°C - WARM -10°C
for Refrigerated table (ZANUSSI) - Series DCB



ZANUSSI 081378

3441906 SPRING FOR KNOB



ZANUSSI 082792



Suitable for:

3241900 THERMOSTAT KNOB \varnothing 50 mm
hole \varnothing 6x4 mm
for Self service counter (ZANUSSI)



ZANUSSI 080837

ZANUSSI




Suitable for:

3444516 THERMOSTAT RANCO K60 L2112
2 contacts 6A 250V
capillary 2500 mm
for Self service counter refrigerated (ZANUSSI)



ZANUSSI 083177

3444517 THERMOSTAT RANCO K60 L2141
2 contacts 6A 250V
capillary 800 mm
for Self service counter refrigerated (ZANUSSI)
DLP14/F - DLP21/F - DL14/F - DL21/F



ZANUSSI 083178

Timers

3322902 TIMER ELIWELL EWTS 70
12Vac/dc
1 relay exit 8A for defrosting
1 digital entry for klixon thermostat
adjustable defrosting interval
adjustable defrosting time from 5 to 60 min
front dimension 74x32xdepth 67 mm
mounting hole 71x29 mm
for Refrigerated cupboard (ZANUSSI) - Series ALP
Series ILN - Series ILP - Series ILS




ZANUSSI 082485

3322900 TIMER HAGER EH710 24h
230V 50Hz
1 contact 16A 250V
minimum programming interval 10 minutes
min interval between 2 switching 20 minutes
size 72x72 mm



ZANUSSI 083517

3322239 TIMER INVENSYS RZ-2001-21
230V 50Hz
cycle 4h 15min
for Refrigerated cupboard (ZANUSSI) 400L



ZANUSSI 084986



Suitable for:

ZANUSSI



Suitable for:

Transformers

3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



ZANUSSI 0A2269
ZANUSSI 083833


















ZANUSSI 004120

ZANUSSI 082378

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfrcambi724.it - www.lfrcambi724.mobi
info@lfrcambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
-  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
-  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
-  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
-  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
-  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
-  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
-  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
-  **BALKAN COUNTRIES**
www.lfspareparts724.com
matijaramov@lfspareparts.com
-  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
-  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
-  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
-  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
-  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
-  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
-  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us