



Spare parts for:

Consumables



Suitable for:

BWT WATER MORE



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Water purification filters

7150450 CARBONATE HARDNESS TEST KIT



BWT WATER MORE AS00Y06A00 BWT WATER MORE M0812157

7150444 FILTER CARTRIDGE BESTCLEAR 2 XL
 for water treatment for TECHNICAL purposes
 cartridge height with head 465 mm
 water temperature +4°C to +30°C
 capacity at 10°Kh 9000 L
 nominal flow rate 60 L/h
 operating pressure 2/8 bar
 both horizontal and vertical operation



BWT WATER MORE FS30U00A00 BWT WATER MORE M0812332

3010708 LITER COUNTER ACQUAMETER WATER+MORE
 with LCD display



BWT WATER MORE FS00Y03A00 BWT WATER MORE M0812136

3010706 FILTER CARTRIDGE BESTMAX L
 for water treatment for TECHNICAL purposes
 cartridge height with head 490 mm
 water temperature +4°C to +30°C
 capacity at 10°Kh 6240 L
 nominal flow rate 60 L/h
 operating pressure 2/8 bar
 both horizontal and vertical operation



BWT WATER MORE FS26I00A00 BWT WATER MORE M0812113

3010700 FILTER HEAD WATER+MORE 3/8"
 with wall support



BWT WATER MORE FS00Y00A00 BWT WATER MORE FS00Y00X00

3010701 VENT TAP BESTFLUSH 3/8"
 It allows an extremely simple venting,
 thus saving your time and money
 Filtering capacity used at 100%



BWT WATER MORE FS00Y51A00 BWT WATER MORE FS00Y51V00 BWT WATER MORE M0812196

3010700 FILTER HEAD WATER+MORE 3/8"
 with wall support



BWT WATER MORE FS00Y00A00 BWT WATER MORE FS00Y00X00



BWT WATER MORE



Suitable for:

3010708 LITER COUNTER ACQUAMETER WATER+MORE
with LCD display



BWT WATER MORE FS00Y03A00 BWT WATER MORE M0812136

Suitable for:

3010701 VENT TAP BESTFLUSH 3/8"
It allows an extremely simple venting,
thus saving your time and money
Filtering capacity used at 100%



BWT WATER MORE FS00Y51A00 BWT WATER MORE FS00Y51V00 BWT WATER MORE M0812196

3010705 FILTER CARTRIDGE BESTMAX M
for water treatment for TECHNICAL purposes
cartridge height with head 465 mm
water temperature +4°C to +30°C
capacity at 10°Kh 4560 L
nominal flow rate 60 L/h
operating pressure 2/8 bar
both horizontal and vertical operation



BWT WATER MORE FS24I00A00 BWT WATER MORE M0812112

3010700 FILTER HEAD WATER+MORE 3/8"
with wall support



BWT WATER MORE FS00Y00A00 BWT WATER MORE FS00Y00X00

3010708 LITER COUNTER ACQUAMETER WATER+MORE
with LCD display



BWT WATER MORE FS00Y03A00 BWT WATER MORE M0812136

3010701 VENT TAP BESTFLUSH 3/8"
It allows an extremely simple venting,
thus saving your time and money
Filtering capacity used at 100%



BWT WATER MORE FS00Y51A00 BWT WATER MORE FS00Y51V00 BWT WATER MORE M0812196

3010703 FILTER CARTRIDGE BESTMAX S
for water treatment for TECHNICAL purposes
cartridge height with head 350 mm
water temperature +4°C to +30°C
capacity at 10°Kh 1200 L
nominal flow rate 60 L/h
operating pressure 2/8 bar
both horizontal and vertical operation



BWT WATER MORE FS22I00A00 BWT WATER MORE M0812111

3010700 FILTER HEAD WATER+MORE 3/8"
with wall support



BWT WATER MORE FS00Y00A00 BWT WATER MORE FS00Y00X00



Suitable for:

3010708 LITER COUNTER ACQUAMETER WATER+MORE
with LCD display



BWT WATER MORE FS00Y03A00 BWT WATER MORE M0812136

3010704 FILTER CARTRIDGE BESTMAX V
for water treatment for TECHNICAL purposes
cartridge height with head 410 mm
water temperature +4°C to +30°C
capacity at 10°Kh 3000 L
nominal flow rate 60 L/h
operating pressure 2/8 bar
both horizontal and vertical operation



BWT WATER MORE FS23J00A00 BWT WATER MORE M0812115

3010708 LITER COUNTER ACQUAMETER WATER+MORE
with LCD display



BWT WATER MORE FS00Y03A00 BWT WATER MORE M0812136

3010702 FILTER CARTRIDGE BESTMAX X
for water treatment for TECHNICAL purposes
cartridge height with head 270 mm
water temperature +4°C to +30°C
capacity at 10°Kh 720 L
nominal flow rate 60 L/h
operating pressure 2/8 bar
both horizontal and vertical operation



BWT WATER MORE FS20J00A00 BWT WATER MORE M0812110

BWT WATER MORE



Suitable for:

3010701 VENT TAP BESTFLUSH 3/8"
It allows an extremely simple venting,
thus saving your time and money
Filtering capacity used at 100%



BWT WATER MORE FS00Y51A00 BWT WATER MORE FS00Y51V00 BWT WATER MORE M0812196

3010700 FILTER HEAD WATER+MORE 3/8"
with wall support



BWT WATER MORE FS00Y00A00 BWT WATER MORE FS00Y00X00

3010701 VENT TAP BESTFLUSH 3/8"
It allows an extremely simple venting,
thus saving your time and money
Filtering capacity used at 100%



BWT WATER MORE FS00Y51A00 BWT WATER MORE FS00Y51V00 BWT WATER MORE M0812196

3010700 FILTER HEAD WATER+MORE 3/8"
with wall support



BWT WATER MORE FS00Y00A00 BWT WATER MORE FS00Y00X00



BWT WATER MORE



Suitable for:

3010708 LITER COUNTER ACQUAMETER WATER+MORE
with LCD display



BWT WATER MORE FS00Y03A00 BWT WATER MORE M0812136

Suitable for:

3010701 VENT TAP BESTFLUSH 3/8"
It allows an extremely simple venting,
thus saving your time and money
Filtering capacity used at 100%



BWT WATER MORE FS00Y51A00 BWT WATER MORE FS00Y51V00 BWT WATER MORE M0812196

3010707 FILTER CARTRIDGE BESTMAX XL
for water treatment for TECHNICAL purposes
cartridge height with head 492 mm
water temperature +4°C to +30°C
capacity at 10°Kh 8160 L
nominal flow rate 60 L/h
operating pressure 2/8 bar
both horizontal and vertical operation



BWT WATER MORE FS28I00A00 BWT WATER MORE M0812114

3010700 FILTER HEAD WATER+MORE 3/8"
with wall support



BWT WATER MORE FS00Y00A00 BWT WATER MORE FS00Y00X00

3010708 LITER COUNTER ACQUAMETER WATER+MORE
with LCD display



BWT WATER MORE FS00Y03A00 BWT WATER MORE M0812136

3010701 VENT TAP BESTFLUSH 3/8"
It allows an extremely simple venting,
thus saving your time and money
Filtering capacity used at 100%



BWT WATER MORE FS00Y51A00 BWT WATER MORE FS00Y51V00 BWT WATER MORE M0812196

7150446 FILTER CARTRIDGE BESTMAX 2XL
for water treatment for TECHNICAL purposes
cartridge height with head 574 mm
water temperature +4°C to +30°C
capacity at 10°Kh 8270 L
nominal flow rate 60 L/h
operating pressure 2/8 bar
both horizontal and vertical operation



BWT WATER MORE FS30I00A00 BWT WATER MORE M0812116

3010700 FILTER HEAD WATER+MORE 3/8"
with wall support



BWT WATER MORE FS00Y00A00 BWT WATER MORE FS00Y00X00



BWT WATER MORE



Suitable for:

3010708 LITER COUNTER ACQUAMETER WATER+MORE
with LCD display



BWT WATER MORE FS00Y03A00 BWT WATER MORE M0812136

7150448 PLASTIC NIPPLES 3/4"M-3/8"F



BWT WATER MORE M0812153

3010701 VENT TAP BESTFLUSH 3/8"
It allows an extremely simple venting,
thus saving your time and money
Filtering capacity used at 100%



BWT WATER MORE FS00Y51A00 BWT WATER MORE FS00Y51V00 BWT WATER MORE M0812196

7150445 FILTER CARTRIDGE BESTTASTE X
for water treatment for TECHNICAL purposes
cartridge height with head 280 mm
water temperature +4°C to +30°C
capacity at 10°Kh 10000 L
operating pressure 2/8 bar
both horizontal and vertical operation



BWT WATER MORE FS20A00A00 BWT WATER MORE M0812310

3010708 LITER COUNTER ACQUAMETER WATER+MORE
with LCD display



BWT WATER MORE FS00Y03A00 BWT WATER MORE M0812136

Suitable for:

7150447 PLASTIC NIPPLES 1/2"M-3/8"F



BWT WATER MORE M0812152

7150449 PLASTIC NIPPLES 3/8"M-3/4"F



BWT WATER MORE M0812155

3010700 FILTER HEAD WATER+MORE 3/8"
with wall support



BWT WATER MORE FS00Y00A00 BWT WATER MORE FS00Y00X00

3010701 VENT TAP BESTFLUSH 3/8"
It allows an extremely simple venting,
thus saving your time and money
Filtering capacity used at 100%



BWT WATER MORE FS00Y51A00 BWT WATER MORE FS00Y51V00 BWT WATER MORE M0812196



Suitable for:

Suitable for:

Water softeners and accessories

3010711 DESCALING TABLET BESTSAVE L
capacity at 10°dKH - 200 l
maximum service life after installation 2 months



BWT WATER MORE KS12100A00

3010710 DESCALING TABLET BESTSAVE M
capacity at 10°dKH - 100 l
maximum service life after installation 2 months



BWT WATER MORE KS10100A00

3010709 DESCALING TABLET BESTSAVE S
capacity at 10°dKH - 50 l
maximum service life after installation 2 months





















BWT WATER MORE KS08100A00

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfrcambi724.it - www.lfrcambi724.mobi
info@lfrcambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
 -  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matijaramov@lfspareparts.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
 -  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
 -  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us