



Spare parts for:

Cooking equipment



Suitable for:

ALBA



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

ALBA

Suitable for:



Burners, flame spreaders and accessories

3025284 FLAME SPREADER \varnothing 105 mm



ALBA 203312841005

3025283 BURNER \varnothing 105 mm



3025285 VENTURI F/FLAME SPREADER 105 mm



3025281 FLAME SPREADER \varnothing 80 mm




ALBA 203312841004

3025280 BURNER \varnothing 80 mm



3025282 VENTURI F/FLAME SPREADER 80 mm



3025289 AERATION REGULATOR
internal \varnothing 42 mm - external \varnothing 45 mm
height 50 mm



3025290 JET HOLDER
nozzle hole M11x1



3025289 AERATION REGULATOR
internal \varnothing 42 mm - external \varnothing 45 mm
height 50 mm



3025290 JET HOLDER
nozzle hole M11x1





Cables for piezo igniters

- 3001028 IGNITION LEAD 500 mm**
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for sparking plug



ALBA 341500024004

Capacitors, electrical

- 3068019 CAPACITOR μ F 12.5 450V 50/60Hz**
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ALBA 15081

- 3068014 CAPACITOR μ F 8 450V 50/60Hz**
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ALBA 16043

Clamps

- 3449452 HOSE CLAMP 16-25**
for pipes \varnothing 16÷25 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ALBA 11807

- 3449453 HOSE CLAMP 25-40**
for pipes \varnothing 25÷40 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ALBA 11806

Contactors

- 3446214 CONTACTOR LOVATO BG09T4A**
4KW 400V 9A - 4 normally open contacts
coil 230V 50/60Hz



ALBA 15086

ALBA 15086/F



Suitable for:

ALBA



Suitable for:

Drain taps and accessories

3356173 DRAIN TAP \varnothing 1"1/2F
 complete with food grease tube
 GASKET SEAL
 fixed connection \varnothing 1"1/2F
 made of STAINLESS steel
 IN COMPLIANCE WITH EUROPEAN REGULATION 1935/2004
 FOODSAFE



ALBA 541933101088

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
 food safe grease for lubrication
 of all friction points
 ideal for water and steam taps
 operating temperature $-45^{\circ}/+120^{\circ}$
 beige color - NSF approval H1
 hot and cold water resistant
 high anti-corrosion power
 can replace vaseline



3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
 length 50 mt
 suitable to hot and cold drinking water, gas
 replaces pastes, hemp and sealing tapes
 it allows the repositioning of couplings
 in compliance with the latest regulations
 Drinking water (Italian certification by C.S.A.,
 according to standard KTW and WRC approved)
 gas - water IMQ-UNICIG.
 compliant with UNI EN 51-2 class Arp
 approved by DVGW and DIN 30660




3180061 TAPE FOR JOINTS SEALING LOCTITE 55 - 150
 length 150 m
 suitable for hot / cold drinking water. gas
 replaces pastes, hemp and sealing tapes
 it allows the correct replacement of fittings
 compliant with the latest regulatory requirements
 Drinking water (C.S.A. italian certified.
 in line with KTW standard and WRC approved)
 IMQ-UNICIG gas-water.
 compliant with UNI EN 51-2 class Arp
 DVGW and DIN 30660 approved



Electric hot plates

3311170 ELECTRIC HOT PLATE \varnothing 230 mm 2100W 230V
 faston electric connections
 complete with energy adjuster
 for glass-ceramic cooking top



ALBA 541524210040

3311054 ELECTRIC HOT PLATE 2600W 400V
 dimensions 220x220 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



ALBA 541524400220

Suitable for:

Suitable for:


- 3311063 ELECTRIC HOT PLATE 3000W 400V**
 dimensions 300x300 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



ALBA 00040000010

Electrical gas valves and accessories

- 3526140 VALVE 836 TANDEM \varnothing 1/2"FF**
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 maximum gas inlet pressure 60 mbar
 max.gas outlet pressure adjustment range 7÷50 mbar
 outlet gas pressure setting range min.2÷45 mbar
 room temperature 0÷60°C
 power supply 230V 30A rectified



ALBA 42270000007

- 3526142 DOUBLE COIL FOR VALVE**
 220V 50Hz
 for VALVE 830 TANDEM-836 TANDEM




- 3020083 NUT & OLIVE \varnothing 4 mm**



- 3348041 PIPE OLIVE \varnothing 16 mm**
 for model PEL 23



- 2100724 COIL 24V**
 for valve 830 TANDEM-836 TANDEM



- 3526143 MODULATOR COIL**
 220V rectified
 for VALVE 836 TANDEM



- 3020084 NUT & OLIVE \varnothing 6 mm**



ALBA 319700958031



Suitable for:

ALBA



Suitable for:

Energy regulators

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



ALBA 405611100089

Feet

3313005 STAINLESS STEEL FOOT \varnothing 2" x h 125 mm with fixed screw M12x25 mm



ALBA 15116

Fittings


3349346 NICHEL-PL.HOSE-END FITTING \varnothing 1/4" M \varnothing 12



ALBA 12005

Gas valves and accessories

3526260 EUROSIT VALVE CAP



ALBA 541910500631



Gas valves and accessories

3526258 EUROSIT VALVE FOR FRYER 110÷190°C

with new knob
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb \varnothing 4x200 mm
RoHS certificated



ALBA 541910500630

3526260 EUROSIT VALVE CAP



ALBA 541910500631

3020083 NUT & OLIVE \varnothing 4 mm



3020082 OLIVE FOR 12 mm \varnothing PIPE



3020079 PIPE FITTING \varnothing 12 mm thread \varnothing 3/8" F



4056009 CAP FOR VALVE EUROSIT



3526127 FLANGE FOR KNOB EXTENSION



3020084 NUT & OLIVE \varnothing 6 mm



ALBA 319700958031

3001111 PIEZO IGNITER EUROSIT male faston \varnothing 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE





Suitable for:

ALBA



3526130 EUROSIT VALVE FOR OVEN 100÷340°C
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷120°C
 capillary length 1050 mm
 bulb \varnothing 4x72 mm




ALBA 541910630310

3526129 CLASP \varnothing 3x14 mm
 UNI 6873 - DIN 1481 - ISO 8752



4056009 CAP FOR VALVE EUROSIT



3526260 EUROSIT VALVE CAP



ALBA 541910500631

3526677 EXTENSION FOR EUROSIT VALVE
 D-shaped pin \varnothing 10x8 mm



3526127 FLANGE FOR KNOB EXTENSION



3526128 KNOB EXTENSION LENGTH 34 mm
 D-shaft \varnothing 8x6.5 mm



3526125 KNOB EXTENSION 47 mm
 D-shaped pin \varnothing 8x6.5 mm



3020083 NUT & OLIVE \varnothing 4 mm



3020084 NUT & OLIVE \varnothing 6 mm



ALBA 319700958031



Suitable for:

3020082 OLIVE FOR 12 mm Ø PIPE



3020079 PIPE FITTING Ø 12 mm
thread Ø 3/8" F



3523949 MINISIT VALVE FOR FRYER 110÷190°C
inlet Ø 1/2" F - outlet Ø 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb Ø 6x105 mm
supplied without lid knob and flanges




ALBA 405309000710

3182003 MAGNETIC UNIT SIT
Ø head 25 mm - Ø end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



3523038 MINISIT ELBOW FLANGE Ø 1/2" F
with screws and "O" ring




ALBA




Suitable for:

3001111 PIEZO IGNITER EUROSIT
male faston Ø 2.4 mm




3526123 RUBBER PROTECTION FOR EUROSIT VALVE



3523035 KNOB MINISIT BLACK Ø 37 mm



3523047 MINISIT COVER




3523037 MINISIT ELBOW FLANGE Ø 3/8"
with screws and "O" ring





Suitable for:

3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



3523061 NUT \varnothing 1/4"x6 mm



3020082 OLIVE FOR 12 mm \varnothing PIPE



3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



3523036 REDUCTION STRAIGHT \varnothing 3/8"F - \varnothing 1/2"F
in brass with internal and external thread
 \varnothing internal thread 3/8"F - \varnothing external thread 1/2"F
for MINISIT flange



ALBA



Suitable for:

3523051 MINISIT SENSING ELEMENT 110÷190°C
capillary length 1050 mm
bulb \varnothing 6x105 mm



3523060 OIL SEAL FITTING \varnothing 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8"F



3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23





Heating elements

3755856 HEATING ELEMENT 10200W 230/400V

length 300 mm - width 180 mm
coupling M54x1.5 mm - complete with cables
complete with OR gaskets



ALBA 541524700008

3186601 O-RING 04200 EPDM



3186697 O-RING 0159 EPDM



3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



3755661 HEATING ELEMENT 15000W 230V

length 300 mm - width 285 mm
connection M54x1.5 mm - complete with cables
complete with OR gaskets
with two holes per bulb



ALBA 541524000007

3186601 O-RING 04200 EPDM



1186715 O-RING 0159 VITON



3786459 O-RING 04200 VITON



3755652 RING NUT 1-3/4" FOR HEATING ELEMENT





Suitable for:

Suitable for:

3755489 HEATING ELEMENT 6800W 230V
length 300 mm - width 110 mm
connection M54x1.5 mm - with cables
with O-rings

3186697 O-RING 0159 EPDM



ALBA 54152400006

3186601 O-RING 04200 EPDM

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



Ignitors

3001007 PIEZO IGNITER
a \varnothing 22 mm hole is needed for the assembly
2.4 mm \varnothing male faston connector



ALBA 541922045000

Indicator lights

3221132 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application

3221095 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ALBA 347561183522

ALBA 347561183600

ALBA 347561183523

ALBA 347561183610

Injectors

3500040 GAS JET M9x1 \varnothing 0.85 mm

3500043 GAS JET M9x1 \varnothing 1.10 mm



ALBA 541910060085

ALBA 000007042707

ALBA 541910060110

Suitable for:

3500046 GAS JET M9x1 ø 1.25 mm



ALBA 541910060130

Suitable for:

3500050 GAS JET M9x1 ø 1.80 mm



ALBA 000007042750

ALBA 541910060170

3500051 GAS JET M9x1 ø 1.90 mm



ALBA 000007042716

Interference suppression filters

3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL
0.47µF



ALBA 15149

Ironmongery (screws,nuts,washers)

3060069 HEXAGONAL NUT M8 MEDIUM
stainless steel - UNI 5588 - DIN 934 - ISO 4032



ALBA 11702


1528030 MID HEXAGONAL NUT M6
stainless steel - UNI 5588 - DIN 934 - ISO 4032



ALBA 11706

Microswitches

3240407 MICROSWITCH KIT 16A 250V
3 locking positions
the kit includes 5 levers:
lever 75 mm - lever 27 mm - lever 15 mm
lever 15 mm with wheel - lever 27 mm with wheel



ALBA 10704



Suitable for:

ALBA



Suitable for:

OR and ORM gaskets

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm



ALBA 13005

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



ALBA 13015

1186411 O-RING 02031 EPDM



ALBA 13002

Pilot burners and accessories

3020084 NUT & OLIVE \varnothing 6 mm



ALBA 319700958031

3020202 PILOT GAS JET \varnothing 0.27 mm



ALBA 541933977270

3020043 PILOT GAS JET \varnothing 0.36 mm



ALBA 541933977115

3020054 PILOT JET \varnothing 0.20 mm



ALBA 541933977028

3020055 PILOT JET \varnothing 0.35 mm



ALBA 541933977031

3020251 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket



ALBA 541933290080

5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm






Suitable for:

3020085 FITTING FOR SPARKING PLUG FIXING M10x1 mm



5022050 NOZZLE FOR PILOT BURNER \varnothing 0.50 mm



3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



3020042 PILOT GAS JET \varnothing 0.19 mm



3020202 PILOT GAS JET \varnothing 0.27 mm



ALBA 54193397270

3020543 PILOT GAS JET \varnothing 0.38 mm



ALBA

Suitable for:


3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



3020114 OLIVE FOR PIPE \varnothing 6 mm



3020201 PILOT GAS JET \varnothing 0.14 mm



3020542 PILOT GAS JET \varnothing 0.20 mm



3020043 PILOT GAS JET \varnothing 0.36 mm



ALBA 54193397115

3020113 PILOT OLIVE FOR PIPE \varnothing 4 mm






Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



ALBA 54191005036

3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



ALBA 541910500054

ALBA



Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22



3020294 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



3020365 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm





Suitable for:

3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020083 NUT & OLIVE \varnothing 4 mm



3020082 OLIVE FOR 12 mm \varnothing PIPE



3020081 OLIVE FOR 6 mm \varnothing PIPE



3020308 PILOT ASSEMBLY WITH NOZZLE \varnothing 0.40 mm



3020156 PILOT JET \varnothing 0.25 mm



ALBA

Suitable for:

4058525 NOZZLE FOR PILOT BURNER \varnothing 0.30 mm



3020084 NUT & OLIVE \varnothing 6 mm



ALBA 319700958031

3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020054 PILOT JET \varnothing 0.20 mm



ALBA 541933977028

3020055 PILOT JET \varnothing 0.35 mm



ALBA 541933977031





Suitable for:

5015516 PILOT NOZZLE \varnothing 0.40 mm



3020105 PILOT WITH 0.20 mm \varnothing JET




3020107 PILOT WITH 0.35 mm \varnothing JET



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3020294 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



ALBA

Suitable for:

3500269 PILOT NOZZLE \varnothing 0.45 mm



3020106 PILOT WITH 0.25 mm \varnothing JET



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" F



5033138 PIPE FITTING \varnothing 4 mm
thread \varnothing 1/8"



5027953 PIPE OLIVE \varnothing 4 mm
for COPRECI CAL3200



3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm





Suitable for:

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



3020365 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020103 THREE-POSITION BRACKET



ALBA



Suitable for:

3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



3020110 THREE-FLAME DEFLECTOR



3020104 THREE-POSITION BRACKET CLAMP



Relays


3351021 POWER RELAY FINDER 62.82.8.230.0000
230V 50/60Hz
2 exchange contacts 16A



ALBA 15620


Rotary switches

3057177 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



ALBA 345355300002

3057022 SELECTOR SWITCH 0-1 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



ALBA 345362103751




Suitable for:

ALBA



Suitable for:

3057094 SELECTOR SWITCH 0-1 0-1 POSITIONS
contact capacity 32A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



ALBA 34535500000

Safety groups for pans and spare parts

3184007 PRESSURE GAUGE \varnothing 60 mm
in chrome plated brass
radial connection 1/4"
scale 0-1 bar
for safety groups



ALBA 388411221358

Solenoid valves

3120368 SOLENOID VALVE ODE \varnothing 3/4"FF 230V
for steam - normally closed
max temperature 140°C
max differential pressure 25 bar
coil ODE 8W 230V 50Hz - flow rate 140 l/min



ALBA 40565200000

1120820 COIL ODE BDA08223DS 220/230V 50Hz 8W
width 30 mm - height 39 mm
depth 42 mm



3120034 FEMALE LARGE CONNECTOR
for coils



3120005 SOLENOID VALVE 329 220/240V \varnothing 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



ALBA 10703

3120000 FILTER FOR INLET SOLENOID VALVE ELBI





Suitable for:

3120021 INLET REDUCER 12 L/min BLACK



3120019 INLET REDUCER 5.5 L/min BLACK



3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW
for solenoid valve ELBI
rated value +/- 25%



3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL
for solenoid valve ELBI
rated value +/- 25%



3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE
for solenoid valve ELBI
rated value +/- 25%



3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN
for solenoid valve ELBI
rated value +/- 25%



ALBA

Suitable for:

3120022 INLET REDUCER 16 L/min BLACK



3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN
for ELBI solenoid valve
face value +/- 25%



3120015 OUTLET REDUCER ELBI 0.5 L/min RED
for solenoid valve ELBI
rated value +/- 25%



3120203 OUTLET REDUCER ELBI 2 L/min WHITE
for solenoid valve ELBI
rated value +/- 25%



3120201 OUTLET REDUCER ELBI 4.7 L/min GREY
for solenoid valve ELBI
rated value +/- 25%






Suitable for:

ALBA



Suitable for:

3120009 SOLENOID VALVE 351 220/240V \varnothing 14 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 14 mm



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



ALBA 30001000

3120021 INLET REDUCER 12 L/min BLACK



3120022 INLET REDUCER 16 L/min BLACK



3120019 INLET REDUCER 5.5 L/min BLACK



3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN
for ELBI solenoid valve
face value +/- 25%



3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW
for solenoid valve ELBI
rated value +/- 25%



3120015 OUTLET REDUCER ELBI 0.5 L/min RED
for solenoid valve ELBI
rated value +/- 25%



3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL
for solenoid valve ELBI
rated value +/- 25%



3120203 OUTLET REDUCER ELBI 2 L/min WHITE
for solenoid valve ELBI
rated value +/- 25%



3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE
for solenoid valve ELBI
rated value +/- 25%



3120201 OUTLET REDUCER ELBI 4.7 L/min GREY
for solenoid valve ELBI
rated value +/- 25%



3120204 OUTLET REDUCER ELBI 5.5 L/m in BROWN
for solenoid valve ELBI
rated value +/- 25%



Spark generators

3181003 SPARK GENERATOR 4 OUTLETS
220/240V 50/60Hz



ALBA 405309772016

Sparking and detection plugs

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



ALBA 541910055036

3020068 SPARKING PLUG ROUND \varnothing 7x44 mm
square coupling
faston M M4x1 mm
overall length 63 mm



ALBA 541910055709

Taps for tank refilling

3358009 WATER INLET TAP \varnothing 1/2"FF



ALBA 551413035030

ALBA 551413035031

3241826 TAP KNOB



Telethermometers

3441011 BLACK TELETHERMOMETER 56x25 mm 0-120°C
plastic case
capillary length 1500 mm
bulb \varnothing 6x15 mm



ALBA 10500005



Suitable for:

ALBA



Suitable for:


Terminal blocks

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ALBA 500550

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ALBA 500551

Thermocouples and accessories

3440015 INTERRUPTION CONNECTOR M9x1




ALBA 541910000400

3440054 THERMOCOUPLE SIT M8x1 85 cm THREAD M8x1



ALBA 541100427760

3440854 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS GIUNTO M8x1



3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



ALBA 541933290088

ALBA 541933290091

3440037 THERMOCOUPLE SIT M9x1 100 cm.



ALBA 541933290088

ALBA 541933290091

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



ALBA 541933290088

ALBA 541933290091



Suitable for:

3440080 THERMOCOUPLE SIT M9x1 40 cm.



ALBA 541933290082

ALBA 541933290231

Suitable for:

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



3440049 THERMOCOUPLE SIT M9x1 75 cm




ALBA 541933290750

3440849 THERMOCOUPLE SIT M9x1 75 cm - 10 PCS




Thermostats

3444974 SINGLE-PHASE THERMOSTAT 100-615°C
complete with switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1100 mm - 16A 250V
bulb \varnothing 4x230 mm




ALBA 405611100083

3444736 SINGLE-PHASE THERMOSTAT 130°C
with manual reset
capillary length 850 mm - 16A 230V
bulb \varnothing 6x130 mm



ALBA 405611100076

3444199 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
complete with wiring
covered capillary length 850 mm - 16A 230V
bulb \varnothing 4x120 mm - with adapter nipple bland M9x1




ALBA 405611000091

3444019 SINGLE-PHASE THERMOSTAT 30-90°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 1000 mm - 16A 250V
bulb \varnothing 6x130 mm



ALBA 405611100073

3444663 SINGLE-PHASE THERMOSTAT 50-195°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 2300 mm
bulb \varnothing 4x160 mm



ALBA 405611100088

3444376 SINGLE-PHASE THERMOSTAT 95-190°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1010 mm - 16A 250V
bulb \varnothing 6x100 mm - with adapter nipple band M10x1



ALBA 345353000006




Suitable for:

ALBA



3444307 **THREE-PHASE THERMOSTAT 230°C**
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x100 mm - with adapter nipple band M10x1




ALBA 40561100007

3444506 **THREE-PHASE THERMOSTAT 240°C**
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 4x150 mm




ALBA 405611100087

3444592 **THREE-PHASE THERMOSTAT 340°C**
with manual reset
capillary length 1190 mm
bulb \varnothing 4x128 mm



ALBA 405611100084

3444251 **THREE-PHASE THERMOSTAT 50-300°C**
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1100 mm - 10A 400V
bulb \varnothing 3x220 mm




















ALBA 405611100074

ALBA 405611100082

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF GmbH GERMANY**
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **DENMARK**
www.lfspareparts724.dk
michael.lenth@lfspareparts.com
 -  **AUSTRIA**
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz