




Spare parts for:

Cooking equipment

Suitable for:

AMBACH



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

AMBACH



Suitable for:

Air regulators

- 3025216 AERATION REGULATOR**
internal $\varnothing$ 40 mm - external $\varnothing$ 45 mm
height 40 mm



AMBACH 3028604319

Ball valves and accessories

- 5028318 BALL VALVE $\varnothing$ 1"FF**



AMBACH 5018007498

Burners, flame spreaders and accessories

- 3025054 BURNER "C" $\varnothing$ 75 mm**
for Pot stove gas (AMBACH) GH/45 - GH/90



AMBACH 5016914265

- 3025270 BURNER "E" $\varnothing$ 125 mm**
for Pot stove gas (AMBACH) GH/45 - GH/90



AMBACH 5016914267

- 3025214 BURNER BASE $\varnothing$ 125 mm**
for Pot stove gas (AMBACH) HGG/120 - HGG/85
HGG/90



AMBACH 2016905412

AMBACH 2016905418

AMBACH 3516905412

- 3025188 BURNER BASE $\varnothing$ 65 mm**
for Pot stove gas (AMBACH) GHG/70



AMBACH 2016902026

- 3025187 BURNER BASE $\varnothing$ 80 mm**
for Pot stove gas (AMBACH) GHG/70



AMBACH 2016902017

- 3025212 BURNER BASE $\varnothing$ 90 mm**
for Pot stove gas (AMBACH) HGG/120 - HGG/85
HGG/90



AMBACH 2016905411

AMBACH 3516905411



Suitable for:

AMBACH



3025266 BURNER CAP ø 70 mm
for second series
for Pot stove gas (AMBACH) GRG/70



AMBACH 5018709571

3061011 O-RING SEAL 04375 EPDM



AMBACH 5017308860

3025268 BURNER CAP ø 80 mm
for second series
for Pot stove gas (AMBACH) GRG/70



AMBACH 5018709572

3061011 O-RING SEAL 04375 EPDM



AMBACH 5017308860

3025269 BURNER CAP "E" ø 125 mm
for Pot stove gas (AMBACH) GH/45 - GH/90



AMBACH 5018714247

3025202 BURNER SUPPORT "C" "E"



AMBACH 5006314268

Suitable for:

3025265 BURNER HEAD ø 70 mm
for BOILING TOP model GRG70 second series



AMBACH 5016908861

AMBACH 5016909391

3025267 BURNER HEAD ø 80 mm
for second series
for Pot stove gas (AMBACH) GRG/70



AMBACH 5016908863

AMBACH 5016909392

3025270 BURNER "E" ø 125 mm
for Pot stove gas (AMBACH) GH/45 - GH/90



AMBACH 5016914267

3186347 GASKET FOR BURNER "C" "E"



AMBACH 5017314079



Suitable for:

3250125 SPRING FOR VENTURI "C" "E"



AMBACH 5004714244

3025058 VENTURI TUBE "E" F/FLAME SPREADER 125 mm
for Pot stove gas (AMBACH) GH/45 - GH/90



AMBACH 5016914240

3025265 BURNER HEAD ø 70 mm
for BOILING TOP model GRG70 second series



AMBACH 5016908861

AMBACH 5016909391

AMBACH



Suitable for:

3025059 VENTURI ELBOW "C" "E"



AMBACH 5050120709

3025267 BURNER HEAD ø 80 mm
for second series
for Pot stove gas (AMBACH) GRG/70



AMBACH 5016908863

AMBACH 5016909392

3025202 BURNER SUPPORT "C" "E"



AMBACH 5006314268

3025147 FLAME SPREADER ø 125 mm
for Pot stove gas (AMBACH) HGG/120 - HGG/85
HGG/90



AMBACH 5018705859

3025216 AERATION REGULATOR
internal ø 40 mm - external ø 45 mm
height 40 mm



AMBACH 3028604319



Suitable for:

3025214 BURNER BASE ø 125 mm
for Pot stove gas (AMBACH) HGG/120 - HGG/85
HGG/90



AMBACH 2016905412

AMBACH 2016905418

AMBACH



Suitable for:

3025215 VENTURI F/FLAME SPREADER 125 mm
for Pot stove gas (AMBACH) HGG/120 - HGG/85
HGG/90



AMBACH 2000605351

AMBACH 3500605351

AMBACH 5000605351

3025144 FLAME SPREADER ø 65 mm
for Pot stove gas (AMBACH) GHG/70



AMBACH 3018703054

3025188 BURNER BASE ø 65 mm
for Pot stove gas (AMBACH) GHG/70



AMBACH 2016902026

3025145 FLAME SPREADER ø 80 mm
for Pot stove gas (AMBACH) GHG/70



AMBACH 3018702019

3025187 BURNER BASE ø 80 mm
for Pot stove gas (AMBACH) GHG/70



AMBACH 2016902017

3025146 FLAME SPREADER ø 90 mm
for Pot stove gas (AMBACH) HGG/120 - HGG/85
HGG/90



AMBACH 5018705710

3025216 AERATION REGULATOR
internal ø 40 mm - external ø 45 mm
height 40 mm



AMBACH 3028604319

3025212 BURNER BASE ø 90 mm
for Pot stove gas (AMBACH) HGG/120 - HGG/85
HGG/90



AMBACH 2016905411

AMBACH 3516905411

3025213 VENTURI F/FLAME SPREADER 90 mm
for Pot stove gas (AMBACH) HGG/120 - HGG/85
HGG/90



AMBACH 2000605350

AMBACH 3500605350

AMBACH 5000605350



Suitable for:

AMBACH



3025053 FLAME SPREADER "C" $\varnothing$ 75 mm
for Pot stove gas (AMBACH) GH/45 - GH/90



AMBACH 5018714245

3025202 BURNER SUPPORT "C" "E"



AMBACH 5006314268

3250125 SPRING FOR VENTURI "C" "E"



AMBACH 5004714244

3025059 VENTURI ELBOW "C" "E"



AMBACH 5050120709

3025213 VENTURI F/FLAME SPREADER 90 mm
for Pot stove gas (AMBACH) HGG/120 - HGG/85
HGG/90



AMBACH 2000605350

AMBACH 3500605350

AMBACH 5000605350

Suitable for:

3025054 BURNER "C" $\varnothing$ 75 mm
for Pot stove gas (AMBACH) GH/45 - GH/90



AMBACH 5016914265

3186347 GASKET FOR BURNER "C" "E"



AMBACH 5017314079

3025186 VENTURI PIPE "C" F/FLAME SPREADER 75 mm
for Pot stove gas (AMBACH) GH/45 - GH/90



AMBACH 5016914238

3025215 VENTURI F/FLAME SPREADER 125 mm
for Pot stove gas (AMBACH) HGG/120 - HGG/85
HGG/90



AMBACH 2000605351

AMBACH 3500605351

AMBACH 5000605351

3025186 VENTURI PIPE "C" F/FLAME SPREADER 75 mm
for Pot stove gas (AMBACH) GH/45 - GH/90



AMBACH 5016914238



Suitable for:

AMBACH



3025058 VENTURI TUBE "E" F/FLAME SPREADER 125 mm
for Pot stove gas (AMBACH) GH/45 - GH/90



AMBACH 5016914240

Suitable for:

Cables for piezo igniters

3001022 IGNITION CABLE 1200 mm
with faston terminal $\varnothing$ 2.4 mm for ignition
with faston terminal $\varnothing$ 4 mm for plug



AMBACH 5061005414

3001016 IGNITION LEAD 1000 mm
with faston $\varnothing$ 2.4 mm for ignition
with faston $\varnothing$ 4 mm for electrode



AMBACH 5061003550

3001018 IGNITION LEAD 600 mm
with faston $\varnothing$ 2.4 mm for ignition
with faston $\varnothing$ 4 mm for electrode



AMBACH 5061003549

Contactors

5021314 AUXILIARY CONTACT AEG HS8.K11
1 contact NO
1 contact NC



AMBACH 5061410718

3351220 CONTACTOR AEG LS11K 25A 400V 11Kw
coil 230V 50/60Hz
3 contacts NO
no auxiliary contact



AMBACH 5061407226

3351219 CONTACTOR AEG LS7K 18A 230V 7.5Kw
coil 230V 50/60Hz
4 normally open contacts
no auxiliary contact



AMBACH 5061411123

5021314 AUXILIARY CONTACT AEG HS8.K11
1 contact NO
1 contact NC



AMBACH 5061410718



Suitable for:

AMBACH



Suitable for:

Drain taps and accessories

- 3356173 DRAIN TAP $\varnothing$ 1"1/2F**
complete with food grease tube
GASKET SEAL
fixed connection $\varnothing$ 1"1/2F
made of STAINLESS steel
IN COMPLIANCE WITH EUROPEAN REGULATION 1935/2004
FOODSAFE



AMBACH 5018007460

- 1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature $-45^{\circ}/+120^{\circ}$
beige color - NSF approval H1
hot and cold water resistant
high anti-corrosion power
can replace vaseline



- 3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



- 3180061 TAPE FOR JOINTS SEALING LOCTITE 55 - 150**
length 150 m
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water.
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



- 3356007 DRAIN TAP $\varnothing$ 1"1/2F TECNO**
TAPERED SEAL - swivel nut $\varnothing$ 1"1/2F
with gasket
for BOILING PAN



AMBACH 5018007363

AMBACH 5018013159

AMBACH 5018019217

- 3186240 ASBESTOS FREE FLAT GASKET $\varnothing$ 46x38x2 mm**
for drain tap $\varnothing$ 1"1/2





Suitable for:

- 3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



- 3242189 HANDGRIP FOR DRAIN TAP**
for DRAIN TAP ø 1"1/2F e 1"1/4F



- 3180061 TAPE FOR JOINTS SEALING LOCTITE 55 - 150**
length 150 m
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water.
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



- 3356153 DRAIN TAP ø 1"1/4F**
with fixed connection ø 1"1/4F



AMBACH

Suitable for:

- 1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF approval H1
hot and cold water resistant
high anti-corrosion power
can replace vaseline



- 3356128 PIN ø 5x30 mm**



- 3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660





Suitable for:

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g

food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature $-45^{\circ}/+120^{\circ}$
beige color - NSF approval H1
hot and cold water resistant
high anti-corrosion power
can replace vaseline



3356165 TAP HANDLE Ø 1"1/4-1"1/2-2"F for drain tap



3356104 DRAIN TAP Ø 2"F TECNO TAPERED SEALING - with swivel nut Ø 2"F



AMBACH 5018026767

3242190 DRAIN TAP HANDGRIP for DRAIN TAP Ø 2" OLD MODEL AND FOR TECNO NEW MODEL



AMBACH

Suitable for:

3356166 PIN WITH LOCK FOR DRAIN TAP



3180061 TAPE FOR JOINTS SEALING LOCTITE 55 - 150

length 150 m
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water.
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



3186242 ASBESTOS FREE FLAT GASKET Ø 61x46x2 mm for drain tap Ø 2" old model



3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m length 50 mt suitable to hot and cold drinking water, gas replaces pastes, hemp and sealing tapes it allows the repositioning of couplings in compliance with the latest regulations Drinking water (Italian certification by C.S.A., according to standard KTW and WRC approved) gas - water IMQ-UNICIG. compliant with UNI EN 51-2 class Arp approved by DVGW and DIN 30660





Suitable for:

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g

food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature $-45^{\circ}/+120^{\circ}$
beige color - NSF approval H1
hot and cold water resistant
high anti-corrosion power
can replace vaseline



AMBACH



Suitable for:

3242191 PIN M6x40 for DRAIN TAP ø 2"OLD MODEL



3180061 TAPE FOR JOINTS SEALING LOCTITE 55 - 150


length 150 m
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water.
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



Electric hot plates

3311096 ELECTRIC HOT PLATE ø 180 mm 2000W 230V


terminal block electric connections
with STAINLESS steel edge
for electric cooking top



AMBACH 5062508298

3311167 ELECTRIC HOT PLATE ø 230 mm 2300W 230V


faston electric connections
complete with energy adjuster
for glass-ceramic cooking top



AMBACH 5060829379

3311176 ELECTRIC HOT PLATE ø 400 mm 5000W 400V

4 terminal block electric connections
with STAINLESS steel edge
for electric cooking top



AMBACH 5062508692

3311053 ELECTRIC HOT PLATE 2600W 230V

dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



AMBACH 5062502395



Suitable for:

AMBACH



- 3311054 ELECTRIC HOT PLATE 2600W 400V**
dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



AMBACH 5062502382

Suitable for:


- 3311063 ELECTRIC HOT PLATE 3000W 400V**
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



AMBACH 5062508314


AMBACH 5062508315

- 3311105 ELECTRIC HOT PLATE 3500W 230V**
dimensions 300x300 mm
radiant size 270x270 mm
terminal block electric connections
for pyroceramic cooking range CE841VRT




AMBACH 5060810556

- 3311048 ELECTRIC HOT PLATE 4000W 400V**
dimensions 300x300 mm
terminal block electric connections
for electric cooking top




AMBACH

- 3311065 ELECTRIC HOT PLATE 4000W 400V**
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top




AMBACH 5062508311

- 3311151 ELECTRIC HOT PLATE 4000W 400V**
dimensions 300x300 mm
radiant size 270x270 mm
terminal block electric connections
for glass-ceramic cooktop
WITHOUT PAN DETECTOR



AMBACH 5060810556

- 3311152 ELECTRIC HOT PLATE 4000W 400V**
dimensions 300x300 mm
radiant size 270x270 mm
terminal block electric connections
for glass-ceramic cooktop
WITH PAN DETECTOR



AMBACH 5060810557



Electrical gas valves and accessories

3526098 COIL 220V

for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



AMBACH 5061516585

3526089 Elettrosit Valve $\varnothing$ 1/2"FF

inlet $\varnothing$ 1/2" F - outlet $\varnothing$ 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LOWER thermocouple



AMBACH 5018902787

3526108 ELBOW FLANGE $\varnothing$ 1/2" F

with screws and "O" ring
for Elettrosit Valve



3526106 STRAIGHT FLANGE $\varnothing$ 1/2" F

with screws and "O" ring
for Elettrosit Valve



3526096 VALVE MICROSWITCH

maximum load 0.2 A
for VALVE Elettrosit-820 NOVA-824 NOVASIT



3526100 COIL 220V

for VALVE Elettrosit



3001008 PIEZO IGNITER

a $\varnothing$ 14 mm hole is required for the assembly
faston M $\varnothing$ 2.4 mm



3526107 STRAIGHT FLANGE $\varnothing$ 3/4" F

with screws and "O" ring
for Elettrosit Valve





Suitable for:

AMBACH



Suitable for:


3526124 KNOB EXTENSION LENGTH 77 mm
for VALVE 820 NOVA-824 NOVASIT



AMBACH 5022910518

AMBACH 5022940834

3526175 VALVE 822 NOVA 230V 50Hz
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 1/2"F
gas inlet max.pressure 60 mbar
outlet pressure range
3÷30 mbar
room temperature 0÷60°C
power supply 230V 50Hz



AMBACH 5018909590

3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526078 ELBOW FLANGE $\varnothing$ 3/4"F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3020083 NUT & OLIVE $\varnothing$ 4 mm



3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



AMBACH 5061516585

3526077 ELBOW FLANGE $\varnothing$ 1/2"F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3020084 NUT & OLIVE $\varnothing$ 6 mm





Suitable for:

3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526076 STRAIGHT FLANGE $\varnothing$ 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



AMBACH




Suitable for:

3526075 STRAIGHT FLANGE $\varnothing$ 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P




Electronic boxes

3526402 CONTROL BOX S4560A1008
model HONEYWELL - 220/240V 50Hz 10VA



AMBACH 5060409599

3091018 IGNITION CONTROL BOX AM
power supply 230V - 50Hz
for Bratt pan (AMBACH) TPG/80



AMBACH 5060409548

Electronic printed-circuit boards

5038750 CONTROL ELECTRONIC CIRCUIT BOARD 230x114
for Bratt pan electric (AMBACH) EKB/120EII
EKB/150EII - EKBD/125E - EKBDE/160E



AMBACH 5062916945

3390399 ELECTRONIC BOARD 400V 123x65 mm



AMBACH 5070110568

Energy regulators

3350024 ENERGY ADJUSTER
contact capacity 240V 13A
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
double rotation direction



AMBACH 5061616087

3350026 ENERGY ADJUSTER
contact capacity 230V 13A - max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



AMBACH 6205406501



Suitable for:

AMBACH



Suitable for:

Filters

3160462 WATER FILTER ø 1/2" FF



AMBACH 5050915915

Fryer baskets and accessories

5033211 FALSE BOTTOM 350x152 mm handle height 235 mm made of chrome-plated iron for Fryer electric (AMBACH) - Series CHEF850 Series SYSTEM700 - Series SYSTEM900



AMBACH 5010111158

5026320 FALSE BOTTOM 350x330 mm handle height 230 mm made of chrome-plated iron for Fryer (AMBACH) EF1/45 - EF1/45EPL - 7EF1/50 7EF1/50E - 8EF1/50



AMBACH 5010111159

3055270 FRYER BASKET 330x140x140 mm made of chrome-plated iron for Fryer electric (AMBACH) EY2/40M - FE2/40M



AMBACH 5020811177

3055325 FRYER BASKET 360x140x115 mm in chrome plated iron for Fryer gas (AMBACH) GY/40



AMBACH 5020802413

Gas burners

3023108 BURNER ø 120x342 mm height 103 mm made of STAINLESS steel for Solid top range gas (AMBACH) GK/70 - GPS/80



AMBACH 3516911678

3023168 BURNER ø 50x365 mm overall length 465 mm made of stainless steel for Solid top range gas (AMBACH) - Series 900



AMBACH 5016914277

3023169 BURNER ø 50x370 mm
overall length 470 mm
made of STAINLESS steel
for Solid top range gas (AMBACH) - Series 900



AMBACH 5016914204

Suitable for:

3023184 BURNER ø 50x465 mm
overall length 560 mm
made of STAINLESS steel
for Pasta cooker gas (AMBACH) GPK/40 - GUK/45



AMBACH 5016914275

5017895 BURNER ø 50x530 mm
overall length 610 mm
made of STAINLESS steel
for Oven under cooktop gas (AMBACH) UGB/90



AMBACH 5016914274

3023167 BURNER ø 50x565 mm
overall length 680 mm
made of stainless steel
for Fry top gas (AMBACH) - Series 900



AMBACH 5016914276

3023124 BURNER 230x75 mm
made of stainless steel
without jet
for old series
for Fry top gas (AMBACH) - Series 90
for Kitchen gas (AMBACH) - Series 90
for Solid top range gas (AMBACH) - Series 90



AMBACH 5020307627

3023161 BURNER 445x200 mm
made of stainless steel
for Lava rock grill gas (AMBACH) GLG/40/CP
GLG/45 - GLG/70 - GLG/80 - GLG/90



AMBACH 5016911984

3023152 BURNER 490x30 mm
overall length 530 mm
made of STAINLESS steel



AMBACH 5016901907

3023153 VERTICAL BURNER ø 74x185 mm
made of chrome-plated iron
for Fryer gas (AMBACH) GF1/40 - GF1/45 - GF1/45BF
GF2/60 - GF2/60BF



AMBACH 5016914328

AMBACH 5016917788



Suitable for:

AMBACH



Suitable for:

Gas hoses

5026027 PILOT PIPE LH $\varnothing$ 4 mm
for Lava rock grill (AMBACH)



AMBACH 5000513805

5026028 PILOT PIPE RH $\varnothing$ 4 mm
for Lava rock grill (AMBACH)



AMBACH 5000513806


Gas taps and accessories

3348016 GAS TAP 21S
with pilot flame
fittings $\varnothing$ M16x1.5mm
with flow regulator
thermocouple connection M9x1 mm
D-shaped pin $\varnothing$ 8x6.5 mm



AMBACH 5018905405

3348021 CAP WITH PIN $\varnothing$ 8x6.5 mm
pin length 22 mm
for model PEL 21S



5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



3348085 GAS VALVE BUSHING



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3182011 MAGNETIC UNIT PEL SMALL HEADED
 $\varnothing$ head 15 mm - $\varnothing$ end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



AMBACH 5029703203

3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25





Suitable for:

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



AMBACH 5050503573

AMBACH 505050686

3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22



AMBACH 5040603572

3348044 PIPE OLIVE ø 10 mm
for model PEL 20 - 21



AMBACH 5050503589


3348002 GAS TAP 22S/O
with pilot flame
with horizontal flange
fittings ø M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin ø 10x8 mm



AMBACH 301891660

AMBACH 5018909180

3348019 CAP WITH PIN ø 10x9 mm
pin length 26 mm
for model PEL 22



AMBACH

Suitable for:

3348043 PIPE FITTING ø 10 mm
thread M16x1.5
for model PEL 20-21




AMBACH 5040603582

3020078 PIPE FITTING ø 6 mm
thread M10x1



3348017 CAP WITH PIN ø 10x8 mm
pin length 26 mm
for model PEL 22



5014757 CONNECTION PIPE ø 6 mm
thread M10x1 mm





Suitable for:

3348024 FLANGE VERTICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



3348025 HORIZONTAL FLANGE CONICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25



3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



AMBACH 5050503573

AMBACH 5050506686

AMBACH

Suitable for:

3348023 HORIZONTAL FLANGE $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182009 MAGNETIC UNIT PEL BIG HEADED
 $\varnothing$ head 15.5 mm - $\varnothing$ end 14 mm - length 44 mm
for PEL tap model 22-24




AMBACH 5029711647

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



AMBACH 5050503001

3348031 PIPE FITTING $\varnothing$ 10 mm
thread M20x1.5
for model PEL 22





Suitable for:

3348032 PIPE FITTING $\varnothing$ 12 mm
thread M20x1.5
for model PEL 22



AMBACH 5040603188

3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



AMBACH



Suitable for:

3348029 PIPE FITTING $\varnothing$ 4 mm
thread M10x1
for model PEL 21-22



AMBACH 5040603572

3348038 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 22




3348003 GAS TAP 22S/V
with pilot flame
with vertical flange
fittings $\varnothing$ M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin $\varnothing$ 10x8 mm




AMBACH 5018903683

3348019 CAP WITH PIN $\varnothing$ 10x9 mm
pin length 26 mm
for model PEL 22



3348017 CAP WITH PIN $\varnothing$ 10x8 mm
pin length 26 mm
for model PEL 22



5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



3348024 FLANGE VERTICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



3348023 HORIZONTAL FLANGE $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22





Suitable for:

3348025 HORIZONTAL FLANGE CONICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25




3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



AMBACH 5050503573

AMBACH 5050506686

3348032 PIPE FITTING $\varnothing$ 12 mm
thread M20x1.5
for model PEL 22



AMBACH 5040603188

AMBACH



Suitable for:

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182009 MAGNETIC UNIT PEL BIG HEADED
 $\varnothing$ head 15.5 mm - $\varnothing$ end 14 mm - length 44 mm
for PEL tap model 22-24




AMBACH 5029711647

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



AMBACH 5050503001

3348031 PIPE FITTING $\varnothing$ 10 mm
thread M20x1.5
for model PEL 22



3348029 PIPE FITTING $\varnothing$ 4 mm
thread M10x1
for model PEL 21-22




AMBACH 5040603572



Suitable for:

3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



AMBACH



Suitable for:

3348038 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 22



5014581 GAS TAP 22S/0
complete with connections and olives
with horizontal flange
with horizontal flange
couplings $\varnothing$ M20x1.5 mm
with flow rate adjuster
thermocouple connection M9x1
D-shaft $\varnothing$ 10x8 mm
for Pasta cooker (AMBACH) GUK/45
for Pot stove (AMBACH) GH/45-GH/90
for Solid top range (AMBACH) GP/45-GP/90




AMBACH 3018916600

3348019 CAP WITH PIN $\varnothing$ 10x9 mm
pin length 26 mm
for model PEL 22



3348017 CAP WITH PIN $\varnothing$ 10x8 mm
pin length 26 mm
for model PEL 22



5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



3348024 FLANGE VERTICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



3348023 HORIZONTAL FLANGE $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



3348025 HORIZONTAL FLANGE CONICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22





Suitable for:

3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



3348037 **OLIVE FOR PILOT PIPE ø 6 mm**
for model PEL 21-22-25



3348036 **OLIVE FOR 4 mm ø PIPE**
for model PEL 21-22



AMBACH 5050503573

AMBACH 5050506686

3348032 **PIPE FITTING ø 12 mm**
thread M20x1.5
for model PEL 22



AMBACH 5040603188

3020078 **PIPE FITTING ø 6 mm**
thread M10x1



AMBACH



Suitable for:

3182009 **MAGNETIC UNIT PEL BIG HEADED**
ø head 15.5 mm - ø end 14 mm - length 44 mm
for PEL tap model 22-24




AMBACH 5029711647

3020082 **OLIVE FOR 12 mm ø PIPE**



AMBACH 5050503001

3348031 **PIPE FITTING ø 10 mm**
thread M20x1.5
for model PEL 22



3348029 **PIPE FITTING ø 4 mm**
thread M10x1
for model PEL 21-22



AMBACH 5040603572

3348038 **PIPE OLIVE ø 10 mm**
for model PEL 22



Suitable for:

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



AMBACH 5050503573

AMBACH 5050506886


Suitable for:

3348043 PIPE FITTING ø 10 mm
thread M16x1.5
for model PEL 20-21



AMBACH 5040603582

3348032 PIPE FITTING ø 12 mm
thread M20x1.5
for model PEL 22



AMBACH 5040603188

3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22



AMBACH 5040603572

3348044 PIPE OLIVE ø 10 mm
for model PEL 20 - 21



AMBACH 5050503589

Gas valves and accessories

4056009 CAP FOR VALVE EUROSIT



AMBACH 5050200943

3526131 EUROSIT VALVE FOR FRYER 110÷190°C
inlet ø 3/8" F - outlet ø 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷80°C
capillary length 1050 mm
bulb ø 4x200 mm



AMBACH 5018900958

AMBACH 5018916798

4056009 CAP FOR VALVE EUROSIT



AMBACH 5050200943



Suitable for:

3526260 EUROSIT VALVE CAP



3526126 EUROSIT VALVE EXTENSION
D shaft $\varnothing$ 10x8 mm



3526127 FLANGE FOR KNOB EXTENSION



3020084 NUT & OLIVE $\varnothing$ 6 mm



3001111 PIEZO IGNITER EUROSIT
male faston $\varnothing$ 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE



AMBACH

Suitable for:

3241435 EUROSIT VALVE EXTENSION
D shaft $\varnothing$ 10x8 mm



3526677 EXTENSION FOR EUROSIT VALVE
D-shaped pin $\varnothing$ 10x8 mm



3020083 NUT & OLIVE $\varnothing$ 4 mm



3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



AMBACH 5050503001

3020079 PIPE FITTING $\varnothing$ 12 mm
thread $\varnothing$ 3/8"F



3526130 EUROSIT VALVE FOR OVEN 100÷340°C
inlet $\varnothing$ 3/8" F - outlet $\varnothing$ 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb $\varnothing$ 4x72 mm



AMBACH

3526129 CLASP $\varnothing$ 3x14 mm
UNI 6873 - DIN 1481 - ISO 8752



3526677 EXTENSION FOR EUROSIT VALVE
D-shaped pin $\varnothing$ 10x8 mm




3526128 KNOB EXTENSION LENGTH 34 mm
D-shaft $\varnothing$ 8x6.5 mm



3020083 NUT & OLIVE $\varnothing$ 4 mm



4056009 CAP FOR VALVE EUROSIT



AMBACH 5050200943

3526260 EUROSIT VALVE CAP



3526127 FLANGE FOR KNOB EXTENSION



3526125 KNOB EXTENSION 47 mm
D-shaped pin $\varnothing$ 8x6.5 mm



3020084 NUT & OLIVE $\varnothing$ 6 mm





Suitable for:

3020082 OLIVE FOR 12 mm Ø PIPE



AMBACH 5050503001

3020079 PIPE FITTING Ø 12 mm
thread Ø 3/8" F



AMBACH

Suitable for:


3001111 PIEZO IGNITER EUROSIT
male faston Ø 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE



3526139 EUROSIT VALVE FOR OVEN 80÷320°C
inlet Ø 3/8" F - outlet Ø 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
capillary length 1000 mm
bulb Ø 4x72 mm




AMBACH AM3518912246

AMBACH 3518912246

AMBACH 3518912730

AMBACH 5018900942

4056009 CAP FOR VALVE EUROSIT



AMBACH 5050200943

3526260 EUROSIT VALVE CAP



3526127 FLANGE FOR KNOB EXTENSION



3526121 KNOB EXTENSION 42 mm
D shaft Ø 8x6.5 mm



3020083 NUT & OLIVE Ø 4 mm





Suitable for:


3020084 NUT & OLIVE $\varnothing$ 6 mm



3001111 PIEZO IGNITER EUROSIT
male faston $\varnothing$ 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE



3523026 MINISIT VALVE FOR FRYER 110÷190°C
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
with screw for gas outlet pressure regulation
capillary length 1050 mm
button bulb $\varnothing$ 14.4x26 mm
with an elbow flange $\varnothing$ 3/8"F



AMBACH 5018907490

3182003 MAGNETIC UNIT SIT
 $\varnothing$ head 25 mm - $\varnothing$ end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



AMBACH

Suitable for:

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



AMBACH 5050503001


3020079 PIPE FITTING $\varnothing$ 12 mm
thread $\varnothing$ 3/8"F



3523035 KNOB MINISIT BLACK $\varnothing$ 37 mm



3523047 MINISIT COVER





Suitable for:


3523038 MINISIT ELBOW FLANGE $\varnothing$ 1/2"F
with screws and "O" ring



3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



3523061 NUT $\varnothing$ 1/4"x6 mm



3523060 OIL SEAL FITTING $\varnothing$ 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020079 PIPE FITTING $\varnothing$ 12 mm
thread $\varnothing$ 3/8"F



3348041 PIPE OLIVE $\varnothing$ 16 mm
for model PEL 23



AMBACH

Suitable for:

3523037 MINISIT ELBOW FLANGE $\varnothing$ 3/8"
with screws and "O" ring



3523043 MINISIT SENSING ELEMENT 110÷190°C
capillary length 1050 mm
button bulb $\varnothing$ 14.4x26 mm



3523062 O-RING 0119 RED SILICONE



3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



AMBACH 5050503001

3348044 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 20 - 21



AMBACH 5050503589

3523036 REDUCTION STRAIGHT $\varnothing$ 3/8"F - $\varnothing$ 1/2"F
in brass with internal and external thread
 $\varnothing$ internal thread 3/8"F - $\varnothing$ external thread 1/2"F
for MINISIT flange



3523008 NUT M14x1 FOR B3-B3/C VALVE



AMBACH 5040316957

3526146 VALVE EUROSIT FOR FRY TOP 40÷250°C

inlet $\varnothing$ 3/8" F - outlet $\varnothing$ 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure calibration range
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb $\varnothing$ 4x72 mm
for Fry top gas (AMBACH) GBP/45V - GBP/90V



AMBACH 5018900934

3526260 EUROSIT VALVE CAP



3020083 NUT & OLIVE $\varnothing$ 4 mm




3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



AMBACH 5050503001

4056009 CAP FOR VALVE EUROSIT



AMBACH 5050200943


3526127 FLANGE FOR KNOB EXTENSION



3020084 NUT & OLIVE $\varnothing$ 6 mm



3001111 PIEZO IGNITER EUROSIT male faston $\varnothing$ 2.4 mm





Suitable for:

3020079 PIPE FITTING $\varnothing$ 12 mm
thread $\varnothing$ 3/8" F



AMBACH



Suitable for:

3526123 RUBBER PROTECTION FOR EUROSIT VALVE



Gaskets and seals

3186347 GASKET FOR BURNER "C" "E"



AMBACH 5017314079

3186348 GASKET FOR KNOB
external $\varnothing$ 64 mm - internal $\varnothing$ 54 mm - thickn. 8 mm



AMBACH 5017314030

Grids for kitchen

3185030 PAN SUPPORT GRID 400x330 mm
for Pot stove (AMBACH) - Series 900



AMBACH 5010104350

AMBACH 5010110315

3185031 STAINLESS STEEL GRID 315x320 mm
for Pot stove (AMBACH) - Series 700



AMBACH 5010102021

AMBACH 5010108970

3185096 STAINLESS STEEL GRID 740x400 mm
for Pot stove gas (AMBACH) GH/45 - GH/90



AMBACH 5010114017

Handles

5021993 HANDLE PLASTIC HEAD - BLACK
fixing hole M8
for Oven under cooktop (AMBACH)
Series SYSTEM700-CHEF850-SYSTEM900



AMBACH 5005614999

5014516 STAINLESS STEEL HANDLE $\varnothing$ 30x450 mm
for Oven under cooktop (AMBACH)
Series CHEF850-SYSTEM900



AMBACH 5000514997



Suitable for:

AMBACH



3242735 OVEN DOOR HANDLE
distance between mounting holes 180 mm



AMBACH 6205403101

3242217 PIN FOR OVEN DOOR HANDLE M6
dimensions $\varnothing$ 12x66 mm
for OVEN



Suitable for:

3526137 BUTTON FOR ELETTROSIT VALVE 46 mm



4053759 SCREW HEXAGON HEAD M5x6
overall length 15 mm



3242205 SPRING F/DOOR HANDLE DIVERTER $\varnothing$ 22x30 mm




3242206 SPRING FOR DOOR HANDLE 176 mm



3242337 OVEN DOOR HANDLE $\varnothing$ 26x80 mm M10



3242343 HAND GUARD WASHER




AMBACH 5005607080

3242336 OVEN DOOR HANDLE $\varnothing$ 28x90 mm M10



3242343 HAND GUARD WASHER



AMBACH 5005607080

5014516 STAINLESS STEEL HANDLE $\varnothing$ 30x450 mm
for Oven under cooktop (AMBACH)
Series CHEF850-SYSTEM900



AMBACH 5000514997



Suitable for:

AMBACH



Suitable for:


Heating elements

3355850 HEATING ELEMENT 1000W 230V
length 220 mm - width 95 mm
flange 107x33 mm



AMBACH 6205403708

3755456 HEATING ELEMENT 12000W 400V
length 470 mm - width 700 mm
overall height 80 mm - flange 105x25 mm
with cables
for Bratt pan electric (AMBACH) KHE/90



AMBACH 5060803648

5009799 HEATING ELEMENT 1330W 230V
length 290 mm - width 290 mm
total height 105 mm
for Pot stove electric (AMBACH) TUTTAPIASTRA EP45



AMBACH 5060814404

5009861 HEATING ELEMENT 1330W 230V
length 244 mm - width 230 mm
total height 105 mm
for Pot stove electric (AMBACH) TUTTAPIASTRA EP45



AMBACH 5060814405

5009862 HEATING ELEMENT 1330W 230V
length 170 mm - width 170 mm
total height 105 mm
for Pot stove electric (AMBACH) TUTTAPIASTRA EP45



AMBACH 5060814406

3755446 HEATING ELEMENT 1350W 400V
length 215 mm - width 225 mm
total length 90 mm
for Kitchen electric (AMBACH) EKE/70



AMBACH 5060808461

3355654 HEATING ELEMENT 1500W 230V
length 530 mm - width 45 mm
height 110 mm
for Bratt pan electric (AMBACH)
Series 700 - Series 900



AMBACH 5060814355

3755433 HEATING ELEMENT 1500W 400V
length 540 mm - width 476 mm
fittings $\varnothing$ 1/4"
for Oven under cooktop electric (AMBACH) EHE/70
GZE/70



AMBACH 5060804027

3755447 HEATING ELEMENT 1650W 400V
length 245 mm - width 255 mm
total height 94 mm
for Kitchen electric (AMBACH) EKE/70



AMBACH 5060808462

Suitable for:

3755431 HEATING ELEMENT 1700W 400V
length 305 mm - width 215 mm
total height 85 mm
for Solid top range electric (AMBACH) EPE/40



AMBACH 5060808465

3355653 HEATING ELEMENT 1800W 230V
external ø 178 mm - overall height 50 mm
flange 70x22 mm
for Hot cupboard electric (AMBACH)
Series ECOLINE



AMBACH 5060809912

3186098 HEATING ELEMENT GASKET
external dimensions 71x23 mm



3355849 HEATING ELEMENT 2000W 220V
length 230 mm - width 230 mm
flange 107x33 mm



AMBACH 6205403706

3755435 HEATING ELEMENT 2000W 230V
length 406 mm - width 150 mm
2 flanges 25x15 mm
operating ambient: dry
for Bain-marie electric (AMBACH) EBM/40 - EBM/80
7EBM/40-T - 7EBM/80-T



AMBACH 5060801490


AMBACH 5060811860

3755437 HEATING ELEMENT 2000W 230V
length 486 mm - width 138 mm
flange 175x16 mm
operating ambient: dry
for Bain-marie electric (AMBACH) BEW/85 - BEW/90
BMW/70



AMBACH 5060802391

3755432 HEATING ELEMENT 2000W 400V
length 335 mm - width 232 mm
total height 85 mm
for Solid top range electric (AMBACH) EPE/40



AMBACH 5060808466



Suitable for:

AMBACH



3755448 HEATING ELEMENT 2000W 400V
length 585 mm - width 440 mm
flange 70x22 mm
for Oven under cooktop electric (AMBACH) EPE/80
HEE/85 - HEE/90



AMBACH 5060804349

Suitable for:

3755459 HEATING ELEMENT 300W 230V
immersed length 220 mm
fitting $\varnothing$ 1"
with bulb holder sheathing
for Boiling pan electric (AMBACH)



AMBACH 5024709751

3755445 HEATING ELEMENT 3000W 400V
length 610 mm - width 445 mm
flange 70x22 mm
for Kitchen electric (AMBACH) EKE/70
for Oven under cooktop electric (AMBACH) ERE/70



AMBACH 5060825601

3755449 HEATING ELEMENT 3000W 400V
length 650 mm - width 445 mm
flange 70x22 mm
for Oven under cooktop electric (AMBACH) EPE/80
HEE/85 - HEE/90



AMBACH 5060804348

3755434 HEATING ELEMENT 4500W 230V
immersed length 395 mm
flange external $\varnothing$ 63 mm
with thermostat probe receptacle
with O-ring
with cables



AMBACH

AMBACH 5060807384

AMBACH 5060810063

3186013 O-RING GASKET 06187 EPDM $\varnothing$ 58 mm



AMBACH 5017303768

AMBACH 5017313781

3755453 HEATING ELEMENT 5000W 230V/400V
length 505 mm - width 264 mm
total height 75 mm - flange 105x25 mm
for Fry top electric (AMBACH) GUE/40 - GUE/70



AMBACH 5060803506

3755436 HEATING ELEMENT 6000W 230V
 immersed length 395 mm
 flange external ø 63 mm
 with thermostat probe receptacle
 with O-ring
 with cables



AMBACH 5060807386

AMBACH 5060810064

Suitable for:

3186013 O-RING GASKET 06187 EPDM ø 58 mm



AMBACH 5017303768

AMBACH 5017313781

3755454 HEATING ELEMENT 7500W 230V
 length 480 mm - width 440 mm
 flange 105x25 mm
 for Bratt pan electric (AMBACH) KBHE/70



AMBACH 5060807220

3755460 HEATING ELEMENT 7500W 400V
 length 310 mm - width 140 mm
 height 340 mm - flange 120x40 mm
 with 3 bulbholder sheathings
 for Fryer electric (AMBACH)



AMBACH 5060811194

3755438 HEATING ELEMENT 800W 230V
 length 545 mm - width 40 mm
 fittings ø 1/4"
 upon request nut and washer
 for Hot cupboard electric (AMBACH) WS



AMBACH 5060808748

3755439 HEATING ELEMENT 800W 400V
 length 545 mm - width 40 mm
 fittings ø 1/4"
 upon request nut and washer
 for Hot cupboard electric (AMBACH) WS



AMBACH 5060807674

3755457 HEATING ELEMENT 8000W 230V
 immersed length 490 mm
 flange external ø 63 mm
 with bulb sheath - complete with cables
 for Pasta cooker electric (AMBACH)



AMBACH 5060814407



Suitable for:

AMBACH



- 3755511 HEATING ELEMENT 8000W 230V**
immersed length 395 mm
flange external ø 63 mm
with thermostat probe receptacle
with O-ring
with cables
for Boiling pan electric (AMBACH) - Series KKE
KSKE/100 - KSKE/50



AMBACH 5060807387

AMBACH 5060809979

- 3186013 O-RING GASKET 06187 EPDM ø 58 mm**



AMBACH 5017303768

AMBACH 5017313781

- 3755455 HEATING ELEMENT 9000W 400V**
length 520 mm - width 600 mm
flange 105x25 mm - overall height 35 mm
complete with cables
for Bratt pan electric (AMBACH) KME/50



AMBACH 5060807221

Hinges, catches and accessories

- 3053003 DOOR HINGE ROLL HOLDER**
distance between holes 95 mm - overall length 118
height 23 mm



AMBACH 5006302092

- 3053007 LEFTHAND DOOR HINGE FOR OVEN**
distance between holes 175 mm - overall length 205
height 160 mm



AMBACH 5012002108

- 3053003 DOOR HINGE ROLL HOLDER**
distance between holes 95 mm - overall length 118
height 23 mm



AMBACH 5006302092



Suitable for:

3053234 HINGE COVER
distance between holes 95 mm - size 124x20 mm



AMBACH




Suitable for:

3053299 HINGE COVER
distance between holes 77 mm - size 129x26 mm



3053006 RIGHTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



AMBACH 5012002196

3053234 HINGE COVER
distance between holes 95 mm - size 124x20 mm



AMBACH 5006302092

3053299 HINGE COVER
distance between holes 77 mm - size 129x26 mm



Hydraulic piping

1449682 SILICONE HOSE $\varnothing$ 5x8 SHORE 60 - 10 m
alimentary



AMBACH 5024610547

Ignitors

3001025 PIEZO CONTACT



AMBACH 5060914259



Suitable for:

AMBACH



Suitable for:

Ignitors

- 3001005 PIEZO IGNITER**
a $\varnothing$ 18 mm hole is needed for assembling
faston M $\varnothing$ 2.4 mm



AMBACH 5060403707

- 5035512 WATERTIGHT PIEZO CAP**
of silicone rubber



- 3001020 PIEZO IGNITER**
a $\varnothing$ 18 mm hole is required for the assembly
faston M $\varnothing$ 2.4 mm



AMBACH 5060408640

- 5035512 WATERTIGHT PIEZO CAP**
of silicone rubber



- 3001023 PIEZO SUPPORT**



AMBACH 5006314278

- 3001024 SUPPORT HOOK**



AMBACH 5006314300

Indicator lights

- 5017914 GREEN INDICATOR LAMP 230V**
 $\varnothing$ head 19 mm - $\varnothing$ hole 16 mm - 150°C



AMBACH 5061113846

- 3221211 INDICATOR LAMP ORANGE 400V**
head $\varnothing$ 19 mm - hole $\varnothing$ 16 mm - 150°C
for old series
for Pot stove (AMBACH) - Series 700 - Series 900



AMBACH 5061103271

AMBACH 5061103275

AMBACH 5061109899

- 3221084 INDICATOR LAMP RED 230V**
 $\varnothing$ head 18 mm - $\varnothing$ hole 12 mm - 120°C



AMBACH 5061111704

- 3221077 ORANGE INDICATOR LAMP 400V**
 $\varnothing$ head 16 mm - hole $\varnothing$ 13 mm - 150°C
for Fry top (AMBACH) - Series 700 - Series 900



AMBACH 5061108879

AMBACH 5061111707



Suitable for:

AMBACH



3221075 ORANGE INDICATOR LIGHT 230V
head $\varnothing$ 16 mm - hole $\varnothing$ 13 mm - 150°C



AMBACH 5061111706

Suitable for:

3221078 ORANGE INDICATOR LIGHT 230V
head $\varnothing$ 19 mm - hole $\varnothing$ 16 mm - 150°C



AMBACH 5061109898

3221007 ORANGE LAMP RECEPTACLE
head $\varnothing$ 15 mm - hole $\varnothing$ 12.5 mm
universal application



AMBACH 5061108880

3221126 INDICATOR LAMP 24V
head $\varnothing$ 8 mm



3221097 NEUTRAL INDICATOR LAMP 220V
head $\varnothing$ 8 mm - 120°C



3221210 RED PILOT LIGHT 230V
 $\varnothing$ head 19 mm - hole $\varnothing$ 16 mm - 150°C



AMBACH 5061110293

3221079 WHITE INDICATOR LAMP 230V
head $\varnothing$ 19 mm - hole $\varnothing$ 16 mm - 150°C
for Pot stove (AMBACH) - Series 700 - Series 900



AMBACH 5061111121

3221210 RED PILOT LIGHT 230V
 $\varnothing$ head 19 mm - hole $\varnothing$ 16 mm - 150°C



AMBACH 5061110293



Suitable for:

Suitable for:

3221076 WHITE INDICATOR LIGHT 230V
head $\varnothing$ 16 mm - hole $\varnothing$ 13 mm - 150°C



AMBACH 5061111708

Injectors

3500059 GAS NOZZLE M10x1 $\varnothing$ 1,10 mm



AMBACH 5017203087

5021506 GAS NOZZLE M10x1 $\varnothing$ 1,60 mm



AMBACH 5017208067

3500337 GAS NOZZLE M10x1 $\varnothing$ 1,50 mm



AMBACH 5017203108

3500272 GAS NOZZLE M11x1 $\varnothing$ 1,10 mm



AMBACH 5017208831

3500356 GAS NOZZLE M11x1 $\varnothing$ 1,60 mm



AMBACH 5017209545

Ironmongery (screws,nuts,washers)

3060069 HEXAGONAL NUT M8 MEDIUM
stainless steel - UNI 5588 - DIN 934 - ISO 4032



AMBACH 5040310595

Knobs


5017866 BLACK HANDLE ø 36.5 mm
with index
round hole ø 8 mm
for DRAIN VALVE
for Fryer gas (AMBACH) - Series SYSTEM900
for Pasta cooker gas (AMBACH) - Series CHEF850
Series SYSTEM900



AMBACH 3522913488

AMBACH 5022914522

5040415 BLACK HANDLE ø 52 mm 0-9
D shape hole 6x4.6 mm
for Pot stove electric (AMBACH) ERE



AMBACH 5022901045

5008245 BLACK HANDLE ø 52 mm 110-190°C
D shape hole 6x4.6 mm
for Fryer (AMBACH)



AMBACH 5022909984

5017823 BLACK HANDLE ø 62 mm
with index
round hole ø 8 mm
for DRAIN VALVE
for Pasta cooker (AMBACH) - Series CHEF850
Series SYSTEM900
for Pasta cooker gas (AMBACH) - Series SYSTEM700




AMBACH 5022914521

3444126 BLACK KNOB ø 50 mm 30-110°C
D-shaped pin ø 6x4.6 mm
for EGO thermostat



AMBACH 5022914334

3241129 BLACK KNOB ø 52 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm
for Pot stove gas (AMBACH) - Series 700




AMBACH 5022902024

AMBACH 5022906228

AMBACH 5022906268


AMBACH 5022908971

3241216 BLACK KNOB ø 52 mm SILK-SCREEN PRINTED
D shaft hole 10x8 mm
for Solid top range gas (AMBACH) GK/70



AMBACH 5022908981

3241215 BLACK KNOB ø 52 mm 0-1-2-3
D shaft hole 6x4.6 mm
for Pot stove electric (AMBACH) - Series 700
Series 900



AMBACH 5022901044



Suitable for:

AMBACH




3241130 BLACK KNOB ø 52 mm 1-2-3-4-5-6-7-8
D shaft hole 10x9 mm
for Oven under cooktop (AMBACH)



AMBACH 5022908973

Suitable for:

3241212 BLACK KNOB ø 52 mm 50-300°C
D shaft hole 6x4.6 mm
for Kitchen electric (AMBACH) EKE/70



AMBACH 5022901048

3241217 BLACK KNOB ø 60 mm PILOT-MAX-MIN
round hole ø 10 mm
screw fastening to the spindle
for Solid top range (AMBACH) - Series 900



AMBACH 5022907196

3241218 KNOB FASTENING SCREW ø 6x32 mm
thread M3



AMBACH 3009600005

3241083 BLACK KNOB ø 63 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm
for Grill gas (AMBACH)



AMBACH 5022904344

3241148 BLACK KNOB ø 63 mm SILK-SCREEN PRINTED
D shaft hole 10x8 mm
for Pot stove (AMBACH) KKG



AMBACH 5022908810

3241219 BLACK KNOB ø 63 mm SILK-SCREEN PRINTED
D shaft hole 6x4.6 mm
for Pot stove electric (AMBACH)
Series 700 VECCHIA - Series 900 VECCHIA



AMBACH 5022902025

AMBACH 5022904345

3241374 BLACK KNOB ø 63 mm 110-190°C
D shaft hole 6x4.6 mm
for Fryer (AMBACH) EF1/40 - FE/40 - FE/80



AMBACH 5022909977

3241128 BLACK KNOB ø 63 mm 160-300°C
D shaft hole 8x6.5 mm
for Oven under cooktop (AMBACH) - Series 850
Series 900



AMBACH 5022904331

3241394 BLACK KNOB ø 63 mm 50-300°C
D shaft hole 6x4.6 mm



AMBACH 5022904315



Suitable for:

AMBACH




3241393 BLACK KNOB $\varnothing$ 72 mm
D shaft hole 6x4.6 mm
for Pot stove electric (AMBACH) - Series 900



AMBACH 5022914031

3241214 SELF-STICKING DISK 0-1-2-3
external $\varnothing$ 68 mm




AMBACH 5022914336

3241395 BLACK KNOB $\varnothing$ 72 mm
D shaft hole 10x8 mm
for Pot stove gas (AMBACH) - Series 900



AMBACH 5022914032

3241397 SELF-STICKING DISK 110-190°C
external $\varnothing$ 68 mm



AMBACH 5022914338

3241218 KNOB FASTENING SCREW $\varnothing$ 6x32 mm
thread M3



AMBACH 3009600005


Suitable for:

3186348 GASKET FOR KNOB
external $\varnothing$ 64 mm - internal $\varnothing$ 54 mm - thickn. 8 mm



AMBACH 5017314030

3241211 SELF-STICKING DISK 50-300°C
external $\varnothing$ 68 mm



AMBACH 5022914339

3241396 SELF-STICKING DISK WITH PILOT SYMBOL
external $\varnothing$ 68 mm



AMBACH 5022914331

3241396 SELF-STICKING DISK WITH PILOT SYMBOL
external $\varnothing$ 68 mm



AMBACH 5022914331




Suitable for:

AMBACH




3241214 SELF-STICKING DISK 0-1-2-3
external $\varnothing$ 68 mm



AMBACH 5022914336


Suitable for:

3241397 SELF-STICKING DISK 110-190°C
external $\varnothing$ 68 mm



AMBACH 5022914338

3241211 SELF-STICKING DISK 50-300°C
external $\varnothing$ 68 mm



AMBACH 5022914339

Lids for potato peeler

5005569 LID SUPPORT FOR HEAT ELEMENTS ARM
length 69 mm - width 61 mm - height 13 mm
mounting hole 65x57 mm
for Fryer electric (AMBACH)
Series SYSTEM700-CHEF850-SYSTEM900



AMBACH 5000811199

5005570 LID SUPPORT FOR HEAT ELEMENTS ARM
external $\varnothing$ 54 mm - height 10 mm
for Fryer electric (AMBACH) - Series CHEF850
Series SYSTEM700 - Series SYSTEM900



AMBACH 5000811198

Magnet groups

3182009 MAGNETIC UNIT PEL BIG HEADED
 $\varnothing$ head 15.5 mm - $\varnothing$ end 14 mm - length 44 mm
for PEL tap model 22-24



AMBACH 5029711647

3182011 MAGNETIC UNIT PEL SMALL HEADED
 $\varnothing$ head 15 mm - $\varnothing$ end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



AMBACH 5029703203



Microswitches

3240238 MICRO SWITCH LS-11D 6A 230V
for Bratt pan (AMBACH) - Series 900



AMBACH 0160927929

AMBACH 160927929

AMBACH 5060909440

AMBACH 5060909748

3240406 MICROSWITCH 10(4)A 250V



AMBACH 5060909894

3240820 MICROSWITCH 16A 250V



AMBACH

3240473 GASKET FOR BUSHING




3240152 BUSHING FOR MICROSWITCH



5035454 MICRO SUPPORT
for WASHING MACHINE LF25



3240166 MOUNTING PLATE FOR MICROSWITCH
external dimensions 46x26 mm



3240153 ROD FOR MICROSWITCH




3240154 SPRING FOR MICROSWITCH ROD



Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan ø 150 mm



AMBACH 5062114289



Suitable for:

AMBACH



Suitable for:

OR and ORM gaskets

3186013 O-RING GASKET 06187 EPDM ø 58 mm



AMBACH 5017303768

AMBACH 5017313781

3061011 O-RING SEAL 04375 EPDM



AMBACH 5017308860

1186956 O-RING 02200 EPDM
for coffee group ø 50 mm



AMBACH 5017311179

3186860 OR GASKET 03056 EPDM
EX OR 0118



AMBACH 5017312815

Pilot burners and accessories

3020034 BRACKET PILOT BURN. SUPPORT 85 mm



AMBACH 3006314269

3020085 FITTING FOR SPARKING PLUG FIXING M10x1 mm



AMBACH 5040317235

AMBACH 5040616959

3020200 FITTING FOR THERMOCOUPLE ø 6.5 mm
thread M10x1



AMBACH 5040306819

AMBACH 5040616958

3020267 LOCKING NUT OLIVE ø 4 mm
thread M10x1
for Pot stove gas (AMBACH) - Series COUNTER700
Series 900



AMBACH 5040603228

3020264 NOZZLE FOR PILOT BURNER ø 0.20 mm
thread M10x1 mm
for Pot stove gas (AMBACH) - Series 85 - Series 90



AMBACH 5017202865

3020261 NOZZLE FOR PILOT BURNER ø 0.35 mm
thread M10x1 mm
for Pot stove gas (AMBACH) GRG/70



AMBACH 5017202871

3020265 NOZZLE FOR PILOT BURNER $\varnothing$ 0.40 mm
thread M10x1 mm
for Pot stove gas (AMBACH) - Series 85 - Series 90



AMBACH 5017202875

Suitable for:

3345021 OLIVE FOR PIPE $\varnothing$ 4 mm



AMBACH 5050503209

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



AMBACH 5050503001

3020081 OLIVE FOR 6 mm $\varnothing$ PIPE



AMBACH 5050503194

3020262 PILOT BURNER
supplied without jet
for Pot stove gas (AMBACH) GRG/70



AMBACH 5024708680

5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



3020051 FITTING FOR PILOT $\varnothing$ 4 mm
thread M10x1
for pilot burner JUNKERS/ORKLI



3020541 NOZZLE FOR PILOT BURNER 0.35 mm



3020111 OLIVE FOR 4 mm $\varnothing$ PIPE




3020112 OLIVE FOR 6 mm $\varnothing$ PIPE



3020557 PILOT JET $\varnothing$ 0.20 mm



3020157 PILOT JET $\varnothing$ 0.25 mm



AMBACH 5017214033



Suitable for:

3020040 PILOT JET $\varnothing$ 0.30 mm



AMBACH 5017208677

3020187 PILOT NOZZLE $\varnothing$ 0.51 mm



3020059 SPRING FOR PILOT BURNER $\varnothing$ 14x40 mm




AMBACH 5004708809

3020018 PILOT BURNER GPL CB 503.003
with LPG jet and pilot olive
with pilot pipe connection



AMBACH

3020051 FITTING FOR PILOT $\varnothing$ 4 mm
thread M10x1
for pilot burner JUNKERS/ORKLI



3020112 OLIVE FOR 6 mm $\varnothing$ PIPE



AMBACH

Suitable for:

3020041 PILOT JET $\varnothing$ 0.41 mm



3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



3020050 OLIVE FOR PIPE $\varnothing$ 4 mm
for pilot burner series CB 502-CB 503



3020048 PILOT GAS JET $\varnothing$ 0.21 mm
for pilot burner series CB 503-CB 50203.





Suitable for:

3020049 PILOT GAS JET $\varnothing$ 0.28 mm
for pilot burner series CB 503



3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



AMBACH



Suitable for:

3348029 PIPE FITTING $\varnothing$ 4 mm
thread M10x1
for model PEL 21-22



AMBACH 5040603572

3020260 PILOT BURNER HEAD
thread M10x1
for Pot stove gas (AMBACH) GRG/70



AMBACH 5024708974

3020261 NOZZLE FOR PILOT BURNER $\varnothing$ 0.35 mm
thread M10x1 mm
for Pot stove gas (AMBACH) GRG/70



AMBACH 5017202871

3020263 PILOT BURNER HEAD
thread M8x1.25
for Pot stove gas (AMBACH) - Series 85 - Series 90



AMBACH 5024704318

3020267 LOCKING NUT OLIVE $\varnothing$ 4 mm
thread M10x1
for Pot stove gas (AMBACH) - Series COUNTER700
Series 900



AMBACH 5040603228

3020264 NOZZLE FOR PILOT BURNER $\varnothing$ 0.20 mm
thread M10x1 mm
for Pot stove gas (AMBACH) - Series 85 - Series 90



AMBACH 5017202865

3020265 NOZZLE FOR PILOT BURNER $\varnothing$ 0.40 mm
thread M10x1 mm
for Pot stove gas (AMBACH) - Series 85 - Series 90



AMBACH 5017202875



Suitable for:

3345021 OLIVE FOR PIPE $\varnothing$ 4 mm



AMBACH

Suitable for:



AMBACH 5050503209

3020259 PILOT BURNER HEAD WASHER $\varnothing$ 10x14x1.5 mm



AMBACH 5017302671

3020159 PILOT BURNER NATURAL GAS CB 503.006
with NATURAL GAS nozzle and pilot olive
with pilot pipe connection



AMBACH

3020051 FITTING FOR PILOT $\varnothing$ 4 mm
thread M10x1
for pilot burner JUNKERS/ORKLI



5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



3020050 OLIVE FOR PIPE $\varnothing$ 4 mm
for pilot burner series CB 502-CB 503



3020114 OLIVE FOR PIPE $\varnothing$ 6 mm



3020111 OLIVE FOR 4 mm $\varnothing$ PIPE



3020112 OLIVE FOR 6 mm $\varnothing$ PIPE



3020466 PILOT BURNER PROTECTION 25x25x18 mm






Suitable for:

3020048 PILOT GAS JET $\varnothing$ 0.21 mm
for pilot burner series CB 503-CB 50203.



3348029 PIPE FITTING $\varnothing$ 4 mm
thread M10x1
for model PEL 21-22



AMBACH 5040603572

3020201 PILOT GAS JET $\varnothing$ 0.14 mm



AMBACH 5017211424

3020157 PILOT JET $\varnothing$ 0.25 mm



AMBACH 5017214033

3020113 PILOT OLIVE FOR PIPE $\varnothing$ 4 mm



AMBACH 5050511405

3020283 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included



AMBACH 5024716410

AMBACH



Suitable for:

3020049 PILOT GAS JET $\varnothing$ 0.28 mm
for pilot burner series CB 503



3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



3020044 PILOT GAS JET $\varnothing$ 0.20 mm



AMBACH 5017207876

3020040 PILOT JET $\varnothing$ 0.30 mm



AMBACH 5017208677

3020059 SPRING FOR PILOT BURNER $\varnothing$ 14x40 mm



AMBACH 5004708809

3020249 BRACKET PILOT BURN. SUPPORT 60x50x25 mm





Suitable for:

**5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm**



AMBACH



Suitable for:

3020085 FITTING FOR SPARKING PLUG FIXING M10x1 mm



AMBACH 5040317235

AMBACH 5040616959

**3020200 FITTING FOR THERMOCOUPLE $\varnothing$ 6.5 mm
thread M10x1**



5022050 NOZZLE FOR PILOT BURNER $\varnothing$ 0.50 mm



AMBACH 5040306819

AMBACH 5040616958

3020114 OLIVE FOR PIPE $\varnothing$ 6 mm



**3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22**



3020201 PILOT GAS JET $\varnothing$ 0.14 mm



AMBACH 5050503573

AMBACH 5050506686

3020042 PILOT GAS JET $\varnothing$ 0.19 mm



AMBACH 5017211424

3020542 PILOT GAS JET $\varnothing$ 0.20 mm



3020202 PILOT GAS JET $\varnothing$ 0.27 mm



3020043 PILOT GAS JET $\varnothing$ 0.36 mm



3020543 PILOT GAS JET $\varnothing$ 0.38 mm





Suitable for:

3020113 PILOT OLIVE FOR PIPE $\varnothing$ 4 mm



AMBACH 5050511405

3348029 PIPE FITTING $\varnothing$ 4 mm
thread M10x1
for model PEL 21-22



AMBACH 5040603572

3020294 ROUND IGNITION ELECTRODE $\varnothing$ 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



AMBACH 5062606677

3020365 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 52 mm



AMBACH

Suitable for:

3020077 PIPE FITTING $\varnothing$ 4 mm
thread M10x1



3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



AMBACH 5062607632

3020124 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 58 mm





Suitable for:

AMBACH



Suitable for:

- 3020149 THREE-FLAME PILOT BURNER**
supplied without sparking plug
with pipe fitting and LPG nozzle
with thermocouple fitting
with sparking plug fitting
for Solid top range gas (AMBACH) - Series GK
Series GP



AMBACH 3524707258

- 5014757 CONNECTION PIPE $\varnothing$ 6 mm**
thread M10x1 mm



- 3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm**



AMBACH 5040317235

AMBACH 5040616959

- 3020111 OLIVE FOR 4 mm $\varnothing$ PIPE**



- 3020200 FITTING FOR THERMOCOUPLE $\varnothing$ 6.5 mm**
thread M10x1



AMBACH 5040306819

AMBACH 5040616958

- 3020112 OLIVE FOR 6 mm $\varnothing$ PIPE**



- 3020044 PILOT GAS JET $\varnothing$ 0.20 mm**



AMBACH 5017207876

- 3020045 PILOT GAS JET $\varnothing$ 0.50 mm**



- 3020452 PILOT GAS JET $\varnothing$ 0.32 mm**



- 3020449 PILOT GAS JET $\varnothing$ 0.54 mm**



- 3020464 PILOT NOZZLE $\varnothing$ 0.64 mm**




- 3020077 PIPE FITTING $\varnothing$ 4 mm**
thread M10x1





Suitable for:

3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



AMBACH 5062607632

3020124 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 58 mm



AMBACH



Suitable for:

3020294 ROUND IGNITION ELECTRODE $\varnothing$ 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



AMBACH 5062606677

3020365 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 52 mm



3020150 THREE-FLAME PILOT BURNER
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple fitting
with sparking plug fitting
for Grill gas (AMBACH)
for Oven under cooktop gas (AMBACH)



AMBACH 5024706878

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



AMBACH 5040317235

AMBACH 5040616959

5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



3020200 FITTING FOR THERMOCOUPLE $\varnothing$ 6.5 mm
thread M10x1



AMBACH 5040306819

AMBACH 5040616958



Suitable for:

3020111 OLIVE FOR 4 mm Ø PIPE



3020044 PILOT GAS JET Ø 0.20 mm



AMBACH 5017207876

3020045 PILOT GAS JET Ø 0.50 mm



3020464 PILOT NOZZLE Ø 0.64 mm



**3020078 PIPE FITTING Ø 6 mm
thread M10x1**



**3001003 ROUND SPARKING PLUG Ø 7x44 mm
male faston M4x1 mm
total length 65 mm**



AMBACH 5062607632

AMBACH

Suitable for:

3020112 OLIVE FOR 6 mm Ø PIPE



3020452 PILOT GAS JET Ø 0.32 mm



3020449 PILOT GAS JET Ø 0.54 mm



**3020077 PIPE FITTING Ø 4 mm
thread M10x1**



**3020294 ROUND IGNITION ELECTRODE Ø 7x44 mm
M faston M4x1 mm
overall length 67 mm**



**3020060 SPARKING PLUG ROUND Ø 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



AMBACH 5062606677





Suitable for:

3020124 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 58 mm



AMBACH



Suitable for:

3020365 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 52 mm



3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet $\varnothing$ 0.20 mm
with 3 positions bracket



AMBACH 5024703475

3020102 HEXAGON HEAD SCREW 3/16"x18 mm



5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



4058525 NOZZLE FOR PILOT BURNER $\varnothing$ 0.30 mm



3020083 NUT & OLIVE $\varnothing$ 4 mm



3020084 NUT & OLIVE $\varnothing$ 6 mm



3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



AMBACH 5050503001

3020081 OLIVE FOR 6 mm $\varnothing$ PIPE



AMBACH 5050503194

3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



AMBACH 5050503573

AMBACH 5050506686

3020097 PILOT AERATION REGULATOR
internal $\varnothing$ 7 mm - external $\varnothing$ 9 mm
height 10 mm





Suitable for:

3020308 PILOT ASSEMBLY WITH NOZZLE ø 0.40 mm



3020156 PILOT JET ø 0.25 mm



5015516 PILOT NOZZLE ø 0.40 mm



3020105 PILOT WITH 0.20 mm ø JET



3020107 PILOT WITH 0.35 mm ø JET



**3020077 PIPE FITTING ø 4 mm
thread M10x1**



**3020078 PIPE FITTING ø 6 mm
thread M10x1**



AMBACH

Suitable for:

3020054 PILOT JET ø 0.20 mm



3020055 PILOT JET ø 0.35 mm



3500269 PILOT NOZZLE ø 0.45 mm



3020106 PILOT WITH 0.25 mm ø JET



**3020079 PIPE FITTING ø 12 mm
thread ø 3/8"F**



**5033138 PIPE FITTING ø 4 mm
thread ø 1/8"**



**5027953 PIPE OLIVE ø 4 mm
for COPRECI CAL3200**





Suitable for:

3020294 **ROUND IGNITION ELECTRODE** $\varnothing$ 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020060 **SPARKING PLUG ROUND** $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



AMBACH 5062606677

3020365 **SPARKING PLUG ROUND** $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 52 mm



3020103 **THREE-POSITION BRACKET**



3020002 **TWO-FLAME PILOT BURNER SIT**
multigas with jet $\varnothing$ 0.20 mm
with 2 positions bracket



AMBACH 5024708693

AMBACH



Suitable for:

3001003 **ROUND SPARKING PLUG** $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



AMBACH 5062607632

3020124 **SPARKING PLUG ROUND** $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 58 mm



3020110 **THREE-FLAME DEFLECTOR**



3020104 **THREE-POSITION BRACKET CLAMP**



5014757 **CONNECTION PIPE** $\varnothing$ 6 mm
thread M10x1 mm





Suitable for:

3020102 HEXAGON HEAD SCREW 3/16"x18 mm



3020083 NUT & OLIVE ø 4 mm



3020082 OLIVE FOR 12 mm ø PIPE



AMBACH 5050503001

3020081 OLIVE FOR 6 mm ø PIPE



AMBACH 5050503194

3020308 PILOT ASSEMBLY WITH NOZZLE ø 0.40 mm



3020156 PILOT JET ø 0.25 mm



AMBACH

Suitable for:

4058525 NOZZLE FOR PILOT BURNER ø 0.30 mm



3020084 NUT & OLIVE ø 6 mm



3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



AMBACH 5050503573

AMBACH 5050506686

3020097 PILOT AERATION REGULATOR
internal ø 7 mm - external ø 9 mm
height 10 mm



3020054 PILOT JET ø 0.20 mm



3020055 PILOT JET ø 0.35 mm





Suitable for:

5015516 PILOT NOZZLE ø 0.40 mm



3020105 PILOT WITH 0.20 mm ø JET




3020107 PILOT WITH 0.35 mm ø JET



**3020077 PIPE FITTING ø 4 mm
thread M10x1**



**3020078 PIPE FITTING ø 6 mm
thread M10x1**



**3020294 ROUND IGNITION ELECTRODE ø 7x44 mm
M faston M4x1 mm
overall length 67 mm**



AMBACH

Suitable for:

3500269 PILOT NOZZLE ø 0.45 mm



3020106 PILOT WITH 0.25 mm ø JET



**3020079 PIPE FITTING ø 12 mm
thread ø 3/8" F**



**5033138 PIPE FITTING ø 4 mm
thread ø 1/8"**





Suitable for:

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



AMBACH 506260677

3020365 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 52 mm



3020100 TWO-POSITION BRACKET



AMBACH



Suitable for:

3020124 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 58 mm



3020109 TWO-FLAME DEFLECTOR



3020101 TWO-POSITION BRACKET CLAMP



Pressure gauges

5022391 PRESSURE GAUGE $\varnothing$ 61 mm
coupling $\varnothing$ 1/4" M
scale 0-1.6 bar
for Boiling pan (AMBACH) - Series CHEF850
Series SYSTEM700 - Series SYSTEM900



AMBACH 5027213796

Pressure switches

3320058 STEAM CONTROL PRESSURE SWITCH - 0.45/0.4
connection 3/8" M - 250V
for ALL PRESSURE BOILING AND TILTING PANS
for Boiling pan (AMBACH)
for Bratt pan (AMBACH)



AMBACH 5061315480

Probes

- 5051353 TEMPERATURE PROBE 61x13 mm**
 cable length 2280 mm
 for Pot stove induction (AMBACH) - Series IHF/WOK



AMBACH 5024118829

Rotary switches

- 3057050 CONNECTING BRACKET 28x21x16 mm**
 distance between hooking brackets 27 mm
 f/connection between selector switch and thermost.




AMBACH 5006304040

- 3057307 CONNECTION BRACKET 28x21x11 mm**
 distance between fixing brackets 27 mm
 for connection between selector switch and thermos




AMBACH 5006304040

- 3057014 SELECTOR SWITCH 0-1 POSITIONS**
 contact capacity 16A 250V - max 150°C
 D spindle $\varnothing$ 6x4.6 mm
 back connection for thermostat



AMBACH 5060904036


- 3057027 SELECTOR SWITCH 0-1 POSITIONS**
 contact capacity 16A 250V - max 150°C
 D-shaft $\varnothing$ 6x4.6 mm
 rear hole for thermostat



AMBACH 5060904057


AMBACH 50609040570

- 3057078 SELECTOR SWITCH 0-2 POSITIONS**
 contact capacity 16A 250V - max temperature 150°
 D-shaped pin $\varnothing$ 6x4.6 mm
 for Fryer electric (AMBACH) - Series EY
 Series FE



AMBACH 5060910023

- 3057001 SELECTOR SWITCH 0-3 POSITIONS**
 contact capacity 32A 250V - max 150°C
 D spindle $\varnothing$ 6x4.6 mm



AMBACH 5060902396

AMBACH 5060908251




Suitable for:

AMBACH




- 3057002 SELECTOR SWITCH 0-3 POSITIONS**
contact capacity 32A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm



AMBACH 5060909122


Suitable for:

- 3057087 SELECTOR SWITCH 0-3 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaft $\varnothing$ 6x4.6 mm



AMBACH 5060902384


- 3057098 SELECTOR SWITCH 0-3 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaft $\varnothing$ 6x4.6 mm



AMBACH AM5060904035


AMBACH 5060904035

- 3057023 SELECTOR SWITCH 0-6 POSITIONS**
contact capacity 32A 250V - max 150°C
D shaft $\varnothing$ 6x4.6 mm



AMBACH 5060904041

- 3057024 SELECTOR SWITCH 0-6 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm



AMBACH 5060904034

Safety groups for pans and spare parts

- 3184007 PRESSURE GAUGE $\varnothing$ 60 mm**
in chrome plated brass
radial connection 1/4"
scale 0-1 bar
for safety groups



AMBACH 5027207356

- 3184047 VACUUM RELIEF VALVE $\varnothing$ 1/2" M**
chrome-plated brass - for safety group 1"



AMBACH 5018107456



Shock absorbers

3007006 SHOCK ABSORBER FOR COVER 0400N
total length 500 mm
for Bratt pan gas (AMBACH) GKB/120 – GKB/150



AMBACH 5004714039

5048908 SHOCK ABSORBER FOR OVEN DOOR 0700N
total length 220 mm
for Oven under cooktop (AMBACH) – Series SYSTEM700
Series SYSTEM900



AMBACH AM5004714043

AMBACH 5004714043

Solenoid valves

3120138 COIL FOR GAS SOLENOID VALVE ø 1/2" 230V



AMBACH 5061507400

3120064 GAS SOLENOID VALVE ø 1/2" FF 230V
50/60Hz 20VA – max 500 mbar



AMBACH 5018106116

3120138 COIL FOR GAS SOLENOID VALVE ø 1/2" 230V



AMBACH 5061507400

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



AMBACH 5060401734

AMBACH 5060402386

3181004 SPARK GENERATOR 6 OUTLETS
220/240V – 50/60Hz



AMBACH 5060402388

Sparking and detection plugs

3020174 ROUND DETECTOR ELECTRODE ø 7x47 mm
overall length 69 mm



AMBACH 3562614388

3020179 ROUND DETECTOR ELECTRODE ø 7x47 mm
overall length 135 mm



AMBACH 3562614698



Suitable for:

AMBACH



3020080 ROUND IGNITION ELECTRODE $\varnothing$ 7x47 mm
overall length 97 mm
for Bratt pan gas (AMBACH) GKB



AMBACH 3562614897

Suitable for:

3020172 ROUND IGNITION ELECTRODE $\varnothing$ 7x47 mm
overall length 70 mm



AMBACH 3562614387

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



AMBACH 5062607632

3020076 SPARKING PLUG ROUND $\varnothing$ 7/8x50 mm
F connection 2.8x0.8 mm
overall length 63 mm



AMBACH 5062602389

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



AMBACH 5062606677

Springs

3250126 DOOR HINGE SPRING $\varnothing$ 30x555 mm
for BRATT PAN EKH90-GKH90



AMBACH 5004707073

5036462 SPRING FOR LID $\varnothing$ 43x200 mm
for Boiling pan electric (AMBACH) ESK/60-40II
8ESK/40-60
for Boiling pan gas (AMBACH) GSK/40-60II
for Boiling pan steam (AMBACH) DSK/60-40EIII
DSK/60-40EIII-AW - DSK/60-40II



AMBACH 5004714718

3250125 SPRING FOR VENTURI "C" "E"



AMBACH 5004714244

Switches

5017930 BLACK MUSHROOM PUSH-BUTTON
 mounting hole $\varnothing$ 22 mm
 for Boiling pan electric (AMBACH) EKK/100
 EKK/150 - EKK/200 - EKK/250 - EKK/40 - EKM/50
 for Boiling pan gas (AMBACH) GKM/50



AMBACH 5018611265

5002190 CONTACT CEMA P9B11VN 10A
 1 contact NO
 1 contact NC



AMBACH 5060906194

AMBACH 5060911266

5002190 CONTACT CEMA P9B11VN 10A
 1 contact NO
 1 contact NC



AMBACH 5060906194

AMBACH 5060911266

3319270 PUSH-BUTTON 1-POLE RED 3A 250V
 with protection cap
 mounting hole $\varnothing$ 17 mm



AMBACH 5018609593

3319316 PUSH-BUTTON PROTECTION W/FRAME $\varnothing$ 23 mm



1319202 SWITCH 2-POLE GREEN 16A 250V
 16(4)A 250V - with indicator lamp
 silk-screen printing 0 - I
 max. temperature 120°C
 mounting hole 22x30 mm



AMBACH 5060903316

3319780 BLOCK CONNECTION WHITE 30x22 mm



3319779 BLOCK CONNECTIONS BLACK 30x22 mm



3319782 FRAME SAFETY 2 SIDES BLACK 30x22 mm





Suitable for:

3319783 FRAME SAFETY 4 SIDES BLACK 30x22 mm



AMBACH



Suitable for:

3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



Taps for tank refilling

3183014 SPOUT - CONNECTION 1/2"M
swivel spout out of chrome plated brass
spout ø 18 mm



AMBACH 5000507358

AMBACH 5000508009

3528056 BRASS FLAT LOCKING NUT 1/2"



3183015 SPOUT - CONNECTION 1/2"M
swivel spout out of chrome plated brass
spout ø 20 mm



AMBACH 5000508009

3359740 WATER INLET TAP RH ø 1/2"FF



AMBACH 5018007357

Terminal blocks

3247017 12-POLE PLASTIC TERMINAL BLOCK
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450V



AMBACH 3560510386

AMBACH 3560510387

AMBACH 3560510694


3247023 12-POLE PLASTIC TERMINAL BLOCK
for cable max 10 mm²
operating temperature 150°C
nominal voltage 450V



AMBACH 5060508822

Thermocouples and accessories

3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.
interrupted contact with terminals



AMBACH 5024108078

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm
interrupted contact with fastons



AMBACH 5024108086



Suitable for:

3440015 INTERRUPTION CONNECTOR M9x1



AMBACH 5024105606

Suitable for:

3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.
female nut M9x1




AMBACH 5024108084

3440031 THERMOCOUPLE SIT M8x1 120 cm



AMBACH 5024102066

3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS



AMBACH 5024102066

3440831 THERMOCOUPLE SIT M8x1 120 cm - 10 PCS



AMBACH 5024102066

3440068 THERMOCOUPLE SIT M8x1 32 cm



AMBACH 5024102013

3440846 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



AMBACH 5024102012

3440046 THERMOCOUPLE SIT M8X1 60 cm



AMBACH 5024102012

3440846 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



AMBACH 5024102012

3440038 THERMOCOUPLE SIT M9x1 120 cm



AMBACH AM5024108855

AMBACH 5024108855

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



AMBACH AM5024108855

AMBACH 5024108855



Suitable for:

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



AMBACH AM5024108855

AMBACH 5024108855

Suitable for:

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



AMBACH 5024110057

3440880 THERMOCOUPLE SIT M9x1 40 cm.



AMBACH 5024110057

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



AMBACH 5024110057

3440034 THERMOCOUPLE SIT M9x1 50 cm



AMBACH 5024107489

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



AMBACH 5024107489

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



AMBACH 5024107489

5014582 THERMOCOUPLE SIT M9x1 75 cm



AMBACH AM5024114591

AMBACH 5024114591

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



AMBACH 5024114564

3440036 THERMOCOUPLE SIT M9x1 85 cm.



AMBACH 5024114564

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



AMBACH 5024114564


3440048 THERMOCOUPLE SPRING
for pilot burner series CB 502-CB 505



AMBACH 5004703711

Thermostatic gas valves

3345006 THERMOSTATIC TAP 24ST
Adjustment temperature 120-320°C
connections M20x1.5 mm
thermocouple connection M9x1
bulb ø 6x100 mm
capillary length 1200 mm
D-shaped pin ø 10x8 mm



AMBACH 5018908975

5014757 CONNECTION PIPE ø 6 mm
thread M10x1 mm



3348037 OLIVE FOR PILOT PIPE ø 6 mm
for model PEL 21-22-25




3020082 OLIVE FOR 12 mm ø PIPE



3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



3348031 PIPE FITTING ø 10 mm
thread M20x1.5
for model PEL 22



AMBACH 5050503573

AMBACH 5050506686

3348043 PIPE FITTING ø 10 mm
thread M16x1.5
for model PEL 20-21



AMBACH 5040603582

3348032 PIPE FITTING ø 12 mm
thread M20x1.5
for model PEL 22




AMBACH 5040603188



Suitable for:

3348029 PIPE FITTING $\varnothing$ 4 mm
thread M10x1
for model PEL 21-22



AMBACH 5040603572

3348038 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 22



AMBACH



Suitable for:

3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



3348044 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 20 - 21



AMBACH 5050503589

Thermostats

3444482 SINGLE-PHASE THERMOSTAT 100-185°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 1800 mm
bulb $\varnothing$ 4x230 mm - with adapter nipple bland M9x1
for Fryer electric (AMBACH) EY/40M - FE/40M



AMBACH 5061610987

AMBACH 5061611125

AMBACH 5061633535


3444545 SINGLE-PHASE THERMOSTAT 140°C
with automatic reset
covered capillary length 900 mm - 16A 230V
bulb $\varnothing$ 4x158 mm
for Boiling pan (AMBACH) - Series KSK



AMBACH 5061609772

AMBACH 5061633534

3444350 SINGLE-PHASE THERMOSTAT 150°C
with automatic reset
covered capillary length 1000 mm - 0.5A 12V
bulb $\varnothing$ 6x86 mm
for Boiling pan (AMBACH) - Series 900



AMBACH 5061603920

3444485 SINGLE-PHASE THERMOSTAT 150°C
with manual reset
capillary length 900 mm
bulb $\varnothing$ 3x220 mm
for Boiling pan (AMBACH) - Series KE - Series KS



AMBACH 5061600808

AMBACH 5061633533

Suitable for:

3444481 SINGLE-PHASE THERMOSTAT 20-440°C
complete with knob
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 1100 mm
button bulb $\varnothing$ 20x20 mm
for Oven under cooktop (AMBACH) - Series KE
Series KS



AMBACH 5061608151

AMBACH 5061608296

Suitable for:

3444483 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
capillary length 900 mm - 0.5A 12V
bulb $\varnothing$ 6x87 mm
for Fryer (AMBACH) - Series FG - Series GF
Series GY




AMBACH 5061614325

2100284 SINGLE-PHASE THERMOSTAT 30-110°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb $\varnothing$ 6x130 mm - with stuffing gland fitting M9x1
with complete tank sealing fitting M12x1



AMBACH 5061602949

3444510 SINGLE-PHASE THERMOSTAT 30-110°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 850 mm - 16A 250V
bulb $\varnothing$ 6x138 mm - w/ stuffing gland fitting M9x1
with complete tank sealing fitting M12x1




AMBACH 5061602949

5014545 SINGLE-PHASE THERMOSTAT 30-110°C
complete with auxiliary selector switch
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 920 mm - 16A 250V
bulb $\varnothing$ 6x130 mm
for Bain-marie electric (AMBACH) EBM/45 - EBM/45-T
EBM/60-T - 7EBM/40-T - 7EBM/80-T



AMBACH 5061608580

5054462 SINGLE-PHASE THERMOSTAT 34-120°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm - 16A 230V
button bulb $\varnothing$ 31 mm
for Boiling pan electric (AMBACH) - Series CHEF850
SYSTEM700 - Series SYSTEM900



AMBACH 5061622560

3444550 SINGLE-PHASE THERMOSTAT 50-320°C
complete with switch
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm
bulb $\varnothing$ 3x225 mm



AMBACH 5061602948

AMBACH 5061618075

AMBACH 5061633537

3444344 THERMOSTAT SINGLE-PHASE 25-300°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1600 mm - 29A 250V
bulb $\varnothing$ 3x160 mm
for Bratt pan (AMBACH) - Series 700 - Series 900



AMBACH 5061613760

AMBACH 5061633536

AMBACH 5061618076

AMBACH 5061619760




Suitable for:

AMBACH




3444756 THREE-PHASE THERMOSTAT 100-650°C/100-680
2 temperatures
complete with switch
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1200 mm - 16A 230V
bulb $\varnothing$ 3.1x230 mm
for Pot stove (AMBACH)
CH/45 - CH/45T - CH/90 - CH/90T



AMBACH 5061610558

3444471 THREE-PHASE THERMOSTAT 150°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb $\varnothing$ 3x230 mm
for Pasta cooker electric (AMBACH) - Series CPE70




AMBACH 5061603828

3444343 THREE-PHASE THERMOSTAT 20-500°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1030 mm
bulb $\varnothing$ 20x20 mm
for Kitchen electric (AMBACH) - Series 900




AMBACH 5061614400

5014523 THREE-PHASE THERMOSTAT 230 °C
with manual reset
capillary length 890 mm
bulb $\varnothing$ 6x87 mm



AMBACH 5061603893

3444204 THREE-PHASE THERMOSTAT 235°C
with manual reset
covered capillary length 1700 mm - 10A 400V
bulb $\varnothing$ 4x120 mm - with adapter nipple band M9x1
for Fryer electric (AMBACH) - Series EY
Series FE




AMBACH 5061603878

AMBACH 5061610988


AMBACH 5061611126

3444143 THREE-PHASE THERMOSTAT 240°C
with manual reset
capillary length 1600 mm - 10A 400V
bulb $\varnothing$ 6x85 mm



AMBACH 5061038930

3444088 THREE-PHASE THERMOSTAT 30-110°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length covered 900 mm - 10A 400V
bulb $\varnothing$ 6x130 mm - with stuffing gland fitting M9x1



AMBACH 5061608152

3444546 THREE-PHASE THERMOSTAT 30-120°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm
button bulb $\varnothing$ 11x28 mm - nut M14x1
for Boiling pan (AMBACH)



AMBACH 5061603938



Suitable for:

AMBACH



3444306 THREE-PHASE THERMOSTAT 360°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb $\varnothing$ 4x120 mm



AMBACH 5061603684

Suitable for:

3444484 THREE-PHASE THERMOSTAT 360°C
with manual reset
capillary length 1300 mm
bulb $\varnothing$ 4x120 mm
for Bratt pan (AMBACH) - Series BP - Series KB



AMBACH 5061616223


3444349 THREE-PHASE THERMOSTAT 50-300°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 860 mm - 10A 400V
bulb $\varnothing$ 4x240 mm
for Fry top (AMBACH) - Series ECOLINE



AMBACH 5061607675

AMBACH 5061618784

3444166 THREE-PHASE THERMOSTAT 95-180°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1800 mm - 10A 400V
bulb $\varnothing$ 6x135 mm - with adapter nipple bland M9x1
with complete tank joint M12x1



AMBACH 5061608750

Water filling taps

3358012 LEVEL TAP $\varnothing$ 3/8" F
with fixed connection $\varnothing$ 3/8" F



AMBACH 5018000055

Wheels and accessories

5002153 WHEEL $\varnothing$ 175 mm
central hole $\varnothing$ 20 mm
complete with folding handle
for Bratt pan electric (AMBACH) EKH90 - KHE90
KSKE100 - KSKE50
for Bratt pan gas (AMBACH) GKH90 - KHG90



AMBACH 2020100286

AMBACH 5020121470



Suitable for:

AMBACH



Suitable for:

Wire pan supports

3354007 GRID REDUCER FOR MOKA 205x205 mm
made of anodised steel
for Pot stove (AMBACH) - Series 85 - Series 90



AMBACH 5010104372

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|---|
| <p> LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com</p> | <p> OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru</p> |
| <p> EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com</p> | <p> LF Repuestos Horeca S.L.U. SPAIN
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es</p> |
| <p> LF GmbH GERMANY
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de</p> | <p> LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch</p> |
| <p> LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com</p> | <p> LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk</p> |
-
- | | |
|---|---|
| <p> AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com</p> | <p> DENMARK
www.lfspareparts724.dk
michael.jeth@lfspareparts.com</p> |
| <p> AUSTRIA
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at</p> | <p> SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com</p> |
| <p> BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com</p> | <p> TURKEY
www.lyedekparca724.com
basar.ergun@lyedekparca.com</p> |
| <p> BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com</p> | <p> USA AND CANADA
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us</p> |
| <p> CENTRAL AND EASTERN EUROPE
www.lfspareparts724.cz
jiri.kremela@lfspareparts.cz</p> | |