




Spare parts for:

Cooking equipment

Suitable for:

ANGELO PO



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

ANGELO PO



Suitable for:

Air regulators

- 3020097 PILOT AERATION REGULATOR**
internal $\varnothing$ 7 mm - external $\varnothing$ 9 mm
height 10 mm



ANGELO PO 33A0970

Axial motors

- 3240501 AXIAL FAN SUNON 120x120x38 mm**
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



ANGELO PO 32M7130

ANGELO PO 32V5790

Ball valves and accessories

- 3526622 BALL VALVE GAS $\varnothing$ 3/4" MF**
ball valve
heavy series with PN 40 total passage
DIN - DVGW approved
aluminium lever
for Self service counter (ANGELO PO) ACBM
ACBM218 - ANBM - ANBM218 - ANBM75 - SE14VB
SE21VB - SI14VB - SI21VB - SL14CVB - SL14NVB
SL21CVB - SL21NVB - SL7NVB - TBM - TBM218



ANGELO PO 33A0910

- 3356106 DRAIN TAP $\varnothing$ 1"F**
outlet internal $\varnothing$ 25 mm
for Fryer (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO A023020

ANGELO PO 3111510

- 3225001 DRAIN TAP LEVER $\varnothing$ 1"F**
for Fryer (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA - Series OMEGA
Series SENIOR
for Fryer electric (ANGELO PO) 0A1FR1E



ANGELO PO 33D1760

ANGELO PO 35G7250



Suitable for:

3243142 O-RING 04118 EPDM



ANGELO PO



Suitable for:

5058417 OIL DRAIN PIPE WITH SAFETY DEVICE
ø 38 mm - length 200 mm - bayonet joint
for Fryer (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 3AZ0100

ANGELO PO 3212440

3356047 DRAIN TAP ø 1"MF
for Pasta cooker (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA



ANGELO PO 33D1980

ANGELO PO 33D1980+3029350

5022048 RACCORDO A "T" IN GHISA ø 1"F



ANGELO PO 33Q2030

5061849 RACCORDO A GOMITO IN GHISA ø 1"FF



ANGELO PO 33Q2930

5018024 TUBO SCARICO ø 1"M



ANGELO PO 35X3830

5050177 COUPLING FOR DRAIN TAP ø 1"MM
ø side outlet 32 mm - bracket 87x42 mm
distance between holes 70 mm - height fitting 190
for Pasta cooker electric (ANGELO PO) 091CP1E
for Pasta cooker gas (ANGELO PO) 091CP1G



ANGELO PO 3067450

ANGELO PO 3067451

5054493 RACCORDO A "T" IN OTTONE ø 1"F



ANGELO PO 3067420

5018022 TUBO SCARICO ø 1"M



ANGELO PO 35X0270



ANGELO PO



Suitable for:

3359123 DRAIN TAP ø 18 mm
for Bain-marie (ANGELO PO) ALPHA - Series BIFRONT
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 33D2130

ANGELO PO 33D2131

Suitable for:

3225001 DRAIN TAP LEVER ø 1" F
for Fryer (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA - Series OMEGA
Series SENIOR
for Fryer electric (ANGELO PO) 0A1FR1E



ANGELO PO 35G7250

3526693 WATER VALVE ø 1" MF
ball valve
heavy series with PN 25 total passage
aluminium lever



ANGELO PO 33D0890

ANGELO PO 33D1740

Bearings

1063901 BEARING 6204 DDU NSK
external ø 47mm - internal ø 20mm - thickness 14mm



ANGELO PO 3103840


3063122 BEARING 6204 2RSH SKF
external ø 47mm - internal ø 20mm - thickness 14mm



ANGELO PO 3103840

Bodies

5013079
for Pasta cooker gas (ANGELO PO) 70CP - 71CP
71CP2 - 90CP - 91CP




ANGELO PO 35D4810

5013080
for Pasta cooker gas (ANGELO PO) 70CP - 71CP
71CP2 - 90CP - 91CP



ANGELO PO 35U8210

5013078 CAMINO ANT.
for Pasta cooker gas (ANGELO PO) 70CP - 71CP
71CP2 - 90CP - 91CP



ANGELO PO 35D4820

Bulb sheathes

3187006 THERMOSTAT SHEATHING $\varnothing$ 1/2"
bulb length 105 mm



ANGELO PO 30Q1070

3743651 BULB SHEATH RING NUT $\varnothing$ 1/2"



3187050 LOCK NUT $\varnothing$ 1/2"
with milled seat for gasket
with gasket $\varnothing$ 26 mm



3186138 ASBESTOS FREE FLAT GASKET $\varnothing$ 30x21x2 mm



3786547 GASKET FLAT EPDM $\varnothing$ 24x16x3 mm
for bulb holder sheathing



ANGELO PO 3151880

ANGELO PO 37Q2840

5001215 THERMOSTAT SHEATHING $\varnothing$ 1/4"
complete with fixing nut and washer
bulb length 240 mm
for Fryer (ANGELO PO)



ANGELO PO 30Q0150

Burners, flame spreaders and accessories

3025749 BURNER $\varnothing$ 130 mm 7.5kW
for Pot stove gas (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 34A2050

ANGELO PO 34A2051

ANGELO PO 34A2052

3025218 BURNER $\varnothing$ 110 mm
for new series
for Pot stove gas (ANGELO PO) - Series DELTA
Series OMEGA



ANGELO PO 34A1390

ANGELO PO 34A1391



ANGELO PO



Suitable for:

3025747 BURNER ø 110 mm 5.5/6 kW
for Pot stove gas (ANGELO PO) - Series ALPHA
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 34A2030

ANGELO PO 34A2032

Suitable for:

3025261 BURNER ø 110 mm 7Kw
for Pot stove gas (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 3019380

3025272 BURNER ø 130 mm 10KW
for Pot stove gas (ANGELO PO) - Series ALPHA
Series DELTA - Series OMEGA



ANGELO PO 3019360

3025219 BURNER ø 140 mm
for new series
for Pot stove gas (ANGELO PO) - Series BIFRONTI
Series DELTA - Series OMEGA



ANGELO PO 34A1400

ANGELO PO 34A1401

3025263 BURNER ø 80 mm 4KW
for Pot stove gas (ANGELO PO) - Series ALPHA
Series CONCEPT - Series GAMMA



ANGELO PO 3057600

3025217 BURNER ø 90 mm
for new series
for Pot stove gas (ANGELO PO) - Series BIFRONTI
Series DELTA - Series OMEGA



ANGELO PO 34A1380

3025160 BURNER CAP ø 110 mm
for second series
for Pot stove gas (ANGELO PO) - Series DELTA
Series OMEGA



ANGELO PO 34A1131

ANGELO PO 34A1132

ANGELO PO 34A1133

3025218 BURNER ø 110 mm
for new series
for Pot stove gas (ANGELO PO) - Series DELTA
Series OMEGA



ANGELO PO 34A1390

ANGELO PO 34A1391

3025156 BURNER SUPPORT ø 22 mm
thread M20x1.5 mm - jet hole M10x1
for burner ø 60-90-110 mm
for Pot stove gas (ANGELO PO) - Series COMBI



ANGELO PO 36D0070

3025220 BURNER SUPPORT ø 35 mm
jet hole M10x1
for burner ø 90-110-140 mm
for new series
for Pot stove gas (ANGELO PO) - Series BIFRONTI
Series DELTA - Series OMEGA



ANGELO PO 36D2771

Suitable for:

3025162 BURNER CAP ø 140 mm
for new series
for Pot stove gas (ANGELO PO) - Series BIFRONTE
Series DELTA - Series OMEGA



ANGELO PO 34A1141

3025220 BURNER SUPPORT ø 35 mm
jet hole M10x1
for burner ø 90-110-140 mm
for new series
for Pot stove gas (ANGELO PO) - Series BIFRONTE
Series DELTA - Series OMEGA



ANGELO PO 36D2771

3025158 BURNER CAP ø 90 mm
for second series
for Pot stove gas (ANGELO PO) - Series BIFRONTE
Series DELTA - Series OMEGA



ANGELO PO 34A1121

ANGELO PO 34A1122

ANGELO PO 34A1123

3025156 BURNER SUPPORT ø 22 mm
thread M20x1.5 mm - jet hole M10x1
for burner ø 60-90-110 mm
for Pot stove gas (ANGELO PO) - Series COMBI



ANGELO PO 36D0070

Suitable for:

3025219 BURNER ø 140 mm
for new series
for Pot stove gas (ANGELO PO) - Series BIFRONTE
Series DELTA - Series OMEGA



ANGELO PO 34A1400

ANGELO PO 34A1401

3025217 BURNER ø 90 mm
for new series
for Pot stove gas (ANGELO PO) - Series BIFRONTE
Series DELTA - Series OMEGA



ANGELO PO 34A1380

3025220 BURNER SUPPORT ø 35 mm
jet hole M10x1
for burner ø 90-110-140 mm
for new series
for Pot stove gas (ANGELO PO) - Series BIFRONTE
Series DELTA - Series OMEGA



ANGELO PO 36D2771



Suitable for:

ANGELO PO



3025676 BURNER SUPPORT
internal hole $\varnothing$ 33 mm
for Pot stove gas (ANGELO PO) - Series ALPHA
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 34A2070

ANGELO PO 34A2071

3025156 BURNER SUPPORT $\varnothing$ 22 mm
thread M20x1.5 mm - jet hole M10x1
for burner $\varnothing$ 60-90-110 mm
for Pot stove gas (ANGELO PO) - Series COMBI



ANGELO PO 36D0070

3025220 BURNER SUPPORT $\varnothing$ 35 mm
jet hole M10x1
for burner $\varnothing$ 90-110-140 mm
for new series
for Pot stove gas (ANGELO PO) - Series BIFRONT
Series DELTA - Series OMEGA



ANGELO PO 36D2771

3025257 BURNER TRAVERSE
for Pot stove gas (ANGELO PO) 070D - 070DGG - 071D
071DGG - 072D - 072DGG - 090 - 091 - 091GG
092 - 092GG - 092VA - 092VAGG - 71D - 71DGG
71GE - 71GEGG - 72D - 72DGG - 72TP - 72VA
72VAGG - 73D - 73VA - 73VAGG



ANGELO PO 35M2880

3025746 FLAME SPREADER $\varnothing$ 110 mm 5.5/6kW
for Pot stove gas (ANGELO PO) - Series ALPHA
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 34A2040

3025747 BURNER $\varnothing$ 110 mm 5.5/6 kW
for Pot stove gas (ANGELO PO) - Series ALPHA
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 34A2030

ANGELO PO 34A2032

3025676 BURNER SUPPORT
internal hole $\varnothing$ 33 mm
for Pot stove gas (ANGELO PO) - Series ALPHA
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 34A2070

ANGELO PO 34A2071

3025690 JET HOLDER FITTING $\varnothing$ 35 mm
jet hole M5x1
for Pot stove gas (ANGELO PO) - Series ALPHA
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 34A2020

3186657 RED SILICONE O-RING 02187



ANGELO PO 3152040

3025745 VENTURI FOR BURNER $\varnothing$ 110 mm 5.5/6kW
internal hole $\varnothing$ 12.5 mm
for Pot stove gas (ANGELO PO) - Series ALPHA
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 34A2010



Suitable for:

ANGELO PO



- 3025260 FLAME SPREADER ø 110 mm 7Kw**
for Pot stove gas (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 3019390

- 3025676 BURNER SUPPORT**
internal hole ø 33 mm
for Pot stove gas (ANGELO PO) - Series ALPHA
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 34A2070

ANGELO PO 34A2071

- 3186657 RED SILICONE O-RING 02187**



ANGELO PO 3152040

- 3025259 VENTURI WITH NOZZLE HOLDER 7Kw**
for Pot stove gas (ANGELO PO) - Series ALPHA
Series DELTA - Series OMEGA



ANGELO PO 6013760

ANGELO PO 6013761

- 3025271 FLAME SPREADER ø 130 mm 10KW**
for Pot stove gas (ANGELO PO) - Series ALPHA
Series DELTA - Series OMEGA



ANGELO PO 3019370

Suitable for:

- 3025261 BURNER ø 110 mm 7Kw**
for Pot stove gas (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 3019380

- 3025690 JET HOLDER FITTING ø 35 mm**
jet hole M5x1
for Pot stove gas (ANGELO PO) - Series ALPHA
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 34A2020

- 3025744 VENTURI FOR BURNER ø 110 mm 7.5Kw**
internal hole ø 14.5 mm
for Pot stove gas (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 34A2000

- 3025272 BURNER ø 130 mm 10KW**
for Pot stove gas (ANGELO PO) - Series ALPHA
Series DELTA - Series OMEGA



ANGELO PO 3019360



Suitable for:

3186657 RED SILICONE O-RING 02187



ANGELO PO 3152040

3025748 FLAME SPREADER ø 130 mm 7.5kW
for Pot stove gas (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 34A2060

3025676 BURNER SUPPORT
internal hole ø 33 mm
for Pot stove gas (ANGELO PO) - Series ALPHA
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 34A2070

ANGELO PO 34A2071

3186657 RED SILICONE O-RING 02187



ANGELO PO 3152040

3025262 FLAME SPREADER ø 80 mm 4KW
for Pot stove gas (ANGELO PO) - Series ALPHA
Series CONCEPT - Series GAMMA




ANGELO PO 3057610

ANGELO PO



Suitable for:

3025258 VENTURI WITH NOZZLE HOLDER 10KW
for Pot stove gas (ANGELO PO) - Series ALPHA
Series DELTA - Series OMEGA



ANGELO PO 6014830

ANGELO PO 6014831

3025749 BURNER ø 130 mm 7.5kW
for Pot stove gas (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 34A2050

ANGELO PO 34A2051

ANGELO PO 34A2052

3025690 JET HOLDER FITTING ø 35 mm
jet hole M5x1
for Pot stove gas (ANGELO PO) - Series ALPHA
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 34A2020

3025744 VENTURI FOR BURNER ø 110 mm 7.5Kw
internal hole ø 14.5 mm
for Pot stove gas (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 34A2000

3025263 BURNER ø 80 mm 4KW
for Pot stove gas (ANGELO PO) - Series ALPHA
Series CONCEPT - Series GAMMA



ANGELO PO 3057600



Suitable for:

3025304 VENTURI WITH NOZZLE HOLDER 4KW
for Pot stove gas (ANGELO PO) - Series ALPHA
Series GAMMA



ANGELO PO 6020730

ANGELO PO 6020731

ANGELO PO



Suitable for:

3025690 JET HOLDER FITTING ø 35 mm
jet hole M5x1
for Pot stove gas (ANGELO PO) - Series ALPHA
Series CONCEPT - Series DELTA - Series GAMMA



ANGELO PO 34A2020

3025745 VENTURI FOR BURNER ø 110 mm 5.5/6kW
internal hole ø 12.5 mm
for Pot stove gas (ANGELO PO) - Series ALPHA
Series CONCEPT - Series DELTA - Series GAMMA




ANGELO PO 34A2010

3025744 VENTURI FOR BURNER ø 110 mm 7.5Kw
internal hole ø 14.5 mm
for Pot stove gas (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 34A2000

3025258 VENTURI WITH NOZZLE HOLDER 10KW
for Pot stove gas (ANGELO PO) - Series ALPHA
Series DELTA - Series OMEGA



ANGELO PO 6014830

ANGELO PO 6014831

3025304 VENTURI WITH NOZZLE HOLDER 4KW
for Pot stove gas (ANGELO PO) - Series ALPHA
Series GAMMA



ANGELO PO 6020730

ANGELO PO 6020731

3025259 VENTURI WITH NOZZLE HOLDER 7Kw
for Pot stove gas (ANGELO PO) - Series ALPHA
Series DELTA - Series OMEGA



ANGELO PO 6013760

ANGELO PO 6013761



Suitable for:

ANGELO PO



Suitable for:

Cables for piezo igniters

5021577 *****
con faston 3x0,8 mm per accensione
con faston foro ø 4 mm per candela
for Bain-marie gas (ANGELO PO) - Series ALPHA
for Fry top gas (ANGELO PO) - Series ALPHA
Series BIFRONTÉ - Series DELTA - Series GAMMA
Series JUNIOR - Series SENIOR - Series SUMMIT



ANGELO PO 32A0441

5031826 *****
con faston 3x0,8 mm per accensione
con faston ø 2,4 mm per candela
per ALPHA-DELTA-GAMMA-BIFRONTÉ



ANGELO PO 32A2360

ANGELO PO 32A2361

5061197 *****
con faston 3x0,8 mm per accensione
con faston ø 2,4 mm per candela
for Pot stove gas (ANGELO PO) - Series ALPHA
Series GAMMA



ANGELO PO 32A3080

3001039 **IGNITION CABLE 900 mm**
with faston terminal 3x0.8 mm for ignition
with faston terminal 3x0.8 mm for plug
for Fry top gas (ANGELO PO)
for Pasta cooker gas (ANGELO PO)



ANGELO PO 32A0891

5017499 **IGNITION CABLE 900 mm**
with faston 3x0.8 for ignition
with faston ø 2.4 for plug
for ALPHA-DELTA-GAMMA-BIFRONTÉ



ANGELO PO 32A2540

ANGELO PO 32A2541

3001019 **IGNITION LEAD 1000 mm**
with faston ø 2.4 mm for ignition
with faston ø 2.4 mm for electrode



ANGELO PO 32A2550

5008988 **IGNITION LEAD 1200 mm**
with faston 3x0.8 for ignition
with faston 3x0.8 mm for sparkling plug



ANGELO PO 32A0061

ANGELO PO 32A0390

5028857 **IGNITION LEAD 1600 mm**
with faston 3x0.8 for ignition
with faston 3x0.8 mm for sparkling plug



ANGELO PO 3011720

Suitable for:

Suitable for:

- 3001017 IGNITION LEAD 600 mm**
with faston 6.35x0.8 mm for ignition
with faston $\varnothing$ 4 mm for electrode



ANGELO PO 32A0051

ANGELO PO 32A0210

Capacitors, electrical

- 3068014 CAPACITOR μ F 8 450V 50/60Hz**
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ANGELO PO 32Z2490

- 3068087 CAPACITOR ELECTRICAL 35 μ F**
450V 50/60Hz - $\varnothing$ 45xh91 mm



ANGELO PO 32V5980


Cast iron hot plates

- 3312005 COOKING PLATE - DISK $\varnothing$ 225 mm**
made of cast iron



ANGELO PO 3044740

- 3312061 RIBBED PLATE 385x320 mm**
made of cast iron
for Pot stove (ANGELO PO) - Series ALPHA



ANGELO PO PRS

- 3312062 SMOOTH PLATE 385x320 mm**
made of cast iron
for Pot stove (ANGELO PO) - Series ALPHA



ANGELO PO PLS

Circlips

- 1250023 RADIAL SEEGER RING $\varnothing$ 5 mm**
stainless steel - external $\varnothing$ 11.3 - thickness 0.7
UNI 7434 - DIN 6799



ANGELO PO 3120460



Suitable for:

ANGELO PO



Suitable for:

Clamps

- 3449452 HOSE CLAMP 16-25**
for pipes $\varnothing$ 16÷25 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ANGELO PO 3140230

- 3449453 HOSE CLAMP 25-40**
for pipes $\varnothing$ 25÷40 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ANGELO PO 3140220

- 3449470 HOSE CLAMP 32-50**
for pipes $\varnothing$ 32÷50 mm
made of stainless steel AISI 304
height 12 mm and screw E7
suitable for food industry



ANGELO PO 3140300

Contact thermostats

- 5039001 CONTACT THERMOSTAT 50°C**
with automatic reset
for Fryer gas (ANGELO PO) 091FR7G
for Hot plate electric (ANGELO PO)
090PEB-091PEB-190PEB-191PEB
for Pot stove electric (ANGELO PO) 04WPEBV-08WPEBV
for Solid top range electric (ANGELO PO)
190TPE-191TPE-08WTPEV



ANGELO PO 3093940

- 5030497 CONTACT THERMOSTAT 70°C 10A 250V**
with automatic reset
for Bain-marie (ANGELO PO) 6BM - 6BR
for Fry top (ANGELO PO) 6FTL - 6FTR
for Fryer (ANGELO PO) 6FR
for Fryer electric (ANGELO PO) 091FR1I - 191FR2I
191FR4ED
for Fryer gas (ANGELO PO) 091FR7G
for Pot stove electric (ANGELO PO) 04WPE4V
08WPE4V - 090PE4 - 190PE4 - 191PE4E
for Pyroceramic plate (ANGELO PO) 6VTR



ANGELO PO 3008880

Contactors

- 5024564 *******
RF9.1V5
1 contatto normalmente aperto
1 contatto normalmente chiuso



ANGELO PO 32V1010

ANGELO PO 32Z0930

- 5068368 *******
RF9-1
1 contatto normalmente aperto
1 contatto normalmente chiuso



ANGELO PO 32V6950

Suitable for:

3446562 CONTACTOR LOVATO BF0901A
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally closed auxiliary contact



ANGELO PO 3100940

ANGELO PO 32V5290

Suitable for:

3446227 AUXILIARY CONTACT LOVATO G218
10A
1 contact NO
1 contact NC



3446587 CONTACTOR LOVATO BF2600A
coil 26A 230V 50/60Hz 13Kw
3 normally open contacts
no auxiliary contact
for Fryer electric (ANGELO PO) 0A1FR1E



ANGELO PO 3110890

ANGELO PO 32Z2091

3446227 AUXILIARY CONTACT LOVATO G218
10A
1 contact NO
1 contact NC



3446588 CONTACTOR LOVATO BF3200A
coil 32A 230V 50/60Hz 16Kw
3 normally open contacts
no auxiliary contact



ANGELO PO 3100930

3446227 AUXILIARY CONTACT LOVATO G218
10A
1 contact NO
1 contact NC



3446558 CONTACTOR LOVATO BGF0901A
9A 400V 4Kw - coil 230V 50/60Hz
3 NO contacts
1 NC auxiliary contact



ANGELO PO 32Z3512

3446557 CONTACTOR LOVATO BG0901A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally closed auxiliary contact



ANGELO PO 32V6550

3446556 CONTACTOR LOVATO BG0910A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally open auxiliary contact



ANGELO PO 32V1880

3446227 AUXILIARY CONTACT LOVATO G218
10A
1 contact NO
1 contact NC





Suitable for:

5023908 CONTACTOR SIEMENS 3RT1025-1AL20
17A 400V 7.5Kw - coil 230V 50/60Hz
3 normally open contacts



ANGELO PO 32Z9250

Suitable for:

5059050 AUXILIARY CONTACT SIEMENS 3RH1921
1 contact normally open
1 contact normally closed



Cooking baskets and accessories

5019584 *****
in acciaio INOX
for Pasta cooker (ANGELO PO)



ANGELO PO C2715

5030023 *****
in acciaio INOX
for Pasta cooker (ANGELO PO)



ANGELO PO C0909

5030420 *****
in acciaio INOX
for Pasta cooker (ANGELO PO)



ANGELO PO C2830

5057932 *****
in acciaio INOX
for Pasta cooker (ANGELO PO)




ANGELO PO C3023

3055149 DRAINING STAND 650x340 mm
handle height: 175 mm
made of STAINLESS steel
for Pasta cooker gas (ANGELO PO) 71CP - 91CP



ANGELO PO 36A2301

3055328 FALSE BOTTOM 340x330 mm
handle height 185 mm
made of STAINLESS steel
for Pasta cooker gas (ANGELO PO) 70CP - 71CP2
90CP



ANGELO PO 36A2590

ANGELO PO 36A2591

5031632 FALSE BOTTOM 500x297x110 mm
iron plated
for Pasta cooker electric (ANGELO PO)
Series MONOLITHE - 04WCP1EM - 091CP1E




ANGELO PO 36A4640

ANGELO PO 36A4641

ANGELO PO 36A4642

5000111 FALSE BOTTOM 500x297x80 mm
iron plated
for Pasta cooker (ANGELO PO) 0A1CP1G - 0B1CP1G
0D1CP1G - 06WCP1GM - 08WCP1GM - 091CP1G
1A1CP2G - 1D1CP2G - 1G1CP1G - 191CP2G



ANGELO PO 36A4630

ANGELO PO 36A4631



ANGELO PO



Suitable for:

3055108 PASTA COOKER BASKET 105x100x150 mm
made of stainless steel
for Pasta cooker (ANGELO PO) - Series JUNIOR
Series SENIOR



ANGELO PO C1011

ANGELO PO 3012120

Suitable for:

5017419 PASTA COOKER BASKET 225x270x200 mm
made of STAINLESS STEEL
for Pasta cooker (ANGELO PO) - Series ALPHA



ANGELO PO C2327

3055107 PASTA COOKER BASKET 290x100x150 mm
made of stainless steel
for Pasta cooker (ANGELO PO) - Series JUNIOR
Series SENIOR - Series SUMMIT



ANGELO PO 36A2580

ANGELO PO 36A2581

ANGELO PO 36A2582

3055109 PASTA COOKER BASKET 295x180x150 mm
made of stainless steel
for Pasta cooker (ANGELO PO) - Series JUNIOR
Series SENIOR



ANGELO PO C2028

ANGELO PO 3012130

ANGELO PO 51AL961

3055110 PASTA COOKER BASKET 300x280x150 mm
made of stainless steel
for Pasta cooker (ANGELO PO) - Series SENIOR



ANGELO PO C3028

ANGELO PO 3012140

5023501 PASTA COOKER BASKET 302x95x200 mm
made of stainless steel
for Pasta cooker (ANGELO PO) - Series ALPHA



ANGELO PO C0930

ANGELO PO 3240680

5038550 PASTA COOKER BASKET 306x115x205 mm
in STAINLESS STEEL
for Pasta cooker (ANGELO PO) - Series GAMMA



ANGELO PO C3011

3055190 PASTA COOKER BASKET 450x260x200 mm
made of STAINLESS steel
for Pasta cooker (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO C4627

Drain assembly

3316127 DRAIN ASSEMBLY CROSS
external $\varnothing$ 51 mm
for SINKS



ANGELO PO 33D1010



Suitable for:

ANGELO PO



Suitable for:

Drain hoses

5050177 COUPLING FOR DRAIN TAP $\varnothing$ 1"MM
 $\varnothing$ side outlet 32 mm - bracket 87x42 mm
distance between holes 70 mm - height fitting 190
for Pasta cooker electric (ANGELO PO) 091CP1E
for Pasta cooker gas (ANGELO PO) 091CP1G



ANGELO PO 3067450

ANGELO PO 3067451

5057153 DRAIN PIPE $\varnothing$ 40x290 mm
internal $\varnothing$ 38 mm
for Fry top electric (ANGELO PO) - Series ALPHA
Series MONOLITHE
for Fry top gas (ANGELO PO) - Series ALPHA
for Grill gas (ANGELO PO) - Series ALPHA - 08WGRGV
for Solid top range electric (ANGELO PO) 08WTPEV



ANGELO PO 3066510

ANGELO PO 3066511

5058417 OIL DRAIN PIPE WITH SAFETY DEVICE
 $\varnothing$ 38 mm - length 200 mm - bayonet joint
for Fryer (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 3AZ0100

ANGELO PO 3212440

Drain taps and accessories

5017286 *****
con ghiera girevole $\varnothing$ 3/4" F
for Fryer electric (ANGELO PO) 030FE1 - 030FE1B



ANGELO PO 33D0853

5018022 *****
lunghezza 195 mm
for Pasta cooker gas (ANGELO PO) 1A1CP2G - 1D1CP2G
1G1CP1G



ANGELO PO 35X0270

5018024 *****
lunghezza 45 mm
for Pasta cooker electric (ANGELO PO)
Series ALPHA - Series DELTA - Series OMEGA
for Pasta cooker gas (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 35X3830

- 3356004 DRAIN TAP ø 1"F**
TAPERED SEAL - fixed connection ø 1"F
for BOILING PAN



ANGELO PO 33D0980

- 3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



- 3356029 HANDLE FOR DRAIN TAP**
for drain tap ø 3/4" and 1"



- 3356005 DRAIN TAP ø 1"1/4F TECNO**
TAPERED SEAL - fixed connection ø 1"1/4F
with gasket
for BOILING PAN



ANGELO PO 33D0080

Suitable for:

- 3186009 ASBESTOS FREE FLAT GASKET ø 45x33x2 mm**



- 1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF approval H1
hot and cold water resistant
high anti-corrosion power
can replace vaseline



- 3180061 TAPE FOR JOINTS SEALING LOCTITE 55 - 150**
length 150 m
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water.
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



- 3186240 ASBESTOS FREE FLAT GASKET ø 46x38x2 mm**
for drain tap ø 1"1/2





Suitable for:

- 3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



- 3242189 HANDGRIP FOR DRAIN TAP**
for DRAIN TAP ø 1"1/2F e 1"1/4F



- 3180061 TAPE FOR JOINTS SEALING LOCTITE 55 - 150**
length 150 m
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water.
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



- 3356100 DRAIN TAP ø 2"F TECNO**
GASKET SEAL - with swivel nut ø 2"F



ANGELO PO 33D0600

ANGELO PO



Suitable for:

- 1180001 GREASE KLUBERSYNTH UH1 14-151 45 g**
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF approval H1
hot and cold water resistant
high anti-corrosion power
can replace vaseline



- 3356128 PIN ø 5x30 mm**



- 3186242 ASBESTOS FREE FLAT GASKET ø 61x46x2 mm**
for drain tap ø 2" old model



ANGELO PO 37Q4070




Suitable for:

3356101 CAP FOR DRAIN TAP
for DRAIN TAP ø 2" OLD MODEL



3242190 DRAIN TAP HANDGRIP
for DRAIN TAP ø 2" OLD MODEL
AND FOR TECNO NEW MODEL



5015573 GASKET FLAT ASBE. FREE ø 61x48x2 mm
for drain tap ø 2"



1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF approval H1
hot and cold water resistant
high anti-corrosion power
can replace vaseline



ANGELO PO



Suitable for:

3356016 DRAIN NIPPLE ø 2"x80 mm
in brass



3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660



3186199 GASKET INTERNAL EPDM FOR TAPS
NSF APPROVED
for DRAIN TAP ø 1"1/4 and 1"1/2



3242191 PIN M6x40
for DRAIN TAP ø 2"OLD MODEL





Suitable for:

ANGELO PO



- 3180061 TAPE FOR JOINTS SEALING LOCTITE 55 - 150**
length 150 m
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water.
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



Suitable for:

- 3186241 VITON O-RING 06212**
for DRAIN TAP ø 2" OLD MODEL AND
TECNO NEW MODEL



ANGELO PO 3152331


- 3356104 DRAIN TAP ø 2"F TECNO**
TAPERED SEALING - with swivel nut ø 2"F
for Boiling pan electric (ANGELO PO) 1A1PI2EA
1D1PI2E - 1D1PI2EA - 31PIE6 - 71PIE15
91PIE15
for Boiling pan gas (ANGELO PO) 1A1PD1G - 1A1PI2G
1A1PI2GA - 1A1PI2V - 1A1PI2VA - 1D1PD2G
1D1PI1G - 1D1PI2G - 31PI6 - 71PD10 - 71PD15
71PI10 - 71PI10A - 91PI10 - 91PI10A



ANGELO PO 33D2290

ANGELO PO 33D2291

- 3242190 DRAIN TAP HANDGRIP**
for DRAIN TAP ø 2" OLD MODEL
AND FOR TECNO NEW MODEL



- 3186242 ASBESTOS FREE FLAT GASKET ø 61x46x2 mm**
for drain tap ø 2" old model



ANGELO PO 37Q4070

- 3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m**
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660





Suitable for:

5015573 GASKET FLAT ASBE. FREE Ø 61x48x2 mm
for drain tap Ø 2"



3242191 PIN M6x40
for DRAIN TAP Ø 2" OLD MODEL



ANGELO PO



Suitable for:

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g
food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF approval H1
hot and cold water resistant
high anti-corrosion power
can replace vaseline



3180061 TAPE FOR JOINTS SEALING LOCTITE 55 - 150
length 150 m
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water.
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



Electric hot plates

3311096 ELECTRIC HOT PLATE Ø 180 mm 2000W 230V
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



ANGELO PO 32G0030

3311097 ELECTRIC HOT PLATE Ø 180 mm 2000W 400V
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



ANGELO PO 32G0290

ANGELO PO 32G1320

3311169 ELECTRIC HOT PLATE Ø 200 mm 1700W 230V
faston electric connections
complete with energy adjuster
for glass-ceramic cooking top



ANGELO PO 3080080

3311100 ELECTRIC HOT PLATE Ø 220 mm 2600W 230V
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



ANGELO PO 32G0020



ANGELO PO



Suitable for:

- 3311101 ELECTRIC HOT PLATE ø 220 mm 2600W 400V**
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



ANGELO PO 32G0300

ANGELO PO 32G1330

Suitable for:

- 3311087 ELECTRIC HOT PLATE ø 250 mm 2500W 230V**
faston electric connections
complete with energy regulation
for glass-ceramic cooking top



ANGELO PO 3007650

- 3311053 ELECTRIC HOT PLATE 2600W 230V**
dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



ANGELO PO 3018350

- 3311054 ELECTRIC HOT PLATE 2600W 400V**
dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



ANGELO PO 32G2860

- 3311062 ELECTRIC HOT PLATE 3000W 230V**
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



ANGELO PO 32G1201


- 3311063 ELECTRIC HOT PLATE 3000W 400V**
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



ANGELO PO 32G0930

ANGELO PO 32G1090


- 3311064 ELECTRIC HOT PLATE 4000W 230V**
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



ANGELO PO 32G1210

ANGELO PO 32G1211

- 3311065 ELECTRIC HOT PLATE 4000W 400V**
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



ANGELO PO 32G0940

ANGELO PO 32G1080



Electrical cables

3390042 CABLE FOR CIRCUIT BOARD CONNECTION

length: 1500 mm

for Fryer (ANGELO PO) - Series ALPHA

Series BIFRONTI - Series DELTA - Series GAMMA

Series OMEGA



ANGELO PO 32A2290

Electrical gas valves and accessories

3030001 COUPLING ELECTRIC WITH CABLE

for valve sit 824 NOVA-826 NOVA-836 TANDEM

for Bratt pan gas (ANGELO PO) - Series ALPHA

Series DELTA



ANGELO PO 32A2340

2110618 DOUBLE COIL FOR VALVE

230V 50Hz

for VALVE 840 SIGMA-848 SIGMA

for (ANGELO PO) - Series ALPHA DAL 15/12/2009

for Fryer gas (ANGELO PO)



ANGELO PO 3188170

3526102 ELECTRIC COUPLING WITH CABLE

for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ANGELO PO 32A2330

3526092 ELETTROSIT VALVE $\varnothing$ 1/2"FF

inlet $\varnothing$ 1/2" F - outlet $\varnothing$ 1/2" F

thermocouple connection M9x1

maximum gas inlet pressure 50 mbar

pressure adjustment range

3 ÷ 18 mbar

ambient temperature 0 ÷ 60°C

power supply 220/240V 50Hz

long buttons

pilot connection and LATERAL thermocouple




ANGELO PO 33A0590

ANGELO PO 6000640

3526100 COIL 220V

for VALVE ELETTROSIT





Suitable for:

3526108 ELBOW FLANGE $\varnothing$ 1/2" F
with screws and "O" ring
for Elettrosit Valve



3526106 STRAIGHT FLANGE $\varnothing$ 1/2"
with screws and "O" ring
for Elettrosit Valve



3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE Elettrosit-820 NOVA-824 NOVASIT



ANGELO PO 33A0020

3526090 Elettrosit Valve $\varnothing$ 3/4" FF
inlet $\varnothing$ 3/4" F - outlet $\varnothing$ 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple



ANGELO PO 33A0530

3526100 COIL 220V
for VALVE Elettrosit



ANGELO PO



Suitable for:

3001008 PIEZO IGNITER
a $\varnothing$ 14 mm hole is required for the assembly
faston M $\varnothing$ 2.4 mm



3526107 STRAIGHT FLANGE $\varnothing$ 3/4" F
with screws and "O" ring
for Elettrosit Valve



3526138 VALVE PROTECTION 72x44 mm
for Bratt pan gas (ANGELO PO) - Series SENIOR
Series SUMMIT



ANGELO PO 37Q1200

3526137 BUTTON FOR Elettrosit Valve 46 mm



3526108 ELBOW FLANGE $\varnothing$ 1/2" F
with screws and "O" ring
for Elettrosit Valve





Suitable for:

3526093 EXTENSION FOR ELETTROSIT BUTTON 34 mm
for switching on/off buttons



3001008 PIEZO IGNITER
a $\varnothing$ 14 mm hole is required for the assembly
faston M $\varnothing$ 2.4 mm



3526106 STRAIGHT FLANGE $\varnothing$ 1/2"
with screws and "O" ring
for ELETTROSIT VALVE



3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ANGELO PO 33A0020

3526066 HONEYWELL VALVE V4400C $\varnothing$ 3/4"FF 220V
inlet $\varnothing$ 3/4"F - outlet $\varnothing$ 3/4"F
thermocouple connection ASA pitch
maximum gas inlet pressure 60 mbar
room temperature 0÷70°C
power supply 230V 50Hz



ANGELO PO 33A0450

ANGELO PO



Suitable for:

4057862 FITTING $\varnothing$ 3/4"M-3/4"M BRASS



3526136 SPRING FOR PUSH-BUTTON



3526107 STRAIGHT FLANGE $\varnothing$ 3/4"F
with screws and "O" ring
for ELETTROSIT VALVE



3526077 ELBOW FLANGE $\varnothing$ 1/2"F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P





Suitable for:

ANGELO PO



- 3526078 ELBOW FLANGE $\varnothing$ 3/4" F**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



Suitable for:

- 3526075 STRAIGHT FLANGE $\varnothing$ 1/2"**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



- 3526076 STRAIGHT FLANGE $\varnothing$ 3/4"**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P




- 3526124 KNOB EXTENSION LENGTH 67 mm**
for VALVE 820 NOVA-824 NOVASIT



ANGELO PO 3227400

ANGELO PO 33G0620

- 3526123 RUBBER PROTECTION FOR EUROSIT VALVE**



ANGELO PO 3152280

- 3526096 VALVE MICROSWITCH**
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ANGELO PO 33A0020

- 3526145 VALVE NOVASIT $\varnothing$ 1/2" FF**
inlet $\varnothing$ 1/2" F - outlet $\varnothing$ 1/2" F
thermocouple connection 9x1
maximum gas inlet pressure 60 mbar
outlet pressure range
2÷50 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
for Bratt pan gas (ANGELO PO) - Series ALPHA
Series DELTA
for Bratt pan (ANGELO PO) 291BR2G



ANGELO PO 33A0930

- 3526098 COIL 220V**
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA





Suitable for:

3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ANGELO PO



Suitable for:

3030001 COUPLING ELECTRIC WITH CABLE
for valve sit 824 NOVA-826 NOVA-836 TANDEM
for Bratt pan gas (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 32A2340

3526077 ELBOW FLANGE $\varnothing$ 1/2" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526078 ELBOW FLANGE $\varnothing$ 3/4" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526124 KNOB EXTENSION LENGTH 67 mm
for VALVE 820 NOVA-824 NOVASIT



ANGELO PO 32A2330

3182008 MAGNETIC UNIT SIT
 $\varnothing$ head 35 mm - $\varnothing$ end 20 mm - length 47 mm
for valve SIT NOVASIT 820



ANGELO PO 3227400

ANGELO PO 33G0620

3526143 MODULATOR COIL
220V rectified
for VALVE 836 TANDEM



3020083 NUT & OLIVE $\varnothing$ 4 mm



3020084 NUT & OLIVE $\varnothing$ 6 mm



3001008 PIEZO IGNITER
a $\varnothing$ 14 mm hole is required for the assembly
faston M $\varnothing$ 2.4 mm



3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA





Suitable for:

ANGELO PO



3526075 STRAIGHT FLANGE $\varnothing$ 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



Suitable for:

3526076 STRAIGHT FLANGE $\varnothing$ 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.
female nut M9x1



3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



ANGELO PO 33A0130

ANGELO PO 33A0020

3526138 VALVE PROTECTION 72x44 mm
for Bratt pan gas (ANGELO PO) - Series SENIOR
Series SUMMIT



ANGELO PO 37Q1200

3526079 VALVE 820 NOVA $\varnothing$ 1/2"FF
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 1/2"F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz
for Fryer gas (ANGELO PO) - Series ALPHA
Series BIFRONT - Series DELTA - Series GAMMA
Series OMEGA



ANGELO PO 33A0460

3526270 VALVE 820 NOVA EXTENSION
D shaft $\varnothing$ 10x8 mm



3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526099 COIL 24V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA





Suitable for:

- 3526077 ELBOW FLANGE $\varnothing$ 1/2" F**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



- 3526102 ELECTRIC COUPLING WITH CABLE**
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ANGELO PO 32A2330

- 3241141 EXTENSION FOR 820 NOVA VALVE**
D-shaped pin 10x8 mm
for OVEN- FRYER



- 3526124 KNOB EXTENSION LENGTH 67 mm**
for VALVE 820 NOVA-824 NOVASIT



ANGELO PO 3227400

ANGELO PO 33G0620

- 3182008 MAGNETIC UNIT SIT**
 $\varnothing$ head 35 mm - $\varnothing$ end 20 mm - length 47 mm
for valve SIT NOVASIT 820



- 3020084 NUT & OLIVE $\varnothing$ 6 mm**



ANGELO PO



Suitable for:

- 3526078 ELBOW FLANGE $\varnothing$ 3/4" F**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



- 5047586 EXTENSION FOR VALVE 820 NOVA**
D-shaped pin $\varnothing$ 10x8 mm



- 4057862 FITTING $\varnothing$ 3/4" M-3/4" M BRASS**



- 3241142 KNOB GASKET $\varnothing$ 44 mm**



- 3020083 NUT & OLIVE $\varnothing$ 4 mm**



- 3001008 PIEZO IGNITER**
a $\varnothing$ 14 mm hole is required for the assembly
faston M $\varnothing$ 2.4 mm





Suitable for:

ANGELO PO



3526103 **PROTECTING COVER**
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



Suitable for:


3526075 **STRAIGHT FLANGE $\varnothing$ 1/2"**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526076 **STRAIGHT FLANGE $\varnothing$ 3/4"**
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



5012595 **VALVE EXTENSION 820 NOVA**
D-shaped pin $\varnothing$ 6x4.6 mm



3526096 **VALVE MICROSWITCH**
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



3526269 **VALVE 820 NOVA EXTENSION**
D shaft $\varnothing$ 10x8 mm



ANGELO PO 33A0020

2101992 **VALVE 840 SIGMA $\varnothing$ 3/4"MM**
inlet $\varnothing$ 3/4" M - outlet $\varnothing$ 3/4" M
max. pressure of inlet gas 60 mbar
calibration field of outlet pressure
2÷50 mbar
room temperature 0÷60°C
power supply 220V 60Hz
for Fryer gas (ANGELO PO) - Series ALPHA



2110618 **DOUBLE COIL FOR VALVE**
230V 50Hz
for VALVE 840 SIGMA-848 SIGMA
for (ANGELO PO) - Series ALPHA DAL 15/12/2009
for Fryer gas (ANGELO PO)



ANGELO PO 3041070

ANGELO PO 3188170

Suitable for:

2102533 VALVE 840 SIGMA $\varnothing$ 3/4"MM
 inlet $\varnothing$ 3/4"MM - outlet $\varnothing$ 3/4"MM
 gas inlet maximum pressure 60 mbar
 calibration range of outlet pressure
 2÷50 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz
 for Fryer gas (ANGELO PO)



ANGELO PO 3011580

Suitable for:

2110618 DOUBLE COIL FOR VALVE
 230V 50Hz
 for VALVE 840 SIGMA-848 SIGMA
 for (ANGELO PO) - Series ALPHA DAL 15/12/2009
 for Fryer gas (ANGELO PO)



ANGELO PO 3188170

Electronic boxes

5051671 CONTROL BOX ECM113
 model BRAHMA - 100/240V 50/60Hz 15VA
 dimensions 107x80 mm
 for Fryer (ANGELO PO) - Series ALPHA



ANGELO PO 3128260

Electronic controllers

3445136 THERMOSTAT EK342A TCJ
 power supply 230Vac 50/60Hz
 thermostat setting range -0÷600°C
 ceiling and deck dual temperature setting
 2 relay outputs 6(2)A 250V for heating elements
 1 relay output 6(2)A 250V for heating
 1 relay output 6(2)A 250V for chamber light
 inbuilt alarm buzzer
 room temperature 0÷55°C
 thermocouple TCJ type probe (not included)
 connections by screwed terminal block
 front dimensions 72x144x79 mm
 mounting hole 138x67 mm
 with cooking timer - steam control
 ex EC8-342-J220



ANGELO PO

3445109 PROBE TCJ VETROTEX 3000 mm
 2-wire probe temperature range 0÷600°C
 temperature cable max 350°C
 error limit $\pm 0.75\%$ below 0°C
 response time 30 sec
 bulb $\varnothing$ 6x100 mm





Suitable for:

3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0÷60°C
screw terminal block
IMQ approved



ANGELO PO 32Z3470

ANGELO PO




Suitable for:

3445111 TRANSFORMER 24V/12V 3VA
primary tension 24Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0÷60°C
screw terminal block
IMQ approved




Electronic printed-circuit boards

3390164 CONTROL CIRCUIT BOARD 230V 105x90 mm
for Fryer (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA
Series OMEGA



ANGELO PO 32Z9090

3390041 CONTROL ELECTRONIC BOARD 96x61 mm
for Fryer (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA
Series OMEGA



ANGELO PO 32V0780

3390164 CONTROL CIRCUIT BOARD 230V 105x90 mm
for Fryer (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA
Series OMEGA



ANGELO PO 32Z9090

3390042 CABLE FOR CIRCUIT BOARD CONNECTION
length: 1500 mm
for Fryer (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA
Series OMEGA



ANGELO PO 32A2290

3399042 STICKING CONTROL PLATE 97x60 mm
for Fryer (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA
Series OMEGA



ANGELO PO 37M8560



Suitable for:

ANGELO PO



3390043 THERMOCOUPLE PROBE TCJ

bulb $\varnothing$ 6x70 mm- threaded connection $\varnothing$ 10 mm
silicone tube length 600 mm
for Fryer (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA
Series OMEGA




Suitable for:

ANGELO PO 32V0030

5034957 MOTHERBOARD 120x86 mm

for Hot plate electric (ANGELO PO) 04WPEBV
08WPEBV - 090PEB - 091PEB - 190PEB - 191PEB
for Solid top range electric (ANGELO PO) 08WTPEV
190TPE - 191TPE



ANGELO PO 3076840

Energy regulators

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS




ANGELO PO 32Z0170

ANGELO PO 32Z0171

3350035 ENERGY ADJUSTER

contact capacity 230V 13A
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm




ANGELO PO 3008300

Fans for motors

3240106 IMPELLER $\varnothing$ 160 mm

thickness 35 mm
12 blades - hole $\varnothing$ 8 mm
for Oven under cooktop (ANGELO PO) - Series GAMMA
Series JUNIOR



ANGELO PO 32M0370



Suitable for:

ANGELO PO



Suitable for:

Feet

5029806 *****
altezza regolabile 145÷230 mm



ANGELO PO 36C2970

Filters

3160342 DRAIN-FILTER STAINLESS STEEL 76x76 mm
for Pasta cooker (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 3033400

ANGELO PO 3278360

3160229 FILTER SUPPORT



ANGELO PO 35S5900

3160229 FILTER SUPPORT



ANGELO PO 35S5900

3160264 PAN FILTER S/STEEL
for Boiling pan (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA - Series JUNIOR
Series SENIOR - Series SUMMIT



ANGELO PO 30Q0450

3160462 WATER FILTER Ø 1/2"FF



ANGELO PO 35Q2780

3160007 WATER FILTER Ø 3/4"FF




ANGELO PO 33Q6090

ANGELO PO 33Q6091

ANGELO PO 35Q2790

Fittings

5013264 *****



ANGELO PO 33Q2570

ANGELO PO 33Q2571

5022048 *****
for Pasta cooker (ANGELO PO)



ANGELO PO 33Q2030



Suitable for:

5054493 *****
for Pasta cooker (ANGELO PO)



ANGELO PO 3067420

5074928 *****
ø esterno 16,5 mm - altezza 10 mm
for Bratt pan gas (ANGELO PO) - Series ALPHA
Series DELTA
for Pot stove gas (ANGELO PO) - Series OMEGA



ANGELO PO 36Q0310

3349352 ELBOW FITTING 1/8"M ø 8/6 NICKEL



ANGELO PO 3014470

3349355 NICHEL-PL.T-FITTING ø 1/8"F-1/8"F-1/8"F



ANGELO PO 3003770

3349330 NICHEL-PLATED FITTING ø 1/4"M-1/8"F



ANGELO PO 3040920

ANGELO PO



Suitable for:

5061849 *****
for Pasta cooker (ANGELO PO)



ANGELO PO 33Q2930

3349353 ELBOW FITTING 1/4"M ø 8/6 NICKEL



ANGELO PO 3016150

3349342 NICHEL-PL.HOSE-END FITTING ø 1/4"M ø 7



ANGELO PO 3007980

ANGELO PO 33Q6640

3349320 NICHEL-PLATED FITTING ø 1/2"M-1/2"M



ANGELO PO 3071310

3349318 NICHEL-PLATED FITTING ø 1/8"M-1/8"M



ANGELO PO 3005480



Suitable for:

ANGELO PO



Suitable for:

Fryer baskets and accessories

- 3055329 FALSE BOTTOM 430x310 mm**
height 195 mm
in plated iron
for Fryer electric (ANGELO PO) 091FR1E - 091FR1ED
191FR2E - 191FR2ED
for Fryer gas (ANGELO PO) 091FR1G - 091FR1GD
191FR2G - 191FR2GD



ANGELO PO 36A2320

- 3055215 FRYER BASKET 285x190x115 mm**
made of chrome-plated iron
for Fryer (ANGELO PO) - Series JUNIOR
Series SENIOR



ANGELO PO 36A2640

- 3055278 FRYER BASKET 285x190x115 mm**
made of chrome-plated iron
for Fryer (ANGELO PO) - Series JUNIOR
Series SUMMIT



ANGELO PO 36A3480

ANGELO PO 36A3481

- 3055330 FRYER BASKET 285x225x115 mm**
made of chrome-plated iron
for Fryer (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 3007210

ANGELO PO 3007220

ANGELO PO 36A5350

- 3055169 FRYER BASKET 310x210x130 mm**
made of chrome-plated iron
for Fryer (ANGELO PO) - Series COMBI



ANGELO PO 36A1300

- 3055214 FRYER BASKET 370x150x120 mm**
made of chrome-plated iron
for Fryer (ANGELO PO) - Series BIFRONT
Series DELTA - Series OMEGA
for Fryer electric (ANGELO PO) 0A1FR1E



ANGELO PO 36A2340

- 3055216 FRYER BASKET 370x150x120 mm**
made of chrome-plated iron
for Fryer (ANGELO PO) - Series SENIOR



ANGELO PO 36A2020

- 3055217 FRYER BASKET 370x150x120 mm**
made of chrome-plated iron
for Fryer (ANGELO PO) - Series SENIOR
Series SUMMIT



ANGELO PO 36A3491



Suitable for:

ANGELO PO



- 5013267 FRYER BASKET 370x280x120 mm**
out of chrome plated iron
for Fryer (ANGELO PO) - Series ALPHA



ANGELO PO C3830AD

Fuses

- 3049073 QUICK ACTING FUSE $\varnothing$ 10x38 mm - 10 PCS**
500V 10A



ANGELO PO 32V6210

- 3049043 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS**
250V 500mA



ANGELO PO 3201540

- 3049046 QUICK ACTING FUSE $\varnothing$ 5x20 mm - 10 PCS**
250V 1A



ANGELO PO 3200020

Gas burners

- 5009489 *******
in acciaio INOX
for Bratt pan gas (ANGELO PO) 1A1BR1G - 1A1BR1GA
1A1BR2G - 1A1BR2GA - 1D1BR1G - 1D1BR1GA
1D1BR2G - 1D1BR2GA



ANGELO PO 34A1430

ANGELO PO 34A1431

- 3023262 BURNER $\varnothing$ 27x507 mm**
made of STAINLESS steel
for Bain-marie gas (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 34A0880



ANGELO PO



Suitable for:

5026655 BURNER ø 375x200 mm
made of stainless steel
for Lava rock grill (ANGELO PO) 1G0GRG



ANGELO PO 34A2520

ANGELO PO 34A2521

Suitable for:

3023116 BURNER ø 40x560 mm
height 140 mm
made of STAINLESS steel
for Fry top gas (ANGELO PO) - Series SENIOR
for Solid top range gas (ANGELO PO)
ALPHA-BIFRONT-DELTA-SENIOR-SUMMIT



ANGELO PO 34A1461

5008651 BURNER ø 50x450 mm
total length 458 mm
made of STAINLESS STEEL
for Boiling pan gas (ANGELO PO) 1A1PI2G - 1A1PI2GA
1D1PI2G - 1D1PI2GA
for Pasta cooker gas (ANGELO PO) MCF20 - MCF40



ANGELO PO 34A2310

3023261 BURNER ø 50x510 mm
overall length 580 mm
made of STAINLESS steel
for Boiling pan gas (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 34A0810

5052182 BURNER ø 50x540 mm
total length 590 mm
made of STAINLESS STEEL
for Pasta cooker gas (ANGELO PO)
091CP1G-191CP2G-06WCP1GM-08WCP1GM



ANGELO PO 3014710

5026759 BURNER ø 528x170 mm
made of stainless steel
for Pasta cooker gas (ANGELO PO)
0A1CP1G-191CP1G-1A1CP1G-1A1CP2G
0B1CP1G-0D1CP1G-1D1CP1G-1D1CP2G



ANGELO PO 34A0350

3023119 BURNER FOR OVEN
in acciaio INOX
for Oven under cooktop gas (ANGELO PO)
Series JUNIOR



ANGELO PO 34A1520

3023181 BURNER 1050x350 mm
made of STAINLESS steel
for Oven under cooktop gas (ANGELO PO)
Series BIFRONT- Series SENIOR



ANGELO PO 34A1630

ANGELO PO 34A1631



Suitable for:

ANGELO PO



3023004 BURNER 335x28 mm
overall length 345 mm
made of stainless steel
for Boiling pan (ANGELO PO) - Series SENIOR
Series SUMMIT



ANGELO PO 34A0230

Suitable for:

3023185 BURNER 360x300 mm 12kW
overall length 545 mm
made of chrome-plated iron
for Solid top range gas (ANGELO PO) - Series ALPHA
Series BIFRONTÉ - Series DELTA




ANGELO PO 34A0900

3023179 BURNER 450x650 mm
made of chrome-plated iron
for Bratt pan gas (ANGELO PO) 71RA - 91RA



ANGELO PO 34A0730

3023109 BURNER 580x220 mm
made of stainless steel
for Lava rock grill gas (ANGELO PO) - Series ALPHA
Series DELTA - Series OMEGA



ANGELO PO 34A2081

3023186 BURNER 585x270 mm
made of chrome-plated iron
for Fry top gas (ANGELO PO) - Series ALPHA
Series BIFRONTÉ - Series DELTA - Series SENIOR
Series SUMMIT



ANGELO PO 34A1840

3500349 INJECTOR HOLDER
for Fry top gas (ANGELO PO) 070FT04 - 070FT05
071FT04 - 071FT06 - 090FT04 - 090FT05
091FT04 - 091FT06 - 1A0FT1G - 190FT1G
190FT2G - 190FT3G - 190FT7G - 190FT72G



ANGELO PO 3035340

ANGELO PO 33Q2530

ANGELO PO 33Q2531

ANGELO PO 33Q3361

3183049 NUT $\varnothing$ 3/8"
for Fry top gas (ANGELO PO) 0A0FT1G - 0A0FT2G
0A0FT4G - 0D0FT1G - 0D0FT2G - 0D0FT4G
0D0FT5G - 0G0FT1G - 0G0FT2G - 0G0FT4G
0G0FT5G - 090FT1G - 090FT2G - 1A0FT1G



ANGELO PO 36Q1110



Suitable for:

ANGELO PO



3023117 BURNER 600x300 mm
made of chrome-plated iron
for Fry top gas (ANGELO PO) - Series SENIOR
Series SUMMIT



ANGELO PO 34A0580

ANGELO PO 34A1490

Suitable for:

3023263 BURNER 760x360 mm
made of STAINLESS steel
for Oven under cooktop gas (ANGELO PO)
Series ALPHA - Series DELTA



ANGELO PO 34A1880

3023120 BURNER 765x360 mm
made of STAINLESS steel
for Oven under cooktop gas (ANGELO PO)
Series SENIOR



ANGELO PO 34A1370

3023187 VERTICAL BURNER 300x74 mm 8kW
made of STAINLESS steel
for Fryer gas (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 3007720

ANGELO PO 34A2120

3023141 VERTICAL BURNER 305x55 mm
made of chrome-plated iron
for Fryer gas (ANGELO PO) - Series ALPHA
Series BIFRONT - Series DELTA - Series SENIOR
Series SUMMIT
for Pasta cooker gas (ANGELO PO) - Series JUNIOR
Series SENIOR - Series SUMMIT



ANGELO PO 34A1670

Gas hoses

5013481 *****
for Bain-marie gas (ANGELO PO) - Series ALPHA
Series DELTA
for Fry top gas (ANGELO PO) - Series ALPHA
Series BIFRONT - Series DELTA - Series GAMMA
Series OMEGA
for Fryer gas (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA
for Grill gas (ANGELO PO) - Series ALPHA
for Pasta cooker gas (ANGELO PO) - Series GAMMA
for Pot stove gas (ANGELO PO) - Series GAMMA
Series OMEGA
for Solid top range gas (ANGELO PO) - Series ALPHA
Series GAMMA



ANGELO PO 3014320

ANGELO PO 35Z2120

ANGELO PO 35Z2130

5020581 *****
dimensioni esterne 770x615x160 mm
for Pasta cooker gas (ANGELO PO) - Series ALPHA
Series DELTA
for Pot stove gas (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 3003690

ANGELO PO 3003691

5050402 *****

for Bratt pan gas (ANGELO PO) - Series ALPHA
for Fry top gas (ANGELO PO) - Series ALPHA
for Fryer gas (ANGELO PO) - Series ALPHA
Series GAMMA



ANGELO PO 3066050

Suitable for:

5054596 *****

for Fryer gas (ANGELO PO) 191FR2G - 191FR2GD
for Pasta cooker gas (ANGELO PO) 10CP1GA - 12CP1GA
18CP2GA - 18CP2IA



ANGELO PO 3070510

5056566 *****

fornito con raccordi e biconi $\varnothing$ 4 mm
for Pot stove gas (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 35X4750

5064340 *****

for Bratt pan gas (ANGELO PO) - Series ALPHA
for Fry top gas (ANGELO PO) - Series ALPHA
Series GAMMA
for Fryer gas (ANGELO PO) - Series ALPHA
for Grill gas (ANGELO PO) - Series ALPHA



ANGELO PO 3066040

5013047 TUBO ALIM.DX
fornito con 2 biconi $\varnothing$ 10 mm
con 2 raccordi per tubo $\varnothing$ 10 mm filetto M20x1,5 mm
for Boiling pan gas (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA
for Bratt pan gas (ANGELO PO) - Series GAMMA
for Fryer gas (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA - Series OMEGA
for Solid top range gas (ANGELO PO) - Series ALPHA



ANGELO PO 3029630

ANGELO PO 3029630+...

ANGELO PO 35Z5980

5000963 TUBO ALIMENTAZ. ANT.
for (ANGELO PO) - Series SENIOR - Series SUMMIT



ANGELO PO 35Z4960

5003277 TUBO ALIMENTAZ. ANT.
fornito con raccordo e bicono $\varnothing$ 4 mm
for Bain-marie gas (ANGELO PO) - Series ALPHA
for Bratt pan gas (ANGELO PO) - Series ALPHA
Series GAMMA
for Fry top gas (ANGELO PO) - Series ALPHA
Series GAMMA
for Fryer gas (ANGELO PO) - Series GAMMA
for Grill gas (ANGELO PO) - Series ALPHA
Series GAMMA
for Pot stove gas (ANGELO PO) - Series OMEGA



ANGELO PO 3079290+...

ANGELO PO 35Z4980

5000964 TUBO ALIMENTAZ. POS.
for (ANGELO PO) - Series SENIOR - Series SUMMIT



ANGELO PO 35Z4970



Suitable for:

ANGELO PO



Suitable for:

Gas taps and accessories

5005865

filetto M20x1,5 mm
for Bratt pan gas (ANGELO PO) - Series ALPHA
Series DELTA
for Pot stove gas (ANGELO PO) - Series OMEGA




ANGELO PO 36Q0210

3348070

GAS TAP 20S

with connections and olives
without pilot flame
inlet connections M16x1.5 mm
outlet connection $\varnothing$ 1/4"
with flow regulator
thermocouple connection M8x1
D-shaped pin $\varnothing$ 8x6.5 mm
with block shear connector for replacement
of gas tap SIRAL



ANGELO PO 6004730

5014757

CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



3348059


MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3348020

CAP WITH PIN $\varnothing$ 8x6.5 mm

pin length 22 mm
for model PEL 20S



3348058

MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182011

MAGNETIC UNIT PEL SMALL HEADED

$\varnothing$ head 15 mm - $\varnothing$ end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



ANGELO PO 32Z1520



Suitable for:

3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25



3348043 PIPE FITTING $\varnothing$ 10 mm
thread M16x1.5
for model PEL 20-21



ANGELO PO 36Q0830

3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



ANGELO PO 36Q0060

3348016 GAS TAP 21S
with pilot flame
fittings $\varnothing$ M16x1.5mm
with flow regulator
thermocouple connection M9x1 mm
D-shaped pin $\varnothing$ 8x6.5 mm



ANGELO PO 33D1170

5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



ANGELO PO



Suitable for:

3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



3348029 PIPE FITTING $\varnothing$ 4 mm
thread M10x1
for model PEL 21-22




3348044 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 20 - 21



ANGELO PO 36Q0080

3348021 CAP WITH PIN $\varnothing$ 8x6.5 mm
pin length 22 mm
for model PEL 21S



3348085 GAS VALVE BUSHING





Suitable for:

3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



3182011 **MAGNETIC UNIT PEL SMALL HEADED**
ø head 15 mm - ø end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



ANGELO PO 32Z1520

3348036 **OLIVE FOR 4 mm ø PIPE**
for model PEL 21-22



3348029 **PIPE FITTING ø 4 mm**
thread M10x1
for model PEL 21-22



3348044 **PIPE OLIVE ø 10 mm**
for model PEL 20 - 21



ANGELO PO 36Q0080

ANGELO PO



Suitable for:

3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



3348037 **OLIVE FOR PILOT PIPE ø 6 mm**
for model PEL 21-22-25




3348043 **PIPE FITTING ø 10 mm**
thread M16x1.5
for model PEL 20-21




ANGELO PO 36Q0830

3020078 **PIPE FITTING ø 6 mm**
thread M10x1



ANGELO PO 36Q0060

- 3348073 GAS TAP 21S**
with pilot flame
clamp connection pipe $\varnothing$ 21 mm
fitting outlet $\varnothing$ M16x1.5 mm
with flowrate regulator
thermocouple connection 8x1
D-shaped pin $\varnothing$ 8x6.5 mm
for Kitchen (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA



ANGELO PO 33D1930

- 5014757 CONNECTION PIPE $\varnothing$ 6 mm**
thread M10x1 mm



- 3348059 MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



- 3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm**
for model PEL 21-22-25




- 3348043 PIPE FITTING $\varnothing$ 10 mm**
thread M16x1.5
for model PEL 20-21



ANGELO PO 36Q0830

Suitable for:

- 3348021 CAP WITH PIN $\varnothing$ 8x6.5 mm**
pin length 22 mm
for model PEL 21S



- 3348058 MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



- 3182011 MAGNETIC UNIT PEL SMALL HEADED**
 $\varnothing$ head 15 mm - $\varnothing$ end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



ANGELO PO 32Z1520

- 3348036 OLIVE FOR 4 mm $\varnothing$ PIPE**
for model PEL 21-22




- 3348029 PIPE FITTING $\varnothing$ 4 mm**
thread M10x1
for model PEL 21-22





Suitable for:

3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



ANGELO PO 36Q0060

ANGELO PO



Suitable for:

3348044 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 20 - 21



ANGELO PO 36Q0080

3348001 GAS TAP 22S/O
with pilot flame
with conical horizontal flange
fittings $\varnothing$ M20x1.5mm
with flow regulator
thermocouple connection M8x1
D-shaped pin $\varnothing$ 10x9 mm




ANGELO PO 33A0100

3348019 CAP WITH PIN $\varnothing$ 10x9 mm
pin length 26 mm
for model PEL 22



3348017 CAP WITH PIN $\varnothing$ 10x8 mm
pin length 26 mm
for model PEL 22



5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



3348024 FLANGE VERTICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



3348023 HORIZONTAL FLANGE $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



3348025 HORIZONTAL FLANGE CONICAL $\varnothing$ 12/10 mm
thread M20x1.5
for model PEL 22



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22





Suitable for:

3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



3348037 **OLIVE FOR PILOT PIPE ø 6 mm**
for model PEL 21-22-25



3348036 **OLIVE FOR 4 mm ø PIPE**
for model PEL 21-22



3348032 **PIPE FITTING ø 12 mm**
thread M20x1.5
for model PEL 22



ANGELO PO 36Q0050

3020078 **PIPE FITTING ø 6 mm**
thread M10x1



ANGELO PO 36Q0060

ANGELO PO



Suitable for:

3182009 **MAGNETIC UNIT PEL BIG HEADED**
ø head 15.5 mm - ø end 14 mm - length 44 mm
for PEL tap model 22-24



ANGELO PO 32Z1460

3020082 **OLIVE FOR 12 mm ø PIPE**




ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

3348031 **PIPE FITTING ø 10 mm**
thread M20x1.5
for model PEL 22



ANGELO PO 36Q0610

3348029 **PIPE FITTING ø 4 mm**
thread M10x1
for model PEL 21-22



3348038 **PIPE OLIVE ø 10 mm**
for model PEL 22



ANGELO PO 36Q1700



Suitable for:

ANGELO PO




Suitable for:

- 3348061 GAS TAP 22S/O**
with pilot flame
with horizontal flange
fittings $\varnothing$ M20x1.5mm
with flow regulator
thermocouple connection M8x1
D-shaped pin $\varnothing$ 10x9 mm
for Boiling pan (ANGELO PO) - Series SENIOR
for Fry top (ANGELO PO) - Series JUNIOR
Series SENIOR - Series SUMMIT
for Grill (ANGELO PO) - Series SUMMIT
for Pasta cooker (ANGELO PO) - Series SENIOR
Series SUMMIT
for Pot stove (ANGELO PO) - Series JUNIOR
Series SENIOR - Series SUMMIT
for Solid top range (ANGELO PO) - Series JUNIOR




ANGELO PO 33A1040

- 3348019 CAP WITH PIN $\varnothing$ 10x9 mm**
pin length 26 mm
for model PEL 22



- 3348017 CAP WITH PIN $\varnothing$ 10x8 mm**
pin length 26 mm
for model PEL 22




- 5014757 CONNECTION PIPE $\varnothing$ 6 mm**
thread M10x1 mm



- 3348024 FLANGE VERTICAL $\varnothing$ 12/10 mm**
thread M20x1.5
for model PEL 22



- 3348023 HORIZONTAL FLANGE $\varnothing$ 12/10 mm**
thread M20x1.5
for model PEL 22



- 3348025 HORIZONTAL FLANGE CONICAL $\varnothing$ 12/10 mm**
thread M20x1.5
for model PEL 22



- 3348058 MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22





Suitable for:

3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



3348037 **OLIVE FOR PILOT PIPE ø 6 mm**
for model PEL 21-22-25



3348036 **OLIVE FOR 4 mm ø PIPE**
for model PEL 21-22



3348032 **PIPE FITTING ø 12 mm**
thread M20x1.5
for model PEL 22



ANGELO PO 36Q0050

3020078 **PIPE FITTING ø 6 mm**
thread M10x1



ANGELO PO 36Q0060

ANGELO PO



Suitable for:

3182009 **MAGNETIC UNIT PEL BIG HEADED**
ø head 15.5 mm - ø end 14 mm - length 44 mm
for PEL tap model 22-24



ANGELO PO 32Z1460

3020082 **OLIVE FOR 12 mm ø PIPE**




ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

3348031 **PIPE FITTING ø 10 mm**
thread M20x1.5
for model PEL 22



ANGELO PO 36Q0610

3348029 **PIPE FITTING ø 4 mm**
thread M10x1
for model PEL 21-22



3348038 **PIPE OLIVE ø 10 mm**
for model PEL 22



ANGELO PO 36Q1700




Suitable for:

ANGELO PO



Suitable for:


- 3348069 GAS TAP 22S/V**
with pilot flame
with vertical flange
pipe flange connection $\varnothing$ 21 mm
outlet connection M20x1.5 mm
with flow regulator
thermocouple connection M8x1
D-shaped pin $\varnothing$ 10x9 mm
for Boiling pan (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA
for Grill (ANGELO PO) - Series ALPHA
for Pasta cooker (ANGELO PO) - Series ALPHA
Series BIFRONT - Series DELTA - Series OMEGA
for Pot stove (ANGELO PO) - Series ALPHA
Series BIFRONT - Series DELTA
for Solid top range (ANGELO PO) - Series ALPHA




ANGELO PO 33D1990

ANGELO PO 33D1991

- 3348019 CAP WITH PIN $\varnothing$ 10x9 mm**
pin length 26 mm
for model PEL 22



- 3348017 CAP WITH PIN $\varnothing$ 10x8 mm**
pin length 26 mm
for model PEL 22



- 3348188 COMPLETE FLANGE FOR PEL22N-PEL22S**
distance between holes 40 mm - $\varnothing$ pipe 27 mm




- 5014757 CONNECTION PIPE $\varnothing$ 6 mm**
thread M10x1 mm



- 3348024 FLANGE VERTICAL $\varnothing$ 12/10 mm**
thread M20x1.5
for model PEL 22



- 3348023 HORIZONTAL FLANGE $\varnothing$ 12/10 mm**
thread M20x1.5
for model PEL 22



- 3348025 HORIZONTAL FLANGE CONICAL $\varnothing$ 12/10 mm**
thread M20x1.5
for model PEL 22





Suitable for:

3348058 **MAGNET PROTECTION NUT M8x1**
thread M18x1 mm
for model PEL 20-21-22



3182009 **MAGNETIC UNIT PEL BIG HEADED**
ø head 15.5 mm - ø end 14 mm - length 44 mm
for PEL tap model 22-24



ANGELO PO 32Z1460

3020082 **OLIVE FOR 12 mm ø PIPE**




ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

3348031 **PIPE FITTING ø 10 mm**
thread M20x1.5
for model PEL 22



ANGELO PO 36Q0610

3348029 **PIPE FITTING ø 4 mm**
thread M10x1
for model PEL 21-22



ANGELO PO



Suitable for:

3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



3348037 **OLIVE FOR PILOT PIPE ø 6 mm**
for model PEL 21-22-25



3348036 **OLIVE FOR 4 mm ø PIPE**
for model PEL 21-22




3348032 **PIPE FITTING ø 12 mm**
thread M20x1.5
for model PEL 22



ANGELO PO 36Q0050

3020078 **PIPE FITTING ø 6 mm**
thread M10x1



ANGELO PO 36Q0060



Suitable for:

3348038 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 22



ANGELO PO




Suitable for:

ANGELO PO 36Q1700

3348011 GAS TAP 235/O
with pilot flame
with horizontal flange
inlet fitting M28x1.5mm
outlet connection M24x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin $\varnothing$ 10x8 mm




3348060 CAP WITH PIN $\varnothing$ 10x8 mm
pin length 25 mm
for model PEL 23



ANGELO PO 33A1530


3348062 CAP WITH PIN $\varnothing$ 10x8 mm
pin length 35 mm
for model PEL 23



5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



3348028 FLANGE VERTICAL $\varnothing$ 12/16 mm
thread M24x1.5
for model PEL 23



3348027 HORIZONTAL FLANGE $\varnothing$ 12/16 mm
thread M24x1.5 mm
for model PEL 23



3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25




3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22






Suitable for:


3348033 PIPE FITTING $\varnothing$ 12 mm
thread M24x1.5
for model PEL 23



3348035 PIPE FITTING $\varnothing$ 20 mm
thread M28x1.5
for model PEL 23



3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1




ANGELO PO 36Q0060

3348041 PIPE OLIVE $\varnothing$ 16 mm
for model PEL 23



3348031 PIPE FITTING $\varnothing$ 10 mm
thread M20x1.5
for model PEL 22




ANGELO PO 36Q0610

ANGELO PO



Suitable for:

3348034 PIPE FITTING $\varnothing$ 16 mm
thread M24x1.5
for model PEL 23



3348029 PIPE FITTING $\varnothing$ 4 mm
thread M10x1
for model PEL 21-22



3348040 PIPE OLIVE $\varnothing$ 12 mm
for model PEL 23



3348042 PIPE OLIVE $\varnothing$ 20 mm
for model PEL 23



3348043 PIPE FITTING $\varnothing$ 10 mm
thread M16x1.5
for model PEL 20-21



ANGELO PO 36Q0830



ANGELO PO



Suitable for:

3348032 PIPE FITTING $\varnothing$ 12 mm
thread M20x1.5
for model PEL 22



ANGELO PO 36Q0050

Suitable for:

3348038 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 22



ANGELO PO 36Q1700

3348044 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 20 - 21



ANGELO PO 36Q0080

5074928 BICONO PER TUBO $\varnothing$ 14 mm
filetto M20x1,5 mm




ANGELO PO 36Q0310

3348083 TAP FOR GAS 21S
with pilot flame
connection to hose flange $\varnothing$ 21 mm
connector outlet M16x1.5 mm
thermocouple connection M8x1
D-shaped pin $\varnothing$ 8x6.5 mm
for Grill (ANGELO PO) - Series GAMMA
for Pasta cooker (ANGELO PO) - Series GAMMA
for Pot stove (ANGELO PO) - Series ALPHA
Series GAMMA - Series OMEGA
for Solid top range (ANGELO PO) - Series GAMMA



ANGELO PO 3064310

3348021 CAP WITH PIN $\varnothing$ 8x6.5 mm
pin length 22 mm
for model PEL 21S



5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22





Suitable for:

3348059 **MAGNET PROTECTION NUT M9x1**
thread M18x1mm
for model PEL 20-21-22



ANGELO PO



Suitable for:

3182011 **MAGNETIC UNIT PEL SMALL HEADED**
ø head 15 mm - ø end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



3348037 **OLIVE FOR PILOT PIPE ø 6 mm**
for model PEL 21-22-25



ANGELO PO 32Z1520

3348036 **OLIVE FOR 4 mm ø PIPE**
for model PEL 21-22



3348043 **PIPE FITTING ø 10 mm**
thread M16x1.5
for model PEL 20-21



3348029 **PIPE FITTING ø 4 mm**
thread M10x1
for model PEL 21-22



ANGELO PO 36Q0830

3020078 **PIPE FITTING ø 6 mm**
thread M10x1



3348044 **PIPE OLIVE ø 10 mm**
for model PEL 20 - 21



ANGELO PO 36Q0060

ANGELO PO 36Q0080



Suitable for:

ANGELO PO



Suitable for:

Gas valves and accessories

5050401 *****
ø esterno 13 mm - altezza 8 mm



ANGELO PO 3034890

5065245 *****
entrata ø 3/8"F - uscita ø 3/8"F
attacco termocoppia M9x1
pressione massima di ingresso gas 50 mbar
campo di taratura pressione di uscita 3÷18 mbar
temperatura ambiente 0÷120°C
capillare lunghezza 1050 mm
bulbo ø 4x202 mm
for Fryer gas (ANGELO PO) 0G0FR5G - 0G1FR7G
1G0FR6G - 1G1FR8G



ANGELO PO 3041750


3526258 EUROSIT VALVE FOR FRYER 110÷190°C
with new knob
inlet ø 3/8" F - outlet ø 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb ø 4x200 mm
RoHS certificated
for Fryer gas (ANGELO PO) - Series GAMMA



ANGELO PO 33A2050

ANGELO PO 33A2051

4056009 CAP FOR VALVE EUROSIT



5050400 FITTING FOR OLIVE ø 10 mm
thread ø 3/8"M



ANGELO PO 3032790

5050401 BICONO PER TUBO ø 10 mm
con manopola nuova
entrata ø 3/8"F - uscita ø 3/8"F
attacco termocoppia M9x1
pressione massima di ingresso gas 50 mbar
campo di taratura della pressione di
uscita 3÷18 mbar
temperatura ambiente 0÷120°C
capillare lunghezza 1050 mm
bulbo ø 4x200 mm
certificata RoHS



ANGELO PO 3034890

3526260 EUROSIT VALVE CAP



3526127 FLANGE FOR KNOB EXTENSION



ANGELO PO 33A0920



Suitable for:

3020083 NUT & OLIVE $\varnothing$ 4 mm



3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

**3020079 PIPE FITTING $\varnothing$ 12 mm
thread $\varnothing$ 3/8" F**



ANGELO PO 36Q0710


ANGELO PO

Suitable for:

3020084 NUT & OLIVE $\varnothing$ 6 mm



**3001111 PIEZO IGNITER EUROSIT
male faston $\varnothing$ 2.4 mm**



3526123 RUBBER PROTECTION FOR EUROSIT VALVE



ANGELO PO 3152280

3526130 EUROSIT VALVE FOR OVEN 100÷340°C
inlet $\varnothing$ 3/8" F - outlet $\varnothing$ 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb $\varnothing$ 4x72 mm
for Oven under cooktop gas (ANGELO PO)
Series ALPHA - Series BIFRONT - Series DELTA
Series GAMMA - Series OMEGA



ANGELO PO 33A0570

ANGELO PO 33A0571


ANGELO PO 6300479

3526129 CLASP $\varnothing$ 3x14 mm
UNI 6873 - DIN 1481 - ISO 8752
for Fry top gas (ANGELO PO) 1A0FT1G



ANGELO PO 31Z8930

4056009 CAP FOR VALVE EUROSIT



3526260 EUROSIT VALVE CAP





Suitable for:

3526677 EXTENSION FOR EUROSIT VALVE
D-shaped pin $\varnothing$ 10x8 mm



3526128 KNOB EXTENSION LENGTH 34 mm
D-shaft $\varnothing$ 8x6.5 mm
for Fry top gas (ANGELO PO) 1A0FT1G



ANGELO PO 33Q3480

ANGELO PO 33Q3481

3020083 NUT & OLIVE $\varnothing$ 4 mm



3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



ANGELO PO 36Q0030

ANGELO PO 36Q0200

3020079 PIPE FITTING $\varnothing$ 12 mm
thread $\varnothing$ 3/8"F



ANGELO PO 36Q0710

ANGELO PO



Suitable for:

3526127 FLANGE FOR KNOB EXTENSION



ANGELO PO 33A0920


3526125 KNOB EXTENSION 47 mm
D-shaped pin $\varnothing$ 8x6.5 mm



3020084 NUT & OLIVE $\varnothing$ 6 mm



3001111 PIEZO IGNITER EUROSIT
male faston $\varnothing$ 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE



ANGELO PO 3152280

3526177 EUROSIT VALVE FOR OVEN 100÷340°C
inlet $\varnothing$ 3/8" F - outlet $\varnothing$ 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb $\varnothing$ 4x74 mm
for Bratt pan gas (ANGELO PO) - Series GAMMA
for Fry top gas (ANGELO PO) - Series ALPHA
Series GAMMA - Series OMEGA
for Oven under cooktop gas (ANGELO PO)
Series ALPHA - Series DELTA
for Solid top range gas (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 3041720

ANGELO PO 6018970

ANGELO PO 6300642

4056009 CAP FOR VALVE EUROSIT



5050400 FITTING FOR OLIVE $\varnothing$ 10 mm
thread $\varnothing$ 3/8" M



ANGELO PO 3032790

5024657 HANDLE EXTENSION LENGTH 49 mm
D shape pin $\varnothing$ 8x6.5 mm



ANGELO PO 3051660

ANGELO PO 3051661

3020084 NUT & OLIVE $\varnothing$ 6 mm



5050401 BICONO PER TUBO $\varnothing$ 10 mm
entrata $\varnothing$ 3/8" F - uscita $\varnothing$ 3/8" F
attacco termocoppia M9x1
pressione massima di ingresso gas 50 mbar
campo di taratura della pressione di
uscita 3÷18 mbar
temperatura ambiente 0÷120°C
capillare lunghezza 1050 mm
bulbo $\varnothing$ 4x74 mm



ANGELO PO 3034890

3526260 EUROSIT VALVE CAP



3526127 FLANGE FOR KNOB EXTENSION



ANGELO PO 33A0920

3020083 NUT & OLIVE $\varnothing$ 4 mm



3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590



Suitable for:

3001111 **PIEZO IGNITER EUROSIT**
male faston $\varnothing$ 2.4 mm



ANGELO PO




Suitable for:

3020079 **PIPE FITTING $\varnothing$ 12 mm**
thread $\varnothing$ 3/8" F



ANGELO PO 36Q0710

3526123 **RUBBER PROTECTION FOR EUROSIT VALVE**



ANGELO PO 3152280


3526139 **EUROSIT VALVE FOR OVEN $80 \div 320^{\circ}\text{C}$**
inlet $\varnothing$ 3/8" F - outlet $\varnothing$ 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
 $3 \div 18$ mbar
capillary length 1000 mm
bulb $\varnothing$ 4x72 mm
for Oven under cooktop gas (ANGELO PO)
Series ALPHA - Series DELTA



ANGELO PO 33A0941

ANGELO PO 6300477

4056009 **CAP FOR VALVE EUROSIT**



3526260 **EUROSIT VALVE CAP**



3526127 **FLANGE FOR KNOB EXTENSION**



ANGELO PO 33A0920

3526121 **KNOB EXTENSION 42 mm**
D shaft $\varnothing$ 8x6.5 mm



3020083 **NUT & OLIVE $\varnothing$ 4 mm**





Suitable for:

3020084 NUT & OLIVE $\varnothing$ 6 mm



3001111 PIEZO IGNITER EUROSIT
male faston $\varnothing$ 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE



ANGELO PO 3152280

5050400 FITTING FOR OLIVE $\varnothing$ 10 mm
thread $\varnothing$ 3/8" M



ANGELO PO 3032790

5024657 HANDLE EXTENSION LENGTH 49 mm
D shape pin $\varnothing$ 8x6.5 mm



ANGELO PO 3051660

ANGELO PO 3051661

ANGELO PO



Suitable for:

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

3020079 PIPE FITTING $\varnothing$ 12 mm
thread $\varnothing$ 3/8" F



ANGELO PO 36Q0710

3526127 FLANGE FOR KNOB EXTENSION



ANGELO PO 33A0920

3526128 KNOB EXTENSION LENGTH 34 mm
D-shaft $\varnothing$ 8x6.5 mm
for Fry top gas (ANGELO PO) 1A0FT1G



ANGELO PO 33Q3480

ANGELO PO 33Q3481



Suitable for:

ANGELO PO



Suitable for:

3523026 MINISIT VALVE FOR FRYER 110÷190°C
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
with screw for gas outlet pressure regulation
capillary length 1050 mm
button bulb $\varnothing$ 14.4x26 mm
with an elbow flange $\varnothing$ 3/8"F
for Fryer gas (ANGELO PO) - Series SENIOR




ANGELO PO 6000480

3182003 MAGNETIC UNIT SIT
 $\varnothing$ head 25 mm - $\varnothing$ end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



ANGELO PO 32Z1490

3523038 MINISIT ELBOW FLANGE $\varnothing$ 1/2"F
with screws and "O" ring



3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



3523061 NUT $\varnothing$ 1/4"x6 mm



ANGELO PO 36Q0760

3523035 KNOB MINISIT BLACK $\varnothing$ 37 mm



3523047 MINISIT COVER



3523037 MINISIT ELBOW FLANGE $\varnothing$ 3/8"
with screws and "O" ring



3523043 MINISIT SENSING ELEMENT 110÷190°C
capillary length 1050 mm
button bulb $\varnothing$ 14.4x26 mm



3523062 O-RING 0119 RED SILICONE



ANGELO PO 3150390



Suitable for:

3523060 OIL SEAL FITTING $\varnothing$ 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020079 PIPE FITTING $\varnothing$ 12 mm
thread $\varnothing$ 3/8"F



ANGELO PO 36Q0710

3348041 PIPE OLIVE $\varnothing$ 16 mm
for model PEL 23



ANGELO PO



Suitable for:

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

3348044 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 20 - 21



ANGELO PO 36Q0080

3523036 REDUCTION STRAIGHT $\varnothing$ 3/8"F - $\varnothing$ 1/2"F
in brass with internal and external thread
 $\varnothing$ internal thread 3/8"F - $\varnothing$ external thread 1/2"F
for MINISIT flange



3523023 MINISIT VALVE FOR FRYER 50 $\div$ 190°C
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0 $\div$ 60°C
length capillary 1200 mm
bulb $\varnothing$ 5x95 mm
with an elbow flange $\varnothing$ 3/8"F



ANGELO PO 6000380

3182003 MAGNETIC UNIT SIT
 $\varnothing$ head 25 mm - $\varnothing$ end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT




ANGELO PO 32Z1490

3523035 KNOB MINISIT BLACK $\varnothing$ 37 mm




3523047 MINISIT COVER





Suitable for:

3523038 MINISIT ELBOW FLANGE $\varnothing$ 1/2" F
with screws and "O" ring



3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



3523061 NUT $\varnothing$ 1/4"x6 mm



ANGELO PO 36Q0760

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

3348044 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 20 - 21



ANGELO PO 36Q0080

3523036 REDUCTION STRAIGHT $\varnothing$ 3/8" F - $\varnothing$ 1/2" F
in brass with internal and external thread
 $\varnothing$ internal thread 3/8" F - $\varnothing$ external thread 1/2" F
for MINISIT flange



ANGELO PO



Suitable for:

3523037 MINISIT ELBOW FLANGE $\varnothing$ 3/8"
with screws and "O" ring



3523042 MINISIT SENSING ELEMENT 50÷190°C
capillary length 1200 mm
bulb $\varnothing$ 5x95 mm



3523060 OIL SEAL FITTING $\varnothing$ 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020079 PIPE FITTING $\varnothing$ 12 mm
thread $\varnothing$ 3/8" F



ANGELO PO 36Q0710

3348041 PIPE OLIVE $\varnothing$ 16 mm
for model PEL 23



- 3523020 MINISIT VALVE FOR OVEN 100÷340°C**
 inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb $\varnothing$ 5x70 mm
 with an elbow flange $\varnothing$ 3/8"F



ANGELO PO 33A1030

ANGELO PO 33A1031


ANGELO PO 6000370

- 3182003 MAGNETIC UNIT SIT**
 $\varnothing$ head 25 mm - $\varnothing$ end 17 mm - length 56 mm
 for valve SIT AC2 - VR8-MINISIT




ANGELO PO 3221490


- 3523038 MINISIT ELBOW FLANGE $\varnothing$ 1/2"F**
 with screws and "O" ring



- 3001071 MINISIT PIEZO IGNITER WITH COVER**
 male faston 2.4 mm



- 3523061 NUT $\varnothing$ 1/4"x6 mm**




ANGELO PO 36Q0760

Suitable for:

- 3523035 KNOB MINISIT BLACK $\varnothing$ 37 mm**



- 3523047 MINISIT COVER**



- 3523037 MINISIT ELBOW FLANGE $\varnothing$ 3/8"**
 with screws and "O" ring



- 3523040 MINISIT SENSING ELEMENT 100÷340°C**
 capillary length 1050 mm
 bulb $\varnothing$ 5x70 mm



- 3523060 OIL SEAL FITTING $\varnothing$ 6.5 mm**
 internal thread M10x0.75 - external thread M14x1.5





Suitable for:

3020082 OLIVE FOR 12 mm Ø PIPE



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

3348044 PIPE OLIVE Ø 10 mm
for model PEL 20 - 21




ANGELO PO 36Q0080

3523036 REDUCTION STRAIGHT Ø 3/8"F - Ø 1/2"F
in brass with internal and external thread
Ø internal thread 3/8"F - Ø external thread 1/2"F
for MINISIT flange



3523061 NUT Ø 1/4"x6 mm



ANGELO PO 36Q0760

3523003 VALVE B3B Ø 3/8"MM
with pilot outlet
inlet Ø 3/8"M - outlet Ø 3/8"M
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷80°C
with thread under the button for ring nut



ANGELO PO 33A0540

ANGELO PO



Suitable for:

3020079 PIPE FITTING Ø 12 mm
thread Ø 3/8"F



ANGELO PO 36Q0710

3348041 PIPE OLIVE Ø 16 mm
for model PEL 23



3182005 MAGNETIC UNIT SIT
Ø head 19 mm - Ø end 14,5 mm - length 47 mm
for valve SIT B3-BABYSIT-SIMPLOSIT-COMPOSIT



3523008 NUT M14x1 FOR B3-B3/C VALVE



ANGELO PO



3523011 VALVE D3 Ø 3/4"FF
 inlet Ø 3/4" F - outlet Ø 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 room temperature 0÷80°C
 with thread for ring nut under the push-button




3020083 NUT & OLIVE Ø 4 mm




ANGELO PO 33A0430

2101519 VALVE EUROSIT BAIN MARIE 30÷100°C
 inlet Ø 3/8" F - outlet Ø 3/8" F
 thermocouple connection M9x1
 gas inlet maximum pressure 50 mbar
 calibration field of outlet
 pressure 3÷18 mbar
 ambient temperature 0÷80°C
 capillary length 1050 mm
 bulb Ø 5x122 mm
 for Bain-marie gas (ANGELO PO) - Series ALPHA



4056009 CAP FOR VALVE EUROSIT



ANGELO PO 3041770

3526260 EUROSIT VALVE CAP



3526127 FLANGE FOR KNOB EXTENSION



3241398 GASKET FOR KNOB HOLE Ø 8 mm
 external Ø 70 mm - central hole Ø 8 mm



ANGELO PO 3152250

ANGELO PO 33A0920

5024657 HANDLE EXTENSION LENGTH 49 mm
 D shape pin Ø 8x6.5 mm



ANGELO PO 3051660

ANGELO PO 3051661



Suitable for:

3020083 NUT & OLIVE $\varnothing$ 4 mm



3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



ANGELO PO 36Q0030

ANGELO PO 36Q0200


ANGELO PO 36Q1590

**3020079 PIPE FITTING $\varnothing$ 12 mm
thread $\varnothing$ 3/8"F**




ANGELO PO 36Q0710

5047201 VALVE EUROSIT FRY TOP 40 $\div$ 280°C
inlet $\varnothing$ 3/8"F - outlet $\varnothing$ 3/8"F
thermocouple connection M9x1
gas inlet maximum pressure 50 mbar
calibration field of outlet
pressure 3 $\div$ 18 mbar
ambient temperature 0 $\div$ 120°C
capillary length 1050 mm
bulb $\varnothing$ 4x72 mm
for Fry top gas (ANGELO PO) - Series GAMMA
Series MONOLITHE - Series OMEGA



ANGELO PO 3041730

4056009 CAP FOR VALVE EUROSIT




ANGELO PO

Suitable for:

3020084 NUT & OLIVE $\varnothing$ 6 mm



3001111 PIEZO IGNITER EUROSIT
male faston $\varnothing$ 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE



ANGELO PO 3152280

5050401 BICONO PER TUBO $\varnothing$ 10 mm
entrata $\varnothing$ 3/8"F - uscita $\varnothing$ 3/8"F
attacco termocoppia M9x1
pressione massima di ingresso gas 50 mbar
campo di taratura della pressione di
uscita 3 $\div$ 18 mbar
temperatura ambiente 0 $\div$ 120°C
capillare lunghezza 1050 mm
bulbo $\varnothing$ 4x72 mm



ANGELO PO 3034890

3526260 EUROSIT VALVE CAP






Suitable for:

5050400 FITTING FOR OLIVE $\varnothing$ 10 mm
thread $\varnothing$ 3/8" M



ANGELO PO 3032790

3241398 GASKET FOR KNOB HOLE $\varnothing$ 8 mm
external $\varnothing$ 70 mm - central hole $\varnothing$ 8 mm



ANGELO PO 3152250

7100207 HEADLESS SCREW HEXAGONAL M5x8
st./steel - conical top
UNI 5927 - DIN 914 - ISO 4027
for DISHWASHER COMENDA ACS152




ANGELO PO 31W0180

3020084 NUT & OLIVE $\varnothing$ 6 mm



3001111 PIEZO IGNITER EUROSIT
male faston $\varnothing$ 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE



ANGELO PO 3152280

ANGELO PO



Suitable for:

3526127 FLANGE FOR KNOB EXTENSION



ANGELO PO 33A0920

5024657 HANDLE EXTENSION LENGTH 49 mm
D shape pin $\varnothing$ 8x6.5 mm



ANGELO PO 3051660

ANGELO PO 3051661

3020083 NUT & OLIVE $\varnothing$ 4 mm



3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

3020079 PIPE FITTING $\varnothing$ 12 mm
thread $\varnothing$ 3/8" F



ANGELO PO 36Q0710



ANGELO PO



Suitable for:

Suitable for:

3523025 VALVE MINISIT FOR BAIN MARIE 20÷90°C
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 3/8"F
thermocouple connection M9x1
max.inlet gas pressure 50 mbar
ambient temperature 0÷60°C
with screw for gas outlet pressure regulation
capillary length 1050 mm
button bulb $\varnothing$ 14.5x19 mm
supplied without lid, knob and flange
for Bain-marie gas (ANGELO PO) - Series SENIOR
Series SUMMIT




ANGELO PO 33A1130

3182003 MAGNETIC UNIT SIT
 $\varnothing$ head 25 mm - $\varnothing$ end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



ANGELO PO 32Z1490

3523038 MINISIT ELBOW FLANGE $\varnothing$ 1/2"
with screws and "O" ring



3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



3523062 O-RING 0119 RED SILICONE




ANGELO PO 3150390

3523035 KNOB MINISIT BLACK $\varnothing$ 37 mm



3523047 MINISIT COVER



3523037 MINISIT ELBOW FLANGE $\varnothing$ 3/8"
with screws and "O" ring



3523061 NUT $\varnothing$ 1/4"x6 mm



ANGELO PO 36Q0760

3523060 OIL SEAL FITTING $\varnothing$ 6.5 mm
internal thread M10x0.75 - external thread M14x1.5





Suitable for:

3020082 OLIVE FOR 12 mm Ø PIPE



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

3348044 PIPE OLIVE Ø 10 mm
for model PEL 20 - 21



ANGELO PO 36Q0080

3523036 REDUCTION STRAIGHT Ø 3/8"F - Ø 1/2"F
in brass with internal and external thread
Ø internal thread 3/8"F - Ø external thread 1/2"F
for MINISIT flange



ANGELO PO



Suitable for:

3020079 PIPE FITTING Ø 12 mm
thread Ø 3/8"F



ANGELO PO 36Q0710

3348041 PIPE OLIVE Ø 16 mm
for model PEL 23



3523926 VALVE MINISIT FRYER 110÷190°C
inlet Ø 1/2"F - outlet Ø 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷80°C
with screw for gas outlet pressure regulation
capillary length 1050 mm
button bulb Ø 14.4x26 mm
without cover, knob and flanges
for Fryer gas (ANGELO PO) - Series JUNIOR
Series SENIOR



ANGELO PO 33A0170

ANGELO PO 33A1370

ANGELO PO 33Z0300

3182003 MAGNETIC UNIT SIT
Ø head 25 mm - Ø end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT




ANGELO PO 32Z1490

3523035 KNOB MINISIT BLACK Ø 37 mm



3523047 MINISIT COVER






Suitable for:


3523038 MINISIT ELBOW FLANGE $\varnothing$ 1/2" F
with screws and "O" ring



3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



3523061 NUT $\varnothing$ 1/4"x6 mm



ANGELO PO 36Q0760

3523060 OIL SEAL FITTING $\varnothing$ 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



3020079 PIPE FITTING $\varnothing$ 12 mm
thread $\varnothing$ 3/8" F



ANGELO PO 36Q0710

3348041 PIPE OLIVE $\varnothing$ 16 mm
for model PEL 23



ANGELO PO



Suitable for:

3523037 MINISIT ELBOW FLANGE $\varnothing$ 3/8"
with screws and "O" ring



3523043 MINISIT SENSING ELEMENT 110÷190°C
capillary length 1050 mm
button bulb $\varnothing$ 14.4x26 mm



3523062 O-RING 0119 RED SILICONE



ANGELO PO 3150390

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

3348044 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 20 - 21



ANGELO PO 36Q0080

3523036 REDUCTION STRAIGHT $\varnothing$ 3/8" F - $\varnothing$ 1/2" F
in brass with internal and external thread
 $\varnothing$ internal thread 3/8" F - $\varnothing$ external thread 1/2" F
for MINISIT flange





Suitable for:

5050401 BICONO PER TUBO $\varnothing$ 10 mm
entrata $\varnothing$ 3/8"F - uscita $\varnothing$ 3/8"F
attacco termocoppia M9x1
pressione massima di ingresso gas 50 mbar
campo di taratura pressione di uscita 3÷18 mbar
temperatura ambiente 0÷120°C
capillare lunghezza 1050 mm
bulbo $\varnothing$ 4x202 mm



ANGELO PO 3034890

3526260 EUROSIT VALVE CAP



3526126 EUROSIT VALVE EXTENSION
D shaft $\varnothing$ 10x8 mm



5050400 FITTING FOR OLIVE $\varnothing$ 10 mm
thread $\varnothing$ 3/8"M



ANGELO PO 3032790

5024657 HANDLE EXTENSION LENGTH 49 mm
D shape pin $\varnothing$ 8x6.5 mm



ANGELO PO 3051660

ANGELO PO 3051661

ANGELO PO



Suitable for:

4056009 CAP FOR VALVE EUROSIT



3241435 EUROSIT VALVE EXTENSION
D shaft $\varnothing$ 10x8 mm



3526677 EXTENSION FOR EUROSIT VALVE
D-shaped pin $\varnothing$ 10x8 mm



3526127 FLANGE FOR KNOB EXTENSION



ANGELO PO 33A0920

3020083 NUT & OLIVE $\varnothing$ 4 mm





Suitable for:

3020084 NUT & OLIVE $\varnothing$ 6 mm



ANGELO PO



Suitable for:

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



3001111 PIEZO IGNITER EUROSIT
male faston $\varnothing$ 2.4 mm



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

3020079 PIPE FITTING $\varnothing$ 12 mm
thread $\varnothing$ 3/8" F



ANGELO PO 36Q0710

3526123 RUBBER PROTECTION FOR EUROSIT VALVE



ANGELO PO 3152280

Gaskets and seals

5019346 *****
dimensioni profilo 25x15 mm
COLORE BIANCO
VENDITA AL METRO LINEARE
for Boiling pan electric (ANGELO PO)
Series ALPHA - Series DELTA
for Boiling pan gas (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 137AA03

3186242 ASBESTOS FREE FLAT GASKET $\varnothing$ 61x46x2 mm
for drain tap $\varnothing$ 2" old model



ANGELO PO 37Q4070

3020134 GASKET $\varnothing$ 8x7x1 mm



ANGELO PO 3152550

3020136 GASKET FOR PILOT $\varnothing$ 38x34.5x1.75 mm



ANGELO PO 3152370


- 3186451 THERMOSTAT GASKET ø 41 mm**
 internal hole ø 18 mm - height 15 mm
 for Bain-marie (ANGELO PO) - Series GAMMA
 Series JUNIOR
 for Hot cupboard (ANGELO PO)
 for Self service counter (ANGELO PO)



ANGELO PO 3150270

Gaskets for oven door

- 5024154 OVEN DOOR GASKET**
 made of silicone elastomer
 profile dimensions 14x7.5 mm
 COLOUR BLACK
 SOLD PER METRE
 for BUILT-IN OVEN series ALPHA-GAMMA
 for Oven under cooktop (ANGELO PO) - Series ALPHA
 Series GAMMA



ANGELO PO 3031880

- 3186362 OVEN GLASS GASKET 1400 mm**
 made of silicone elastomer
 profile dimensions 13x12 mm
 welded - COLOUR BLACK
 for Bratt pan electric (ANGELO PO) 71ARE - 91ARE
 for Bratt pan gas (ANGELO PO) 71AR - 71RA - 91AR
 91RA



ANGELO PO 37Q2981

ANGELO PO 37Q2982

Glasses

- 3519006 COMPLETE CHAMBER GLASS**
 complete with glass and gasket
 for Boiling pan (ANGELO PO) - Series ALPHA
 for Bratt pan (ANGELO PO) - Series ALPHA
 Series DELTA
 for Fry top (ANGELO PO) - Series ALPHA
 Series DELTA - Series OMEGA
 for Fryer (ANGELO PO) - Series ALPHA
 for Pasta cooker (ANGELO PO) - Series ALPHA
 Series DELTA - Series OMEGA



ANGELO PO 3070970

ANGELO PO 3070970+3070980+

ANGELO PO 3070980

ANGELO PO 36C2770



Suitable for:

ANGELO PO



Suitable for:

Glues

5056894 *****



ANGELO PO 3041810

Grids for kitchen

3185306 FLUE GRID 800x60 mm
for Pot stove (ANGELO PO) - Series SENIOR



ANGELO PO 35A9090

3185065 GRID 370x370 mm
for Pot stove (ANGELO PO) - Series BIFRONT
Series DELTA - Series OMEGA - Series SENIOR




ANGELO PO 36A2610

3185027 PAN SUPPORT GRID 315x315 mm
for Pot stove (ANGELO PO) - Series JUNIOR



ANGELO PO 36A2600

3185098 PAN SUPPORT GRID 390x365 mm
for Pot stove (ANGELO PO) - Series ALPHA
Series DELTA - Series OMEGA



ANGELO PO 36A2001

ANGELO PO 36A2002

ANGELO PO 6029680

Grids for refrigerator-oven

3185054 CHROME PLATED GRID GN 1/1 530x325 mm



ANGELO PO G610

ANGELO PO 3012000

ANGELO PO 36M3540

3185055 CHROME PLATED GRID GN 2/1 530x650 mm



ANGELO PO G241

ANGELO PO 36A0990

3185052 STAINLESS STEEL GRID GN 1/1 530x325 mm
thickness 7 mm



ANGELO PO G610X

3185053 STAINLESS STEEL GRID GN 2/1 530x650 mm



ANGELO PO G241X



Handles

5062220 *****

interasse fori 87 mm - fori di fissaggio M5
for (ANGELO PO) - Series GAMMA



ANGELO PO 3116770

ANGELO PO 3243230

3242247 BLACK HANDLE 175x40x20 mm
for Fryer gas (ANGELO PO) - Series SENIOR
Series SUMMIT
for Pasta cooker gas (ANGELO PO) - Series SENIOR
Series SUMMIT



ANGELO PO 36M2471

3242248 PLASTIC RED SUPPORT FOR HANDLE
distance between fixing holes 20 mm
for Oven under cooktop gas (ANGELO PO)
Series SENIOR - Series SUMMIT



ANGELO PO 36M2910

3242031 BLACK PLASTIC HANDLE 110 mm
distance between mounting holes 86 mm
for Fryer (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA
for Pasta cooker (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA



ANGELO PO 36M3400

3242032 BLACK PLASTIC HANDLE 420 mm
distance between mounting holes 200 mm
for Oven under cooktop (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA



ANGELO PO 36M3390

3242284 CHROME-PLATED HANDLE 296 mm
distance between holes 255 mm - fixing holes M5
for Oven under cooktop gas (ANGELO PO)
Series ALPHA - Series OMEGA



ANGELO PO 3010570

ANGELO PO 3010571

ANGELO PO 3010572

ANGELO PO 3010573

ANGELO PO 3107050

ANGELO PO 6300932

3242283 CHROME-PLATED HANDLE 700 mm
distance between holes 660 mm
for Oven under cooktop gas (ANGELO PO)
Series ALPHA - Series OMEGA



ANGELO PO 3010561

ANGELO PO 6024150

ANGELO PO 6024151



Suitable for:

ANGELO PO



3242921 LH-RH CATCH WITHOUT LOCK 560 CR

straight handgrip
base length 150x23x30h mm
mounting distance 110 mm



ANGELO PO 36M0470

Suitable for:


3242922 STRIKE FOR DOOR CATCH



ANGELO PO 36M0480

3398021 OVEN DOOR CATCH

distance between holes 47 mm
catch distance 27 mm



ANGELO PO 36M3600

3242248 PLASTIC RED SUPPORT FOR HANDLE

distance between fixing holes 20 mm
for Oven under cooktop gas (ANGELO PO)
Series SENIOR - Series SUMMIT



ANGELO PO 36M2910

Heating elements

5017264 *****

ø esterno 205 mm - raccordi ø 1/4"
for Hot cupboard electric (ANGELO PO)



ANGELO PO 32G3240

5024866 *****

lunghezza 420 mm - larghezza 80 mm
altezza 50 mm
for Bratt pan electric (ANGELO PO) 0G1BR3E
06WBR3E - 1G1BR3E
for Fry top electric (ANGELO PO) - Series GAMMA
Series OMEGA



ANGELO PO 32G3210

5057116 *****

lunghezza 660 mm - larghezza 70 mm
altezza 50 mm - raccordi M14x1 mm
for Grill electric (ANGELO PO) 08WGREV - 190GRE



ANGELO PO 3143760

Suitable for:

3755090 HEATING ELEMENT 1000/1090W 230/240V
length 480 mm - width 35 mm
flange 70x22 mm
upon request nut and washer
operating ambient: dry
for Bain-marie electric (ANGELO PO) - Series ALPHA
Series BIFRONTÉ - Series DELTA - Series OMEGA



ANGELO PO 32G2220

3528232 HEXAGONAL NUT MEDIUM SIZE M4
brass - UNI 5588 - DIN 934 - ISO 4032



Suitable for:

3528238 FLAT WASHER M4
internal/external $\varnothing$ 4.3/9 mm - thickness 0.8 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ANGELO PO 3120100

ANGELO PO 3128800

3355526 HEATING ELEMENT 1300W 230V
length 240 mm - width 140 mm
height 90 mm - complete with cables
for Salamander electric (ANGELO PO) 60SME



ANGELO PO 32G1440

ANGELO PO 32G1441

ANGELO PO 32G1580

5028216 HEATING ELEMENT 1450W 230V
length 380 mm - width 250 mm
connections $\varnothing$ 1/4"
for Bain-marie electric (ANGELO PO)
0G0BME-1G0BME-030EBM-031EBM



ANGELO PO 32G0280

5028004 HEATING ELEMENT 1500/1635W 230/240V
length 410 mm - width 85 mm
height 55 mm
for Bratt pan electric (ANGELO PO) 31RE



ANGELO PO 32G1921

5034781 HEATING ELEMENT 1500/1635W 230/240V
length 415 mm - width 80 mm
altezza 75 mm
for Bratt pan electric (ANGELO PO) 1G1BR1E



ANGELO PO 32G3350



ANGELO PO



Suitable for:

Suitable for:

3455273 HEATING ELEMENT 1500/1780W 230/240V
length 470 mm - width 305 mm
fittings $\varnothing$ 1/4"
for Self service counter electric (ANGELO PO) ACBM
ACBM218 - ANBM - ANBM218 - ANBM75 - SE14VB
SE21VB - SI14VB - SI21VB - SL14CVB - SL14NVB
SL21CVB - SL21NVB - SL7NVB - TBM218



ANGELO PO 32G1730

3355160 HEATING ELEMENT 1600W 220V
length 585 mm - width 190 mm
fittings M14x1.5 mm
operating ambient: dry
for Bain-marie electric (ANGELO PO) 070BME
071BME - 090BME - 091BME - 60BME - 61BME
for Food-service trolley electric (ANGELO PO) CRC
for Oven under cooktop electric (ANGELO PO) CR
1551 - 1552 - 551 - 61E



ANGELO PO 32G0070

ANGELO PO 32G0071

3755093 HEATING ELEMENT 1700W 400V
length 445 mm - width 80 mm
height 100 mm
for Fry top electric (ANGELO PO) - Series JUNIOR



ANGELO PO 32G1040

3755537 HEATING ELEMENT 1750/1905W 230/240V
length 495 mm - width 90 mm
height 70 mm
for Bratt pan electric (ANGELO PO) 71ARE - 91ARE



ANGELO PO 32G0251

3355269 HEATING ELEMENT 1750W 230V
length 445 mm - width 80 mm
height 55 mm
for Bratt pan electric (ANGELO PO) - Series JUNIOR
for Fry top electric (ANGELO PO) - Series JUNIOR



ANGELO PO 32G1260

ANGELO PO 32G1262

3755248 HEATING ELEMENT 18000/19375W 400/415V
length 380 mm - width 270 mm
flange $\varnothing$ 53.5 mm - with bulb holder sheathing
complete with cables
for Fryer electric (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 32G2400

3186656 HEATING ELEMENT GASKET KIT
consists of 2 silicone OR0152 gaskets
and 1 grease can



ANGELO PO 60A0980



Suitable for:

1186503 O-RING 0155 RED SILICONE
for exchanger



ANGELO PO



Suitable for:

3755089 HEATING ELEMENT 2000/2117W 230/240V
length 530 mm - width 80 mm
height 80 mm
upon request nut and washer
for Bratt pan electric (ANGELO PO) - Series ALPHA
Series DELTA - Series OMEGA



ANGELO PO 32G2481

3528232 HEXAGONAL NUT MEDIUM SIZE M4
brass - UNI 5588 - DIN 934 - ISO 4032



3528238 FLAT WASHER M4
internal/external $\varnothing$ 4.3/9 mm - thickness 0.8 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ANGELO PO 3120100

ANGELO PO 3128800

3355271 HEATING ELEMENT 2000W 220V
length 470 mm - width 210 mm
fittings M14x1 mm
operating ambient: dry
for Bain-marie electric (ANGELO PO) 030BME
031BME



ANGELO PO 32G1250

3355363 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for 180 mm tangential fan



ANGELO PO 32G1990

3355520 HEATING ELEMENT 2050W 230V
length 275 mm - width 55 mm
height 255 mm - fittings $\varnothing$ 1/4"
for Fryer electric (ANGELO PO) - Series JUNIOR
Series SENIOR - Series SUMMIT



ANGELO PO 32G1240

ANGELO PO 32G1241

3755088 HEATING ELEMENT 2200/2400W 230/240V
length 615 mm - width 90 mm
height 100 mm
for Fry top electric (ANGELO PO) - Series ALPHA
Series DELTA
for Fry top (ANGELO PO) 090FT7E



ANGELO PO 32G2370

ANGELO PO 32G2371



Suitable for:

3455274 HEATING ELEMENT 2400/2620W 230/240V
external $\varnothing$ 210 mm - fittings $\varnothing$ 1/4"
for Hot cupboard electric (ANGELO PO) AJ12AE
AJ12ME - AJ14AE - AJ14ME - AJ16AE - A12A1E
A12B1E - A12B2E - A12M1E - A14A1E - A14B1E
A14B2E - A14M1E - A16A1E - A16B1E - A16B2E
A18A1E - A18B1E - A18B2E - A18M1E - A20A1E
A20B1E - A20B2E - A20M1E
for Self service counter electric (ANGELO PO) ACBM
ACBM218 - ACPN - ACPN218 - SL14CPN - SL14CVB
SL21CPN - SL21CVB



ANGELO PO 32G1550

Suitable for:

5000989 HEATING ELEMENT 2600/2830W 230/240V
length 260 mm - width 510 mm
flange 100x22 mm
for Oven under cooktop electric (ANGELO PO)
Series GAMMA



ANGELO PO 32G1591

3355525 HEATING ELEMENT 2600W 415V
length 305 mm - width 510 mm
flange 100x22 mm
for Oven under cooktop electric (ANGELO PO)
Series GAMMA - Series JUNIOR



ANGELO PO 32G1621

ANGELO PO 32G1630

ANGELO PO 32W1620

3355268 HEATING ELEMENT 2700W 380V
length 340 mm - width 585 mm
flange 100x22 mm
for Pot stove electric (ANGELO PO) - Series SENIOR



ANGELO PO 32G0950

ANGELO PO 32G0951

ANGELO PO 32G1070

3355161 HEATING ELEMENT 3000W 220V
length 540 mm - width 500 mm
couplings $\varnothing$ 1/4"
operating ambient: immersion
for Bain-marie electric (ANGELO PO) - Series GAMMA
Series JUNIOR
for Self service counter electric (ANGELO PO)
Series GAMMA - Series JUNIOR



ANGELO PO 32G0280(OLD)

3355105 HEATING ELEMENT 4200W 230/380V
for boiler and wash tank
immersed depth 340 mm
flange external $\varnothing$ 72 mm - with bulb-sheathing
complete with gasket OR $\varnothing$ 67 mm (3186014)
for Pasta cooker electric (ANGELO PO) 0G1CP1EC



ANGELO PO 32G0230

ANGELO PO 32G0380

3186014 O-RING GASKET 06225 EPDM $\varnothing$ 67 mm



ANGELO PO 3150430

ANGELO PO 3151960

ANGELO PO 37Q5260

Suitable for:

Suitable for:

3455275 HEATING ELEMENT 4500/4850W 400/415V
immersed length 320 mm
flange external $\varnothing$ 72 mm
with thermostat probe receptacle
for Pasta cooker electric (ANGELO PO) 0G1CP1E
0G1CP1EC - 1G1PI1E



ANGELO PO 32G3270

3186014 O-RING GASKET 06225 EPDM $\varnothing$ 67 mm



ANGELO PO 3150430

ANGELO PO 3151960

ANGELO PO 37Q5260

3755645 HEATING ELEMENT 4540/4886W 400/415V
immersed length 320 mm
flange external $\varnothing$ 72 mm
with thermostat probe receptacle
for Boiling pan electric (ANGELO PO) 31PIE6



ANGELO PO 32G1931

3186014 O-RING GASKET 06225 EPDM $\varnothing$ 67 mm



ANGELO PO 3150430

ANGELO PO 3151960

ANGELO PO 37Q5260

3355270 HEATING ELEMENT 4540W 220V
immersed length 325 mm
flange external $\varnothing$ 72 mm
with thermostat probe receptacle
with O-ring
for Pasta cooker electric (ANGELO PO) 30CPSE
70CPE - 90CPE



ANGELO PO 32G1300

ANGELO PO 32G1301

3186014 O-RING GASKET 06225 EPDM $\varnothing$ 67 mm



ANGELO PO 3150430

ANGELO PO 3151960

ANGELO PO 37Q5260


5005889 HEATING ELEMENT 4700W 400V
length 480 mm - width 90 mm
height 310 mm - connections $\varnothing$ 1/4"
for Fryer electric (ANGELO PO)
70FE1-70FE1B-71FE2-71FE2B



ANGELO PO 32G1180

ANGELO PO 32G1181

3355162 HEATING ELEMENT 4800W 220/380V
length 415 mm - width 420 mm
fittings $\varnothing$ 1-1/4"
complete with gasket-nut-cap
operating ambient: immersion
for Bain-marie electric (ANGELO PO) 60BME - 61BME
for Food-service trolley electric (ANGELO PO) CNX
CX
for Self service counter electric (ANGELO PO)
S.S.C



ANGELO PO 32G0650



Suitable for:

ANGELO PO



- 3755086 HEATING ELEMENT 6000/6458W 400/415V**
immersed length 485 mm
flange external $\varnothing$ 72 mm
with thermostat probe receptacle $\varnothing$ 7 mm
with O-ring
upon request nut and washer
for Pasta cooker electric (ANGELO PO)
Series ALPHA - Series DELTA - Series OMEGA



ANGELO PO 32G2310

- 3528232 HEXAGONAL NUT MEDIUM SIZE M4**
brass - UNI 5588 - DIN 934 - ISO 4032



- 3528238 FLAT WASHER M4**
internal/external $\varnothing$ 4.3/9 mm - thickness 0.8 mm
stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ANGELO PO 3120100

ANGELO PO 3128800

- 3186014 O-RING GASKET 06225 EPDM $\varnothing$ 67 mm**



ANGELO PO 3150430

ANGELO PO 3151960

ANGELO PO 37Q5260

- 3355046 HEATING ELEMENT 6000W 220/380V**
immersed length 490 mm
flange $\varnothing$ external 63 mm - with probe receptacle
complete with gasket OR $\varnothing$ 58 mm (3186013)
for Boiling pan electric (ANGELO PO) 2A1PI3E
291PI3E



ANGELO PO 32G3080

- 3186013 O-RING GASKET 06187 EPDM $\varnothing$ 58 mm**



- 3355158 HEATING ELEMENT 700W 220V**
total length 385 mm
finned part length 270 mm - $\varnothing$ 35 mm
for Food-service trolley electric (ANGELO PO) CNX
CX - 2271/E - 2272/E - 2273/E
for Self service counter electric (ANGELO PO)
S.S.C.



ANGELO PO 32G0270

3755087 HEATING ELEMENT 7000/7534W 400/415V
 immersed length 410 mm
 flange external $\varnothing$ 72 mm
 with hole for thermostat probe receptacle
 with O-ring
 upon request nut and washer
 for Boiling pan electric (ANGELO PO)
 Series ALPHA - Series DELTA



ANGELO PO 32G2330

3528232 HEXAGONAL NUT MEDIUM SIZE M4
 brass - UNI 5588 - DIN 934 - ISO 4032



Suitable for:

3528238 FLAT WASHER M4
 internal/external $\varnothing$ 4.3/9 mm - thickness 0.8 mm
 stainless steel - UNI 6592 - DIN 125 A - ISO 7089



ANGELO PO 3120100

ANGELO PO 3128800

3186014 O-RING GASKET 06225 EPDM $\varnothing$ 67 mm



ANGELO PO 3150430

ANGELO PO 3151960

ANGELO PO 37Q5260

5001274 HEATING ELEMENT 7000/7621W 230/240V
 immersion depth 410 mm
 flange to external $\varnothing$ 72 mm
 with bulbholder sheathing
 for Boiling pan electric (ANGELO PO)
 71PIE15-71PIE15A-91PIE15-91PIE15A



ANGELO PO 32G1030

ANGELO PO 32G1031

3755538 HEATING ELEMENT 7200/7750W 230/240V
 length 300 mm - width 155 mm
 connection $\varnothing$ 53 mm - complete with cables
 for Fryer electric (ANGELO PO) - Series ALPHA
 Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 32G2610

3186656 HEATING ELEMENT GASKET KIT
 consists of 2 silicone OR0152 gaskets
 and 1 grease can



ANGELO PO 60A0980



Suitable for:


3355527 HEATING ELEMENT 750W 220V
length 550 mm - width 37 mm
height 110 mm - fittings $\varnothing$ 1/4"



ANGELO PO 32G0140

Suitable for:

3355149 HEATING ELEMENT 800W 220V
length 395 mm - width 110 mm
flange 100x20 mm
for Oven under cooktop electric (ANGELO PO) 51GE



ANGELO PO 32G0160

3355154 HEATING ELEMENT 800W 220V
length 395 mm - width 60 mm
couplings $\varnothing$ 1/4"
complete with OR gaskets and nuts
operating ambient: immersion
for Bain-marie electric (ANGELO PO)



ANGELO PO

3355159 HEATING ELEMENT 800W 220V
length 395 mm - width 60 mm
couplings $\varnothing$ 1/4"
operating ambient: dry
for Bain-marie electric (ANGELO PO) 050BME
051BME
for Food-service trolley electric (ANGELO PO) CNX
CX - 2271/E - 2272/E - 2273/E
for Self service counter electric (ANGELO PO)
S.S.C.



ANGELO PO 32G0090

3355150 HEATING ELEMENT 900W 220V
length 430 mm - width 120 mm
flange 100x20 mm
for Oven under cooktop (ANGELO PO) 52E - 62GE



ANGELO PO 32G0080

5003301 RESISTENZA 2600/2800W 400/415V
lunghezza 460 mm - larghezza 510 mm
flangia 100x22 mm



ANGELO PO 32G0151

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



ANGELO PO 3094780

ANGELO PO 36M0270


Hinges, catches and accessories

5039231 HINGE BODY $\varnothing$ 43x372 mm
 for Boiling pan electric (ANGELO PO)
 191PI2E-191PI2EA
 for Boiling pan gas (ANGELO PO)
 191PD1G-191PD2G-191PI1G-191PI1GA
 191PI2G-191PI2GA
 for Boiling pan steam (ANGELO PO) 191PI2V-191PI2VA



ANGELO PO 3062340

5017483 HINGE RH SUPPORT




ANGELO PO 36C2590

3250077 LID SPRING $\varnothing$ 30x360 mm
 for BOILING PAN serieS ALPHA-DELTA-SENIOR-SUMMIT



ANGELO PO 36G2640

5017487 HINGE LH SUPPORT



ANGELO PO 36C2600

5028944 HINGE ROD $\varnothing$ 12x345 mm
 for Boiling pan electric (ANGELO PO)
 Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR
 for Boiling pan gas (ANGELO PO)
 Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR
 for Boiling pan steam (ANGELO PO)
 Series ALPHA-DELTA-SENIOR
 for Bratt pan electric (ANGELO PO)
 Series GAMMA-JUNIOR-SENIOR-SUMMIT
 for Bratt pan gas (ANGELO PO)
 Series GAMMA-JUNIOR-SENIOR-SUMMIT



ANGELO PO 36G2650

5001284 TORSION SPRING PIN 108 mm
 for Boiling pan electric (ANGELO PO)
 Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR-SUMMIT
 for Boiling pan gas (ANGELO PO)
 Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR-SUMMIT
 for Boiling pan steam (ANGELO PO)
 Series ALPHA-DELTA-SENIOR
 for Bratt pan electric (ANGELO PO)
 Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR-SUMMIT
 for Bratt pan gas (ANGELO PO)
 Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR-SUMMIT



ANGELO PO 36G2680



Suitable for:

ANGELO PO




3053234 HINGE COVER
distance between holes 95 mm - size 124x20 mm



ANGELO PO 35U3170

5017487 HINGE LH SUPPORT



ANGELO PO 36C2600

5028944 HINGE ROD $\varnothing$ 12x345 mm
for Boiling pan electric (ANGELO PO)
Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR
for Boiling pan gas (ANGELO PO)
Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR
for Boiling pan steam (ANGELO PO)
Series ALPHA-DELTA-SENIOR
for Bratt pan electric (ANGELO PO)
Series GAMMA-JUNIOR-SENIOR-SUMMIT
for Bratt pan gas (ANGELO PO)
Series GAMMA-JUNIOR-SENIOR-SUMMIT



ANGELO PO 36G2650

3053007 LEFTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



ANGELO PO 3094450

ANGELO PO 36M0110

ANGELO PO 36M2430

3053234 HINGE COVER
distance between holes 95 mm - size 124x20 mm



ANGELO PO 35U3170

Suitable for:

5058003 HINGE KIT RH-LH WITH MAGNET
for COMPARTMENT FLAP
for (ANGELO PO) - Series ALPHA-OMEGA



ANGELO PO 6016600

5017483 HINGE RH SUPPORT



ANGELO PO 36C2590

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



ANGELO PO 3094780

ANGELO PO 36M0270

3053299 HINGE COVER
distance between holes 77 mm - size 129x26 mm



Suitable for:

3053006 RIGHTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205 mm
height 160 mm



ANGELO PO 3094440

ANGELO PO 36M0100

ANGELO PO 36M2420

Suitable for:

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118 mm
height 23 mm



ANGELO PO 3094780

ANGELO PO 36M0270

3053234 HINGE COVER
distance between holes 95 mm - size 124x20 mm




ANGELO PO 35U3170

3053299 HINGE COVER
distance between holes 77 mm - size 129x26 mm



5001284 TORSION SPRING PIN 108 mm
for Boiling pan electric (ANGELO PO)
Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR-SUMMIT
for Boiling pan gas (ANGELO PO)
Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR-SUMMIT
for Boiling pan steam (ANGELO PO)
Series ALPHA-DELTA-SENIOR
for Bratt pan electric (ANGELO PO)
Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR-SUMMIT
for Bratt pan gas (ANGELO PO)
Series ALPHA-DELTA-GAMMA-JUNIOR-SENIOR-SUMMIT



ANGELO PO 36G2680

Hose-end fittings

1315008 T-SHAPED HOSE END FITTING ø 8 mm
for Pasta cooker gas (ANGELO PO)



ANGELO PO 3008090



Suitable for:

ANGELO PO



Suitable for:

Hydraulic piping

5054136 *****

ø interno 32 mm - ø esterno 40 mm
for Pasta cooker electric (ANGELO PO)
Series ALPHA - Series GAS - Series MONOLITHE



ANGELO PO 3067460

5054487 *****

ø interno 4 mm - ø esterno 8 mm
VENDITA AL CENTIMETRO
for Pasta cooker electric (ANGELO PO)
Series MONOLITHE - 0G1CP1E - 04WCP1EM - 091CP1E
for Pasta cooker gas (ANGELO PO) 0G1CP1G
06WCP1GM - 08WCP1GM - 091CP1G - 1G1CP1G
1G1CP2G - 191CP1G - 191CP2G



ANGELO PO 3070410

3450211 RUBBER PIPE ø 10x17 mm - 40 m
operating temperature -40+100°C



ANGELO PO 131AA12

3450111 RUBBER PIPE ø 10x17 mm - 5 m
operating temperature -40+100°C



ANGELO PO 131AA12

5030444 WATER OUTLET PIPE - COMPLETE
for Pasta cooker electric (ANGELO PO) 091CP1E
for Pasta cooker gas (ANGELO PO) 091CP1G - 1G1CP1G
191CP2G



ANGELO PO 3067470

Ignitors

3001014 CAP WATERTIGHT PIEZO
made of silicone rubber
with ring : ø external 29 mm - ø internal 18 mm



ANGELO PO 37Q2100

Ignitors

- 3001013 PIEZO IGNITER**
a $\varnothing$ 18 mm hole is required for the assembly
faston M $\varnothing$ 2.4 mm



ANGELO PO 32T0150

- 3528073 WASHER $\varnothing$ 32x18.5x4.5 mm**



ANGELO PO 3191100

- 3001014 CAP WATERTIGHT PIEZO**
made of silicone rubber
with ring : $\varnothing$ external 29 mm - $\varnothing$ internal 18 mm



ANGELO PO 37Q2100

- 3001020 PIEZO IGNITER**
a $\varnothing$ 18 mm hole is required for the assembly
faston M $\varnothing$ 2.4 mm



ANGELO PO 3005580

ANGELO PO 3166990

- 5035512 WATERTIGHT PIEZO CAP**
of silicone rubber



Incandescent lamps and neon lamps

- 3221105 NEUTRAL HALOGEN LAMP G4 20W 12V**
max. temperature 250°C



ANGELO PO 3019710

ANGELO PO 3030660

- 3221041 OVEN LAMP E14 15W 230V**
max temperature 300°C
for OVEN - PIZZA OVEN



ANGELO PO 32W0780

- 3221061 OVEN LAMP E14 25W 230V**
max temperature 300°C
for OVEN - PIZZA OVEN



ANGELO PO 32W0210

ANGELO PO 32W3900

- 3221059 OVEN LAMP E27 40W 230V**
max temperature 300°C
for OVEN and PIZZA OVEN



ANGELO PO 32W2350



Suitable for:

ANGELO PO



Suitable for:

Indicator lights

- 3221032 GREEN INDICATOR LAMP 230V**
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



ANGELO PO 3106710

ANGELO PO 32W1330

ANGELO PO 32W1331

- 3221034 GREEN INDICATOR LAMP 400V**
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



ANGELO PO 32W1560

ANGELO PO 32W1561

ANGELO PO 32W1562

ANGELO PO 6300652

- 3221430 INDICATOR LAMP ORANGE 400V**
head ø 14 mm - hole ø 10 mm
universal application



ANGELO PO 3106730+3101450

ANGELO PO 32W2240

ANGELO PO 32W2241

- 3221035 RED INDICATOR LAMP 400V**
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



ANGELO PO 32W1550

ANGELO PO 32W1551

- 3221293 GREEN INDICATOR LIGHT 250V**
head ø 20 mm - hole ø 10 mm - 120°C



ANGELO PO 32W2970

- 3221154 INDICATOR LAMP ORANGE 380V**
mounting hole 32.5x10 mm - 85°C
for COUNTER TOP FRYER all models



ANGELO PO 32W0720

- 3221430 INDICATOR LAMP ORANGE 400V**
head ø 14 mm - hole ø 10 mm
universal application



ANGELO PO 3106730+3101450

ANGELO PO 32W2240

ANGELO PO 32W2241

- 3221192 LAMP SUPPORT**



ANGELO PO 36U0850



ANGELO PO



Suitable for:

Suitable for:

3221011 ORANGE INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



ANGELO PO 3106730

ANGELO PO 32W0790

ANGELO PO 32W0791

3221032 GREEN INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



ANGELO PO 3106710

ANGELO PO 32W1330

ANGELO PO 32W1331

3221033 RED INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



ANGELO PO 32W1340

3221033 RED INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



ANGELO PO 32W1340

3221035 RED INDICATOR LAMP 400V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



ANGELO PO 32W1550

ANGELO PO 32W1551

Injectors

5005166 *****



ANGELO PO 33T0710

5013360 *****



ANGELO PO 33T0760

5061895 *****



ANGELO PO 33T2270

5062172 *****



ANGELO PO 33T1380



ANGELO PO



Suitable for:

Suitable for:

3500020 GAS JET M10x1 $\varnothing$ 0.80 mm

3500021 GAS JET M10x1 $\varnothing$ 0.95 mm



ANGELO PO 33T1540

ANGELO PO 33T1570

ANGELO PO 33T1570

3500022 GAS JET M10x1 $\varnothing$ 1.00 mm

3500023 GAS JET M10x1 $\varnothing$ 1.10 mm



ANGELO PO 33T1580

ANGELO PO 33T1600

3500024 GAS JET M10x1 $\varnothing$ 1.15 mm

3500025 GAS JET M10x1 $\varnothing$ 1.20 mm



ANGELO PO 33T1610

ANGELO PO 33T1620

3500026 GAS JET M10x1 $\varnothing$ 1.25 mm

3500027 GAS JET M10x1 $\varnothing$ 1.30 mm



ANGELO PO 33T1630

ANGELO PO 33T1640

3500028 GAS JET M10x1 $\varnothing$ 1.45 mm

3500029 GAS JET M10x1 $\varnothing$ 1.50 mm



ANGELO PO 33T1660

ANGELO PO 33T1670

ANGELO PO 33T1680

3500030 GAS JET M10x1 $\varnothing$ 1.60 mm

3500031 GAS JET M10x1 $\varnothing$ 1.90 mm



ANGELO PO 33T1700

ANGELO PO 33T1740

ANGELO PO 33T1750

ANGELO PO 33T1760



ANGELO PO



Suitable for:

Suitable for:

3500032 GAS JET M10x1 ø 2.00 mm

3500033 GAS JET M10x1 ø 2.20 mm



ANGELO PO 33T1780

ANGELO PO 33T1820

3500034 GAS JET M10x1 ø 2.30 mm

3500035 GAS JET M10x1 ø 2.50 mm



ANGELO PO 33T1830

ANGELO PO 33T1840

ANGELO PO 33T1850

ANGELO PO 33T1860

5005655 GAS NOZZLE M10x1 ø 1.25 mm

3500370 GAS NOZZLE M10x1 ø 1.50 mm
for Fry top gas (ANGELO PO) 070FT04 - 070FT05
071FT04 - 071FT06 - 090FT04 - 090FT05
091FT04 - 091FT06 - 1A0FT1G - 190FT1G
190FT2G - 190FT3G - 190FT7G - 190FT72G



ANGELO PO 33T3500

ANGELO PO 33T3210

5015576 GAS NOZZLE M10x1 ø 1.50 mm

5021506 GAS NOZZLE M10x1 ø 1.60 mm



ANGELO PO 33T3900

ANGELO PO 33T0790

5012694 GAS NOZZLE M10x1 ø 2.00 mm

5005732 GAS NOZZLE M10x1 ø 2.70 mm



ANGELO PO 33T3360

ANGELO PO 33T0550



Suitable for:

Suitable for:

3500349 INJECTOR HOLDER
for Fry top gas (ANGELO PO) 070FT04 - 070FT05
071FT04 - 071FT06 - 090FT04 - 090FT05
091FT04 - 091FT06 - 1A0FT1G - 190FT1G
190FT2G - 190FT3G - 190FT7G - 190FT72G

5000993 UGELLO GAS M10x1 ø 3,50 mm



ANGELO PO 3035340
ANGELO PO 33Q3361

ANGELO PO 33Q2530


ANGELO PO 33Q2531

ANGELO PO 32T2280

ANGELO PO 33T2280

Interference suppression filters

5022788 *****
120-250V 50/60HZ
for Fryer electric (ANGELO PO) - Series ALPHA
for Fryer gas (ANGELO PO) - Series ALPHA



ANGELO PO 32Z6090

Ironmongery (screws,nuts,washers)

3526129 CLASP ø 3x14 mm
UNI 6873 - DIN 1481 - ISO 8752
for Fry top gas (ANGELO PO) 1A0FT1G

3528010 FLAT WASHER M6
ø internal/external 6,4/12 mm - thickness 1,6 mm
st./steel - UNI 6592 - DIN 125 A - ISO 7089



ANGELO PO 31Z8930

ANGELO PO 31Z1480

3060069 HEXAGONAL NUT M8 MEDIUM
stainless steel - UNI 5588 - DIN 934 - ISO 4032

1349504 NUT ø 1/2" KEY 25x6 mm



ANGELO PO 3110050

ANGELO PO 33Q6470

ANGELO PO 33Q4410

3523086 NUT ø 3/4"

3316051 NUT FOR HEATING ELEMENT ø 1"1/2



ANGELO PO 36Q1100

ANGELO PO 33Q0240



Suitable for:

ANGELO PO



5017493 SCREWS WITH HEXAGON SOCKET M8x12

stainless steel - conical edge
UNI 5927 - DIN 914 - ISO 4027



ANGELO PO 31W0280

Suitable for:

3528075 SPIRAL SPRING WASHER M8

internal/external $\varnothing$ 8.4/14.4 mm - thickness 4 mm
stainless steel - UNI 1751 - DIN 127 B



ANGELO PO 3123670

3528073 WASHER $\varnothing$ 32x18.5x4.5 mm



ANGELO PO 3191100

Knobs

5050176 *****

foro a mezzaluna 6x4,6 mm
for Pot stove electric (ANGELO PO) - Series GAMMA



ANGELO PO 6300556

5066506 *****

foro a mezzaluna 8x6,5 mm
for Fryer gas (ANGELO PO) 0G0FR5G - 0G1FR7G
1G0FR6G - 1G1FR8G



ANGELO PO 3134730

5068652 *****

foro a mezzaluna 8x6,5 mm
for Fry top gas (ANGELO PO) - Series GAMMA



ANGELO PO 3144110

5070698 *****

foro a mezzaluna 8x6,5 mm
for Oven under cooktop gas (ANGELO PO)
Series GAMMA



ANGELO PO 3132970

5071760 *****

foro a mezzaluna 6x4,6 mm
for Pasta cooker electric (ANGELO PO) 0G1CP1EC
04WCP1EM - 091CP1E



ANGELO PO 3112010



ANGELO PO



Suitable for:

3241121 BLACK KNOB ø 45 mm
D shaft hole 6x4.6 mm
for Bratt pan (ANGELO PO) - Series SENIOR
for Pot stove (ANGELO PO) - Series SENIOR



ANGELO PO 36M2620

Suitable for:

3241088 RED INSERT FOR KNOB ø 32 mm



ANGELO PO 36M2800

3241259 BLACK KNOB ø 45 mm
D shaft hole 6x4.6 mm
for Fryer (ANGELO PO) - Series JUNIOR
Series SENIOR - Series SUMMIT



ANGELO PO 36M4560

3241272 BLACK KNOB ø 65 mm SILK-SCREEN PRINTED
D shaft hole 10x9 mm
for Pot stove (ANGELO PO) - Series VECCHIA SERIE




ANGELO PO 36M0560

3241037 BLACK KNOB ø 68 mm
D shaft hole 10x9 mm
for Pot stove (ANGELO PO) - Series JUNIOR
Series SENIOR



ANGELO PO 36M2390

3241120 BLACK KNOB ø 68 mm
D shaft hole 8x6.5 mm
for Pot stove gas (ANGELO PO) - Series JUNIOR
for Salamander gas (ANGELO PO) - Series JUNIOR



ANGELO PO 36M3050

3241122 BLACK KNOB ø 68 mm
D shaft hole 6x4.6 mm
for Pot stove (ANGELO PO) - Series JUNIOR
Series SENIOR



ANGELO PO 36M2400

3241089 BLACK KNOB CASING ø 45 mm
for MINISIT valve



ANGELO PO 36M2580

3241088 RED INSERT FOR KNOB ø 32 mm



ANGELO PO 36M2800



Suitable for:

ANGELO PO



- 3241308 BLACK-RED KNOB SILK-SCREEN PRINTED**
D shaft hole 8x6.5 mm
for Pot stove (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA



ANGELO PO 6300518

ANGELO PO 6300521

- 3241488 BLACK-RED KNOB SILK-SCREEN PRINTED**
D-shaped pin $\varnothing$ 6x4.6 mm
for Boiling pan (ANGELO PO) - Series DELTA
for Pasta cooker (ANGELO PO) - Series DELTA
Series OMEGA
for Pot stove (ANGELO PO) - Series DELTA
Series OMEGA



ANGELO PO 6300485

- 3241489 BLACK-RED KNOB SILK-SCREEN PRINTED**
D shaft hole 10x9 mm
for Pot stove (ANGELO PO) - Series ALPHA
Series BIFRONT - Series DELTA - Series GAMMA



ANGELO PO 6300489

- 3241398 GASKET FOR KNOB HOLE $\varnothing$ 8 mm**
external $\varnothing$ 70 mm - central hole $\varnothing$ 8 mm



ANGELO PO 3152250

- 3241493 BLACK-RED KNOB SILK-SCREEN PRINTED**
D shaft hole 6x4.6 mm
for Oven under cooktop (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 6300484

- 3241498 BLACK-RED KNOB SILK-SCREEN PRINTED**
D shaft hole 6x4.6 mm
for Fryer (ANGELO PO) - Series ALPHA
Series BIFRONT - Series DELTA - Series GAMMA



ANGELO PO 6300481

- 3241805 BLACK-RED KNOB SILK-SCREEN PRINTED**
D shaft hole 10x8 mm
for Boiling pan gas (ANGELO PO) 1A1PI2G - 1A1PI2GA
1D1PI2G - 1D1PI2GA - 2A1PD3G - 2A1PI3G
for Pasta cooker (ANGELO PO) MCF20 - MCF40
for Pasta cooker gas (ANGELO PO) 1A1CP1GA
1D1CP1GA - 191CP1GA



ANGELO PO 6300523

- 3241494 BLACK-RED KNOB 1-2-3-4-5-6-7-8**
D shaft hole 6x4.6 mm
for Bratt pan (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA



ANGELO PO 6300493



ANGELO PO



Suitable for:

3241486 BLACK-RED KNOB 100-270°C
D shaft hole 6x4.6 mm
for Fry top electric (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 6300492

Suitable for:

3241495 BLACK-RED KNOB 100-270°C
D shaft hole 6x4.6 mm
for Bratt pan (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA



ANGELO PO 6300491

3241496 BLACK-RED KNOB 100-280°C
D shaft hole 10x9 mm
for Fry top gas (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA



ANGELO PO 6300504

3241772 BLACK-RED KNOB 100-280°C
D shaft hole 8x6.5 mm
for Bratt pan gas (ANGELO PO) 0G1BR3G - 1G1BR3G
for Fry top gas (ANGELO PO) 0A0FT1G - 0A0FT2G
0A0FT4G - 0A0FT5G - 0D0FT1G - 0D0FT2G
0D0FT4G - 0D0FT5G - 1A0FT1G - 1A0FT2G
1A0FT3G - 1A0FT4G - 1D0FT2G - 1D0FT3G
1D0FT4G - 1D0FT6G



ANGELO PO 6300488

3526129 CLASP ø 3x14 mm
UNI 6873 - DIN 1481 - ISO 8752
for Fry top gas (ANGELO PO) 1A0FT1G



ANGELO PO 31Z8930

3526128 KNOB EXTENSION LENGTH 34 mm
D-shaft ø 8x6.5 mm
for Fry top gas (ANGELO PO) 1A0FT1G



ANGELO PO 33Q3480

ANGELO PO 33Q3481

3526123 RUBBER PROTECTION FOR EUROSIT VALVE



ANGELO PO 3152280



ANGELO PO



Suitable for:

3241487 BLACK-RED KNOB 100-300°C
D shaft hole 8x6.5 mm
for Oven under cooktop (ANGELO PO) - Series ALPHA
Series BIFRONTÉ - Series DELTA



ANGELO PO 6300510

Suitable for:

3241492 BLACK-RED KNOB 100-300°C
D shaft hole 8x6.5 mm
for Oven under cooktop (ANGELO PO) - Series ALPHA
Series DELTA - Series OMEGA



ANGELO PO 6300487

3241499 BLACK-RED KNOB 100-300°C
D shaft hole 6x4.6 mm
for Oven under cooktop (ANGELO PO) - Series ALPHA
Series DELTA - Series OMEGA - Series SNACK



ANGELO PO 6300483

3241491 BLACK-RED KNOB 110-190°C
D shaft hole 6x4.6 mm
for Fryer (ANGELO PO) - Series ALPHA
Series BIFRONTÉ - Series DELTA - Series GAMMA



ANGELO PO 6300480

3241808 BLACK-RED KNOB 160-280°C
D shaft hole 8x6.5 mm
for Pot stove gas (ANGELO PO) G1FAGS - G1FAGST
1G1FAPG - 1G1FA0G - 1G1FA0GV - 1G1TP0G
2G1FADG - 2G1FADGV - 2G1FAPG - 2G1FA0G
2G1FA0GV - 2G1TP3G



ANGELO PO 6300553

3241490 BLACK-RED KNOB 160-340°C
D shaft hole 10x9 mm
for Fry top (ANGELO PO) - Series ALPHA
Series BIFRONTÉ - Series DELTA - Series GAMMA



ANGELO PO 6300503

3241497 BLACK-RED KNOB 30-100°C
D shaft hole 8x6.5 mm
for Bain-marie gas (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 6300486

3241500 BLACK-RED KNOB 30-100°C
D shaft hole 6x4.6 mm
for Bain-marie electric (ANGELO PO) - Series ALPHA
Series BIFRONTÉ - Series DELTA - Series GAMMA



ANGELO PO 6300482

5037085 BLUE INLET TAP KNOB



ANGELO PO 3162210

3241055 FIXING CLIP
for knob with ø 8 mm hole



ANGELO PO 3170290




ANGELO PO



Suitable for:

3241398 GASKET FOR KNOB HOLE $\varnothing$ 8 mm
external $\varnothing$ 70 mm - central hole $\varnothing$ 8 mm



ANGELO PO 3152250


Suitable for:

3241385 GASKET FOR KNOB PIN 6x4.6 mm
 $\varnothing$ external 17 mm - thickness 1,8 mm



ANGELO PO 3150790

3241399 GASKET FOR KNOB PIN 6x4.6 mm
external $\varnothing$ 17 mm - thickness 4 mm



ANGELO PO 3152240

3241088 RED INSERT FOR KNOB $\varnothing$ 32 mm



ANGELO PO 36M2800

3241697 RED KNOB FOR INLET TAP



ANGELO PO 3162200

3241407 SILVER-RED HANDLE $\varnothing$ 72 mm
D shaft hole 6x4.6 mm
for Fryer (ANGELO PO) - Series ALPHA
Series GAMMA - Series OMEGA



ANGELO PO 3015850

ANGELO PO 3015851

3241508 SILVER-RED HANDLE $\varnothing$ 72 mm
D shape hole 6x4.6 mm
for Pot stove (ANGELO PO) - Series ALPHA
Series OMEGA



ANGELO PO 3020250

ANGELO PO 3020251

3241806 SILVER-RED HANDLE $\varnothing$ 72 mm
D shaft hole 6x4.6 mm
for Pasta cooker electric (ANGELO PO) 0G1CP1
0G1CP1E - 0G1CP1EC - 04WCP1EM - 090CP1E
for Pasta cooker gas (ANGELO PO) 06WCP1GM
08WCP1GM - 091CP1G - 1GGCP1G - 1G1CP2G
191CP1G - 191CP2G



ANGELO PO 3019900

ANGELO PO 3019901

ANGELO PO 3112000

Suitable for:

3241809 SILVER-RED HANDLE ø 72 mm
 D shaft hole 10x8 mm
 for Boiling pan gas (ANGELO PO) ALPHA 191PD1G
 ALPHA 191PD2G - ALPHA 191PI1G - ALPHA 191PI1GA
 ALPHA 191PI2G - ALPHA 191PI2GA - ALPHA 291PD3G
 ALPHA 291PI3G - GAMMA 1G1PD1G - GAMMA 1G1PI1G
 for Grill gas (ANGELO PO) ALPHA 090GRG
 ALPHA 190GRG - OMEGA 08WGRGV
 for Pasta cooker gas (ANGELO PO) ALPHA 091CP1G
 ALPHA 191CP1G - ALPHA 191CP2G - OMEGA 06WCP1GM
 OMEGA 08WCP1GM - 10CP1GA - 12CP1GA - 18CP2GA
 for Solid top range gas (ANGELO PO) ALPHA 190TPO
 ALPHA 191TPG - ALPHA 291TPCG



ANGELO PO 3015730

ANGELO PO 3015731

Suitable for:

3241403 SILVER-RED HANDLE ø 72 mm 100-300°C
 D shaft hole 6x4.6 mm
 for Pot stove (ANGELO PO) - Series ALPHA
 Series OMEGA



ANGELO PO 3015900

ANGELO PO 3015901

3241807 SILVER-RED HANDLE ø 72 mm 110-190°C
 D shaft hole 6x4.6 mm
 for Fryer (ANGELO PO) 091FR1I - 191FR2I
 for Fryer electric (ANGELO PO) 091FR1E - 091FR3E
 1G0FR4E - 191FR2E - 191FR4E
 for Fryer gas (ANGELO PO) 0G1FR3G - 091FR1G
 091FR3G - 1G1FR4G - 191FR2G - 191FR4G



ANGELO PO 3015831

3241405 SILVER-RED HANDLE ø 72 mm ELECTRIC
 D shaft hole 6x4.6 mm
 for Pot stove electric (ANGELO PO) - Series ALPHA
 Series GAMMA - Series OMEGA



ANGELO PO 3015940

ANGELO PO 3015941

5050367 SILVER-RED HANDLE ø 72 mm ELECTRICAL
 D shape hole 6x4.6 mm
 for Pasta cooker electric (ANGELO PO)
 091CP1E-0G1CP1EC-04WCP1EM



ANGELO PO 3036321

3241406 SILVER-RED HANDLE ø 72 mm GAS
 D shaft hole 8x6.5 mm
 for Pot stove gas (ANGELO PO) - Series ALPHA
 Series GAMMA - Series OMEGA



ANGELO PO 3013170

ANGELO PO 3013171



ANGELO PO



Suitable for:


5061830 SILVER-RED HANDLE ø 72 mm 0-10
D shape hole 6x4.6 mm
for Pyroceramic plate (ANGELO PO) - Series ALPHA
Series GAMMA - Series OMEGA



ANGELO PO 3015991

Suitable for:


5029947 SILVER-RED HANDLE ø 72 mm 0-8
D shape hole 6x4.6 mm
for Boiling pan electric (ANGELO PO) 291PI3E
for Bratt pan electric (ANGELO PO) 0G1BR3E
06WBR3E - 1G1BR3E - 191BR1E - 191BR2E
191BR2EA - 291BR1E - 291BR2E - 291BR2EA
for Grill electric (ANGELO PO) 08WGREV - 1G0GRE
190GRE



ANGELO PO 3015790

ANGELO PO 3015791

5029946 SILVER-RED HANDLE ø 72 mm 100-270°C
D shape hole 6x4.6 mm
for Bratt pan electric (ANGELO PO)
Series ALPHA-GAMMA
for Bratt pan gas (ANGELO PO) - Series ALPHA
for Fry top electric (ANGELO PO)
Series ALPHA-GAMMA-OMEGA



ANGELO PO 3015870

ANGELO PO 3015871

3241404 SILVER-RED HANDLE ø 72 mm 140-270°C
D shaft hole 8x6.5 mm
for Pot stove (ANGELO PO) - Series ALPHA
Series OMEGA



ANGELO PO 3010330

ANGELO PO 3010331

Labels for control panels

3399042 STICKING CONTROL PLATE 97x60 mm
for Fryer (ANGELO PO) - Series ALPHA
Series BIFRONT - Series DELTA - Series GAMMA
Series OMEGA



ANGELO PO 37M8560

Lamp receptacles and spare parts

3221053 GASKET FOR OVEN LAMP RECEPTACLE
dimensions ø 48x38x5 mm
for OVEN



ANGELO PO

3221052 GLASS FOR OVEN LAMP RECEPTACLE ø 57 mm
thread ø 33.5 mm - overall height 34 mm



ANGELO PO 32X3080

- 3221350 LAMP RECEPTACLE WITH LAMP E14 15W 230V**
 lamp glass $\varnothing$ 42 mm
 mounting hole $\varnothing$ 38 mm
 max temperature 300°C



ANGELO PO 32W0746

- 3221053 GASKET FOR OVEN LAMP RECEPTACLE**
 dimensions $\varnothing$ 48x38x5 mm
 for OVEN



ANGELO PO

- 3221392 GASKET KIT FOR OVEN LAMP RECEPTACLE**
 dimensions $\varnothing$ 53x44x3 mm
 dimensions O-Ring $\varnothing$ 50x45x1.85 mm



- 2101372 LAMP RECEPTACLE E14 25W 230V**
 mounting hole $\varnothing$ 38 mm
 max temperature 300°C



- 3221061 OVEN LAMP E14 25W 230V**
 max temperature 300°C
 for OVEN - PIZZA OVEN



ANGELO PO 32W0210

ANGELO PO 32W3900

Suitable for:

- 3186522 GASKET FOR OVEN LAMP RECEPTACLE**
 dimensions $\varnothing$ 40x30x2 mm



- 3786614 GASKET FOR OVEN LAMP RECEPTACLE**
 dimensions 48x41x3 mm



- 3221233 GLASS FOR OVEN LAMP RECEPTACLE $\varnothing$ 42 mm**
 thread $\varnothing$ 33 mm - overall height 26 mm



- 3221041 OVEN LAMP E14 15W 230V**
 max temperature 300°C
 for OVEN - PIZZA OVEN



ANGELO PO 32W0780



Suitable for:

ANGELO PO



3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V

lamp glass $\varnothing$ 42 mm
mounting hole $\varnothing$ 38 mm
max temperature 300°C
for OVEN



ANGELO PO 32W2561

3786614 GASKET FOR OVEN LAMP RECEPTACLE

dimensions 48x41x3 mm



2101372 LAMP RECEPTACLE E14 25W 230V

mounting hole $\varnothing$ 38 mm
max temperature 300°C



3221061 OVEN LAMP E14 25W 230V

max temperature 300°C
for OVEN - PIZZA OVEN



ANGELO PO 32W0210

ANGELO PO 32W3900

2110636 OVEN LAMP RECEPTACLE GLASS $\varnothing$ 41 mm

thread $\varnothing$ 34 mm - overall height 36 mm



ANGELO PO 32W3910

Suitable for:

3186522 GASKET FOR OVEN LAMP RECEPTACLE

dimensions $\varnothing$ 40x30x2 mm



3221392 GASKET KIT FOR OVEN LAMP RECEPTACLE

dimensions $\varnothing$ 53x44x3 mm
dimensions O-Ring $\varnothing$ 50x45x1.85 mm



3221041 OVEN LAMP E14 15W 230V

max temperature 300°C
for OVEN - PIZZA OVEN



ANGELO PO 32W0780

3221625 OVEN LAMP RECEPTACLE $\varnothing$ 51 mm

thread $\varnothing$ 33 mm - overall height 27 mm



3221320 LAMP RECEPTACLE WITH LAMP E14 25W 230V
ceramic foot ø 30 mm
external dimensions 75x60 mm
max. temperature 300°C



ANGELO PO 3097180

Suitable for:

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ANGELO PO 32W0780

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ANGELO PO 32W0210

ANGELO PO 32W3900

3221326 LAMP RECEPTACLE WITH LAMP G4 20W 12V
lamp glass ø 41 mm
mounting hole ø 37 mm
wire connection length 430 mm



ANGELO PO 3008760

ANGELO PO 3019720

3221638 HALOGEN LAMP NEUT. OSRAM G4 20W 12V
max. temperature 250°C



3221639 HALOGEN LAMP NEUT. OSRAM G4 10W 12V
max. temperature 250°C



3221250 HALOGEN LAMP NEUTRAL G4 10W 12V
max. temperature 250°C



3221321 HALOGEN LAMP RECEPTACLE G4 20W 12V
mounting hole ø 37 mm
wire connection length 430 mm



3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
max. temperature 250°C



ANGELO PO 3019710

ANGELO PO 3030660



Suitable for:

3221616 NEUTRAL HALOGEN LAMP G4 20W 24V
max. temperature 250°C



ANGELO PO



Suitable for:

3221416 NEUTRAL HALOGEN LAMP G4 35W 12V
max. temperature 250°C



2110636 OVEN LAMP RECEPTACLE GLASS ø 41 mm
thread ø 34 mm - overall height 36 mm



3221327 TRANSFORMER F/HALOGEN LAMP 230V/12V
dimensions 150x42x30 mm



ANGELO PO 32W3910


2110636 OVEN LAMP RECEPTACLE GLASS ø 41 mm
thread ø 34 mm - overall height 36 mm



ANGELO PO 32W3910

Lava rock grids

5033596 CAST IRON SUPPORT GRID 470x300 mm
for Grill gas (ANGELO PO) 1G0GRG



5024746 CAST IRON SUPPORT GRID 655x175x15 mm
for Lava rock grill gas (ANGELO PO) 0A0GRG
0D0GRG - 08WGRGV - 090GRG - 1A0GRG - 1D0GRG
190GRG




ANGELO PO 3000930

ANGELO PO 36A5530

ANGELO PO 3008250

5025748 GRID FOR CERAMIC TILES 315x295 mm
thickness 24 mm
made of STAINLESS STEEL
for Lava rock grill (ANGELO PO)
08WGRGV PER MACCHINE FINO AL 2007
090GRG PER MACCHINE FINO AL 2007
190GRG PER MACCHINE FINO AL 2007



3250131 SPRING FOR CERAMIC GRID FRAME
for Grill gas (ANGELO PO) 0A0GRG - 0D0GRG
08WGRGV - 090GRG - 1A0GRG - 1D0GRG - 1G0GRG
190GRG



ANGELO PO 3062860

ANGELO PO 3062861

ANGELO PO 3193140

ANGELO PO 35Y2780




Suitable for:

ANGELO PO



- 5028863 GRID FOR CERAMIC TILES 420x280 mm**
thickness 24 mm
made of STAINLESS STEEL
for Lava rock grill (ANGELO PO) 1G0GRG



ANGELO PO 3193150

ANGELO PO 36A5540

Suitable for:

- 3250131 SPRING FOR CERAMIC GRID FRAME**
for Grill gas (ANGELO PO) 0A0GRG - 0D0GRG
08WGRGV - 090GRG - 1A0GRG - 1D0GRG - 1G0GRG
190GRG



ANGELO PO 35Y2780

- 3185097 GRID FOR CERAMIC TILES 600x330 mm**
thickness 24 mm
made of stainless steel
for Lava rock grill (ANGELO PO) 0A0GRG - 0D0GRG
1A0GRG - 1D0GRG



ANGELO PO 36A4230

ANGELO PO 36A5290

- 3250131 SPRING FOR CERAMIC GRID FRAME**
for Grill gas (ANGELO PO) 0A0GRG - 0D0GRG
08WGRGV - 090GRG - 1A0GRG - 1D0GRG - 1G0GRG
190GRG



ANGELO PO 35Y2780

- 3250131 SPRING FOR CERAMIC GRID FRAME**
for Grill gas (ANGELO PO) 0A0GRG - 0D0GRG
08WGRGV - 090GRG - 1A0GRG - 1D0GRG - 1G0GRG
190GRG



ANGELO PO 35Y2780

Lavarock

- 3310009 CERAMIC TILES PACKAGE 40 PCS**
40 tiles
for Grill (ANGELO PO)



ANGELO PO 37T1320



Suitable for:

ANGELO PO



Suitable for:

Magnet groups

3182009 MAGNETIC UNIT PEL BIG HEADED
ø head 15.5 mm - ø end 14 mm - length 44 mm
for PEL tap model 22-24



ANGELO PO 32Z1460

3182011 MAGNETIC UNIT PEL SMALL HEADED
ø head 15 mm - ø end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



ANGELO PO 32Z1520

3182003 MAGNETIC UNIT SIT
ø head 25 mm - ø end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



ANGELO PO 32Z1490

3182007 MAGNETIC UNIT SIT
ø head 33 mm - ø end 22 mm - length 56 mm
for valve SIT MODUSIT - OP575



ANGELO PO 32Z1500

Microswitches

5035288 *****
dimensioni esterne 110x67x45 mm
interasse fori 90 mm
for Bratt pan electric (ANGELO PO) - Series ALPHA
Series DELTA
for Bratt pan gas (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 35R7760

3240179 MAGNETIC MICROSWITCH E5301C
0.4A 250V - contact NO - head 65x20x9 mm
with cable length 500 mm



ANGELO PO 32W1210

3240181 PROTECTED MAGNET 62x18x10 mm



Suitable for:

Suitable for:

9100050 MAGNETIC MICROSWITCH PSA60010
2A 240Vac - contact NO - head 52x16x7 mm
with cable length 350 mm



ANGELO PO 3022950

3240189 MICRO SWITCH M1DX20 10A 250V



ANGELO PO 32W3020

3240234 LIMIT SWITCH PIN



ANGELO PO 36G6040

ANGELO PO 36G6041

3240235 RING NUT M16x1.5 mm



ANGELO PO 33Q5610

3240149 MICROSWITCH FR508A 3A 400V



ANGELO PO 32W3251

5003350 ASTA MICROINTERRUTTORE 48x30 mm



ANGELO PO 36D8360


3250071 MICROSWITCH SPRING ø 13x25 mm



ANGELO PO 36G7140

3240407 MICROSWITCH KIT 16A 250V

3 locking positions
the kit includes 5 levers:
lever 75 mm - lever 27 mm - lever 15 mm
lever 15 mm with wheel - lever 27 mm with wheel



ANGELO PO 32W4240



ANGELO PO



Suitable for:

3240410 MICROSWITCH 16(4)A 250V



ANGELO PO 32W0960

ANGELO PO 32W1660

ANGELO PO 32W3340

3240236 LIMIT SWITCH CONTROL



ANGELO PO 30T2250

3240233 MICROSWITCH FITTING M16x1.5 mm



ANGELO PO 33Q4120

3240235 RING NUT M16x1.5 mm



ANGELO PO 33Q5610

3240820 MICROSWITCH 16A 250V



ANGELO PO 32W1320

3240473 GASKET FOR BUSHING



Suitable for:

3240203 BUSHING DOOR MICROSWITCH
external $\varnothing$ 10x15 mm



3240234 LIMIT SWITCH PIN



ANGELO PO 36G6040

ANGELO PO 36G6041

3250071 MICROSWITCH SPRING $\varnothing$ 13x25 mm



ANGELO PO 36G7140

3240152 BUSHING FOR MICROSWITCH




5035454 MICRO SUPPORT
for WASHING MACHINE LF25





Suitable for:

3240166 MOUNTING PLATE FOR MICROSWITCH
external dimensions 46x26 mm



ANGELO PO



Suitable for:

3240153 ROD FOR MICROSWITCH




3240154 SPRING FOR MICROSWITCH ROD




Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan ø 150 mm



ANGELO PO 32M5690

3240105 MOTOR 1048.1920 0.045/0.0765Kw 220/240V
50/60Hz 2800/3400rpm
plate dimensions 150x150 mm
distance between holes 130 mm
for Oven under cooktop (ANGELO PO) - Series GAMMA
Series JUNIOR



ANGELO PO 32M4301

3240243 FAN ø 165 mm
thickness 40 mm
total blades 36 - ø hole 8 mm



3340008 COUNTER-FLANGE FOR MAIN SHAFT
external ø 60 mm - internal ø 18.5 mm
thickness 6 mm



3161004 FLANGE FOR MAIN SHAFT
external ø 60 mm - internal ø 18.5 mm
thickness 8 mm





Suitable for:

3240240 FLANGE FOR MAIN SHAFT
external $\varnothing$ 45mm - internal $\varnothing$ 12mm - thickness 6mm



ANGELO PO



Suitable for:

3240106 IMPELLER $\varnothing$ 160 mm
thickness 35 mm
12 blades - hole $\varnothing$ 8 mm
for Oven under cooktop (ANGELO PO) - Series GAMMA
Series JUNIOR



ANGELO PO 32M0370

3186411 MAIN SHAFT SEALING GASKET
external $\varnothing$ 22mm - internal $\varnothing$ 10mm-thickness 3.5mm



OR and ORM gaskets

3186143 GASKET OR 04093 EPDM



ANGELO PO 3150520

3186656 HEATING ELEMENT GASKET KIT
consists of 2 silicone OR0152 gaskets
and 1 grease can



ANGELO PO 60A0980

3186014 O-RING GASKET 06225 EPDM $\varnothing$ 67 mm



ANGELO PO 3150430

ANGELO PO 3151960

ANGELO PO 37Q5260

3523062 O-RING 0119 RED SILICONE



ANGELO PO 3150390

1186411 O-RING 02031 EPDM



ANGELO PO 3035830

ANGELO PO 3152210

3186440 O-RING 02075 EPDM



ANGELO PO 37Q1210



Suitable for:

1186238 O-RING 04081 EPDM



ANGELO PO 3150800

Suitable for:

3067198 O-RING 04162 EPDM



ANGELO PO

3186657 RED SILICONE O-RING 02187



ANGELO PO 3152040

3186241 VITON O-RING 06212
for DRAIN TAP ø 2" OLD MODEL AND
TECNO NEW MODEL



ANGELO PO 3152331


Pilot burners and accessories

5048713 *****



ANGELO PO 33A1081

3020005 BURNER PILOT 2-FLAME GASCO
multigas with jet ø 0.20 mm
with 3 position bracket



ANGELO PO 6000290

5014757 CONNECTION PIPE ø 6 mm
thread M10x1 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



ANGELO PO 33A0980

4058525 NOZZLE FOR PILOT BURNER ø 0.30 mm





Suitable for:

3020083 NUT & OLIVE $\varnothing$ 4 mm



3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



ANGELO PO 36Q0030

ANGELO PO 36Q0200

3020081 OLIVE FOR 6 mm $\varnothing$ PIPE



ANGELO PO 36Q0020

3020308 PILOT ASSEMBLY WITH NOZZLE $\varnothing$ 0.40 mm



ANGELO PO 33A0690

3020156 PILOT JET $\varnothing$ 0.25 mm



ANGELO PO 33T0340

5015516 PILOT NOZZLE $\varnothing$ 0.40 mm



ANGELO PO 33T3130

ANGELO PO



Suitable for:

3020084 NUT & OLIVE $\varnothing$ 6 mm



**3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22**



3020097 PILOT AERATION REGULATOR
internal $\varnothing$ 7 mm - external $\varnothing$ 9 mm
height 10 mm



ANGELO PO 33A0970

3020054 PILOT JET $\varnothing$ 0.20 mm



3020055 PILOT JET $\varnothing$ 0.35 mm



ANGELO PO 33T0410

3500269 PILOT NOZZLE $\varnothing$ 0.45 mm





Suitable for:

3020105 PILOT WITH 0.20 mm Ø JET



3020107 PILOT WITH 0.35 mm Ø JET



ANGELO PO 33A2900

**3020077 PIPE FITTING Ø 4 mm
thread M10x1**



ANGELO PO 36Q1000

**3020294 ROUND IGNITION ELECTRODE Ø 7x44 mm
M faston M4x1 mm
overall length 67 mm**



**3020060 SPARKING PLUG ROUND Ø 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



ANGELO PO

ANGELO PO

Suitable for:

3020106 PILOT WITH 0.25 mm Ø JET



ANGELO PO 33A0960

**3020079 PIPE FITTING Ø 12 mm
thread Ø 3/8" F**



ANGELO PO 36Q0710

**3020078 PIPE FITTING Ø 6 mm
thread M10x1**



ANGELO PO 36Q0060

**3001003 ROUND SPARKING PLUG Ø 7x44 mm
male faston M4x1 mm
total length 65 mm**



ANGELO PO 32T0320

**3020124 SPARKING PLUG ROUND Ø 7x44 mm
connection Ø 2.4 mm
overall length 58 mm**



ANGELO PO





Suitable for:

3020365 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 52 mm



ANGELO PO



Suitable for:

3020103 THREE-POSITION BRACKET



3020104 THREE-POSITION BRACKET CLAMP



ANGELO PO 33A1000

3020109 TWO-FLAME DEFLECTOR



ANGELO PO 33A0950

3020235 COMPLETE PILOT ASSEMBLY
with nozzle $\varnothing$ 0.20 mm



3020097 PILOT AERATION REGULATOR
internal $\varnothing$ 7 mm - external $\varnothing$ 9 mm
height 10 mm



ANGELO PO 33A1430

3020119 PILOT CAP 1 FLAME
for multigas burner



ANGELO PO 33A0970

3020106 PILOT WITH 0.25 mm $\varnothing$ JET



ANGELO PO 33A1070

3020107 PILOT WITH 0.35 mm $\varnothing$ JET



ANGELO PO 33A0960

ANGELO PO 33A2900

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



ANGELO PO 36Q1050

ANGELO PO 33A0980



Suitable for:

ANGELO PO



3020137 HOLE CAP



ANGELO PO 31V0370

Suitable for:

3020135 OLIVE CLAMP M12x1 mm



ANGELO PO 36Q1620

3020082 OLIVE FOR 12 mm ø PIPE



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

3020111 OLIVE FOR 4 mm ø PIPE



ANGELO PO 36Q1040

3020081 OLIVE FOR 6 mm ø PIPE




ANGELO PO 36Q0020

3020001 ONE-FLAME PILOT BURNER SIT
multigas with jet ø 0.20 mm
with 2 positions bracket



ANGELO PO LF-3020434

3020292 BRACKET PILOT BURN. SUPPORT 47x40x15 mm
for burner ø 90 mm



3020293 BRACKET PILOT BURN. SUPPORT 65x50x45 mm
for burner ø 115 mm



3020291 BRACKET PILOT BURN. SUPPORT 85x45x55 mm
for burner ø 135 mm



5014757 CONNECTION PIPE ø 6 mm
thread M10x1 mm



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



ANGELO PO 33A0980



Suitable for:

4058525 NOZZLE FOR PILOR BURNER ø 0.30 mm



ANGELO PO



Suitable for:

3020083 NUT & OLIVE ø 4 mm



3020084 NUT & OLIVE ø 6 mm



3020082 OLIVE FOR 12 mm ø PIPE



**3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22**



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

3020081 OLIVE FOR 6 mm ø PIPE



3020108 ONE-FLAME DEFLECTOR



ANGELO PO 36Q0020

3020097 PILOT AERATION REGULATOR
internal ø 7 mm - external ø 9 mm
height 10 mm



3020308 PILOT ASSEMBLY WITH NOZZLE ø 0.40 mm



ANGELO PO 33A0970

3020115 PILOT CAP 1 FLAME



ANGELO PO 33A0690

3020054 PILOT JET ø 0.20 mm



ANGELO PO 33A0380

3020156 PILOT JET ø 0.25 mm



ANGELO PO 33T0340



Suitable for:

3020055 PILOT JET $\varnothing$ 0.35 mm



ANGELO PO 33T0410

3500269 PILOT NOZZLE $\varnothing$ 0.45 mm



3020105 PILOT WITH 0.20 mm $\varnothing$ JET



3020107 PILOT WITH 0.35 mm $\varnothing$ JET



ANGELO PO 33A2900

**3020077 PIPE FITTING $\varnothing$ 4 mm
thread M10x1**



ANGELO PO 36Q1000

**3020294 ROUND IGNITION ELECTRODE $\varnothing$ 7x44 mm
M faston M4x1 mm
overall length 67 mm**



ANGELO PO



Suitable for:

5015516 PILOT NOZZLE $\varnothing$ 0.40 mm



ANGELO PO 33T3130

**3020092 PILOT SUPPORT BRACKET LH 92x55x45 mm
for mounting of pilot assembly**



3020106 PILOT WITH 0.25 mm $\varnothing$ JET



ANGELO PO 33A0960

**3020079 PIPE FITTING $\varnothing$ 12 mm
thread $\varnothing$ 3/8" F**



ANGELO PO 36Q0710

**3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1**



ANGELO PO 36Q0060

**3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm**



ANGELO PO 32T0320



Suitable for:

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



ANGELO PO

3020365 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 52 mm



3020101 TWO-POSITION BRACKET CLAMP



ANGELO PO



Suitable for:

3020124 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 58 mm



ANGELO PO

3020100 TWO-POSITION BRACKET



3020025 ONE-FLAME PILOT BURNER SIT
multigas type with nozzle $\varnothing$ 0.25 mm
with 2 positions bracket




ANGELO PO

3020293 BRACKET PILOT BURN. SUPPORT 65x50x45 mm
for burner $\varnothing$ 115 mm



3020292 BRACKET PILOT BURN. SUPPORT 47x40x15 mm
for burner $\varnothing$ 90 mm



3020291 BRACKET PILOT BURN. SUPPORT 85x45x55 mm
for burner $\varnothing$ 135 mm





Suitable for:

5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



4058525 NOZZLE FOR PILOR BURNER $\varnothing$ 0.30 mm



3020084 NUT & OLIVE $\varnothing$ 6 mm



3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



3020108 ONE-FLAME DEFLECTOR



3020115 PILOT CAP 1 FLAME



ANGELO PO 33A0380

ANGELO PO



Suitable for:

3020102 HEXAGON HEAD SCREW 3/16"x18 mm



ANGELO PO 33A0980

3020083 NUT & OLIVE $\varnothing$ 4 mm



3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

3020081 OLIVE FOR 6 mm $\varnothing$ PIPE



ANGELO PO 36Q0020

3020308 PILOT ASSEMBLY WITH NOZZLE $\varnothing$ 0.40 mm



ANGELO PO 33A0690

3020119 PILOT CAP 1 FLAME
for multigas burner



ANGELO PO 33A1070



Suitable for:

3020054 PILOT JET $\varnothing$ 0.20 mm



3020055 PILOT JET $\varnothing$ 0.35 mm



ANGELO PO 33T0410

3500269 PILOT NOZZLE $\varnothing$ 0.45 mm



3020105 PILOT WITH 0.20 mm $\varnothing$ JET



3020107 PILOT WITH 0.35 mm $\varnothing$ JET



ANGELO PO 33A2900

**3020077 PIPE FITTING $\varnothing$ 4 mm
thread M10x1**



ANGELO PO 36Q1000

ANGELO PO

Suitable for:

3020156 PILOT JET $\varnothing$ 0.25 mm



ANGELO PO 33T0340

5015516 PILOT NOZZLE $\varnothing$ 0.40 mm



ANGELO PO 33T3130

**3020092 PILOT SUPPORT BRACKET LH 92x55x45 mm
for mounting of pilot assembly**



3020106 PILOT WITH 0.25 mm $\varnothing$ JET



ANGELO PO 33A0960

**3020079 PIPE FITTING $\varnothing$ 12 mm
thread $\varnothing$ 3/8" F**



ANGELO PO 36Q0710

**5033138 PIPE FITTING $\varnothing$ 4 mm
thread $\varnothing$ 1/8"**





Suitable for:

3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



ANGELO PO 36Q0060

3020294 ROUND IGNITION ELECTRODE $\varnothing$ 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



ANGELO PO

3020365 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 52 mm



3020101 TWO-POSITION BRACKET CLAMP



ANGELO PO

Suitable for:

5027953 PIPE OLIVE $\varnothing$ 4 mm
for COPRECI CAL3200



3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



ANGELO PO 32T0320

3020124 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 58 mm



ANGELO PO

3020100 TWO-POSITION BRACKET





Suitable for:

ANGELO PO



Suitable for:

- 3020033 ONE-FLAME PILOT BURNER SIT**
multigas nozzle
external regulation with 7 mm nut




ANGELO PO 33A0200

- 3020293 BRACKET PILOT BURN. SUPPORT 65x50x45 mm**
for burner ø 115 mm



- 3020292 BRACKET PILOT BURN. SUPPORT 47x40x15 mm**
for burner ø 90 mm



- 3020291 BRACKET PILOT BURN. SUPPORT 85x45x55 mm**
for burner ø 135 mm



- 3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



- 3020083 NUT & OLIVE ø 4 mm**



ANGELO PO 33A0980

- 3020084 NUT & OLIVE ø 6 mm**



- 3348036 OLIVE FOR 4 mm ø PIPE**
for model PEL 21-22



- 3020081 OLIVE FOR 6 mm ø PIPE**



- 3020108 ONE-FLAME DEFLECTOR**



ANGELO PO 36Q0020

- 3020097 PILOT AERATION REGULATOR**
internal ø 7 mm - external ø 9 mm
height 10 mm



ANGELO PO 33A0970

- 3020308 PILOT ASSEMBLY WITH NOZZLE ø 0.40 mm**



ANGELO PO 33A0690



Suitable for:

3020115 PILOT CAP 1 FLAME



ANGELO PO 33A0380

3020105 PILOT WITH 0.20 mm Ø JET



3020107 PILOT WITH 0.35 mm Ø JET



ANGELO PO 33A2900

**3020077 PIPE FITTING Ø 4 mm
thread M10x1**



ANGELO PO 36Q1000

**3020294 ROUND IGNITION ELECTRODE Ø 7x44 mm
M faston M4x1 mm
overall length 67 mm**



ANGELO PO



Suitable for:

**3020092 PILOT SUPPORT BRACKET LH 92x55x45 mm
for mounting of pilot assembly**



3020106 PILOT WITH 0.25 mm Ø JET



ANGELO PO 33A0960

**3020079 PIPE FITTING Ø 12 mm
thread Ø 3/8" F**



ANGELO PO 36Q0710

**3020078 PIPE FITTING Ø 6 mm
thread M10x1**



ANGELO PO 36Q0060

**3001003 ROUND SPARKING PLUG Ø 7x44 mm
male faston M4x1 mm
total length 65 mm**



ANGELO PO 32T0320



Suitable for:

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



ANGELO PO

3020365 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 52 mm



3020101 TWO-POSITION BRACKET CLAMP



ANGELO PO



Suitable for:

3020124 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 58 mm



ANGELO PO

3020100 TWO-POSITION BRACKET



3020286 ONE-FLAME PILOT BURNER SIT PRINTED
without sparking plug, gas nozzle and gasket
thermocouple fitting included
for Lava rock grill gas (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 33A1630

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



ANGELO PO 36Q1050

5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



3020200 FITTING FOR THERMOCOUPLE $\varnothing$ 6.5 mm
thread M10x1





Suitable for:

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



3020086 PILOT GASKET



3020157 PILOT JET ø 0.25 mm



3020041 PILOT JET ø 0.41 mm



ANGELO PO 33T2870

3020077 PIPE FITTING ø 4 mm
thread M10x1



ANGELO PO 36Q1000

ANGELO PO

Suitable for:

3020111 OLIVE FOR 4 mm ø PIPE




ANGELO PO 36Q1040

3020112 OLIVE FOR 6 mm ø PIPE



3020557 PILOT JET ø 0.20 mm



ANGELO PO 33T4300

3020040 PILOT JET ø 0.30 mm



3020187 PILOT NOZZLE ø 0.51 mm



3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22





Suitable for:

3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



ANGELO PO 36Q0060

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



ANGELO PO 32T0320

3020124 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 58 mm



ANGELO PO

3020308 PILOT ASSEMBLY WITH NOZZLE $\varnothing$ 0.40 mm



ANGELO PO 33A0690

3020099 PILOT BURNER
made of stainless steel
for Pot stove gas (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 33A1490

ANGELO PO



Suitable for:

3020294 ROUND IGNITION ELECTRODE $\varnothing$ 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



ANGELO PO

3020365 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 52 mm



5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm





Suitable for:

3020134 GASKET $\varnothing$ 8x7x1 mm



ANGELO PO 3152550

3020137 HOLE CAP



ANGELO PO 31V0370

3020111 OLIVE FOR 4 mm $\varnothing$ PIPE



ANGELO PO 36Q1040

3020129 PILOT BURNER
made of chrome-plated brass
connection $\varnothing$ 10 mm
for Pot stove gas (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 33A1920

3020052 PILOT GAS JET $\varnothing$ 0.25 mm



ANGELO PO 33T0240

**3020077 PIPE FITTING $\varnothing$ 4 mm
thread M10x1**



ANGELO PO 36Q1000

ANGELO PO



Suitable for:

3020136 GASKET FOR PILOT $\varnothing$ 38x34.5x1.75 mm



ANGELO PO 3152370

3020135 OLIVE CLAMP M12x1 mm



ANGELO PO 36Q1620

3020081 OLIVE FOR 6 mm $\varnothing$ PIPE



ANGELO PO 36Q0020

3020133 PILOT BURNER SUPPORT
for Pot stove gas (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 34A2380

ANGELO PO 34A2381

3020053 PILOT GAS JET $\varnothing$ 0.40 mm



ANGELO PO 33T0050

**3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1**



ANGELO PO 36Q0060



Suitable for:

3020131 PIPE OLIVE $\varnothing$ 8 mm



ANGELO PO 36Q1630

ANGELO PO



Suitable for:

1250023 RADIAL SEEGER RING $\varnothing$ 5 mm
stainless steel - external $\varnothing$ 11.3 - thickness 0.7
UNI 7434 - DIN 6799



ANGELO PO 3120460

3020129 PILOT BURNER
made of chrome-plated brass
connection $\varnothing$ 10 mm
for Pot stove gas (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 33A1920

3020018 PILOT BURNER GPL CB 503.003
with LPG jet and pilot olive
with pilot pipe connection



ANGELO PO

3020051 FITTING FOR PILOT $\varnothing$ 4 mm
thread M10x1
for pilot burner JUNKERS/ORKLI



3020112 OLIVE FOR 6 mm $\varnothing$ PIPE



5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



3020050 OLIVE FOR PIPE $\varnothing$ 4 mm
for pilot burner series CB 502-CB 503



3020048 PILOT GAS JET $\varnothing$ 0.21 mm
for pilot burner series CB 503-CB 50203.






Suitable for:

3020049 PILOT GAS JET $\varnothing$ 0.28 mm
for pilot burner series CB 503



3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



ANGELO PO



Suitable for:

3348029 PIPE FITTING $\varnothing$ 4 mm
thread M10x1
for model PEL 21-22



ANGELO PO 36Q0060

3020159 PILOT BURNER NATURAL GAS CB 503.006
with NATURAL GAS nozzle and pilot olive
with pilot pipe connection



ANGELO PO 33A0470

3020051 FITTING FOR PILOT $\varnothing$ 4 mm
thread M10x1
for pilot burner JUNKERS/ORKLI



5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



3020050 OLIVE FOR PIPE $\varnothing$ 4 mm
for pilot burner series CB 502-CB 503



3020114 OLIVE FOR PIPE $\varnothing$ 6 mm



3020111 OLIVE FOR 4 mm $\varnothing$ PIPE



3020112 OLIVE FOR 6 mm $\varnothing$ PIPE



ANGELO PO 36Q1040

3020466 PILOT BURNER PROTECTION 25x25x18 mm






Suitable for:

3020048 PILOT GAS JET $\varnothing$ 0.21 mm
for pilot burner series CB 503-CB 50203.



3348029 PIPE FITTING $\varnothing$ 4 mm
thread M10x1
for model PEL 21-22



ANGELO PO



Suitable for:

3020049 PILOT GAS JET $\varnothing$ 0.28 mm
for pilot burner series CB 503



3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



ANGELO PO 36Q0060

3020020 PILOT BURNER NATURAL GAS CB 505.059
with NATURAL GAS nozzle and pilot olive
with pilot pipe connection
with sparking plug and plug fitting
with thermocouple fitting



ANGELO PO 33A0480

3020051 FITTING FOR PILOT $\varnothing$ 4 mm
thread M10x1
for pilot burner JUNKERS/ORKLI



5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



3349587 FITTING FOR SPARKING PLUG FIXING $\varnothing$ 9 mm
thread M12x1 mm
for pilot burner series CB 502-CB 505



3020200 FITTING FOR THERMOCOUPLE $\varnothing$ 6.5 mm
thread M10x1



3020120 NOZZLE FOR PILOT BURNER LPG 25mBAR
for pilot burner series CB 5050..





Suitable for:

5015514 NOZZLE FOR PILOT BURNER LPG 50mBAR
for pilot burner series CB 5050



3020050 OLIVE FOR PIPE $\varnothing$ 4 mm
for pilot burner series CB 502-CB 503



3348184 PILOT OLIVE FOR PIPE $\varnothing$ 6 mm
for pilot burner series CB 505



3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



ANGELO PO 36Q0060

3440048 THERMOCOUPLE SPRING
for pilot burner series CB 502-CB 505



ANGELO PO



Suitable for:

3020121 NOZZLE FOR PILOT BURNER METHAN 25mBAR
for pilot burner series CB 5050..



3020111 OLIVE FOR 4 mm $\varnothing$ PIPE



ANGELO PO 36Q1040

3348029 PIPE FITTING $\varnothing$ 4 mm
thread M10x1
for model PEL 21-22



3020062 SPARKING PLUG ROUND $\varnothing$ 9x39 mm
faston M4x1 mm
overall length 57 mm
for pilot burner series CB 505...





ANGELO PO



Suitable for:

3020133 PILOT BURNER SUPPORT
for Pot stove gas (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 34A2380

ANGELO PO 34A2381

Suitable for:

3020115 PILOT CAP 1 FLAME



ANGELO PO 33A0380

3020119 PILOT CAP 1 FLAME
for multigas burner



ANGELO PO 33A1070

3020118 PILOT DEFLECTOR 3 FLAMES 53x52 mm
for Pot stove gas (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series JUNIOR
Series SENIOR - Series SUMMIT



ANGELO PO 32Z2241

3020052 PILOT GAS JET $\varnothing$ 0.25 mm



ANGELO PO 33T0240

3020053 PILOT GAS JET $\varnothing$ 0.40 mm



ANGELO PO 33T0050

3020557 PILOT JET $\varnothing$ 0.20 mm



ANGELO PO 33T4300

3020156 PILOT JET $\varnothing$ 0.25 mm



ANGELO PO 33T0340

3020055 PILOT JET $\varnothing$ 0.35 mm



ANGELO PO 33T0410

3020041 PILOT JET $\varnothing$ 0.41 mm



ANGELO PO 33T2870



ANGELO PO



Suitable for:

3221506 PILOT LIGHT SUPPORT 100x30 mm
for Pot stove gas (ANGELO PO) - Series ALPHA
Series BIFRONT - Series DELTA - Series GAMMA
Series JUNIOR - Series SENIOR - Series SUMMIT



ANGELO PO 35V2570


Suitable for:

5015516 PILOT NOZZLE ø 0.40 mm




ANGELO PO 33T3130

3020165 PILOT SUPPORT 57x38 mm
for Pot stove gas (ANGELO PO) - Series ALPHA
Series BIFRONT - Series DELTA - Series SENIOR
Series SUMMIT




ANGELO PO 35V9140

3020167 PILOT SUPPORT 57x38 mm




ANGELO PO 35S0690

3020236 PILOT SUPPORT 73x56 mm
for Pot stove gas (ANGELO PO) - Series ALPHA
Series BIFRONT - Series DELTA - Series JUNIOR
Series SENIOR - Series SUMMIT



ANGELO PO 35V9130

3020165 PILOT SUPPORT 57x38 mm
for Pot stove gas (ANGELO PO) - Series ALPHA
Series BIFRONT - Series DELTA - Series SENIOR
Series SUMMIT



ANGELO PO 35V9140

3020167 PILOT SUPPORT 57x38 mm



ANGELO PO 35S0690

3020106 PILOT WITH 0.25 mm ø JET



ANGELO PO 33A0960

3020107 PILOT WITH 0.35 mm ø JET



ANGELO PO 33A2900



Suitable for:

ANGELO PO



3020079 PIPE FITTING $\varnothing$ 12 mm
thread $\varnothing$ 3/8" F



ANGELO PO 36Q0710

Suitable for:

3020077 PIPE FITTING $\varnothing$ 4 mm
thread M10x1



ANGELO PO 36Q1000

3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



ANGELO PO 36Q0060

3020131 PIPE OLIVE $\varnothing$ 8 mm



ANGELO PO 36Q1630

3020110 THREE-FLAME DEFLECTOR



ANGELO PO 33A1080

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet $\varnothing$ 0.20 mm
with 3 positions bracket



ANGELO PO 6000350

5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



5048713 DEFLETTORE A 3 FIAMME
tipo multigas con ugello $\varnothing$ 0,20 mm
con staffa 3 posizioni



ANGELO PO 33A1081

3020102 HEXAGON HEAD SCREW 3/16"x18 mm



ANGELO PO 33A0980

4058525 NOZZLE FOR PILOR BURNER $\varnothing$ 0.30 mm



3020083 NUT & OLIVE $\varnothing$ 4 mm





Suitable for:

3020084 NUT & OLIVE $\varnothing$ 6 mm



3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



3020097 PILOT AERATION REGULATOR
internal $\varnothing$ 7 mm - external $\varnothing$ 9 mm
height 10 mm



ANGELO PO 33A0970

3020054 PILOT JET $\varnothing$ 0.20 mm



3020055 PILOT JET $\varnothing$ 0.35 mm



ANGELO PO 33T0410

3500269 PILOT NOZZLE $\varnothing$ 0.45 mm



ANGELO PO



Suitable for:

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

3020081 OLIVE FOR 6 mm $\varnothing$ PIPE



ANGELO PO 36Q0020

3020308 PILOT ASSEMBLY WITH NOZZLE $\varnothing$ 0.40 mm



ANGELO PO 33A0690

3020156 PILOT JET $\varnothing$ 0.25 mm



ANGELO PO 33T0340

5015516 PILOT NOZZLE $\varnothing$ 0.40 mm



ANGELO PO 33T3130

3020105 PILOT WITH 0.20 mm $\varnothing$ JET





Suitable for:

3020106 PILOT WITH 0.25 mm ø JET



ANGELO PO 33A0960

**3020079 PIPE FITTING ø 12 mm
thread ø 3/8" F**



ANGELO PO 36Q0710

**5033138 PIPE FITTING ø 4 mm
thread ø 1/8"**



**5027953 PIPE OLIVE ø 4 mm
for COPRECI CAL3200**



**3001003 ROUND SPARKING PLUG ø 7x44 mm
male faston M4x1 mm
total length 65 mm**



ANGELO PO 32T0320

ANGELO PO



Suitable for:

3020107 PILOT WITH 0.35 mm ø JET



ANGELO PO 33A2900

**3020077 PIPE FITTING ø 4 mm
thread M10x1**



ANGELO PO 36Q1000

**3020078 PIPE FITTING ø 6 mm
thread M10x1**



ANGELO PO 36Q0060

**3020294 ROUND IGNITION ELECTRODE ø 7x44 mm
M faston M4x1 mm
overall length 67 mm**



**3020060 SPARKING PLUG ROUND ø 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



ANGELO PO



Suitable for:

3020124 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 58 mm



ANGELO PO

3020110 THREE-FLAME DEFLECTOR



ANGELO PO 33A1080

3020104 THREE-POSITION BRACKET CLAMP



ANGELO PO 33A0950

3020038 THREE-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included



ANGELO PO 33A2000

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



ANGELO PO 36Q1050

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



ANGELO PO

Suitable for:

3020365 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 52 mm



3020103 THREE-POSITION BRACKET



ANGELO PO 33A1000

5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



3020200 FITTING FOR THERMOCOUPLE $\varnothing$ 6.5 mm
thread M10x1



3020111 OLIVE FOR 4 mm $\varnothing$ PIPE



ANGELO PO 36Q1040





Suitable for:

3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



3020086 PILOT GASKET



3020157 PILOT JET $\varnothing$ 0.25 mm



3020041 PILOT JET $\varnothing$ 0.41 mm



ANGELO PO 33T2870

3020077 PIPE FITTING $\varnothing$ 4 mm
thread M10x1



ANGELO PO 36Q1000

3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



ANGELO PO 36Q0060

ANGELO PO




Suitable for:

3020112 OLIVE FOR 6 mm $\varnothing$ PIPE



3020557 PILOT JET $\varnothing$ 0.20 mm



ANGELO PO 33T4300

3020040 PILOT JET $\varnothing$ 0.30 mm



3020187 PILOT NOZZLE $\varnothing$ 0.51 mm



3348029 PIPE FITTING $\varnothing$ 4 mm
thread M10x1
for model PEL 21-22



3020294 ROUND IGNITION ELECTRODE $\varnothing$ 7x44 mm
M faston M4x1 mm
overall length 67 mm





Suitable for:

3001003 **ROUND SPARKING PLUG $\varnothing$ 7x44 mm**
male faston M4x1 mm
total length 65 mm



ANGELO PO 32T0320

3020124 **SPARKING PLUG ROUND $\varnothing$ 7x44 mm**
connection $\varnothing$ 2.4 mm
overall length 58 mm



ANGELO PO

3020103 **THREE-POSITION BRACKET**



ANGELO PO 33A1000

3020014 **TWO-FLAME PILOT BURNER LH**
without sparking plug, gas jet and gasket
with thermocouple fitting
for Pasta cooker gas (ANGELO PO) - Series ALPHA
Series BIFRONT - Series DELTA



ANGELO PO 33A0880

3020085 **FITTING FOR SPARKING PLUG FIXING M10x1mm**



ANGELO PO 36Q1050

ANGELO PO



Suitable for:

3020060 **SPARKING PLUG ROUND $\varnothing$ 7x44 mm**
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



ANGELO PO

3020365 **SPARKING PLUG ROUND $\varnothing$ 7x44 mm**
connection $\varnothing$ 2.4 mm
overall length 52 mm



3020104 **THREE-POSITION BRACKET CLAMP**



ANGELO PO 33A0950

5014757 **CONNECTION PIPE $\varnothing$ 6 mm**
thread M10x1 mm



3020200 **FITTING FOR THERMOCOUPLE $\varnothing$ 6.5 mm**
thread M10x1





Suitable for:

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



3020086 PILOT GASKET



3020157 PILOT JET ø 0.25 mm



3020041 PILOT JET ø 0.41 mm



ANGELO PO 33T2870

3020077 PIPE FITTING ø 4 mm
thread M10x1



ANGELO PO 36Q1000

ANGELO PO

Suitable for:

3020111 OLIVE FOR 4 mm ø PIPE




ANGELO PO 36Q1040

3020112 OLIVE FOR 6 mm ø PIPE



3020557 PILOT JET ø 0.20 mm



ANGELO PO 33T4300

3020040 PILOT JET ø 0.30 mm



3020187 PILOT NOZZLE ø 0.51 mm




3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22





Suitable for:

3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



ANGELO PO 36Q0060

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



ANGELO PO 32T0320

3020124 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 58 mm



ANGELO PO

3020013 TWO-FLAME PILOT BURNER RH
without sparking plug, gas jet and gasket
with thermocouple fitting
for Boiling pan gas (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 33A0750

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



ANGELO PO 36Q1050

ANGELO PO



Suitable for:

3020294 ROUND IGNITION ELECTRODE $\varnothing$ 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



ANGELO PO

3020365 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 52 mm



5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



3020200 FITTING FOR THERMOCOUPLE $\varnothing$ 6.5 mm
thread M10x1





Suitable for:

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



3020086 PILOT GASKET



3020157 PILOT JET ø 0.25 mm



3020041 PILOT JET ø 0.41 mm



ANGELO PO 33T2870

3020077 PIPE FITTING ø 4 mm
thread M10x1



ANGELO PO 36Q1000

ANGELO PO

Suitable for:

3020111 OLIVE FOR 4 mm ø PIPE




ANGELO PO 36Q1040

3020112 OLIVE FOR 6 mm ø PIPE



3020557 PILOT JET ø 0.20 mm



ANGELO PO 33T4300

3020040 PILOT JET ø 0.30 mm



3020187 PILOT NOZZLE ø 0.51 mm




3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22





Suitable for:

3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



ANGELO PO 36Q0060

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



ANGELO PO 32T0320

3020124 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 58 mm



ANGELO PO

3020002 TWO-FLAME PILOT BURNER SIT
multigas with jet $\varnothing$ 0.20 mm
with 2 positions bracket



ANGELO PO

3020102 HEXAGON HEAD SCREW 3/16"x18 mm



ANGELO PO 33A0980

ANGELO PO



Suitable for:

3020294 ROUND IGNITION ELECTRODE $\varnothing$ 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



ANGELO PO

3020365 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 52 mm



5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



4058525 NOZZLE FOR PILOT BURNER $\varnothing$ 0.30 mm





Suitable for:

3020083 NUT & OLIVE $\varnothing$ 4 mm



3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



ANGELO PO 36Q0030

ANGELO PO 36Q0200

3020081 OLIVE FOR 6 mm $\varnothing$ PIPE



ANGELO PO 36Q0020

3020308 PILOT ASSEMBLY WITH NOZZLE $\varnothing$ 0.40 mm



ANGELO PO 33A0690

3020156 PILOT JET $\varnothing$ 0.25 mm



ANGELO PO 33T0340

5015516 PILOT NOZZLE $\varnothing$ 0.40 mm



ANGELO PO 33T3130

ANGELO PO



Suitable for:

3020084 NUT & OLIVE $\varnothing$ 6 mm



**3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22**



3020097 PILOT AERATION REGULATOR
internal $\varnothing$ 7 mm - external $\varnothing$ 9 mm
height 10 mm



ANGELO PO 33A0970

3020054 PILOT JET $\varnothing$ 0.20 mm



3020055 PILOT JET $\varnothing$ 0.35 mm



ANGELO PO 33T0410

3500269 PILOT NOZZLE $\varnothing$ 0.45 mm





Suitable for:

3020105 PILOT WITH 0.20 mm Ø JET



3020107 PILOT WITH 0.35 mm Ø JET



ANGELO PO 33A2900

**3020077 PIPE FITTING Ø 4 mm
thread M10x1**



ANGELO PO 36Q1000

**3020078 PIPE FITTING Ø 6 mm
thread M10x1**



ANGELO PO 36Q0060

**3020294 ROUND IGNITION ELECTRODE Ø 7x44 mm
M faston M4x1 mm
overall length 67 mm**



ANGELO PO



Suitable for:

3020106 PILOT WITH 0.25 mm Ø JET



ANGELO PO 33A0960

**3020079 PIPE FITTING Ø 12 mm
thread Ø 3/8" F**



ANGELO PO 36Q0710

**5033138 PIPE FITTING Ø 4 mm
thread Ø 1/8"**





Suitable for:

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



ANGELO PO

3020365 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 52 mm



3020100 TWO-POSITION BRACKET



ANGELO PO



Suitable for:

3020124 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 58 mm



ANGELO PO

3020109 TWO-FLAME DEFLECTOR



3020101 TWO-POSITION BRACKET CLAMP



Pistons

3321006 HYDRAULIC PISTON $\varnothing$ 40x270 mm
for Bratt pan electric (ANGELO PO) 71ARE - 91ARE
for Bratt pan gas (ANGELO PO) 71RA - 91RA



ANGELO PO 36G2081

ANGELO PO 36G2082

Pressure gauges

3054034 PRESSURE GAUGE $\varnothing$ 60 mm
coupling $\varnothing$ 1/8" M
range 0-1 bar



ANGELO PO 32V0940

Pressure switches

5050373 PRESSURE SWITCH 1 LEVEL

calibration 350/265 mm

250V 16A

for Pasta cooker electric (ANGELO PO)

Series MONOLITHE - 0G1CP1E - 04WCP1EM - 091CP1E

for Pasta cooker gas (ANGELO PO) 0G1CP1G

06WCP1GM - 08WCP1GM - 091CP1G - 1G1CP1G

1G1CP2G - 191CP1G - 191CP2G



ANGELO PO 3017600

ANGELO PO 3160100

ANGELO PO 3253760

Probes

5053462 *****

2 fili - temperatura -50+750°C

lunghezza sonda 40 mm - ø sonda 4 mm

lunghezza cavo 960 mm

for Fry top electric (ANGELO PO) - Series ALPHA

Series OMEGA

for Solid top range electric (ANGELO PO)

Series ALPHA - Series OMEGA



ANGELO PO 3104950

5024504 PROBE TEMPERATURE PT1000

2 wires

probe length 100 mm

cable length 1000 mm

with fastening coupling M10x1 mm

for Fryer electric (ANGELO PO) - Series ALPHA

for Fryer gas (ANGELO PO) - Series ALPHA



ANGELO PO 32V5760

3445107 PTC PVC PROBE 3000 mm

2-wire probe temperature range -30+80°C

bulb ø 6x40 mm



ANGELO PO 32V0150

3390043 THERMOCOUPLE PROBE TCJ

bulb ø 6x70 mm- threaded connection ø 10 mm

silicone tube length 600 mm

for Fryer (ANGELO PO) - Series ALPHA

Series BIFRONTI - Series DELTA - Series GAMMA

Series OMEGA



ANGELO PO 32V0030



Suitable for:

ANGELO PO



Suitable for:


- 5048865 THERMOCOUPLE PROBE TCJ**
2 wires
probe length 40 mm - probe ø 4 mm
cable length 550 mm
for Bratt pan electric (ANGELO PO) 6BR
for Fry top electric (ANGELO PO) 6FTL-6FTR
for Pasta cooker electric (ANGELO PO) 6CP



ANGELO PO 3072920

Regulators

- 3396010 STABILIZER**
190÷260VAC - 50/60Hz
3A - T65°C
for Fryer (ANGELO PO) - Series JUNIOR
Series SENIOR - Series SUMMIT



ANGELO PO 32Z5500

Relays

- 3351037 POWER RELAY FINDER 40.52.8.230.0000**
230V 50/60Hz - 2 exchange contacts 8A



ANGELO PO 32V6630

- 3351021 POWER RELAY FINDER 62.82.8.230.0000**
230V 50/60Hz
2 exchange contacts 16A



ANGELO PO 32V7100

ANGELO PO 32Z2000

- 3351008 POWER RELAY FINDER 62.83.8.230.0000**
230V 50/60Hz
3 exchange contacts 16A




ANGELO PO 32V2950

- 3351602 POWER RELAY FINDER 65.31.8.230.0300**
230V 50/60Hz
1 contact NO 30A



ANGELO PO 32V3720


5029945 POWER RELAY FINDER 66.82.8.230.0000
 230V 50/60Hz
 2 changeover contacts 30A
 for Fryer electric (ANGELO PO) 091FR1EA - 091FR1EX
 091FR1I - 091FR1IA - 091FR1ID - 191FR2ID
 191F2I
 for Fryer gas (ANGELO PO) 091FR7G - 091FR7GD
 091FR7GX
 for Pasta cooker gas (ANGELO PO) 10CP1GA - 12CP1GA
 18CP2GA
 for Pot stove electric (ANGELO PO) 0G1PE2
 04WPE4V - 08WPE4V - 090PE4 - 190PE4 - 191PE4E
 for Pyroceramic plate electric (ANGELO PO)
 Series MONOLITHE - 04WT3RV - 190VTR



ANGELO PO 3038640


Rotary switches

3057032 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 32A 250V - max 150°C
 D spindle ø 6x4.6 mm
 for Fryer (ANGELO PO)




ANGELO PO 32W0080

3057037 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D shaft ø 6x4.6 mm
 with double shaft
 for Fryer (ANGELO PO) - Series JUNIOR
 Series SENIOR




ANGELO PO 32W2550

3057178 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin 6x4.6 mm



ANGELO PO 32W3830

5030542 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin ø 6x4.6 mm



ANGELO PO 3168540


3057015 SELECTOR SWITCH 0-1-0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin ø 6x4.6 mm



ANGELO PO 32W0490

ANGELO PO 32W3610

3057030 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaft ø 6x4.6 mm
 for Kitchen (ANGELO PO) - Series ALPHA
 Series DELTA - Series SENIOR



ANGELO PO 32W1440




Suitable for:

ANGELO PO




3057038 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.6 mm



ANGELO PO 32W2940


ANGELO PO 32W2941

3057281 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.6 mm
for Pasta cooker (ANGELO PO) - Series ALPHA
Series GAMMA - Series OMEGA




ANGELO PO 3162280

5022563 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin 6x4.6 mm




ANGELO PO 3161840

3057028 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 32A 250V-25A 400V - max 150°C
D-shaped pin ø 6x4.6 mm



ANGELO PO 32W0520


3057031 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 32A 250V-25A 400V - max 150°C
D-shaft ø 6x4.6 mm
for Pasta cooker electric (ANGELO PO)
Series JUNIOR - Series SENIOR - Series SUMMIT
for Pot stove electric (ANGELO PO) - Series ALPHA
Series DELTA - Series OMEGA - Series SENIOR
Series SUMMIT



ANGELO PO 32W0520


ANGELO PO 32W1050

3057069 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 32A 250V - max 150°C
D-shaped pin ø 6x4.6 mm
for Boiling pan (ANGELO PO) - Series DELTA
Series OMEGA
for Pasta cooker (ANGELO PO) - Series DELTA
Series OMEGA




ANGELO PO 32W3260

3057187 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 16A 250V - max 150°C
D spindle ø 6x4.6 mm
for Kitchen electric (ANGELO PO)



ANGELO PO 32W1500

5002051 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.6 mm



ANGELO PO 32W0510




Suitable for:

ANGELO PO




- 3057023 SELECTOR SWITCH 0-6 POSITIONS**
contact capacity 32A 250V - max 150°C
D shaft $\varnothing 6 \times 4.6$ mm



ANGELO PO 32W2920

Suitable for:

- 3057024 SELECTOR SWITCH 0-6 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing 6 \times 4.6$ mm



ANGELO PO 32W0760

Safety groups for pans and spare parts

- 3184007 PRESSURE GAUGE $\varnothing 60$ mm**
in chrome plated brass
radial connection 1/4"
scale 0-1 bar
for safety groups



ANGELO PO 3008790

ANGELO PO 32Z0060

- 3184043 SAFETY GROUP $\varnothing 3/4$ "**
vertical connection $\varnothing 3/4$ "
complete with safety valve, vacuum relief valve
and pressure gauge
for Boiling pan steam (ANGELO PO)



ANGELO PO 3006310

- 3184018 SAFETY VALVE $\varnothing 1 1/4$ M**
max pressure 0.5 atm
for safety group 1 1/4
ISPESL approved



ANGELO PO 33G0200

ANGELO PO 33G0610

Solenoid valves

- 3120004 SOLEN. VALVE ELBI TYPE 319 1 WAY 90°**
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet $\varnothing 10.5$ mm



ANGELO PO 33D1370

ANGELO PO 33D1371

- 3120021 ADJUSTER FOR INLET ELBI BLACK**
flow rate 12 L/min - tolerance +/- 15%



- 3120019 ADJUSTER FOR INLET ELBI BLACK**
flow rate 5.5 L/min - tolerance +/- 15%



- 3120022 ADJUSTER FOR INLET ELBI BLACK**
flow rate 16 L/min - tolerance +/- 15%





Suitable for:

ANGELO PO



3120204 ADJUSTER FOR OUTLET ELBI BROWN
flow rate 5.5 L/min - tolerance +/- 25%



Suitable for:

3120201 ADJUSTER FOR OUTLET ELBI GRAY
flow rate 4.7 L/min - tolerance +/- 25%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120504 SOLEN. VALVE ELBI TYPE 319 1 WAY 90°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%





Suitable for:

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120204 ADJUSTER FOR OUTLET ELBI BROWN
flow rate 5.5 L/min - tolerance +/- 25%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



ANGELO PO

Suitable for:

3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120201 ADJUSTER FOR OUTLET ELBI GRAY
flow rate 4.7 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%





ANGELO PO



Suitable for:

3120005 SOLEN. VALVE ELBI TYPE 329 1 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 10.5 mm



ANGELO PO 33D2310

ANGELO PO 33D3260

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



Suitable for:

3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120204 ADJUSTER FOR OUTLET ELBI BROWN
flow rate 5.5 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GRAY
flow rate 4.7 L/min - tolerance +/- 25%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%





Suitable for:

3120000 FILTER FOR INLET SOLENOID VALVE ELBI



ANGELO PO



Suitable for:

3120006 SOLEN. VALVE ELBI TYPE 339 2 WAY 90°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



ANGELO PO 33D0290

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120204 ADJUSTER FOR OUTLET ELBI BROWN
flow rate 5.5 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GRAY
flow rate 4.7 L/min - tolerance +/- 25%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%



3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%





Suitable for:

3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



ANGELO PO



Suitable for:

3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120007 SOLEN. VALVE ELBI TYPE 349 2 WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm



ANGELO PO 33D1641

ANGELO PO 33D3250

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120204 ADJUSTER FOR OUTLET ELBI BROWN
flow rate 5.5 L/min - tolerance +/- 25%



3120201 ADJUSTER FOR OUTLET ELBI GRAY
flow rate 4.7 L/min - tolerance +/- 25%



3120037 ADJUSTER FOR OUTLET ELBI GREEN
flow rate 0.25 L/min - tolerance +/- 25%



3120016 ADJUSTER FOR OUTLET ELBI NEUTRAL
flow rate 1.2 L/min - tolerance +/- 25%





Suitable for:

3120017 ADJUSTER FOR OUTLET ELBI ORANGE
flow rate 2.5 L/min - tolerance +/- 25%



3120203 ADJUSTER FOR OUTLET ELBI WHITE
flow rate 2 L/min - tolerance +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120511 SOLEN. VALVE ELBI TYPE 350 1 WAY 90°
24V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



ANGELO PO

3120021 ADJUSTER FOR INLET ELBI BLACK
flow rate 12 L/min - tolerance +/- 15%



3120204 ADJUSTER FOR OUTLET ELBI BROWN
flow rate 5.5 L/min - tolerance +/- 25%



ANGELO PO



Suitable for:

3120015 ADJUSTER FOR OUTLET ELBI RED
flow rate 0.5 L/min - tolerance +/- 25%



3120202 ADJUSTER FOR OUTLET ELBI YELLOW
flow rate 0.35 L/min / tolerance +/- 25%



3120019 ADJUSTER FOR INLET ELBI BLACK
flow rate 5.5 L/min - tolerance +/- 15%



3120022 ADJUSTER FOR INLET ELBI BLACK
flow rate 16 L/min - tolerance +/- 15%



3120201 ADJUSTER FOR OUTLET ELBI GRAY
flow rate 4.7 L/min - tolerance +/- 25%





Suitable for:

ANGELO PO



3120037 **ADJUSTER FOR OUTLET ELBI GREEN**
flow rate 0.25 L/min - tolerance +/- 25%



3120016 **ADJUSTER FOR OUTLET ELBI NEUTRAL**
flow rate 1.2 L/min - tolerance +/- 25%



3120017 **ADJUSTER FOR OUTLET ELBI ORANGE**
flow rate 2.5 L/min - tolerance +/- 25%



3120015 **ADJUSTER FOR OUTLET ELBI RED**
flow rate 0.5 L/min - tolerance +/- 25%



3120203 **ADJUSTER FOR OUTLET ELBI WHITE**
flow rate 2 L/min - tolerance +/- 25%



3120202 **ADJUSTER FOR OUTLET ELBI YELLOW**
flow rate 0.35 L/min / tolerance +/- 25%



3120000 **FILTER FOR INLET SOLENOID VALVE ELBI**



3120408 **SOLEN. VALVE T&P 1 WAY 90°**
230V 50/60Hz - max. temperature 90°C
inlet 3/4" - outlet ø 13.5 mm



ANGELO PO 33D3280

3120064 **SOLENOID VALVE FOR GAS ø 1/2" FF 230V**
with rate flow regulator
50/60Hz 20VA - max 500 mbar



3120138 **COIL FOR GAS SOLENOID VALVE ø 1/2" 230V**



ANGELO PO 33A1650



Suitable for:

ANGELO PO



3120541 SOLENOID VALVE L140B5 ø 1/2" FF 24V

for water
normally closed
max. temperature 100°C
max. differential pressure 10 bar
coil 24V 50/60Hz



ANGELO PO 33D1060

3120044 CONNECTOR FEMALE SMALL for coils



3120043 COIL SIRAI Z610A 24V 50/60Hz 6W



3120200 DIAPHRAGM FOR L140 B5



3120500 SOLENOID VALVE MÜLLER 2 WAY 180° 230V 50Hz - max. temperature 90°C inlet 3/4" - two outlets ø 10.5 mm for Pasta cooker (ANGELO PO) - Series ALPHA Series GAMMA - Series OMEGA



ANGELO PO 3014720

ANGELO PO 3014721

3120274 COIL MÜLLER 220/240V 50/60Hz max. temperature 90°C with cable length 2000 mm



3120271 COIL MÜLLER 220/240V 50/60Hz max temperature 90°C





Suitable for:

ANGELO PO



Suitable for:

5004448 SOLENOID VALVE 2-WAY 180°
220/240V 50/60Hz - max. temperature 90°C
inlet 3/4" - two outlets ø 10.5 mm
1 outlet with adjuster orange
for Pasta cooker electric (ANGELO PO)
Series ALPHA 900
for Pasta cooker gas (ANGELO PO)
Series ALPHA 900



ANGELO PO 3032670

Spark generators

3001061 SPARK GENERATOR 2 OUTLETS
220V



ANGELO PO

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



ANGELO PO 32T0040
ANGELO PO 32T0210

ANGELO PO 32T0041

ANGELO PO 32T0050

3181003 SPARK GENERATOR 4 OUTLETS
220/240V 50/60Hz



ANGELO PO 32T0030

3181004 SPARK GENERATOR 6 OUTLETS
220/240V - 50/60Hz



ANGELO PO 3015000

ANGELO PO 32T0070

3181005 SPARK GENERATOR 8 OUTLETS
220V - 50/60Hz



ANGELO PO 32T0020

Sparkling and detection plugs

5017224 *****
ø esterno 8 mm - ø interno 5 mm



ANGELO PO 131AA46

5030680 *****
for Fryer gas (ANGELO PO) - Series ALPHA



ANGELO PO 3011590

ANGELO PO 3253680



ANGELO PO



Suitable for:

Suitable for:

5054204 *****
2 candele $\varnothing$ 9x75 mm - lunghezza totale 125/145 mm
piastrina 56x22 mm
for Fryer gas (ANGELO PO) 091FR7G - 091FR7GS
091FR7GX



ANGELO PO 3148431

5050933 KIT SPARKING AND DETECTION PLUG
2 spark plugs $\varnothing$ 9x60 mm - total length 115/135 mm
plate 56x22 mm
for Fryer gas (ANGELO PO) 091FR1I - 091FR1IA
091FR1ID - 191FR2I - 191FR2ID



ANGELO PO 3106671

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



3020070 SPARKING PLUG ROUND $\varnothing$ 6x56 mm
model 2/A
coupling $\varnothing$ 12 mm - complete with mounting nut
overall length 69 mm



ANGELO PO 32T0320

ANGELO PO 32T0080

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



3020068 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
square coupling
faston M M4x1 mm
overall length 63 mm



ANGELO PO

ANGELO PO 32T0140

3020124 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 58 mm



3020232 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
connection $\varnothing$ 2.4 mm
overall length 61 mm



ANGELO PO

ANGELO PO 32T0190



Suitable for:

3020215 SPARKLING PLUG SQUARE 6/7x44 mm
F connection 2.8x0.8 mm
overall length 60 mm
for Oven under cooktop gas (ANGELO PO)
Series JUNIOR - Series SENIOR



Suitable for:

3020067 SQUARE IGNITION ELECTRODE 6/7x53 mm
total length 85 mm



ANGELO PO 32T0141

ANGELO PO 32T0142

ANGELO PO 32T0010

ANGELO PO 32T0060

Springs

5037698 *****
sezione molla ø 5 mm
for Boiling pan electric (ANGELO PO)
Series GAMMA - 31PIE6
for Boiling pan gas (ANGELO PO) - Series GAMMA
31PD6 - 31PI6
for Bratt pan electric (ANGELO PO) - Series GAMMA
31RE
for Bratt pan gas (ANGELO PO) - Series GAMMA - 31R



3250079 DOOR HINGE SPRING ø 33x460 mm
spring section ø 6 mm
for BRATT PAN series ALPHA-DELTA



ANGELO PO 36G1300

ANGELO PO 36H0350

3250078 DOOR HINGE SPRING ø 34x460 mm
spring section ø 7 mm
for BRATT series PAN DELTA



3250076 DOOR SPRING ø 16x77 mm
for PASTA COOKER and FRYER series ALPHA-DELTA
SENIOR-JUNIOR-SUMMIT-BIFRONTÉ



ANGELO PO 36H0330

ANGELO PO 36G5240

3250077 LID SPRING ø 30x360 mm
for BOILING PAN serieS ALPHA-DELTA-SENIOR-SUMMIT



ANGELO PO 36G2640

Steam valves

3524005 KORALIT VALVE GASKET
for valve $\varnothing$ 1" 1/4



ANGELO PO 3150090

3524009 VALVE KNOB
hole 9x9 mm
for valve $\varnothing$ 3/4" - 1"1/4



ANGELO PO 36M0960

Switches

5070027 *****
per ACCENSIONE
con copripulsante
dima di foratura 13x20 mm
for Bain-marie electric (ANGELO PO) 090BM1E
190BM2E
for Bain-marie gas (ANGELO PO) 090BM1G - 190BM2G
for Grill electric (ANGELO PO) 1G0GRE - 190GRE



ANGELO PO 6300675

1319902 BLACK BIPOLAR SWITCH 16A 250V
with indicator led lamp
mounting hole 22x30 mm



ANGELO PO 32W1930

3319920 BLACK TWO-POLE SWITCH 16A 250V



ANGELO PO 32W4150

3319923 BLACK/RED CAM



3319646 GREEN/ORANGE CAM



ANGELO PO 33Q6440



Suitable for:

5024456 BLUE MONOPOLAR SWITCH 16A 250V
for IGNITION
with push-button cover
mounting hole 13x20 mm
for Bratt pan (ANGELO PO) - Series ALPHA



ANGELO PO 3066000


ANGELO PO 6300674

Suitable for:

3452004 SWITCH COVER
external dimensions 25x20 mm
for switch with mounting hole 20x13 mm



3319354 CONTACT LOVATO 6A 240V
1 CONTACT NO
for Bratt pan electric (ANGELO PO) - Series ALPHA
Series DELTA
for Bratt pan gas (ANGELO PO) - Series ALPHA
Series DELTA
for Pasta cooker electric (ANGELO PO)
for Pasta cooker gas (ANGELO PO)



ANGELO PO 32W3320

5029950 CONTACT LOVATO 6A 240V
1 CONTACT NC
for Bratt pan electric (ANGELO PO) - Series ALPHA
Series DELTA
for Bratt pan gas (ANGELO PO) - Series ALPHA
Series DELTA
for Pasta cooker electric (ANGELO PO)
for Pasta cooker gas (ANGELO PO)



ANGELO PO 32W3330

5026052 COVER RUBBER FOR PUSH-BUTTON ø 33 mm
height 18 mm
for Bratt pan electric (ANGELO PO) - Series ALPHA
Series DELTA
for Bratt pan gas (ANGELO PO) - Series ALPHA
DELTA
for Pasta cooker electric (ANGELO PO)
for Pasta cooker gas (ANGELO PO)



ANGELO PO 37Q4030

3452004 SWITCH COVER
external dimensions 25x20 mm
for switch with mounting hole 20x13 mm



5035958 PUSH-BUTTON BLACK LIFT ø 30 mm
LOVATO - silk-screen printing "arrow"
mounting hole ø 22 mm
for Bratt pan electric (ANGELO PO) - Series ALPHA
Series DELTA
for Bratt pan gas (ANGELO PO) - Series ALPHA
Series DELTA
for Pasta cooker electric (ANGELO PO)
for Pasta cooker gas (ANGELO PO)



ANGELO PO 32W3300

3319354 CONTACT LOVATO 6A 240V
1 CONTACT NO
for Bratt pan electric (ANGELO PO) - Series ALPHA
Series DELTA
for Bratt pan gas (ANGELO PO) - Series ALPHA
Series DELTA
for Pasta cooker electric (ANGELO PO)
for Pasta cooker gas (ANGELO PO)



ANGELO PO 32W3320



Suitable for:

5029950 CONTACT LOVATO 6A 240V


1 CONTACT NC
for Bratt pan electric (ANGELO PO) - Series ALPHA
Series DELTA
for Bratt pan gas (ANGELO PO) - Series ALPHA
Series DELTA
for Pasta cooker electric (ANGELO PO)
for Pasta cooker gas (ANGELO PO)



ANGELO PO 32W3330

5035959 SUPPORTBASE FOR PUSHBUTTON CONTACTS

LOVATO - dimensions 42x30 mm
for Bratt pan electric (ANGELO PO) - Series ALPHA
Series DELTA
for Bratt pan gas (ANGELO PO) - Series ALPHA
Series DELTA
for Pasta cooker electric (ANGELO PO)
for Pasta cooker gas (ANGELO PO)



ANGELO PO 32W3310

3319372 RED SINGLE-POLE PUSH-BUTTON 16A 250V

for IGNITION
with protection cap
mounting hole 13x20 mm
for Bain-marie gas (ANGELO PO) - Series ALPHA
for Fry top gas (ANGELO PO) - Series ALPHA
for Fryer gas (ANGELO PO) - Series ALPHA
for Grill gas (ANGELO PO) - Series ALPHA
for Pasta cooker gas (ANGELO PO) - Series ALPHA
for Pot stove gas (ANGELO PO) - Series ALPHA



ANGELO PO 3062550

ANGELO PO 3126060+3126050

ANGELO PO 6300676

ANGELO PO



Suitable for:

5026052 COVER RUBBER FOR PUSH-BUTTON ø 33 mm

height 18 mm
for Bratt pan electric (ANGELO PO) - Series ALPHA
Series DELTA
for Bratt pan gas (ANGELO PO) - Series ALPHA
DELTA
for Pasta cooker electric (ANGELO PO)
for Pasta cooker gas (ANGELO PO)



ANGELO PO 37Q4030

3452004 SWITCH COVER

external dimensions 25x20 mm
for switch with mounting hole 20x13 mm






Suitable for:

ANGELO PO



Suitable for:

- 5035959 SUPPORTBASE FOR PUSHBUTTON CONTACTS**
LOVATO - dimensions 42x30 mm
for Bratt pan electric (ANGELO PO) - Series ALPHA
Series DELTA
for Bratt pan gas (ANGELO PO) - Series ALPHA
Series DELTA
for Pasta cooker electric (ANGELO PO)
for Pasta cooker gas (ANGELO PO)



ANGELO PO 32W3310

- 3319012 SWITCH 2-POLE GREEN 16A 250V**
16(4)A 250V - max. temperature 120°C
with indicator lamp and push-button cap
mounting hole 22x30 mm - silk screen print 0 - I



ANGELO PO 32W0631

- 3319779 BLOCK CONNECTIONS BLACK 30x22 mm**



- 3319783 FRAME SAFETY 4 SIDES BLACK 30x22 mm**



- 3319780 BLOCK CONNECTION WHITE 30x22 mm**



- 3319782 FRAME SAFETY 2 SIDES BLACK 30x22 mm**



- 3319501 PUSH-BUTTON PROTECTION CAP**
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



- 3319940 SWTCH 2-POLE GREEN 16A 250V**
16(4)A 250V - with indicator lamp and switch cover
max. temperature 120°C
mounting hole 22x30 mm



ANGELO PO 32W2331

ANGELO PO 32W2990

- 3319780 BLOCK CONNECTION WHITE 30x22 mm**





Suitable for:

3319779 BLOCK CONNECTIONS BLACK 30x22 mm



3319783 FRAME SAFETY 4 SIDES BLACK 30x22 mm



ANGELO PO

Suitable for:

3319782 FRAME SAFETY 2 SIDES BLACK 30x22 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



Tangential and radial fans

3526150 FAN TANGENTIAL 180 mm LH
25W 230V 50/60Hz - ø 60 mm
operating temperature -30°+100°C



ANGELO PO 32M0050

ANGELO PO 32M0521

ANGELO PO 32M5920

2102307 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for 180 mm tangential fan
with cable length 340 mm



3526200 ELECTRONIC SPEED CONTROLLER 170W 230V
for tangential fan



2102796 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for tangential fan 180 mm
with cables length 240 mm



3355363 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for 180 mm tangential fan



7103628 HEATING ELEMENT 2000W 230V
length 195 mm - width 38 mm
for tangential ventilator 180 mm
with cable length 230 mm



ANGELO PO 32G1990



Suitable for:

ANGELO PO



Suitable for:

Taps for tank refilling

3183049 NUT $\varnothing$ 3/8"

for Fry top gas (ANGELO PO) 0A0FT1G - 0A0FT2G
0A0FT4G - 0D0FT1G - 0D0FT2G - 0D0FT4G
0D0FT5G - 0G0FT1G - 0G0FT2G - 0G0FT4G
0G0FT5G - 090FT1G - 090FT2G - 1A0FT1G



ANGELO PO 36Q1110

3183042 SPOUT

pipe $\varnothing$ 18 mm
for Bratt pan (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA



ANGELO PO 33Q3780

3183047 SPOUT - CONNECTION 3/4"F

spout $\varnothing$ 18 mm
for Boiling pan (ANGELO PO) - Series DELTA
Series OMEGA



ANGELO PO 3003430

ANGELO PO 33Q2582

ANGELO PO 33Q3570

3183006 SPOUT - CONNECTION 3/8"M

spout $\varnothing$ 10 mm
for Bain-marie (ANGELO PO) - Series JUNIOR
Series SENIOR - Series SUMMIT
for Pasta cooker (ANGELO PO) - Series JUNIOR
Series SENIOR - Series SUMMIT



ANGELO PO 33Q2730

3183048 SPOUT - CONNECTION 3/8"M

spout $\varnothing$ 10 mm
for Pasta cooker (ANGELO PO) - Series BIFRONTI
Series DELTA - Series OMEGA



ANGELO PO 3003440

ANGELO PO 3003441

ANGELO PO 33Q3500

3183049 NUT $\varnothing$ 3/8"

for Fry top gas (ANGELO PO) 0A0FT1G - 0A0FT2G
0A0FT4G - 0D0FT1G - 0D0FT2G - 0D0FT4G
0D0FT5G - 0G0FT1G - 0G0FT2G - 0G0FT4G
0G0FT5G - 090FT1G - 090FT2G - 1A0FT1G



ANGELO PO 36Q1110

3186440 O-RING 02075 EPDM



ANGELO PO 37Q1210

3359285 WATER INLET TAP $\varnothing$ 1/2"M

internal output $\varnothing$ 7.5 mm



ANGELO PO 3028010

ANGELO PO 33D0260



ANGELO PO



Suitable for:

Suitable for:

3359121 WATER INLET TAP $\varnothing$ 1/2"MM
for Boiling pan (ANGELO PO) - Series ALPHA
Series DELTA
for Bratt pan (ANGELO PO) - Series ALPHA
Series DELTA
for Pasta cooker (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 33D2040

3241697 RED KNOB FOR INLET TAP



ANGELO PO 3162200

3759146 TAP KNOB - RED



ANGELO PO 36M2640

ANGELO PO 36M2641

ANGELO PO 36M4010

3358007 WATER INLET TAP $\varnothing$ 3/8"MM
for Boiling pan (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA
for Bratt pan (ANGELO PO) - Series GAMMA
for Pasta cooker (ANGELO PO) - Series GAMMA



ANGELO PO 3005990

ANGELO PO 3162190

ANGELO PO 3162191

ANGELO PO 33D2930

ANGELO PO 33D3200

3241697 RED KNOB FOR INLET TAP



ANGELO PO 3162200

5037085 BLUE INLET TAP KNOB



ANGELO PO 3162210

3759137 TAP KNOB - BLUE



ANGELO PO 36M2630

ANGELO PO 36M2631

ANGELO PO 36M4030

5037085 BLUE INLET TAP KNOB



ANGELO PO 3162210



Suitable for:

Suitable for:

3359100 WATER INLET TAP ø 3/8"MM
for Bain-marie (ANGELO PO) - Series SENIOR
Series SUMMIT
for Boiling pan (ANGELO PO) - Series JUNIOR
Series SENIOR - Series SUMMIT
for Bratt pan (ANGELO PO) - Series SENIOR
Series SUMMIT
for Pasta cooker (ANGELO PO) - Series JUNIOR
Series SENIOR - Series SUMMIT
for Self service counter (ANGELO PO)



ANGELO PO 33D0590

3759137 TAP KNOB - BLUE



ANGELO PO 36M2630

ANGELO PO 36M2631

ANGELO PO 36M4030

3759146 TAP KNOB - RED



ANGELO PO 36M2640

ANGELO PO 36M2641

ANGELO PO 36M4010

5030484 WATER INLET TAP KIT ø 3/8"MM
complete with knob, tap, bracket, sheath,
connections, screws and clamps
FOR REPLACEMENT OF FILLING TAPS
for Pasta cooker electric (ANGELO PO)
0A1CP1E DAL 28/01/2009
0D1CP1E DAL 28/01/2009
for Pasta cooker gas (ANGELO PO)
0A1CP1G DAL 28/01/2009
0D1CP1G DAL 28/01/2009
1A1CP1G DAL 28/01/2009
1A1CP2G DAL 28/01/2009
1D1CP1G DAL 28/01/2009
1D1CP2G DAL 28/01/2009
191CP1GA DAL 28/01/2009



ANGELO PO 6300729

5037085 BLUE INLET TAP KNOB



ANGELO PO 3162210

Suitable for:

7102651 WATER INLET TAP KIT $\varnothing$ 3/8"MM
complete with knobs, taps, brackets, sheaths, connections, screws and clamps
FOR REPLACEMENT OF FILLING TAPS
for Boiling pan gas (ANGELO PO)
1A1PD1G DAL 28/01/2009
1A1PD2G DAL 28/01/2009
1A1PI1G DAL 28/01/2009
1A1PI1GA DAL 28/01/2009
1D1PD1G DAL 28/01/2009
1D1PD2G DAL 28/01/2009
1D1PI1G DAL 28/01/2009
1D1PI1GA DAL 28/01/2009



ANGELO PO 6300730

Suitable for:

5037085 BLUE INLET TAP KNOB



ANGELO PO 3162210

Telethermometers

3441011 BLACK TELETHERMOMETER 56x25 mm 0-120°C
plastic case
capillary length 1500 mm
bulb $\varnothing$ 6x15 mm



ANGELO PO 32V1900

ANGELO PO 32Z0020

3441011 BLACK TELETHERMOMETER 56x25 mm 0-120°C
plastic case
capillary length 1500 mm
bulb $\varnothing$ 6x15 mm



ANGELO PO 32V1900

ANGELO PO 32Z0020

3441008 TELETHERMOMETER BLACK $\varnothing$ 52 mm 0-120°C
plastic case
PVC covered capillary 1500 mm
bulb $\varnothing$ 6.5x2.6 mm



ANGELO PO 32Z2930

3441024 TELETHERMOMETER BLACK $\varnothing$ 52 mm 50-350°C
metal body
covered capillary length 1500 mm
bulb $\varnothing$ 6x30 mm



ANGELO PO 32Z0040

Terminal blocks

3247003 TERMINAL BLOCK 2-POLE CERAMIC
for cable max. 4 mm²
operating temperature 300°C
nominal voltage 450V
dimensions 20x21x18 mm



ANGELO PO 3000060

3247015 12-POLE PLASTIC TERMINAL BLOCK
for cable max 4 mm²
operating temperature 150°C
nominal voltage 450V



ANGELO PO 32D1450



Suitable for:

ANGELO PO



3247016 3-POLE TERMINAL BLOCK FV273 40A 450V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ANGELO PO 32D0171

Suitable for:

3247037 4-POLE TERMINAL BLOCK FV173 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ANGELO PO 32D1800

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ANGELO PO 32D0250

ANGELO PO 32D0251

Thermocouples and accessories

3440085 CUT-OFF THERMOCOUPLE M9x1 100 cm
cut-off contact with cables 100 cm



ANGELO PO 33A1410

ANGELO PO 33A1880

ANGELO PO 60A4060

ANGELO PO 6021770

ANGELO PO 6021780


3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.
interrupted contact with terminals



ANGELO PO 33A0500

ANGELO PO 33A0900

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm
interrupted contact with fastons



ANGELO PO 33A0140

3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.
female nut M9x1



ANGELO PO 33A0130



Suitable for:

Suitable for:

3440179 THERMOCOUPLE M8x1 60 cm
for Fry top (ANGELO PO) - Series ALPHA
Series DELTA
for Fryer (ANGELO PO) - Series ALPHA
Series DELTA
for Kitchen (ANGELO PO) - Series ALPHA
Series DELTA




ANGELO PO 33A0680

3440032 THERMOCOUPLE SIT M8x1 150 cm



ANGELO PO 33A0520

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



ANGELO PO 33A0520

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



ANGELO PO 33A0520

3440028 THERMOCOUPLE SIT M8x1 60 cm



ANGELO PO 33A1060

ANGELO PO 33A1260

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



ANGELO PO 33A1060

ANGELO PO 33A1260

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



ANGELO PO 33A1060

ANGELO PO 33A1260

3440037 THERMOCOUPLE SIT M9x1 100 cm.



ANGELO PO 33A0310

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



ANGELO PO 33A0310

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



ANGELO PO 33A0310



Suitable for:

3440039 THERMOCOUPLE SIT M9x1 150 cm



ANGELO PO 33A0320

Suitable for:

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



ANGELO PO 33A0320

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



ANGELO PO 33A0320

ANGELO PO 33A0340

ANGELO PO 33A1140

ANGELO PO 33A1190

3440036 THERMOCOUPLE SIT M9x1 85 cm.



3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



ANGELO PO 33A0340

ANGELO PO 33A1140

ANGELO PO 33A1190

ANGELO PO 33A0340

ANGELO PO 33A1140

ANGELO PO 33A1190

3391005 THERMOCOUPLE SUPPORT




ANGELO PO 35T0680

Thermostatic gas valves

3345029 THERMOSTATIC TAP 24ST

Adjustment temperature 120-280°C
flange coupling $\varnothing$ 21 mm
outlet fitting M20x1.5 mm
thermocouple connection M9x1
bulb $\varnothing$ 6x120 mm
capillary length 1200 mm
D-shaped pin $\varnothing$ 10x8 mm
for Fry top (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA



ANGELO PO 33A1850

**5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm**





Suitable for:

3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25



3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22




3348043 PIPE FITTING $\varnothing$ 10 mm
thread M16x1.5
for model PEL 20-21



ANGELO PO 36Q0830

3348029 PIPE FITTING $\varnothing$ 4 mm
thread M10x1
for model PEL 21-22



3348038 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 22



ANGELO PO 36Q1700

ANGELO PO



Suitable for:

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE




ANGELO PO 36Q0030

ANGELO PO 36Q0200


ANGELO PO 36Q1590

3348031 PIPE FITTING $\varnothing$ 10 mm
thread M20x1.5
for model PEL 22




ANGELO PO 36Q0610

3348032 PIPE FITTING $\varnothing$ 12 mm
thread M20x1.5
for model PEL 22



ANGELO PO 36Q0050

3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



ANGELO PO 36Q0060

3348044 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 20 - 21



ANGELO PO 36Q0080




Suitable for:

ANGELO PO



- 3345030 THERMOSTATIC TAP 24ST**
Operating temperature 140-340°C
flange coupling $\varnothing$ 21 mm
outlet fitting M20x1.5 mm
thermocouple connection M8x1
bulb $\varnothing$ 6x75 mm
capillary length 1200 mm
D-shaped pin $\varnothing$ 10x9 mm
for Fry top (ANGELO PO) - Series ALPHA
Series BIFRONT - Series DELTA - Series GAMMA



ANGELO PO 33A1790

- 3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm**
for model PEL 21-22-25



- 3348036 OLIVE FOR 4 mm $\varnothing$ PIPE**
for model PEL 21-22



- 3348043 PIPE FITTING $\varnothing$ 10 mm**
thread M16x1.5
for model PEL 20-21



ANGELO PO 36Q0830

- 3348029 PIPE FITTING $\varnothing$ 4 mm**
thread M10x1
for model PEL 21-22



Suitable for:

- 5014757 CONNECTION PIPE $\varnothing$ 6 mm**
thread M10x1 mm



- 3020082 OLIVE FOR 12 mm $\varnothing$ PIPE**




ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590

- 3348031 PIPE FITTING $\varnothing$ 10 mm**
thread M20x1.5
for model PEL 22



ANGELO PO 36Q0610

- 3348032 PIPE FITTING $\varnothing$ 12 mm**
thread M20x1.5
for model PEL 22



ANGELO PO 36Q0050

- 3020078 PIPE FITTING $\varnothing$ 6 mm**
thread M10x1



ANGELO PO 36Q0060



Suitable for:

3348038 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 22



ANGELO PO 36Q1700

ANGELO PO



Suitable for:

3348044 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 20 - 21



ANGELO PO 36Q0080

3348064 THERMOSTATIC TAP 24ST
Adjustment temperature 120-280°C
connections M20x1.5 mm
thermocouple connection M8x1
bulb $\varnothing$ 6x120 mm
capillary length 1200 mm
D-shaped pin $\varnothing$ 10x9 mm
for Fry top (ANGELO PO) - Series JUNIOR
for Oven under cooktop (ANGELO PO) - Series JUNIOR



ANGELO PO 33A2840

3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25



3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



ANGELO PO 36Q0030


ANGELO PO 36Q0200

ANGELO PO 36Q1590

3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



3348031 PIPE FITTING $\varnothing$ 10 mm
thread M20x1.5
for model PEL 22




ANGELO PO 36Q0610

3348043 PIPE FITTING $\varnothing$ 10 mm
thread M16x1.5
for model PEL 20-21



ANGELO PO 36Q0830

3348032 PIPE FITTING $\varnothing$ 12 mm
thread M20x1.5
for model PEL 22



ANGELO PO 36Q0050



Suitable for:

3348029 PIPE FITTING $\varnothing$ 4 mm
thread M10x1
for model PEL 21-22



ANGELO PO



Suitable for:

3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



3348038 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 22




ANGELO PO 36Q0060

3348044 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 20 - 21



ANGELO PO 36Q1700

3345017 THERMOSTATIC TAP 24STS
operating temperature 120-320°C
connections M20x1.5 mm
thermocouple connection M9x1
bulb $\varnothing$ 6x75 mm
capillary length 1200 mm
D-shaped pin $\varnothing$ 10x8 mm
for Oven under cooktop (ANGELO PO)



ANGELO PO 36Q0080

5014757 CONNECTION PIPE $\varnothing$ 6 mm
thread M10x1 mm



ANGELO PO 33A0060

ANGELO PO 6003911

3348037 OLIVE FOR PILOT PIPE $\varnothing$ 6 mm
for model PEL 21-22-25



3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



ANGELO PO 36Q0030


ANGELO PO 36Q0200

ANGELO PO 36Q1590

3348036 OLIVE FOR 4 mm $\varnothing$ PIPE
for model PEL 21-22



3348031 PIPE FITTING $\varnothing$ 10 mm
thread M20x1.5
for model PEL 22



ANGELO PO 36Q0610



Suitable for:

3348043 PIPE FITTING ø 10 mm
thread M16x1.5
for model PEL 20-21



ANGELO PO 36Q0830

3348029 PIPE FITTING ø 4 mm
thread M10x1
for model PEL 21-22



3348038 PIPE OLIVE ø 10 mm
for model PEL 22



ANGELO PO 36Q1700

5022068 THERMOSTATIC TAP 25ST
adjustment temperature 120-280°C
flange coupling ø 21 mm
coupling outlet M16x1.5 mm
thermocouple fitting M9x1
bulb ø 6x122 mm
capillary length 1200 mm
D-shaped pin ø 8x6.5 mm
for Oven under cooktop gas (ANGELO PO)
Series GAMMA
for Solid top range gas (ANGELO PO) - Series GAMMA
for Oven under cooktop (ANGELO PO) 2G1FAPG



ANGELO PO 33A0660

3348037 OLIVE FOR PILOT PIPE ø 6 mm
for model PEL 21-22-25



ANGELO PO



Suitable for:

3348032 PIPE FITTING ø 12 mm
thread M20x1.5
for model PEL 22



ANGELO PO 36Q0050

3020078 PIPE FITTING ø 6 mm
thread M10x1



ANGELO PO 36Q0060

3348044 PIPE OLIVE ø 10 mm
for model PEL 20 - 21



ANGELO PO 36Q0080

5014757 CONNECTION PIPE ø 6 mm
thread M10x1 mm



3020082 OLIVE FOR 12 mm ø PIPE



ANGELO PO 36Q0030

ANGELO PO 36Q0200

ANGELO PO 36Q1590



Suitable for:

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



3348043 PIPE FITTING ø 10 mm
thread M16x1.5
for model PEL 20-21



ANGELO PO 36Q0830

3020077 PIPE FITTING ø 4 mm
thread M10x1



ANGELO PO 36Q1000

3348038 PIPE OLIVE ø 10 mm
for model PEL 22



ANGELO PO 36Q1700

ANGELO PO



Suitable for:

3348031 PIPE FITTING ø 10 mm
thread M20x1.5
for model PEL 22



ANGELO PO 36Q0610

3348032 PIPE FITTING ø 12 mm
thread M20x1.5
for model PEL 22



ANGELO PO 36Q0050

3020078 PIPE FITTING ø 6 mm
thread M10x1



ANGELO PO 36Q0060

3348044 PIPE OLIVE ø 10 mm
for model PEL 20 - 21




ANGELO PO 36Q0080

Thermostats

5010676

completo di commutatore selettore
perno mezzaluna ø 6x4,6 mm
lunghezza capillare ricoperto 1200 mm - 10A 400V
bulbo ø 6x130 mm
for Self service counter (ANGELO PO)



ANGELO PO 32Z5970

5050178


a riarmo automatico
lunghezza capillare ricoperto 900 mm - 16A 250V
lunghezza capillari intermedi 450 mm
triplo bulbo ø 3x175 mm
for Bratt pan electric (ANGELO PO) 6BR
for Fry top electric (ANGELO PO) 6FTL - 6FTR



ANGELO PO 3083720

Suitable for:

3444549 ADHESIVE PLATE FOR THERMOSTAT 120-190°C
size 113x86 mm
for Fryer (ANGELO PO) - Series ALPHA
Series SENIOR



ANGELO PO 37M5670

Suitable for:

3444008 KNOB BLACK ø 41 mm 0-90°C
D-shaped hole 6x4.6 mm
for thermostat IMIT




ANGELO PO 36M2830

5056716 SINGLE-PHASE THERMOSTAT 101-187°C
D-shaped pin ø 6x4.6 mm
covered capillary length 890 mm - 16A 250V
ø 6x133 mm bulb - with stuffing gland fitting M10x
for Fryer gas (ANGELO PO) 091FR1I - 191FR2I




ANGELO PO 3168460

3444260 SINGLE-PHASE THERMOSTAT 105-185°C
complete with auxiliary selector switch
D-shaped pin ø 6x4.6 mm
covered capillary length 900 mm - 16A 250V
threaded bulb ø 1/2"x91 mm
for Fryer (ANGELO PO) - Series JUNIOR



ANGELO PO 32Z6630


3444358 SINGLE-PHASE THERMOSTAT 105-185°C
complete with selector switch
D-shaped pin ø 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb ø 6x135 mm - with adapter nipple bland M10x1
for Fryer (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA



ANGELO PO 32V0240

ANGELO PO 6300752

3444319 SINGLE-PHASE THERMOSTAT 150°C
with manual reset
capillary length covered 900 mm - 16A 250V
bulb ø 6x70 mm
for Bain-marie electric (ANGELO PO) - Series ALPHA
Series BIFRONTÉ - Series DELTA - Series OMEGA




ANGELO PO 32Z9380

3444261 SINGLE-PHASE THERMOSTAT 160-190°C
complete with wiring
threaded bulb ø 1/2" - ø 16x93 mm
with adjusting screw
for Fryer (ANGELO PO) - Series JUNIOR
Series SENIOR



ANGELO PO 6300359

3444137 SINGLE-PHASE THERMOSTAT 20-120°C
complete with auxiliary selector switch
D-shaped pin ø 6x4.6 mm
covered capillary length 900 mm - 16A 250V
button bulb ø 14x9 mm
for Bain-marie (ANGELO PO) - Series SENIOR
Series SUMMIT




ANGELO PO 32Z3290



Suitable for:

3444316 SINGLE-PHASE THERMOSTAT 200°C
with manual reset
covered capillary length 900 mm - 16A 250V
bulb $\varnothing$ 6x70 mm
for Bain-marie gas (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 32V0460

Suitable for:

3444138 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
covered capillary length 850 mm - 16A 250V
button bulb $\varnothing$ 14x10 mm
for Fryer (ANGELO PO) - Series JUNIOR
Series SENIOR



ANGELO PO 31Z7990


ANGELO PO 32Z2990

ANGELO PO 32Z3340

ANGELO PO 32Z7990


ANGELO PO 32Z8000

3444320 SINGLE-PHASE THERMOSTAT 285°C
with manual reset
covered capillary length 1500 mm - 16A 250V
bulb $\varnothing$ 4x115 mm
for Fryer (ANGELO PO) - Series ALPHA
Series BIFRONTÉ - Series DELTA - Series GAMMA
Series JUNIOR - Series OMEGA - Series SENIOR
Series SUMMIT




ANGELO PO 32Z5610

5037327 SINGLE-PHASE THERMOSTAT 299°C
with manual reset
covered capillary length 1500 mm - 16A 250V
bulb $\varnothing$ 4x120 mm
for Fryer gas (ANGELO PO)
Series ALPHA-BIFRONTÉ-DELTA-GAMMA-JUNIOR
Series OMEGA-SENIOR-SUMMIT



ANGELO PO 32Z5612

3444313 SINGLE-PHASE THERMOSTAT 30-120°C
with switch
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 890 mm - 16A 250V
bulb $\varnothing$ 6x115 mm
for Bain-marie (ANGELO PO) - Series ALPHA
Series BIFRONTÉ - Series DELTA - Series GAMMA
Series OMEGA




ANGELO PO 32Z9270

ANGELO PO 32Z9271

Suitable for:

- 3444056 SINGLE-PHASE THERMOSTAT 30-93°C**
complete with auxiliary selector switch
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm - 16A 250V
button bulb $\varnothing$ 23.5 mm
for Bain-marie (ANGELO PO) - Series GAMMA
Series JUNIOR
for Hot cupboard (ANGELO PO)
for Self service counter (ANGELO PO)



ANGELO PO 32Z0410

Suitable for:

- 3186451 THERMOSTAT GASKET $\varnothing$ 41 mm**
internal hole $\varnothing$ 18 mm - height 15 mm
for Bain-marie (ANGELO PO) - Series GAMMA
Series JUNIOR
for Hot cupboard (ANGELO PO)
for Self service counter (ANGELO PO)



ANGELO PO 3150270

- 3444266 SINGLE-PHASE THERMOSTAT 338°C**
with manual reset
covered capillary length 830 mm - 16A 250V
button bulb $\varnothing$ 14x10 mm



ANGELO PO 32Z6790

- 5026558 SINGLE-PHASE THERMOSTAT 340°C**
with automatic reset
covered capillary length 900 mm - 16A 250V
bulbo $\varnothing$ 3x226 mm
for Bain-marie electric (ANGELO PO)
0G0BME-1G0BME-030BME-031EBM



ANGELO PO 32Z2371

- 3444312 SINGLE-PHASE THERMOSTAT 360°C**
with manual reset
capillary length covered 1500 mm - 16A 250V
bulb $\varnothing$ 4x110 mm
for Fry top gas (ANGELO PO) - Series ALPHA
Series BIFRONTI - Series DELTA - Series GAMMA
Series JUNIOR - Series OMEGA - Series SENIOR
Series SUMMIT




ANGELO PO 32Z1400

- 3444043 SINGLE-PHASE THERMOSTAT 50-270°C**
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1300 mm - 16A 250V
bulb $\varnothing$ 3x220 mm



ANGELO PO 32Z0610

- 3444145 SINGLE-PHASE THERMOSTAT 50-310°C**
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length covered 1600 mm - 16A 250V
bulb $\varnothing$ 4x120 mm
for OVEN



ANGELO PO 32Z0210

- 3444177 SINGLE-PHASE THERMOSTAT 50-310°C**
complete with auxiliary selector switch
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1500 mm - 16A 250V
bulb $\varnothing$ 4x128 mm
for Bratt pan (ANGELO PO)
for Fry top (ANGELO PO)



ANGELO PO 32V6510


ANGELO PO 32Z2670



Suitable for:

Suitable for:


3444359 SINGLE-PHASE THERMOSTAT 60-320°C
complete with selector switch
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary 1400 mm - 4 contacts 16A 250V
bulb $\varnothing$ 4x123 mm
for Bratt pan (ANGELO PO) - Series ALPHA
Series DELTA
for Bratt pan (ANGELO PO) 291BR2G



ANGELO PO 32V0660


ANGELO PO 32V0661

3444380 SINGLE-PHASE THERMOSTAT 90-180°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb $\varnothing$ 6x135 mm - with adapter nipple band M9x1
for Fryer electric (ANGELO PO) 0M0FR1E - 1M0FR2E



ANGELO PO 32V4540

3444178 THERMOSTAT MODIFICATION KIT 105-185°C
D-shaped pin $\varnothing$ 6x4.6 mm
complete with auxiliary commutator
complete with substitution manual
covered capillary length 900 mm - 16A 250V
threaded bulb $\varnothing$ 1/2" x 91 mm
complete with screenprinted plates
for Fryer (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA - Series JUNIOR
Series SENIOR - Series SUMMIT



ANGELO PO 6005040

ANGELO PO 6300738

3444006 THERMOSTAT SINGLE-PHASE TR2 0-210°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 1000 mm - 15A 250V
bulb $\varnothing$ 5x140 mm



ANGELO PO 32Z8820

3444004 THERMOSTAT SINGLE-PHASE TR2 0-90°C
D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 1500 mm - 15A 250V
bulb $\varnothing$ 6.5x95 mm




ANGELO PO 32Z8840

5059793 THERMOSTAT SINGLE-PHASE 102-187°C
with selector switch
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm
bulb $\varnothing$ 4x238mm-with stuffing gland fitting M10x1
for Fryer gas (ANGELO PO) 091FR7G




ANGELO PO 3156520

3444565 THERMOSTAT THREE-PHASE 140°C
 with manual reset
 covered capillary length 900 mm - 20A 400V
 bulb $\varnothing$ 6x87 mm
 for Boiling pan gas (ANGELO PO)
 1A1PI2G-1D1PI2G-1A1PI2GA-1D1PI2GA
 2A1PD3G-2A1PI3G
 291PD3G-1D1PI2G-291PI3G-2D1PI3G
 for Pasta cooker gas (ANGELO PO)
 191CP1GA-1A1CP1GA-1D1CP1GA




ANGELO PO 32V3980

5017402 THERMOSTAT THREE-PHASE 247°C
 with automatic reset
 capillary length covered 1200 mm - 16A 380V
 bulb $\varnothing$ 3x228 mm
 for Self service counter (ANGELO PO) ACBM
 ACBM218 - ANBM - ANBM218 - ANBM75 - SE14VB
 SE21VB - SI14VB - SI21VB - SL14CVB - SL14NVB
 SL21CVB - SL21NVB - SL7NVB - TBM - TBM218




ANGELO PO 32Z5960

3444311 THREE-PHASE THERMOSTAT 100-260°C
 complete with selector switch
 D-shaped pin $\varnothing$ 6x4.6 mm
 covered capillary length 1100 mm - 10A 400V
 bulb $\varnothing$ 6x70 mm
 for Fry top (ANGELO PO) - Series ALPHA
 Series DELTA - Series GAMMA - Series JUNIOR
 Series OMEGA - Series SENIOR - Series SUMMIT



ANGELO PO 32Z7400

3444146 THREE-PHASE THERMOSTAT 100-300°C
 complete with selector switch
 D-shaped pin $\varnothing$ 6x4.6 mm
 covered capillary length 1250 mm - 10A 400V
 bulb $\varnothing$ 6x78 mm
 for Fry top (ANGELO PO) - Series JUNIOR



ANGELO PO 32Z3790

3444315 THREE-PHASE THERMOSTAT 135°C
 with manual reset
 covered capillary length 1000 mm - 10A 400V
 bulb a bottone $\varnothing$ 14x20 mm
 for Boiling pan (ANGELO PO) - Series ALPHA
 Series DELTA - Series GAMMA - Series JUNIOR
 Series SENIOR - Series SUMMIT



ANGELO PO 32Z9620

ANGELO PO 32Z9621

3444142 THREE-PHASE THERMOSTAT 150°C
 with manual reset
 capillary 1500 mm - 10A 400V
 bulb $\varnothing$ 6x90 mm - stuffing gland fitting M9x
 for Boiling pan (ANGELO PO) - Series ALPHA
 Series DELTA - Series GAMMA - Series JUNIOR
 Series SENIOR - Series SUMMIT
 for Pasta cooker (ANGELO PO) - Series ALPHA
 Series DELTA - Series GAMMA - Series JUNIOR
 Series SENIOR - Series SUMMIT



ANGELO PO 32Z2710



Suitable for:

ANGELO PO



Suitable for:

3444626 THREE-PHASE THERMOSTAT 150°C
with manual reset
covered capillary length 800 mm - 20A 380V
bulb ø 6x90 mm
for Boiling pan electric (ANGELO PO) 2A1PI3E
291PI3E
for Pasta cooker electric (ANGELO PO) MCF20E
MCF40E



ANGELO PO 32V0320


3744046 THREE-PHASE THERMOSTAT 156°C
with manual reset
covered capillary length 1500 mm
bulb ø 6x90 mm
for Pasta cooker (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA - Series OMEGA



ANGELO PO 3014260


ANGELO PO 3014261

3444318 THREE-PHASE THERMOSTAT 160°C
with automatic reset
capillar covered length 850 mm - 10A 400V
bulb ø 6x70 mm
for ELECTRICAL BAIN MARIE / ALPHA-DELTA series



ANGELO PO 32Z9210


3444143 THREE-PHASE THERMOSTAT 240°C
with manual reset
capillary length 1600 mm - 10A 400V
bulb ø 6x85 mm
for Fryer (ANGELO PO) - Series JUNIOR
Series SENIOR - Series SUMMIT



ANGELO PO 32Z3630

ANGELO PO 32Z3631

3444317 THREE-PHASE THERMOSTAT 270°C
with manual reset
covered capillary length 2000 mm - 10A 400V
bulb ø 6x70 mm
for Fryer (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 32V0970


ANGELO PO 32V6560

5048870 THREE-PHASE THERMOSTAT 270°C
with manual reset
covered capillary length 2050 mm - 10A 400V
bulb ø 6x78 mm
for Fryer (ANGELO PO) - Series ALPHA
Series DELTA - Series GAMMA - Series OMEGA




ANGELO PO 32V6561

3444357 THREE-PHASE THERMOSTAT 30-150°C
complete with selector switch
D-shaped pin ø 6x4.6 mm
covered capillary length 1100 mm - 10A 400V
bulb ø 6x120 mm
for Bain-marie electric (ANGELO PO) - Series ALPHA
Series DELTA



ANGELO PO 32V0060

3444067 THREE-PHASE THERMOSTAT 30-90°C
D-shaped pin ø 6x4.6 mm
capillary length 1000 mm - 10A 400V
bulb ø 6x130 mm
for Hot cupboard (ANGELO PO)



ANGELO PO 32Z0130

Suitable for:

Suitable for:

3444356 THREE-PHASE THERMOSTAT 350°C
 with manual reset
 covered capillary length 1300 mm - 10A 400V
 bulb $\varnothing$ 4x120 mm
 for Bratt pan (ANGELO PO) - Series ALPHA
 Series DELTA
 for Fry top (ANGELO PO) - Series ALPHA
 Series DELTA - Series GAMMA - Series OMEGA
 Series SENIOR
 for Oven under cooktop (ANGELO PO) - Series ALPHA
 Series DELTA - Series SENIOR




ANGELO PO 32Z6750

ANGELO PO 32Z9201


ANGELO PO 32Z9202

3444561 THREE-PHASE THERMOSTAT 50-300°C
 D-shaped pin $\varnothing$ 6x4.6 mm
 covered capillary length 1740 mm - 16A 230V
 bulb $\varnothing$ 6x80 mm



ANGELO PO 32Z2560


3444147 THREE-PHASE THERMOSTAT 63-300°C
 complete with selector switch
 D-shaped pin $\varnothing$ 6x4.6 mm
 capillary length covered 1400 mm - 10A 400V
 bulb $\varnothing$ 3x220 mm
 for Oven under cooktop (ANGELO PO) - Series GAMMA
 Series JUNIOR



ANGELO PO 32Z3550

ANGELO PO 32Z3551


3444366 THREE-PHASE THERMOSTAT 90-180°C
 D-shaped pin $\varnothing$ 6x4.6 mm
 covered capillary length 900 mm - 10A 400V
 bulb $\varnothing$ 6x135 mm - with adapter nipple bland M10x1



ANGELO PO 32Z0400

Timers

3446004 TIMER 120 MINUTES
 complete with silk-screen printed plate
 mechanical timer with sound alarm
 mechanical movement with balance wheel
 manual left hand positioning possible
 120 minutes manually set cycle
 bipolar with contact capacity 16(3)A 250V
 max temperature 125°C
 D-shaped pin $\varnothing$ 6x4.6 mm



ANGELO PO 32Z0420

ANGELO PO 32Z2200

3446005 BLACK KNOB ABS 38x38 mm
 D-shaped hole $\varnothing$ 6x4.6 mm
 for timer





Suitable for:

ANGELO PO



Suitable for:

Tool holder shafts

- 9742006 TOOL SHAFT FEATHER**
dimensions 6x6x25 mm



ANGELO PO 3191110

Transformers

- 5052393 CAPACITOR 0-230V/0-12V 50VA**
primary voltage 0-230V 50/60Hz
secondary voltage 0-12V 50VA
room temperature 0÷40°C
screw terminal block
for Pasta cooker electric (ANGELO PO)
for Pasta cooker gas (ANGELO PO)



ANGELO PO 3117170

- 3445110 TRANSFORMER 230V/12V 3VA**
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



ANGELO PO 32Z3470

Tubing and hoses

- 3450039 DRAIN PIPE 300x260 mm**
external ø 43 mm - internal ø 33 mm
for Pasta cooker (ANGELO PO) - Series GAMMA
Series JUNIOR - Series OMEGA
for Pasta cooker gas (ANGELO PO) - Series ALPHA
Series BIFRONTÉ - Series DELTA - Series SENIOR
Series SUMMIT



ANGELO PO 131AA44

ANGELO PO 33M0800



Wheels and accessories

- 7109626** *****
 foro centrale $\varnothing$ 16 mm
 con foro laterale nel mozzo $\varnothing$ 6 mm
 completo di maniglia pieghevole
 for Bratt pan electric (ANGELO PO) - Series DELTA
 for Bratt pan gas (ANGELO PO) - Series ALPHA
 Series DELTA
 for Bratt pan electric (ANGELO PO) - Series ALPHA



ANGELO PO 3214440

- 3522012** **SPINDLE CLIP FOR HAND WHEEL**
 thread M8x10 mm



ANGELO PO 31W0020

- 3522017** **ST. STEEL SCREW T.C.C.E.I. M6x60 UNI 5931**



ANGELO PO 31A0130

- 3522006** **WHEEL $\varnothing$ 158 mm**
 central hole $\varnothing$ 16 mm
 complete with folding handle



ANGELO PO 36M4910

- 1063911** **BEARING 6202 ZZ NSK**
 external $\varnothing$ 35 mm - internal $\varnothing$ 15 mm - thickness 11 mm



- 3522015** **ARTICULATION FOR SCREW**



- 1063901** **BEARING 6204 DDU NSK**
 external $\varnothing$ 47 mm - internal $\varnothing$ 20 mm - thickness 14 mm



ANGELO PO 3103840

- 3522030** **EXTENSION FOR TAP WORM**



- 3522019** **RING FOR SCREW**





Suitable for:

3522020 RING NUT FOR SCREW



3522028 SCREW FOR TAP WORM



3522035 SCREW FOR TILTING
overall length 615 mm



5015525 SCREW NUT FOR BRATT PAN
dimensions 40x40x39 mm - right hand thread
thread M20x2.5 mm - $\varnothing$ pin 20 mm



3522049 SCREW NUT FOR VITON BRATT PAN



3522021 SCROLL FOR SCREW




ANGELO PO



Suitable for:

3522010 SCREW BEARING 6004 LD1
extern. $\varnothing$ 42 mm - intern. $\varnothing$ 20 mm - thickn. 12 mm




3522009 SCREW FOR TILTING
total length 885 mm




3522024 SCREW NUT FOR BRATT PAN



5015528 SCREW NUT FOR BRATT PAN VALVE
dimensions 40x40x39 mm - left thread
thread M20x2.5 mm - $\varnothing$ pin 20 mm



3522014 SCREW SUPPORT



3002009 SEEGER RING $\varnothing$ 38 mm
internal $\varnothing$ 32.5 mm - thickn. 1.5 mm





Suitable for:

3522018 SPINDLE FOR TILTING SCREW



3522023 THRUST BEARING 51102

external $\varnothing$ 28 mm - internal $\varnothing$ 15 mm - thickn.9 mm



ANGELO PO



Suitable for:

4006241 SUPPORT SCREW NUT $\varnothing$ 60x18 mm



3522016 WHEEL $\varnothing$ 200 mm

central hole $\varnothing$ 16 mm
with folding handle
for Bratt pan (ANGELO PO) - Series ALPHA
Series DELTA



3522017 ST.STEEL SCREW T.C.C.E.I. M6x60 UNI 5931



ANGELO PO 36M5560

ANGELO PO 36M5561

ANGELO PO 36M5562

ANGELO PO 31A0130

Wire pan supports

3354006 GRID REDUCER FOR MOKA 190x385 mm

made of chrome plated iron
for Pot stove (ANGELO PO) - Series SENIOR



ANGELO PO RG

ANGELO PO 36A2160

ANGELO PO 36A5450

3354005 GRID REDUCER FOR MOKA 205x205 mm

made of chrome plated iron
for Pot stove (ANGELO PO) - Series COMBI
Series JUNIOR



ANGELO PO 3012090

ANGELO PO 36A0491

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|---|
|  LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfircambi724.it - www.lfircambi724.mobi
info@lfircambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com |  OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru |
|  LF SpA HOUSEHOLD COMPONENTS DIVISION
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com |  LF Repuestos Horeca S.L.U. SPAIN
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es |
|  EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com |  LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch |
|  LF GmbH GERMANY
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de |  LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk |
|  LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com | |
-
- | | |
|--|---|
|  AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com |  DENMARK
www.lfspareparts724.dk
michael.leth@lfspareparts.com |
|  AUSTRIA
www.lfersatzteile724.at
info@lfersatzteile.at |  JAPAN
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp |
|  BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com |  SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com |
|  BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com |  TURKEY
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com |
|  CENTRAL AND EASTERN EUROPE
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz |  USA AND CANADA
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us |