



Spare parts for:

## Cooking equipment



Suitable for:

# ATA



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

ATA



Suitable for:

## Ball valves and accessories

3526671 BALL VALVE  $\varnothing$  1/2" FF



ATA K20029

## Bearings

1063901 BEARING 6204 DDU NSK  
external  $\varnothing$  47mm - internal  $\varnothing$  20mm - thickness 14mm



ATA 6638

## Circlips

1250223 RADIAL SEEGER RING  $\varnothing$  6 mm  
stainless steel - external  $\varnothing$  12.3 - thickness 0.7  
UNI 7434 - DIN 6799



ATA 52061

## Contactors

3446557 CONTACTOR LOVATO BG0901A  
coil 9A 230V 50/60Hz 4Kw  
3 normally open contacts  
1 normally closed auxiliary contact



ATA 4204

ATA 9800




---

## Drain hoses

---

- 3450032 DRAIN PIPE  $\varnothing$  38x2000 mm**  
muffs internal  $\varnothing$  31 and 40 mm  
max temperature 90°C



ATA 4128

---

## Electric hot plates

---

- 3311062 ELECTRIC HOT PLATE 3000W 230V**  
dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



ATA K24011

---

## Electrical gas valves and accessories

---

- 3526176 VALVE 820 NOVA  $\varnothing$  1/2"FF**  
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
thermocouple connection M9x1  
maximum gas inlet pressure 60 mbar  
outlet pressure adjustment range  
3÷30 mbar  
ambient temperature 0÷70°C  
power supply 230V 50Hz



ATA K00055



Suitable for:

# ATA



Suitable for:

## Gas taps and accessories

**3348016 GAS TAP 21S**  
 with pilot flame  
 fittings  $\varnothing$  M16x1.5mm  
 with flow regulator  
 thermocouple connection M9x1 mm  
 D-shaped pin  $\varnothing$  8x6.5 mm



ATA K22001

**3348002 GAS TAP 22S/0**  
 with pilot flame  
 with horizontal flange  
 fittings  $\varnothing$  M20x1.5mm  
 with flow regulator  
 thermocouple connection M9x1  
 D-shaped pin  $\varnothing$  10x8 mm



ATA K22011

**3348036 OLIVE FOR 4 mm  $\varnothing$  PIPE**  
 for model PEL 21-22



ATA K22003

**3348043 PIPE FITTING  $\varnothing$  10 mm**  
 thread M16x1.5  
 for model PEL 20-21




ATA K22004

**3348032 PIPE FITTING  $\varnothing$  12 mm**  
 thread M20x1.5  
 for model PEL 22




ATA K22014

**3348033 PIPE FITTING  $\varnothing$  12 mm**  
 thread M24x1.5  
 for model PEL 23



ATA K22040

**3348035 PIPE FITTING  $\varnothing$  20 mm**  
 thread M28x1.5  
 for model PEL 23



ATA K22039

**3348029 PIPE FITTING  $\varnothing$  4 mm**  
 thread M10x1  
 for model PEL 21-22



ATA K22005

**3348038 PIPE OLIVE  $\varnothing$  10 mm**  
 for model PEL 22



ATA K22013

**3348044 PIPE OLIVE  $\varnothing$  10 mm**  
 for model PEL 20 - 21



ATA K22002



Suitable for:

**3348040 PIPE OLIVE  $\varnothing$  12 mm**  
for model PEL 23



ATA K22037

Suitable for:

**3348042 PIPE OLIVE  $\varnothing$  20 mm**  
for model PEL 23



ATA K22038

## Heating elements

**3355046 HEATING ELEMENT 6000W 220/380V**  
immersed length 490 mm  
flange external  $\varnothing$  63 mm  
with thermostat probe receptacle  
with O-ring



ATA 6205

**3186013 O-RING GASKET 06187 EPDM  $\varnothing$  58 mm**



ATA 4207

## Hydraulic piping

**3450152 HOSE RUBBER REINFORCED  $\varnothing$  13/19 mm**  
internal  $\varnothing$  13 mm - external  $\varnothing$  19 mm  
SOLD PER METER



ATA 7237

ATA 9702

ATA 9700

ATA 9701

**3450736 PRESSURE SWITCH PIPE  $\varnothing$  4x8.5 mm - 10 m**  
made of black rubber  
external  $\varnothing$  8.5 mm  
internal  $\varnothing$  4 mm



ATA 67140

ATA 7234

ATA 9707

## Ignitors

**3001020 PIEZO IGNITER**  
a  $\varnothing$  18 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



ATA K24003



Suitable for:

ATA



Suitable for:

## Incandescent lamps and neon lamps

**3221258 OVEN NEON LAMP Ba9s 1.5mA 230V**  
dimensions  $\varnothing$  10x28 mm



ATA 14657

## Indicator lights

**3221097 NEUTRAL INDICATOR LAMP 220V**  
head  $\varnothing$  8 mm - 120°C



ATA 7215

**3221163 ORANGE LAMP RECEPTACLE**  
head  $\varnothing$  15 mm - hole  $\varnothing$  10 mm



ATA 7953

## Interference suppression filters

**3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL**  
0.47 $\mu$ F



ATA 1500

## Ironmongery (screws,nuts,washers)


**3316051 HEATING ELEMENT RETAINING NUT  $\varnothing$  1"1/2**



ATA 1047

ATA 4124

**1349504 NUT  $\varnothing$  1/2" KEY 25x6 mm**



ATA 7139

## Microswitches

**3240179 MAGNETIC MICROSWITCH E5301C**  
0.4A 250V - contact NO - head 65x20x9 mm  
with cable length 500 mm



ATA 13105

**3240181 PROTECTED MAGNET 62x18x10 mm**



ATA 13642





Suitable for:

**3240204 MAGNETIC MICROSWITCH E5301C**  
 0.4A 250V - contact NO - head 65x20x9 mm  
 with magnet 63x19x11 mm  
 with cable length 1900 mm



ATA 13122

Suitable for:

**3240181 PROTECTED MAGNET 62x18x10 mm**



ATA 13642

**3240181 PROTECTED MAGNET 62x18x10 mm**



ATA 13642

## OR and ORM gaskets

**3186013 O-RING GASKET 06187 EPDM  $\varnothing$  58 mm**



ATA 4207

**3186014 O-RING GASKET 06225 EPDM  $\varnothing$  67 mm**



ATA

**1186238 O-RING 04081 EPDM**



ATA 1037

**3786459 O-RING 04200 VITON**



ATA K20007

## Pilot burners and accessories

**3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm**



ATA K22024

**3020082 OLIVE FOR 12 mm  $\varnothing$  PIPE**



ATA K22012



Suitable for:

# ATA



**3020025 ONE-FLAME PILOT BURNER SIT**  
multigas type with nozzle  $\varnothing$  0.25 mm  
with 2 positions bracket



ATA K22015

Suitable for:

**3020054 PILOT JET  $\varnothing$  0.20 mm**



ATA K22025

**3020040 PILOT JET  $\varnothing$  0.30 mm**




ATA K22022

**3020055 PILOT JET  $\varnothing$  0.35 mm**



ATA K22026

**3020011 THREE-FLAME PILOT BURNER**  
without sparking plug, gas jet  
with pipe fitting and pilot pipe olive  
with thermocouple connection  
with sparking plug fitting



ATA K22029

**3020038 THREE-FLAME PRINTED PILOT BURNER SIT**  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included



ATA K22019

## Probes

**3445107 PTC PVC PROBE 3000 mm**  
2-wire probe temperature range  $-30+80^{\circ}\text{C}$   
bulb  $\varnothing$  6x40 mm



ATA 7710

ATA 7723

## Relays

**3351031 MINI RELAY 26.01 8A 230V 50Hz**  
1 cut-off contact



ATA 7711






## Rotary switches

**3057026 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D shaft  $\varnothing$  6x4.6 mm



ATA K24034

**3057023 SELECTOR SWITCH 0-6 POSITIONS**  
 contact capacity 32A 250V - max 150°C  
 D shaft  $\varnothing$  6x4.6 mm



ATA K24014

## Solenoid valves

**3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL**  
 for solenoid valve ELBI  
 rated value +/- 25%



ATA 7269

**3120408 SOLENOID VALVE 230V  $\varnothing$  13.5 mm**  
 solenoid valve 90° - 230V 50/60Hz - max 90°C  
 inlet 3/4" - 1 outlet  $\varnothing$  13.5 mm



ATA

**3120013 SOLENOID VALVE 263 220/240V  $\varnothing$  10 mm**  
 solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - triple outlet  $\varnothing$  10 mm



ATA 7209

**3120004 SOLENOID VALVE 319 220/240V  $\varnothing$  10 mm**  
 solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - outlet  $\varnothing$  10 mm



ATA 2504

**3120504 SOLENOID VALVE 319 24V  $\varnothing$  10 mm**  
 solenoid valve 90° - 24V 50/60Hz - max 90°C  
 inlet 3/4" - outlet  $\varnothing$  10 mm



ATA 13103

**3120006 SOLENOID VALVE 339 220/240V  $\varnothing$  10 mm**  
 solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - dual outlet  $\varnothing$  10 mm



ATA 1066

**3120506 SOLENOID VALVE 339 24V  $\varnothing$  10 mm**  
 solenoid valve 90° - 24V 50/60Hz - max 90°C  
 inlet 3/4" - 2 outlets  $\varnothing$  10 mm



ATA 14131

**3120008 SOLENOID VALVE 350 220/240V  $\varnothing$  14 mm**  
 solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - outlet  $\varnothing$  14 mm



ATA 7604



Suitable for:

# ATA



Suitable for:


**3120511 SOLENOID VALVE 350 24V  $\varnothing$  14 mm**  
solenoid valve 90° - 24V 50/60Hz- max 90°C  
inlet 3/4" - outlet  $\varnothing$  14 mm



ATA


## Switches

**3319018 CHANGEVER SWITCH 2 POLE RED 16A 250V**  
16(4)A 250V - with indicator lamp  
max. temperature 120°C  
mounting hole 22x30 mm



ATA 1087

**3319015 PUSH-BUTTON 2-POLE RED 16A 250V**  
16(4)A 250V - with indicator lamp  
silk-screen print 0 - I  
max. temperature 120°C  
mounting hole 22x30 mm



ATA 1085

**3319016 SWITCH 2-POLE RED 16A 250V**  
16(4)A 250V - with indicator lamp  
silk-screen print 0 - I  
max. temperature 120°C  
mounting hole 22x30 mm



ATA 1089

## Terminal blocks

**3247037 4-POLE TERMINAL BLOCK FV173 40A 600V**  
for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



ATA 13162



## Thermocouples and accessories

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



ATA K22176

3440036 THERMOCOUPLE SIT M9x1 85 cm.



ATA K22176

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



ATA K22176

## Thermostatic gas valves

3345018 THERMOSTATIC TAP 25ST

operating temperature 100-300°C  
connections M16x1.5 mm  
thermocouple connection M9x1  
bulb  $\varnothing$  6x75 mm  
capillary length 1200 mm  
D-shaped pin  $\varnothing$  8x6.5 mm




ATA K22131

## Thermostats

3444031 SINGLE-PHASE THERMOSTAT 90-185°C


complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2500 mm - 16A 250V  
bulb  $\varnothing$  4x230 mm



ATA K24048

3444004 THERMOSTAT SINGLE-PHASE TR2 0-90°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1500 mm - 15A 250V  
bulb  $\varnothing$  6.5x95 mm



ATA 1080


ATA 2080

ATA 7280



Suitable for:

**3444312 THERMOSTAT THREE-PHASE 360°C**  
with manual reset  
capillary length covered 1500 mm - 16A 250V  
bulb  $\varnothing$  4x110 mm




ATA K24041

## ATA



Suitable for:

**3444052 THREE-PHASE THERMOSTAT 50-320°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  3x230 mm


















ATA K24015

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



Distributing Components, Spare Parts & Accessories  
in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfcomb724.it](http://www.lfcomb724.it) - [www.lfcomb724.mobi](http://www.lfcomb724.mobi) - [info@lfcomb.it](mailto:info@lfcomb.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
  -  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel. +7 499 259 85 75  
Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
  -  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
  -  **LF Repuestos Horeca S.L.U. SPAIN**  
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
  -  **LF GmbH GERMANY**  
Junkersstrasse, 1 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
  -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteilech724.mobi](http://www.lfersatzteilech724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
  -  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
  -  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
  -  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.lenth@lfspareparts.com](mailto:michael.lenth@lfspareparts.com)
  -  **AUSTRIA**  
[www.lfspareparts724.at](http://www.lfspareparts724.at)  
[ludwig.neier@lfersatzteile.at](mailto:ludwig.neier@lfersatzteile.at)
  -  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
  -  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
  -  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
  -  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
  -  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)
  -  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)