



Spare parts for:

Cooking equipment



Suitable for:

CB



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

CB



Suitable for:

Air regulators

3352014 AERATION REGULATOR
internal \varnothing 16 mm - external \varnothing 18 mm
height 42 mm



CB 08120045

3352015 AERATION REGULATOR
internal \varnothing 18 mm - external \varnothing 20 mm
height 42 mm



CB 08120029

Bearings

1199062 BEARING 6001 ZZ NSK
external \varnothing 28mm - internal \varnothing 12mm - thickness 8mm



CB 03CC0004

CB 03050626

Cables for piezo igniters

3001039 IGNITION CABLE 900 mm
with faston terminal 3x0.8 mm for ignition
with faston terminal 3x0.8 mm for plug



CB 08060601

3001016 IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



CB 08061352

Contactors

3351049 CONTACTOR SIEMENS 3RT2016-1AP01
9A 400V 4Kw - coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



CB 07070001



Electronic controllers

- 3445291 THERMOSTAT EVK411 TCJ/TCK/PT100**
 power supply 230V 50Hz
 thermostat setting range 0+250°C
 with free parameters setting
 room temperature -5+65°C
 TCJ-TCK-PT100 type probe (not included)
 connections by screwed terminal block
 front dimension 74x32x67 mm
 mounting hole 71x29 mm



CB 09010030

Energy regulators

- 3350026 ENERGY ADJUSTER**
 contact capacity 230V 13A - max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



CB 09020004

Gas burners

- 3023092 BURNER 400x270 mm**
 overall length 500 mm
 made of stainless steel - Kcal/h 18000 ca
 for old series
 for Lava rock grill gas (CB)



CB 08CC0005

CB 08111361

- 3020093 BURNER INJECTOR ASSEMBLY**
 with LPG and natural gas nozzles M9x1
 pipe \varnothing 12 mm



CB 01007000

CB 08100001

CB 08100003

- 3023093 BURNER 400x370 mm**
 overall length 500 mm
 made of stainless steel - Kcal/h 22000 ca
 for old series
 for Lava rock grill gas (CB)



CB 08CC0026

CB 08111343

- 3020093 BURNER INJECTOR ASSEMBLY**
 with LPG and natural gas nozzles M9x1
 pipe \varnothing 12 mm



CB 01007000

CB 08100001

CB 08100003




Suitable for:

CB



3023094 BURNER 400x430 mm
 overall length 500 mm
 made of stainless steel - Kcal/h 27000 ca
 for old series
 for Lava rock grill gas (CB)



CB 08CC0013 CB 08111328

3020093 BURNER INJECTOR ASSEMBLY
 with LPG and natural gas nozzles M9x1
 pipe ø 12 mm



CB 0100700 CB 08100001 CB 08100003

3023220 BURNER 480x250 mm
 made of stainless steel
 for Lava rock grill gas (CB) I80MOB/P - I80P



CB 08CC0056 CB 08110013

3352014 AERATION REGULATOR
 internal ø 16 mm - external ø 18 mm
 height 42 mm



CB 08120045

3023221 BURNER 480x325 mm
 made of stainless steel
 for Lava rock grill gas (CB) I47 - I47MOB



CB 08CC0044 CB 08110009

3352015 AERATION REGULATOR
 internal ø 18 mm - external ø 20 mm
 height 42 mm



CB 08120029

3023222 BURNER 480x510 mm
 made of stainless steel
 for Lava rock grill gas (CB) I65 - I65MOB



CB 08CC0046 CB 08110010

3352015 AERATION REGULATOR
 internal ø 18 mm - external ø 20 mm
 height 42 mm



CB 08120029

3023150 BURNER 725x40 mm
 overall length 755 mm
 made of STAINLESS steel
 for Rotisserie gas (CB) G-12P - G-20P



CB 08CC0016 CB 08110583

3023151 GAS BURNER 995x40 mm
 overall length 1050 mm
 made of STAINLESS STEEL
 for Rotisserie gas (CB) P10/4GAS - P10/5GAS
 P10/6GAS - P10/8GAS



CB 08CC0029 CB 08110614



Gas taps and accessories

- 3348002 GAS TAP 22S/0**
 with pilot flame
 with horizontal flange
 fittings \varnothing M20x1.5mm
 with flow regulator
 thermocouple connection M9x1
 D-shaped pin \varnothing 10x8 mm




CB 08020022

CB 08020023

Gearmotors


- 3240924 GEARMOTOR 12W 230V 50/60Hz 2RPM**
 complete with bushing
 external pin \varnothing 16 mm - internal pin \varnothing 12 mm



CB 07010116

CB 07010155

- 3240101 GEARMOTOR 330N 25W 230V 50Hz**
 TYPE K9113061 - 2rpm
 pin 8.5x5 mm - pin height 15 mm
 for Rotisserie electric (CB) E-12P - E-8P - G-8P
 for Rotisserie gas (CB) G-12P
 for Sausage grill (CB)



CB 07010053

CB 07010084

CB 07010510

Handles

- 3398021 OVEN DOOR CATCH**
 distance between holes 47 mm
 catch distance 27 mm



CB

- 3242337 OVEN DOOR HANDLE \varnothing 26x80 mm M10**



CB 10011126

- 5036009 PLASTIC HANDLE 150 mm BLACK**
 distance between holes 130 mm



CB 10CC0001



Suitable for:

CB



Suitable for:

Heating elements

3755830 CERAMIC HEATING ELEMENT 1000W 230V
length 240 mm - width 60 mm



CB 07030064

3355829 CERAMIC HEATING ELEMENT 650W 230V
length 245 mm - width 60 mm



CB 07030063

3355362 HEATING ELEMENT 1400W 230V
total length 580 mm
internal length 525 mm
width 40 mm - fittings \varnothing 1/4"
for Rotisserie electric (CB) E-6P/E-15P



CB 07030070

CB 07030963

3355357 HEATING ELEMENT 1450W 230V
overall length 740 mm
internal length 680 mm
width 40 mm - fittings \varnothing 1/4"
for Rotisserie electric (CB) E-12P



CB 07030563

CB 07032325

3755673 HEATING ELEMENT 1500W 230V
overall length 588 mm
internal length 519 mm
width 45 mm - fittings M14x1.5 mm
for Rotisserie electric (CB) GV16 - GV16MAN - GV20
GV20MAN



CB 07030017

3355353 HEATING ELEMENT 1800W 380V
overall length 740 mm
internal length 680 mm
width 40 mm - fittings M14x1.5 mm
for Rotisserie electric (CB) E-8P




CB 07031230

3355354 HEATING ELEMENT 1900W 240V
overall length 770 mm
internal length 680 mm
width 40 mm - fittings \varnothing 1/4"
for Rotisserie electric (CB) E-8P



CB 07032324

3355363 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for 180 mm tangential fan



CB 07032361



Suitable for:

3355351 HEATING ELEMENT 220W 240V
 length 410 mm
 for Sausage grill electric (CB)



CB 07030052

3755674 HEATING ELEMENT 2570/2800W 230/240V
 external \varnothing 190 mm - total height 70 mm
 flange 100x22 mm



CB 07030065

Suitable for:

3355358 HEATING ELEMENT 2480/2700W 230/240V
 overall length 740 mm
 internal length 680 mm
 width 40 mm - fittings M14x1.25 mm
 for Rotisserie electric (CB) GV24 - GV28 - GV35
 GV42 - P7/5E



CB 07030564

CB 07032326

3355361 HEATING ELEMENT 3280W 230V
 overall length 1050 mm
 internal length 970 mm
 width 40 mm - fittings M14x1.5 mm
 for Rotisserie electric (CB) P10/4E - P10/5E
 P10/6E - P10/8E



CB 07030900

Ignitors

3001007 PIEZO IGNITER
 a \varnothing 22 mm hole is needed for the assembly
 2.4 mm \varnothing male faston connector



CB 08061351

Incandescent lamps and neon lamps

3221061 OVEN LAMP E14 25W 230V
 max temperature 300°C
 for OVEN - PIZZA OVEN



CB

3221140 OVEN LAMP E14 40W 230V
 max temperature 300°C



CB 07020966



Suitable for:

3221330 QUARTZ LAMP 1000W 230V
overall length 480 mm
glass length 338 mm
for Rotisserie electric (CB) GV16 - GV16MAN - GV20
GV20MAN - GV24 - GV24MAN - GV28 - GV28MAN
GV35 - GV35MAN - GV42 - GV42MAN



CB 0702001

CB



Suitable for:

5025951 UV LAMP G8 8W
length 288 mm



CB 07020025

Indicator lights

3221095 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



CB 07051486

3221080 RED INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C



CB 07050994

Injectors

3500051 GAS JET M9x1 \varnothing 1.90 mm



CB 08050030

3500052 GAS JET M9x1 \varnothing 2.00 mm



CB 08052140

3500055 GAS JET M9x1 \varnothing 2.50 mm



CB 08052143



Knobs

5008736 BLACK KNOB \varnothing 39 mm SCREEN PRINTING
 D-shaped hole 6x4.6 mm
 for Display cabinet warm (CB)
 ECV4143-ECV2076-ECV3110-ECV1050
 for Rotisserie (CB)
 GV16/20MAN-GV24/48MAN-GV35/42MAN



CB 10010012

3444187 BLACK KNOB \varnothing 50 mm 50-500°C
 D-shaped pin \varnothing 6x4.6 mm
 for EGO thermostat



CB 10010030

3241400 BLACK KNOB \varnothing 70 mm UNIVERSAL
 D shaft hole 10x8 mm



CB 10010607

3241450 SELF-STICK DISK WITH PILOT SYMBOL
 external \varnothing 63 mm
 for gas taps with pilot



CB 11050003

1241542 KNOB SELECTOR SWITCH BLACK \varnothing 33 mm
 hole for square pin 5x5 mm
 for selector switch



CB 10010017

3241450 SELF-STICK DISK WITH PILOT SYMBOL
 external \varnothing 63 mm
 for gas taps with pilot



CB 11050003

Lamp receptacles and spare parts

3221349 GLASS F.OVEN RECEPTACLE LAMP \varnothing 73 mm
 thread \varnothing 63 mm - overall height 45 mm



CB

3221612 LAMP PROTECTION \varnothing 30x290 mm
 for Rotisserie (CB)



CB 02030001




Suitable for:

CB



3221613 LAMP RECEPTACLE FOR QUARTZ LAMP
 length 70 mm - width 50 mm
 height 70 mm
 for Rotisserie (CB) GV16 - GV16MAN - GV20
 GV20MAN - GV24 - GV24MAN - GV28 - GV28MAN
 GV35 - GV35MAN - GV42 - GV42MAN



CB 07CC0021

CB 07020008

Suitable for:

3221612 LAMP PROTECTION \varnothing 30x290 mm
 for Rotisserie (CB)



CB 02030001

3221330 QUARTZ LAMP 1000W 230V
 overall length 480 mm
 glass length 338 mm
 for Rotisserie electric (CB) GV16 - GV16MAN - GV20
 GV20MAN - GV24 - GV24MAN - GV28 - GV28MAN
 GV35 - GV35MAN - GV42 - GV42MAN



CB 07020001

3221050 LAMP RECEPTACLE WITH LAMP E14 40W 240V
 lamp glass \varnothing 72 mm
 mounting hole \varnothing 68 mm
 max temperature 300°C
 for Display cabinet warm (CB) ESP/2 - EV16 - EV24
 EV35 - VR12E - VR12G - VR20 - VR24 - VR30
 VR36 - VR48 - VR8E



CB 07020018

CB 07020968

Lava rock grids

3185021 STAINLESS STEEL GRILL 426x250x20 mm
 for Lava rock grill gas (CB) I65 - I65MOB



CB 01039000

CB 14081897

3185020 STAINLESS STEEL GRILL 426x323x20 mm
 for Lava rock grill gas (CB) I47 - I47MOB
 I80MOB/P - I80P



CB 14081834



Lavarock

3310001 **LARGE LAVA ROCK 9 Kg**
large size



CB 05050501

3310007 **MEDIUM-FINE LAVA ROCK 5 Kg**
medium size



CB

3310008 **MEDIUM-LARGE LAVA ROCK 5 Kg**
medium-large size



CB

Microswitches

3240040 **MICROSWITCH OMR 12A 250V**
6.3x0.8 terminal
complete with boss and button



CB 08060613


Motors

3240620 **FAN MOTOR 47W 230V 50Hz**
complete with impeller fan ø 150 mm
for Rotisserie (CB)



CB 07010007

3240000 **MOTOR WITH FAN 45W 220V 50/60Hz**
fan ø 150 mm



CB 07010013

CB 07010078

Pilot burners and accessories

3020093 **BURNER INJECTOR ASSEMBLY**
with LPG and natural gas nozzles M9x1
pipe ø 12 mm



CB 01007000

CB 08100001

CB 08100003

3020088 **FLAME TRANSITION PIPE 130 mm**



CB 04030010

CB 04360001

CB 4360001



Suitable for:

CB



Suitable for:


3020090 INJECTOR ASSEMBLY FOR PILOT BURNER
complete with tube for flame passing



CB 08070002

CB 08100123

3020023 LEFTHAND PILOT ASSEMBLY
with sparking plug, tube, pilot and bracket



CB

3020090 INJECTOR ASSEMBLY FOR PILOT BURNER
complete with tube for flame passing



CB 08070002

CB 08100123

3020064 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
model 5/A
fitting \varnothing 11 mm - with fixing nuts
overall model 70 mm



CB 08080003

CB 08080005

3020054 PILOT JET \varnothing 0.20 mm



CB 08120030

3020088 FLAME TRANSITION PIPE 130 mm



CB 04030010

CB 04360001

3020092 PILOT SUPPORT BRACKET LH 92x55x45 mm
for mounting of pilot assembly



CB 01110014

CB 01111303

3020092 PILOT SUPPORT BRACKET LH 92x55x45 mm
for mounting of pilot assembly



CB 01110014

CB 01111303



Suitable for:

Suitable for:

3020091 PILOT SUPPORT BRACKET RH 92x55x45 mm
for mounting of pilot assembly



CB 01110013

CB 01111302

3020022 RIGHTHAND PILOT ASSEMBLY
with sparking plug, tube, pilot and bracket



CB

3020088 FLAME TRANSITION PIPE 130 mm



CB 04030010

CB 04360001

3020090 INJECTOR ASSEMBLY FOR PILOT BURNER
complete with tube for flame passing



CB 08070002

CB 08100123

3020091 PILOT SUPPORT BRACKET RH 92x55x45 mm
for mounting of pilot assembly



CB 01110013

CB 01111302

3020064 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
model 5/A
fitting \varnothing 11 mm - with fixing nuts
overall model 70 mm



CB 08080003

CB 08080005

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



CB 08100602



Suitable for:

CB



Suitable for:

Probes

3445107 PTC PVC PROBE 3000 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



CB 09040008

3397093 THERMOCOUPLE PROBE TCJ
2 wires - temperature 0-250°C
probe length 100 mm - ø probe 6 mm
cable length 950 mm



CB 09040001

Rating-plates


5050616 CONTROL PLATE
for Rotisserie (CB) GV35/42MAN



CB 11030002

Relays

3351158 BASE UNDECAL ES11 10A 400V
11 poles



CB 07072135

3351151 RELAY 60.12 10A 250V 50/60Hz
2 switching contacts
manual operation push-button



CB 07072134

Rotary switches

3211004 SWITCH CS 0258910 A2500
contact capacity 25A 600V - max 60/75°C
square shaft 6x6 mm
for Rotisserie electric (CB)



CB 07CC0084

CB 07040976



Shock absorbers

- 5004345 SHOCK ABSORBER FOR BACK GLASS**
 total length 330 mm
 for Display cabinet warm (CB) ECV1050-ECV2076



CB 10080005

Spark generators

- 3181002 SPARK GENERATOR 2 OUTLETS**
 220/240V 50/60Hz



CB 08060011

Sparking and detection plugs

- 3020064 ROUND IGNITION ELECTRODE \varnothing 7x44 mm**
 model 5/A
 fitting \varnothing 11 mm - with fixing nuts
 overall model 70 mm



CB 08080003

CB 08080005

- 3020067 SQUARE IGNITION ELECTRODE 6/7x53 mm**
 total length 85 mm



CB

Spits, sticks and rotisserie accessories

- 3162001 END FORK**
 shaft square hole 11.3x11.3 mm
 overall length 72 mm



CB 01080018

CB 04010537

CB 01080018+03010062

CB 03010062

- 3162003 WING BOLT M6x20 UNI 5449**
 for end fork



CB 03010002

CB 03010062

CB 03011212



Suitable for:

3162002 MIDDLE FORK
shaft square hole 11.3x11.3 mm
overall length 122 mm



CB 01080017

CB 04010536

CB



Suitable for:

3162003 WING BOLT M6x20 UNI 5449
for end fork



CB 03010002

CB 03010062

CB 03011212

Switches

3319054 BLACK BIPOLAR SWITCH 16A 250V
16(4)A 250V - with green led indicator light
"gearmotor" silk-screen printing
max temperature 120°C
mounting hole 22x30 mm
for Rotisserie electric (CB)
for Sausage grill electric (CB)



CB 07040519

3319055 BLACK BIPOLAR SWITCH 16A 250V
16(4)A 250V - with red led indicator light
"heating element" silk-screen printing
max temperature 120°C
mounting hole 22x30 mm
for Rotisserie electric (CB) E-12P - E-8P




CB 07042133

3319463 BLACK DOUBLE-POLE SWITCH 16A 250V
16(4)A 250V
with orange indicator lamp and protection cap
silk-screet printing "light on"
max temperature 120°C
mounting hole 22x30 mm



CB 07040518

3319374 BLACK TWO-POLE PUSH-BUTTON 16A 250V
16(4)A 250V - with protection cap
silk-screen printing "ignition"
max temperature 120°C
mounting hole 22x30 mm
for Rotisserie gas (CB) G-12P - G-20P - P10/4
P10/5 - P10/6 - P10/8 - P7/5



CB 07040002

3319375 BLACK TWO-POLE SWITCH 16A 250V
with protection cap
"manual - automatic" silk-screen printing
max temperature 120°C
mounting hole 22x30 mm



CB 07040011

3319254 CHANGEVER SWITCH 2 POLE BLACK 16A 250V
16(4)A 250V - with switch cover
max. temperature 120°C
mounting hole 22x30 mm



CB 07040032

Suitable for:

Suitable for:

- 3319464 SWITCH 2-POLE GREEN 16A 250V**
 16(4)A 250V
 with indicator lamp and protection cap
 silk-screen printing 0 - I
 max temperature 120°C
 mounting hole 22x30 mm



CB 07040015

Tangential and radial fans

- 3526150 TANGENTIAL FAN 180 mm LH**
 25W 230V 50/60Hz - ø 60 mm
 operating temperature -30°+100°C



CB 07012360

Terminal blocks

- 3247050 3-POLES TERMINAL BLOCK FV110 40A 450V**
 for cable ø 6 mm max.
 operating temperature 150°C



CB 07100010

- 3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V**
 for cable max 6 mm²
 operating temperature 150°C
 nominal voltage 450 V



CB 07100009

Thermocouples and accessories

- 3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**
 GIUNTO M8x1



CB 08090003



Suitable for:

CB



Suitable for:

Thermocouples and accessories

3440053 THERMOCOUPLE SIT M8x1 60 cm THREAD M8x1



CB 08090003

3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS
GIUNTO M8x1



CB 08090003

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



CB 08090604

3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS
GIUNTO M8x1



CB 08090001

3440060 THERMOCOUPLE SIT M9x1 85 cm THREAD M8x1



CB 08090001

3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS
GIUNTO M8x1



CB 08090001

3440036 THERMOCOUPLE SIT M9x1 85 cm.



CB 08090604


3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



CB 08090604

Thermostats

3444510 SINGLE-PHASE THERMOSTAT 30-110°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 850 mm - 16A 250V
bulb \varnothing 6x138 mm - w/ stuffing gland fitting M9x1
with complete tank sealing fitting M12x1



CB 09010015


3444266 SINGLE-PHASE THERMOSTAT 338°C
with manual reset
covered capillary length 830 mm - 16A 250V
button bulb \varnothing 14x10 mm
for Rotisserie (CB)



CB 09010019

3444627 SINGLE-PHASE THERMOSTAT 45-255°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm
bulb \varnothing 6x74 mm
for Rotisserie (CB)




CB 09010014



3444174 SINGLE-PHASE THERMOSTAT 50-320°C


D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm



CB 09010021

3444586 SINGLE-PHASE THERMOSTAT 75-450°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 4x228 mm



CB 09010027

Timers

3322257 CONTROLLER P205 2 CAMS 230V 50/60Hz


cycle 144 minutes - D-shaped pin \varnothing 6x4.6 mm
for Rotisserie electric (CB) GV-16MAN - GV-20MAN
GV-24MAN - GV-28MAN - GV-35MAN - GV-42MAN



CB 09030002

3446001 TIMER 120 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



CB 09030065

CB 09030100

Transformers

3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved




















CB 07062363

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories
in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF GmbH GERMANY**
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **DENMARK**
www.lfspareparts724.dk
michael.lenth@lfspareparts.com
 -  **AUSTRIA**
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz