



Spare parts for:

## Cooking equipment



Suitable for:

# CF CENEDESE



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

# CF CENEDESE



Suitable for:

## Contactors

### 3446562 CONTACTOR LOVATO BF0901A

coil 9A 230V 50/60Hz 4.2Kw  
3 normally open contacts  
1 normally closed auxiliary contact



CF CENEDESE 63.7.0890

## Energy regulators

### 3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction  
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS  
for Salamander (CF CENEDESE)  
for Sausage grill (CF CENEDESE)  
for Toaster (CF CENEDESE)



CF CENEDESE 63.7.0601

## Equipment, complete

### 3235202 GAS BARBECUE G220



CF CENEDESE G220

### 3235204 LID FOR GRILL G220



CF CENEDESE

### 3235204 LID FOR GRILL G220



CF CENEDESE

## Gearmotors

- 3240638 GEARMOTOR 230V 50/60Hz**  
 TYPE MR5/47559SP R5/F004 G4.5  
 pin 8x6 mm - pin height 24 mm  
 for Toaster (CF CENEDESE) TN30



CF CENEDESE 63.7.0751

## Heating elements

- 3755808 HEATING ELEMENT 1200W 230V**  
 length 195 mm - width 300 mm  
 for Panini grill electric (CF CENEDESE)



CF CENEDESE 63.7.1015

- 3755811 HEATING ELEMENT 1600W 230V**  
 length 270 mm - width 220 mm  
 fittings M12x1.5 mm  
 for Salamander electric (CF CENEDESE)




CF CENEDESE 63.7.1083

- 3755813 HEATING ELEMENT 1900W 230V**  
 length 310 mm - width 255 mm  
 flange 70x36 mm  
 for Salamander electric (CF CENEDESE) SE2 - SE2M



CF CENEDESE 63.7.1022

- 3755810 HEATING ELEMENT 2000W 230V**  
 length 350 mm - width 240 mm  
 fittings M12x1.25 mm  
 for Salamander electric (CF CENEDESE)




CF CENEDESE 63.7.1084

- 3355351 HEATING ELEMENT 220W 240V**  
 length 410 mm  
 for Sausage grill electric (CF CENEDESE)



CF CENEDESE

- 3755812 HEATING ELEMENT 2400W 230V**  
 length 430 mm - width 260 mm  
 flange 70x36 mm  
 for Salamander electric (CF CENEDESE) SE1 - SE1M



CF CENEDESE 63.7.1021



# CF CENEDESE



Suitable for:


**3755814 HEATING ELEMENT 400W 230V**  
length 300 mm - width 140 mm  
fittings M12x1.25 mm  
for Self service counter electric (CF CENEDESE)  
VEC-510



CF CENEDESE 63.7.1090

Suitable for:

**3755291 HEATING ELEMENT 750W 230V**  
length 180 mm - width 180 mm  
for Hot plate electric (CF CENEDESE)



CF CENEDESE 63.7.1012

**3755806 HEATING ELEMENT 900W 230V**  
length 180 mm - width 175 mm  
for Panini grill electric (CF CENEDESE)



CF CENEDESE 63.7.1011

**3755807 HEATING ELEMENT 900W 230V**  
length 195 mm - width 300 mm  
for Panini grill electric (CF CENEDESE)



CF CENEDESE 63.7.1016

**3755768 QUARTZ HEATING ELEMENT 400W 115V**  
length 285 mm -  $\varnothing$  11.5 mm  
for TOASTER T920-T940



CF CENEDESE 63.7.1094

**3755769 QUARTZ HEATING ELEMENT 500W 115V**  
total length 365 mm -  $\varnothing$  11.5 mm  
for Toaster electric (CF CENEDESE) T930-T960



CF CENEDESE 63.7.1095

**3755809 RADIANT HEATING ELEMENT 750W 230V**  
length 225 mm - width 225 mm  
height 30 mm  
for Panini grill electric (CF CENEDESE) PDV3020LL  
PDV3020LR - PDV3020RR



CF CENEDESE 63.7.1100



## Indicator lights

**3221132 GREEN INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



CF CENEDESE 63.7.0811

**3221340 INDICATOR LAMP DOUBLE GREEN-WHITE 230V**  
mounting hole 30x22 mm - 120°C  
for Bain-marie (CF CENEDESE)  
for Fryer (CF CENEDESE)  
for Sausage grill (CF CENEDESE)



CF CENEDESE 63.7.0821

**3221012 INDICATOR LAMP GREEN 230V**  
mounting hole 30x22 mm - 125°C  
universal application



CF CENEDESE 63.7.0820

**3221014 INDICATOR LAMP ORANGE 230V**  
mounting hole 30x22 mm - 125°C  
universal application



CF CENEDESE 63.7.0805

**3221095 ORANGE INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



CF CENEDESE 63.7.0810

## Knobs

**3241566 BLACK KNOB  $\varnothing$  50 mm 0-1-2-3**  
D shaft hole 6x4.6 mm  
for EGO energy regulator



CF CENEDESE 63.6.0280

CF CENEDESE 63.7.0280

## Microswitches

**3240410 MICROSWITCH 16(4)A 250V**



CF CENEDESE 63.7.0880



Suitable for:

# CF CENEDESE



Suitable for:

## Pliers for sandwiches und toasts

**3317051 GRILL PLIER**  
length 100 mm  
height 180 mm



CF CENEDESE 63.3.3095

## Springs

**3250001 LEFTHAND SPRING  $\varnothing$  20x42 mm**  
for ELECTRIC PLATE all models  
for SIRMAN ELECTRIC PLATE PD R/L/M/x upto 99  
for SIRMAN ELECTRIC PLATE ELIO L/R/X upto 99  
for SIRMAN ELECTRIC PLATE ELIO ECO upto 99



CF CENEDESE 63.3.0853

**3250002 RIGHTHAND SPRING  $\varnothing$  20x42 mm**  
for ELECTRIC PLATE all models  
for SIRMAN ELECTRIC PLATE PD R/L/M/x upto 99  
for SIRMAN ELECTRIC PLATE ELIO L/R/X upto 99  
for SIRMAN ELECTRIC PLATE ELIO ECO upto 99



CF CENEDESE 63.3.0852


**3250146 SPRING  $\varnothing$  21.5x117 mm**



CF CENEDESE 63.3.0861


## Switches

**3319296 BLACK BIPOLAR SWITCH 16A 250V**  
with red led indicator light  
max temperature 120°C  
mounting hole 22x30 mm



CF CENEDESE 63.7.0861

**3319378 BLACK THREE-POLE SWITCH 16A 250V**  
16(4)A 250V - with orange indicator lamp  
max temperature 120°C  
mounting hole 22x30 mm  
for Display cabinet warm (CF CENEDESE)



CF CENEDESE 63.7.0863



Suitable for:

**3319304 RED DOUBLE SWITCH 16A 250V**  
 16(4)A 250V - with indicator lamp  
 max temperature 100°C  
 mounting hole 22x30 mm  
 for Toaster electric (CF CENEDESE) T920 - T930



CF CENEDESE 63.7.0852

Suitable for:

**3319371 SWITCH 2-POLE BLACK 16A 250V**  
 16(4)A 250V  
 silk-screen printing 0 - I  
 max. temperature 120°C  
 mounting hole 22x30 mm



CF CENEDESE 63.7.0860

## Thermostats

**3444008 KNOB BLACK ø 41 mm 0-90°C**  
 D-shaped hole 6x4.6 mm  
 for thermostat IMIT



CF CENEDESE 63.6.0262

CF CENEDESE 63.6.0264

**3444639 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 covered capillary length 900 mm  
 bulb ø 3x160 mm  
 for Fryer (CF CENEDESE)



CF CENEDESE 63.7.0630

**3444641 SINGLE-PHASE THERMOSTAT 235°C**  
 with manual reset  
 covered capillary length 1000 mm  
 bulb ø 3x185 mm  
 for Fryer (CF CENEDESE)




CF CENEDESE 63.7.0632

**3444640 SINGLE-PHASE THERMOSTAT 50-190°C**  
 D-shaped pin ø 6x4.6 mm  
 covered capillary length 850 mm  
 bulb ø 3x140 mm  
 for Fryer (CF CENEDESE)



CF CENEDESE 63.7.0640

**3444369 SINGLE-PHASE THERMOSTAT 50-320°C**  
 D-shaped pin ø 6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb ø 3x220 mm



CF CENEDESE 63.7.0635

**3444336 THERMOSTAT SINGLE-PHASE TR2 0-270°C**  
 complete with auxiliary selector switch  
 D-shaped pin ø 6x4.6 mm  
 capillary length 940 mm - 15A 250V  
 bulb ø 3.5x190 mm



CF CENEDESE 63.7.0651




# CF CENEDESE



Suitable for:

## 3444004 THERMOSTAT SINGLE-PHASE TR2 0-90°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1500 mm - 15A 250V  
bulb  $\varnothing$  6.5x95 mm




CF CENEDESE 63.7.0655

CF CENEDESE 63.7.0658

Suitable for:

## 3444642 THERMOSTAT SINGLE-PHASE 50-190°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 850 mm - 16A 250V  
bulb  $\varnothing$  3x180 mm  
for Fryer (CF CENEDESE)



CF CENEDESE 63.7.0642

## Timers

## 3446051 TIMER 15 MINUTES C20

manually set mechanical timer  
manually set cycle 15 minutes  
2 poles with contact capacity 16(3)A 250V  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
complete with knob  
for Toaster electric (CF CENEDESE) T920 - T930  
T940 - T960



CF CENEDESE 63.7.0665


















CF CENEDESE 63.7.0666



*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



Distributing Components, Spare Parts & Accessories  
in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfcomb724.it](http://www.lfcomb724.it) - [www.lfcomb724.mobi](http://www.lfcomb724.mobi) - [info@lfcomb.it](mailto:info@lfcomb.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
  -  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel. +7 499 259 85 75  
Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
  -  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
  -  **LF Repuestos Horeca S.L.U. SPAIN**  
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
  -  **LF GmbH GERMANY**  
Junkersstrasse, 1 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
  -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
  -  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
  -  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
  -  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.lenth@lfspareparts.com](mailto:michael.lenth@lfspareparts.com)
  -  **AUSTRIA**  
[www.lfspareparts724.at](http://www.lfspareparts724.at)  
[ludwig.neier@lfersatzteile.at](mailto:ludwig.neier@lfersatzteile.at)
  -  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
  -  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
  -  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
  -  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
  -  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)
  -  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)