




Spare parts for:

Cooking equipment



Suitable for:

COMETTO



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

COMETTO



Suitable for:

Burners, flame spreaders and accessories

3025674 BURNER ø 100 mm



COMETTO 40506

3025598 BURNER ø 106 mm



COMETTO

3025628 BURNER ø 111 mm



COMETTO

3025629 BURNER ø 119 mm



COMETTO

3025634 BURNER ø 143 mm



COMETTO

3025673 BURNER ø 80 mm



COMETTO 40501

3025596 FLAME SPREADER ø 80 mm



COMETTO 40502

3025595 BURNER ø 83 mm




COMETTO

3025758 BURNER ASSEMBLY MOUNTING DISTANCE 110 mm
with vertical flame
6000-9000 Kcal/h
height 90 mm - ø 100 mm - pipe ø 27 mm



COMETTO

3025598 BURNER ø 106 mm



COMETTO



Suitable for:

3025599 FLAME SPREADER ø 100 mm



COMETTO 40507

3025797 BURNER ASSEMBLY MOUNTING DISTANCE 110 mm

with vertical flame
4000-7000 Kcal/h
height 90 mm - ø 80 mm - pipe ø 27 mm



COMETTO

3025596 FLAME SPREADER ø 80 mm



COMETTO 40502

3025756 BURNER ASSEMBLY MOUNTING DISTANCE 165 mm

with vertical flame
4000-7000 Kcal/h
height 90 mm - ø 80 mm - pipe ø 27 mm



COMETTO

3025596 FLAME SPREADER ø 80 mm



COMETTO 40502

COMETTO

Suitable for:

3025595 BURNER ø 83 mm



COMETTO

3025595 BURNER ø 83 mm



COMETTO





Suitable for:

COMETTO



3025759 BURNER ASSEMBLY MOUNTING DISTANCE 165 mm

with vertical flame
6000-9000 Kcal/h
height 90 mm - $\varnothing$ 100 mm - pipe $\varnothing$ 27 mm



COMETTO

3025599 FLAME SPREADER $\varnothing$ 100 mm



COMETTO 40507

3025760 BURNER ASSEMBLY MOUNTING DISTANCE 240 mm

with vertical flame
6000-9000 Kcal/h
height 90 mm - $\varnothing$ 100 mm - pipe $\varnothing$ 27 mm



COMETTO

3025599 FLAME SPREADER $\varnothing$ 100 mm



COMETTO 40507

3025799 BURNER ASSEMBLY MOUNTING DISTANCE 240 mm


with vertical flame
4000-7000 Kcal/h
height 90 mm - $\varnothing$ 80 mm - pipe $\varnothing$ 27 mm



COMETTO

Suitable for:

3025598 BURNER $\varnothing$ 106 mm



COMETTO

3025598 BURNER $\varnothing$ 106 mm



COMETTO

3025595 BURNER $\varnothing$ 83 mm



COMETTO



Suitable for:

COMETTO



3025596 FLAME SPREADER ø 80 mm



COMETTO 40502

3025768 BURNER ASSEMBLY MOUNTING DISTANCE 245 mm
with vertical flame
5000-7000 kcal/h
height 100 mm - ø 80 mm - pipe ø 34 mm



COMETTO

3025624 FLAME SPREADER ø 80 mm



COMETTO

3025716 COMPLETE BURNER MOUNTING DISTANCE 185 mm
vertical flame outlet
7000-11000 Kcal/h
height 90 mm - ø 100 mm - pipe ø 34 mm



COMETTO

3025599 FLAME SPREADER ø 100 mm



COMETTO 40507

Suitable for:

3025595 BURNER ø 83 mm



COMETTO

3025598 BURNER ø 106 mm



COMETTO



Suitable for:

COMETTO



3025717 COMPLETE BURNER MOUNTING DISTANCE 245 mm

vertical flame outlet
7000-11000 Kcal/h
height 90 mm - $\varnothing$ 100 mm - pipe $\varnothing$ 34 mm



COMETTO

3025599 FLAME SPREADER $\varnothing$ 100 mm



COMETTO 40507

3025599 FLAME SPREADER $\varnothing$ 100 mm



COMETTO 40507


3025624 FLAME SPREADER $\varnothing$ 80 mm



COMETTO

Suitable for:

3025598 BURNER $\varnothing$ 106 mm



COMETTO

3025596 FLAME SPREADER $\varnothing$ 80 mm



COMETTO 40502

Drain taps and accessories

3356004 DRAIN TAP $\varnothing$ 1"F
TAPERED SEAL - fixed connection $\varnothing$ 1"F
for BOILING PAN



COMETTO

3356109 DRAIN TAP $\varnothing$ 1"F
fixed connection $\varnothing$ 1"F - fixed handle
for Boiling pan (COMETTO)



COMETTO

- 3356112 DRAIN TAP ø 1"1/2F**
fixed connection ø 1"1/2"F - fixed handle
for Boiling pan (COMETTO)



COMETTO

Suitable for:

- 3356110 DRAIN TAP ø 1"1/4F**
fixed connection ø 1"1/4"F - fixed handle
for Boiling pan (COMETTO)



COMETTO

- 3356005 DRAIN TAP ø 1"1/4F TECNO**
TAPERED SEAL - fixed connection ø 1"1/4F
with gasket
for BOILING PAN




COMETTO

- 3356113 DRAIN TAP ø 2"F**
fixed connection ø 2"F - fixed handle
for Boiling pan (COMETTO)



COMETTO


- 3356108 DRAIN TAP ø 3/4"F**
fixed connection ø 3/4"F - fixed handle
for Boiling pan (COMETTO)



COMETTO

Electrical gas valves and accessories

- 3526141 VALVE 830 TANDEM ø 1/2"FF**
inlet ø 1/2"F - outlet ø 1/2"F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet gas pressure setting range 3÷50 mbar
room temperature 0÷60°C
power supply 230V 50Hz



COMETTO



Suitable for:

COMETTO



Suitable for:

Gas burners

- 3025646 BURNER ASSEMBLY 400 mm**
made of stainless steel
total length 465 mm
with fitting - gas jet M5x75 not included
6kW
for Boiling pan gas (COMETTO)
for Grill gas (COMETTO)



COMETTO


Gas taps and accessories

- 3348154 GAS TAP**
complete with connections and olives
connections $\varnothing$ 10 mm
thermocouple connection M8x1
pin length 27 mm
D-shaped pin $\varnothing$ 10x8 mm



COMETTO 40704

- 3348012 GAS TAP 23S/0**
with pilot flame
with horizontal flange
inlet fitting M28x1.5mm
outlet connection M24x1.5mm
with flow regulator
thermocouple connection M10x1
D-shaped pin $\varnothing$ 10x8 mm



COMETTO COM40722

Gas valves and accessories

- 3523092 MINISIT VALVE FOR FOOD-WARMER 40÷110°C**
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb $\varnothing$ 5x125 mm



COMETTO COM40818

- 3523091 MINISIT VALVE FOR OVEN 70÷310°C**
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1300 mm
bulb $\varnothing$ 4x75 mm
without cover. knob and flanges
for Fry top (COMETTO) CWG3



COMETTO COM40815



Heating elements

- 3455192 HEATING ELEMENT 1000W 230V**
length 794 mm - fittings $\varnothing$ 1/4"
for Rotisserie electric (COMETTO) RB8
for Salamander electric (COMETTO)



COMETTO 50167

- 3455188 HEATING ELEMENT 2000W 220V**
length 730 mm - fittings $\varnothing$ 1/4"
for Oven under cooktop electric (COMETTO) 350L



COMETTO 50108

- 3455190 HEATING ELEMENT 2000W 220V**
length 595 mm - width 68 mm
fittings M12x1 mm
for Grill electric (COMETTO)



COMETTO COM50116

COMETTO 50116

- 3455189 HEATING ELEMENT 800W 220V**
length 460 mm - width 80 mm
couplings $\varnothing$ 1/4"
operating ambient: dry
for Bain-marie electric (COMETTO) CDE - CEE



COMETTO 50113

- 3455187 HEATING ELEMENT 850W 220V**
length 370 mm - width 60 mm
couplings $\varnothing$ 1/4"
for BAIN MARIE SDE
operating ambient: dry
for Bain-marie electric (COMETTO) SDE



COMETTO 50101

Hinges, catches and accessories

- 3053882 CHROME PLATED HINGE 4484**
length 100 mm - mounting distance 60 mm



COMETTO 33200080

- 3053442 RIGHT-LEFTHAND DOOR HINGE FOR OVEN**
distance between holes mobile part 65 mm
distance between hole fix part 33 mm
length 97 mm - width 20 mm
height 46 mm



COMETTO COM61805



Suitable for:

COMETTO



Suitable for:

Incandescent lamps and neon lamps

3221473 NEON LAMP E10 220V
dimensions $\varnothing$ 10x28 mm



COMETTO 51730

3221472 OVEN LAMP Ba9s 3W 52V
dimensions $\varnothing$ 10x28 mm



COMETTO 51732

3221140 OVEN LAMP E14 40W 230V
max temperature 300°C



COMETTO 51722

3221258 OVEN NEON LAMP Ba9s 1.5mA 230V
dimensions $\varnothing$ 10x28 mm
for Fryer electric (COMETTO) CCE14



COMETTO COM51737

Indicator lights

3221550 CAP LAMP RECEPTACLE ORANGE $\varnothing$ 23 mm



COMETTO 51403

3221549 LAMP RECEPTACLE FOR INDICATOR LIGHT
mounting hole $\varnothing$ 22 mm



COMETTO 51401

3221550 CAP LAMP RECEPTACLE ORANGE $\varnothing$ 23 mm



COMETTO 51403

3221473 NEON LAMP E10 220V
dimensions $\varnothing$ 10x28 mm



COMETTO 51730

Knobs

3241777 GREY KNOB SILK-SCREEN PRINTED

D shaft hole 10x8 mm
for Pot stove gas (COMETTO)



COMETTO 64910

3241778 GREY KNOB

D shaft hole 6x4.6 mm
for Pot stove electric (COMETTO)



COMETTO 64915

Pilot burners and accessories

3020006 THREE-FLAME PILOT BURNER SIT

multigas with jet $\varnothing$ 0.20 mm
with 3 positions bracket
for Boiling pan (COMETTO) CR150
for Kitchen (COMETTO)
LJ.3



COMETTO 40800

COMETTO 40802

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm

male faston M4x1 mm
total length 65 mm




COMETTO 40830

Rotary switches

3057014 SELECTOR SWITCH 0-1 POSITIONS


contact capacity 16A 250V - max 150°C
D spindle $\varnothing$ 6x4.6 mm
back connection for thermostat



COMETTO COM50022

3057073 SELECTOR SWITCH 0-1 0-1 POSITIONS


contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm



COMETTO 50025

3057023 SELECTOR SWITCH 0-6 POSITIONS


contact capacity 32A 250V - max 150°C
D shaft $\varnothing$ 6x4.6 mm
for Bratt pan electric (COMETTO)
for Hot plate electric (COMETTO)
for Pot stove electric (COMETTO)



COMETTO 50002

3057256 SELECTOR SWITCH 4 POSITIONS

contact capacity 16A 250V - max 150°C
D spindle $\varnothing$ 6x4.6 mm
for Oven under cooktop (COMETTO)



COMETTO 50026



Suitable for:

COMETTO



Suitable for:

Sparking and detection plugs

- 3001003** **ROUND SPARKING PLUG $\varnothing$ 7x44 mm**
male faston M4x1 mm
total length 65 mm



COMETTO 40830

Taps for tank refilling

- 2102024** **COLD WATER INLET TAP $\varnothing$ 1/2" MM**



COMETTO COM61221

- 2102023** **HOT WATER INLET TAP $\varnothing$ 1/2" MM**



COMETTO COM61220

Thermocouples and accessories

- 3440039** **THERMOCOUPLE SIT M9x1 150 cm**



COMETTO COM40811

- 3440839** **THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



COMETTO COM40811

- 3440839** **THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



COMETTO COM40811


Thermostats

- 3444361** **SINGLE-PHASE THERMOSTAT 50-320°C**
D-shaped pin $\varnothing$ 6x4.6 mm
capillary 950 mm - 16A 250V
bulb $\varnothing$ 3x160 mm



COMETTO 50014


- 3744002** **THERMOSTAT SINGLE-PHASE 230°C**
with manual reset
capillary length 1200 mm
bulb $\varnothing$ 6x77 mm - with stuffing gland fitting M9x1
with tank sealing fitting complete M12x1
for Bratt pan (COMETTO)
for Fryer (COMETTO)



COMETTO 50069

3444088 THREE-PHASE THERMOSTAT 30-110°C

D-shaped pin $\varnothing$ 6x4.6 mm
capillary length covered 900 mm - 10A 400V
bulb $\varnothing$ 6x130 mm - with stuffing gland fitting M9x1



COMETTO 50011

Timers

3446161 TIMER 12 HOURS C53

manually set mechanical timer
manually set cycle 12 hours
contact capacity 16A 250V
max temperature 125°C
2 normally closed contacts
2 normally closed contacts
complete with silkscreen printed plate and knob
dimensions 49.5x58 mm depth 52 mm



COMETTO

3446156

TIMER 15 MINUTES C53

manually set mechanical timer
manually set cycle 15 minutes
contact capacity 16A 250V
max temperature 125°C
2 normally closed contacts
2 normally closed contacts
complete with silkscreen printed plate and knob
dimensions 49.5x58 mm depth 52 mm



COMETTO

3446162 TIMER 24 HOURS C53

manually set mechanical timer
manually set cycle 24 hours
contact capacity 16A 250V
max temperature 125°C
2 normally closed contacts
2 normally closed contacts
complete with silkscreen printed plate and knob
dimensions 49.5x58 mm depth 52 mm



COMETTO

3446160

TIMER 6 HOURS C53


manually set mechanical timer
manually set cycle 6 hours
contact capacity 16A 250V
max temperature 125°C
2 normally closed contacts
2 normally closed contacts
complete with silkscreen printed plate and knob
dimensions 49.5x58 mm depth 52 mm



COMETTO

3446158 TIMER 60 MINUTES C53

manually set mechanical timer
manually set cycle 60 minutes
contact capacity 16A 250V
max temperature 125°C
2 normally closed contacts
2 normally closed contacts
complete with silkscreen printed plate and knob
dimensions 49.5x58 mm depth 52 mm



COMETTO

3446183

TIMER 60 MINUTES C53

manually set mechanical timer
manually set cycle 60 minutes
contact capacity 16A 250V
complete with silkscreen printed plate and knob
for Rotisserie electric (COMETTO) RB8
for Salamander (COMETTO)



COMETTO 50501

COMETTO 50501+50528+50517

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|---|
| <p> LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb724.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com</p> | <p> OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru</p> |
| <p> EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com</p> | <p> LF Repuestos Horeca S.L.U. SPAIN
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es</p> |
| <p> LF GmbH GERMANY
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de</p> | <p> LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch</p> |
| <p> LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com</p> | <p> LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk</p> |
-
- | | |
|---|---|
| <p> AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com</p> | <p> DENMARK
www.lfspareparts724.dk
michael.leth@lfspareparts.com</p> |
| <p> AUSTRIA
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at</p> | <p> SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com</p> |
| <p> BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com</p> | <p> TURKEY
www.lyedekparca724.com
basar.ergun@lyedekparca.com</p> |
| <p> BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com</p> | <p> USA AND CANADA
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us</p> |
| <p> CENTRAL AND EASTERN EUROPE
www.lfspareparts724.cz
jiri.kremela@lfspareparts.cz</p> | |