



Spare parts for:

## Cooking equipment



Suitable for:

# DESCO



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

# DESCO



Suitable for:

## Ball valves and accessories

### 5036175 DRAIN TAP MANIFOLD

2 top connections  $\varnothing$  1"MM - 2 top connections  $\varnothing$  33  
1 bottom connection  $\varnothing$  1"MM  
width 295 mm - overall length 114 mm  
distance between holes 275 mm  
for Pasta cooker electric (DESCO) 7CPE1-9CPE1  
for Pasta cooker gas (DESCO) 7CPG1-9CPG1




DESCO\_R\_61192

DESCO 61192

DESCO 832134

### 5037966 DRAIN TAP MANIFOLD

1 top connection  $\varnothing$  33 mm - 1 top connection  $\varnothing$  1"MM  
1 bottom connection  $\varnothing$  1"MM  
width 165 mm - overall length 114 mm  
distance between holes 145 mm  
for Pasta cooker electric (DESCO) 7CPE1-9CPE1  
for Pasta cooker gas (DESCO) 7CPG1-9CPG1



DESCO\_R\_61191

DESCO 830034

DESCO 831134

### 3526673 GAS/WATER VALVE $\varnothing$ 1"FF

ball valve  
heavy series with PN 40 total passage  
aluminum lever  
for Pasta cooker electric (DESCO) 7CPE1 - 7CPE2  
9CPE1 - 9CPE2  
for Pasta cooker gas (DESCO) 9CPG1 - 9CPG2



DESCO\_R\_61193

DESCO 61193

DESCO 831135

### 3526693 WATER VALVE $\varnothing$ 1"MF

ball valve  
heavy series with PN 25 total passage  
aluminium lever



DESCO 110135

## Cables for piezo igniters

### 3001068 IGNITION LEAD 600 mm

with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  2,4 mm for electrode



DESCO 110263

## Clamps

### 3449468 HOSE CLAMP 25-40

for pipes  $\varnothing$  25÷40 mm  
made of stainless steel AISI 304  
height 12 mm and screw E7  
suitable for food industry



DESCO 61198

## Contactors

### 3351219 CONTACTOR AEG LS7K 18A 230V 7.5Kw

coil 230V 50/60Hz  
4 normally open contacts  
no auxiliary contact



DESCO 31280

## Cooking baskets and accessories

### 3055125 BLACK KNOB $\varnothing$ 28x86 mm M8x1 plastic replacement for PASTA COOKER baskets



DESCO R\_61361

DESCO 711051

### 3055142 FALSE BOTTOM 490x295x85 mm made of stainless steel for old series for Pasta cooker (DESCO) - Series 900



DESCO CD048

DESCO KCP0260

### 3055140 PASTA COOKER BASKET $\varnothing$ 145x204 mm for 4 portions approx made of STAINLESS STEEL for Pasta cooker (DESCO) - Series 700 - Series 900



DESCO CD047  
DESCO 60989

DESCO KCP0080

DESCO R\_60989

### 3055141 PASTA COOKER BASKET $\varnothing$ 185x204 mm for 8 portions approx. made of STAINLESS STEEL for old series for Pasta cooker (DESCO) - Series 900



DESCO CD050

DESCO KCP0070

### 3055125 BLACK KNOB $\varnothing$ 28x86 mm M8x1 plastic replacement for PASTA COOKER baskets



DESCO R\_61361

DESCO 711051



Suitable for:

# DESCO



Suitable for:

**3055144 PASTA COOKER BASKET 150x275x180 mm**  
made of stainless steel



DESCO

**3055135 PASTA COOKER BASKET 160x290x200 mm**  
for 13 portions approx  
made of STAINLESS STEEL  
for Pasta cooker (DESCO) - Series 1 - Series 2  
Series 3



DESCO CD044

DESCO KCP0040

DESCO KCP0100

**3055125 BLACK KNOB ø 28x86 mm M8x1**  
plastic replacement for PASTA COOKER baskets



DESCO R\_61361

DESCO 711051

**3055134 PASTA COOKER BASKET 165x304x204 mm**  
for 13 portions approx  
made of STAINLESS STEEL  
for Pasta cooker (DESCO) - Series 7



DESCO CD043

**3055125 BLACK KNOB ø 28x86 mm M8x1**  
plastic replacement for PASTA COOKER baskets



DESCO R\_61361

DESCO 711051

**3055136 PASTA COOKER BASKET 242x290x204 mm**  
for 20 portions approx  
made of STAINLESS STEEL  
for Pasta cooker (DESCO) - Series 1 - Series 2  
Series 3



DESCO CD045

DESCO KCP0030

DESCO KCP0170

**3055125 BLACK KNOB ø 28x86 mm M8x1**  
plastic replacement for PASTA COOKER baskets



DESCO R\_61361

DESCO 711051

## Drain taps and accessories

- 3356107 DRAIN TAP ø 1/2" F**  
 TECO BLOCK safety handle  
 brass tap body CW617N UNI 12165  
 polished chrome-plated surface finishing  
 Hostaform handle with metal core  
 operating temperature 120°C max  
 operating pressure 4 bar max  
 for Bain-marie (DESCO) - Series 700 - Series 900



DESCO 60450


## Electric hot plates

- 3311169 ELECTRIC HOT PLATE ø 200 mm 1700W 230V**  
 faston electric connections  
 complete with energy adjuster  
 for glass-ceramic cooking top



DESCO 860060

- 3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V**  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top



DESCO 60208

## Electronic controllers

- 3446147 TIMER EVK701D7E**  
 power supply 230V 3VA  
 time range from 1 ds to 99 HOURS and 59 MINUTES  
 1 exchange relay output 8(3)A 250V  
 room temperature -5+55°C  
 buzzer included  
 connections by screw terminal block  
 front dimensions 74x32x59 mm  
 mounting hole 71x29 mm  
 for Pasta cooker (DESCO) 7MAC2 - 9MAC3



DESCO 36355



Suitable for:

DESCO



Suitable for:

## Equipment, complete

### 3235953 H.ELEMENT KIT FOR PASTA COOKER 9600W 230

immersed depth 504x228 mm  
mounting hole  $\varnothing$  50 mm  
per montaggio lato DX  
for Pasta cooker (DESCO) 9CPE2



DESCO 60716

## Fittings

### 1349109 FLAT BRASS LOCK NUT 1"



DESCO ID0071

DESCO R\_ID0071

## Gas burners

### 3023271 BURNER $\varnothing$ 60x390 mm

overall length 450 mm  
made of stainless steel  
for Pasta cooker gas (DESCO) CPG1 - CPG2 - CPG3



DESCO 110153

## Gas taps and accessories

### 3348002 GAS TAP 22S/O

with pilot flame  
with horizontal flange  
fittings  $\varnothing$  M20x1.5mm  
with flow regulator  
thermocouple connection M9x1  
D-shaped pin  $\varnothing$  10x8 mm



DESCO 180163

DESCO 7060012

### 3020078 PIPE FITTING $\varnothing$ 6 mm

thread M10x1



DESCO ID0103

**Gas valves and accessories**

**3526258 EUROSIT VALVE FOR FRYER 110÷190°C**

with new knob  
 inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 outlet pressure adjustment range  
 3÷18 mbar  
 ambient temperature 0÷120°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  4x200 mm  
 RoHS certificated



DESCO 821161

**Gaskets for oven door**

**5034193 OVEN DOOR GASKET 650x260 mm**

made of silicone elastomer  
 with fastening clips - 3 sides  
 profile dimensions 12x10 mm  
 COLOUR BLACK  
 for Oven under cooktop electric (DESCO) 7CE4FE  
 7CE6FEA - 9CE4FE - 9CE6FEA



DESCO 60045

**Heating elements**

**5005327 HEATING ELEMENT 2000W 230V**

length 275 mm - width 125 mm  
 height totale 74 mm - flangia 50x27 mm



DESCO EL0004

**3455295 MIDDLE HEATING ELEMENT 1800W 230V**

length 315 mm - body  $\varnothing$  30 mm  
 connection thread  $\varnothing$  48 mm - flange 70x60 mm  
 with thermostat probe receptacle - with cables  
 for Pasta cooker electric (DESCO) CPE7



DESCO 241061



Suitable for:

Suitable for:

**3755101 MIDDLE HEATING ELEMENT 2500W 220V**  
 immersed length 490 mm - body  $\varnothing$  30 mm  
 threaded connection  $\varnothing$  48 mm - flange 70x60 mm  
 with bulb sheath - complete with cables  
 for Pasta cooker electric (DESCO) CPE1 - CPE2  
 CPE7

**1186655 O-RING 04131 EPDM**



DESCO EL0029  
DESCO 210061

DESCO

DESCO 210060

DESCO ID0087

DESCO R\_ID0087

**3455294 SIDE HEATING ELEMENT 1800W 230V**  
 length 325 mm - body  $\varnothing$  30 mm  
 fitting thread  $\varnothing$  33 mm - flange 45x50 mm  
 complete with cables  
 for Pasta cooker electric (DESCO) CPE7



DESCO 241050

**3755102 SIDE HEATING ELEMENT 2500W 220V**  
 immersed length 490 mm - body  $\varnothing$  30 mm  
 threaded connection  $\varnothing$  33 mm - flange 45x50 mm  
 complete with cables  
 for Pasta cooker electric (DESCO) CPE1 - CPE2  
 CPE7

**1349109 FLAT BRASS LOCK NUT 1"**



DESCO EL0029

DESCO 210050

DESCO ID0071

DESCO R\_ID0071

**1186655 O-RING 04131 EPDM**



DESCO ID0087

DESCO R\_ID0087





**Ignitors**

**3001007 PIEZO IGNITER**  
 a  $\varnothing$  22 mm hole is needed for the assembly  
 2.4 mm  $\varnothing$  male faston connector



DESCO 110164

**Indicator lights**

**3221199 GREEN INDICATOR LAMP 250V**  
 head  $\varnothing$  8 mm - 150°C  
 wire connection length 300 mm



DESCO 60145

**3221162 GREEN LAMP RECEPTACLE**  
 head  $\varnothing$  14.5 mm - hole  $\varnothing$  10 mm



DESCO EL0028

DESCO 60119

**3221167 RED LAMP RECEPTACLE**  
 head  $\varnothing$  15 mm - hole  $\varnothing$  10 mm



DESCO EL0027

DESCO 60120

**3221162 GREEN LAMP RECEPTACLE**  
 head  $\varnothing$  14.5 mm - hole  $\varnothing$  10 mm



DESCO EL0028

DESCO 60119


**3221202 TRANSPARENT INDICATOR LAMP 250V**  
 head  $\varnothing$  8 mm - 150°C  
 wire connection length 300 mm



DESCO EL0007

DESCO 61307

**3221168 TRANSPARENT LAMP RECEPTACLE**  
 head  $\varnothing$  15 mm - hole  $\varnothing$  10 mm



DESCO 60144

**Knobs**

**3444129 BLACK KNOB  $\varnothing$  50 mm**  
 D shaft hole 6x4.6 mm  
 with symbol  
 for thermostats and timers



DESCO 31051

DESCO 863151

**5034028 BLACK KNOB  $\varnothing$  70 mm 0-1-2-3**  
 D-shaft 6x4.6 mm  
 for Pasta cooker electric (DESCO) CPE1-CPE2



DESCO 803150



Suitable for:

# DESCO



**3241719 BLACK KNOB  $\varnothing$  70 mm 0-8**  
 D-shaped hole 6x4.6 mm  
 for Bain-marie (DESCO) BME72 - Series OLD  
 for Fry top electric (DESCO) - Series OLD



DESCO 803151

Suitable for:  
**5036546 BLACK KNOB RING NUT  $\varnothing$  67 mm**



DESCO R\_60609

DESCO 60609

**5036298 BLACK KNOB-RED  $\varnothing$  75 mm SILK-SCREENED**  
 D-shaft 10x8 mm  
 for Pasta cooker gas (DESCO) 7CPG1-9CPG1



DESCO 60802

DESCO 62302

**5051223 BLACK KNOB-RED  $\varnothing$  75 mm SILK-SCREENED**  
 D-shaft 8x6.5 mm  
 for Pot stove gas (DESCO) 7CG



DESCO R\_62300

DESCO 60800


DESCO 62300

**7102943 BLACK KNOB-RED  $\varnothing$  75 mm 120-270°C**  
 D-shaft 8x6.5 mm  
 for Fry top gas (DESCO)



DESCO 62303

**3241803 BLACK-BLUE KNOB  $\varnothing$  75mm SILK-SCREEN PRINT**  
 D shaft hole 10x8 mm  
 for Pasta cooker electric (DESCO) 9CPE2



DESCO 60817

DESCO 62317


**3241802 BLACK-RED KNOB  $\varnothing$  75 mm 0-1-2-3**  
 D shaft hole 6x4.6 mm  
 for Pasta cooker electric (DESCO) 7CPE1 - 7CPE2  
 9CPE1 - 9CPE2



DESCO 60806

DESCO 62306

**3241804 BLACK-RED KNOB  $\varnothing$  75 mm 30-90°C**  
 D shaft hole 6x4.6 mm  
 for Bain-marie electric (DESCO) 7BME1P - 7BME2P  
 9BME1P - 9BME2P



DESCO R\_62316

DESCO 62316

**3241826 TAP KNOB**  
 for Pasta cooker gas (DESCO) CPG1/PS



DESCO 115142

DESCO 115143

**3241505 TAP KNOB - BLUE**  
 square hole 7x7 mm  
 for Pasta cooker electric (DESCO) CPE1 - CPE7  
 for Pasta cooker gas (DESCO) CPG1 - CPG2 - CPG7



DESCO 110141

DESCO 110143

DESCO 110141+110142

DESCO 110142



**Microswitches**

**3240843 MICROSWITCH V7-3E19E9-263 10A 250V**  
for Pasta cooker electric (DESCO) 9CPE2



DESCO\_R\_61599

DESCO 61599

**OR and ORM gaskets**

**5005318 O-RING 0153 VITON**



DESCO ID0088

**Pilot burners and accessories**

**3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm**



DESCO 110163

**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm**  
thread M10x1



DESCO 110176

**3020084 NUT & OLIVE  $\varnothing$  6 mm**




DESCO ID0097

**3020112 OLIVE FOR 6 mm  $\varnothing$  PIPE**



DESCO ID0098

**3020043 PILOT GAS JET  $\varnothing$  0.36 mm**



DESCO 111006

**3020040 PILOT JET  $\varnothing$  0.30 mm**



DESCO 110160



Suitable for:

**3020041 PILOT JET  $\varnothing$  0.41 mm**



DESCO 110161

Suitable for:

**3020078 PIPE FITTING  $\varnothing$  6 mm  
thread M10x1**



DESCO ID0103

**3020288 TARGET TWO-FLAME PILOT BURNER SIT**  
without sparking plug, gas nozzle and gasket  
for Pasta cooker gas (DESCO)  
CPG1 - CPG2



DESCO 111003

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



DESCO R\_61602

**3020038 THREE-FLAME PRINTED PILOT BURNER SIT**  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included



DESCO 110159

**3020040 PILOT JET  $\varnothing$  0.30 mm**



DESCO 110160

**3020041 PILOT JET  $\varnothing$  0.41 mm**



DESCO 110161

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



DESCO R\_61602

**3020060 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F




DESCO R\_61068




## Rotary switches

- 3057014 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D spindle  $\varnothing$  6x4.6 mm  
 back connection for thermostat




DESCO EL0140

- 3057216 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 230V - max 150°C  
 D-shaped pin 6x4.6 mm



DESCO 60777


- 3057098 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm  
 for Pasta cooker electric (DESCO) CPE2 - CPE2-7



DESCO EL0127


DESCO 60773

- 3057159 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm



DESCO EL0114

- 3057024 SELECTOR SWITCH 0-6 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



DESCO 60452

## Sleeves

- 5039545 DRAIN PIPE 640 mm**  
 $\varnothing$  external 40 mm -  $\varnothing$  internal 32 mm  
 for Pasta cooker electric (DESCO)  
 7CPE1-7CPE2-9CPE1-9CPE2-CPE71-CPE91  
 for Pasta cooker gas (DESCO) 9CPG1



DESCO MC0014

DESCO MC0051

DESCO R\_61197



Suitable for:

# DESCO



Suitable for:

## Solenoid valves

**3120495 SOLENOID VALVE 230V  $\varnothing$  1/2"MM**



DESCO 34130

## Sparking and detection plugs

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



DESCO R\_61602

**3020060 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



DESCO R\_61068

**3020232 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
connection  $\varnothing$  2.4 mm  
overall length 61 mm



DESCO 110262

## Switches


**3319644 PUSH-BUTTON 2-POLE BLACK 16A 250V**  
with protection cap  
mounting hole 13x20 mm



DESCO R\_62240

DESCO 62240

**3319372 RED SINGLE-POLE PUSH-BUTTON 16A 250V**  
for IGNITION  
with protection cap  
mounting hole 13x20 mm



DESCO 61286

Suitable for:


**319202 SWITCH 2-POLE GREEN 16A 250V**  
 16(4)A 250V - with indicator lamp  
 silk-screen printing 0 - I  
 max. temperature 120°C  
 mounting hole 22x30 mm



DESCO 01382

Suitable for:

**3319012 SWITCH 2-POLE GREEN 16A 250V**  
 16(4)A 250V  
 with indicator lamp and switch cover  
 screen printing 0 - I  
 max. temperature 120°C  
 mounting hole 22x30 mm



DESCO EL0006

## Taps for tank refilling

**3183040 SPOUT  $\varnothing$  3/8" M**  
 for Pasta cooker electric (DESCO) 7CPE1 - 7CPE2  
 9CPE1 - 9CPE2  
 for Pasta cooker gas (DESCO) 7CPG1 - 9CPG1



DESCO 110035

DESCO 60166

DESCO 62709

**3358009 WATER INLET TAP  $\varnothing$  1/2" FF**  
 for Pasta cooker electric (DESCO) CPE1 - CPE2  
 for Pasta cooker gas (DESCO)  
 since 1/03/02  
 CPG1 - CPG1/PS - CPG2 - CPG3 - CPG7/1 - CPG7/2



DESCO ID0064

DESCO 115120

DESCO 115120+ID0064(X2)

DESCO 115120+ID0064+

DESCO 115141

**3241826 TAP KNOB**  
 for Pasta cooker gas (DESCO) CPG1/PS



DESCO 115142

DESCO 115143

**3358003 WATER INLET TAP  $\varnothing$  1/2" MM**  
 square shaft 7x7 mm  
 for Pasta cooker electric (DESCO) CPE1 - CPE2  
 for Pasta cooker gas (DESCO)  
 till 31/12/01  
 CPG1 - CPG1/PS - CPG2 - CPG3 - CPG7/1 - CPG7/2



DESCO 110120



Suitable for:

**3525052 WATER INLET TAP DX  $\varnothing$  1/2"FF**  
D-shaft  $\varnothing$  10x8 mm  
for Pasta cooker electric (DESCO) 7CPE2 - 9CPE2



DESCO 60903

**3241803 BLACK-BLUE KNOB  $\varnothing$  75mm SILK-SCREEN PRINT**  
D shaft hole 10x8 mm  
for Pasta cooker electric (DESCO) 9CPE2



DESCO 60817

DESCO 62317

Suitable for:

**5036546 BLACK KNOB RING NUT  $\varnothing$  67 mm**



DESCO R\_60609

DESCO 60609

**3525053 WATER INLET TAP LH  $\varnothing$  1/2"FF**  
D shaft 10x8 mm  
for Pasta cooker electric (DESCO) 7CPE1 - 7CPE2  
9CPE1 - 9CPE2  
for Pasta cooker gas (DESCO) 7CPG1 - 9CPG1



DESCO 60902

**3241802 BLACK-RED KNOB  $\varnothing$  75 mm 0-1-2-3**  
D shaft hole 6x4.6 mm  
for Pasta cooker electric (DESCO) 7CPE1 - 7CPE2  
9CPE1 - 9CPE2



DESCO 60806

DESCO 62306

**5036546 BLACK KNOB RING NUT  $\varnothing$  67 mm**



DESCO R\_60609

DESCO 60609

## Thermocouples and accessories

**3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.**  
female nut M9x1



DESCO R\_61604



**Thermocouples and accessories**

3440039 THERMOCOUPLE SIT M9x1 150 cm



DESCO\_R\_61061

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



DESCO\_R\_61061

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



DESCO\_R\_61061

3440849 THERMOCOUPLE SIT M9x1 75 cm - 10 PCS



DESCO\_R\_61060

3440049 THERMOCOUPLE SIT M9x1 75 cm



DESCO\_R\_61060


3440849 THERMOCOUPLE SIT M9x1 75 cm - 10 PCS



DESCO\_R\_61060


**Thermostatic gas valves**

7102711 THERMOSTATIC TAP 25ST  
 adjustment temperature 120-320°C  
 flange coupling ø 21 mm  
 coupling outlet M16x1.5 mm  
 thermocouple fitting M9x1  
 bulb ø 6x100 mm  
 capillary length 1200 mm  
 D-shaped pin ø 8x6.5 mm  
 for Fry top gas (DESCO) FTG71-FTG72-FTG92



DESCO 60365


3020078 PIPE FITTING ø 6 mm  
 thread M10x1



DESCO ID0103

**Thermostats**

3444233 SINGLE-PHASE THERMOSTAT 100-190°C  
 D-shaped pin ø 6x4.6 mm  
 covered capillary length 1750 mm - 16A 250V  
 bulb ø 6x133 mm - with adapter nipple bland M9x1



DESCO 60775

3444372 SINGLE-PHASE THERMOSTAT 245°C  
 with manual reset  
 covered capillary length 1170 mm - 16A 250V  
 bulb ø 6x133 mm



DESCO 60986

DESCO 821169



Suitable for:

# DESCO




**3744045 SINGLE-PHASE THERMOSTAT 30-90°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm  
 bulb  $\varnothing$  6x130 mm



DESCO EL0125

Suitable for:


**5034020 TERMOSTATO THREE-PHASE 135°C**  
 manual reset  
 covered capillary length 1490 mm  
 bulb  $\varnothing$  6x75 mm - with adapter nipple gland M9x1  
 for Bain-marie electric (DESCO)  
 7BME2A-P/7BME1A-P/9BME1A-P/9BME2A-P  
 for Pasta cooker electric (DESCO)  
 7CPE1-7CPE2-CPE71-CPE91-9CPE1-9CPE2



DESCO R\_60774


DESCO 60774

**5057542 TERMOSTATO THREE-PHASE 235°C**  
 manual reset  
 covered capillary length 1800 mm - 10A 400V  
 bulb  $\varnothing$  6x88 mm - with adapter nipple gland M9x1  
 for Fryer electric (DESCO) 7FRE1-9FRE1-9FRE2




DESCO 60776

**3444479 THREE-PHASE THERMOSTAT 120°C**  
 with manual reset  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x100 mm  
 for Pasta cooker electric (DESCO) CPE1 - CPE2  
 CPE2-7 - CPE7




DESCO 210044

**3444067 THREE-PHASE THERMOSTAT 30-90°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1000 mm - 10A 400V  
 bulb  $\varnothing$  6x130 mm



DESCO 864169

**3444364 THREE-PHASE THERMOSTAT 30-90°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 10A 400V  
 bulb  $\varnothing$  6x135 mm - with adapter nipple band M10x1  
 for Bain-marie (DESCO)



DESCO 60781

## Water tight seals and rings

**3786455 SCRAPER RING  $\varnothing$  20x28x6,5 mm**  
 for Bain-marie electric (DESCO) BME70 - BME90




















DESCO 61605

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



Distributing Components, Spare Parts & Accessories  
in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfcomb724.it](http://www.lfcomb724.it) - [www.lfcomb724.mobi](http://www.lfcomb724.mobi) - [info@lfcomb.it](mailto:info@lfcomb.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
  -  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel. +7 499 259 85 75  
Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
  -  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
  -  **LF Repuestos Horeca S.L.U. SPAIN**  
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
  -  **LF GmbH GERMANY**  
Junkersstrasse, 1 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
  -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
  -  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
  -  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
  -  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.lenth@lfspareparts.com](mailto:michael.lenth@lfspareparts.com)
  -  **AUSTRIA**  
[www.lfspareparts724.at](http://www.lfspareparts724.at)  
[ludwig.neier@lfersatzteile.at](mailto:ludwig.neier@lfersatzteile.at)
  -  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
  -  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
  -  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
  -  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
  -  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)
  -  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)