



Spare parts for:

## Cooking equipment



Suitable for:

# DIHR



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:


# DIHR



Suitable for:

## Ball valves and accessories

**3526703 BALLCOCK VALVE  $\varnothing$  1/2"FF**



DIHR 3002140

## Capacitors, electrical

**3068016 CAPACITOR  $\mu$ F 10 450V 50/60Hz**  
operating temperature -25+85°C  
in compliance with EEC 93/68 and 92/31 regulations



DIHR 18043

**3068019 CAPACITOR  $\mu$ F 12.5 450V 50/60Hz**  
operating temperature -25+85°C  
in compliance with EEC 93/68 and 92/31 regulations



DIHR 15081

**3068024 CAPACITOR  $\mu$ F 16 450V 50/60Hz**  
operating temperature -25+85°C  
in compliance with EEC 93/68 and 92/31 regulations



DIHR 15081/A

**3068008 CAPACITOR  $\mu$ F 5 450V 50/60Hz**  
operating temperature -25+85°C  
in compliance with EEC 93/68 and EEC 92/31 regulat



DIHR 10702

**3068014 CAPACITOR  $\mu$ F 8 450V 50/60Hz**  
operating temperature -25+85°C  
in compliance with EEC 93/68 and 92/31 regulations



DIHR 16043

DIHR 18043/A



## Clamps

**3449452 HOSE CLAMP 16-25**  
for pipes  $\varnothing$  16÷25 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



DIHR 11807

DIHR 2902050

**3449453 HOSE CLAMP 25-40**  
for pipes  $\varnothing$  25÷40 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



DIHR 11806

**3449456 HOSE CLAMP 50-70**  
for pipes  $\varnothing$  50÷70 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



DIHR 11824

**3449457 HOSE CLAMP 60-80**  
for pipes  $\varnothing$  60÷80 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



DIHR 2902491

**3449458 HOSE CLAMP 80-100**  
for pipes  $\varnothing$  80÷100 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



DIHR 11837

## Contact thermostats

**3443045 CONTACT THERMOSTAT 180°C 16A 250V**  
with manual reset - 16A 250V



DIHR 6011



Suitable for:

# DIHR



Suitable for:

## Contactors

**3397402 AEG MOTOR OVERLOAD CUTOUT Mbs25 50/60Hz**  
1.1Kw / 1.6÷2.5A  
3 normally open contacts



DIHR 2000393

**3397405 AEG MOTOR OVERLOAD CUTOUT Mbs25 50/60Hz**  
1.5Kw / 2.5÷4A  
3 normally open contacts



DIHR 2000394

**3351209 CONTACTOR AEG LS05 9A 230V 4Kw**  
coil 230V 50/60Hz  
3 normally open contacts  
1 normally closed auxiliary contact



DIHR 15086/B

**3446214 CONTACTOR LOVATO BG09T4A**  
4KW 400V 9A - 4 normally open contacts  
coil 230V 50/60Hz



DIHR DW15086

DIHR 15086

DIHR 15086/F

## Energy regulators

**3350026 ENERGY ADJUSTER**  
contact capacity 230V 13A - max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction  
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS  
for Salamander electric (DIHR)  
S1 - S2



DIHR 30102

DIHR 9107

## Feet

**3313005 STAINLESS STEEL FOOT  $\varnothing$  2" x h 125 mm**  
with fixed screw M12x25 mm



DIHR 15116



**Fittings**

3349346 NICHEL-PL.HOSE-END FITTING  $\varnothing$  1/4" M  $\varnothing$  12



DIHR 12005

3349347 NICHEL-PL.HOSE-END FITTING  $\varnothing$  3/8" M  $\varnothing$  12



DIHR 10221311

3349337 NICHEL-PL.T-FITTING  $\varnothing$  1/4" F-1/4" F-1/4" F



DIHR 12008

3349324 NICHEL-PLATED FITTING  $\varnothing$  1/4" M-1/2" M



DIHR 12033

3349330 NICHEL-PLATED FITTING  $\varnothing$  1/4" M-1/8" F



DIHR 12032

3349357 NICHEL-PLATED FITTING  $\varnothing$  3/4" M-3/4" M



DIHR 10200208

**Gaskets and seals**

5010462 GASKET FLAT ASBESTOS FREE  $\varnothing$  24x17x2 mm



DIHR 10200171

**Heating elements**

3355327 HEATING ELEMENT 1000W 230V BOTTOM  
length 180 mm - width 180 mm



DIHR 9717

3355318 HEATING ELEMENT 1200W 240V BOTTOM  
length 175 mm - width 240 mm  
for Panini grill electric (DIHR) XAL2 - XAR2



DIHR 9562



# DIHR



Suitable for:

**3355803 HEATING ELEMENT 2000W 230V**  
length 230 mm -width 210 mm  
fittings  $\varnothing$  1/4"  
for Salamander electric (DIHR) S2



DIHR 30103

DIHR 9153

Suitable for:

**3755710 HEATING ELEMENT 2000W 230V**  
length 295 mm - width 220 mm  
fittings M12x1 mm  
for Salamander electric (DIHR) S1



DIHR 9113

**3355301 HEATING ELEMENT 800W 230V TOP**  
length 180 mm - width 185 mm  
for Panini grill electric (DIHR) XAL - XAR - XBL  
XBR



DIHR 9008/A

DIHR 9716

**3355302 HEATING ELEMENT 900W 230V BOTTOM**  
length 180 mm - width 185 mm  
for Panini grill electric (DIHR) XAL - XAR - XBL  
XBR



DIHR 9009/A

**3755370 MALE-FEMALE CERAMIC INSULATOR**



DIHR 8026

**3355349 QUARTZ HEATING ELEMENT 1000W 230V**  
length 390 mm - flange 130x11 mm  
for Toaster electric (DIHR) F120 - F60



DIHR 8070

**3355344 QUARTZ HEATING ELEMENT 333W 75V**  
length 390 mm -  $\varnothing$  11 mm  
for Toaster electric (DIHR) F12 - F6



DIHR 8075

**3755369 QUARTZ HEATING ELEMENT 500W 115V**  
external  $\varnothing$  10 mm - length 365 mm  
for Toaster electric (DIHR) F120 - F60



DIHR 8156

**3755370 MALE-FEMALE CERAMIC INSULATOR**



DIHR 8026

Suitable for:

Suitable for:

**3355317 TOP HEATING ELEMENT 1000W 240V**  
length 175 mm - width 230 mm  
for Panini grill electric (DIHR) XAL2 - XAR2



DIHR 9561

## Hydraulic piping

**3450152 HOSE RUBBER REINFORCED  $\varnothing$  13/19 mm**  
internal  $\varnothing$  13 mm - external  $\varnothing$  19 mm  
SOLD PER METER



DIHR 2907350

**3450736 PRESSURE SWITCH PIPE  $\varnothing$  4x8.5 mm - 10 m**  
made of black rubber  
external  $\varnothing$  8.5 mm  
internal  $\varnothing$  4 mm



DIHR 14508

DIHR 14508\_10MT

## Indicator lights

**3221132 GREEN INDICATOR LAMP 230V**  
head  $\varnothing$  13.5 mm - hole  $\varnothing$  10 mm - 120°C  
universal application



DIHR 10711/B

**3221162 GREEN LAMP RECEPTACLE**  
head  $\varnothing$  14.5 mm - hole  $\varnothing$  10 mm



DIHR 15826/B

**3221192 LAMP SUPPORT**



DIHR 15827

**3221097 NEUTRAL INDICATOR LAMP 220V**  
head  $\varnothing$  8 mm - 120°C



DIHR 15826

**3221167 RED LAMP RECEPTACLE**  
head  $\varnothing$  15 mm - hole  $\varnothing$  10 mm



DIHR 15826/C

**3221162 GREEN LAMP RECEPTACLE**  
head  $\varnothing$  14.5 mm - hole  $\varnothing$  10 mm



DIHR 15826/B



Suitable for:

DIHR



Suitable for:

**3221151 WHITE INDICATOR LIGHT 250V**  
head  $\varnothing$  14 mm - hole  $\varnothing$  11 mm - 120°C  
for Salamander electric (DIHR) S1 - S2



DIHR 9108

### Interference suppression filters

**3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL**  
0.47 $\mu$ F



DIHR 15149

### Ironmongery (screws,nuts,washers)

**1241513 BLIND HEXAGONAL NUT M8 UNI 5721**  
inox - altezza 16 mm - UNI 5721 - DIN 1587



DIHR 11183

**3528010 FLAT WASHER M6**  
 $\varnothing$  internal/external 6,4/12 mm - thickness 1,6 mm  
st./steel - UNI 6592 - DIN 125 A - ISO 7089



DIHR 11177

**3528143 HEXAGON NUT M5 BLIND**  
stainless steel - altezza 11 mm - UNI 5721 - DIN 1



DIHR 11707

**3060069 HEXAGONAL NUT M8 MEDIUM**  
stainless steel - UNI 5588 - DIN 934 - ISO 4032



DIHR 11702

DIHR 11708

**1528030 MID HEXAGONAL NUT M6**  
stainless steel - UNI 5588 - DIN 934 - ISO 4032



DIHR 11706

**3528075 SPIRAL SPRING WASHER M8**  
internal/external  $\varnothing$  8.4/14.4 mm - thickness 4 mm  
stainless steel - UNI 1751 - DIN 127 B



DIHR 11609






## Knobs

**3241402 BLACK KNOB  $\varnothing$  70 mm**  
 D shaft hole 6x4.6 mm  
 for thermostat. selector switch. timer.  
 program switch. energy regulator



DIHR 9104

**3241331 BLACK KNOB  $\varnothing$  45 mm**  
 D-shaped hole 6x4.6 mm  
 for Panini grill (DIHR) SALAMANDRA S1  
 SALAMANDRA S2



DIHR 8029

**3241863 BLACK KNOB  $\varnothing$  70 mm**  
 D shaft hole 6x4.6 mm



DIHR

**3241864 BLACK KNOB  $\varnothing$  70 mm MIN-MAX**  
 D shaft hole 6x4.6 mm




DIHR

**3241860 BLACK KNOB  $\varnothing$  70 mm 0-1-0-1**  
 D shaft hole 6x4.6 mm



DIHR

**3241861 BLACK KNOB  $\varnothing$  70 mm 0-1-2-3**  
 D shaft hole 6x4.6 mm



DIHR

**3241862 BLACK KNOB  $\varnothing$  70 mm 0-1-2-3-4-5-6**  
 D shaft hole 6x4.6 mm



DIHR

**3241855 BLACK KNOB  $\varnothing$  70 mm 30-110°C**  
 D shaft hole 6x4.6 mm




DIHR

**3241853 BLACK KNOB  $\varnothing$  70 mm 30-90°C**  
 D shaft hole 6x4.6 mm



DIHR

**3241854 BLACK KNOB  $\varnothing$  70 mm 30-90°C**  
 D shaft hole 6x4.6 mm



DIHR



Suitable for:

DIHR



Suitable for:

## Microswitches

3240198 MICROSWITCH FR501 3A 400V



DIHR 10600138

3240407 MICROSWITCH KIT 16A 250V

3 locking positions

the kit includes 5 levers:

lever 75 mm - lever 27 mm - lever 15 mm

lever 15 mm with wheel - lever 27 mm with wheel



DIHR 10704

3240123 MICROSWITCH 16A 250V



DIHR 60505

DIHR 60539

3240181 PROTECTED MAGNET 62x18x10 mm



DIHR 80232

## OR and ORM gaskets

3186143 GASKET OR 04093 EPDM



DIHR 13023

3186013 O-RING GASKET 06187 EPDM  $\varnothing$  58 mm



DIHR 13005

3186014 O-RING GASKET 06225 EPDM  $\varnothing$  67 mm



DIHR 13015

DIHR 13020

1186411 O-RING 02031 EPDM



DIHR 13002

3243266 O-RING 02081 EPDM



DIHR 13025

1186472 O-RING 04075 EPDM



DIHR 60377

DIHR 60532

Suitable for:

**3186197 O-RING 04150 EPDM**



DIHR 13022

Suitable for:

**3067198 O-RING 04162 EPDM**



DIHR 16067/A

## Pilot burners and accessories

**3020082 OLIVE FOR 12 mm Ø PIPE**



DIHR 10200182

## Pliers for sandwiches und toasts

**3317051 GRILL PLIER**  
length 100 mm  
height 180 mm



DIHR 8008

## Relays

**3351021 POWER RELAY FINDER 62.82.8.230.0000**  
230V 50/60Hz  
2 exchange contacts 16A



DIHR 15620

**3351008 POWER RELAY FINDER 62.83.8.230.0000**  
230V 50/60Hz  
3 exchange contacts 16A



DIHR 16047

**3351039 SOCKET WITH TERMINALS 95.75 10A 250V**



DIHR 3006079



Suitable for:


DIHR



Suitable for:

## Rotary switches

- 3057216 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 230V - max 150°C  
 D-shaped pin 6x4.6 mm



DIHR 9564


## Solenoid valves

- 3120013 SOLENOID VALVE 263 220/240V ø 10 mm**  
 solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - triple outlet ø 10 mm



DIHR 15099

- 3120005 SOLENOID VALVE 329 220/240V ø 10 mm**  
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - outlet ø 10 mm




DIHR 10703

- 3120007 SOLENOID VALVE 349 220/240V ø 10 mm**  
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - dual outlet ø 10 mm



DIHR 15098

- 3120009 SOLENOID VALVE 351 220/240V ø 14 mm**  
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - outlet ø 14 mm



DIHR 30001000

- 3120010 SOLENOID VALVE 352 220/240V ø 14 mm**  
 solenoid valve 90° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - dual outlet ø 14 mm



DIHR 30001001



## Springs

**3250002 RIGHTHAND SPRING  $\varnothing$  20x42 mm**  
 for ELECTRIC PLATE all models  
 for SIRMAN ELECTRIC PLATE PD R/L/M/x upto 99  
 for SIRMAN ELECTRIC PLATE ELIO L/R/X upto 99  
 for SIRMAN ELECTRIC PLATE ELIO ECO upto 99



DIHR 9019

**3250007 SPRING  $\varnothing$  21x100 mm**  
 for ELECTRIC PLATE new series



DIHR 9563

## Switches

**3319920 BLACK TWO-POLE SWITCH 16A 250V**



DIHR 15812

**3319646 GREEN/ORANGE CAM**



DIHR 15824

DIHR 15824/A

**3319091 CHANGEVER SWITCH 2 POLE GREEN 16A 250V**  
 16(4)A 250V  
 with indicator lamp and push-button cap  
 max. temperature 120°C  
 mounting hole 22x30 mm



DIHR 15050

**3454036 CONTACT NO**  
 6A - 230V



DIHR 3002054

**3319090 SWTCH 2-POLE GREEN 16A 250V**  
 16(4)A 250V  
 with indicator lamp and switch cover  
 max. temperature 120°C  
 mounting hole 22x30 mm



DIHR 15048



Suitable for:

DIHR



Suitable for:

## Telethermometers

### 3441011 BLACK TELETHERMOMETER 56x25 mm 0-120°C

plastic case  
capillary length 1500 mm  
bulb  $\varnothing$  6x15 mm



DIHR 1050005

## Terminal blocks

### 3247016 3-POLE TERMINAL BLOCK FV273 40A 450V

for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



DIHR 500550

### 3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm<sup>2</sup>  
operating temperature 150°C  
nominal voltage 450 V



DIHR 500551

## Thermostats

### 3444008 KNOB BLACK $\varnothing$ 41 mm 0-90°C


D-shaped hole 6x4.6 mm  
for thermostat IMIT



DIHR 15105/A

### 3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm




DIHR 9010

## Timers

### 3446105 TIMER 15 MINUTES C20


manually set mechanical timer  
manually set cycle 15 minutes  
2 poles with contact capacity 16(3)A 250V  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm



DIHR 8152

### 3446137 TIMER 15 MINUTES M2

mechanical movement with balance wheel  
manually set mechanical timer  
manually set cycle 15 minutes  
bipolar with contact capacity 16(4)A 250V  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
for all models



DIHR 8030



Suitable for:

DIHR



Suitable for:

## Tool holder shafts

**9742006 TOOL SHAFT FEATHER**  
dimensions 6x6x25 mm




















DIHR 2001045

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



Distributing Components, Spare Parts & Accessories  
in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfcomb724.it](http://www.lfcomb724.it) - [www.lfcomb724.mobi](http://www.lfcomb724.mobi) - [info@lfcomb.it](mailto:info@lfcomb.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
  -  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel. +7 499 259 85 75  
Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
  -  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
  -  **LF Repuestos Horeca S.L.U. SPAIN**  
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
  -  **LF GmbH GERMANY**  
Junkersstrasse, 1 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
  -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
  -  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
  -  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
  -  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.lenth@lfspareparts.com](mailto:michael.lenth@lfspareparts.com)
  -  **AUSTRIA**  
[www.lfspareparts724.at](http://www.lfspareparts724.at)  
[ludwig.neier@lfersatzteile.at](mailto:ludwig.neier@lfersatzteile.at)
  -  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
  -  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
  -  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
  -  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
  -  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)
  -  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)