



Spare parts for:

Cooking equipment



Suitable for:

EBERHARDT



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

EBERHARDT



Suitable for:

Actuators

5033430 ACTUATOR LINEAR 24VDC

max power 5000 N - piston 190 mm
max. speed 5 mm/s



EBERHARDT 290271

Air regulators

3020097 PILOT AERATION REGULATOR

internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



EBERHARDT 249930

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm

ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



EBERHARDT 283601

Ball valves and accessories

5023594 CAST IRON FITTING \varnothing 1"MF



EBERHARDT 7050164

3356052 DRAIN TAP \varnothing 3/4" F

lateral lever fitting
outlet internal \varnothing 22 mm



EBERHARDT 221091

Suitable for:

Suitable for:

3242049 DRAIN TAP HANDLE 140 mm
square hole 6x6 mm



EBERHARDT 282366

3526673 GAS/WATER VALVE \varnothing 1" FF
ball valve
heavy series with PN 40 total passage
aluminum lever



EBERHARDT 214295

3242049 DRAIN TAP HANDLE 140 mm
square hole 6x6 mm



EBERHARDT 282366

3356167 LEVER FOR DRAIN TAP 65 mm
thread M8x0.75



EBERHARDT 2103109

Burners, flame spreaders and accessories

3025299 BURNER \varnothing 120 mm 7Kw



EBERHARDT

3025168 BURNER \varnothing 75 mm 3.5 Kw



EBERHARDT 213610

5017734 BURNER \varnothing 75 mm 3.5Kw



EBERHARDT 232531

3025171 BURNER \varnothing 95 mm 5.5Kw



EBERHARDT 233287



Suitable for:

Suitable for:

5035019 BURNER \varnothing 95 mm 5.5Kw



EBERHARDT 232532

3025300 BURNER CAP \varnothing 120 mm 7Kw



EBERHARDT 213631

3020093 BURNER INJECTOR ASSEMBLY
with LPG and natural gas nozzles M9x1
pipe \varnothing 12 mm



EBERHARDT

3025169 FLAME SPREADER \varnothing 75 mm 4.3Kw



EBERHARDT 213630

3020093 BURNER INJECTOR ASSEMBLY
with LPG and natural gas nozzles M9x1
pipe \varnothing 12 mm



EBERHARDT

3025172 FLAME SPREADER 6.4Kw \varnothing 95 mm



EBERHARDT 213629

3025299 BURNER \varnothing 120 mm 7Kw



EBERHARDT

3025301 VENTURI F/BURNER CAP 120 mm 7Kw



EBERHARDT

3025168 BURNER \varnothing 75 mm 3.5 KW



EBERHARDT 213610

3025170 VENTURI F/FLAME SPREADER 75 mm 3.5Kw



EBERHARDT

3025171 BURNER \varnothing 95 mm 5.5Kw



EBERHARDT 233287



Suitable for:

3020093 BURNER INJECTOR ASSEMBLY
with LPG and natural gas nozzles M9x1
pipe \varnothing 12 mm



EBERHARDT

3025312 SPARKING PLUG SUPPORT
for burners \varnothing 75-95 mm



EBERHARDT 213039

3025313 THERMOCOUPLE SUPPORT
for burners \varnothing 75-95 mm



EBERHARDT 213038

3025301 VENTURI F/BURNER CAP 120 mm 7Kw



EBERHARDT

3025173 VENTURI F/FLAME SPREADER 95 mm 5.5Kw



EBERHARDT

EBERHARDT



Suitable for:

3025173 VENTURI F/FLAME SPREADER 95 mm 5.5Kw



EBERHARDT

3025314 SPARKING PLUG SUPPORT
for burners \varnothing 120 mm



EBERHARDT 213336

3025315 THERMOCOUPLE SUPPORT
for burners \varnothing 120 mm



EBERHARDT 213337

3025170 VENTURI F/FLAME SPREADER 75 mm 3.5Kw



EBERHARDT



Suitable for:



Suitable for:

Cables for piezo igniters

3001032 IGNITION CABLE 600 mm
with faston terminal \varnothing 2.4 mm for ignition
with faston hole \varnothing 4 mm for plug



EBERHARDT 212995

EBERHARDT 222081

3001040 IGNITION CABLE 850 mm
with faston terminal 3x0.8 mm for ignition
with faston terminal \varnothing 4 mm for plug



EBERHARDT 213363

3001016 IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



EBERHARDT 212837

EBERHARDT 212953

5017976 IGNITION LEAD 1700 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



EBERHARDT 212841

3001017 IGNITION LEAD 600 mm
with faston 6.35x0.8 mm for ignition
with faston \varnothing 4 mm for electrode



EBERHARDT 201497

Capacitors, electrical

3068016 CAPACITOR μ F 10 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



EBERHARDT 215478

3068008 CAPACITOR μ F 5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



EBERHARDT 6090015

Contact thermostats

5030555 CONTACT THERMOSTAT 110°C 16A 230V
automatic reset



EBERHARDT 221381


Contactors

3351219 CONTACTOR AEG LS7K 18A 230V 7.5Kw
coil 230V 50/60Hz
4 normally open contacts
no auxiliary contact



EBERHARDT 213909

3446583 CONTACTOR LOVATO BF18T4A
coil 18A 230V 50/60Hz 8Kw
4 normally open contacts
no auxiliary contact



EBERHARDT 6046046

3446591 CONTACTOR LOVATO BF3800A230
coil 38A 230V 50Hz 18.5Kw
3 normally open contacts



EBERHARDT 6046041

Cooking baskets and accessories

3055283 PASTA COOKER BASKET \varnothing 145x230 mm
of STAINLESS steel



EBERHARDT 2003080

3055521 PASTA COOKER BASKET 490x290x215 mm
made of STAINLESS STEEL



EBERHARDT 2101603

Drain hoses

3356138 DRAIN TAP FITTING \varnothing 1"MM
 \varnothing side outlet 28 mm - bracket 68x55x19 mm
fitting height 100 mm



EBERHARDT 2106617



Suitable for:

EBERHARDT



Suitable for:

Drain taps and accessories

5031496 DRAIN PIPE \varnothing 1"MM
length 195 mm



EBERHARDT 2005131

3356007 DRAIN TAP \varnothing 1"1/2F TECNO
TAPERED SEAL - swivel nut \varnothing 1"1/2F
with gasket
for BOILING PAN



EBERHARDT 213737


3356053 DRAIN TAP HANDLE \varnothing 17x40 mm
thread M8



EBERHARDT 5900235

Electric hot plates

3311168 ELECTRIC HOT PLATE \varnothing 165 mm 1200W 230V
faston electric connections
complete with energy adjuster
for glass-ceramic cooking top



EBERHARDT 213962

3311169 ELECTRIC HOT PLATE \varnothing 200 mm 1700W 230V
faston electric connections
complete with energy adjuster
for glass-ceramic cooking top



EBERHARDT 213963

3311166 ELECTRIC HOT PLATE \varnothing 200 mm 1800W 230V
faston electric connections
complete with energy regulation
for glass-ceramic cooking top



EBERHARDT 222231

3311053 ELECTRIC HOT PLATE 2600W 230V
dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



EBERHARDT 213968



Electrical gas valves and accessories

3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETROSIT-820 NOVA-824 NOVASIT



EBERHARDT 202812

3526079 VALVE 820 NOVA ø 1/2"FF
 inlet ø 1/2" F - outlet ø 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure setting range
 3÷30 mbar
 room temperature 0÷70°C
 power supply 230V 50Hz



EBERHARDT 214394

3526176 VALVE 820 NOVA ø 1/2"FF
 inlet ø 1/2" F - outlet ø 1/2" F
 thermocouple connection M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure adjustment range
 3÷30 mbar
 ambient temperature 0÷70°C
 power supply 230V 50Hz



EBERHARDT 286100

3526104 VALVE 830 TANDEM ø 1/2"FF
 inlet ø 1/2" F - outlet ø 1/2" F
 maximum gas inlet pressure 60 mbar
 outlet pressure adjustment range
 3÷50 mbar
 with slow start
 room temperature 0÷60°C
 power supply 230V 50Hz



EBERHARDT 214188


Electronic printed-circuit boards

5033813 CIRCUIT CONTROL BOARD KIT
 complete with main board and flat cable
 dimensions control board 90x43 mm
 main board dimensions 105x90 mm
 cable length flat 300 mm



EBERHARDT 286955

7103308 ELECTRONIC CONTROL BOARD 190x60 mm



EBERHARDT 6010083

5004497 ELECTRONIC CONTROL CIRCUIT BOARD KIT
 complete with mother board and flat cable
 size control board 90x43 mm
 mother board size 105x90 mm
 length flat cable 1600 mm



EBERHARDT GK6011142

3445195 TCJ VETROTEX PROBE 700 mm
 2-wire probe temperature range -50+600°C
 error limit $\pm 0.75\%$ below 0°C
 30 seconds response time
 bulb ø 6x200 mm



EBERHARDT 6000106



Suitable for:

3397101 TEMPERATURE PROBE TCJ
2 wires
bulb \varnothing 6x100 mm
vetrotex cable length 900 mm



EBERHARDT JK6000095

EBERHARDT 6000095

EBERHARDT



Suitable for:


Energy regulators

3350024 ENERGY ADJUSTER
contact capacity 240V 13A
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction




EBERHARDT 214386

3350025 ENERGY ADJUSTER
contact capacity 230V 13.5A
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



EBERHARDT 214345


3350026 ENERGY ADJUSTER
contact capacity 230V 13A - max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



EBERHARDT 222223

EBERHARDT 233189

3350035 ENERGY ADJUSTER
contact capacity 230V 13A
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



EBERHARDT 2331253

Filters

5031595 S/STEEL DRAIN FILTER \varnothing 65 mm




EBERHARDT 2002241



Fryer baskets and accessories

5009028 FALSE BOTTOM COMPLETE MESH 335x315 mm
height 105 mm
of chromed iron



EBERHARDT 2101365

3055279 FRYER BASKET 285x140x120 mm
in chrome-plated iron



EBERHARDT 286160

3055264 FRYER BASKET 305x180x110 mm
in chrome-plated iron



EBERHARDT 222001

Fuses

3049016 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 2A



EBERHARDT 215489

Gas burners

3023146 BURNER \varnothing 120x345 mm
height 103 mm
made of STAINLESS steel



EBERHARDT 213662

3023284 BURNER VERTICAL LH 300x55 mm
NICKEL PLATED



EBERHARDT 2112968

3023285 BURNER VERTICAL RH 300x55 mm
NICKEL PLATED



EBERHARDT 2112967

5034284 BURNER 1010x525 mm
chrome-plated iron



EBERHARDT 289287



Suitable for:

3023161 BURNER 445x200 mm
made of stainless steel



Suitable for:

3023230 BURNER 525x205 mm
made of STAINLESS steel



EBERHARDT 222062

3023286 CENTRAL BURNER VERTICAL 300x55mm
NICKEL PLATED



EBERHARDT 281220

3023237 CENTRAL VERTICAL BURNER 300x55 mm
NICKEL-PLATED



EBERHARDT 2112969

3023236 VERTICAL BURNER LH 300x55 mm
NICKEL PLATED



EBERHARDT 2001231

3023283 VERTICAL BURNER 305x55 mm
NICKEL PLATED




EBERHARDT 2001230

EBERHARDT 2112970

Gas taps and accessories

3348020 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 20S



EBERHARDT 213779

EBERHARDT 213780

3348002 GAS TAP 22S/O
with pilot flame
with horizontal flange
fittings \varnothing M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm



EBERHARDT 216409

3182009 MAGNETIC UNIT PEL BIG HEADED
 \varnothing head 15.5 mm - \varnothing end 14 mm - length 44 mm
for PEL tap model 22-24



EBERHARDT 213783




Suitable for:

3020082 OLIVE FOR 12 mm ø PIPE



EBERHARDT 212664

3348013 GAS TAP 23S/V
with pilot flame
with vertical flange
inlet fitting M28x1.5mm
outlet connection M24x1.5mm
with flow regulator
thermocouple connection M10x1
D-shaped pin ø 10x8 mm



EBERHARDT 216410

3348037 OLIVE FOR PILOT PIPE ø 6 mm
for model PEL 21-22-25



EBERHARDT 231457

3348044 PIPE OLIVE ø 10 mm
for model PEL 20 - 21



EBERHARDT 212635

5046402 TAP GAS 21S
with flame PILOT
connections M16x1.5 mm
with flow rate adjuster
thermocouple connection M8x1mm
D-shaped pin ø 6x4.6 mm



EBERHARDT 222011

EBERHARDT



Suitable for:

3020078 PIPE FITTING ø 6 mm
thread M10x1




EBERHARDT 234744

3020078 PIPE FITTING ø 6 mm
thread M10x1



EBERHARDT 234744

3348043 PIPE FITTING ø 10 mm
thread M16x1.5
for model PEL 20-21



EBERHARDT 286290

3348041 PIPE OLIVE ø 16 mm
for model PEL 23



EBERHARDT 212629

3182011 MAGNETIC UNIT PEL SMALL HEADED
ø head 15 mm - ø end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



EBERHARDT 213778



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



EBERHARDT 234744

EBERHARDT



Suitable for:

Gas valves and accessories

3526130 EUROSIT VALVE FOR OVEN $100 \div 340^{\circ}\text{C}$
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3 \div 18 mbar
ambient temperature $0 \div 120^{\circ}\text{C}$
capillary length 1050 mm
bulb \varnothing 4x72 mm



EBERHARDT 214464
EBERHARDT 222123

EBERHARDT 214465

EBERHARDT 222074

3523035 KNOB MINISIT BLACK \varnothing 37 mm



EBERHARDT 202483

3523949 MINISIT VALVE FOR FRYER $110 \div 190^{\circ}\text{C}$
inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature $0 \div 60^{\circ}\text{C}$
capillary length 1050 mm
bulb \varnothing 6x105 mm
supplied without lid knob and flanges



EBERHARDT 214272

3523020 MINISIT VALVE FOR OVEN $100 \div 340^{\circ}\text{C}$
inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature $0 \div 60^{\circ}\text{C}$
capillary length 1050 mm
bulb \varnothing 5x70 mm
with an elbow flange \varnothing 3/8" F



EBERHARDT 205368

Gaskets and seals


3355284 HEATING ELEMENT GASKET \varnothing 45x40x4 mm



EBERHARDT 231673

Gaskets for oven door


- 3786338 OVEN DOOR GASKET 1850 mm**
made of silicone elastomer
profile dimensions 8x10 mm
COLOUR BLACK



EBERHARDT 201786

Grids for kitchen

- 3185075 GRILL 442x355 mm**
for PASS-THROUGH version



EBERHARDT 201005

Handles

- 5001497 PLASTIC HANDLE 120 mm BLACK**
distance between holes 105 mm



EBERHARDT 5900143

- 5001432 SILKSCREENED BLACK RING ø 75 mm**
for water inlet pipe



EBERHARDT 5900274

Heating elements

- 3355286 BUSH FOR HEATING ELEMENT**



EBERHARDT 222060

EBERHARDT 242422

- 3355288 HEAT. ELEMENT THREADED PIPE ø 10 mm**



EBERHARDT 239851

- 3755856 HEATING ELEMENT 10200W 230/400V**
length 300 mm - width 180 mm
coupling M54x1.5 mm - complete with cables
complete with OR gaskets



EBERHARDT 214290

- 3186697 O-RING 0159 EPDM**



EBERHARDT 214289

EBERHARDT 6090145



Suitable for:

3186601 O-RING 04200 EPDM



EBERHARDT 214288

3755649 HEATING ELEMENT 10500W 230V
length 320 mm - width 253 mm
connection M54x1.5 mm - complete with cables
with two holes for bulb



EBERHARDT 243019

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



EBERHARDT 2010655

3355888 HEATING ELEMENT 1100W 240V
length 375 mm - width 95 mm
fittings M10x1 mm



EBERHARDT 213973

3355473 HEATING ELEMENT 1333W 230V
length 280 mm - width 20 mm
height 40 mm - fittings M12x1 mm



EBERHARDT 6001139

EBERHARDT



Suitable for:

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



EBERHARDT 2010655

3786459 O-RING 04200 VITON



EBERHARDT 222120

3355441 HEATING ELEMENT 1135W 220/240V
length 425 mm - width 65 mm
height 80 mm



EBERHARDT 214410

Suitable for:

Suitable for:

3755661 HEATING ELEMENT 15000W 230V
 length 300 mm - width 285 mm
 connection M54x1.5 mm - complete with cables
 complete with OR gaskets
 with two holes per bulb

3186697 O-RING 0159 EPDM



EBERHARDT 214297

EBERHARDT 214289

EBERHARDT 6090145

3186601 O-RING 04200 EPDM

3786459 O-RING 04200 VITON



EBERHARDT 214288

EBERHARDT 222120

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



EBERHARDT 2010655

3755488 HEATING ELEMENT 1580W 230V
 length 455 mm - width 65 mm
 height 70 mm

3755492 HEATING ELEMENT 1600W 240V
 length 450 mm - width 175 mm



EBERHARDT 244207

EBERHARDT 213971

3755004 HEATING ELEMENT 1650W 240V
 length 490 mm - width 43 mm
 height 45 mm - fittings \varnothing 1/4"



EBERHARDT 213985



Suitable for:

3755648 HEATING ELEMENT 16500W 230V
length 400 mm - width 305 mm
connection M54x1.5 mm- complete with cables
with two holes for bulb



EBERHARDT 231566

EBERHARDT 281337

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



EBERHARDT 2010655

Suitable for:

3786459 O-RING 04200 VITON



EBERHARDT 222120

3755097 HEATING ELEMENT 1800W 230V
length 500 mm - width 90 mm
flange 125x30 mm
operating ambient: dry



EBERHARDT 285443

3355834 HEATING ELEMENT 1840W 230V
length 250 mm - width 85 mm
height 185 mm - fittings \varnothing 1/4"
complete with cables



EBERHARDT 6002055

3755487 HEATING ELEMENT 1840W 230V
length 280 mm - width 70 mm
fittings \varnothing 1/4"



EBERHARDT 214315

3355832 HEATING ELEMENT 2000W 230V
length 260 mm - width 130 mm
height 175 mm - complete with cables
shaped flange length 90 mm



EBERHARDT 6001129

3755484 HEATING ELEMENT 2000W 230V
length 555 mm - width 95 mm
height 70 mm



EBERHARDT 213981

3755815 HEATING ELEMENT 2000W 230V
length 550 mm - width 70 mm
height 70 mm



EBERHARDT 213982



Suitable for:

5030554 HEATING ELEMENT 2200W 230V
external \varnothing 190 mm - total height 85 mm
flange 70x22 mm




EBERHARDT 210617

3755482 HEATING ELEMENT 2500W 230V
external \varnothing 193 mm - total height 75 mm
flange 70x22 mm




EBERHARDT 213995

3755483 HEATING ELEMENT 2750W 240V
length 565 mm - width 622 mm
flange 160x22 mm



EBERHARDT 213977

3355833 HEATING ELEMENT 3280W 230V
length 315 mm - width 180 mm
height 175 mm - flange 70x22 mm



EBERHARDT 6002054


3355812 HEATING ELEMENT 3300W 230V
length 240 mm - width 380 mm
flange 70x22 mm



EBERHARDT 6001133

Suitable for:

3455214 HEATING ELEMENT 2350W 230V
length 400 mm - width 170 mm
height 100 mm - fittings \varnothing 1/4"



EBERHARDT 202822

3455307 HEATING ELEMENT 2750W 230V
length 300 mm - width 100 mm
fittings M14x1 mm



EBERHARDT 214409

3355807 HEATING ELEMENT 3000W 380V
length 490 mm - width 270 mm
fittings \varnothing 1/4"



EBERHARDT 6003052

3355472 HEATING ELEMENT 3300W 230V
length 280 mm - width 70 mm
height 40 mm - fittings M12x1 mm



EBERHARDT 6001144

5016338 HEATING ELEMENT 3300W 230V
length 295 mm - width 75 mm
height 340 mm - fittings \varnothing 1/4"




EBERHARDT 202434



Suitable for:

3355813 HEATING ELEMENT 3300W 380V
length 240 mm - width 380 mm
flange 70x22 mm



EBERHARDT 6003133

Suitable for:

3355825 HEATING ELEMENT 460W 230V
length 350 mm - width 190 mm
height 60 mm - connections \varnothing 1/4"
complete with cables



EBERHARDT 6002015

5046774 HEATING ELEMENT 5000W 230V
length 570 mm - width 180 mm
flange 170x30 mm



EBERHARDT 287867

3755475 HEATING ELEMENT 5850W 240V
length 525 mm - width 285 mm
height 90 mm




EBERHARDT 281122

5012749 HEATING ELEMENT 650W 230V
length 280 mm - width 75 mm
flange 115x25 mm



EBERHARDT 214414

5034009 HEATING ELEMENT 6800W 230/400V
length 365 mm - width 450 mm
fitting M54x1,5 mm - complete with cables
complete with OR



EBERHARDT 6002143+6090144+

3186697 O-RING 0159 EPDM



EBERHARDT 214289

EBERHARDT 6090145

3186601 O-RING 04200 EPDM



EBERHARDT 214288

Suitable for:

3755489 HEATING ELEMENT 6800W 230V
 length 300 mm - width 110 mm
 connection M54x1.5 mm - with cables
 with O-rings



EBERHARDT 214291

3186601 O-RING 04200 EPDM



EBERHARDT 214288

3755857 HEATING ELEMENT 7000W 230/400V
 length 325 mm - width 105 mm
 coupling M54x1.5 mm - complete with cables
 complete with OR gaskets



EBERHARDT 6002150

3186601 O-RING 04200 EPDM



EBERHARDT 214288

3755485 HEATING ELEMENT 7500W 230V
 immersed length 475 mm
 fitting \varnothing 1-1/2"
 with bulb holder sheathing



EBERHARDT 213972

Suitable for:

3186697 O-RING 0159 EPDM



EBERHARDT 214289

EBERHARDT 6090145

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



EBERHARDT 2010655

3186697 O-RING 0159 EPDM



EBERHARDT 214289

EBERHARDT 6090145

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



EBERHARDT 2010655

3355887 HEATING ELEMENT 800W 230V
 length 385 mm - width 110 mm
 2 flanges 55x17 mm



EBERHARDT 213994



Suitable for:

3355282 HEATING ELEMENT 8500W 230V
length 410 mm - width 220 mm
fitting \varnothing 40 mm
with gaskets
with cables - with bulb sheath



EBERHARDT 242909

3355288 HEAT. ELEMENT THREADED PIPE \varnothing 10 mm



EBERHARDT 239851

3355287 LOCKING BUSH FOR HEATING ELEMENT



EBERHARDT 285388

3355287 LOCKING BUSH FOR HEATING ELEMENT



EBERHARDT 285388

Suitable for:

3355286 BUSH FOR HEATING ELEMENT



EBERHARDT 222060

EBERHARDT 242422

3355284 HEATING ELEMENT GASKET \varnothing 45x40x4 mm



EBERHARDT 231673

3186580 OR GASKET 04131 VITON



EBERHARDT 231672

EBERHARDT 239853

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



EBERHARDT 2010655


Hinges, catches and accessories

3053007 LEFTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



EBERHARDT 213672

3053006 RIGHTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



EBERHARDT 213673

Ignitors

3001005 PIEZO IGNITER
 a \varnothing 18 mm hole is needed for assembling
 faston M \varnothing 2.4 mm



EBERHARDT 235113

3001020 PIEZO IGNITER
 a \varnothing 18 mm hole is required for the assembly
 faston M \varnothing 2.4 mm



EBERHARDT 235113

3001041 PIEZO IGNITER JUNKERS
 a \varnothing 22 mm hole is required for the assembly
 faston M \varnothing 2.4 mm



EBERHARDT 213820

Incandescent lamps and neon lamps

3221382 NEUTRAL HALOGEN LAMP G9 42W 230V



EBERHARDT 74401460

Indicator lights

3221166 INDICATOR LAMP GREEN 400V
 \varnothing head 14 mm - \varnothing hole 11.5 mm - 120°C
 universal application



EBERHARDT 215527

3221165 INDICATOR LAMP ORANGE 400V
 \varnothing head 14 mm - \varnothing hole 11.5 mm - 120°C
 universal application



EBERHARDT 212797

3221166 INDICATOR LAMP GREEN 400V
 \varnothing head 14 mm - \varnothing hole 11.5 mm - 120°C
 universal application



EBERHARDT 215527



Suitable for:

3221095 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



EBERHARDT 222229

Suitable for:

3221215 ORANGE INDICATOR LAMP 230V
head \varnothing 16 mm - hole \varnothing 11.5 mm - 120°C



EBERHARDT 215526

3221342 RED INDICATOR LAMP 400V
head \varnothing 16 mm - hole \varnothing 12 mm - 120°C



EBERHARDT 201449

EBERHARDT 202721

Injectors

3500024 GAS JET M10x1 \varnothing 1.15 mm



EBERHARDT 212683

3500027 GAS JET M10x1 \varnothing 1.30 mm



EBERHARDT 212761

EBERHARDT 233814

3500093 GAS JET M11x1 \varnothing 1.15 mm



EBERHARDT 201659

3500095 GAS JET M11x1 \varnothing 1.70 mm



EBERHARDT 201656

3500096 GAS JET M11x1 \varnothing 1.85 mm



EBERHARDT 201658

3500097 GAS JET M11x1 \varnothing 2.00 mm




EBERHARDT 201667

3500061 GAS JET M7x1 \varnothing 0.80 mm



EBERHARDT 212783

3500063 GAS JET M7x1 \varnothing 0.95 mm



EBERHARDT 212784



Suitable for:

Suitable for:

3500041 GAS JET M9x1 ϕ 0.95 mm

3500042 GAS JET M9x1 ϕ 1.00 mm



EBERHARDT 202538

EBERHARDT 206249

EBERHARDT 212935

3500353 GAS NOZZLE ϕ 0.90 mm M11x1

3500273 GAS NOZZLE ϕ 1.35 mm M11x1



EBERHARDT 201692

EBERHARDT 201721

5008758 GAS NOZZLE M10x1 ϕ 1.10 mm

5000530 GAS NOZZLE M10x1 ϕ 1.15 mm



EBERHARDT 242842

EBERHARDT 223533

EBERHARDT 233908

5005655 GAS NOZZLE M10x1 ϕ 1.25 mm

5005743 GAS NOZZLE M10x1 ϕ 1.60 mm



EBERHARDT 222047

EBERHARDT 286297

5035694 GAS NOZZLE M10x1 ϕ 1.70 mm

3500371 GAS NOZZLE M10x1 ϕ 1.75 mm



EBERHARDT 287051

EBERHARDT 205751

5000531 GAS NOZZLE M10x1 ϕ 1.95 mm

3500359 GAS NOZZLE M11x1 ϕ 1,25 mm



EBERHARDT 223557

EBERHARDT 201803



Suitable for:

3500355 GAS NOZZLE M11x1 \varnothing 1,40 mm



EBERHARDT 201654

Suitable for:

3500287 GAS NOZZLE M11x1 \varnothing 2,60 mm



EBERHARDT 201726

3500038 GAS NOZZLE M6x0,75 \varnothing 0,90 mm



EBERHARDT 222164

3500366 GAS NOZZLE M9x1 \varnothing 1,40 mm



EBERHARDT 206252

Interference suppression filters


3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL
0.47 μ F



EBERHARDT 242710

Ironmongery (screws,nuts,washers)

3183051 NUT M20x1.5



EBERHARDT 5340043

Knobs

3241249 BLACK KNOB \varnothing 39 mm
D shaft hole 6x4.6 mm



EBERHARDT 5900198

3241179 BLACK KNOB \varnothing 50 mm 0-1-2-3-4-5
D-shaft 6x4.6 mm



EBERHARDT 2002915

Suitable for:

Suitable for:

5022855 BLACK KNOB \varnothing 60 mm 140-185°C
D-shaft 6x4.6 mm



EBERHARDT 2002909

3241081 BLACK KNOB \varnothing 65 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm



EBERHARDT 214005

EBERHARDT 214059

EBERHARDT 214060

3241157 KNOB BLUE STICKER



EBERHARDT 222195

3241082 KNOB EXTENSION



EBERHARDT 212475

3241576 BLACK KNOB \varnothing 65 mm SILK-SCREEN PRINTED
D shaft hole 10x8 mm



EBERHARDT 214006

3241573 BLACK KNOB \varnothing 65 mm 0-295°C
D shaft hole 6x4.6 mm



EBERHARDT 214069

3241157 KNOB BLUE STICKER



EBERHARDT 222195

3241579 BLACK KNOB \varnothing 73 mm 0-110°C
D shaft hole 6x4.6 mm



EBERHARDT 214010

3241581 BLACK KNOB \varnothing 73 mm 0-295°C
D shaft hole 6x4.6 mm



EBERHARDT 214016



EBERHARDT



Suitable for:

3241585 BLACK KNOB \varnothing 73 mm 0-310°C
D shaft hole 6x4.6 mm



EBERHARDT 214008

Suitable for:

3241575 BLACK KNOB \varnothing 73 mm 0-90°C
D shaft hole 6x4.6 mm




EBERHARDT 214014

3241276 BLACK KNOB \varnothing 75 mm SILK-SCREEN PRINTED
D shaft hole 6x4.6 mm



EBERHARDT 2008672

3241823 BLACK KNOB \varnothing 75 mm SILK-SCREEN PRINTED
D shaft hole 10x8 mm



EBERHARDT 2008671

3241824 BLACK KNOB \varnothing 75 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm



EBERHARDT 2012984

3241882 BLACK KNOB \varnothing 75 mm 0-110°C
D shaft hole 6x4.6 mm



EBERHARDT 2008675

3241232 GREY KNOB \varnothing 77 mm 1-2-3-4-5-6
D shaft hole 6x4.6 mm



EBERHARDT 209525

5017724 KNOB BLACK \varnothing 73 mm 0-190°C
D-shaped hole 6x4.6 mm



EBERHARDT 243015

3241157 KNOB BLUE STICKER



EBERHARDT 222195

3241082 KNOB EXTENSION



EBERHARDT 212475

3241841 KNOB GRAY \varnothing 77 mm 100-190°C
D shaft hole 6x4.6 mm




EBERHARDT 202106




Lava rock grids

5054085 GRID STAINLESS STEEL 390x300x20 mm




EBERHARDT 2011297

5052322 S/STEEL GRID 390x345x20 mm



EBERHARDT 2011321

3185131 S/STEEL PAN SUPPORT GRID 538x395x20 mm



EBERHARDT 2005384


3185132 S/STEEL PAN SUPPORT GRID 540x340x20 mm



EBERHARDT 2010949

Lavarock

5001481 CERAMIC RADIANT PLATE 70x50x13 mm



EBERHARDT 7090073

Level sensors

3341068 LEVEL PROBE \varnothing 1/4" M-350 mm



EBERHARDT 214185

3341039 WATER LEVEL PROBE \varnothing 3x205 mm
overall length 220 mm



EBERHARDT 6000090

Magnet groups

3182009 MAGNETIC UNIT PEL BIG HEADED
 \varnothing head 15.5 mm - \varnothing end 14 mm - length 44 mm
for PEL tap model 22-24



EBERHARDT 213783

3182011 MAGNETIC UNIT PEL SMALL HEADED
 \varnothing head 15 mm - \varnothing end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



EBERHARDT 213778



Suitable for:

EBERHARDT



Suitable for:

Measuring tools

3394206 DIGITAL THERMOMETER -50+70°C WHITE

battery powered
front battery
working temperature 0+50°C
accuracy $\pm 1^\circ\text{C}$
resolution 0.1°C
dimensions 62.5x29.5x19 mm
remote probe 1600 mm



EBERHARDT 290330

Microswitches

3240927 MICRO SWITCH XGG2 88 S21 16A 250V

lever with roller $\varnothing 4.8$ mm
length 25.9 mm - 6.6 mm width



EBERHARDT 214292

3240410 MICROSWITCH 16(4)A 250V



EBERHARDT 202729

EBERHARDT 215517

3240820 MICROSWITCH 16A 250V



EBERHARDT 204865

3240181 PROTECTED MAGNET 62x18x10 mm




EBERHARDT

Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz

fan $\varnothing 150$ mm



EBERHARDT F9900505420

EBERHARDT 208480

EBERHARDT 230970

OR and ORM gaskets

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



EBERHARDT 87039

3186697 O-RING 0159 EPDM



EBERHARDT 214289

EBERHARDT 6090145

3186601 O-RING 04200 EPDM



EBERHARDT 214288

3786459 O-RING 04200 VITON



EBERHARDT 222120

3186580 OR GASKET 04131 VITON



EBERHARDT 231672

EBERHARDT 239853

Pilot burners and accessories

3020281 BRASS NUT M10x1



EBERHARDT 286298

3020093 BURNER INJECTOR ASSEMBLY
with LPG and natural gas nozzles M9x1
pipe \varnothing 12 mm



EBERHARDT

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



EBERHARDT 212652

EBERHARDT 255039

3020285 GASKET FOR TARGET PILOT



EBERHARDT 212613



Suitable for:

3020121 NATURAL GAS NOZZLE FOR PILOT BURNER
for pilot burner series CB 5050..



EBERHARDT 286303

Suitable for:

5022050 NOZZLE FOR PILOT BURNER \varnothing 0.50 mm



EBERHARDT 255038

3020082 OLIVE FOR 12 mm \varnothing PIPE



EBERHARDT 212664

3020081 OLIVE FOR 6 mm \varnothing PIPE



EBERHARDT 216413

3020286 ONE-FLAME PILOT BURNER SIT PRINTED
without sparking plug, gas nozzle and gasket
thermocouple fitting included



EBERHARDT 245040

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



EBERHARDT 201496

EBERHARDT 246813

EBERHARDT 258170

3020282 PILOT BURNER



EBERHARDT 222026

3020290 PILOT BURNER 1 FLAME



EBERHARDT 243901

3020054 PILOT JET \varnothing 0.20 mm




EBERHARDT 212658



Suitable for:

5054339 PILOT BURNER 2 FLAMES
 without plug
 supplied with natural gas nozzles
 supplied with thermocouple connection
 with plug connection
 with pipe connection and pipe pilot olive



EBERHARDT 7090027

Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M4x1 mm
 total length 65 mm



EBERHARDT 201496

EBERHARDT 246813

EBERHARDT 258170

3020117 PILOT DEFLECTOR 3 FLAMES 53x40 mm



EBERHARDT 236352

3020201 PILOT GAS JET \varnothing 0.14 mm



EBERHARDT 233815

3020202 PILOT GAS JET \varnothing 0.27 mm



EBERHARDT 202514

3020449 PILOT GAS JET \varnothing 0.54 mm



EBERHARDT 202519

3020054 PILOT JET \varnothing 0.20 mm



EBERHARDT 212658

3020156 PILOT JET \varnothing 0.25 mm



EBERHARDT 233910

EBERHARDT 242571

3020041 PILOT JET \varnothing 0.41 mm



EBERHARDT 222170

3020079 PIPE FITTING \varnothing 12 mm
 thread \varnothing 3/8" F



EBERHARDT 212663



Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



EBERHARDT 212636

Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



EBERHARDT 234744

3020283 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included



EBERHARDT 222075

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



EBERHARDT 201496

EBERHARDT 246813

EBERHARDT 258170

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting



EBERHARDT 214413

EBERHARDT 286244

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



EBERHARDT 201496

EBERHARDT 246813

EBERHARDT 258170

3020270 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with pilot pipe fitting



EBERHARDT 202087

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



EBERHARDT 201496

EBERHARDT 246813

EBERHARDT 258170

3020011 THREE-FLAME PILOT BURNER
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple connection
with sparking plug fitting



EBERHARDT 214313

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



EBERHARDT 201496

EBERHARDT 246813

EBERHARDT 258170



Pressure gauges

3054034 PRESSURE GAUGE \varnothing 60 mm
coupling \varnothing 1/8" M
range 0-1 bar



EBERHARDT 214194

Probes

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb \varnothing 6x40 mm



EBERHARDT 220833

3397164 SILICONE PTC PROBE 1500 mm
2 wire probe temperature range -55+150°C
bulb \varnothing 6x40 mm



EBERHARDT 232212

3445195 TCJ VETROTEX PROBE 700 mm
2-wire probe temperature range -50+600°C
error limit \pm 0.75% below 0°C
30 seconds response time
bulb \varnothing 6x200 mm



EBERHARDT 6000106

Rating-plates

5061967 CONTROL PLATE ADHESIVE 100x53 mm



EBERHARDT 2018825

7102817 CONTROL PLATE ADHESIVE 100x53 mm



EBERHARDT 2011256

5037624 CONTROL PLATE ADHESIVE 545x67 mm



EBERHARDT 2012890

7102621 CONTROL PLATE ADHESIVE 545x67 mm



EBERHARDT 2012438



Suitable for:

EBERHARDT



Suitable for:

3399067 STICKING CONTROL PANEL 125x100 mm



EBERHARDT 2007069

Rotary switches


3057050 CONNECTING BRACKET 28x21x16 mm
distance between hooking brackets 27 mm
for the connection between selector switch and the



EBERHARDT 212830

EBERHARDT 217726

3057014 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D spindle \varnothing 6x4.6 mm
back connection for thermostat




EBERHARDT 213920

3057026 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm




EBERHARDT 258100

3057027 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm
rear hole for thermostat




EBERHARDT 214421

3057082 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft 6x4.6 mm




EBERHARDT 214269

3057176 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 32A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm



EBERHARDT 214422


3057177 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



EBERHARDT 202767

EBERHARDT 213938

3057178 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin 6x4.6 mm




EBERHARDT 214252

EBERHARDT 252339

Suitable for:


3057015 SELECTOR SWITCH 0-1-0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



EBERHARDT 213921


Suitable for:

3057002 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 32A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm




EBERHARDT 213940

3057159 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaft \varnothing 6x4.6 mm



EBERHARDT 214359


3057180 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaft \varnothing 6x4.6 mm



EBERHARDT 213937

EBERHARDT 222041

3057024 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



EBERHARDT 201443

3057146 SELECTOR SWITCH 0-7 POSITIONS
 contact capacity 16A 400V - max 150°C
 rectangular pin 4x5 mm



EBERHARDT 6030030

5012546 SELECTOR SWITCH 3 POSITIONS
 mounting hole \varnothing 22 mm



EBERHARDT 256339

Safety groups for pans and spare parts

3184007 PRESSURE GAUGE \varnothing 60 mm
 in chrome plated brass
 radial connection 1/4"
 scale 0-1 bar
 for safety groups



EBERHARDT 213756

3184017 SAFETY VALVE \varnothing 3/4" M
 max pressure 0.5 atm
 for safety group \varnothing 3/4"



EBERHARDT 214180



Suitable for:

EBERHARDT



Suitable for:

Sleeves

5001488 DRAIN PIPE
external \varnothing 36 mm - internal \varnothing 28 mm
SOLD PER METER



EBERHARDT 7090105

Solenoid valves

3120004 SOLENOID VALVE 319 220/240V \varnothing 10 mm
solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



EBERHARDT 213913

3120005 SOLENOID VALVE 329 220/240V \varnothing 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



EBERHARDT 223087

3120007 SOLENOID VALVE 349 220/240V \varnothing 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet \varnothing 10 mm



EBERHARDT 215411

5013420 VALVE CEME 2 VAYS \varnothing 1/4" F 230V 9934 - max 25bar
with coil 18,5VA 230V 50/60Hz



EBERHARDT 6042089

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



EBERHARDT 213868

3181004 SPARK GENERATOR 6 OUTLETS
220/240V - 50/60Hz



EBERHARDT 213870



Sparking and detection plugs

5047386 **ROUND SPARK PLUG \varnothing 7x35 mm**
male faston M4x1 mm
overall length 52 mm



EBERHARDT 6010062

3001003 **ROUND SPARKING PLUG \varnothing 7x44 mm**
male faston M4x1 mm
total length 65 mm



EBERHARDT 201496

EBERHARDT 246813

EBERHARDT 258170

3020230 **ROUND SPARKING PLUG \varnothing 7x54 mm**
male faston M4x1 mm
overall length 63 mm
for COOKING RANGE series 700 PROTAGONISTA NUOVA
for COOKING RANGE series 900 PROTAGONISTA NUOVA
for COOKING RANGE series 1100 PROTAGONISTA NUOVA



EBERHARDT 6010061

3020126 **SPARKING PLUG ROUND \varnothing 6.5x55 mm**
connection \varnothing 2.4 mm
with silicone lead 1760 mm
overall length with cable 1830 mm



EBERHARDT 213332

EBERHARDT 213333

3020127 **SPARKING PLUG ROUND \varnothing 6.5x55 mm**
connection \varnothing 2.4 mm
with silicone lead 625 mm
overall length with cable 680 mm



3020138 **SPARKING PLUG ROUND \varnothing 6.5x55 mm**
connection \varnothing 2.4 mm
with silicone lead 970 mm
overall length with cable 1030 mm



EBERHARDT 213335

EBERHARDT 213804

3020073 **SPARKING PLUG ROUND \varnothing 7/10x52 mm**
model 1/B
connection F 2.8x0.8 mm - complete with spring
overall length 54 mm



EBERHARDT 212661

3020060 **SPARKING PLUG ROUND \varnothing 7x44 mm**
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



EBERHARDT 214338

EBERHARDT 221933



Suitable for:

3020068 SPARKING PLUG ROUND \varnothing 7x44 mm
square coupling
faston M M4x1 mm
overall length 63 mm



EBERHARDT 212588

EBERHARDT



Suitable for:

3020062 SPARKING PLUG ROUND \varnothing 9x39 mm
faston M4x1 mm
overall length 57 mm
for pilot burner series CB 505...



EBERHARDT 222105

Switches

5035907 BUTTON UNIPOLAR BLACK 16A 250V
mounting hole \varnothing 25 mm



EBERHARDT 283599

3319510 CONTACT SIEMENS 3SB3400-0B 10A 400V
1 contact NO




EBERHARDT 256338

3319928 GREEN BIPOLAR SWITCH 16A 250V
16(4)A 250V - with indicator light
max temperature 120°C
mounting hole \varnothing 25 mm



EBERHARDT 220755

3319529 SWITCH 2-POLE BLACK 10A 250V
16(4)A 250V
silk-screen printing 0 - I
max. temperature 120°C
mounting hole 22x30 mm




EBERHARDT 74500210

1319202 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - with indicator lamp
silk-screen printing 0 - I
max. temperature 120°C
mounting hole 22x30 mm



EBERHARDT 220707

3319012 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V
with indicator lamp and switch cover
screen printing 0 - I
max. temperature 120°C
mounting hole 22x30 mm



EBERHARDT 10402

EBERHARDT 222094



Taps for tank refilling

3183050 NUT 1/2"



EBERHARDT 7070085

3183045 SPOUT
pipe \varnothing 18 mm



EBERHARDT 2101769

3183050 NUT 1/2"



EBERHARDT 7070085

3242233 TAP KNOB - BLACK
D-shape hole \varnothing 9x8 mm



EBERHARDT 2001250

3359120 WATER INLET TAP \varnothing 1/2" FF
D shaft 9x8 mm



EBERHARDT 7060018

3183051 NUT M20x1.5



EBERHARDT 5340043

3020082 OLIVE FOR 12 mm \varnothing PIPE



EBERHARDT 212664

5001432 SILKSCREENED BLACK RING \varnothing 75 mm
for water inlet pipe



EBERHARDT 5900274



Suitable for:

3242233 TAP KNOB - BLACK
D-shape hole \varnothing 9x8 mm



EBERHARDT 2001250

EBERHARDT



Suitable for:

3359129 WATER INLET TAP \varnothing 1/2"FF



EBERHARDT 246538

3525041 WATER INLET TAP LH \varnothing 1/2"FF
D-shaft \varnothing 10x8 mm



EBERHARDT 243206

Terminal blocks

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



EBERHARDT 222222

Thermocouples and accessories

3440103 CUT-OFF THERMOCOUPLE M9x1 60 cm
cut-off contact with cables 60 cm



EBERHARDT 281136

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm
interrupted contact with fastons



EBERHARDT 202504

EBERHARDT 213788

3440015 INTERRUPTION CONNECTOR M9x1



EBERHARDT 212662

3440893 THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS



EBERHARDT 202499



EBERHARDT



Suitable for:

Suitable for:

3440038 THERMOCOUPLE SIT M9x1 120 cm

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



EBERHARDT 256169

EBERHARDT 256169

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



EBERHARDT 256169

EBERHARDT 202496

3440080 THERMOCOUPLE SIT M9x1 40 cm .

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



EBERHARDT 202496

EBERHARDT 202496

3440034 THERMOCOUPLE SIT M9x1 50 cm

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



EBERHARDT 213791

EBERHARDT 213791

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS


3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



EBERHARDT 213791

EBERHARDT 202498

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS
GIUNTO M8x1**



EBERHARDT 213795



EBERHARDT



Suitable for:

3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1



EBERHARDT 213795

3440035 THERMOCOUPLE SIT M9x1 60 cm .



EBERHARDT 202498

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



EBERHARDT 201208

EBERHARDT 256102

3440036 THERMOCOUPLE SIT M9x1 85 cm .



EBERHARDT 201208

EBERHARDT 256102

3440082 THERMOCOUPLE SIT QUICK M8x1 60 cm



EBERHARDT 222029

3440093 THERMOCOUPLE SIT QUICK M9x1 85 cm



EBERHARDT 202499

Suitable for:

3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS GIUNTO M8x1



EBERHARDT 213795

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



EBERHARDT 202498

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



EBERHARDT 201208

EBERHARDT 256102

3440083 THERMOCOUPLE SIT QUICK M9x1 32 cm



EBERHARDT 222010

3440893 THERMOCOUP.SIT QUICK M9x1 85 cm - 10 PCS




EBERHARDT 202499



Thermostatic gas valves

- 3345027 THERMOSTATIC TAP SABAF**
 adjustment temperature 300°C
 fitting inlet M13x1 mm
 outlet pipe fitting \varnothing 3/8"
 thermocouple connection M8x1mm
 bulb \varnothing 4x140 mm
 capillary length 850 mm
 D-shaped pin \varnothing 6x4.6 mm



EBERHARDT 220420


Thermostats

- 5009027 BULB HOLDING CLIP**
 for heating element thermostat
 for bulb \varnothing 4 mm



EBERHARDT 243021

- 5029092 SINGLE PHASE THERMOSTAT 30-110°C**
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1500 mm - 16A 250V
 bulb \varnothing 6x130 mm



EBERHARDT 216516

- 3444652 SINGLE-PHASE THERMOSTAT 100-190°C**
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 870 mm
 bulb \varnothing 4x235 mm



EBERHARDT 201165

- 3444771 SINGLE-PHASE THERMOSTAT 125°C**
 with manual reset
 covered capillary length 900 mm - 16A 230V
 bulb \varnothing 3.1x120 mm



EBERHARDT 213944

- 3444772 SINGLE-PHASE THERMOSTAT 140°C**
 with manual reset
 covered capillary length 900 mm - 16A 230V
 bulb \varnothing 6x130 mm



EBERHARDT 213934

- 3444649 SINGLE-PHASE THERMOSTAT 200°C**
 with manual reset
 covered capillary length 870 mm
 bulb \varnothing 6x133 mm




EBERHARDT 202403



Suitable for:


3444107 SINGLE-PHASE THERMOSTAT 220°C
 with manual reset
 capillary length 870 mm - 16A 250V
 bulb \varnothing 6x142 mm - with adapter nipple bland M9x1



EBERHARDT 202806

Suitable for:

3444239 SINGLE-PHASE THERMOSTAT 240°C
 with manual reset
 capillary length covered 860 mm - 16A 250V
 bulb \varnothing 6x77 mm - with stuffing gland fitting M10x1



EBERHARDT 214274

3444372 SINGLE-PHASE THERMOSTAT 245°C
 with manual reset
 covered capillary length 1170 mm - 16A 250V
 bulb \varnothing 6x133 mm



EBERHARDT 214420

3444489 SINGLE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1500 mm - 16A 250V
 bulb \varnothing 6x125 mm




EBERHARDT 213924

3444346 SINGLE-PHASE THERMOSTAT 30-90°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 6x130 mm - with stuffing gland fitting M9x1




EBERHARDT 213943

5015693 SINGLE-PHASE THERMOSTAT 30-90°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length covered 900 mm - 16A 250V
 bulb \varnothing 6x80 mm - with stuffing gland fitting M10x1




EBERHARDT 222227

3444293 SINGLE-PHASE THERMOSTAT 320°C
 with manual reset
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 6x80 mm - with oval coupling \varnothing 10 mm



EBERHARDT A34100780

3444774 SINGLE-PHASE THERMOSTAT 45-295°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 230V
 bulb \varnothing 4x95 mm



EBERHARDT 213919

3444043 SINGLE-PHASE THERMOSTAT 50-270°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1300 mm - 16A 250V
 bulb \varnothing 3x220 mm



EBERHARDT 215377

3444174 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb \varnothing 3x220 mm




EBERHARDT 249022



Suitable for:

3444643 SINGLE-PHASE THERMOSTAT 60-150°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm
bulb \varnothing 3x219 mm




EBERHARDT 214195

Suitable for:

5015518 SINGLE-PHASE THERMOSTAT 62-189°C


complete with auxiliary selector switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 700 mm - 16A 250V
bulb \varnothing 4x120 mm



EBERHARDT MACM097800

5047926 SINGLE-PHASE THERMOSTAT 71-170°C

D-shaped pin \varnothing 6x4.6 mm
capillary length coated 1475 mm - 16A 250V
bulb \varnothing 3x180 mm



EBERHARDT A34100270

EBERHARDT A34102180

3444376 SINGLE-PHASE THERMOSTAT 95-190°C


D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1010 mm - 16A 250V
bulb \varnothing 6x100 mm - with adapter nipple band M10x1



EBERHARDT 214259

3444000 THERMOSTAT SINGLE-PHASE 75-172°C

D-shaped pin \varnothing 6x4.6 mm
capillary length covered 900 mm - 16A 250V
button bulb \varnothing 14x10 mm
complete with nut and gasket



EBERHARDT 214418

3444312 THERMOSTAT THREE-PHASE 360°C

with manual reset
capillary length covered 1500 mm - 16A 250V
bulb \varnothing 4x110 mm



EBERHARDT 245787

3444769 THREE-PHASE THERMOSTAT 132°C

with automatic reset
capillary length 900 mm - 16A 230V
bulb \varnothing 6x80 mm - with adapter nipple band M9x1



EBERHARDT 221856

3444770 THREE-PHASE THERMOSTAT 157°C

with manual reset
covered capillary length 900 mm - 16A 230V
bulb \varnothing 6x80 mm




EBERHARDT 214317



Suitable for:


3444775 THREE-PHASE THERMOSTAT 159°C
with manual reset
capillary length 1100 mm - 16A 230V
bulb \varnothing 3.1x185 mm



EBERHARDT 214196

Suitable for:

3444375 THREE-PHASE THERMOSTAT 225°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x90 mm - with adapter nipple band M10x1



EBERHARDT 214299

3444307 THREE-PHASE THERMOSTAT 230°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x100 mm - with adapter nipple band M10x1




EBERHARDT 214298

3744113 THREE-PHASE THERMOSTAT 230°C
with manual reset
covered capillary length 600 mm - 10A 400V
bulb \varnothing 4x122 mm



EBERHARDT 282267

3444364 THREE-PHASE THERMOSTAT 30-90°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x135 mm - with adapter nipple band M10x1




EBERHARDT 217725

3444620 THREE-PHASE THERMOSTAT 45-120°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 870 mm - 16A 380V
bulb \varnothing 6x140 mm



EBERHARDT 214316


3444052 THREE-PHASE THERMOSTAT 50-320°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb \varnothing 3x230 mm



EBERHARDT 213925

EBERHARDT 222042

3444371 THREE-PHASE THERMOSTAT 70-195°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1500 mm - 10A 400V
bulb \varnothing 6x135 mm



EBERHARDT 214419

3444779 THREE-PHASE THERMOSTAT 75-295°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 230V
bulb \varnothing 4x92 mm



EBERHARDT 252338



Suitable for:

EBERHARDT



Suitable for:

Wheels and accessories

3522046 WHEEL HANDLE \varnothing 28x110 mm
thread M6




















EBERHARDT 213711

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories
in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF GmbH GERMANY**
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **DENMARK**
www.lfspareparts724.dk
michael.lenth@lfspareparts.com
 -  **AUSTRIA**
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz