




Spare parts for:

## Cooking equipment

Suitable for:

# EGO



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

EGO



Suitable for:

## Electric hot plates

- 3311049** **ELECTRIC HOT PLATE 5000W 400V**  
dimensions 400x400 mm  
terminal block electric connections  
for electric cooking top



EGO 1144460001

- 3311090** **ELECTRIC HOT PLATE ø 145 mm 1000W 230V**  
MODEL "ECODESIGN"  
terminal block electric connections  
with stainless steel edge  
for electrical cooking top



EGO 1214453002

EGO 1214453194

- 3311092** **ELECTRIC HOT PLATE ø 145 mm 1500W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1214463196

EGO 1214474040

EGO 1514474030


- 3311161** **ELECTRIC HOT PLATE ø 145 mm 1500W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1214356232

EGO 1214356234

- 3311093** **ELECTRIC HOT PLATE ø 145 mm 1500W 400V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1214463197

- 3311106** **ELECTRIC HOT PLATE ø 165 mm 1200W 230V**  
faston electric connections  
complete with energy adjuster



EGO 1074431004

- 3311165** **ELECTRIC HOT PLATE ø 165 mm 1200W 230V**  
faston electric connections  
complete with energy regulation  
for glass-ceramic cooking top



EGO 1054111004

- 3311168** **ELECTRIC HOT PLATE ø 165 mm 1200W 230V**  
faston electric connections  
complete with energy adjuster  
for glass-ceramic cooking top



EGO 1074631004

EGO 1084631040





Suitable for:

Suitable for:

**3311094 ELECTRIC HOT PLATE ø 180 mm 1500W 230V**  
MODEL "ECODESIGN"  
terminal block electric connections  
with stainless steel edge  
for electrical cooking top



EGO 1218453002      EGO 1218453022      EGO 1218453196

**3311095 ELECTRIC HOT PLATE ø 180 mm 1500W 400V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top




EGO 1218453001      EGO 1218453021      EGO 1218453025

**3311096 ELECTRIC HOT PLATE ø 180 mm 2000W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1218463194      EGO 1218474040

**3311097 ELECTRIC HOT PLATE ø 180 mm 2000W 400V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1218463198      EGO 1218474050

**3311169 ELECTRIC HOT PLATE ø 200 mm 1700W 230V**  
faston electric connections  
complete with energy adjuster  
for glass-ceramic cooking top




EGO 1078631004      EGO 1088631040

**3311166 ELECTRIC HOT PLATE ø 200 mm 1800W 230V**  
faston electric connections  
complete with energy regulation  
for glass-ceramic cooking top




EGO 1058111004

**3311098 ELECTRIC HOT PLATE ø 220 mm 2000W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1222453002      EGO 1222453199

**3311099 ELECTRIC HOT PLATE ø 220 mm 2000W 400V**  
MODEL "ECODESIGN"  
terminal block electric connections  
with stainless steel edge  
for electrical cooking top



EGO 1222453001      EGO 1222453021      EGO 1222453025



Suitable for:

EGO



**3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V**

terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top




EGO 1222463012  
EGO 1222474040

EGO 1222463018

EGO 1222474030

**3311101 ELECTRIC HOT PLATE ø 220 mm 2600W 400V**

terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top




EGO 1222463011

EGO 1222463019

**3311088 ELECTRIC HOT PLATE ø 230 mm 2100W 230V**


faston electric connections  
complete with energy regulation



EGO 1071261004

**3311108 ELECTRIC HOT PLATE ø 230 mm 2100W 230V**

faston electric connections  
complete with energy adjuster




EGO 1071431004

EGO 6025176295

**3311170 ELECTRIC HOT PLATE ø 230 mm 2100W 230V**

faston electric connections  
complete with energy adjuster  
for glass-ceramic cooking top




EGO 1071631004

EGO 1081631040

**2110855 ELECTRIC HOT PLATE ø 230 mm 2200W 230V**

faston electric connections  
complete with energy adjuster



EGO 1051211004

**3311107 ELECTRIC HOT PLATE ø 230 mm 2200W 230V**

faston electric connections  
complete with energy adjuster



EGO 1051211404

EGO 6025171012

**3311122 ELECTRIC HOT PLATE ø 230 mm 2300W 230V**

faston electric fitting  
complete with energy regulator  
for glass-ceramic cooking top



EGO 1051116004

**3311167 ELECTRIC HOT PLATE ø 230 mm 2300W 230V**

faston electric connections  
complete with energy adjuster  
for glass-ceramic cooking top



EGO 1051111004

**3311087 ELECTRIC HOT PLATE ø 250 mm 2500W 230V**

faston electric connections  
complete with energy regulation  
for glass-ceramic cooking top



EGO 1053211004



Suitable for:

EGO



- 3311160 ELECTRIC HOT PLATE ø 250 mm 2500W 230V**  
faston electric connections  
complete with energy regulation  
for glass-ceramic cooking top



EGO 1073631004


Suitable for:

- 2101023 ELECTRIC HOT PLATE ø 250 mm 2500W 400V**  
faston terminal block  
complete with power adjuster  
for glass-ceramic cooking top




EGO 1053111106

- 3311102 ELECTRIC HOT PLATE ø 300 mm 2500W 400V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top




EGO 1230453195

- 3311089 ELECTRIC HOT PLATE ø 300 mm 3500W 230V**  
terminal block electric connections  
with STAINLESS steel edge




EGO 1230454194

- 3311078 ELECTRIC HOT PLATE ø 300 mm 3500W 400V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top




EGO 1230454195

- 3311175 ELECTRIC HOT PLATE ø 400 mm 5000W 400V**  
2 screw electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1240670231

- 3311176 ELECTRIC HOT PLATE ø 400 mm 5000W 400V**  
4 terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1240870001

EGO 1240870007

- 3311070 ELECTRIC HOT PLATE 2500W 230V**  
dimensions 300x300 mm  
tilting plate  
electric screw couplings  
for electric cooking top



EGO 1133370242

EGO 1133370247

EGO 1133460302



Suitable for:

EGO



**3311171 ELECTRIC HOT PLATE 2500W 230V**

dimensions 300x300 mm  
plug electric connections  
for electric cooking top



EGO 1133310002

EGO 1133310009

**3311071 ELECTRIC HOT PLATE 2500W 400V**

dimensions 300x300 mm  
tilting plate  
electric screw couplings  
for electric cooking top



EGO 1133460301

EGO 1133460349

**3311076 ELECTRIC HOT PLATE 2500W 400V**

dimensions 300x300 mm  
plug electric connections  
for electric cooking top




EGO 1133310001

EGO 1133310008

**3311123 ELECTRIC HOT PLATE 2500W 400V**


size 300x300 mm  
radiating size 270x270 mm  
screw electric connections  
for glass-ceramic cooking top  
WITHOUT PAN DETECTION SENSOR



EGO 1077828001

**3311125 ELECTRIC HOT PLATE 2500W 400V**

size 300x300 mm  
radiating size 270x270 mm  
screw electric connections  
for glass-ceramic cooking top  
WITH PAN DETECTION SENSOR



EGO 1077848001

**3311053 ELECTRIC HOT PLATE 2600W 230V**

dimensions 220x220 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1122454232

EGO 1122454233

EGO 1122454237

**3311054 ELECTRIC HOT PLATE 2600W 400V**


dimensions 220x220 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1122454238

**2111458 ELECTRIC HOT PLATE 3000W 230V**

dimensions 300x300 mm  
terminal block electric connections  
for electric cooking top



EGO 1133470194





Suitable for:

# EGO



- 3311062** **ELECTRIC HOT PLATE 3000W 230V**  
dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1133454236


EGO 1133454247

- 3311063** **ELECTRIC HOT PLATE 3000W 400V**  
dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1133454248


- 3311174** **ELECTRIC HOT PLATE 3000W 400V**  
dimensions 300x300 mm  
terminal block electric connections  
for electric cooking top



EGO 1133350507

EGO 1133470195


- 3311105** **ELECTRIC HOT PLATE 3500W 230V**  
dimensions 300x300 mm  
radiant size 270x270 mm  
terminal block electric connections  
for pyroceramic cooking range CE841VRT



EGO 1077828002


EGO 1077828003

- 3311124** **ELECTRIC HOT PLATE 3500W 400V**  
dimensions 300x300 mm  
radiant size 270x270 mm  
terminal block electric connections  
for glass-ceramic cooking top  
NOT EQUIPPED WITH PAN DETECTOR



EGO 1077828008

- 3311126** **ELECTRIC HOT PLATE 3500W 400V**  
size 300x300 mm  
radiating size 270x270 mm  
screw electric connections  
for glass-ceramic cooking top  
WITH PAN DETECTION SENSOR



EGO 1077848008

- 3110001** **ELECTRIC HOT PLATE 4000W 230V**  
dimensions 300x300 mm  
terminal block electric connections  
for electric cooking top



EGO 1133460194

- 3311064** **ELECTRIC HOT PLATE 4000W 230V**  
dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1133454246



Suitable for:

EGO



- 3311074 ELECTRIC HOT PLATE 4000W 230V**  
dimensions 300x300 mm  
tilting plate  
terminal block electric connections  
for electric cooking top




EGO 1133460308

EGO 1133460342

EGO 133460342

- 3311048 ELECTRIC HOT PLATE 4000W 400V**  
dimensions 300x300 mm  
terminal block electric connections  
for electric cooking top



EGO 1133460195

- 3311065 ELECTRIC HOT PLATE 4000W 400V**  
dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



EGO 1133454249


- 3311075 ELECTRIC HOT PLATE 4000W 400V**  
dimensions 300x300 mm  
tilting plate  
terminal block electric connections  
for electric cooking top



EGO 1133460307

EGO 1133460341


- 3311103 ELECTRIC HOT PLATE 4000W 400V**  
dimensions 300x300 mm  
radiant size 270x270 mm  
terminal block screw connections  
for glass-ceramic cooking top  
WITH PAN DETECTOR



EGO 1077848006

EGO 1083848060

- 3311151 ELECTRIC HOT PLATE 4000W 400V**  
dimensions 300x300 mm  
radiant size 270x270 mm  
terminal block electric connections  
for glass-ceramic cooktop  
WITHOUT PAN DETECTOR




EGO 1077823006

EGO 1083816060

EGO 1083818060

- 3311152 ELECTRIC HOT PLATE 4000W 400V**  
dimensions 300x300 mm  
radiant size 270x270 mm  
terminal block electric connections  
for glass-ceramic cooktop  
WITH PAN DETECTOR



EGO 1077843006

EGO 1083846060

- 3311104 ELECTRIC HOT PLATE 5000W 400V**  
dimensions 600x300 mm  
terminal block electric connections  
for electric cooking top



EGO 1163471111

EGO 11634711105



Suitable for:

**5056226 ELECTRIC PLATE ø 145 mm 1000W 230V**  
complete with cables length 300 mm



EGO 1214025142

# EGO




Suitable for:

**2102077 ELECTRIC PLATE 2000W 230V**  
dimensions 220x220 mm  
terminal block electric connections  
with stainless STEEL edge  
for pot stove electric



EGO 1122454234

**2105893 ELECTRIC PLATE 4000W 400V**  
dimensions 300x300 mm  
radiant size 270x270 mm  
electric connections with cables length 1600 mm  
for pyroceramic cooking range  
WITHOUT PAN DETECTION SENSOR



EGO 1077827006

**40C6244 HOT PLATE ELECTRIC 2600W 440V**  
dimensions 220x220 mm  
screw terminal block  
with STAINLESS steel rim



EGO 1122454264

## Electronic printed-circuit boards

**3390405 CIRCUIT BOARD 230V 123x65 mm**



EGO 7505011001

**3390400 ELECTRONIC BOARD 230V 123x65 mm**



EGO 7505011004

**3390399 ELECTRONIC BOARD 400V 123x65 mm**



EGO 7505011000



Suitable for:

EGO



Suitable for:

## Energy regulators

### 3350024 ENERGY ADJUSTER

contact capacity 240V 13A  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction



EGO 5017071000

EGO 5057071010

### 3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction  
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



EGO 5017011000

EGO 5037021000

EGO 5017021000


EGO 5057011000

EGO 5037011000

EGO 5057021010

### 3350031 ENERGY ADJUSTER

contact capacity 400V 7A  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 5017031000

EGO 5057031010


EGO 5017051000

EGO 5057051010

EGO 5037051000

### 3350035 ENERGY ADJUSTER

contact capacity 230V 13A  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 5027021580

EGO 5055021100

EGO 5067021591

### 3350069 ENERGY ADJUSTER


contact capacity 240V 13A  
max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 5057071150

### 3350084 ENERGY ADJUSTER

contact capacity 230V 13A  
max. temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 5057024010

### 2111902 ENERGY REGULATOR

contacts 240V 13A  
temperature max 125°C  
D-shaft  $\varnothing$  6x4.6 mm



EGO 5055071100

EGO 5067079601

### 3350078 POWER REGULATOR


contacts capacity 230V 13A  
maximum temperature 125 ° C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 5055021171

## Gaskets and seals

**3786273 HEATING ELEMENT GASKET  $\varnothing$  192x160x3 mm**



EGO 624074

## Heating elements

**3755126 FLAT HEATING ELEMENT 300W 230V**  
length 458 mm - width 17 mm  
with cables



EGO 3104581115

**3755121 FLAT HEATING ELEMENT 550W 230V**  
length 540 mm - width 22 mm  
with cables



EGO 3205402002

**3755122 FLAT HEATING ELEMENT 600W 400V**  
length 540 mm - width 22 mm  
with cables



EGO 3205402134

**3755125 FLAT HEATING ELEMENT 700W 230V**  
length 600 mm - width 22 mm  
with cables



EGO 3206002114

**3755124 FLAT HEATING ELEMENT 700W 400V**  
length 600 mm - width 22 mm  
with cables



EGO 3206002007

EGO 3206002113

**3755299 HEATING ELEMENT BRACKET**



EGO 2724039000

**3455210 HEATING ELEMENT FLAT 550W 400 V**  
length 540 mm - width 22 mm  
complete with cables



EGO 3205402001

**3355266 HEATING ELEMENT FLAT 650W 230V**  
length 610 mm - width 22 mm  
complete with cables



EGO 3206002432





Suitable for:

EGO



**3355066 HEATING ELEMENT 1000W 220V**  
length 295 mm - width 90 mm  
fittings M14x1 mm  
operating ambient: dry



EGO 2040259000

Suitable for:

**3755001 HEATING ELEMENT 1000W 230V**  
length 520 mm - width 135 mm  
2 flanges 35x20 mm



EGO 2410096200

**3755132 HEATING ELEMENT 1000W 230V**  
length 395 mm - width 200 mm  
2 flanges 30x16 mm  
operating ambient: dry



EGO 2023487010

**3755554 HEATING ELEMENT 1000W 230V**  
length 260 mm - width 30 mm  
fittings M10x1 mm - complete with nut and gasket  
operating ambient: immersion



EGO 2422164020

**3355243 HEATING ELEMENT 1000W 230V BOTTOM**  
length 180 mm - width 195 mm  
complete with cables



EGO 2410083630

EGO 2413875023

**3455142 HEATING ELEMENT 1100W 220V**  
length 330 mm - width 65 mm  
height 75 mm




EGO 2413545023

**3455125 HEATING ELEMENT 1100W 230V**  
length 325 mm - width 250 mm  
flange 80x27 mm



EGO 2811907024

**3855016 HEATING ELEMENT 1100W 230V**  
length 100 mm - width 335 mm  
height 74 mm - 2 flanges 24x20 mm



EGO 2021699000

**3355888 HEATING ELEMENT 1100W 240V**  
length 375 mm - width 95 mm  
fittings M10x1 mm



EGO 2410001310

**3455368 HEATING ELEMENT 1260W 230V**  
external  $\varnothing$  190 mm - overall height 415 mm  
flange 100x22 mm



EGO 2410085900

**3355076 HEATING ELEMENT 1300W 220V**  
length 425 mm - width 80 mm  
height 70 mm



EGO 2434593023

Suitable for:

**3355202 HEATING ELEMENT 1300W 240V**  
length 370 mm - width 95 mm  
fittings M10x1 mm  
operating ambient: immersion



EGO 2422866024

EGO 8720290B

**3755446 HEATING ELEMENT 1350W 400V**  
length 215 mm - width 225 mm  
total length 90 mm



EGO 2410079730

**3355207 HEATING ELEMENT 1370W 240V**  
length 430 mm - width 95 mm  
height 65 mm  
nut and washer on demand  
for second series



EGO 2410002030

**5037249 HEATING ELEMENT 150W 230V**  
length 560 mm - width 155 mm  
2 flanges 30x16 mm  
operating ambient: dry



EGO 2029665000

**3755133 HEATING ELEMENT 1500W 230V**  
length 395 mm - width 200 mm  
2 flanges 30x16 mm  
operating ambient: dry



EGO 2023487000

**3755721 HEATING ELEMENT 1500W 230V**  
length 340 mm - width 37 mm  
fittings M10x1 mm  
operating ambient: immersion



EGO 2422165020

**3755855 HEATING ELEMENT 1500W 230V**  
length 265 mm - width 165 mm



EGO 1057401340

EGO 1057401344

**3855012 HEATING ELEMENT 1500W 400V**  
length 465 mm - width 480 mm  
flange 104x32 mm



EGO 2021706050

**3355127 HEATING ELEMENT 1600W 220V**  
ø external 190 mm - total height 70 mm  
flange 70x22 mm  
operating ambient: dry



EGO 2413870022



Suitable for:

EGO



**3755492 HEATING ELEMENT 1600W 240V**  
length 450 mm - width 175 mm



EGO 3390000822

Suitable for:

**3755447 HEATING ELEMENT 1650W 400V**  
length 245 mm - width 255 mm  
total height 94 mm



EGO 2410079830

**3755431 HEATING ELEMENT 1700W 400V**  
length 305 mm - width 215 mm  
total height 85 mm



EGO 2410062620

**3755300 HEATING ELEMENT 1800W 230V**  
ø external 200 mm - total height 75 mm  
flange 70x22 mm



EGO 2028907000

**3455209 HEATING ELEMENT 1950W 230V**  
length 455 mm - width 105 mm  
fittings M12x1 mm



EGO 2434105023

**5056228 HEATING ELEMENT 2000/2071W 400/415V**  
length 490 mm - width 575 mm  
flange 104x32 mm



EGO

**3855035 HEATING ELEMENT 2000/2177W 230/240V**  
length 205 mm - width 260 mm  
flange 25x11 mm



EGO 2080763000

**3755226 HEATING ELEMENT 2000W 230V**  
length 455 mm - width 260 mm  
height 20 mm - fittings M10x1 mm  
operating ambient: immersion




EGO 2023661000

**3755555 HEATING ELEMENT 2000W 230V**  
length 460 mm - width 30 mm  
fittings M10x1 mm  
operating ambient: immersion



EGO 2422166000

**3755432 HEATING ELEMENT 2000W 400V**  
length 335 mm - width 232 mm  
total height 85 mm



EGO 2410082520

**5029332 HEATING ELEMENT 2200W 230V**  
length 395 mm - width 200 mm  
2 flanges 30x16 mm



EGO 2029970000

Suitable for:


**3755584 HEATING ELEMENT 2300W 230V**  
external ø 193 mm - total height 73 mm  
flange 70x22 mm



EGO 2021291010

EGO 2021291101

**7105359 HEATING ELEMENT 2300W 230V**  
length 320 mm - width 190 mm  
height 30 mm



EGO 1057413204

**3855017 HEATING ELEMENT 2350W 230V**  
length 510 mm - width 130 mm  
height 75 mm - flange 70x22 mm



EGO 2027610000

**3755302 HEATING ELEMENT 2400W 230V**  
external ø 193 mm - total length 60 mm  
flange 70x22 mm



EGO 2023077000

**3755135 HEATING ELEMENT 250W 230V**  
length 495 mm - width 200 mm  
2 flanges 30x16 mm



EGO 2021843000

**3355055 HEATING ELEMENT 2500W 220V**  
external ø 190 mm - overall height 93 mm  
flange 70x22 mm



EGO 2413881023

**3355214 HEATING ELEMENT 2500W 220V**  
length 530 mm - width 615 mm  
flange 70x22 mm



EGO 2410025310

**3755583 HEATING ELEMENT 2500W 230V**  
external ø 193 mm - total height 60 mm  
flange 47x16 mm



EGO 2017983000

**3755723 HEATING ELEMENT 2600W 230V**  
ø external 200 mm - total height 65 mm  
flange 70x22 mm



EGO 2020219050



Suitable for:

# EGO



**3755364 HEATING ELEMENT 275W 230V**  
length 395 mm - width 33 mm  
flange 40x24 mm



EGO 2029888000

Suitable for:

**3755587 HEATING ELEMENT 2900W 230V**  
length 305 mm - width 60 mm  
height 200 mm - flange 65x30 mm



EGO 2040453000

**3755459 HEATING ELEMENT 300W 230V**  
immersed length 220 mm  
fitting  $\varnothing$  1"  
with bulb holder sheathing




EGO 2081132210

**3855014 HEATING ELEMENT 3000W 400V**  
length 420 mm - width 330 mm  
flange 70x22 mm



EGO 2023019010

**3455140 HEATING ELEMENT 3100W 220V**  
length 380 mm - width 255 mm  
flange 127x22 mm



EGO 12434034024

**3355209 HEATING ELEMENT 3200W 240V**  
length 675 mm - width 120 mm



EGO 3380000171

**3755185 HEATING ELEMENT 3200W 240V**  
length 570 mm - width 520 mm  
flange 70x22 mm



EGO 2410094800

**3755366 HEATING ELEMENT 350W 230V**  
length 425 mm - width 300 mm  
with cables




EGO 2029666000

**3755103 HEATING ELEMENT 3800W 230V**  
immersed length 250 mm  
flange external  $\varnothing$  72 mm  
with O-ring



EGO 2430081560

**3755656 HEATING ELEMENT 3950W 230V**  
length 510 mm - width 545 mm  
flange 160x22 mm



EGO 2430094700



**3755363 HEATING ELEMENT 400W 230V**  
length 560 mm - width 33 mm  
flange 40x22 mm - complete with cables



EGO 2028910000

Suitable for:

**3855013 HEATING ELEMENT 4000W 230V**  
ø ext. 215 mm - overall height 98 mm  
flange 70x22 mm




EGO 2021988010

**3355733 HEATING ELEMENT 4000W 400V**  
external ø 215 mm - overall height 98 mm  
flange 70x22 mm



EGO 2021874010

**3455139 HEATING ELEMENT 4050W 230V**  
overall length 460 mm - overall width 470 mm  
immersed length 400 mm  
flange 127x22 mm



EGO 12434226023

**3455097 HEATING ELEMENT 4500W 220/380V**  
immersion depth 390 mm  
flange external ø 63 mm  
with O-ring



EGO 2463345000

**3355732 HEATING ELEMENT 4800W 400V**  
internal ø 180 mm - total height 55 mm  
flange 70x22 mm




EGO 2026863010

**3755219 HEATING ELEMENT 500W 230V**  
immersed length 295 mm  
fitting ø 3/4" - complete with cables



EGO 2080461000

**3755367 HEATING ELEMENT 550W 230V**  
length 430 mm - width 470 mm  
complete with cables



EGO 2029667000

**3755436 HEATING ELEMENT 6000W 230V**  
immersed length 395 mm  
flange external ø 63 mm  
with thermostat probe receptacle  
with O-ring  
with cables



EGO 2430066030

**3755114 HEATING ELEMENT 6000W 400V**  
ø ext. 215 mm - overall height 95 mm  
flange 70x22 mm



EGO 2019696020



Suitable for:

EGO



**3455452 HEATING ELEMENT 700W 230V**  
length 430 mm - width 200 mm



EGO 2029861000

Suitable for:

**3755131 HEATING ELEMENT 700W 230V**  
length 395 mm - width 200 mm  
operating ambient: dry



EGO 2030194000

**3355406 HEATING ELEMENT 750W 230V TOP**  
length 170 mm - width 145 mm  
complete with cables



EGO 2410083620

**3755485 HEATING ELEMENT 7500W 230V**  
immersed length 475 mm  
fitting  $\varnothing$  1-1/2"  
with bulb holder sheathing



EGO 2430018040

**3355159 HEATING ELEMENT 800W 220V**  
length 395 mm - width 60 mm  
couplings  $\varnothing$  1/4"  
operating ambient: dry



**5029084 HEATING ELEMENT 800W 230V**  
length 232 mm - width 65 mm  
flange 81x28 mm



EGO 2413871022

**3355204 HEATING ELEMENT 800W 240V**  
length 475 mm - width 70 mm



EGO 3340000491

EGO 2040631000

**3755511 HEATING ELEMENT 8000W 230V**  
immersed length 395 mm  
flange external  $\varnothing$  63 mm  
with thermostat probe receptacle  
with O-ring  
with cables



**3455123 HEATING ELEMENT 850W 220V**  
length 645 mm - width 145 mm  
flange 70x22 mm



EGO 2434548023

EGO 2430066010

**3455124 HEATING ELEMENT 850W 230V**  
length 645 mm - width 150 mm



EGO 2433580022



Suitable for:

# EGO



**3355150 HEATING ELEMENT 900W 220V**  
length 430 mm - width 120 mm  
flange 100x20 mm



EGO 2410021630

Suitable for:

**3455084 HEATING ELEMENT 900W 230V**  
length 420 mm - width 45 mm  
fittings M12x1 mm  
operating ambient: immersion



EGO 0087203311

EGO 87203311

**3755136 HEATING ELEMENT 900W 230V**  
length 645 mm - width 180 mm  
2 flanges 36x16 mm



EGO 2028908000

**3755365 HEATING ELEMENT 900W 230V**  
length 665 mm - width 602 mm  
flange 70x15 mm



EGO 2029739000

**3355507 HEATING ELEMENT 900W 240V**  
length 490 mm - width 50 mm  
fittings  $\varnothing$  1/4"



EGO 2410060810

**3855024 HEATING ELEMENT 9000W 230V**  
immersed depth 535 mm  
flange  $\varnothing$  ext. 63 mm



EGO 2029335000

**3755361 PLATE HEATING ELEMENT 1800W 230V**  
with adjustment thermostat



EGO 2806013200

**3786273 HEATING ELEMENT GASKET  $\varnothing$  192x160x3 mm**




EGO 624074

**3755362 PLATE HEATING ELEMENT 1800W 230V**  
with adjusting thermostat  
with safety thermostat



EGO 2806013300

**3786273 HEATING ELEMENT GASKET  $\varnothing$  192x160x3 mm**



EGO 624074



Suitable for:

EGO



Suitable for:

## Knobs

**2111711 BLACK KNOB ø 50 mm**  
D-shaped hole 6x4.6 mm  
with reference symbol  
for EGO thermostat



EGO 524808

**3444129 BLACK KNOB ø 50 mm**  
D shaft hole 6x4.6 mm  
with symbol  
for thermostats and timers



EGO 524413

EGO 8335612010

**3241565 BLACK KNOB ø 50 mm SILK-SCREEN PRINTED**  
D shaft hole 6x4.6 mm  
for EGO energy regulator



EGO 0000524162

**3241567 BLACK KNOB ø 50 mm SILK-SCREEN PRINTED**  
D shaft hole 6x4.6 mm  
for thermostat EGO



EGO 0000524830

**3241564 BLACK KNOB ø 50 mm 0-1-2-3**  
D shaft hole 6x4.6 mm  
for EGO energy regulator



EGO 0000524054

**3241566 BLACK KNOB ø 50 mm 0-1-2-3**  
D shaft hole 6x4.6 mm  
for EGO energy regulator



EGO 0000524010

**3241827 BLACK KNOB ø 50 mm 100-180°C**  
D-shaped pin ø 6x4.6 mm  
for EGO thermostat



EGO 524813

**3241870 RING NUT ø 52 mm**  
chrome plated metal  
for EGO thermostate knob



EGO 6762000020

EGO 6762108

EGO 6762105

EGO 6762105000

**3241741 BLACK KNOB ø 50 mm 100-350°C**  
D shaft hole 6x4.6 mm  
for EGO thermostat



EGO 0000524810

EGO 524810

**3241870 RING NUT ø 52 mm**  
chrome plated metal  
for EGO thermostate knob



EGO 6762000020

EGO 6762108

EGO 6762105

EGO 6762105000

Suitable for:

**3444126 BLACK KNOB ø 50 mm 30-110°C**  
D-shaped pin ø 6x4.6 mm  
for EGO thermostat



EGO 524407

EGO 8335623010

Suitable for:

**3444125 BLACK KNOB ø 50 mm 30-90°C**  
D-shaped pin ø 6x4.6 mm  
for EGO thermostat



EGO 0000524401

EGO 524401

EGO 8335601010

**3444128 BLACK KNOB ø 50 mm 50-300°C**  
D-shaped pin ø 6x4.6 mm  
for EGO thermostat



EGO 524403

EGO 8335604010

**3444441 BLACK KNOB ø 50 mm 50-300°C**  
D-shaped pin ø 6x4.6 mm  
for EGO thermostat



EGO 0000524807

**3444187 BLACK KNOB ø 50 mm 50-500°C**  
D-shaped pin ø 6x4.6 mm  
for EGO thermostat



EGO 0000524834

EGO 524834

**3241637 BLACK KNOB ø 50 mm 60°-200°C**  
D shaft hole 6x4.6 mm  
for EGO thermostat



EGO 524806

**3445000 BLACK KNOB ø 50 mm 90-200°C**  
D-shaped pin ø 6x4.6 mm  
for EGO thermostat



EGO 524848

**3241055 FIXING CLIP**  
for knob with ø 8 mm hole



EGO 0000607007

EGO 607007

**3241726 KNOB BLACK ø 45 mm ON-1-2-3-4-FULL**  
D-shaped hole 4x4.6 mm  
for energy adjuster EGO



EGO 524235

**3241829 KNOB BLACK ø 50 mm 0-1-0-1**  
D-shaped hole 6x4.6 mm  
for energy adjuster EGO



EGO 0000524056

EGO 524056



Suitable for:

EGO



**3241309 KNOB BLACK ø 50 mm 0-1-2-3**  
D-shaped hole 6x4.6 mm  
for energy adjuster EGO



EGO 0000524058

EGO 524058

**3241320 KNOB BLACK ø 50 mm 0-1-2-3**  
D-shaped hole 6x4.6 mm  
for energy adjuster EGO



EGO 0000524051

EGO 524051

**3241552 KNOB BLACK ø 50 mm 0-1-2-3-4**  
D-shaped hole 6x4.6 mm  
for energy adjuster EGO



EGO 0000524059

EGO 524059

**3241319 KNOB BLACK ø 50 mm 30°-85°C**  
D-shaped hole 6x4.6 mm  
for THERMOSTAT EGO



EGO 0000524837

EGO 524803

**3241721 KNOB BLACK ø 50 mm 30°-90°C**  
D-shaped hole 6x4.6 mm  
for thermostat EGO



EGO 524804

**3241165 KNOB BLACK ø 50 mm 50°-250°C**  
D-shaped hole 6x4.6 mm



EGO

**3241944 PIN EXTENSION LENGTH 18 mm**  
overall length 28 mm  
D-shaped hole 6x4.6 mm



EGO 4772018000

**3241318 PIN EXTENSION 28 mm**  
overall length 38 mm  
D-shaped hole 6x4.6 mm



EGO 4772028000

## Rotary switches

**3057050 CONNECTING BRACKET 28x21x16 mm**  
distance between hooking brackets 27 mm  
for the connection between selector switch and the



EGO 0000617079

EGO 617079

**3057307 CONNECTION BRACKET 28x21x11 mm**  
distance between fixing brackets 27 mm  
for connection between selector switch and thermos



EGO 617078




**5034631 EXTENSION SELECTOR SWITCH PIN**  $\varnothing$  6x4.6 mm  
length 45 mm



EGO 4709045000

**3057014 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D spindle  $\varnothing$  6x4.6 mm  
back connection for thermostat




EGO 4922015500

EGO 4941015300


EGO 4941015700

**3057018 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm  
back connection for thermostat



EGO 4921015711

**3057019 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm



EGO 4914915709

EGO 4922015700


**3057026 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm



EGO 4921015501


EGO 4921015600

**3057027 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm  
rear hole for thermostat




EGO 4921015300

**3057032 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D spindle  $\varnothing$  6x4.6 mm




EGO 4331832000

**3057037 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm  
with double shaft




EGO 4921915731

**3057082 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft 6x4.6 mm



EGO 4941015705

**3057095 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D spindle  $\varnothing$  6x4.6 mm



EGO 4931015020




Suitable for:

EGO




**3057121 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft 6x4.6 mm




EGO 4203400009

**3057140 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D-shaped pin ø 6x4.6 mm



EGO 4341832030


**3057176 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D-shaft ø 6x4.6 mm



EGO 4341832700

EGO 4342032703


**3057177 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin ø 6x4.6 mm



EGO 4941015500


EGO 4941015701

**3057178 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin 6x4.6 mm




EGO 4942915707

**3057186 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft ø 6x4.6 mm




EGO 4922015705

**3057196 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft ø 6x4.6 mm



EGO 4623966541


**3057216 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 230V - max 150°C  
D-shaped pin 6x4.6 mm



EGO 4941015702


EGO 4942915704

**3057255 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D spindle ø 6x4.6 mm




EGO 4921015610

**5010886 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D-shaft ø 6x4.6 mm



EGO 4341832000

**5030542 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 420290000

**5036256 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4921015320

**7105807 SELECTOR SWITCH 0-1 POSITIONS**  
with connecting bracket  
contacts capacity 16A 250V - max 150°C  
D-shaped pin 6x4.6 mm




EGO 4921015600

**3057013 SELECTOR SWITCH 0-1 0-1 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm




EGO 4342032700

**3057017 SELECTOR SWITCH 0-1 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4922015723

**3057022 SELECTOR SWITCH 0-1 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4942015500

**3057073 SELECTOR SWITCH 0-1 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4942015000


**3057094 SELECTOR SWITCH 0-1 0-1 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4332032000


EGO 4342032000

**5033121 SELECTOR SWITCH 0-1 0-2 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4324932040

**3057015 SELECTOR SWITCH 0-1-0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4922015000




Suitable for:

EGO




- 3057342 SELECTOR SWITCH 0-1-0-2 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4344032020

- 3057349 SELECTOR SWITCH 0-1-2 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4202400003

- 3057346 SELECTOR SWITCH 0-1-2-3-4 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4925215520

- 3057257 SELECTOR SWITCH 0-2 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4324832120

- 2102983 SELECTOR SWITCH 0-2 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4204000021

- 3057078 SELECTOR SWITCH 0-2 POSITIONS**  
contact capacity 16A 250V - max temperature 150°  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4941915707


- 3057083 SELECTOR SWITCH 0-2 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4923815000


EGO 4923815050

- 3057151 SELECTOR SWITCH 0-2 POSITIONS**  
contact capacity 16A 250V - max temperature 150°  
D spindle  $\varnothing$  6x4.6 mm




EGO 4914915705

- 3057172 SELECTOR SWITCH 0-2 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4623866500


- 7100585 SELECTOR SWITCH 0-2 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4623866557




**2101527 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4924015000


**3057001 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D spindle  $\varnothing$  6x4.6 mm



EGO 4324232000


EGO 4324432000

**3057002 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4334232000

**3057030 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm




EGO 4921015300+

EGO 4944215700+


EGO 4964215715

**3057038 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4924915736

**3057060 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm




EGO 4204400026

**3057064 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm




EGO 4624866803

**3057087 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm




EGO 4924215000

**3057090 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm



EGO 4942915705

**3057093 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4924215520




Suitable for:

EGO



**3057098 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm




EGO 4944015702

**3057139 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4204400003

**3057159 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm




EGO 4944915703

**3057165 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm




EGO 4924215001

**3057170 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6  
per models 7-8-10 litres




EGO 4924015500

**3057180 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm




EGO 4944015714

**3057254 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm




EGO 4932015000

**3057281 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4204000023

**3057305 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 18A 240V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4944015702


**3057306 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4324832060




**3057308 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm




EGO 4324032000

**3057336 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4334232800

**3057337 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4204400002

**3057339 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4624966501

**3057343 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4204000010

**40KV044 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 32A 250V - max 150°C  
Halbmondachse  $\varnothing$  6x4,6 mm




EGO 4334832003

**5022563 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin 6x4.6 mm



EGO 4204000020

**5050233 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4623966811

**5060576 SELECTOR SWITCH 0-3 POSITIONS**  
contacts capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4204400001

**3057003 SELECTOR SWITCH 0-4 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4925915770




Suitable for:

EGO




**3057004 SELECTOR SWITCH 0-4 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4925915769

**3057006 SELECTOR SWITCH 0-4 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm




EGO 4325232020

**3057028 SELECTOR SWITCH 0-4 POSITIONS**  
contact capacity 32A 250V-25A 400V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4325232000

**3057031 SELECTOR SWITCH 0-4 POSITIONS**  
contact capacity 32A 250V-25A 400V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm



EGO 4325432000


**3057069 SELECTOR SWITCH 0-4 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4335232000


EGO 4335232020

**3057096 SELECTOR SWITCH 0-4 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm



EGO 4925215530

**3057187 SELECTOR SWITCH 0-4 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D spindle  $\varnothing$  6x4.6 mm




EGO 4925215723

**3057270 SELECTOR SWITCH 0-4 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4205100000

**5002051 SELECTOR SWITCH 0-4 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




EGO 4925215000

**3057023 SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D shaft  $\varnothing$  6x4.6 mm



EGO 4327232000

**3057024 SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin ø 6x4.6 mm




EGO 4927215500

EGO 4927215020

EGO 4927215746

**3057045 SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin ø 6x4.6 mm



EGO 4927215500

**3057076 SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft ø 6x4.6 mm




EGO 4627266813

**3057089 SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft ø 6x4.6 mm



EGO 4207000025


**3057092 SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft ø 6x4.6 mm



EGO 4927215520

EGO 4927215747

**3057205 SELECTOR SWITCH 0-6 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft ø 6x4.6 mm




EGO 4627266500

**3057079 SELECTOR SWITCH 0-9 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D shaft ø 6x4.6 mm




EGO 4200000015

**3057340 SELECTOR SWITCH 1-2-1-2**  
contact capacity 16A 250V - max 150°C  
D-shaped pin ø 6x4.6 mm




EGO 4954915510

**3057341 SELECTOR SWITCH 1-2-1-2 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin ø 6x4.6 mm



EGO 4922915500

**3057338 SELECTOR SWITCH 4 POITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin ø 6x4.6 mm



EGO 4324216000




Suitable for:

EGO




**3057256 SELECTOR SWITCH 4 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D spindle  $\varnothing$  6x4.6 mm



EGO 4923815560

Suitable for:

**7101414 SELECTOR SWITCH 4 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 4623866802

**5034977 SWITCH 0-3 POSITIONS**  
contacts 16A 250V - max 150°C  
D-Shaft 6x4.6 mm



EGO 4204400025

## Terminal blocks

**3247010 2-POLES CERAMIC TERMINAL BLOCK**  
dimensions 32x46x15 mm



EGO 3805021000

## Thermostats

**3444149 ADAPTER FOR SELECTOR SWITCH 45x22x9 mm**



EGO 0004695500

**3444617 BULB CONNECTION  $\varnothing$  9.5 mm HOLE  $\varnothing$  3/8"**  
stuffing gland  $\varnothing$  1/4" - washer  $\varnothing$  11.5 mm  
gasket  $\varnothing$  10.5 mm - thickness 6.5 mm



EGO 6700700100

**3444616 BULB CONNECTION M12 HOLE  $\varnothing$  6 mm**  
stuffing gland M9x1- washer  $\varnothing$  7.7 mm  
gasket  $\varnothing$  7.8 mm - thickness 5 mm



EGO 6706100100

**3444279 BULB HOLDING CLIP**  
for heating element thermostat  
for pipe  $\varnothing$  9 mm - for bulb  $\varnothing$  6 mm



EGO

Suitable for:

**3444605 BULB HOLDING CLIP**  
for heating element thermostat  
for pipe 'ø 8.5 mm - for bulb ø 6 mm



EGO

Suitable for:

**3250220 BULB HOLDING CLIP ø 6 mm**  
for heating element thermostat



EGO

**3250218 BULB HOLDING CLIP ø 8.5 mm**  
for heating element thermostat



EGO

**2111161 GASKET STUFFING GLAND ø 7.5 mm**  
height 7 mm  
for THERMOSTAT EGO



EGO 624043

**3786474 GASKET STUFFING GLAND ø 7.8 mm**  
height 5 mm  
for thermostat EGO



EGO 0006706103

EGO 6706103

**3444124 PROTECTION CAP**  
for safety thermostat  
for THERMOSTAT EGO



EGO 0000525020

EGO 525020

**3241870 RING NUT ø 52 mm**  
chrome plated metal  
for EGO thermostate knob



EGO 6762000020

EGO 6762105

EGO 6762105000

EGO 6762108

**5038124 SET THERMOSTAT SINGLE-PHASE 101-187°C**  
complete with bracket and stuffing gland fitting M  
D-shaped pin ø 6x4.6 mm  
capillary length covered 520 mm - 16A 250V  
bulb ø 6x133 mm - with stuffing gland fitting M10x



EGO 5519032100

**2111707 SINGLE PHASE THERMOSTAT 175°C**  
with automatic reset  
capillary length 600 mm - 16A 250V  
bulb ø 7,5x30 mm



EGO 5514139800

**5029092 SINGLE PHASE THERMOSTAT 30-110°C**  
D-shaped pin ø 6x4.6 mm  
covered capillary length 1500 mm - 16A 250V  
bulb ø 6x130 mm



EGO 5519024804

EGO 5519026800





Suitable for:

**EGO**



**3744011 SINGLE-PHASE THERMOSTAT 10-280°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1600 mm  
bulb  $\varnothing$  4x226 mm



EGO 5519054201

**3444784 SINGLE-PHASE THERMOSTAT 100-175°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1470 mm - 16A 230V  
bulb  $\varnothing$  6x130 mm



EGO 5519034800

**3444938 SINGLE-PHASE THERMOSTAT 100-175°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm  
bulb  $\varnothing$  6x100 mm



EGO 5513032370

**3241637 BLACK KNOB  $\varnothing$  50 mm 60°-200°C**

D shaft hole 6x4.6 mm  
for EGO thermostat



EGO 524806

**3744008 SINGLE-PHASE THERMOSTAT 100-180°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm  
bulb  $\varnothing$  6x130 mm - with adapter nipple bland M9x1  
with complete tank joint M12x1



EGO 5519032203

**3444482 SINGLE-PHASE THERMOSTAT 100-185°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1800 mm  
bulb  $\varnothing$  4x230 mm - with adapter nipple bland M9x1



EGO 5519035802

**3444666 SINGLE-PHASE THERMOSTAT 100-185°C**

complete with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2400 mm - 16A 230V  
bulb  $\varnothing$  6x90 mm - with stuffing gland fitting M9x1  
with complete tank sealing fitting M12x1




EGO 5513639030

EGO 9755136156

**7101561 SINGLE-PHASE THERMOSTAT 100-185°C**

complete with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 700 mm  
bulb  $\varnothing$  4x235 mm



EGO 5519632040

**3444111 SINGLE-PHASE THERMOSTAT 100-190°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x130 mm - with adapter nipple bland M9x1



EGO 5519032805

Suitable for:

**3444233 SINGLE-PHASE THERMOSTAT 100-190°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1750 mm - 16A 250V  
 bulb  $\varnothing$  6x133 mm - with adapter nipple bland M9x1




EGO 5519035800

**3444652 SINGLE-PHASE THERMOSTAT 100-190°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 870 mm  
 bulb  $\varnothing$  4x235 mm



EGO 5519032807

**3744096 SINGLE-PHASE THERMOSTAT 100-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x74 mm



EGO 5519052802

**5038072 SINGLE-PHASE THERMOSTAT 100-350°C**  
 complete with auxiliary switch  
 D-Shaft 6x4.6 mm  
 covered capillary length 870 mm - 16A 400V  
 bulb  $\varnothing$  3x144 mm



EGO 5519662010

**3444974 SINGLE-PHASE THERMOSTAT 100-615°C**  
 complete with switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1100 mm - 16A 250V  
 bulb  $\varnothing$  4x230 mm



EGO 5534683010

**3443073 SINGLE-PHASE THERMOSTAT 100-680°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1100 mm - 16A 230V  
 bulb  $\varnothing$  4x230 mm



EGO 5534683070

**5056716 SINGLE-PHASE THERMOSTAT 101-187°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 890 mm - 16A 250V  
 $\varnothing$  6x133 mm bulb - with stuffing gland fitting M10x



EGO 5519032100




Suitable for:

EGO



**3444260 SINGLE-PHASE THERMOSTAT 105-185°C**  
complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
threaded bulb  $\varnothing$  1/2"x91 mm




EGO PO98161705

EGO 5519032816

EGO 5519932801

**3444358 SINGLE-PHASE THERMOSTAT 105-185°C**  
complete with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x135 mm - with adapter nipple bland M10x1




EGO PO98311705

EGO 5519032831+...

EGO 5519932802

**3444568 SINGLE-PHASE THERMOSTAT 105-185°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  6x130 mm - with adapter nipple bland M10x1



EGO 5102918250

EGO 551903281


EGO 5519039815

**3444478 SINGLE-PHASE THERMOSTAT 120-400°C**  
complete with knob and indexed ring nut  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  4x230 mm




EGO 5519082806

**3444771 SINGLE-PHASE THERMOSTAT 125°C**  
with manual reset  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  3.1x120 mm



EGO 5532522831

**3744061 SINGLE-PHASE THERMOSTAT 125°C**  
with manual reset  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x150 mm



EGO 5513322020

**3444352 SINGLE-PHASE THERMOSTAT 130°C**  
with manual reset  
covered capillary length 870 mm - 16A 250V  
bulb  $\varnothing$  6x129 mm



EGO 5510522802

EGO 5510522830

EGO 5519522020

**3444736 SINGLE-PHASE THERMOSTAT 130°C**  
with manual reset  
capillary length 850 mm - 16A 230V  
bulb  $\varnothing$  6x130 mm



EGO 5513522090


**2101415 SINGLE-PHASE THERMOSTAT 130-190°C**  
D-shaped pin 6x4.6 mm  
capillary length 1250 mm - 16A 250V  
bulb ø 6x120 mm



EGO 5517039010

Suitable for:

**2111771 SINGLE-PHASE THERMOSTAT 130-190°C**  
D-shaped pin 6x4.6 mm  
capillary length 870 mm - 16A 250V  
bulb ø 6x117 mm



EGO 5518032020

**3444494 SINGLE-PHASE THERMOSTAT 130-400°C**  
complete with switch  
D-shaped pin ø 6x4.6 mm  
covered capillary length 800 mm  
bulb ø 4x165 mm



EGO 5513672020

EGO 6404010010


**3444782 SINGLE-PHASE THERMOSTAT 132°C**  
with manual reset  
capillary length 850 mm - 16A 230V  
bulb ø 3.1x250 mm - with adapter nipple bland M9x1



EGO 5513522020

EGO 5513522400

**3444899 SINGLE-PHASE THERMOSTAT 135°C**  
manual reset  
capillary length 1500 mm  
bulb ø 6x80 mm




EGO 5513524070

**3444545 SINGLE-PHASE THERMOSTAT 140°C**  
with automatic reset  
covered capillary length 900 mm - 16A 230V  
bulb ø 4x158 mm



EGO 5519322801


**3444564 SINGLE-PHASE THERMOSTAT 140°C**  
with manual reset  
capillary length 870 mm - 16A 250V  
bulb ø 3.1x226 mm



EGO 5510522808

EGO 5519522030

**3444763 SINGLE-PHASE THERMOSTAT 140°C**  
manual reset  
covered capillary 1550 mm - 16A 230V  
bulb ø 6x77 mm - 16A 230V



EGO 5513529170


**3444772 SINGLE-PHASE THERMOSTAT 140°C**  
with manual reset  
covered capillary length 900 mm - 16A 230V  
bulb ø 6x130 mm



EGO 5510522803

EGO 5519522010

**3444929 SINGLE-PHASE THERMOSTAT 140°C**  
with manual reset  
capillary length 900 mm  
bulb ø 6x90 mm



EGO 5513122110




# EGO



Suitable for:

**3444665 SINGLE-PHASE THERMOSTAT 140-195°C**  
complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 880 mm - 16A 250V  
bulb  $\varnothing$  6x77 mm - with adapter nipple bland M9x1



EGO 5513632030

Suitable for:

**3444495 SINGLE-PHASE THERMOSTAT 147°C**  
with manual reset  
covered capillary length 1800 mm - 16A 250V  
bulb  $\varnothing$  6x77 mm



EGO 5131995080


EGO 5610539550

**3444319 SINGLE-PHASE THERMOSTAT 150°C**  
with manual reset  
capillary length covered 900 mm - 16A 250V  
bulb  $\varnothing$  6x70 mm



EGO 5519122803


**3444350 SINGLE-PHASE THERMOSTAT 150°C**  
with automatic reset  
covered capillary length 1000 mm - 0.5A 12V  
bulb  $\varnothing$  6x86 mm



EGO 5510129827

EGO 5519129010


**3444485 SINGLE-PHASE THERMOSTAT 150°C**  
with manual reset  
capillary length 900 mm  
bulb  $\varnothing$  3x220 mm



EGO 5510522819

EGO 5519522080

**3444979 SINGLE-PHASE THERMOSTAT 150°C**  
with manual reset  
capillary length 1000 mm - 15A 250V  
bulb  $\varnothing$  6x175 mm



EGO 5131915220

**3744004 SINGLE-PHASE THERMOSTAT 150-200°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 2000 mm  
bulb  $\varnothing$  6x135 mm




EGO 5519039201

**3444476 SINGLE-PHASE THERMOSTAT 170°C**  
2 contacts  
covered capillary length 560 mm - 16A 250V  
bulb  $\varnothing$  3x160 mm




EGO 5511539801

**2101660 SINGLE-PHASE THERMOSTAT 180°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x100 mm



EGO 5513032330


**3444670 SINGLE-PHASE THERMOSTAT 190°C**  
with manual reset  
capillary length 350 mm - 16A 250V  
bulb  $\varnothing$  3.1x178 mm - with adapter nipple bland M9x1



EGO 5513531010



**3444137 SINGLE-PHASE THERMOSTAT 20-120°C**  
complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
button bulb  $\varnothing$  14x9 mm




EGO PO58691705

EGO 5510922800

EGO 5519022030

**3444316 SINGLE-PHASE THERMOSTAT 200°C**  
with manual reset  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x70 mm



EGO 5532532817


**3444649 SINGLE-PHASE THERMOSTAT 200°C**  
with manual reset  
covered capillary length 870 mm  
bulb  $\varnothing$  6x133 mm



EGO 5510542808

EGO 5519532010

**3444908 SINGLE-PHASE THERMOSTAT 210°C**  
with manual reset  
capillary length 900 mm  
bulb  $\varnothing$  6x80 mm - with adapter nipple bland M9x1




EGO 5513532020

**3444733 SINGLE-PHASE THERMOSTAT 213°C**  
with manual reset  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x90 mm




EGO 5532542380

**3444554 SINGLE-PHASE THERMOSTAT 216°C**  
with automatic reset  
covered capillary length 1250 mm  
bulb  $\varnothing$  6x80 mm



EGO 5534143802


**3444026 SINGLE-PHASE THERMOSTAT 220°C**  
with manual reset  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x80 mm



EGO 5510542831

EGO 5519542200


**3444064 SINGLE-PHASE THERMOSTAT 220°C**  
with manual reset  
capillary length 790 mm - 16A 250V  
bulb  $\varnothing$  3x178 mm



EGO 5510549811

EGO 5519549040


**3444080 SINGLE-PHASE THERMOSTAT 220°C**  
with manual reset  
covered capillary length 2020 mm - 16A 250V  
bulb  $\varnothing$  6x133 mm



EGO 5510549829

EGO 5519549020

**3444107 SINGLE-PHASE THERMOSTAT 220°C**  
with manual reset  
capillary length 870 mm - 16A 250V  
bulb  $\varnothing$  6x142 mm - with adapter nipple bland M9x1



EGO 5510542814

EGO 5510542830

EGO 5519542010




Suitable for:

**EGO**



**3444629 SINGLE-PHASE THERMOSTAT 220°C**

with manual reset  
covered capillary length 2000 mm  
bulb ø 6x87 mm




EGO 5510549800

EGO 5519549030

**3444657 SINGLE-PHASE THERMOSTAT 220°C**

with manual reset  
complete with bulb and plate fastening clips  
capillary length 1130 mm - 16A 250V  
bulb ø 3x158 mm - with stuffing gland fitting M9x1



EGO 5610549590

**3444903 SINGLE-PHASE THERMOSTAT 220°C**


with manual reset  
capillary length 900 mm  
bulb ø 6x80 mm - with stuffing gland fitting M9x1



EGO 5513542200

**3444922 SINGLE-PHASE THERMOSTAT 225°C**


with manual reset  
capillary length 900 mm  
bulb ø 6x90 mm



EGO 5513542140

**5015563 SINGLE-PHASE THERMOSTAT 229°C**


with manual reset  
capillary length 830 mm - 0.5A 230V  
bulb ø 6x142 mm - with stuffing gland fitting M9x1



EGO 5132915070

**2101288 SINGLE-PHASE THERMOSTAT 230°C**


with automatic reset  
capillary length 700 mm - 16A 250V  
bulb ø 6x78 mm - with stuffing gland fitting M9x1  
with complete tank sealing fitting M12x1



EGO 5610549510

**3444071 SINGLE-PHASE THERMOSTAT 230°C**

with manual reset  
capillary length 870 mm - 16A 250V  
bulb ø 6x77 mm



EGO 5510542805

EGO 5519542130

**3444138 SINGLE-PHASE THERMOSTAT 230°C**

with manual reset  
covered capillary length 850 mm - 16A 250V  
button bulb ø 14x10 mm




EGO 5510542815

EGO 5519542190

EGO 5510542828

EGO 5519542050

**3444199 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 complete with wiring  
 covered capillary length 850 mm - 16A 230V  
 bulb ø 4x120 mm - with adapter nipple bland M9x1




EGO 5510542807

EGO 5519542140

Suitable for:

**3444238 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 covered capillary length 850 mm - 15A 250V  
 button bulb ø 14x26 mm



EGO 5510542850

EGO 5519542030

**3444389 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 capillary length 600 mm - 16A 250V  
 bulb ø 6x83 mm



EGO 5514549804

**3444483 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 capillary length 900 mm - 0.5A 12V  
 bulb ø 6x87 mm



EGO 5532542836

**3444497 SINGLE-PHASE THERMOSTAT 230°C**  
 with automatic reset  
 capillary 850 mm - 16A 250V  
 bulb ø 6x78 mm - with adapter nipple bland M9x1




EGO 5532542833

**3444690 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 complete with wiring  
 covered capillary length 1480 mm  
 bulb ø 4x125 mm



EGO 5519549050


**3444696 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 with knob and nut  
 capillary length 850 mm  
 bulb ø 6x80 mm - with adapter nipple bland M9x1



EGO 525020

EGO 5513542270

**3444789 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 capillary length 1050 mm  
 bulb ø 6x96 mm - with adapter nipple bland M9x1  
 with complete tank joint M12x1



EGO 5513549030



Suitable for:

**EGO**




**3444970 SINGLE-PHASE THERMOSTAT 230°C**  
with manual reset  
capillary length 1800 mm  
bulb ø 6x75 mm - with adapter nipple bland M9x1  
with complete tank joint M12x1



EGO 5533545040


Suitable for:

**3444637 SINGLE-PHASE THERMOSTAT 234°C**  
with manual reset  
capillary length 870 mm  
bulb ø 11x18 mm - bulb connection M14x1



EGO 5519542170

**3444367 SINGLE-PHASE THERMOSTAT 235°C**  
with manual reset  
covered capillary length 870 mm - 16A 250V  
bulb ø 6x133 mm



EGO 5510542842


EGO 5519542090

**3444624 SINGLE-PHASE THERMOSTAT 235°C**  
with manual reset  
covered capillary length 870 mm  
bulb ø 6x133 mm



EGO 5519542080


**3444558 SINGLE-PHASE THERMOSTAT 238°C**  
with automatic reset  
covered capillary length 1250 mm  
bulb ø 6x74 mm



EGO 5510143800


EGO 5519143010

**3444239 SINGLE-PHASE THERMOSTAT 240°C**  
with manual reset  
capillary length covered 860 mm - 16A 250V  
bulb ø 6x77 mm - with stuffing gland fitting M10x1



EGO 5610542560

**3444377 SINGLE-PHASE THERMOSTAT 240°C**  
with manual reset  
covered capillary length 1300 mm - 16A 250V  
bulb ø 6x80 mm - with adapter nipple bland M10x1




EGO 5514549826

**3444765 SINGLE-PHASE THERMOSTAT 240°C**  
with automatic reset  
capillary length covered 550 mm - 16A 230V  
bulb ø 4x90 mm



EGO 5511549080

**3744065 SINGLE-PHASE THERMOSTAT 240°C**  
with manual reset  
double bulb  
covered capillary length 2000 mm  
bulb  $\varnothing$  6x135 mm



EGO 5510549801

EGO 5519549010

Suitable for:


**3444124 PROTECTION CAP**  
for safety thermostat  
for THERMOSTAT EGO



EGO 0000525020

EGO 525020

**3444259 SINGLE-PHASE THERMOSTAT 245°C**  
with manual reset  
covered capillary length 850 mm - 16A 250V  
bulb  $\varnothing$  3x200 mm - with stiffing gland fitting M9x1



EGO 5513542250

EGO 5513542280

**3444372 SINGLE-PHASE THERMOSTAT 245°C**  
with manual reset  
covered capillary length 1170 mm - 16A 250V  
bulb  $\varnothing$  6x133 mm



EGO 5510543802

EGO 5519543010

EGO 5510545800

EGO 5519545010


EGO 5519542220

**3444645 SINGLE-PHASE THERMOSTAT 245°C**  
with automatic reset  
covered capillary length 2330 mm  
bulb  $\varnothing$  6x80 mm



EGO 5511549050

**3444646 SINGLE-PHASE THERMOSTAT 245°C**  
with manual reset  
capillary length 870 mm  
button bulb  $\varnothing$  14x10 mm



EGO 5513542110

**3444732 SINGLE-PHASE THERMOSTAT 246°C**  
with manual reset  
capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  6x80 mm - with adapter nipple bland M9x1



EGO 5513542100

**3444475 SINGLE-PHASE THERMOSTAT 250°C**  
with manual reset  
capillary length 900 mm  
bulb  $\varnothing$  3.1x174 mm



EGO 5514542040





# EGO



Suitable for:

## 3444684 SINGLE-PHASE THERMOSTAT 250°C

with manual reset  
covered capillary length 900 mm  
bulb Ø 6x90 mm




EGO 5532542858

Suitable for:

## 3744112 SINGLE-PHASE THERMOSTAT 27-106°C


D-shaped pin Ø 6x4.6 mm  
capillary length 1750 mm - 16A 250V  
bulb Ø 6x113 mm



EGO 5518025020

## 3444320 SINGLE-PHASE THERMOSTAT 285°C

with manual reset  
covered capillary length 1500 mm - 16A 250V  
bulb Ø 4x115 mm



EGO 5532554800

## 3444656 SINGLE-PHASE THERMOSTAT 285°C


with manual reset  
covered capillary length 730 mm  
bulb Ø 4x112 mm



EGO 5513559010

## 5037327 SINGLE-PHASE THERMOSTAT 299°C


with manual reset  
covered capillary length 1500 mm - 16A 250V  
bulb Ø 4x120 mm



EGO 5532554080

## 2101325 SINGLE-PHASE THERMOSTAT 30°-110°C

with switch  
D-shaped pin Ø 6x4,6 mm  
capillary length 1470 mm - 16A 250V  
bulb Ø 6x112 mm



EGO 5513624010

EGO 5513624020

## 2100284 SINGLE-PHASE THERMOSTAT 30-110°C

D-shaped pin Ø 6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb Ø 6x130 mm - with stuffing gland fitting M9x1  
with complete tank sealing fitting M12x1



EGO 5519022801

## 3444422 SINGLE-PHASE THERMOSTAT 30-110°C


D-shaped pin Ø 6x4.6 mm  
capillary length 830 mm - 16A 250V  
bulb Ø 6x113 mm



EGO 5513222010

## 3444470 SINGLE-PHASE THERMOSTAT 30-110°C

complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 870 mm - 16A 400V  
bulb  $\varnothing$  6x113 mm



EGO 5513622080

Suitable for:

## 3444473 SINGLE-PHASE THERMOSTAT 30-110°C

with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 870 mm - 16A 400V  
bulb  $\varnothing$  4x125 mm



EGO 5510621010

EGO 5513622100

## 3444489 SINGLE-PHASE THERMOSTAT 30-110°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1500 mm - 16A 250V  
bulb  $\varnothing$  6x125 mm




EGO 5519022809

EGO 5519224801

## 3444510 SINGLE-PHASE THERMOSTAT 30-110°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 850 mm - 16A 250V  
bulb  $\varnothing$  6x138 mm - w/ stuffing gland fitting M9x1  
with complete tank sealing fitting M12x1



EGO 5510022010

EGO 5519022819


EGO 5510022910

EGO 5519022823

EGO 5519022804

## 3444664 SINGLE-PHASE THERMOSTAT 30-110°C


complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1470 mm - 16A 250V  
bulb  $\varnothing$  6x113 mm - with adapter nipple bland M9x1  
with complete tank joint M12x1



EGO 5513624060

## 3444672 SINGLE-PHASE THERMOSTAT 30-110°C

complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2400 mm - 16A 230V  
bulb  $\varnothing$  6x110 mm - with adapter nipple bland M9x1




EGO 5513629050

EGO 9755136157

## 3444698 SINGLE-PHASE THERMOSTAT 30-110°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 870 mm  
bulb  $\varnothing$  6x113 mm - with adapter nipple bland M9x1



EGO 5513022010

EGO 5513022370

## 3444746 SINGLE-PHASE THERMOSTAT 30-110°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 3000 mm - 16A 230V  
bulb  $\varnothing$  3.1x197 mm



EGO 5513224060

EGO 5513229030



# EGO



Suitable for:

## 3744010 SINGLE-PHASE THERMOSTAT 30-110°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1800 mm  
bulb  $\varnothing$  6x135 mm - with stuffing gland coupling M9x  
with tank sealing coupling complete M12x1




EGO 5519025201

Suitable for:

## 5014545 SINGLE-PHASE THERMOSTAT 30-110°C


complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 920 mm - 16A 250V  
bulb  $\varnothing$  6x130 mm



EGO 5519622010

## 3444421 SINGLE-PHASE THERMOSTAT 30-115°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1750 mm - 16A 250V  
bulb  $\varnothing$  4x120 mm



EGO 5513025040

## 3444313 SINGLE-PHASE THERMOSTAT 30-120°C

with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 890 mm - 16A 250V  
bulb  $\varnothing$  6x115 mm




EGO 5141918050

EGO 5513622160

EGO 9755136234

## 3444743 SINGLE-PHASE THERMOSTAT 30-125°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2200 mm - 16A 230V  
bulb  $\varnothing$  3.1x160 mm



EGO 5513229050

## 3444742 SINGLE-PHASE THERMOSTAT 30-130°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 850 mm - 16A 230V  
bulb  $\varnothing$  6x80 mm



EGO 5514022120

## 3744094 SINGLE-PHASE THERMOSTAT 30-150°C


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1600 mm  
bulb  $\varnothing$  3x145 mm



EGO 5519029806


## 3444758 SINGLE-PHASE THERMOSTAT 30-85°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 850 mm - 16A 230V  
bulb  $\varnothing$  6x92 mm



EGO 5513012010


**3444913 SINGLE-PHASE THERMOSTAT 30-85°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm  
bulb  $\varnothing$  6x100 mm - with stuffing gland fitting M9x1



EGO 5513012060

Suitable for:

**3444018 SINGLE-PHASE THERMOSTAT 30-90°C**  
complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1000 mm - 16A 250V  
bulb  $\varnothing$  6x175 mm



EGO 5519619030

EGO 5519719800

**3444019 SINGLE-PHASE THERMOSTAT 30-90°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1000 mm - 16A 250V  
bulb  $\varnothing$  6x130 mm



EGO 5519012800

EGO 5519012806

**3444346 SINGLE-PHASE THERMOSTAT 30-90°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x130 mm - with stuffing gland fitting M9x1



EGO 5519012801

**3444571 SINGLE-PHASE THERMOSTAT 30-90°C**  
for BOILER  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 700 mm - 16A 250V  
D-shaped pin  $\varnothing$  6x4.6 mm



EGO 5513219320

EGO 5513219610


**3444669 SINGLE-PHASE THERMOSTAT 30-90°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2450 mm - 16A 250V  
bulb  $\varnothing$  6x100 mm - with stuffing gland fitting M9x1



EGO 5513219440

EGO 9755132397

**3444674 SINGLE-PHASE THERMOSTAT 30-90°C**  
complete with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 2400 mm - 16A 250V  
bulb  $\varnothing$  6x100 mm - with stuffing gland fitting M9x1



EGO 5513619210

EGO 9755136155

**3744045 SINGLE-PHASE THERMOSTAT 30-90°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm  
bulb  $\varnothing$  6x130 mm



EGO 5519012805



Suitable for:

EGO



Suitable for:

**3744069 SINGLE-PHASE THERMOSTAT 30-90°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2000 mm - 16A 250V  
bulb  $\varnothing$  6x130 mm




EGO 5519019822

**5015693 SINGLE-PHASE THERMOSTAT 30-90°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 900 mm - 16A 250V  
bulb  $\varnothing$  6x80 mm - with stuffing gland fitting M10x1



EGO 5514012800

**2101069 SINGLE-PHASE THERMOSTAT 30-93°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 870 mm - 16A 250V  
bulb  $\varnothing$  6x100 mm - with stuffing gland fitting M9x1  
with complete tank sealing fitting M12x1



EGO 5513212330

**3444056 SINGLE-PHASE THERMOSTAT 30-93°C**  
complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
button bulb  $\varnothing$  23.5 mm




EGO 5141918030

EGO 5141918500

EGO 5513612150

**1444012 SINGLE-PHASE THERMOSTAT 30-95°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 850 mm - 16A 250V  
bulb  $\varnothing$  6x140 mm - with stuffing gland fitting M9x1



EGO 5510212100

EGO 5519212020


**3444687 SINGLE-PHASE THERMOSTAT 300°C**  
with manual reset  
covered capillary length 900 mm  
bulb  $\varnothing$  6x74 mm



EGO 5510552806

EGO 5519552020

**2101404 SINGLE-PHASE THERMOSTAT 32-110°C**  
D-shaft  $\varnothing$  6x4.6 mm  
capillary 870 mm - 16A 240V  
bulb  $\varnothing$  6x100 mm - adapter nipple bland M9x1



EGO 5518022010


**3444120 SINGLE-PHASE THERMOSTAT 320°C**  
with manual reset  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x80 mm



EGO 5510562830


EGO 5519562020

**3444293 SINGLE-PHASE THERMOSTAT 320°C**  
with manual reset  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x80 mm - with oval coupling  $\varnothing$  10 mm



EGO 5532562820

**3444655 SINGLE-PHASE THERMOSTAT 320°C**  
with manual reset  
covered capillary length 1800 mm - 16A 250V  
bulb  $\varnothing$  4x100 mm



EGO 5610555500



Suitable for:

**3444600 SINGLE-PHASE THERMOSTAT 325°C**  
capillary length 900 mm  
bulb ø 3x185 mm



EGO 5532562828

Suitable for:

**3444673 SINGLE-PHASE THERMOSTAT 330°C**  
with manual reset  
capillary length 900 mm - 16A 250V  
bulb ø 3.1x140 mm



EGO 5513562060

**3444266 SINGLE-PHASE THERMOSTAT 338°C**  
with manual reset  
covered capillary length 830 mm - 16A 250V  
button bulb ø 14x10 mm




EGO 5510562816

EGO 5510562903

EGO 5532562816

**5054462 SINGLE-PHASE THERMOSTAT 34-120°C**  
D-shaped pin ø 6x4.6 mm  
covered capillary length 900 mm - 16A 230V  
button bulb ø 31 mm



EGO 5513023070

**3444689 SINGLE-PHASE THERMOSTAT 340°C**  
with manual reset  
covered capillary length 870 mm  
bulb ø 3x160 mm




EGO 5513562170

**5026558 SINGLE-PHASE THERMOSTAT 340°C**  
with automatic reset  
covered capillary length 900 mm - 16A 250V  
bulbo ø 3x226 mm




EGO 5519162805

**3444474 SINGLE-PHASE THERMOSTAT 35-128°C**  
D-shaped pin ø 6x4.6 mm  
covered capillary length 880 mm  
bulb ø 3.1x174 mm



EGO 5514022100

**5042918 SINGLE-PHASE THERMOSTAT 35-130°C**  
D-shaped pin ø 6x4.6 mm  
covered capillary length 885 mm - 16A 250V  
bulb ø 6x115 mm



EGO 5518022040

**3444658 SINGLE-PHASE THERMOSTAT 35-188°C**  
D-shaped pin ø 6x4.6 mm  
covered capillary length 500 mm - 16A 250V  
bulb ø 3x155 mm



EGO 5513039380

**3444523 SINGLE-PHASE THERMOSTAT 35-85°C**  
D-shaped pin ø 6x4.6 mm  
covered capillary length 2000 mm  
bulb ø 6x115 mm



EGO 5514024020


EGO 5518019130



Suitable for:

## 3444686 SINGLE-PHASE THERMOSTAT 350°C

with manual reset  
covered capillary length 900 mm  
bulb  $\varnothing$  6x80 mm



EGO 5519562090

Suitable for:

## 3444209 SINGLE-PHASE THERMOSTAT 355°C

with manual reset  
covered capillary length 880 mm - 16A 250V  
bulb  $\varnothing$  4x124 mm




EGO 5510572800

EGO 5519572010

## 3444278 SINGLE-PHASE THERMOSTAT 360°C

with manual reset  
covered capillary length 890 mm - 16A 230V  
bulb  $\varnothing$  3x200 mm



EGO 5510572803

EGO 5519572020

## 3444310 SINGLE-PHASE THERMOSTAT 360°C


with manual reset  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x75 mm



EGO 5532562819

## 3444831 SINGLE-PHASE THERMOSTAT 360°C

with manual reset  
capillary length 900 mm  
bulb  $\varnothing$  3x145 mm



EGO 5513562900

## 3444256 SINGLE-PHASE THERMOSTAT 420°C


with manual reset  
covered capillary length 1100 mm - 16A 250V  
bulb  $\varnothing$  4x230 mm



EGO 5513583010

## 3444391 SINGLE-PHASE THERMOSTAT 45-170°C


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 870 mm  
bulb  $\varnothing$  3x220 mm



EGO 5519032850

## 3444627 SINGLE-PHASE THERMOSTAT 45-255°C


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm  
bulb  $\varnothing$  6x74 mm



EGO 5519252807

## 3444074 SINGLE-PHASE THERMOSTAT 45-265°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2000 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm



EGO 5103998400

## 3444774 SINGLE-PHASE THERMOSTAT 45-295°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  4x95 mm




EGO 5519052840

EGO 5519052843

## 3444524 SINGLE-PHASE THERMOSTAT 50-116°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1750 mm  
bulb  $\varnothing$  6x110 mm




EGO 5518025010

Suitable for:

## 3444569 SINGLE-PHASE THERMOSTAT 50-120°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 3000 mm  
bulb  $\varnothing$  6x85 mm



EGO 5513026050

## 3444659 SINGLE-PHASE THERMOSTAT 50-175°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 680 mm  
bulb  $\varnothing$  4x155 mm



EGO 5513039070

## 3444766 SINGLE-PHASE THERMOSTAT 50-190°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 400 mm - 16A 230V  
bulb  $\varnothing$  6x120 mm



EGO 5518031010

## 3444663 SINGLE-PHASE THERMOSTAT 50-195°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2300 mm  
bulb  $\varnothing$  4x160 mm



EGO 5513039110

## 3444699 SINGLE-PHASE THERMOSTAT 50-195°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 870 mm  
bulb  $\varnothing$  6x75 mm - with stuffing gland M9x1




EGO 5513032430

EGO 5513032550

## 3444633 SINGLE-PHASE THERMOSTAT 50-205°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 870 mm  
bulb  $\varnothing$  6x77 mm  
for fryer 7-8-10 L




EGO 5513042310

EGO 5513042001

## 3444258 SINGLE-PHASE THERMOSTAT 50-215°C


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 850 mm - 16A 250V  
bulb  $\varnothing$  3x200 mm - with adapter nipple band M9x1



EGO 5513042290

## 3444647 SINGLE-PHASE THERMOSTAT 50-215°C


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2300 mm  
bulb  $\varnothing$  6x78 mm



EGO 5513039120

## 3444414 SINGLE-PHASE THERMOSTAT 50-250°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1430 mm - 16A 230V  
bulb  $\varnothing$  3x160 mm - with adapter nipple band M9x1



EGO 5513244010



Suitable for:

EGO



**3444628 SINGLE-PHASE THERMOSTAT 50-250°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 800 mm  
bulb  $\varnothing$  3x180 mm




EGO 5517042060

Suitable for:

**3444747 SINGLE-PHASE THERMOSTAT 50-250°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1150 mm - 16A 230V  
bulb  $\varnothing$  3.1x197 mm



EGO 5513043010

**3444973 SINGLE-PHASE THERMOSTAT 50-250°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1100 mm  
bulb  $\varnothing$  3.1x205 mm



EGO 5513043060

**3444477 SINGLE-PHASE THERMOSTAT 50-260°C**

complete with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1270 mm - 16A 250V  
bulb  $\varnothing$  4x120 mm



EGO 5510659800

EGO 5519659010

**3444043 SINGLE-PHASE THERMOSTAT 50-270°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm



EGO 5519059805

EGO 5519059808

EGO 5519259811

**3444176 SINGLE-PHASE THERMOSTAT 50-270°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm - 16A 250V  
bulb  $\varnothing$  4x120 mm



EGO 5519059803

**3444289 SINGLE-PHASE THERMOSTAT 50-270°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 3000 mm - 16A 250V  
bulb  $\varnothing$  3x210 mm - with adapter nipple band M9x1




EGO 5519052832

EGO 5519256800

**3744099 SINGLE-PHASE THERMOSTAT 50-270°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 800 mm  
bulb  $\varnothing$  3x230 mm



EGO 5519052846

**3444744 SINGLE-PHASE THERMOSTAT 50-280°C**

D-shaped hole  $\varnothing$  6x4.6 mm  
covered capillary length 1270 mm - 16A 250V  
bulb  $\varnothing$  3.1x160 mm



EGO 5513059020

**3444648 SINGLE-PHASE THERMOSTAT 50-295°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm  
bulb  $\varnothing$  3x220 mm



EGO 5513069150

EGO 5519053807

## 2101033 SINGLE-PHASE THERMOSTAT 50-300°C

D-shaped pin  $\varnothing$  6x4.6 mm  
Capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x78 mm



EGO 5519052825

## 3444543 SINGLE-PHASE THERMOSTAT 50-300°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 840 mm - 16A 250V  
bulb  $\varnothing$  3x185 mm



EGO 5517052100

## 3444935 SINGLE-PHASE THERMOSTAT 50-300°C


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 870 mm - 16A 250V  
bulb  $\varnothing$  3x160 mm



EGO 5513062140

## 5050074 SINGLE-PHASE THERMOSTAT 50-300°C


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1130 mm-16A 250V  
bulb  $\varnothing$  4x94 mm



EGO 5513053140

## 3444145 SINGLE-PHASE THERMOSTAT 50-310°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 1600 mm - 16A 250V  
bulb  $\varnothing$  4x120 mm  
for OVEN



EGO 5519064010

EGO 5519064800

## 3444177 SINGLE-PHASE THERMOSTAT 50-310°C

complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1500 mm - 16A 250V  
bulb  $\varnothing$  4x128 mm




EGO 5143958630

EGO 5519662804

## 3444062 SINGLE-PHASE THERMOSTAT 50-320°C

complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm




EGO TT52011060

EGO 5519962809

## 3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm



EGO 5510062010

EGO 5519052818

EGO 5519062800






Suitable for:

EGO



**3444361 SINGLE-PHASE THERMOSTAT 50-320°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary 950 mm - 16A 250V  
bulb  $\varnothing$  3x160 mm




EGO 5513062040

EGO 5513069500

EGO 5518062050

**3444369 SINGLE-PHASE THERMOSTAT 50-320°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm




EGO 5519062802

EGO 5519062806

**3444550 SINGLE-PHASE THERMOSTAT 50-320°C**

complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm  
bulb  $\varnothing$  3x225 mm




EGO 5519062845

EGO 5534062802

**3444635 SINGLE-PHASE THERMOSTAT 50-320°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1200 mm  
double bulb  $\varnothing$  3x120 mm



EGO 5519069831

**3444668 SINGLE-PHASE THERMOSTAT 50-320°C**

complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 3100 mm - 16A 230V  
bulb  $\varnothing$  3.1x160 mm




EGO 5513669010

EGO 5513669050

EGO 9755136154

**3444675 SINGLE-PHASE THERMOSTAT 50-320°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 3150 mm - 16A 250V  
bulb  $\varnothing$  3.1x160 mm



EGO 5513069540

**3444697 SINGLE-PHASE THERMOSTAT 50-320°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 2300 mm  
bulb  $\varnothing$  3x160 mm



EGO 5513069020

**3444257 SINGLE-PHASE THERMOSTAT 50-324°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 850 mm - 16A 250V  
bulb  $\varnothing$  3x160 mm



EGO 5513063160

EGO 5518062170

## 3444525 SINGLE-PHASE THERMOSTAT 50-95°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1470 mm  
bulb  $\varnothing$  6x113 mm




EGO 5514014040

Suitable for:

## 3444526 SINGLE-PHASE THERMOSTAT 50-95°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1450 mm  
bulb  $\varnothing$  6x110 mm



EGO 5518014020

## 3444754 SINGLE-PHASE THERMOSTAT 50-98°C

D-shaped pin 6x4.6 mm  
covered capillary length 2400 mm - 16A 230V  
bulb  $\varnothing$  3x335 mm - with stuffing gland M9x1




EGO 5510219080

EGO 5519219030

EGO 9755192017

## 3444885 SINGLE-PHASE THERMOSTAT 53-180°C

with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1100 mm - 16A 400V  
bulb  $\varnothing$  6x140 mm




EGO 5510633800

EGO 5519639020

## 3444467 SINGLE-PHASE THERMOSTAT 55-180°C

complete with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 870 mm - 16A 250V  
bulb  $\varnothing$  4x120 mm




EGO 5510632800

EGO 5519632020

## 3444893 SINGLE-PHASE THERMOSTAT 55-195°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1500 mm  
bulb  $\varnothing$  4x90 mm




EGO 5519034060

EGO 5519034809

## 3444701 SINGLE-PHASE THERMOSTAT 55-250°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1170 mm - 16A 250V  
bulb  $\varnothing$  3.1x226 mm - with stuffing gland M9x1



EGO 5510243010

EGO 5519243010

## 3444964 SINGLE-PHASE THERMOSTAT 60°C

with automatic reset  
capillary length 1800 mm - 16A 250V  
bulb  $\varnothing$  6x135 mm



EGO 5519315202



Suitable for:

EGO



**3444643 SINGLE-PHASE THERMOSTAT 60-150°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm  
bulb  $\varnothing$  3x219 mm



EGO 5519022813

Suitable for:

**3444397 SINGLE-PHASE THERMOSTAT 60-180°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1200 mm - 16A 250V  
bulb  $\varnothing$  6x135 mm



EGO 5510033800

EGO 5519033010

**3444070 SINGLE-PHASE THERMOSTAT 60-200°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1500 mm - 16A 250V  
bulb  $\varnothing$  6x80 mm




EGO 5519232801

EGO 5519234800

**3744068 SINGLE-PHASE THERMOSTAT 60-200°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm  
bulb  $\varnothing$  6x80 mm - with adapter nipple band M9x1  
with complete tank joint M12x1



EGO 5510032020

EGO 5510032170

EGO 5519032827

**3241637 BLACK KNOB  $\varnothing$  50 mm 60°-200°C**

D shaft hole 6x4.6 mm  
for EGO thermostat



EGO 524806

**3241870 RING NUT  $\varnothing$  52 mm**  
chrome plated metal  
for EGO thermostate knob




EGO 6762000020  
EGO 6762108

EGO 6762105

EGO 6762105000


**3444359 SINGLE-PHASE THERMOSTAT 60-320°C**  
complete with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary 1400 mm - 4 contacts 16A 250V  
bulb  $\varnothing$  4x123 mm



EGO 5534064805+COMM.

EGO 5534964800

**5015518 SINGLE-PHASE THERMOSTAT 62-189°C**  
complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 700 mm - 16A 250V  
bulb  $\varnothing$  4x120 mm



EGO 5519632030

**5021649 SINGLE-PHASE THERMOSTAT 64-320°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1470 mm - 16A 250V  
bulb  $\varnothing$  4x125 mm



EGO 5519064020

**2102867 SINGLE-PHASE THERMOSTAT 70-184°C**  
D shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 490 mm  
bulb  $\varnothing$  6x87 mm




EGO 5517039030

**3444586 SINGLE-PHASE THERMOSTAT 75-450°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  4x228 mm




EGO 5519082805

**3444539 SINGLE-PHASE THERMOSTAT 80°C**  
with automatic reset  
covered capillary length 1500 mm  
bulb  $\varnothing$  6x90 mm




EGO 5513114020

**3444388 SINGLE-PHASE THERMOSTAT 80-190°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 600 mm - 16A 250V  
bulb  $\varnothing$  6x75 mm



EGO 5519039822

**2101246 SINGLE-PHASE THERMOSTAT 82°-96°C**  
D-shaft  $\varnothing$  6x4.6 mm  
capillary 870 mm  
bulb  $\varnothing$  6 x 147 mm - adapter nipple M9x1



EGO 5513212370

**3744135 SINGLE-PHASE THERMOSTAT 82°C**  
with automatic reset  
capillary length 400 mm - 16A 250V  
bulb  $\varnothing$  3x200 mm



EGO 5513301050

**3444423 SINGLE-PHASE THERMOSTAT 85-170°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  4x231 mm - with adapter nipple band M9x1



EGO 5519032808



Suitable for:

**EGO**



**3444900 SINGLE-PHASE THERMOSTAT 85-175°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm  
bulb  $\varnothing$  6x130 mm - with adapter nipple band



EGO 5510035201


EGO 5519035201

**3444623 SINGLE-PHASE THERMOSTAT 85-182°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm  
bulb  $\varnothing$  6x135 mm - with stuffing gland fitting M9x1



EGO 5519032070

**3444380 SINGLE-PHASE THERMOSTAT 90-180°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x135 mm - with adapter nipple band M9x1



EGO 5519032813

**3444384 SINGLE-PHASE THERMOSTAT 90-180°C**  
D shaft  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  4x95 mm



EGO 5519039805


**3444438 SINGLE-PHASE THERMOSTAT 90-180°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm - 0.5A 12V  
bulb  $\varnothing$  4x230 mm



EGO 5510039802

EGO 5519039010

**3444031 SINGLE-PHASE THERMOSTAT 90-185°C**  
complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2500 mm - 16A 250V  
bulb  $\varnothing$  4x230 mm



EGO 5510639800

EGO 5519639800

**3444032 SINGLE-PHASE THERMOSTAT 90-185°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm - 16A 250V  
bulb  $\varnothing$  4x230 mm



EGO 5510039807

EGO 5519039800

**3444492 SINGLE-PHASE THERMOSTAT 90-185°C**  
complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 2410 mm - 16A 230V  
bulb  $\varnothing$  6x130 mm



EGO 5510639010

EGO 5513639010



**3444376 SINGLE-PHASE THERMOSTAT 95-190°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1010 mm - 16A 250V  
bulb  $\varnothing$  6x100 mm - with adapter nipple band M10x1




EGO 5102918253

EGO 5102918320

EGO 5513039300

**3744104 SINGLE-PHASE THERMOSTAT 97-190°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1500 mm - 16A 250V  
bulb  $\varnothing$  6x90 mm - with stuffing gland fitting M9x1



EGO 5513034120

**4059295 STUFF. GLAND THERMOSTAT M12x1**  
 $\varnothing$  hole 4 mm



EGO

**3444122 STUFFING GLAND FOR THERMOSTAT MILLED M10**



EGO 2702130001

EGO 616085


**3444121 STUFFING GLAND FOR THERMOSTAT MILLED M9x**



EGO 0000270611

EGO 615121

**3444215 STUFFING GLAND FOR THERMOSTAT M12x1**  
hole  $\varnothing$  6.3 mm



EGO

**5009025 STUFFING GLAND THERMOSTAT M10x1**  
hole  $\varnothing$  4.5 mm



EGO

**2111720 THERMOSTAT SINGLE-PHASE 30-71°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 900 mm - 16A 250V  
bulb  $\varnothing$  6x130 mm



EGO 5519012823

**5033184 THERMOSTATO THREE-PHASE 100-180°C**  
D-shaft  $\varnothing$  6x4.6 mm  
covered capillary length 1200 mm  
bulb  $\varnothing$  6x130 mm



EGO 5534033800

**5034020 THERMOSTATO THREE-PHASE 135°C**  
manual reset  
covered capillary length 1490 mm  
bulb  $\varnothing$  6x75 mm - with adapter nipple gland M9x1



EGO 5532524160



Suitable for:

**EGO**



**5025572 THERMOSTATO THREE-PHASE 180°C**  
manual reset  
covered capillary length 3000 mm - 20A 400V  
bulb ø 4x125 mm



EGO 5532532829

EGO 5532536010

**5057542 THERMOSTATO THREE-PHASE 235°C**  
manual reset  
covered capillary length 1800 mm - 10A 400V  
bulb ø 6x88 mm - with adapter nipple gland M9x1




EGO 5532545090

**3744140 THERMOSTATO THREE-PHASE 360°C**  
manual reset  
covered capillary length 1490 mm  
bulb ø 3x190 mm



EGO 5532574040

**3444178 THERMOSTAT MODIFICATION KIT 105-185°C**  
D-shaped pin ø 6x4.6 mm  
complete with auxiliary commutator  
complete with substitution manual  
covered capillary length 900 mm - 16A 250V  
threaded bulb ø 1/2" x 91 mm  
complete with screenprinted plates




EGO 4202900000

**3744159 THERMOSTAT SINGLE PHASE 30-85°C**  
D-shaped pin ø 6x4.6 mm  
capillary covered length 840 mm  
bulb ø 6x94 mm



EGO 5517012010

**3444347 THERMOSTAT SINGLE-PHASE TR2 0-195°C**  
D-shaped pin ø 6x4.6 mm  
capillary length 1000 mm - 15A 250V  
bulb ø 5x120 mm



EGO 5510022828

**5028257 THERMOSTAT SINGLE-PHASE 100-180°C**  
D-shaped pin ø 6x4.6 mm  
capillary length 840 mm - 16A 250V  
bulb ø 6x98 mm



EGO 5517032010

**40K0662 THERMOSTAT SINGLE-PHASE 100-470°C**  
complete with selector switch  
D-shaped pin ø 6x4.6 mm  
capillary length covered 1100 mm  
bulb ø 4x225 mm



EGO 5534683040


**5052839 THERMOSTAT SINGLE-PHASE 104-192°C**  
 D-shaft  $\varnothing$  6x4.6 mm  
 covered capillary length 910 mm  
 bulb  $\varnothing$  6x134 mm - with adapter nipple gland M9x1



EGO 5519032060

Suitable for:

**3444387 THERMOSTAT SINGLE-PHASE 105-180°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary covered 3000 mm - 16A 250V  
 bulb  $\varnothing$  6x130 mm - with stuffing gland fitting M9x1



EGO 5510936801

EGO 5519036800

EGO 5519036801

**7150012 THERMOSTAT SINGLE-PHASE 105-190°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1500 mm - 16A 250V  
 bulb  $\varnothing$  4x235 mm - stuffing gland fitting M10x1



EGO 5519034070

**3744146 THERMOSTAT SINGLE-PHASE 120°C**  
 automatic reset  
 covered capillary length 720 mm  
 bulb  $\varnothing$  3x305 mm




EGO 5534329040

**3744123 THERMOSTAT SINGLE-PHASE 130°C**  
 with manual reset  
 covered capillary length 850 mm - 16A 250V  
 bulb  $\varnothing$  6x90 mm - with stuffing gland fitting M9x1  
 with tank sealing fitting complete M12x1




EGO 5513522380

**2111537 THERMOSTAT SINGLE-PHASE 130-190°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 870 mm  
 bulb  $\varnothing$  6x117 mm - with stuffing gland fitting M9x1  
 with tank sealing fitting complete M12x1



EGO 5513032260

**40K8105 THERMOSTAT SINGLE-PHASE 145°C**  
 with manual reset  
 capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x78 mm - with stuffing gland fitting M9x1  
 with tank sealing coupling complete M12x1



EGO 5513522340

**7106049 THERMOSTAT SINGLE-PHASE 150°C**  
 automatic reset  
 covered capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x130 mm



EGO 5519322808



Suitable for:

EGO




**3744149 THERMOSTAT SINGLE-PHASE 215°C**  
complete with 2-wire thermocouple M8x1  
manuale reset  
capillary length 1470 mm - 16A 250V  
bulb ø 6x87 mm - with stuffing gland



EGO 5532544110

Suitable for:

**3444915 THERMOSTAT SINGLE-PHASE 220°C**  
with automatic reset  
capillary length 1500 mm  
bulb ø 6x80 mm - with stuffing gland fitting M9x1  
with tank seal connection complete M12x1



EGO 5533544020

**3744002 THERMOSTAT SINGLE-PHASE 230°C**  
with manual reset  
capillary length 1200 mm  
bulb ø 6x77 mm - with stuffing gland fitting M9x1  
with tank sealing fitting complete M12x1



EGO 5610543500

**5027901 THERMOSTAT SINGLE-PHASE 230°C**  
complete with cut-off thermocouple  
manual reset  
covered capillary length 750 mm  
bulb ø 3x100 mm



EGO 5610549540

**5030859 THERMOSTAT SINGLE-PHASE 230°C**  
manual reset  
covered capillary length 1800 mm - 16A 250V  
bulb ø 3x160 mm



EGO 5610545510

**3744097 THERMOSTAT SINGLE-PHASE 240°C**  
complete with cut-off thermocouple  
manual reset  
covered capillary length 860 mm - 16A 250V  
bulb ø 6x77 mm - with adapter nipple gland M10x1



EGO 5610542560

EGO 5610549500

**5020718 THERMOSTAT SINGLE-PHASE 240°C**  
complete with cut-off thermocouple  
manual reset  
covered capillary length 860 mm - 16A 250V  
bulb ø 6x77 mm - with adapter nipple gland M10x1



EGO 5610542560


**3444344 THERMOSTAT SINGLE-PHASE 25-300°C**  
D-shaped pin ø 6x4.6 mm  
covered capillary length 1600 mm - 29A 250V  
bulb ø 3x160 mm



EGO 5513059280

## 3444980 THERMOSTAT SINGLE-PHASE 30-120°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 870 mm  
bulb  $\varnothing$  6x100 mm - with stuffing gland fitting M9x1



EGO 5513022310

## 7103093 THERMOSTAT SINGLE-PHASE 30-135°C

D-shaft  $\varnothing$  6x4.6 mm  
covered capillary length 890 mm - 16A 250V  
bulb  $\varnothing$  4x127 mm



EGO 5513022530

## 3444681 THERMOSTAT SINGLE-PHASE 318°C

with automatic reset  
length capillary 800 mm  
bulb  $\varnothing$  4x110 mm - with stuffing gland fitting M9x1  
with tank sealing coupling complete M12x1



EGO 5511569020

## 3444731 THERMOSTAT SINGLE-PHASE 34-114°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 230V  
button bulb  $\varnothing$  31 mm



EGO 5513022450

## 5010841 THERMOSTAT SINGLE-PHASE 340°C

manual reset  
covered capillary length 900 mm  
bulb  $\varnothing$  3x190 mm



EGO 5532562800

## 3744141 THERMOSTAT SINGLE-PHASE 440°C

automatic reset  
covered capillary length 1130 mm - 16A 250V  
bulb  $\varnothing$  4x230 mm



EGO 5513183020

## 3744142 THERMOSTAT SINGLE-PHASE 54-330°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1270 mm - 16A 250V  
bulb  $\varnothing$  3x145 mm



EGO 5513069140

## 4031379 THERMOSTAT SINGLE-PHASE 55°C

with automatic reset  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  6x135 mm



EGO 5519112802

## 2111653 THERMOSTAT SINGLE-PHASE 55-325°C


D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1500 mm  
double bulb  $\varnothing$  3x120 mm



EGO 5519063805

## 3444725 THERMOSTAT SINGLE-PHASE 70-180°C

D-shaft  $\varnothing$  6x4.6 mm  
capillary length 1500 mm - 16A 250V  
bulb  $\varnothing$  6x87 mm



EGO 5519034805





Suitable for:

**EGO**



Suitable for:

**3444000 THERMOSTAT SINGLE-PHASE 75-172°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 900 mm - 16A 250V  
button bulb  $\varnothing$  14x10 mm  
complete with nut and gasket



EGO 5519032810

EGO 5519032814

EGO 5519032825

**5033636 THERMOSTAT SINGLE-PHASE 780°C**


manual reset  
bulb  $\varnothing$  4x170 mm



EGO 6023172525

**3744151 THERMOSTAT SINGLE-PHASE 80-131°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
complete with silicone sheathing  $\varnothing$  10x470 mm  
capillary length 1730 mm - 16A 250V  
bulb  $\varnothing$  6x100 mm



EGO 5513025070

**3744148 THERMOSTAT SINGLE-PHASE 85-110°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 2990 mm - 20A 400V  
bulb  $\varnothing$  6x265 mm - with stuffing gland fitt.M14x1



EGO 5109995010

**5058340 THERMOSTAT SINGLE-PHASE 85-470°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
length capillary covered 900 mm - 16A 250V  
bulb  $\varnothing$  4x165 mm



EGO 5519082809

**5010864 THERMOSTAT SINGLE-PHASE 95-180°C**

D-shaft  $\varnothing$  6x4.6 mm  
covered capillary length 2000 mm  
bulb  $\varnothing$  6x130 mm



EGO 5519039808

**5023958 THERMOSTAT SINGLE-PHASE 95-210°C**

complete with auxiliary selector switch  
D-shaped pin  $\varnothing$  6x4,6 mm  
covered capillary length 1770 mm - 16A 250V  
bulb  $\varnothing$  3x200 mm



EGO 5513645010

**5017767 THERMOSTAT THREE PHASE**

with manual reset  
capillary length covered 900 mm  
bulb  $\varnothing$  6x178 mm



EGO 5532522808

## 5050566 THERMOSTAT THREE-PHASE 100-350°C

D-shaped pin  $\varnothing$  6x4.6 mm  
length capillary 900 mm - 10A 400V  
bulb  $\varnothing$  3x145 mm



EGO 5534062160

## 40KW841 THERMOSTAT THREE-PHASE 109-190°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 1800 mm - 16A 400V  
bulb  $\varnothing$  4x160 mm



EGO 5534236040

## 40M2160 THERMOSTAT THREE-PHASE 120-206°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 1780 mm - 10A 400V  
bulb  $\varnothing$  4x160 mm



EGO 5534235020

## 5016348 THERMOSTAT THREE-PHASE 132°C


with manual reset  
capillary length covered 900 mm - 10A 400V  
bulb  $\varnothing$  6x87 mm



EGO 5532522550

## 3444565 THERMOSTAT THREE-PHASE 140°C

with manual reset  
covered capillary length 900 mm - 20A 400V  
bulb  $\varnothing$  6x87 mm



EGO 5532522846

## 40C2983 THERMOSTAT THREE-PHASE 140°C

with manual reset  
capillary length covered 890 mm - 20A 380V  
bulb  $\varnothing$  6x87 mm



EGO 5532522480

## 5035531 THERMOSTAT THREE-PHASE 167°C

with manual reset  
covered capillary length 900 mm - 20A 380V  
bulb  $\varnothing$  6x88 mm



EGO 5532532809

## 3444090 THERMOSTAT THREE-PHASE 230°C

with manual reset  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x240 mm - with stuffing gland fitting M9x1



EGO 5531542050

## 5017402 THERMOSTAT THREE-PHASE 247°C

with automatic reset  
capillary length covered 1200 mm - 16A 380V  
bulb  $\varnothing$  3x228 mm



EGO 5534163800

## 3744147 THERMOSTAT THREE-PHASE 250°C

manual reset  
covered capillary length 710 mm  
bulb  $\varnothing$  3x305 mm



EGO 5533559020



EGO



Suitable for:

**40K5117 THERMOSTAT THREE-PHASE 275°C**  
with manual reset  
capillary length covered 940 mm  
bulb Ø 6x158 mm



EGO 5531559040

Suitable for:

**3744150 THERMOSTAT THREE-PHASE 282°C**  
with manual reset  
capillary length covered 1750 mm  
bulb Ø 4x160 mm




EGO 5533555030

**40K1686 THERMOSTAT THREE-PHASE 295°C**  
with manual reset  
capillary length covered 1770 mm - 10A 400V  
bulb Ø 4x128 mm



EGO 5533555010

**2105238 THERMOSTAT THREE-PHASE 30-110°C**  
D-shaped pin Ø 6x4.6 mm  
capillary length covered 3000 mm - 10A 400V  
bulb Ø 6x140 mm



EGO 5534026030


**3744064 THERMOSTAT THREE-PHASE 30-90°C**  
D-shaped pin Ø 6x4.6 mm  
capillary length 900 mm  
bulb Ø 6x130 mm



EGO 5534012030


EGO 5534012160

**3744155 THERMOSTAT THREE-PHASE 32-110°C**  
complete with selector switch  
D-shaped pin Ø 6x4.6 mm  
length capillary covered 1180 mm  
bulb Ø 6x138 mm



EGO 5534613010

**5016372 THERMOSTAT THREE-PHASE 350°C**  
with manual reset  
capillary length covered 1000 mm  
bulb Ø 6x89 mm



EGO 5532569800

**3444312 THERMOSTAT THREE-PHASE 360°C**  
with manual reset  
capillary length covered 1500 mm - 16A 250V  
bulb Ø 4x110 mm




EGO 5134955030  
EGO 5532574801

EGO 5532572801  
EGO 5534955030

EGO 5532574800

**3744152 THERMOSTAT THREE-PHASE 365°C**  
with manual reset  
length capillary covered 1190 mm - 20A 400V  
bulb ø 4x100 mm



EGO 5532573100

**7105534 THERMOSTAT THREE-PHASE 40-110°C**  
D-shaped pin ø 6x4,6 mm  
capillary length covered 900 mm - 16A 380V  
bulb ø 6x130 mm



EGO 5534022809

**3744143 THERMOSTAT THREE-PHASE 480°C**  
manual reset  
covered capillary length 890 mm  
bulb ø 4x228 mm




EGO 5532582020

**5056753 THERMOSTAT THREE-PHASE 50-273°C**  
D-shaped pin ø 6x4.6 mm  
covered capillary length 900 mm - 16A 380V  
bulb ø 3x226 mm  
complete with silicone sheathing 580 mm



EGO 5534052815

**40K5022 THERMOSTAT THREE-PHASE 50-300°C**  
complete with selector switch  
D-shaped pin ø 6x4.6 mm  
capillary length covered 2260 mm - 10A 400V  
bulb ø 4x292 mm



EGO 5534059080

EGO 5534059080+...

**5016737 THERMOSTAT THREE-PHASE 50-320°C**  
D-shaped pin ø 6x4.6 mm  
capillary length covered 900 mm - 10A 400V  
bulb ø 3x225 mm



EGO 5534062816

**3744154 THERMOSTAT THREE-PHASE 520°C**  
with manual reset  
length capillary covered 890 mm - 20A 400V  
bulb ø 4x228 mm



EGO 5532582030

**40G2760 THERMOSTAT THREE-PHASE 60-185°C**  
D-shaped pin ø 6x4.6 mm  
capillary length covered 1200 mm - 10A 400V  
bulb ø 4x235 mm - with stuffing gland fitting M9x1



EGO 5534033020



Suitable for:

**EGO**



**3744144 THERMOSTAT THREE-PHASE 60-204°/135-300°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 880 mm  
bulb  $\varnothing$  4x130 mm



EGO 5540052070

**5043662 THERMOSTAT THREE-PHASE 60-390°C**

complete with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 1110 mm - 16A 230V  
bulb  $\varnothing$  4x228 mm



EGO 5534673010

**3744153 THERMOSTAT THREE-PHASE 77-300°C**


complete with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
length capillary covered 880 mm - 16A 230V  
bulb  $\varnothing$  4x128 mm



EGO 5534652010

**5063606 THERMOSTAT THREE-PHASE 85-550°C**

complete with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 1120 mm  
bulb  $\varnothing$  4x228 mm



EGO 5534683090

**3744145 THERMOSTAT THREE-PHASE 95-210°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1780 mm - 16A 400V  
bulb  $\varnothing$  3x225 mm



EGO 5534035100

**2102671 THERMOSTAT TRIPHASE 360°C**

with manual reset  
capillary length 1780 mm - 16A 400V  
bulb  $\varnothing$  4x128 mm



EGO 5534175010

**2000134 THERMOSTAT 3-PHASE 50-300°C**


D-shaft  $\varnothing$  6x4.6 mm  
covered capillary length 800 mm  
bulb  $\varnothing$  6x77 mm



EGO 5534052110

**3444078 THREE-PHASE THERMOSTAT 100-175°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2000 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm



EGO 5534039837

**3444198 THREE-PHASE THERMOSTAT 100-180°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2000 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm



EGO 5534035010  
EGO 5534039804

EGO 5534035201

EGO 5534039800


Suitable for:

**3444702 THREE-PHASE THERMOSTAT 100-180°C**  
complete with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 720 mm - 16A 230V  
bulb  $\varnothing$  3.1x305 mm



EGO 5534639010

**3444234 THREE-PHASE THERMOSTAT 100-195°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1500 mm - 10A 400V  
bulb  $\varnothing$  6x134 mm



EGO 5534034801

**3444311 THREE-PHASE THERMOSTAT 100-260°C**  
complete with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1100 mm - 10A 400V  
bulb  $\varnothing$  6x70 mm



EGO 5534959801

**3444040 THREE-PHASE THERMOSTAT 100-300°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1150 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm



EGO 5534052804  
EGO 5534059814

EGO 5534059804

EGO 5534059806

**3444146 THREE-PHASE THERMOSTAT 100-300°C**  
complete with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1250 mm - 10A 400V  
bulb  $\varnothing$  6x78 mm




EGO PO38064130  
EGO 5534959800

EGO 4941015300+

EGO 5534059806+

**3444638 THREE-PHASE THERMOSTAT 100-330°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 380V  
bulb  $\varnothing$  6x75 mm



EGO 5534062803

**3444562 THREE-PHASE THERMOSTAT 100-350°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1800 mm - 16A 230V  
bulb  $\varnothing$  6x80 mm



EGO 5534069010

EGO 5534069030






Suitable for:

EGO



**3744062 THREE-PHASE THERMOSTAT 100-350°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1470 mm - 16A 400V  
bulb  $\varnothing$  6x75 mm



EGO 5534064010

**3744110 THREE-PHASE THERMOSTAT 100-350°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1800 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm



EGO 5534065010

**3444490 THREE-PHASE THERMOSTAT 100-470°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1000 mm  
bulb  $\varnothing$  4x165 mm



EGO 5540083010

**3444756 THREE-PHASE THERMOSTAT 100-650°C/100-680**


2 temperatures  
complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1200 mm - 16A 230V  
bulb  $\varnothing$  3.1x230 mm



EGO 5534683800

**3444028 THREE-PHASE THERMOSTAT 105-185°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2800 mm - 10A 400V  
bulb  $\varnothing$  4x235 mm




EGO 5534039080

EGO 5534039807

**3444086 THREE-PHASE THERMOSTAT 108-192°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x200 mm



EGO 5534032800

**3444443 THREE-PHASE THERMOSTAT 115-300°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1150 mm - 10A 400V  
bulb  $\varnothing$  3x144 mm



EGO 5534059812


**2101663 THREE-PHASE THERMOSTAT 118-190°C**

D-shaft  $\varnothing$  6x4.6 mm  
covered capillary length 880 mm  
bulb  $\varnothing$  6x135 mm



EGO 5534232030


**3444479 THREE-PHASE THERMOSTAT 120°C**  
with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb ø 6x100 mm



EGO 5532522802


EGO 5532522861

**2101244 THREE-PHASE THERMOSTAT 130°-190°C**  
D-shaft ø 6x4.6 mm  
capillary 880 mm - 10A 400V  
bulb ø 6x220 mm



EGO 5534032300

**3443072 THREE-PHASE THERMOSTAT 130°C**  
with manual reset  
capillary length 1000 mm  
bulb ø 6x80 mm - with adapter nipple band M13x1




EGO 5532522160

**3444769 THREE-PHASE THERMOSTAT 132°C**  
with automatic reset  
capillary length 900 mm - 16A 230V  
bulb ø 6x80 mm - with adapter nipple band M9x1



EGO 5532522843

**3444315 THREE-PHASE THERMOSTAT 135°C**  
with manual reset  
covered capillary length 1000 mm - 10A 400V  
bulb a bottone ø 14x20 mm



EGO 5532529812

**3444618 THREE-PHASE THERMOSTAT 135°C**  
with manual reset  
covered capillary length 890 mm - 20A 380V  
bulb ø 3x225 mm



EGO 5532522814

**3444644 THREE-PHASE THERMOSTAT 135°C**  
with manual reset  
covered capillary length 900 mm  
bulb ø 6x89 mm




EGO 5532522825

**3444734 THREE-PHASE THERMOSTAT 135°C**  
with manual reset  
covered capillary length 1470 mm - 16A 230V  
bulb ø 6x175 mm - with adapter nipple band M9x1



EGO 5531524030

**3444221 THREE-PHASE THERMOSTAT 140°C**  
with manual reset  
covered capillary length 1000 mm - 10A 400V  
bulb ø 6x175 mm



EGO 5531532060

**3444925 THREE-PHASE THERMOSTAT 140°C**  
with automatic reset  
capillary length 900 mm  
bulb ø 6x80 mm



EGO 5534122070



Suitable for:

EGO



**5011445 THREE-PHASE THERMOSTAT 140°C**  
with manual reset  
covered capillary length 900 mm - 20A 400V  
bulb  $\varnothing$  6x88 mm - with fitting and cone  $\varnothing$  6 mm




EGO 5532522800

**3444567 THREE-PHASE THERMOSTAT 145°C**  
with manual reset  
capillary length 1750 mm - 16A 230V  
bulb  $\varnothing$  3.1x180 mm - with adapter nipple band M9x1




EGO 5532525060

**3444142 THREE-PHASE THERMOSTAT 150°C**  
with manual reset  
capillary 1500 mm - 10A 400V  
bulb  $\varnothing$  6x90 mm - stuffing gland fitting M9x



EGO 5532524030

**3444471 THREE-PHASE THERMOSTAT 150°C**  
with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  3x230 mm




EGO 5532522827

**3444626 THREE-PHASE THERMOSTAT 150°C**  
with manual reset  
covered capillary length 800 mm - 20A 380V  
bulb  $\varnothing$  6x90 mm



EGO 5532522837

**3744121 THREE-PHASE THERMOSTAT 154°C**  
with manual reset  
covered capillary length 870 mm - 20A 400V  
bulb  $\varnothing$  6x100 mm



EGO 5533522040

**3744046 THREE-PHASE THERMOSTAT 156°C**  
with manual reset  
covered capillary length 1500 mm  
bulb  $\varnothing$  6x90 mm




EGO 5532524802

**3444770 THREE-PHASE THERMOSTAT 157°C**  
with manual reset  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  6x80 mm



EGO 5532522811

**3444775 THREE-PHASE THERMOSTAT 159°C**  
with manual reset  
capillary length 1100 mm - 16A 230V  
bulb  $\varnothing$  3.1x185 mm




EGO 5532529810

**3444024 THREE-PHASE THERMOSTAT 160°C**  
with manual reset  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x175 mm



EGO 5531532050


**3444318 THREE-PHASE THERMOSTAT 160°C**  
with automatic reset  
capillar covered length 850 mm - 10A 400V  
bulb ø 6x70 mm  
for ELECTRICAL BAIN MARIE / ALPHA-DELTA series



EGO 5534122801

Suitable for:

**3444442 THREE-PHASE THERMOSTAT 170°C**  
with manual reset  
covered capillary 880 mm  
bulb ø 6x88 mm




EGO 5532532824

**3444556 THREE-PHASE THERMOSTAT 170°C**  
with manual reset  
covered capillary length 900 mm - 20A 400V  
bulb ø 6x87 mm




EGO 5532532820

**3444079 THREE-PHASE THERMOSTAT 220°C**  
with manual reset  
covered capillary length 1790 mm - 10A 400V  
bulb ø 6x130 mm



EGO 5532549060

**3444939 THREE-PHASE THERMOSTAT 220°C**  
with manual reset  
covered capillary length 900 mm - 20A 400V  
bulb ø 6x110 mm



EGO 5533542040

**3444959 THREE-PHASE THERMOSTAT 220°C**  
with manual reset  
capillary length 1000 mm  
bulb ø 6x90 mm



EGO 5532542010

**2111694 THREE-PHASE THERMOSTAT 225°C**  
with manual reset  
capillary 830 mm  
bulbo ø 6x270 mm




EGO 5531542100

**3444323 THREE-PHASE THERMOSTAT 225°C**  
with manual reset  
covered capillary length 950 mm - 20A 380V  
bulb ø 6x155 mm




EGO 5531549050

**3444375 THREE-PHASE THERMOSTAT 225°C**  
with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb ø 6x90 mm - with adapter nipple band M10x1



EGO 5532542835

**5014523 THREE-PHASE THERMOSTAT 230 °C**  
with manual reset  
capillary length 890 mm  
bulb ø 6x87 mm




EGO 5532542090



Suitable for:

**2102268 THREE-PHASE THERMOSTAT 230°C**  
with manual reset  
capillary length 870 mm - 10A 400V  
bulb  $\varnothing$  6x110 mm



EGO 5533542090

Suitable for:


**2111236 THREE-PHASE THERMOSTAT 230°C**  
with automatic reset  
covered capillary length 2420 mm - 10A 400V  
bulb  $\varnothing$  6x117 mm - with stuffing gland M9x1



EGO 5533544010

EGO 5533549040

**3444307 THREE-PHASE THERMOSTAT 230°C**  
with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x100 mm - with adapter nipple band M10x1




EGO 5532542857

**3444342 THREE-PHASE THERMOSTAT 230°C**  
with automatic reset  
covered capillary length 1200 mm - 10A 400V  
bulb  $\varnothing$  6x75 mm - with adapter nipple band M9x1



EGO 5532543803

**3444390 THREE-PHASE THERMOSTAT 230°C**  
with manual reset  
capillary 900 mm - 10A 400V  
bulb  $\varnothing$  6x230 mm




EGO 5531542140

**3444472 THREE-PHASE THERMOSTAT 230°C**  
with manual reset  
capillary length 1700 mm - 20A 380V  
bulb  $\varnothing$  6x220 mm



EGO 5531545020

**3444625 THREE-PHASE THERMOSTAT 230°C**  
with manual reset  
covered capillary length 900 mm - 20A 400V  
bulb  $\varnothing$  6x90 mm



EGO 5532542070

EGO 5532542850

**3444631 THREE-PHASE THERMOSTAT 230°C**  
with manual reset  
covered capillary length 1700 mm - 20A 400V  
bulb  $\varnothing$  6x80 mm



EGO 5532544805

EGO 5532549130

EGO 5532549812

**3744113 THREE-PHASE THERMOSTAT 230°C**  
with manual reset  
covered capillary length 600 mm - 10A 400V  
bulb  $\varnothing$  4x122 mm



EGO 5532542370

EGO 5532542848

**5015412 THREE-PHASE THERMOSTAT 230°C**  
with manual reset  
capillary length covered 3000 mm - 20A 400V  
bulb  $\varnothing$  6x90 mm



EGO 5532546801



**3444204 THREE-PHASE THERMOSTAT 235°C**  
with manual reset  
covered capillary length 1700 mm - 10A 400V  
bulb  $\varnothing$  4x120 mm - with adapter nipple band M9x1



EGO 5532544800

EGO 5532545802


Suitable for:

**3444035 THREE-PHASE THERMOSTAT 240°C**  
with manual reset  
covered capillary length 2600 mm - 10A 400V  
bulb  $\varnothing$  6x240 mm



EGO 5531546020

**3444143 THREE-PHASE THERMOSTAT 240°C**  
with manual reset  
capillary length 1600 mm - 10A 400V  
bulb  $\varnothing$  6x85 mm



EGO 5532542807

EGO 5532549816


EGO 5532549827

**3444506 THREE-PHASE THERMOSTAT 240°C**  
with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  4x150 mm



EGO 5532542300

**3444737 THREE-PHASE THERMOSTAT 240°C**  
with manual reset  
covered capillary length 1430 mm - 16A 230V  
bulb  $\varnothing$  6x177 mm - with adapter nipple band M9x1




EGO 5531544050

**3444738 THREE-PHASE THERMOSTAT 240°C**  
with manual reset  
covered capillary length 2600 mm - 16A 230V  
bulb  $\varnothing$  6x177 mm - with adapter nipple band M9x1



EGO 5531549010

**3444972 THREE-PHASE THERMOSTAT 240°C**  
with manual reset  
capillary length 2300 mm  
bulb  $\varnothing$  6x88 mm




EGO 5532549050

**5023957 THREE-PHASE THERMOSTAT 240°C**  
with manual reset  
capillary length 1170 mm  
bulb  $\varnothing$  3x226 mm



EGO 5533543010

**3443075 THREE-PHASE THERMOSTAT 245°C**  
with manual reset  
covered capillary length 900 mm  
bulb  $\varnothing$  6x80 mm  
with stuffing gland fitting M9x1



EGO 5532542803

**3444036 THREE-PHASE THERMOSTAT 245°C**  
with manual reset  
capillary length 1200 mm - 10A 400V  
bulb  $\varnothing$  6x160 mm



EGO 5531549020





Suitable for:

EGO




**3444368** **THREE-PHASE THERMOSTAT 245°C**  
with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm



EGO 5532542823

EGO 5532542842

**3444436** **THREE-PHASE THERMOSTAT 245°C**  
with manual reset  
covered capillary length 2700 mm - 20A 400V  
bulb  $\varnothing$  6x90 mm



EGO 5532549811

**3444439** **THREE-PHASE THERMOSTAT 245°C**  
with manual reset  
covered capillary length 900 mm  
bulb  $\varnothing$  6x80 mm




EGO 5532549814

**3444653** **THREE-PHASE THERMOSTAT 245°C**  
with manual reset  
capillary length covered 1750 mm - 20A 380V  
bulb  $\varnothing$  4x120 mm




EGO 5532545800

**3444437** **THREE-PHASE THERMOSTAT 250°C**  
with manual reset  
covered capillary length 2500 mm - 20A 380V  
bulb  $\varnothing$  6x240 mm




EGO 5531549040

**3444444** **THREE-PHASE THERMOSTAT 250°C**  
with manual reset  
covered capillary length 900 mm - 20A 400V  
bulb  $\varnothing$  6x90 mm



EGO 5532542859

**3444739** **THREE-PHASE THERMOSTAT 250°C**  
with manual reset  
covered capillary length 1470 mm - 10A 400V  
bulb  $\varnothing$  6x100 mm - adapter nipple bland M9x1




EGO 5533544040

**3444706** **THREE-PHASE THERMOSTAT 255°C**  
with manual reset  
covered capillary length 730 mm - 10A 400V  
bulb  $\varnothing$  3.1x307 mm



EGO 5532559010


**3444317** **THREE-PHASE THERMOSTAT 270°C**  
with manual reset  
covered capillary length 2000 mm - 10A 400V  
bulb  $\varnothing$  6x70 mm



EGO 5532559809

EGO 5532559814

**3444557** **THREE-PHASE THERMOSTAT 270°C**  
with manual reset  
covered capillary length 870 mm - 20A 400V  
bulb  $\varnothing$  6x78 mm




EGO 5532552814

**5048870 THREE-PHASE THERMOSTAT 270°C**  
with manual reset  
covered capillary length 2050 mm - 10A 400V  
bulb ø 6x78 mm



EGO 5532559080

**3444776 THREE-PHASE THERMOSTAT 280°C**  
with manual reset  
covered capillary length 900 mm - 16A 230V  
bulb ø 4x125 mm




EGO 5532552808

**3444575 THREE-PHASE THERMOSTAT 285°C**  
with manual reset  
covered capillary 940 mm - 20A 380V  
bulb ø 6x157 mm




EGO 5531559020

**3444351 THREE-PHASE THERMOSTAT 295°C**  
with manual reset  
covered capillary 1800 mm - 10A 400V  
bulb ø 4x125 mm - 10A 400V  
for TECNOINOX OVEN  
for EMMEPI OVEN 900-750-700-650 - FRYTOP 900-750



EGO 5532555800

**3444076 THREE-PHASE THERMOSTAT 30-110°C**  
D-shaped pin ø 6x4.6 mm  
covered capillary length 1200 mm - 10A 400V  
bulb ø 6x130 mm



EGO 5534022010

EGO 5534023815


EGO 5534024801

EGO 6301010010

EGO 6301058080

EGO 6341010010

**3444088 THREE-PHASE THERMOSTAT 30-110°C**  
D-shaped pin ø 6x4.6 mm  
capillary length covered 900 mm - 10A 400V  
bulb ø 6x130 mm - with stuffing gland fitting M9x1



EGO 5534022802

**3444190 THREE-PHASE THERMOSTAT 30-110°C**  
D-shaped pin ø 6x4.6 mm  
covered capillary length 3000 mm - 10A 400V  
bulb ø 6x135 mm - with adapter nipple band M9x1  
with complete tank joint M12x1



EGO 5534226040

EGO 6301058080

**3444711 THREE-PHASE THERMOSTAT 30-110°C**  
D-shaped pin ø 6x4.6 mm  
capillary length 1500 mm - 10A 400V  
bulb ø 6x130 mm



EGO 5534024805



Suitable for:

EGO



Suitable for:

**3444546 THREE-PHASE THERMOSTAT 30-120°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm  
button bulb  $\varnothing$  11x28 mm - nut M14x1



EGO 5534022829

**3444357 THREE-PHASE THERMOSTAT 30-150°C**


complete with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1100 mm - 10A 400V  
bulb  $\varnothing$  6x120 mm



EGO 5534923801

**3444468 THREE-PHASE THERMOSTAT 30-85°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1500 mm  
bulb  $\varnothing$  6x138 mm - with adapter nipple band M9x1



EGO 5534014150

**3444067 THREE-PHASE THERMOSTAT 30-90°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1000 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm




EGO 5534012801

EGO 5534019805

EGO 6301018190

**3444364 THREE-PHASE THERMOSTAT 30-90°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x135 mm - with adapter nipple band M10x1




EGO 5534012806

EGO 5534012859

EGO 5534212030

**3444812 THREE-PHASE THERMOSTAT 30-90°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 870 mm - 16A 380V  
bulb  $\varnothing$  6x129 mm



EGO 5534012800

**3444703 THREE-PHASE THERMOSTAT 315°C**


with manual reset  
covered capillary length 1500 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm - with adapter nipple band M9x1



EGO 5532564010

**3444707 THREE-PHASE THERMOSTAT 320°C**

with manual reset  
covered capillary length 1450 mm - 10A 400V  
bulb  $\varnothing$  6x176 mm - with adapter nipple band M9x1



EGO 5531554020

**3444298 THREE-PHASE THERMOSTAT 337°C**

with manual reset  
covered capillary length 850 mm - 10A 400V  
button bulb  $\varnothing$  14x10 mm



EGO 5532562804


**3444592 THREE-PHASE THERMOSTAT 340°C**

with manual reset  
capillary length 1190 mm  
bulb  $\varnothing$  4x128 mm



EGO 5532563010

**3444025 THREE-PHASE THERMOSTAT 350°C**  
with manual reset  
capillary length 1200 mm - 10A 400V  
bulb ø 6x160 mm



EGO 5531566010

EGO 5531569010

**3444354 THREE-PHASE THERMOSTAT 350°C**  
with manual reset  
capillary length coated 950 mm - 10A 400V  
bulb ø 3x190 mm



EGO 5532562805

EGO 5532562808


**3444356 THREE-PHASE THERMOSTAT 350°C**  
with manual reset  
covered capillary length 1300 mm - 10A 400V  
bulb ø 4x120 mm



EGO 5532569814


EGO 5532579800

**3444370 THREE-PHASE THERMOSTAT 350°C**  
with manual reset  
covered capillary length 3000 mm - 10A 400V  
bulb ø 6x90 mm




EGO 5532566806

**3444445 THREE-PHASE THERMOSTAT 350°C**  
with automatic reset  
capillary length covered 900 mm - 16A 380V  
bulb ø 3x190 mm



EGO 5534162800

**3444704 THREE-PHASE THERMOSTAT 350°C**  
with manual reset  
covered capillary length 1500 mm - 10A 400V  
bulb ø 6x80 mm



EGO 5532564040

**2000135 THREE-PHASE THERMOSTAT 360°C**  
with manual reset  
covered capillary length 1710 mm - 10A 400v  
bulb ø 4x120 mm



EGO 5532579010


**3444306 THREE-PHASE THERMOSTAT 360°C**  
with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb ø 4x120 mm



EGO 5532562806

EGO 5532562835

**3444382 THREE-PHASE THERMOSTAT 360°C**  
with manual reset  
capillary length 900 mm - 10A 400V  
bulb ø 6x80 mm



EGO 5532562822

**3444484 THREE-PHASE THERMOSTAT 360°C**  
with manual reset  
capillary length 1300 mm  
bulb ø 4x120 mm



EGO 5532563800


EGO 5532563804



Suitable for:

**3444493 THREE-PHASE THERMOSTAT 360°C**

with manual reset  
capillary length 1500 mm  
bulb  $\varnothing$  4x120 mm




EGO 5532562802

EGO 5532574010

Suitable for:

**3444574 THREE-PHASE THERMOSTAT 360°C**


with manual reset  
covered capillary length 1200 mm - 20A 400V  
bulb  $\varnothing$  6x79 mm



EGO 5532573801

**3444632 THREE-PHASE THERMOSTAT 360°C**

with manual reset  
covered capillary length 1800 mm - 20A 300V  
bulb  $\varnothing$  4x120 mm



EGO 5532575801

**3444832 THREE-PHASE THERMOSTAT 360°C**

with manual reset  
capillary length 1500 mm  
bulb  $\varnothing$  4x170 mm



EGO 5532574020

**3444904 THREE-PHASE THERMOSTAT 370°C**


with manual reset  
covered capillary length 1500 mm  
bulb  $\varnothing$  6x77 mm



EGO 5532574050

**3444713 THREE-PHASE THERMOSTAT 40-320°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 380V  
bulb  $\varnothing$  3x219 mm



EGO 5534062801

EGO 6303010010

**3444363 THREE-PHASE THERMOSTAT 420°C**

with manual reset  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  4x310 mm



EGO 5532582802

EGO 5532582804

EGO 5532582807

**3444620 THREE-PHASE THERMOSTAT 45-120°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 870 mm - 16A 380V  
bulb  $\varnothing$  6x140 mm



EGO 553422807

**3444630 THREE-PHASE THERMOSTAT 50-270°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm



EGO 5534052831

**3444894 THREE-PHASE THERMOSTAT 50-275°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 380V  
bulb  $\varnothing$  3x220 mm




EGO 5534052809



## 3444148 THREE-PHASE THERMOSTAT 50-300°C

complete with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 850 mm - 10A 400V  
bulb  $\varnothing$  6x78 mm



EGO 5534052010

Suitable for:

## 3444251 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1100 mm - 10A 400V  
bulb  $\varnothing$  3x220 mm



EGO 5534052807

EGO 5534052817

EGO 5534059801

EGO 5534059802

## 3444349 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 860 mm - 10A 400V  
bulb  $\varnothing$  4x240 mm



EGO 5534062826

## 3444435 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1150 mm - 16A 380V  
bulb  $\varnothing$  2.5x330 mm



EGO 5534059824

## 3444469 THREE-PHASE THERMOSTAT 50-300°C


D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 880 mm  
bulb  $\varnothing$  3x226 mm



EGO 5534052150

## 3444504 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 880 mm - 10A 400V  
bulb  $\varnothing$  4x128 mm



EGO 5534052020

## 3444505 THREE-PHASE THERMOSTAT 50-300°C


D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1440 mm - 10A 400V  
bulb  $\varnothing$  4X292 mm



EGO 5534054060

## 3444561 THREE-PHASE THERMOSTAT 50-300°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1740 mm - 16A 230V  
bulb  $\varnothing$  6x80 mm



EGO 5534055020






Suitable for:

EGO




**3444619 THREE-PHASE THERMOSTAT 50-300°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  3x219 mm



EGO 5534052812


Suitable for:

**3444694 THREE-PHASE THERMOSTAT 50-300°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 880 mm  
bulb  $\varnothing$  6x77 mm




EGO 5534052010

**3444749 THREE-PHASE THERMOSTAT 50-300°C**  
complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1500 mm - 16A 230V  
bulb  $\varnothing$  6x80 mm




EGO 5540654010

**3444168 THREE-PHASE THERMOSTAT 50-310°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  4x220 mm



EGO 5540062030

**3444052 THREE-PHASE THERMOSTAT 50-320°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  3x230 mm



EGO 5534052819

EGO 5534062807

EGO 5534062815

**3444103 THREE-PHASE THERMOSTAT 50-320°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  3x220 mm




EGO 5534062800

**3444790 THREE-PHASE THERMOSTAT 50-320°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 800 mm - 10A 400V  
bulb  $\varnothing$  4x120 mm



EGO 5534062819

**3444778 THREE-PHASE THERMOSTAT 55-240°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  4x95 mm



EGO 5534042805

**5060649 THREE-PHASE THERMOSTAT 55-300°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 880 mm-10A 400V  
bulb  $\varnothing$  4x295 mm




EGO 5534052060

**3444033 THREE-PHASE THERMOSTAT 60-165°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 900 mm - 10A 400V  
bulb  $\varnothing$  8x115 mm - with stuffing gland fitting M14x



EGO 5534039811

**3444748 THREE-PHASE THERMOSTAT 60-180°C**  
complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1800 mm - 16A 230V  
bulb  $\varnothing$  6x133 mm - with adapter nipple bland M9x1



EGO 5534635010


Suitable for:

**3444559 THREE-PHASE THERMOSTAT 60-185°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1200 mm - 16A 250V  
bulb  $\varnothing$  4x229 mm



EGO 5534033801

**3444102 THREE-PHASE THERMOSTAT 60-200°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm



EGO 5534032030


EGO 5534032210

**3444503 THREE-PHASE THERMOSTAT 60-200°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x80 mm - with adapter nipple bland M9x1



EGO 5534032160

**3444044 THREE-PHASE THERMOSTAT 60-260°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm - 10A 400V  
bulb  $\varnothing$  4x130 mm




EGO 5534059805

**3444038 THREE-PHASE THERMOSTAT 60-320°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1300 mm - 10A 400V  
bulb  $\varnothing$  4x130 mm



EGO 5534069804

**3444147 THREE-PHASE THERMOSTAT 63-300°C**  
complete with selector switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length covered 1400 mm - 10A 400V  
bulb  $\varnothing$  3x220 mm



EGO 5534963817

**3444425 THREE-PHASE THERMOSTAT 65-125°C**  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x70 mm



EGO 5534022813




Suitable for:

**EGO**



**3444594 THREE-PHASE THERMOSTAT 65-200°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 880 mm  
bulb  $\varnothing$  6x77 mm - with adapter nipple bland M9x1  
with complete tank joint M12x1



EGO 5534032060

**3444371 THREE-PHASE THERMOSTAT 70-195°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1500 mm - 10A 400V  
bulb  $\varnothing$  6x135 mm




EGO 5534034050

EGO 5534034845

EGO 5534035010

**3444779 THREE-PHASE THERMOSTAT 75-295°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 16A 230V  
bulb  $\varnothing$  4x92 mm



EGO 5534052811

**3444366 THREE-PHASE THERMOSTAT 90-180°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 900 mm - 10A 400V  
bulb  $\varnothing$  6x135 mm - with adapter nipple bland M10x1



EGO 5534032814

EGO 5534032858

EGO 5534032863


EGO 6301918220

EGO 6302018190

EGO 6302918220

**3444420 THREE-PHASE THERMOSTAT 90-185°C**


D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1600 mm - 16A 250V  
bulb  $\varnothing$  3x240 mm



EGO 5534034210

**3744007 THREE-PHASE THERMOSTAT 90-195°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 10A 400v  
bulb  $\varnothing$  6x135 mm



EGO 5534032090

**3444166 THREE-PHASE THERMOSTAT 95-180°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1800 mm - 10A 400V  
bulb  $\varnothing$  6x135 mm - with adapter nipple bland M9x1  
with complete tank joint M12x1



EGO 5534032813

EGO 5534035080

EGO 5534035800


**3744098 THREE-PHASE THERMOSTAT 95-180°C**

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1800 mm  
bulb  $\varnothing$  6x130 mm - with adapter nipple bland M10x1




EGO 5534035130

**3444745 THREE-PHASE THERMOSTAT 95-185°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 2420 mm - 16A 230V  
 bulb  $\varnothing$  6x133 mm - with adapter nipple bland M9x1



EGO 5534039020

**3744055 THREE-PHASE THERMOSTAT 95-185°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1480 mm - 16A 400V  
 bulb  $\varnothing$  6x120 mm



EGO 5534034010

EGO 5534034805

**3444491 THREE-PHASE THERMOSTAT 95-220°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1480 mm - 16A 400V  
 bulb  $\varnothing$  6x120 mm - with adapter nipple bland M9x1  
 with complete tank joint M12x1



EGO 5534044020

**3444570 THREE-PHASE THERMOSTAT 95-230°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1250 mm  
 bulb  $\varnothing$  4x128 mm  
 for frytop N700




EGO 5534043800

**3444621 WASHER FOR CAPILLARY THERMOSTAT**  
 $\varnothing$  7.7 mm



EGO 6706101

**3444695 3-PHASE THERMOSTAT 160°C**  
 with manual reset  
 covered capillary length 890 mm - 10A 400V  
 bulb  $\varnothing$  6x87 mm - with stuffing gland fitting M10x1



EGO 5532532805

EGO 5532532809

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



## Distributing Components, Spare Parts & Accessories in original quality worldwide

- 
- |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p> <b>LF SpA HEADQUARTERS</b><br/>via Voltri, 80 - 47522 Cesena (FC) ITALY<br/>Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10<br/><a href="http://www.lfcomb724.it">www.lfcomb724.it</a> - <a href="http://www.lfcomb724.mobi">www.lfcomb724.mobi</a> - <a href="mailto:info@lfcomb724.it">info@lfcomb724.it</a><br/>Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55<br/><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a> - <a href="http://www.lfspareparts724.mobi">www.lfspareparts724.mobi</a><br/><a href="mailto:export@lfspareparts.com">export@lfspareparts.com</a></p> | <p> <b>OOO LF RUSSIAN FEDERATION</b><br/>Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow<br/>Tel. +7 499 259 85 75<br/>Fax +7 495 725 26 53<br/><a href="http://www.lfspareparts724.ru">www.lfspareparts724.ru</a><br/><a href="http://www.lfspareparts724.mobi">www.lfspareparts724.mobi</a><br/><a href="mailto:info@lfspareparts.ru">info@lfspareparts.ru</a></p>                                                                 |
| <p> <b>EPGC Sas FRANCE</b><br/>13, Rue des Forts - 59960 Neuville en Ferrain<br/>Tel. +33 (0)3 20 25 06 21<br/>Fax +33 (0)3 20 25 34 12<br/><a href="http://www.epgc.com">www.epgc.com</a><br/><a href="http://www.epgc724.mobi">www.epgc724.mobi</a><br/><a href="mailto:epgc@epgc.com">epgc@epgc.com</a></p>                                                                                                                                                                                                                                                                                                   | <p> <b>LF Repuestos Horeca S.L.U. SPAIN</b><br/>Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo<br/>Tel. +34 91 477 91 00<br/>Fax +34 91 477 90 81<br/><a href="http://www.lfrepuestos-horeca724.es">www.lfrepuestos-horeca724.es</a><br/><a href="http://www.lfrepuestos724.mobi">www.lfrepuestos724.mobi</a><br/><a href="mailto:info@lfrepuestos.es">info@lfrepuestos.es</a></p>                                                 |
| <p> <b>LF GmbH GERMANY</b><br/>Junkersstrasse, 1 - D-82178 Puchheim - München<br/>Tel. +49 89 89 45 78 66<br/>Fax +49 89 89 45 78 88<br/><a href="http://www.lfersatzteile724.de">www.lfersatzteile724.de</a><br/><a href="http://www.lfersatzteile724.mobi">www.lfersatzteile724.mobi</a><br/><a href="mailto:info@lfersatzteile.de">info@lfersatzteile.de</a></p>                                                                                                                                                                                                                                              | <p> <b>LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND</b><br/>Sennweidstrasse, 45 - CH-6312 Steinhausen<br/>Tel. +41 (0)41 760 15 80-1<br/>Fax +41 (0)41 760 15 85<br/><a href="http://www.lfersatzteile724.ch">www.lfersatzteile724.ch</a><br/><a href="http://www.lfersatzteile724.mobi">www.lfersatzteile724.mobi</a><br/><a href="mailto:info@lfersatzteile.ch">info@lfersatzteile.ch</a></p>                             |
| <p> <b>LF China REPUBLIC OF CHINA</b><br/>Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.<br/>Minhang Dist. - 201103 Shanghai<br/>Tel. +86 (0)21 33 53 66 31<br/>Fax +86 (0)21 33 53 66 32<br/><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a><br/><a href="http://www.lfspareparts724.mobi">www.lfspareparts724.mobi</a><br/><a href="mailto:china@lfspareparts.com">china@lfspareparts.com</a></p>                                                                                                                                                                                  | <p> <b>LF Spare Parts Ltd. UNITED KINGDOM</b><br/>A10a Lakeside Business Park, Broadway Lane<br/>South Cerney, Gloucestershire GL7 5XL<br/>Tel. +44 (0)1285 86 16 25<br/>Fax +44 (0)1285 86 39 49<br/><a href="http://www.lfspareparts724.co.uk">www.lfspareparts724.co.uk</a><br/><a href="http://www.lfspareparts724.mobi">www.lfspareparts724.mobi</a><br/><a href="mailto:info@lfspareparts.co.uk">info@lfspareparts.co.uk</a></p> |
- 
- |                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p> <b>AUSTRALIA AND NEW ZEALAND</b><br/><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a><br/><a href="mailto:andrea.calvio@lfspareparts.com">andrea.calvio@lfspareparts.com</a></p> | <p> <b>DENMARK</b><br/><a href="http://www.lfspareparts724.dk">www.lfspareparts724.dk</a><br/><a href="mailto:michael.leth@lfspareparts.com">michael.leth@lfspareparts.com</a></p>                                                                                                 |
| <p> <b>AUSTRIA</b><br/><a href="http://www.lfspareparts724.at">www.lfspareparts724.at</a><br/><a href="mailto:ludwig.neier@lfersatzteile.at">ludwig.neier@lfersatzteile.at</a></p>                       | <p> <b>SOUTH KOREA</b><br/><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a><br/><a href="mailto:fabio.doni@lfspareparts.com">fabio.doni@lfspareparts.com</a></p>                                                                                               |
| <p> <b>BALKAN COUNTRIES</b><br/><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a><br/><a href="mailto:matija.ramov@lfspareparts.com">matija.ramov@lfspareparts.com</a></p>            | <p> <b>TURKEY</b><br/><a href="http://www.lyedekparca724.com">www.lyedekparca724.com</a><br/><a href="mailto:basar.ergun@lyedekparca.com">basar.ergun@lyedekparca.com</a></p>                                                                                                      |
| <p> <b>BALTIC COUNTRIES</b><br/><a href="http://www.lfspareparts724.com">www.lfspareparts724.com</a><br/><a href="mailto:inara.silina@lfspareparts.com">inara.silina@lfspareparts.com</a></p>            | <p> <b>USA AND CANADA</b><br/><a href="http://www.lfspareparts724.us">www.lfspareparts724.us</a><br/><a href="mailto:sauro.dallaglio@lfspareparts.us">sauro.dallaglio@lfspareparts.us</a><br/><a href="mailto:howard.truitt@lfspareparts.us">howard.truitt@lfspareparts.us</a></p> |
| <p> <b>CENTRAL AND EASTERN EUROPE</b><br/><a href="http://www.lfspareparts724.cz">www.lfspareparts724.cz</a><br/><a href="mailto:jiri.kremela@lfspareparts.cz">jiri.kremela@lfspareparts.cz</a></p>      |                                                                                                                                                                                                                                                                                                                                                                       |