



Spare parts for:

Cooking equipment



Suitable for:

ELETTROBAR



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

ELETTROBAR



Suitable for:

Air regulators

3025103 AERATION REGULATOR
internal \varnothing 14 mm - external \varnothing 17 mm
height 60 mm



ELETTROBAR PACU700029

3025107 AERATION REGULATOR
internal \varnothing 18 mm - external \varnothing 20 mm
height 60 mm



ELETTROBAR RTCU700160


3025185 AERATION REGULATOR
internal \varnothing 22 mm - external \varnothing 24 mm
height 66 mm



ELETTROBAR RTCU700199

Alarms

3397302 ALARM BELL 220V



ELETTROBAR RTFOC00046

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



ELETTROBAR RGFOC00254

ELETTROBAR RTFOC00254

ELETTROBAR 013480-01R


3240519 AXIAL MOTOR FAN EBM 4656N
230V 50Hz 19W 2650rpm
119x119x38 mm
ball bearing



ELETTROBAR

Ball valves and accessories

3526703 BALLCOCK VALVE \varnothing 1/2"FF



ELETTROBAR RTFOC00136

Ball valves and accessories

5033496 DRAIN TAP \varnothing 18 mm
upper lever connection



ELETTROBAR RTCU600076

3241247 BLACK KNOB
round hole \varnothing 6 mm




ELETTROBAR RTCU700413

5033104 LEVER FOR DRAIN TAP 76 mm
thread M6x1 mm



ELETTROBAR RTCU700412

3356054 DRAIN TAP \varnothing 3/4" F
superior lever connection
internal exit \varnothing 22 mm



ELETTROBAR RTCU600012

3356049 OIL DRAIN PIPE WITH SAFETY DEVICE
 \varnothing 22 mm - length 210 mm - bayonet joint
for TECNOINOX BAIN-MARIE-FRYER



ELETTROBAR RTCU700318

3526632 GAS/WATER BALLCOCK VALVE \varnothing 3/4" FF
heavy series with PN 40 total passage
DIN - DVGW approved
aluminium throttle



ELETTROBAR 720010

3526673 GAS/WATER VALVE \varnothing 1" FF
ball valve
heavy series with PN 40 total passage
aluminum lever




ELETTROBAR RTBF800073

5033104 LEVER FOR DRAIN TAP 76 mm
thread M6x1 mm



ELETTROBAR RTCU700412

3359131 WATER INLET TAP \varnothing 3/8" MM
D-shaft \varnothing 10x8 mm



ELETTROBAR RTCP700003

ELETTROBAR 168006



Suitable for:

Suitable for:


3526693 WATER VALVE \varnothing 1"MF
 ball valve
 heavy series with PN 25 total passage
 aluminium lever



ELETTROBAR 160596

Bearings

9063012 BEARING 6004 DDU NSK
 external \varnothing 42mm - internal \varnothing 20mm - thickness 12mm



ELETTROBAR RTBF800094

1063911 BEARING 6202 ZZ NSK
 external \varnothing 35 mm-internal \varnothing 15 mm-thickness 11 mm



ELETTROBAR REB314002

ELETTROBAR 314002

1063906 BEARING 6203 ZZ NSK
 external \varnothing 40mm - internal \varnothing 17mm - thickness 12mm




ELETTROBAR 314003

1063901 BEARING 6204 DDU NSK
 external \varnothing 47mm - internal \varnothing 20mm - thickness 14mm



ELETTROBAR 314005

3063026 SLIDING DOOR ROLLER RH-LH
 \varnothing bearing 22 mm - plate size 64x30 mm
 for TABLE - CUPBOARD



ELETTROBAR 0855309701

Burners, flame spreaders and accessories

3025111 BURNER \varnothing 100 mm
 with air regulator



ELETTROBAR GRCU700022

ELETTROBAR RTCU700010

3025329 BURNER \varnothing 115 mm 6KW



ELETTROBAR RTCU700749



Suitable for:

3025404 BURNER \varnothing 115 mm 6KW



ELETTROBAR RTCU700382

Suitable for:

**3025182 BURNER \varnothing 125 mm
with air regulator**



ELETTROBAR GRCU700023

ELETTROBAR RTCU700011

3025328 BURNER \varnothing 130 mm 3.6KW



ELETTROBAR RTCU600042

3025324 BURNER \varnothing 140 mm 8KW



ELETTROBAR 160296

3025325 BURNER \varnothing 140 mm 8KW



ELETTROBAR 163254

**3025108 BURNER \varnothing 70 mm
with air regulator**



ELETTROBAR GRCU700018

ELETTROBAR GRCU700021

ELETTROBAR GRCU700058

ELETTROBAR RTCU700009

ELETTROBAR RTCU700124

3025337 BURNER \varnothing 75 mm 3.5KW



ELETTROBAR RTCU700748

3025321 BURNER \varnothing 90 mm 3KW



ELETTROBAR RTCU600043

3025402 BURNER BODY \varnothing 75 mm 3.5KW



ELETTROBAR RTCU700380

3025113 BURNER SUPPORT 100 mm



ELETTROBAR RTCU700007

3025184 BURNER SUPPORT 125 mm



ELETTROBAR RTCU700008

3025110 BURNER SUPPORT 70 mm



ELETTROBAR RTCU700006



ELETTROBAR



Suitable for:

3025112 FLAME SPREADER ø 100 mm



ELETTROBAR GRCU700002

ELETTROBAR GRCU800003

ELETTROBAR RTCU700013

**3025111 BURNER ø 100 mm
with air regulator**



ELETTROBAR GRCU700022

ELETTROBAR RTCU700010

Suitable for:

3025107 AERATION REGULATOR
internal ø 18 mm - external ø 20 mm
height 60 mm



ELETTROBAR RTCU700160

3025113 BURNER SUPPORT 100 mm



ELETTROBAR RTCU700007

3025330 FLAME SPREADER ø 100 mm 3KW



ELETTROBAR RTCU600044

3025338 VENTURI F/FLAME SPREADER 100 mm 3KW



ELETTROBAR RTCU600017

3025403 FLAME SPREADER ø 115 mm 6KW



ELETTROBAR RTCU700376

3025404 BURNER ø 115 mm 6KW



ELETTROBAR RTCU700382

3025321 BURNER ø 90 mm 3KW



ELETTROBAR RTCU600043

3025329 BURNER ø 115 mm 6KW



ELETTROBAR RTCU700749

3025311 FRONT VENTURI 6KW
plate ø 145 mm - hole ø 35 mm
NEW MODEL
for old kitchen it is necessary to rotate the plat



ELETTROBAR 160142

ELETTROBAR 164556



Suitable for:

3025319 FRONT VENTURI 6KW
plate ø 145 mm - hole ø 35 mm



ELETTROBAR GACU700136

ELETTROBAR 173321

3025309 REAR VENTURI 6KW
plate ø 145 mm - hole ø 35 mm



ELETTROBAR GACU700138

ELETTROBAR 173322

3025183 FLAME SPREADER ø 125 mm



ELETTROBAR GRCU700003

ELETTROBAR RTCU800051

3025182 BURNER ø 125 mm
with air regulator



ELETTROBAR GRCU700023

ELETTROBAR RTCU700011

3025326 FLAME SPREADER ø 130 mm 3.6KW




ELETTROBAR RTCU600040

ELETTROBAR



Suitable for:

3186698 GASKET FOR BURNER 6KW
size ø 145x120x1.6 mm



ELETTROBAR RTCU700400

3025317 REAR VENTURI 6KW
plate ø 145 mm - hole ø 35 mm
NEW MODEL
for old kitchen it is necessary to rotate the plate



ELETTROBAR 160144

ELETTROBAR 164557

3025185 AERATION REGULATOR
internal ø 22 mm - external ø 24 mm
height 66 mm



ELETTROBAR RTCU700199

3025184 BURNER SUPPORT 125 mm



ELETTROBAR RTCU700008

3025328 BURNER ø 130 mm 3.6KW



ELETTROBAR RTCU600042



Suitable for:

3025327 FLAME SPREADER ø 60 mm



ELETTROBAR RTCU600041

3025322 FLAME SPREADER ø 140 mm 7KW




ELETTROBAR 160294

3025325 BURNER ø 140 mm 8KW



ELETTROBAR 163254

3186699 GASKET FOR BURNER 8KW



ELETTROBAR 160329

3025323 FLAME SPREADER ø 50 mm 1KW



ELETTROBAR 160295

3025109 FLAME SPREADER ø 70 mm



ELETTROBAR GRUCU700001
ELETTROBAR RTCU700132

ELETTROBAR GRUCU800001


ELETTROBAR RTCU700012

ELETTROBAR



Suitable for:

3025339 VENTURI F/FLAME SPREADER 130 mm 3.6KW



ELETTROBAR RTCU600018

3025324 BURNER ø 140 mm 8KW



ELETTROBAR 160296

3025323 FLAME SPREADER ø 50 mm 1KW



ELETTROBAR 160295

3025318 REAR VENTURI 8KW

plate ø 145 mm - hole ø 40 mm
NEW MODEL
for old kitchen it is necessary to rotate the plat



ELETTROBAR 160318

ELETTROBAR 164558

3025327 FLAME SPREADER ø 60 mm



ELETTROBAR RTCU600041

3025103 AERATION REGULATOR

internal ø 14 mm - external ø 17 mm
height 60 mm



ELETTROBAR PACU700029



Suitable for:

3025108 BURNER ø 70 mm
with air regulator



ELETTROBAR GRCU700018
ELETTROBAR RTCU700009

ELETTROBAR GRCU700021
ELETTROBAR RTCU700124

ELETTROBAR GRCU700058

ELETTROBAR

Suitable for:

3025110 BURNER SUPPORT 70 mm



ELETTROBAR RTCU700006



3025401 FLAME SPREADER ø 75 mm 3.5KW



ELETTROBAR RTCU700375

3025402 BURNER BODY ø 75 mm 3.5KW



ELETTROBAR RTCU700380

3025320 FRONT VENTURI 3.5KW
plate ø 110 mm - hole ø 32 mm
NEW MODEL
for old kitchen it is necessary to rotate the plat



ELETTROBAR 160141

ELETTROBAR 164555

3025316 REAR VENTURI 3.5KW
plate ø 110 mm - hole ø 32 mm



ELETTROBAR GACU700137

ELETTROBAR 173324

3025337 BURNER ø 75 mm 3.5KW



ELETTROBAR RTCU700748


3025310 FRONT VENTURI 3.5KW
plate ø 110 mm - hole ø 32 mm



ELETTROBAR GACU700135

ELETTROBAR 173323

3186740 GASKET FOR BURNER 3.5KW
size ø 110x80x1.6 mm



ELETTROBAR RTCU700399



Suitable for:

ELETTROBAR



3025310 FRONT VENTURI 3.5KW
plate ø 110 mm - hole ø 32 mm



ELETTROBAR GACU700135 ELETTROBAR 173323

Suitable for:

3025320 FRONT VENTURI 3.5KW
plate ø 110 mm - hole ø 32 mm
NEW MODEL
for old kitchen it is necessary to rotate the plat



ELETTROBAR 160141 ELETTROBAR 164555

3025311 FRONT VENTURI 6KW
plate ø 145 mm - hole ø 35 mm
NEW MODEL
for old kitchen it is necessary to rotate the plat



ELETTROBAR 160142 ELETTROBAR 164556

3025319 FRONT VENTURI 6KW
plate ø 145 mm - hole ø 35 mm



ELETTROBAR GACU700136 ELETTROBAR 173321

3025316 REAR VENTURI 3.5KW
plate ø 110 mm - hole ø 32 mm



ELETTROBAR GACU700137 ELETTROBAR 173324

3025309 REAR VENTURI 6KW
plate ø 145 mm - hole ø 35 mm



ELETTROBAR GACU700138 ELETTROBAR 173322

3025317 REAR VENTURI 6KW
plate ø 145 mm - hole ø 35 mm
NEW MODEL
for old kitchen it is necessary to rotate theplate



ELETTROBAR 160144 ELETTROBAR 164557

3025318 REAR VENTURI 8KW
plate ø 145 mm - hole ø 40 mm
NEW MODEL
for old kitchen it is necessary to rotate the plat



ELETTROBAR 160318 ELETTROBAR 164558

3025338 VENTURI F/FLAME SPREADER 100 mm 3KW



ELETTROBAR RTCU600017

3025339 VENTURI F/FLAME SPREADER 130 mm 3.6KW



ELETTROBAR RTCU600018



Cables for piezo igniters

3001034 IGNITION CABLE 1400 mm
with faston terminal 3x0.8 mm for ignition
with faston terminal \varnothing 2,4 mm for plug



ELETTROBAR RTCU700005

ELETTROBAR RTFOC00128

3001027 IGNITION CABLE 500 mm
with faston terminal \varnothing 2 mm for ignition
with faston terminal \varnothing 2 mm for plug



ELETTROBAR RTCU700361

3001036 IGNITION CABLE 700 mm
with faston terminal 3x0.8 mm for ignition
with faston terminal \varnothing 2.4 mm for plug



ELETTROBAR RTBF700038

3001002 IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm for ignition
with faston \varnothing 4 mm for electrode



ELETTROBAR RTCU900384

ELETTROBAR RTCU900385

3001016 IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



ELETTROBAR RIC0002285

3001019 IGNITION LEAD 1000 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 2.4 mm for electrode



ELETTROBAR RTCU800144

5025615 IGNITION LEAD 1950 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 2.4 mm for sparking plug



ELETTROBAR RTBF800308

ELETTROBAR RTCU700410

Capacitors, electrical

3068016 CAPACITOR μ F 10 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ELETTROBAR REB206002

ELETTROBAR 206002

3068019 CAPACITOR μ F 12.5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ELETTROBAR 206003



Suitable for:

3068024 CAPACITOR μ F 16 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ELETTROBAR REB206004

ELETTROBAR RTFOC00700

ELETTROBAR 206004

Suitable for:

3068027 CAPACITOR μ F 20 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ELETTROBAR DEC220L

ELETTROBAR REB206005

ELETTROBAR RTFOC00053

ELETTROBAR 206005

3068008 CAPACITOR μ F 5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



ELETTROBAR 206008

ELETTROBAR 206010

3068010 CAPACITOR μ F 6.3 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



ELETTROBAR 206009

3068014 CAPACITOR μ F 8 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



ELETTROBAR REB206001

ELETTROBAR 206001

Cast iron hot plates


3312115 COOKING PLATE SMOOTH 365x355 mm
made of cast iron



ELETTROBAR A800011

ELETTROBAR RTCU800035

3312031 RIBBED PLATE 425x375 mm
made of cast iron



ELETTROBAR RTCU900042

Circlips

1250023 RADIAL SEEGER RING \varnothing 5 mm
stainless steel - external \varnothing 11.3 - thickness 0.7
UNI 7434 - DIN 6799



ELETTROBAR CWA5D5I

ELETTROBAR 929017

3250139 SEEGER RING E-60
in steel for springs C75
internal \varnothing 55.8 mm - thickness 2 mm
UNI 7435 - DIN 471



ELETTROBAR RTMIN00283

Clamps

3449453 HOSE CLAMP 25-40
for pipes \varnothing 25÷40 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



ELETTROBAR RTBF800171

3449472 HOSE CLAMP 40-60
for pipes \varnothing 40÷60 mm
made of stainless steel AISI 304
height 12 mm and screw E7
suitable for food industry



ELETTROBAR CFS1A

Contact thermostats

3444610 CONTACT THERMOSTAT 90°C 10A 250V
with automatic reset
for BOILER



ELETTROBAR 236052

Contactors

3454012 CONTACTOR ABB A30-30-10
32A 400V 15Kw - coil 230V 50/60Hz
3 contacts NO
complete with 2 auxiliary contacts NO



ELETTROBAR

3351209 CONTACTOR AEG LS05 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally closed auxiliary contact



ELETTROBAR DTC112

ELETTROBAR REB229032

ELETTROBAR 229010

ELETTROBAR 229011

ELETTROBAR 229019

ELETTROBAR 229032

ELETTROBAR 926040

ELETTROBAR 929122

3351202 CONTACTOR AEG LS07 7A 230V 3Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



ELETTROBAR 926147

3446562 CONTACTOR LOVATO BF0901A
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally closed auxiliary contact



ELETTROBAR RTCU600371



Suitable for:

ELETTROBAR



3446561 CONTACTOR LOVATO BF0910A
 coil 9A 230V 50/60Hz 4.2Kw
 3 normally open contacts
 1 normally open auxiliary contact



ELETTROBAR RTBF800153

ELETTROBAR RTFOC00466

3446587 CONTACTOR LOVATO BF2600A
 coil 26A 230V 50/60Hz 13Kw
 3 normally open contacts
 no auxiliary contact



ELETTROBAR RTFOC00598

ELETTROBAR 177040

3446557 CONTACTOR LOVATO BG0901A
 coil 9A 230V 50/60Hz 4Kw
 3 normally open contacts
 1 normally closed auxiliary contact



ELETTROBAR RTCU600233

5011182 CONTACTOR LOVATO BG1201A
 12A 400V 5.7Kw coil 230V 50/60Hz
 3 contacts NO
 1 auxiliary contact NC



ELETTROBAR RTFOC00465

ELETTROBAR RTFOC00786

ELETTROBAR 164608

3454060 CONTACTOR SCHNEIDER LC1D09B7
 9A 400V 4Kw - coil 24V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact
 1 normally closed auxiliary contact



ELETTROBAR /ELF060670

3454072 CONTACTOR SIEMENS 3RT1017-1AB01
 12A 400V 5.5Kw - coil 24V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



ELETTROBAR DTC250

ELETTROBAR 927051

ELETTROBAR 927160

3351049 CONTACTOR SIEMENS 3RT2016-1AP01
 9A 400V 4Kw - coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



ELETTROBAR 229037

ELETTROBAR 73350

ELETTROBAR 80350

3454030 CONTACTOR SIEMENS 3RT2024-1AL20
 12A 400V 5.5Kw - coil 230V 50/60Hz
 3 contacts NO
 1 auxiliary contact NO
 1 auxiliary contact NC



ELETTROBAR C.80351

ELETTROBAR 80351

Cooking baskets and accessories

3055125 BLACK KNOB \varnothing 28x86 mm M8x1
plastic replacement for PASTA COOKER baskets



ELETTROBAR RTBF800322

5025485 FALSE BOTTOM 495x290x70 mm
made of STAINLESS STEEL



ELETTROBAR RIC0004782

ELETTROBAR RTCU800343

3055244 PASTA COOKER BASKET LH 160x145x215 mm
made of STAINLESS steel



ELETTROBAR A800000790

ELETTROBAR B800004

3055243 PASTA COOKER BASKET RH 160x145x215 mm
made of STAINLESS steel



ELETTROBAR A800000780

ELETTROBAR B800003

3055350 PASTA COOKER BASKET 285x160x215 mm
made of stainless steel



ELETTROBAR A800001260

3055125 BLACK KNOB \varnothing 28x86 mm M8x1
plastic replacement for PASTA COOKER baskets



ELETTROBAR RTBF800322

3055245 PASTA COOKER BASKET 290x145x215 mm
made of STAINLESS steel



ELETTROBAR A770000120

ELETTROBAR A770049

3055218 PASTA COOKER BASKET 290x160x215 mm
made of STAINLESS steel



ELETTROBAR A800000810

ELETTROBAR B00006

ELETTROBAR B800006

3055147 PASTA COOKER BASKET 290x98x215 mm
made of stainless steel



ELETTROBAR A800000800

ELETTROBAR B800005



Suitable for:

ELETTROBAR



Suitable for:

Drain assembly

- 3316011 BRASS DRAIN ASSEMBLY \varnothing 2"**
external \varnothing 80 mm - internal \varnothing 50 mm
connection \varnothing 59 mm



ELETTROBAR C.43145

ELETTROBAR 43145

Drain hoses

- 3356049 OIL DRAIN PIPE WITH SAFETY DEVICE**
 \varnothing 22 mm - length 210 mm - bayonet joint
for TECNOINOX BAIN-MARIE-FRYER



ELETTROBAR RTCU700318

Drain taps and accessories

- 3356100 DRAIN TAP \varnothing 2" F TECNO**
GASKET SEAL - with swivel nut \varnothing 2" F



ELETTROBAR RTCP900004

ELETTROBAR 30200198

Drip trays for kitchens and ovens

- 3015018 BURNER DRIP TRAY**
external size 360x445 mm
internal hole \varnothing 70 mm



ELETTROBAR PACU800004



Electric hot plates

3311092 ELECTRIC HOT PLATE \varnothing 145 mm 1500W 230V
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



ELETTROBAR RTCU700087

3311166 ELECTRIC HOT PLATE \varnothing 200 mm 1800W 230V
faston electric connections
complete with energy regulation
for glass-ceramic cooking top



ELETTROBAR RIC0001040


ELETTROBAR RIC0001295

3311100 ELECTRIC HOT PLATE \varnothing 220 mm 2600W 230V
terminal block electric connections
with STAINLESS steel edge
for electric cooking top




ELETTROBAR RTCU700086

3311101 ELECTRIC HOT PLATE \varnothing 220 mm 2600W 400V
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



ELETTROBAR RTCU700127

3311089 ELECTRIC HOT PLATE \varnothing 300 mm 3500W 230V
terminal block electric connections
with STAINLESS steel edge



ELETTROBAR 160369

3311053 ELECTRIC HOT PLATE 2600W 230V
dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



ELETTROBAR RTCU700248

3311062 ELECTRIC HOT PLATE 3000W 230V
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



ELETTROBAR RTCU800115

3311064 ELECTRIC HOT PLATE 4000W 230V
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



ELETTROBAR RTCU800118



Suitable for:

ELETTROBAR



Suitable for:

Electrical gas valves and accessories

3526098 COIL 220V
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



ELETTROBAR RTFOC00462

3526089 ELETROSIT VALVE \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LOWER thermocouple



ELETTROBAR RTBF800077

3526079 VALVE 820 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz



ELETTROBAR RTFOC00095

3523084 VALVE 826 NOVA \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
maximum gas inlet pressure 60 mbar
outlet pressure range setting
2÷50 mbar
room temperature 0÷60°C
power supply 230V 50Hz



ELETTROBAR RTFOC00577

3020083 NUT & OLIVE \varnothing 4 mm



ELETTROBAR RTCU700141

3020084 NUT & OLIVE \varnothing 6 mm



ELETTROBAR RTCU900217



Electronic controllers

3445399 CONTROLLER ELIWELL ID PLUS 902

12Vac/dc
1 relay output 8A for compressor
1 selectable NTC/PTC/PT1000 probe (not included)
1 programmable digital/temperature input
TTL input for copy card connection
front dimension 74x32x59 mm
mounting hole 71x29 mm



ELETTROBAR /ALP082396

3445073 THERMOSTAT EVK411 TCJ

power supply 12Vca/dc 1.5VA
thermostat setting range 0+600°C
ON-OFF control with one actuation point only
1 changeover relay output 16A
alarm buzzer
access to configuration parameters through password - TTL serial port
room temperature 0+60°C
thermocouple TCJ type probe (not included)
connections by screw terminal block
front dimensions 74x32x65 mm
mounting hole 71x29 mm



ELETTROBAR RTFOC00029

3445327 THERMOSTAT ICPLUS915 PT100/TCJ/TCK

power supply 12V
thermostat setting range -150+1350°C
ON-OFF control with two actuation points
2 exchange relay outputs 8(4)A 250V
room temperature -5+55°C
probe type PT100-TCJ-TCK (not included)
connections by screwed terminal block
front dimension 78x37x64 mm
mounting hole 71x29 mm



ELETTROBAR RIC0003634

3446209 TIMER EWTS950 LX 12Vac

1 exchange relay outlet 8(3)A 250V
thermostat display range:
9999h, 99h and 59', 99" and 59", 99" and 99 cents
operating range 0÷55°C
voltage 12Vca/dc
connections with screw terminal
dimensions 74x32x60 mm
mounting hole 71x29 mm



ELETTROBAR RIC0000368

Energy regulators

3350024 ENERGY ADJUSTER

contact capacity 240V 13A
max temperature 125°C
D-shaped pin ø 6x4.6 mm
double rotation direction



ELETTROBAR RIC0001299

ELETTROBAR RTCU800066

2111902 ENERGY REGULATOR

contacts 240V 13A
temperature max 125°C
D-shaft ø 6x4.6 mm



ELETTROBAR RIC0001010



Suitable for:

ELETTROBAR



Suitable for:

Feet

3313005 STAINLESS STEEL FOOT \varnothing 2" x h 125 mm
with fixed screw M12x25 mm



ELETTROBAR DWP128U

ELETTROBAR 926117

Fittings

5030514 FITTING OLIVE-SEAL PIPE \varnothing 14 mm
thread \varnothing 1/2"



ELETTROBAR RTBF800015

5030515 OLIVE FOR PIPE \varnothing 14 mm
external \varnothing 16.5 mm - height 6.5 mm



ELETTROBAR RTBF800137


3349347 NICHEL-PL.HOSE-END FITTING \varnothing 3/8" M \varnothing 12



ELETTROBAR DZR263

ELETTROBAR 927015

3349334 NICHEL-PLATED FITTING \varnothing 1/2" M-3/8" F



ELETTROBAR DZR550

ELETTROBAR 927234

5030515 OLIVE FOR PIPE \varnothing 14 mm
external \varnothing 16.5 mm - height 6.5 mm



ELETTROBAR RTBF800137

Fryer baskets and accessories

3055186 FRYER BASKET 290x110x120 mm
made of chrome-plated iron



ELETTROBAR /ELF03058A

3055197 FRYER BASKET 290x165x120 mm
in chromium plated iron



ELETTROBAR A80000200



Suitable for:

5035769 FRYER BASKET 295x120x120 mm
made of chrome-plated iron



ELETTROBAR A770000140

Suitable for:

3055269 FRYER BASKET 295x200x110 mm
in chrome-plated iron
for Fryer electric (ELETTROBAR) FRI9



ELETTROBAR 706089

5011057 FRYER BASKET 295x260x120 mm
made of chrome-plated iron



ELETTROBAR A770000150

3055195 FRYER BASKET 330x290x120 mm
in chromium plated iron



ELETTROBAR A800000210

ELETTROBAR A800003

ELETTROBAR RTBF800009

ELETTROBAR RTBF800316

3055348 FRYER BASKET 360x270x140 mm
made of chrome-plated iron



ELETTROBAR 160038

5020645 MESH FALSE BOTTOM COMPLETE 325x270 mm
height 105 mm
chrome-plated iron



ELETTROBAR RTCU700448

5055594 MESH FALSE BOTTOM COMPLETE 330x240 mm
height 110 mm
chrome-plated iron



ELETTROBAR RTCU600080

Fuses

3049019 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 4A



ELETTROBAR 228010

3049021 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 8A



ELETTROBAR RTFOC00284

ELETTROBAR RTFOC00734



ELETTROBAR



Suitable for:

3049036 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 100mA



ELETTROBAR RTFOC00047

Suitable for:

3049041 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 315mA



ELETTROBAR DEF72

ELETTROBAR 926283

3049045 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 800mA



ELETTROBAR DEF71

ELETTROBAR 926284

3049052 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 4A



ELETTROBAR 228004

Gas burners

5029681 BURNER \varnothing 40x400 mm
overall length 455 mm
made of STAINLESS steel



ELETTROBAR 160238

5009178 BURNER \varnothing 50x370 mm
overall length 460 mm
made of STAINLESS STEEL




ELETTROBAR RTBF800048

3023234 BURNER \varnothing 50x470 mm
overall length 565 mm
made of STAINLESS steel



ELETTROBAR RTCU700285

3023233 BURNER \varnothing 60x240 mm
overall length 305 mm
made of STAINLESS steel



ELETTROBAR RTCU800335

5030138 BURNER VERTICAL 295x60 mm



ELETTROBAR 161820

3023161 BURNER 445x200 mm
made of stainless steel



ELETTROBAR RTCU700483



ELETTROBAR



Suitable for:

5022030 BURNER 470x200 mm
made of STAINLESS STEEL



ELETTROBAR RTCU600070

3023231 BURNER 495x460 mm
made of STAINLESS steel



ELETTROBAR 162696

3023232 BURNER 540x290 mm
made of chrome-plated iron



ELETTROBAR 160165

5011088 BURNER 630x515 mm
made of chrome-plated iron



ELETTROBAR RTBF900098

3348089 BRACKET FOR TAP



ELETTROBAR RTCU600054

Suitable for:

5023011 BURNER 485x250 mm
made of STAINLESS STEEL



ELETTROBAR RTCU700279

ELETTROBAR RTCU700744

3023148 BURNER 535x240 mm
made of chrome-plated iron



ELETTROBAR RTBF800031

3023144 BURNER 575x225 mm
made of stainless steel



ELETTROBAR RIC0002519

5052722 BURNER 715x555 mm
chrome-plated iron



ELETTROBAR 166220

Gas taps and accessories



Suitable for:

ELETTROBAR



Suitable for:

Gas taps and accessories

3348096 GAS TAP SABAF
 without pilot flame
 flange connection pipe \varnothing 16 mm
 outlet connection \varnothing 1/4"
 eye thermocouple fitting
 D-shaped pin \varnothing 8x6.5 mm



ELETTROBAR RTCU600016

ELETTROBAR 170414

3348089 BRACKET FOR TAP



ELETTROBAR RTCU600054

3348016 GAS TAP 21S
 with pilot flame
 fittings \varnothing M16x1.5mm
 with flow regulator
 thermocouple connection M9x1 mm
 D-shaped pin \varnothing 8x6.5 mm



ELETTROBAR RTCU700259

3182011 MAGNETIC UNIT PEL SMALL HEADED
 \varnothing head 15 mm - \varnothing end 11 mm - length 44 mm
 for PEL tap models 20-21
 for EGA tap model 25213
 for JUNKERS tap model CH110



ELETTROBAR

3020078 PIPE FITTING \varnothing 6 mm
 thread M10x1



ELETTROBAR RTCU900019

ELETTROBAR 468098

5064538 GAS TAP 21S
 with pilot flame
 flange connection pipe \varnothing 21 mm
 outlet fitting M16x1.5 mm
 thermocouple connection M9x1
 D-shaped pin \varnothing 8x6.5 mm




ELETTROBAR 167997



Suitable for:

3348010 GAS TAP 22N/0
 with pilot flame
 with horizontal flange
 fittings \varnothing M20x1.5mm
 with flow regulator
 D-shaped pin \varnothing 10x8 mm



ELETTROBAR RTCU900020

3020082 OLIVE FOR 12 mm \varnothing PIPE



ELETTROBAR RTCU900014

3348002 GAS TAP 22S/0
 with pilot flame
 with horizontal flange
 fittings \varnothing M20x1.5mm
 with flow regulator
 thermocouple connection M9x1
 D-shaped pin \varnothing 10x8 mm



ELETTROBAR RTCU900011

3020082 OLIVE FOR 12 mm \varnothing PIPE



ELETTROBAR RTCU900014

Suitable for:

3182009 MAGNETIC UNIT PEL BIG HEADED
 \varnothing head 15.5 mm - \varnothing end 14 mm - length 44 mm
 for PEL tap model 22-24



ELETTROBAR RTCU900075

3020078 PIPE FITTING \varnothing 6 mm
 thread M10x1



ELETTROBAR RTCU900019

ELETTROBAR 468098

3182009 MAGNETIC UNIT PEL BIG HEADED
 \varnothing head 15.5 mm - \varnothing end 14 mm - length 44 mm
 for PEL tap model 22-24



ELETTROBAR RTCU900075

3020078 PIPE FITTING \varnothing 6 mm
 thread M10x1



ELETTROBAR RTCU900019

ELETTROBAR 468098



ELETTROBAR



Suitable for:

3348090 GAS TAP 22S/V
with pilot flame
with vertical flange
fittings M20x1.5 mm
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm



ELETTROBAR 160344

ELETTROBAR 168001

3020082 OLIVE FOR 12 mm \varnothing PIPE



ELETTROBAR RTCU900014

Suitable for:

3182009 MAGNETIC UNIT PEL BIG HEADED
 \varnothing head 15.5 mm - \varnothing end 14 mm - length 44 mm
for PEL tap model 22-24



ELETTROBAR RTCU900075


3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



ELETTROBAR RTCU900019

ELETTROBAR 468098

3348012 GAS TAP 23S/0
with pilot flame
with horizontal flange
inlet fitting M28x1.5mm
outlet connection M24x1.5mm
with flow regulator
thermocouple connection M10x1
D-shaped pin \varnothing 10x8 mm



ELETTROBAR RTCP800019

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



ELETTROBAR RTCU900019

ELETTROBAR 468098


3348037 OLIVE FOR PILOT PIPE \varnothing 6 mm
for model PEL 21-22-25



ELETTROBAR RTCU900018

ELETTROBAR 455001

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5
for model PEL 22



ELETTROBAR RTCU900017

Suitable for:

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5
for model PEL 20-21




ELETTROBAR RTCU700297

ELETTROBAR RTCU900013


Suitable for:

3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5
for model PEL 22



ELETTROBAR RTCU900015

3348034 PIPE FITTING \varnothing 16 mm
thread M24x1.5
for model PEL 23



ELETTROBAR RTCP800022

3348038 PIPE OLIVE \varnothing 10 mm
for model PEL 22



ELETTROBAR RTCU900016

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



ELETTROBAR RTCU900012

3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



ELETTROBAR RTCP800023

Gas valves and accessories

3523035 KNOB MINISIT BLACK \varnothing 37 mm




ELETTROBAR 447060

3523918 MANUAL MINISIT VALVE FOR PASTA COOKER
inlet outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
room temperature 0÷60°C
supplied without cover, knob and flanges



ELETTROBAR RTCU900062

3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



ELETTROBAR 611002



Suitable for:

ELETTROBAR



3523047 MINISIT COVER



ELETTROBAR RTCU900221

ELETTROBAR 611002

Suitable for:

3523039 MINISIT SENSING ELEMENT 30÷100°C
capillary length 1050 mm
bulb ø 5x125 mm



ELETTROBAR RTBF900066

3523019 MINISIT VALVE FOR FOOD-WARMER 30÷100°C

inlet ø 1/2"F - outlet ø 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb ø 5x125 mm
with an elbow flange ø 3/8"F



ELETTROBAR RTBF900003

3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



ELETTROBAR 611002

3523919 MINISIT VALVE FOR FOOD-WARMER 30÷100°C

inlet ø 1/2"F - outlet ø 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb ø 5x125 mm
without cover. knob and flanges



ELETTROBAR RTBF900003

3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



ELETTROBAR 611002

3523949 MINISIT VALVE FOR FRYER 110÷190°C


inlet ø 1/2"F - outlet ø 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb ø 6x105 mm
supplied without lid knob and flanges



ELETTROBAR RTCU700574

ELETTROBAR RTCU700642

3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



ELETTROBAR 611002



Suitable for:

3523023 **MINISIT VALVE FOR FRYER 50÷190°C**
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 lenght capillary 1200 mm
 bulb \varnothing 5x95 mm
 with an elbow flange \varnothing 3/8"F



ELETTROBAR GRCU900012

ELETTROBAR 611001

Suitable for:

3001071 **MINISIT PIEZO IGNITER WITH COVER**
 male faston 2.4 mm



ELETTROBAR 611002

3523020 **MINISIT VALVE FOR OVEN 100÷340°C**
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb \varnothing 5x70 mm
 with an elbow flange \varnothing 3/8"F



ELETTROBAR GRCU900015

3001071 **MINISIT PIEZO IGNITER WITH COVER**
 male faston 2.4 mm



ELETTROBAR 611002

3523920 **MINISIT VALVE FOR OVEN 100÷340°C**
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb \varnothing 5x70 mm
 without cover, knob and flanges



ELETTROBAR RTCU900064

3001071 **MINISIT PIEZO IGNITER WITH COVER**
 male faston 2.4 mm



ELETTROBAR 611002



Suitable for:

3523922 **MINISIT VALVE FOR OVEN 100÷340°C**
 inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1800 mm
 bulb \varnothing 5x70 mm
 without cover. knob and flanges



ELETTROBAR RTCU900063

Suitable for:

3001071 **MINISIT PIEZO IGNITER WITH COVER**
 male faston 2.4 mm



ELETTROBAR 611002

Gaskets and seals

3186010 **ASBESTOS FREE FLAT GASKET \varnothing 54x42x2 mm**




ELETTROBAR 437028

3186242 **ASBESTOS FREE FLAT GASKET \varnothing 61x46x2 mm**
 for drain tap \varnothing 2" old model



ELETTROBAR RTCP900025

3186479 **FIBERGLASS GASKET**
 profile dimensions 12x12 mm
 max temperature 600°C
 COLOUR WHITE
 SOLD PER METRE



ELETTROBAR 163292

3186011 **FLAT CARBO GASKET \varnothing 63x48x2 mm**
 universal carbo
 for heating element



ELETTROBAR 437029

5010462 **GASKET FLAT ASBESTOS FREE \varnothing 24x17x2 mm**




ELETTROBAR CGF17

ELETTROBAR REB437042


ELETTROBAR 437042

3186740 **GASKET FOR BURNER 3.5KW**
 size \varnothing 110x80x1.6 mm




ELETTROBAR RTCU700389

3186698 **GASKET FOR BURNER 6KW**
 size \varnothing 145x120x1.6 mm



ELETTROBAR RTCU700400

3186699 **GASKET FOR BURNER 8KW**



ELETTROBAR 160329

Suitable for:

Suitable for:


5025472 GASKET PIN SELECTOR SWITCH \varnothing 24 mm
D-shaped hole 6x4.6 mm



ELETTROBAR RTCU800185

Gaskets for oven door

5025707 GASKET DOOR UPPER 600 mm
silicone elastomer
profile dimensions 15x10 mm
COLOUR: BLACK



ELETTROBAR 164738

5066511 GASKET PROFILE DOOR UPPER
length 593 mm



ELETTROBAR 164736

ELETTROBAR 184110

5035571 GASKET PROFILE DOOR SIDE
length 305 mm



5035572 GASKET PROFILE DOOR UPPER
length 575 mm



ELETTROBAR 163886

ELETTROBAR 163885


5066511 GASKET PROFILE DOOR UPPER
length 593 mm



ELETTROBAR 164736

ELETTROBAR 184110

3786585 OVEN DOOR GASKET KIT
made of silicone elastomer
profile dimensions 15x10 mm
1 piece length 865 mm - 2 pcs length 325 mm
1 piece frame length 515 mm
2 pieces frame length 320 mm
BLACK COLOUR



ELETTROBAR MPGOM00P00
ELETTROBAR PACU700011

ELETTROBAR MPGOM01P00
ELETTROBAR RIC0004760

ELETTROBAR MPGOM01900
ELETTROBAR 167479




ELETTROBAR



Suitable for:

3186403 OVEN DOOR GASKET 1400 mm
made of silicone elastomer
profile dimensions 21x12 mm
COLOUR BLACK



ELETTROBAR RIC0002340


Suitable for:

3186103 OVEN DOOR GASKET 540x320 mm
made of silicone elastomer
with fastening clips - 3 sides
profile dimensions 9.2x8.5 mm
COLOUR BLACK



ELETTROBAR RTCU800097

3186750 SIDE DOOR GASKET 300 mm
made of silicone elastomer
profile dimensions 15x10 mm
COLOUR BLACK




ELETTROBAR 163888

5035571 GASKET PROFILE DOOR SIDE
length 305 mm



ELETTROBAR 163886

3186758 UPPER DOOR GASKET 570 mm
made of silicone elastomer
profile dimensions 15x10 mm
COLOUR BLACK



ELETTROBAR 163889

5035572 GASKET PROFILE DOOR UPPER
length 575 mm



ELETTROBAR 163885

Grids for kitchen

3185069 PAN SUPPORT GRID 300x335 mm



ELETTROBAR RTCU700274

3185113 PAN SUPPORT GRID 415x365 mm



ELETTROBAR 160031

ELETTROBAR 162954

ELETTROBAR 174189

3185068 PAN SUPPORT GRID 445x355 mm



ELETTROBAR RTCU800002

3354015 GRID REDUCER FOR MOKA 180x180 mm
made of chrome plated iron



ELETTROBAR RTCU800038

Suitable for:

Suitable for:

3185112 PAN SUPPORT GRID 510x290 mm




ELETTROBAR RTCU600019

Handles

3242729 BLUE PLASTIC HANDLE TERMINAL

5016707 HANDLE PLASTIC HEAD BLACK



ELETTROBAR RTCU700291

ELETTROBAR RTCU900413

5060923 HANDLE STAINLESS STEEL \varnothing 30x655 mm



ELETTROBAR RTCU800435

5014792 HANDLE STAINLESS STEEL 456x45 mm

3242729 BLUE PLASTIC HANDLE TERMINAL




ELETTROBAR PACU700447

ELETTROBAR RTCU700291

3242288 HANDLE 160x60 mm

3242035 PLASTIC BLACK SUPPORT FOR HANDLE
for CUPBOARD series MAGIS MAGISTRA-MAGISTRA



ELETTROBAR PACU800122

ELETTROBAR 168204

ELETTROBAR RTCU800001

3242035 PLASTIC BLACK SUPPORT FOR HANDLE
for CUPBOARD series MAGIS MAGISTRA-MAGISTRA

5001497 PLASTIC HANDLE 120 mm BLACK
distance between holes 105 mm



ELETTROBAR RTCU800001

ELETTROBAR RTBF800229

ELETTROBAR RTBF900242



Suitable for:

3242034 STAINLESS STEEL HANDLE 620x60 mm



ELETTROBAR PACU800131


ELETTROBAR 168205

ELETTROBAR



Suitable for:

3242035 PLASTIC BLACK SUPPORT FOR HANDLE
for CUPBOARD series MAGIS MAGISTRA-MAGISTRA



ELETTROBAR RTCU800001

Heating elements

3355243 HEATING ELEMENT 1000W 230V BOTTOM
length 180 mm - width 195 mm
complete with cables
for Panini grill electric (ELETTROBAR) G33 - G39
433 - 434 - 436 - 437 - 438



ELETTROBAR B.30023500

ELETTROBAR 921008

ELETTROBAR 921038

3355309 HEATING ELEMENT 1000W 230V BOTTOM
length 185 mm - width 180 mm
complete with cables



ELETTROBAR B.30023500

3355310 HEATING ELEMENT 1000W 230V TOP
length 185 mm - width 320 mm
complete with cables



ELETTROBAR B.30024100

5016771 HEATING ELEMENT 1200W 240V
length 400 mm - width 200 mm
height 24 mm



ELETTROBAR RTBF900217

ELETTROBAR 3710003

3755663 HEATING ELEMENT 1250W 240V
length 415 mm - width 85 mm
height 70 mm



ELETTROBAR RTCU600183

3755235 HEATING ELEMENT 1350W 230V
length 450 mm - width 75 mm
height 80 mm



ELETTROBAR RTCU700278

3355541 HEATING ELEMENT 1500W 220V
length 320 mm - width 55 mm
height 215 mm - fittings \varnothing 1/4"



ELETTROBAR /ELF003313

3755653 HEATING ELEMENT 1500W 230V
length 455 mm - width 195 mm



ELETTROBAR RIC0002068




ELETTROBAR



Suitable for:


3755654 HEATING ELEMENT 1500W 230V
length 355 mm - width 525 mm
flange 100x20 mm



ELETTROBAR RIC0002548

Suitable for:

3355311 HEATING ELEMENT 1500W 230V BOTTOM
length 185 mm - width 320 mm
complete with cables



ELETTROBAR B.30024300

3755006 HEATING ELEMENT 1500W 240V
length 500 mm - width 110 mm
height 75 mm



ELETTROBAR RTBF800026

3755661 HEATING ELEMENT 15000W 230V
length 300 mm - width 285 mm
connection M54x1.5 mm - complete with cables
complete with OR gaskets
with two holes per bulb



ELETTROBAR RTBF800318

3186697 O-RING 0159 EPDM



ELETTROBAR RTBF800321

ELETTROBAR RTCU700565

3186601 O-RING 04200 EPDM



ELETTROBAR RTBF800320

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



ELETTROBAR RTBF800319

3755201 HEATING ELEMENT 1530W 240V
length 360 mm - width 200 mm
flange 70x22 mm
operating ambient: dry



ELETTROBAR RTCU700280

5023644 HEATING ELEMENT 16000W 230V
length 335 mm - width 250 mm
with two holes for bulb - complete with cables



ELETTROBAR RIC0003816

ELETTROBAR 160035

ELETTROBAR 166412

ELETTROBAR 180953



ELETTROBAR



Suitable for:

3355212 HEATING ELEMENT 1800W 230V
length 255 mm - width 270 mm
height 90 mm - fittings \varnothing 1/4"




ELETTROBAR RTCP900002

ELETTROBAR RTCP900050

Suitable for:

5038142 HEATING ELEMENT 1800W 230V
length 325 mm - width 285 mm
flange 100x22 mm



ELETTROBAR RIC0001836

3755658 HEATING ELEMENT 1850W 240V
length 285 mm - width 45 mm
fittings M16x1.5 mm



ELETTROBAR RTCU700283

3355148 HEATING ELEMENT 2000W 240V
length 280 mm - width 60 mm
fittings \varnothing 3/8"



ELETTROBAR RTBF800168

3755668 HEATING ELEMENT 2000W 240V
length 570 mm - width 100 mm
h 70 mm



ELETTROBAR RTBE800038

ELETTROBAR RTBF800038

ELETTROBAR RTBF900068

3355214 HEATING ELEMENT 2500W 220V
length 530 mm - width 615 mm
flange 70x22 mm



ELETTROBAR RTCU900067

ELETTROBAR RTCU900186

3355889 HEATING ELEMENT 2500W 230V
external \varnothing 190 mm - total height 70 mm
flange 70x22 mm



ELETTROBAR RIC0001835

3355057 HEATING ELEMENT 2500W 240V
external \varnothing 200 mm - total height 64 mm
flange 100x22 mm



ELETTROBAR RTCU700451

ELETTROBAR RTTAV00105

5016738 HEATING ELEMENT 2500W 240V
length 470 mm - width 600 mm
flange 70x22 mm



ELETTROBAR RTCU900435

3755664 HEATING ELEMENT 2600W 230V
external \varnothing 190 mm - overall height 81 mm
flange 70x22 mm



ELETTROBAR RTCU700650



Suitable for:

3455456 HEATING ELEMENT 3000W 230V
length 360 mm - width 65 mm
height 240 mm - fittings \varnothing 1/4"




ELETTROBAR 161879

ELETTROBAR 180580

Suitable for:

3755655 HEATING ELEMENT 3000W 230V
length 505 mm - width 645 mm
flange 100x22 mm



ELETTROBAR 161662

3755662 HEATING ELEMENT 3000W 230V
length 255 mm - width 55 mm
height 25 mm - fittings M16x1.5 mm



ELETTROBAR RTCU700284

3755667 HEATING ELEMENT 3000W 230V
length 445 mm - width 50 mm
fittings M16x1.5 mm



ELETTROBAR RTCU800342

5016765 HEATING ELEMENT 3000W 240V
length 400 mm - width 210 mm
height 75 mm




ELETTROBAR RTCU700646

3755185 HEATING ELEMENT 3200W 240V
length 570 mm - width 520 mm
flange 70x22 mm




ELETTROBAR RTCU700281

5030236 HEATING ELEMENT 3200W 380V
length 505 mm - width 525 mm
flange 70x22 mm



ELETTROBAR RTCU700683


3355612 HEATING ELEMENT 3300W 230V
length 250 mm - width 135 mm
height 220 mm - flange 160x22 mm
for Fryer electric (ELETTROBAR) FRI6



ELETTROBAR RTCU600250

ELETTROBAR 230069


3355613 HEATING ELEMENT 3300W 230V
length 320 mm - width 135 mm
height 220 mm - flange 160x22 mm
for Fryer electric (ELETTROBAR) FRI9



ELETTROBAR RTCU600249

ELETTROBAR 230070

3755657 HEATING ELEMENT 3750W 230V
length 510 mm - width 640 mm
flange 70x20 mm



ELETTROBAR 161661




ELETTROBAR



Suitable for:

3755656 HEATING ELEMENT 3950W 230V
length 510 mm - width 545 mm
flange 160x22 mm



ELETTROBAR RTCU700282

Suitable for:

5037194 HEATING ELEMENT 4000W 240V
length 600 mm - width 200 mm
height 65 mm



ELETTROBAR 166219

3355105 HEATING ELEMENT 4200W 230/380V
for wash tank and boiler
immersed length 340 mm
flange external \varnothing 72 mm
with thermostat probe receptacle
with O-ring



ELETTROBAR /COM110331

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



ELETTROBAR /COM200815
ELETTROBAR 929046

ELETTROBAR CGG55

ELETTROBAR 167956

3755669 HEATING ELEMENT 5250W 230V
length 290 mm - width 115 mm
with two holes for bulb - complete with cables



ELETTROBAR RIC0003796

ELETTROBAR RTCU700592

ELETTROBAR 180952

3186697 O-RING 0159 EPDM



ELETTROBAR RTBF800321

ELETTROBAR RTCU700565

3755666 HEATING ELEMENT 6000/7200W 220/240V
immersed depth 495 mm
flange \varnothing external 72 mm
with bulb sheath
complete with OR gaskets



ELETTROBAR RTPC800008

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



ELETTROBAR /COM200815
ELETTROBAR 929046

ELETTROBAR CGG55

ELETTROBAR 167956



Suitable for:

3355616 HEATING ELEMENT 6600W 230V
length 350 mm - width 130 mm
height 230 mm - flange 160x22 mm
for Fryer electric (ELETTROBAR) FRI12



ELETTROBAR REB230072

ELETTROBAR RTCU600235

ELETTROBAR 230072

Suitable for:

3355308 HEATING ELEMENT 700W 230V TOP
length 185 mm - width 180 mm
complete with cables



ELETTROBAR B.30022500

3355406 HEATING ELEMENT 750W 230V TOP
length 170 mm - width 145 mm
complete with cables
for Panini grill electric (ELETTROBAR) G33 - G39
433 - 434 - 436 - 437 - 438




ELETTROBAR B.30022500

ELETTROBAR 921017

ELETTROBAR 921037

3755237 HEATING ELEMENT 7500W 230V
external \varnothing 260 mm - overall height 165 mm
flange 142x25 mm



ELETTROBAR RTFOC00013

ELETTROBAR RTFOC00433

3755659 HEATING ELEMENT 9000W 230V
length 330 mm - width 200 mm
with two holes for bulb
complete with cables



ELETTROBAR RIC0003794

ELETTROBAR RTCU600122

ELETTROBAR 180951

5030040 EXTENSION BULB COUPLING 75 mm
thread M10x1 mm



ELETTROBAR 165587

3186697 O-RING 0159 EPDM



ELETTROBAR RTBF800321

ELETTROBAR RTCU700565

3250139 SEEGER RING E-60
in steel for springs C75
internal \varnothing 55.8 mm - thickness 2 mm
UNI 7435 - DIN 471



ELETTROBAR RTMIN00283

3755660 HEATING ELEMENT 9000W 230V
length 290 mm - width 205 mm
with two holes for thermostat probe - with cables



ELETTROBAR RIC0003795

ELETTROBAR RTCU700570

ELETTROBAR 166410

ELETTROBAR 180950

5030040 EXTENSION BULB COUPLING 75 mm
thread M10x1 mm



ELETTROBAR 165587



Suitable for:

2111161 GASKET STUFFING GLAND \varnothing 7.5 mm
height 7 mm
for THERMOSTAT EGO



ELETTROBAR RTFOC00751

3440012 SLOTTED FITTING M10x1



ELETTROBAR RTCP900058

3355349 QUARTZ HEATING ELEMENT 1000W 230V
length 390 mm - flange 130x11 mm
for Toaster electric (ELETTROBAR) 412



ELETTROBAR 923003

ELETTROBAR 923004

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



ELETTROBAR RTBF800319

3355343 WIRE HEATING ELEMENT 500W 110V
length 390 mm
for Toaster electric (ELETTROBAR) 3P - 6P



ELETTROBAR 230031

ELETTROBAR



Suitable for:

3186697 O-RING 0159 EPDM



ELETTROBAR RTBF800321

ELETTROBAR RTCU700565

3355299 QUARTZ TUBE \varnothing 10x390 mm



ELETTROBAR 484001

7103888 SET HEATING ELEMENT 12000W 230V
this set includes 3 pieces
length 440 mm - width 60 mm
height 245 mm - fittings \varnothing 1/4"



ELETTROBAR 164247

ELETTROBAR 164718

ELETTROBAR 180587

3355299 QUARTZ TUBE \varnothing 10x390 mm



ELETTROBAR 484001

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118 mm
height 23 mm



ELETTROBAR RTCU900004

3053019 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 110 mm
height 25 mm




ELETTROBAR C0002482

ELETTROBAR RIC0002482


ELETTROBAR 01980059512

5022826 HINGE DOOR LOWER
distance between holes 42 mm - overall length 93 mm
height 43 mm - thread M6



ELETTROBAR RTBF900013

3053007 LEFTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205 mm
height 160 mm



ELETTROBAR RTCU900027


ELETTROBAR RTCU900397

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118 mm
height 23 mm



ELETTROBAR RTCU900004

3053006 RIGHTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205 mm
height 160 mm



ELETTROBAR RTCU900026

ELETTROBAR RTCU900396

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118 mm
height 23 mm



ELETTROBAR RTCU900004

3053115 SPRING LH \varnothing 6 mm
for hinges with radius 500-545 mm



ELETTROBAR 20500050

3053114 SPRING RH \varnothing 6 mm
for hinges with radius 500-545 mm



ELETTROBAR 20500048



Suitable for:

ELETTROBAR



Suitable for:

Hydraulic piping

5047231 HOSE RUBBER CANVASSED \varnothing 25x35x1040 mm
internal \varnothing 25 mm - external \varnothing 35 mm



ELETTROBAR MPGOM27T00

3450152 HOSE RUBBER REINFORCED \varnothing 13/19 mm
internal \varnothing 13 mm - external \varnothing 19 mm
SOLD PER METER



ELETTROBAR SPG17

ELETTROBAR SPG61

ELETTROBAR 143010

5060549 HOSE WATER OUTLET 815 mm
external \varnothing 10 mm - internal \varnothing 8 mm - pipe \varnothing 21 mm
thread \varnothing 1/2"



ELETTROBAR 160653

3450109 RUBBER PIPE \varnothing 13x20 mm - 5 m
operating temperature -40+100°C



ELETTROBAR /COM200113

1449681 SILICONE HOSE \varnothing 4x7 SHORE 60 - 5 m
alimentary



ELETTROBAR /ELF000375

Ignitors

3001071 MINISIT PIEZO IGNITER WITH COVER
male faston 2.4 mm



ELETTROBAR 611002

3001007 PIEZO IGNITER
a \varnothing 22 mm hole is needed for the assembly
2.4 mm \varnothing male faston connector



ELETTROBAR RIC0000225

ELETTROBAR RTCU700020

ELETTROBAR 6010047



Suitable for:

3001009 PIEZO IGNITER JUNKERS
with faston 6.35x0.8 mm



ELETTROBAR RTCU900056

Suitable for:

5053290 SET PIEZO IGNITION WITH CABLE
with watertight cap
with silicone cover
a \varnothing 22 mm hole is required for installation
ignition lead 1550 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 2.4 mm for sparking plug



ELETTROBAR RIC0004096

Incandescent lamps and neon lamps

3221263 HALOGEN LAMP R7s 200W 230V
length 117 mm



ELETTROBAR

3221382 NEUTRAL HALOGEN LAMP G9 42W 230V



ELETTROBAR 177059

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



ELETTROBAR RTFOC00658

ELETTROBAR LAR65270120

ELETTROBAR RTFOC00037

3221140 OVEN LAMP E14 40W 230V
max temperature 300°C



3221259 OVEN NEON LAMP Ba9s 0.9mA 400V
dimensions \varnothing 10x28 mm



ELETTROBAR /CB0000014

ELETTROBAR

3221258 OVEN NEON LAMP Ba9s 1.5mA 230V
dimensions \varnothing 10x28 mm



ELETTROBAR



Suitable for:

ELETTROBAR



Suitable for:

Indicator lights

3221552 GREEN INDICATOR LAMP 12V
head \varnothing 7 mm - hole \varnothing 6 mm
wire connection length 200 mm



ELETTROBAR

3221101 GREEN INDICATOR LAMP 230V
head \varnothing 15 mm - \varnothing hole 13 mm - 120°C
M faston 6.3x0.8 mm
universal application



ELETTROBAR RTCU900290

3221132 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ELETTROBAR REB216019

ELETTROBAR 216019

3221164 GREEN INDICATOR LAMP 230V
head \varnothing 7 mm - hole \varnothing 6 mm - 120°C
dashboard mounting



ELETTROBAR DEL15

ELETTROBAR REB216022

ELETTROBAR 216022

3221329 GREEN INDICATOR LAMP 230V
 \varnothing head 16 mm - \varnothing hole 10 mm - 150°C



ELETTROBAR 160505

ELETTROBAR 161792

ELETTROBAR 166465

3221262 GREEN LAMP RECEPTACLE
head \varnothing 14.5 mm - hole \varnothing 12 mm



ELETTROBAR DEP142

ELETTROBAR 926114

3319219 GREY SUPPORT
dima di foratura 16x16 mm - per tasto \varnothing 12 mm



ELETTROBAR 226096

3221153 INDICATOR LAMP GREEN 380V
mounting hole 32. 5x10 mm - 85°C
for COUNTER TOP FRYER all models



ELETTROBAR /ELF003320

3221025 INDICATOR LAMP ORANGE 230V
head \varnothing 15 mm - hole \varnothing 13 mm - 120°C
faston M 6.3x0.8 mm
universal application



ELETTROBAR RTCU900072

ELETTROBAR RTCU900488

3221154 INDICATOR LAMP ORANGE 380V
mounting hole 32. 5x10 mm - 85°C
for COUNTER TOP FRYER all models



ELETTROBAR /ELF003321

Suitable for:

3221024 INDICATOR LAMP RED 230V
 head \varnothing 15 mm - hole \varnothing 13 mm - 120°C
 faston M 6.3x0.8 mm
 universal application



ELETTROBAR RTCU900071 ELETTROBAR RTCU900291

Suitable for:

3221025 INDICATOR LAMP ORANGE 230V
 head \varnothing 15 mm - hole \varnothing 13 mm - 120°C
 faston M 6.3x0.8 mm
 universal application



ELETTROBAR RTCU900072 ELETTROBAR RTCU900488

3221192 LAMP SUPPORT



ELETTROBAR REB299035 ELETTROBAR 299035

3221097 NEUTRAL INDICATOR LAMP 220V
 head \varnothing 8 mm - 120°C



ELETTROBAR DEL25 ELETTROBAR DEL31 ELETTROBAR REB216006
 ELETTROBAR 216006 ELETTROBAR 926113

3221553 ORANGE INDICATOR LAMP 12V
 head \varnothing 7 mm - hole \varnothing 6 mm
 wire connection length 200 mm



ELETTROBAR

3221112 ORANGE INDICATOR LAMP 220V
 head \varnothing 7 mm - hole \varnothing 6 mm - 120°C
 application to the board



ELETTROBAR DEL14 ELETTROBAR 926287

3221095 ORANGE INDICATOR LAMP 230V
 head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
 universal application



ELETTROBAR /ELF281007 ELETTROBAR B.30168500 ELETTROBAR DEL10
 ELETTROBAR REB216020 ELETTROBAR 216018 ELETTROBAR 216020

3221325 ORANGE INDICATOR LAMP 230V
 head \varnothing 16 mm - hole \varnothing 10 mm - 150°C



ELETTROBAR 160506 ELETTROBAR 161793 ELETTROBAR 161794
 ELETTROBAR 166466

3221329 GREEN INDICATOR LAMP 230V
 \varnothing head 16 mm - \varnothing hole 10 mm - 150°C



ELETTROBAR 160505 ELETTROBAR 161792 ELETTROBAR 166465



ELETTROBAR



Suitable for:

3221137 ORANGE INDICATOR LAMP 250V
ø head 14 mm - ø hole 12 mm - 120°C



ELETTROBAR 216012

Suitable for:

3221297 ORANGE INDICATOR LIGHT 230V
head ø 14 mm - hole ø 13 mm



ELETTROBAR

3221551 RED INDICATOR LAMP 12V
head ø 7 mm - hole ø 6 mm
wire connection length 200 mm



ELETTROBAR

3221111 RED INDICATOR LAMP 230V
head ø 7 mm - hole ø 6 mm - 120°C
application to the board



ELETTROBAR DEL13

3221342 RED INDICATOR LAMP 400V
head ø 16 mm - hole ø 12 mm - 120°C



ELETTROBAR *IOL0038900

3221139 RED INDICATOR LIGHT 230V
head ø 14 mm - hole ø 12 mm - 120°C
for Panini grill electric (ELETTROBAR) G33 - G39



ELETTROBAR 216016

Injectors

3500020 GAS JET M10x1 ø 0.80 mm



ELETTROBAR RTCU900241

3500021 GAS JET M10x1 ø 0.95 mm



ELETTROBAR RTCU700032

ELETTROBAR RTCU900045

3500024 GAS JET M10x1 ø 1.15 mm



ELETTROBAR RTCU700468

ELETTROBAR RTCU900246

3500025 GAS JET M10x1 ø 1.20 mm



ELETTROBAR RTCU900236



Suitable for:

Suitable for:

3500027 GAS JET M10x1 \varnothing 1.30 mm

3500028 GAS JET M10x1 \varnothing 1.45 mm



ELETTROBAR RTCU700034

ELETTROBAR RTCU700035

ELETTROBAR RTCU900235

3500032 GAS JET M10x1 \varnothing 2.00 mm

3500060 GAS JET M7x1 \varnothing 0.55 mm



ELETTROBAR RTCU900038

ELETTROBAR SN53301280

3500061 GAS JET M7x1 \varnothing 0.80 mm

3500062 GAS JET M7x1 \varnothing 0.85 mm



ELETTROBAR 1260

ELETTROBAR SN53301220

ELETTROBAR SN53301221

3500064 GAS JET M7x1 \varnothing 1.20 mm

3500065 GAS JET M7x1 \varnothing 1.30 mm



ELETTROBAR 1230

ELETTROBAR 1410

3500069 GAS JET M7x1 \varnothing 1.60 mm

3500042 GAS JET M9x1 \varnothing 1.00 mm



ELETTROBAR 1250

ELETTROBAR RTCU800105

3500043 GAS JET M9x1 \varnothing 1.10 mm

3500070 GAS NOZZLE M10x1 \varnothing 1.70 mm



ELETTROBAR RTCU700226

ELETTROBAR RTCU700036



Suitable for:

5028638 NOZZLE GAS M10x1 ø 0.30 mm



ELETTROBAR RTCU800337

ELETTROBAR 172474

Suitable for:

5026894 NOZZLE GAS M10x1 ø 0.50 mm



ELETTROBAR RTCU800338

ELETTROBAR 172473

Interference suppression filters

3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL
0.47µF




ELETTROBAR DEC50

ELETTROBAR RTFOC00312

ELETTROBAR 926144

3160383 INTERFERENCE SUPPRESSION FILTER
OHM 100 mF 0.1 VAC 250



ELETTROBAR RTFOC00023

Ironmongery (screws,nuts,washers)

1241513 BLIND HEXAGONAL NUT M8 UNI 5721
inox - altezza 16 mm - UNI 5721 - DIN 1587



ELETTROBAR REB417049

ELETTROBAR 417049

5002614 COUNTERNUT M16x1
height 4.5 mm



ELETTROBAR RTCU900005

3528122 COUNTERSUNK FLAT HEAD SCREWS M4x30
slotted - stainless steel
UNI 6109 - DIN 963 - ISO 2009



ELETTROBAR CV1155

3528010 FLAT WASHER M6
ø internal/external 6,4/12 mm - thickness 1,6 mm
st./steel - UNI 6592 - DIN 125 A - ISO 7089



ELETTROBAR CRI06

ELETTROBAR 472019

3060069 HEXAGONAL NUT M8 MEDIUM
stainless steel - UNI 5588 - DIN 934 - ISO 4032



ELETTROBAR CDI208AU

ELETTROBAR 926087

3528243 SPRING WASHER ø 12 mm



ELETTROBAR 176318



Knobs

3241247 BLACK KNOB
round hole \varnothing 6 mm



ELETTROBAR RTCU700413

3241402 BLACK KNOB \varnothing 70 mm
D shaft hole 6x4.6 mm
for thermostat. selector switch. timer.
program switch. energy regulator




ELETTROBAR

3241092 BLACK KNOB \varnothing 55 mm
D shaft hole 6x4.6 mm



ELETTROBAR /ELF033250

3241044 BLACK KNOB \varnothing 55 mm SILK-SCREEN PRINTED
D shaft hole 10x8 mm



ELETTROBAR /ALP0A2260

3241040 BLACK KNOB \varnothing 65 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm
for valve equipped gas COOK TOP tap




ELETTROBAR RTCU900028

ELETTROBAR 168345

ELETTROBAR 168868

3241863 BLACK KNOB \varnothing 70 mm
D shaft hole 6x4.6 mm



ELETTROBAR

3241864 BLACK KNOB \varnothing 70 mm MIN-MAX
D shaft hole 6x4.6 mm



ELETTROBAR

3241042 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D-shaft hole 8x6.5 mm



ELETTROBAR 169337

ELETTROBAR 169355

ELETTROBAR 172032

3241187 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm




ELETTROBAR RTCU700308

ELETTROBAR RTCU700309

ELETTROBAR 168861

ELETTROBAR 168867

3241334 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D shape hole 10x8 mm



ELETTROBAR



ELETTROBAR



Suitable for:

3241527 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D shaped hole 10x8 mm



ELETTROBAR 164360
ELETTROBAR 169336+169369
ELETTROBAR 172032

ELETTROBAR 168852
ELETTROBAR 169336+172032

ELETTROBAR 169336
ELETTROBAR 169369

Suitable for:

3241528 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm



ELETTROBAR RTCU600063
ELETTROBAR 168867

ELETTROBAR RTCU600064

ELETTROBAR 168861

3241530 BLACK KNOB \varnothing 70 mm SILK-SCREEN PRINTED
D shaft hole 10x8 mm




ELETTROBAR 164581

ELETTROBAR 165927

ELETTROBAR 168848

3241860 BLACK KNOB \varnothing 70 mm 0-1-0-1
D shaft hole 6x4.6 mm




ELETTROBAR

3241525 BLACK KNOB \varnothing 70 mm 0-1-2-3
D shape hole 6x4.6 mm



ELETTROBAR RTCP800104

3241861 BLACK KNOB \varnothing 70 mm 0-1-2-3
D shaft hole 6x4.6 mm



ELETTROBAR

3241523 BLACK KNOB \varnothing 70 mm 0-1-2-3-4-5-6
D shaft hole 6x4.6 mm



ELETTROBAR RTCU800059

ELETTROBAR 169340

ELETTROBAR 169363

3241531 BLACK KNOB \varnothing 70 mm 0-1-2-3-4-5-6
D shaft hole 6x4.6 mm



ELETTROBAR 164577
ELETTROBAR 169912

ELETTROBAR 165926


ELETTROBAR 168847

3241862 BLACK KNOB \varnothing 70 mm 0-1-2-3-4-5-6
D shaft hole 6x4.6 mm



ELETTROBAR

3241188 BLACK KNOB \varnothing 70 mm 1-2-3-4-5-6-7-8
D shaft hole 8x6.5 mm



ELETTROBAR RTCU700343
ELETTROBAR 168867

ELETTROBAR RTCU700344

ELETTROBAR 168861



Suitable for:

3241126 BLACK KNOB \varnothing 70 mm 170-300°C
D shaft hole 10x8 mm



ELETTROBAR RTCU800019

Suitable for:

3241855 BLACK KNOB \varnothing 70 mm 30-110°C
D shaft hole 6x4.6 mm




ELETTROBAR

3241853 BLACK KNOB \varnothing 70 mm 30-90°C
D shaft hole 6x4.6 mm



ELETTROBAR

3241854 BLACK KNOB \varnothing 70 mm 30-90°C
D shaft hole 6x4.6 mm



ELETTROBAR

3241529 BLUE KNOB \varnothing 70 mm 0-1-2-3-4-5-6
D shaft hole 6x4.6 mm




ELETTROBAR RTCU700346
ELETTROBAR 168878

ELETTROBAR RTCU700403

ELETTROBAR 168877

5029484 DISK STICKER BLACK 0-1-2-3-4-5-6
external \varnothing 62 mm




ELETTROBAR 163782

5057315 DISK STICKER BLACK 100-300°C
external \varnothing 62 mm



ELETTROBAR 163781

3241996 DISK STICKER BLUE 0-90-I-MIN
external \varnothing 50 mm



ELETTROBAR 169257


5030137 DISK STICKER BLUE 145-310°C
external \varnothing 50 mm



ELETTROBAR 164582

ELETTROBAR 169908

3241995 DISK STICKER BLUE 150-290°C
external \varnothing 50 mm



ELETTROBAR 169898




ELETTROBAR



Suitable for:


5053949 **DISK STICKER BLUE 155-300°C**
external ø 50 mm



ELETTROBAR 169897


Suitable for:

3541003 **DISK STICKER COLD WATER**
external ø 50 mm



ELETTROBAR 164586

5029684 **DISK STICKER COLD WATER**
external ø 50 mm




ELETTROBAR 164580

7107468 **DISK STICKER WITH PILOT BURNER SYMBOL**
external ø 62 mm



ELETTROBAR 174332

3241994 **DISK STICKER 1-2-3-4-5-6-7-8**
external ø 50 mm



ELETTROBAR 170411

3241990 **DISK STICKER 135-285°C**
external ø 62 mm



ELETTROBAR 171451

3541002 **DISK STICKER 145-310°C**
external ø 62 mm



ELETTROBAR 174324

3241992 **DISK STICKER 150-280°C**
external ø 62 mm



ELETTROBAR 174323

3241993 **DISK STICKER 150-290°C**
external ø 62 mm



ELETTROBAR 174322

3241991 **DISK STICKER 155-300°C**
external ø 62 mm



ELETTROBAR 174325



Suitable for:


3241721 KNOB BLACK ø 50 mm 30°-90°C
D-shaped hole 6x4.6 mm
for thermostat EGO



ELETTROBAR RIC0004456

Suitable for:

5002601 KNOB BLACK ø 65 mm 0-1-2-3-4-5-6
D-shaped hole 6x4.6 mm



ELETTROBAR RTCU700075

5023990 KNOB BLACK ø 70 mm
D-shaped hole 10x8 mm



ELETTROBAR 160472

ELETTROBAR 165925

ELETTROBAR 168846

ELETTROBAR 170150

5029483 KNOB BLACK ø 70 mm
D-shaped hole 6x4.6 mm



ELETTROBAR 168879

5057315 DISK STICKER BLACK 100-300°C
external ø 62 mm



ELETTROBAR 163781

5037162 KNOB BLACK ø 70 mm
D-shaped hole 10x8 mm



ELETTROBAR RTCU700754


ELETTROBAR 168865

5053289 KNOB BLACK ø 70 mm
D-shaped hole 8x6.5 mm



ELETTROBAR 168851

3241996 DISK STICKER BLUE 0-90-I-MIN
external ø 50 mm




ELETTROBAR 169257




Suitable for:

3241995 **DISK STICKER BLUE 150-290°C**
external ø 50 mm



ELETTROBAR 169898

3241994 **DISK STICKER 1-2-3-4-5-6-7-8**
external ø 50 mm



ELETTROBAR 170411

5011176 **KNOB BLACK ø 70 mm 50-300°C**
D-shaped hole 6x4.6 mm



ELETTROBAR RTCU700434

ELETTROBAR 168877+RTCU700349

ELETTROBAR 168878+RTCU700349

ELETTROBAR RTCU800062

5009132 **KNOB BLACK ø 76 mm 0-1**
D-shaped hole 6x4.6 mm



5049161 **KNOB GRAY ø 56 mm**
with BLUE index
D-shaped hole 6x4.6 mm



ELETTROBAR 170955

5011174 **KNOB LIGHT BLUE ø 70 mm 150-300°C**
D-shaped hole 6x4.6 mm



ELETTROBAR RTCU700347

ELETTROBAR RTCU700347+168877

ELETTROBAR RTCU700347+168878

ELETTROBAR RTCU700437

ELETTROBAR 168877

5011181 **KNOB LIGHT BLUE ø 70 mm 60-200°C**
D-shaped hole 6x4.6 mm



ELETTROBAR RTCU700594

ELETTROBAR RTCU700595

ELETTROBAR 168877

ELETTROBAR 168878

3241185 **KNOB RED ø 76 mm 0-1-2-3-4-5-6-7-8**
D-shaped hole 10x8 mm




ELETTROBAR RTCU800018

ELETTROBAR



Suitable for:

5053949 **DISK STICKER BLUE 155-300°C**
external ø 50 mm



ELETTROBAR 169897



Suitable for:

3241524 KNOB RED \varnothing 76 mm 0-1-2-3-4-5-6-7-8
D-shaped hole 10x8 mm



ELETTROBAR 164392

ELETTROBAR 168855

Suitable for:

3241821 KNOB RED \varnothing 76 mm 1-2-3-4-5-6-7-8
D-shaped hole 6x4.6 mm



ELETTROBAR RTBF800085

3241127 KNOB RED \varnothing 76 mm 50-300°C
D-shaped hole 6x4.6 mm



ELETTROBAR RTCU700076

ELETTROBAR RTCU800103

3241526 KNOB RED \varnothing 76 mm 50-300°C
D-shaped hole 6x4.6 mm



ELETTROBAR 164389

7107469 KNOB SILVER \varnothing 72 mm
D-shaped hole 8x6.5 mm



ELETTROBAR 171437

7107468 DISK STICKER WITH PILOT BURNER SYMBOL
external \varnothing 62 mm



ELETTROBAR 174332

3241990 DISK STICKER 135-285°C
external \varnothing 62 mm




3241992 DISK STICKER 150-280°C
external \varnothing 62 mm



ELETTROBAR 171451

3241993 DISK STICKER 150-290°C
external \varnothing 62 mm




ELETTROBAR 174323

3241991 DISK STICKER 155-300°C
external \varnothing 62 mm



ELETTROBAR 174322

3241989 RING NUT SILVER FOR KNOB \varnothing 92 mm



ELETTROBAR 171439

ELETTROBAR 174325

3528243 SPRING WASHER \varnothing 12 mm



ELETTROBAR 176318



ELETTROBAR



Suitable for:

3541001 KNOB SILVER PLATED \varnothing 72 mm
D-shaped hole 10x8 mm



ELETTROBAR 171433

3541002 DISK STICKER 145-310°C
external \varnothing 62 mm



ELETTROBAR 174324

3241039 RED KNOB \varnothing 65 mm 0-1-2-3-4-5-6-7-8
D shaft hole 8x7 mm
for EGA COOKTOP OVEN valve




ELETTROBAR RTCU700031

5028932 RING NUT BLACK KNOB \varnothing 91 mm



ELETTROBAR 163658

3241460 SELF-STICK DISK 50-300°C
external \varnothing 63 mm



ELETTROBAR


Suitable for:

7107468 DISK STICKER WITH PILOT BURNER SYMBOL
external \varnothing 62 mm



ELETTROBAR 174332

3241989 RING NUT SILVER FOR KNOB \varnothing 92 mm




ELETTROBAR 171439

3241344 RED KNOB \varnothing 72 mm 50-300°C
D shape hole 8x6.5 mm



ELETTROBAR B.30654500

3241989 RING NUT SILVER FOR KNOB \varnothing 92 mm



ELETTROBAR 171439



Lamp receptacles and spare parts


2110636 OVEN LAMP RECEPTACLE GLASS \varnothing 41 mm
thread \varnothing 34 mm - overall height 36 mm



ELETTROBAR RIC0003672

Lava rock grids

3185132 S/STEEL PAN SUPPORT GRID 540x340x20 mm



ELETTROBAR RIC0002637

3185114 STAINLESS STEEL GRILL 465x315x20 mm



ELETTROBAR GACU700256

3185059 STAINLESS STEEL GRILL 600x345x20 mm
for new series



ELETTROBAR

Magnet groups

3182009 MAGNETIC UNIT PEL BIG HEADED
 \varnothing head 15.5 mm - \varnothing end 14 mm - length 44 mm
for PEL tap model 22-24



ELETTROBAR RTCU900075


3182011 MAGNETIC UNIT PEL SMALL HEADED
 \varnothing head 15 mm - \varnothing end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



ELETTROBAR

Magnets

3242354 DOOR LOCK MAGNET
distance between magnetic part holes 74 mm
distance between holes of strike plate 54 mm



ELETTROBAR RIC0001384

ELETTROBAR RTBF300233

5009179 MAGNET DOOR LOCKING \varnothing 32 mm
thread M5x15 mm



ELETTROBAR RTBF800016

ELETTROBAR 181529



Suitable for:

ELETTROBAR



Suitable for:


Microswitches

3803027 CHANGE OVER MICROSWITCH 16A 250V



ELETTROBAR /ELF251903

3240605 DOOR MICROSWITCH M1AX20 10A 250V



ELETTROBAR 218011

3240204 MAGNETIC MICROSWITCH E5301C
0.4A 250V - contact NO - head 65x20x9 mm
with magnet 63x19x11 mm
with cable length 1900 mm



ELETTROBAR 927017

3240181 PROTECTED MAGNET 62x18x10 mm



ELETTROBAR CWM8

ELETTROBAR 926014

1240120 MICROSWITCH MKV11D15 16A 250V



ELETTROBAR RTBF800113

3240410 MICROSWITCH 16(4)A 250V



ELETTROBAR RTFOC00035

3240123 MICROSWITCH 16A 250V



ELETTROBAR RTFOC00198

ELETTROBAR 218009

3240181 PROTECTED MAGNET 62x18x10 mm



ELETTROBAR CWM8

ELETTROBAR 926014

Motors


5048015 MOTOR WITH FAN 30W 220V 50Hz
fan ø 155 mm



ELETTROBAR RIC0000331

ELETTROBAR 3740035

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan ø 150 mm



ELETTROBAR RIC0002339
ELETTROBAR RTFOC00623

ELETTROBAR RTCU700450
ELETTROBAR 0682300800

ELETTROBAR RTCU800153

OR and ORM gaskets

6456037 GASKET O-RING 02237 EPDM



ELETTROBAR 456037

3186013 O-RING GASKET 06187 EPDM ø 58 mm



ELETTROBAR REB456002

ELETTROBAR 456002

ELETTROBAR 456079

3186014 O-RING GASKET 06225 EPDM ø 67 mm



ELETTROBAR /COM200815
ELETTROBAR 929046

ELETTROBAR CGG55

ELETTROBAR 167956

3243069 O-RING OR 02068 EPDM



ELETTROBAR RIC0004173

ELETTROBAR 3600072

ELETTROBAR 456013

3060608 O-RING 03050 EPDM



ELETTROBAR 456020

3186434 O-RING 0121 EPDM



ELETTROBAR CGR121

ELETTROBAR 456026

**1186503 O-RING 0155 RED SILICONE
for exchanger**



ELETTROBAR CGR155

ELETTROBAR 927097

3186697 O-RING 0159 EPDM



ELETTROBAR RTBF800321

ELETTROBAR RTCU700565

1186411 O-RING 02031 EPDM



ELETTROBAR CGR2031

3243142 O-RING 04118 EPDM



ELETTROBAR CGR4118

ELETTROBAR 929055

3186290 O-RING 04187 EPDM



ELETTROBAR

3186601 O-RING 04200 EPDM



ELETTROBAR RTBF800320



Suitable for:

3186340 OR GASKET 03037 EPDM



ELETTROBAR 456011

Suitable for:

3186580 OR GASKET 04131 VITON



ELETTROBAR CGR4131

ELETTROBAR CGR4131NT

ELETTROBAR 927010

ELETTROBAR 927337

Pilot burners and accessories

5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



ELETTROBAR RTCU800182

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



ELETTROBAR RTCU900215

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



ELETTROBAR RTPC800038

3020280 FIXED PILOT BURNER SIT 1 FLAME
vertical connection \varnothing 6 mm
with nozzle \varnothing 0.35 mm



ELETTROBAR RTCU700372

3020058 NOZZLE FOR PILOT BURNER \varnothing 0.35 mm
thread M4x0.75



ELETTROBAR RTCU700647

3020254 INJECTOR ASSEMBLY FOR BURNER \varnothing 10 mm
internal thread M10x1 - external thread M16x1



ELETTROBAR 160324

3500027 GAS JET M10x1 \varnothing 1.30 mm



ELETTROBAR RTCU700034

ELETTROBAR RTCU700035



Suitable for:

3020082 OLIVE FOR 12 mm ø PIPE



ELETTROBAR RTCU900014

3020058 NOZZLE FOR PILOT BURNER ø 0.35 mm
thread M4x0.75




ELETTROBAR RTCU700647

3020083 NUT & OLIVE ø 4 mm



ELETTROBAR RTCU700141

5009011 NUT OLIVE-LOCKING ø 6x9 mm
thread M10x1 mm



ELETTROBAR RTCU800339

3020082 OLIVE FOR 12 mm ø PIPE



ELETTROBAR RTCU900014

3020001 ONE-FLAME PILOT BURNER SIT
multigas with jet ø 0.20 mm
with 2 positions bracket




ELETTROBAR LF-3020434

ELETTROBAR



Suitable for:

3348032 PIPE FITTING ø 12 mm
thread M20x1.5
for model PEL 22



ELETTROBAR RTCU900015

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



ELETTROBAR

3020084 NUT & OLIVE ø 6 mm



ELETTROBAR RTCU900217

3020114 OLIVE FOR PIPE ø 6 mm



ELETTROBAR RTCU800183

3020111 OLIVE FOR 4 mm ø PIPE



ELETTROBAR RTCU900134

3020054 PILOT JET ø 0.20 mm



ELETTROBAR RTCU700228



Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



ELETTROBAR



Suitable for:

ELETTROBAR RIC0003481


ELETTROBAR RTCU900073

3020033 ONE-FLAME PILOT BURNER SIT
multigas nozzle
external regulation with 7 mm nut



ELETTROBAR RTCU900025

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



ELETTROBAR RTCU900019

ELETTROBAR 468098

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



ELETTROBAR RTCP800037

ELETTROBAR RTCU900133

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



ELETTROBAR RIC0003481


ELETTROBAR RTCU900073

ELETTROBAR RIC0003189

ELETTROBAR RTCU900010

ELETTROBAR 611006

3020454 PILOT BURNER ASSEMBLY KIT
with piezo igniter, thermocouple
with ignition cable



ELETTROBAR GACP800065

ELETTROBAR RIC0004528

3001036 IGNITION CABLE 700 mm
with faston terminal 3x0.8 mm for ignition
with faston terminal \varnothing 2.4 mm for plug



ELETTROBAR RTBF700038



Suitable for:


5028638 NOZZLE GAS M10x1 ϕ 0.30 mm



ELETTROBAR RTCU800337

ELETTROBAR 172474

5009011 NUT OLIVE-LOCKING ϕ 6x9 mm
thread M10x1 mm



ELETTROBAR RTCU800339

3001007 PIEZO IGNITER
a ϕ 22 mm hole is needed for the assembly
2.4 mm ϕ male faston connector



ELETTROBAR RIC000225

ELETTROBAR RTCU700020

ELETTROBAR 6010047

3020201 PILOT GAS JET ϕ 0.14 mm




ELETTROBAR RTCP800058

3020279 PILOT GAS JET ϕ 0.21 mm



ELETTROBAR RTCU700389

3020043 PILOT GAS JET ϕ 0.36 mm



ELETTROBAR RTCP800040

ELETTROBAR RTCP800042

ELETTROBAR



Suitable for:

5026894 NOZZLE GAS M10x1 ϕ 0.50 mm



ELETTROBAR RTCU800338

ELETTROBAR 172473

3348037 OLIVE FOR PILOT PIPE ϕ 6 mm
for model PEL 21-22-25



ELETTROBAR RTCU900018

ELETTROBAR 455001

3020060 SPARKING PLUG ROUND ϕ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



ELETTROBAR RIC0003189

ELETTROBAR RTCU900010

ELETTROBAR 611006

3020042 PILOT GAS JET ϕ 0.19 mm



ELETTROBAR RTCP800041

3020202 PILOT GAS JET ϕ 0.27 mm



ELETTROBAR RTCP800059

3020054 PILOT JET ϕ 0.20 mm



ELETTROBAR RTCU700228



ELETTROBAR



Suitable for:

3020040 PILOT JET \varnothing 0.30 mm



ELETTROBAR RTCU900216

3020187 PILOT NOZZLE \varnothing 0.51 mm



ELETTROBAR RTCU900008

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



ELETTROBAR RTCP800037

ELETTROBAR RTCU900133

**3020251 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket**



ELETTROBAR RTCP800034

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



ELETTROBAR RTCP800038

3020201 PILOT GAS JET \varnothing 0.14 mm



ELETTROBAR RTCP800058

Suitable for:

3020142 PILOT LOCKING PLATE



ELETTROBAR RTCU700407

ELETTROBAR 172882


ELETTROBAR 172883

3020113 PILOT OLIVE FOR PIPE \varnothing 4 mm



ELETTROBAR RTCP800035

**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



ELETTROBAR RTCU900019

ELETTROBAR 468098

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



ELETTROBAR RTCU900215

3020114 OLIVE FOR PIPE \varnothing 6 mm



ELETTROBAR RTCU800183

3020042 PILOT GAS JET \varnothing 0.19 mm




ELETTROBAR RTCP800041



Suitable for:

3020202 PILOT GAS JET \varnothing 0.27 mm




ELETTROBAR RTCP800059

3020113 PILOT OLIVE FOR PIPE \varnothing 4 mm



ELETTROBAR RTCP800035

**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



ELETTROBAR RTCU900019

ELETTROBAR 468098

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



ELETTROBAR RIC0003189

ELETTROBAR RTCU900010

ELETTROBAR 611006

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting



ELETTROBAR RIC0003049

ELETTROBAR 7090028

ELETTROBAR



Suitable for:

3020043 PILOT GAS JET \varnothing 0.36 mm



ELETTROBAR RTCP800040

ELETTROBAR RTCP800042

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



ELETTROBAR RTCP800037

ELETTROBAR RTCU900133

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



ELETTROBAR RIC0003481

ELETTROBAR RTCU900073

3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



ELETTROBAR RTCP800033

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



ELETTROBAR RTCU900215



Suitable for:

3020042 PILOT GAS JET \varnothing 0.19 mm



ELETTROBAR RTCP800041

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



ELETTROBAR RTCP800037

ELETTROBAR RTCU900133

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



ELETTROBAR RIC0003481

ELETTROBAR RTCU900073

3020401 THREE-FLAME PILOT BURNER
supplied without sparking plug
with LPG and NATURAL GAS nozzle
with pipe fitting and pilot pipe olive
with thermocouple fitting
with sparking plug fitting



ELETTROBAR

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



ELETTROBAR RTCU900074

ELETTROBAR



Suitable for:

3020043 PILOT GAS JET \varnothing 0.36 mm



ELETTROBAR RTCP800040

ELETTROBAR RTCP800042

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



ELETTROBAR RTCU900019

ELETTROBAR 468098

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



ELETTROBAR RIC0003189

ELETTROBAR RTCU900010

ELETTROBAR 611006

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



ELETTROBAR RIC0003481

ELETTROBAR RTCU900073

3020054 PILOT JET \varnothing 0.20 mm



ELETTROBAR RTCU700228



Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



ELETTROBAR



Suitable for:

ELETTROBAR RIC0003481

ELETTROBAR RTCU900073

3020037 THREE-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included



ELETTROBAR RTBF700032

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



3020040 PILOT JET \varnothing 0.30 mm



ELETTROBAR RTCU900216

ELETTROBAR RIC0003481

ELETTROBAR RTCU900073

3020038 THREE-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included



ELETTROBAR RTCU700464

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



3020040 PILOT JET \varnothing 0.30 mm



ELETTROBAR RTCU900216

ELETTROBAR RIC0003481

ELETTROBAR RTCU900073



Suitable for:

ELETTROBAR



3020014 TWO-FLAME PILOT BURNER LH
without sparking plug, gas jet and gasket
with thermocouple fitting



ELETTROBAR 611003

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



ELETTROBAR RIC0003481

ELETTROBAR RTCU900073

3020013 TWO-FLAME PILOT BURNER RH
without sparking plug, gas jet and gasket
with thermocouple fitting



ELETTROBAR 611004

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



ELETTROBAR RIC0003481

ELETTROBAR RTCU900073

3020002 TWO-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket



ELETTROBAR

Suitable for:

3020040 PILOT JET \varnothing 0.30 mm



ELETTROBAR RTCU900216

3020040 PILOT JET \varnothing 0.30 mm



ELETTROBAR RTCU900216

3020054 PILOT JET \varnothing 0.20 mm



ELETTROBAR RTCU700228



ELETTROBAR



Suitable for:

Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



ELETTROBAR RIC0003481

ELETTROBAR RTCU900073

3020009 TWO-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket



3020040 PILOT JET \varnothing 0.30 mm



ELETTROBAR /ELF003279

ELETTROBAR GRCU900011

ELETTROBAR RTCU900007

ELETTROBAR RTCU900216

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



ELETTROBAR RIC0003481

ELETTROBAR RTCU900073

3020012 TWO-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included



3020040 PILOT JET \varnothing 0.30 mm



ELETTROBAR RTBF800034

ELETTROBAR RTCU900216

Pliers for sandwiches und toasts

3317051 GRILL PLIER
length 100 mm
height 180 mm



ELETTROBAR 433004



Suitable for:

ELETTROBAR



Suitable for:

Pressure switches

3320134 STEAM PRESSURE SWITCH 0.2-0.9 BAR
connection 1/4"M - 15A 250V



ELETTROBAR RTCP800143

ELETTROBAR 170843

Probes

3445398 SILICONE PROBE NTC 1500 mm
2-wire probe temperature range -50+120°C
bulb ø 6x50 mm




ELETTROBAR DWS96

ELETTROBAR 927335

Relays

3351154 BASE OCTAL ES8 10A 400V
8 poles



ELETTROBAR DEZ3

ELETTROBAR 927045

3351901 POWER RELAY FINDER 60.62.8.230.0000
230V 50/60Hz
2 exchange contacts 10A



ELETTROBAR DER11

ELETTROBAR RTFOC00144

ELETTROBAR 229021

ELETTROBAR 229023

3351021 POWER RELAY FINDER 62.82.8.230.0000
230V 50/60Hz
2 exchange contacts 16A



ELETTROBAR DER1106

ELETTROBAR DER1108

ELETTROBAR 929115

3351008 POWER RELAY FINDER 62.83.8.230.0000
230V 50/60Hz
3 exchange contacts 16A



ELETTROBAR 229036

3351605 RELAY POWER FINDER 60.63.8.230.0000
230V 50/60Hz
3 exchange contacts 10A




ELETTROBAR DER100

ELETTROBAR RTFOC00144

ELETTROBAR 229024

3351602 RELAY POWER FINDER 65.31.8.230.0300
230V 50/60Hz
1 switch contact 30A



ELETTROBAR DER111

ELETTROBAR 229025

ELETTROBAR 229029

Suitable for:

Suitable for:

3351041 TIME LIMIT RELAY E21 5A 240V 50/60Hz

1 switching contact
slow release on excitation
timer 60" ÷ 3'



ELETTROBAR REB238064

ELETTROBAR 238064

Rotary switches

3057050 CONNECTING BRACKET 28x21x16 mm
distance between hooking brackets 27 mm
for the connection between selector switch and the



ELETTROBAR RTBF900037


ELETTROBAR RTCU900112

5034631 EXTENSION SELECTOR SWITCH PIN \varnothing 6x4.6 mm
length 45 mm




ELETTROBAR 163796

3057014 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D spindle \varnothing 6x4.6 mm
back connection for thermostat



ELETTROBAR RTBF900007

3057027 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm
rear hole for thermostat




ELETTROBAR RTCU900110

3057190 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 32A 600V - max 75°C
rectangular shaft 4x5 mm



ELETTROBAR RTBF800161

3057083 SELECTOR SWITCH 0-2 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



ELETTROBAR RTCU700079

3057151 SELECTOR SWITCH 0-2 POSITIONS
contact capacity 16A 250V - max temperature 150°C
D spindle \varnothing 6x4.6 mm
for Toaster electric (ELETTROBAR) 404 - 406 - 412



ELETTROBAR 923011

7100585 SELECTOR SWITCH 0-2 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



ELETTROBAR 167516




Suitable for:

ELETTROBAR



3057002 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 32A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm




ELETTROBAR RTCP900036

3057139 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm




ELETTROBAR RTFOC00694

5050233 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm




ELETTROBAR RTCU600185

3057023 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 32A 250V - max 150°C
D shaft \varnothing 6x4.6 mm




ELETTROBAR RTCU800151

3057024 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



ELETTROBAR RTCU700078

3059011 3-POLE SELECTOR SWITCH
contact capacity 16A 380V - max 60/75°C
square shaft 5x5 mm



ELETTROBAR /ELF000598

Safety groups for pans and spare parts

3184007 PRESSURE GAUGE \varnothing 60 mm
in chrome plated brass
radial connection 1/4"
scale 0-1 bar
for safety groups



ELETTROBAR RTCP900063

3184043 SAFETY GROUP \varnothing 3/4"
vertical connection \varnothing 3/4"
complete with safety valve, vacuum relief valve
and pressure gauge



ELETTROBAR RIC0004558

ELETTROBAR RTCP800064

ELETTROBAR 176874

Solenoid valves

3120015 OUTLET REDUCER ELBI 0.5 L/min RED
for solenoid valve ELBI
rated value +/- 25%



ELETTROBAR 133009

3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL
for solenoid valve ELBI
rated value +/- 25%



ELETTROBAR RTFOC00145

ELETTROBAR 172833



Suitable for:

3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE

for solenoid valve ELBI
rated value +/- 25%



ELETTROBAR RTFOC00120

ELETTROBAR 172834

Suitable for:

3120261 SOLENOID VALVE MULLER 180°

inlet 3/4" - outlet \varnothing 12 mm
coil 230V 50/60Hz - max. temperature 90°C



ELETTROBAR DEV1

3120414 SOLENOID VALVE 230V \varnothing 10.5 mm

solenoid valve 180° - 230V 50/60Hz - max 90°C
inlet 3/4" - 3 outlets \varnothing 10.5 mm



ELETTROBAR /ELF120003

ELETTROBAR DEV37

ELETTROBAR VEV3T

3120408 SOLENOID VALVE 230V \varnothing 13.5 mm

solenoid valve 90° - 230V 50/60Hz - max 90°C
inlet 3/4" - 1 outlet \varnothing 13.5 mm



ELETTROBAR

3120014 SOLENOID VALVE 264 220/240V \varnothing 10 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - triple outlet \varnothing 10 mm



ELETTROBAR DEV3T

ELETTROBAR RTFOC00520

3120004 SOLENOID VALVE 319 220/240V \varnothing 10 mm

solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



ELETTROBAR DEV3S

ELETTROBAR 240006

3120504 SOLENOID VALVE 319 24V \varnothing 10 mm

solenoid valve 90° - 24V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



ELETTROBAR

3120005 SOLENOID VALVE 329 220/240V \varnothing 10 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



ELETTROBAR /ELF120021

ELETTROBAR DEV3S16

ELETTROBAR REB240011

ELETTROBAR RTFOC00022

ELETTROBAR 240005

ELETTROBAR 240011

ELETTROBAR 240016

ELETTROBAR 240018

3120505 SOLENOID VALVE 329 24V \varnothing 10 mm

solenoid valve 180° - 24V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm




ELETTROBAR DEV34S

ELETTROBAR DEV34S16

ELETTROBAR 927242

3120007 SOLENOID VALVE 349 220/240V \varnothing 10 mm

solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet \varnothing 10 mm



ELETTROBAR DEV3D

ELETTROBAR RTFOC00203

ELETTROBAR 240003

ELETTROBAR 929172



Suitable for:

3120507 SOLENOID VALVE 349 24V \varnothing 10 mm
solenoid valve 180° - 24V 50/60Hz - max 90°C
inlet 3/4" - 2 outlets \varnothing 10 mm



ELETTROBAR DEV32416

ELETTROBAR 927001

Suitable for:

3120511 SOLENOID VALVE 350 24V \varnothing 14 mm
solenoid valve 90° - 24V 50/60Hz- max 90°C
inlet 3/4" - outlet \varnothing 14 mm



ELETTROBAR

3120512 SOLENOID VALVE 351 24V \varnothing 14 mm
solenoid valve 180° - 24V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 14 mm



ELETTROBAR

3120517 SOLENOID-VALVE L140B5 1/2"FF 24V
for water - normally closed
max temperature 100°C
coil z615A 24V 50Hz



ELETTROBAR /ELF231402

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



ELETTROBAR RTBF800129

ELETTROBAR RTCU700096

Sparking and detection plugs

3020252 ROUND IGNITION ELECTRODE \varnothing 5x35 mm
F connection 2.8x0.8 mm
with silicone lead length 590 mm
overall length with cable 620 mm
for COOKTOP series MINIMA



ELETTROBAR RTCU600045

3020253 ROUND IGNITION ELECTRODE \varnothing 5x37 mm
F connection 2.8x0.8 mm
with silicone lead length 730 mm
overall length with cable 770 mm



ELETTROBAR RTCU600046



Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



ELETTROBAR RIC0003481

ELETTROBAR RTCU900073

Suitable for:

3020230 ROUND SPARKING PLUG \varnothing 7x54 mm
male faston M4x1 mm
overall length 63 mm
for COOKING RANGE series 700 PROTAGONISTA NUOVA
for COOKING RANGE series 900 PROTAGONISTA NUOVA
for COOKING RANGE series 1100 PROTAGONISTA NUOVA



ELETTROBAR RTBF800362

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



ELETTROBAR RIC0003189

ELETTROBAR RTCU900010

ELETTROBAR 611006

3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



ELETTROBAR RTP800033

Springs

3053297 LID SPRING \varnothing 38x330 mm
for BOILING PAN series MAGIS MAGISTRA-DOMINA



ELETTROBAR RTP800026

3250003 SPRING \varnothing 20x115 mm
for ELECTRIC GRIDDLE PS-PM-PD/ST



ELETTROBAR B.30613100

3250146 SPRING \varnothing 21.5x117 mm
for Panini grill electric (ELETTROBAR) G34 - G37
G38 - G39 - 433 - 434 - 436 - 437 - 438 - 439



ELETTROBAR 921005

3053296 SPRING FOR HINGE \varnothing 39x340 mm
for BRASIERA EBR9T-EBRV19T-EBRA9T-EBRAVI9T-GBR9T
GBRV19-GBRA9T-GBRAVI9T-EBRA-GBRA



ELETTROBAR RTBF800103

5028933 SPRING FOR KNOB \varnothing 46x40 mm



ELETTROBAR 163659

ELETTROBAR 169045



Suitable for:

ELETTROBAR



Suitable for:

Switches

3319622 CHANGEOVER SWITCH 2 POLE WHITE 16A 250V

16(4)A 250V - with indicator lamp
max. temperature 120°C
mounting hole 22x30 mm




ELETTROBAR REB226059

ELETTROBAR 226059

5014426 CONTACT CEMA P9B10VN 10A

1 contact NO
for COMENDA DISHWASHER ACRS145-ACRS205-ACRS225-
ACRS245-ACRS260-ACRS265-ACRS305-GMC2702-GMC3502-
GMC4502-GMC5502-LAV1001-LAV1501-NE3002-NE4002-
NE5002-NE5502-NE7002-NE7502-NE9002-NE9502-NG1202-
NG1202E-NG602-NG602E-NG902-NG902E-NL302-NL302E-
NL402-NL402E-NL502-NL502E-NL552-NL552E



ELETTROBAR DEB6

ELETTROBAR 927035

1319614 RED BIPOLAR PUSH BUTTON 16A 250V

with indicator lamp
mounting hole \varnothing 25 mm



ELETTROBAR 999082

3319151 SWITCH PROTECTION CAP

\varnothing external 34 mm
for push-buttons with mounting hole \varnothing 25 mm



ELETTROBAR CGP5

ELETTROBAR 410005

3319947 RED BIPOLAR SWITCH 16A 250V

16(4)A 250V
with indicator light and push-button cap
max temperature 100°C
mounting hole 22x30 mm



ELETTROBAR RTTAV00039

3319948 RED BIPOLAR SWITCH 16A 250V

16(4)A 250V - with indicator light
max temperature 120°C
mounting hole \varnothing 25 mm



ELETTROBAR RTFOC00585

3319151 SWITCH PROTECTION CAP

\varnothing external 34 mm
for push-buttons with mounting hole \varnothing 25 mm



ELETTROBAR CGP5

ELETTROBAR 410005

Suitable for:

Suitable for:

3319151 SWITCH PROTECTION CAP
 ø external 34 mm
 for push-buttons with mounting hole ø 25 mm



ELETTROBAR CGP5

ELETTROBAR 410005

Tangential and radial fans

3526165 TANGENTIAL FAN 180x180 mm
 45W 230V 50/60Hz - ø 60 mm DOUBLE
 operating temperature -30°+100°C



ELETTROBAR RTTAV00032

Taps for tank refilling

5010966 KNOB BLACK ø 70 mm SILK-SCREEN PRINT.
 D-shaped hole 10x8 mm



ELETTROBAR 164362

ELETTROBAR 168853

ELETTROBAR 169338+169366

ELETTROBAR 169366

ELETTROBAR 169338

3183014 SPOUT - CONNECTION 1/2" M
 swivel spout out of chrome plated brass
 spout ø 18 mm



ELETTROBAR RTCP800024

5030949 SPOUT FITTING ø 3/8" M
 chrome-plated brass
 fixing ø 1/2" M
 outlet pipe ø 16 mm



ELETTROBAR RTBF800041

3358006 WATER INLET TAP ø 1/2" FF



ELETTROBAR RTCU600075

3358003 WATER INLET TAP ø 1/2" MM
 square shaft 7x7 mm



ELETTROBAR /DES000001

3358005 WATER INLET TAP ø 1/2" MM
 outlet internal ø 10 mm



ELETTROBAR RTCP800018



Suitable for:

Suitable for:

3356139 WATER INLET TAP \varnothing 3/8" F
intenal output \varnothing 7.5 mm



ELETTROBAR RTCP800065

Telethermometers

5033193 TELETHEMOMETER WHITE \varnothing 52 mm 0-120°C
casing out of plastic material
capillary length covered PVC 1500 mm
bulb \varnothing 6x35 mm



ELETTROBAR RIC0003065

3441008 TELETHERMOMETER BLACK \varnothing 52 mm 0-120°C
plastic case
PVC covered capillary 1500 mm
bulb \varnothing 6.5x2.6 mm



ELETTROBAR /ELF000601

3441083 TELETHERMOMETER WHITE \varnothing 52 mm 0-250°C
metal body
capillary length 1310 mm
bulb \varnothing 4x75 mm



ELETTROBAR /ELF003053

3441020 TELETHERMOMETER WHITE \varnothing 52 mm 50-250°C
metal body
capillary length 1500 mm
bulb \varnothing 6x43 mm



ELETTROBAR 161827

ELETTROBAR 483004

3441007 TELETHERMOMETER WHITE \varnothing 60 mm 0-120°C
metal case
PVC covered capillary 3000 mm
spring bulb \varnothing 8x32 mm
bulb fitting M10x1



ELETTROBAR DET1

ELETTROBAR DET1L



Terminal blocks

3247025 TERMINAL BLOCK 12-POLE PLASTIC

for cable max 2.5 mm²
operating temperature 150°C
nominal voltage 450V



ELETTROBAR RTBF900045

3247018 2-POLE TERMINAL BLOCK FV77 20A 600V

for cable max 4 mm²
operating temperature 150°C
nominal voltage 450 V



ELETTROBAR 921045

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ELETTROBAR 921044

3247037 4-POLE TERMINAL BLOCK FV173 40A 600V


for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ELETTROBAR 220010

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



ELETTROBAR REB220011

ELETTROBAR 220011

ELETTROBAR 3720150

ELETTROBAR 921057

Thermocouples and accessories

3440015 INTERRUPTION CONNECTOR M9x1



ELETTROBAR RTPC800073

3440088 NUT FOR THERMOCOUPLE COUPLING M6x0.75



ELETTROBAR RTCU700391

3440107 NUT FOR THERMOCOUPLE JOINT M6x0.75



ELETTROBAR RTCU600052

3440012 SLOTTED FITTING M10x1



ELETTROBAR RTPC900058



ELETTROBAR



Suitable for:

Suitable for:

3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.
female nut M9x1



ELETTROBAR RTCP800131

3440050 THERMOCOUPLE FASTON CONN.70 cm
threaded coupling M6x0.75



ELETTROBAR RTCU600039

3440107 NUT FOR THERMOCOUPLE JOINT M6x0.75



ELETTROBAR RTCU600052

3440087 THERMOCOUPLE M9x1 60 cm COUPLING M6x0.75
complete with nut M6x0.75



ELETTROBAR RTCU700373

ELETTROBAR RTCU700374

3440088 NUT FOR THERMOCOUPLE COUPLING M6x0.75



ELETTROBAR RTCU700391

3440126 THERMOCOUPLE SIT M10x1 75 cm



ELETTROBAR

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



ELETTROBAR RTCU900023

3440037 THERMOCOUPLE SIT M9x1 100 cm.



ELETTROBAR RTCU900023

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



ELETTROBAR RTCU900023

3440038 THERMOCOUPLE SIT M9x1 120 cm



ELETTROBAR RTCU900061

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



ELETTROBAR RTCU900061



Suitable for:

Suitable for:

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



ELETTROBAR RTCU900061

3440039 THERMOCOUPLE SIT M9x1 150 cm



ELETTROBAR RTCU900024

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



ELETTROBAR RTCU900024

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



ELETTROBAR RTCU900024

3440033 THERMOCOUPLE SIT M9x1 32 cm



ELETTROBAR RTCU900021

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



ELETTROBAR RTCU900021

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



ELETTROBAR RTCU900021

3440080 THERMOCOUPLE SIT M9x1 40 cm.



ELETTROBAR RTCU900034

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



ELETTROBAR RTCU900034

3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS



ELETTROBAR RTCU900034



ELETTROBAR



Suitable for:

3440034 THERMOCOUPLE SIT M9x1 50 cm



ELETTROBAR RTCU700148

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



ELETTROBAR RTCU700148

3440035 THERMOCOUPLE SIT M9x1 60 cm .



ELETTROBAR RIC0003190

ELETTROBAR RTCU900022

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



ELETTROBAR RTCU900060

ELETTROBAR 611005

3440036 THERMOCOUPLE SIT M9x1 85 cm .



ELETTROBAR RTCU900060

ELETTROBAR 611005

3440144 THERMOCOUPLE SIT QUICK M9x1 40 cm



ELETTROBAR RTCU700296

Suitable for:

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



ELETTROBAR RTCU700148

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



ELETTROBAR RIC0003190

ELETTROBAR RTCU900022

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



ELETTROBAR RIC0003190

ELETTROBAR RTCU900022

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



ELETTROBAR RTCU900060

ELETTROBAR 611005

5025483 THERMOCOUPLE SIT QUICK M9x1 75 cm



ELETTROBAR RTCU900474

Suitable for:

Suitable for:

3440127 THERMOCOUPLE TARGET M9x1 60 cm
with fixing connection M10x1 - model T46 48"
for pilot burner Robertshaw model 9B
for gas valve Unitrol 7000



ELETTROBAR RTCU900477

3440105 THERMOCOUPLE WITH FASTON CONN.55 cm
threaded coupling M6x0.75



ELETTROBAR RTCU600021


3440107 NUT FOR THERMOCOUPLE JOINT M6x0.75



ELETTROBAR RTCU600052

Thermostatic gas valves


5016758 THERMOSTATIC TAP SABAF
operating temperature 300°C
flange connection pipe \varnothing 15 mm
outlet fitting M13x1.5 mm
thermocouple connection M8x1
bulb \varnothing 4x140 mm
length capillary 850 mm
D-shaped pin \varnothing 8x6.5 mm



ELETTROBAR RTCU600180

ELETTROBAR 170413

3345006 THERMOSTATIC TAP 24ST
Adjustment temperature 120-320°C
connections M20x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x100 mm
capillary length 1200 mm
D-shaped pin \varnothing 10x8 mm



ELETTROBAR RTCU800011

ELETTROBAR 168002

3020082 OLIVE FOR 12 mm \varnothing PIPE



ELETTROBAR RTCU900014



Suitable for:

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



ELETTROBAR RTCU900019


ELETTROBAR 468098

ELETTROBAR



Suitable for:

3345010 THERMOSTATIC TAP 24ST
Adjustment temperature 55-110°C
connections M20x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x160 mm
capillary length 1200 mm
D-shaped pin \varnothing 10x8 mm



ELETTROBAR RTBF800033

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



ELETTROBAR RTCU900019


ELETTROBAR 468098

3020082 OLIVE FOR 12 mm \varnothing PIPE



ELETTROBAR RTCU900014

3345037 THERMOSTATIC TAP 24STS
operating temperature 100-300°C
connections M20x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x75 mm
capillary length 1200 mm
D-shaped pin \varnothing 10x8 mm



ELETTROBAR 160225

ELETTROBAR 168003

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



ELETTROBAR RTCU900019

ELETTROBAR 468098

3020082 OLIVE FOR 12 mm \varnothing PIPE




ELETTROBAR RTCU900014

Suitable for:

Suitable for:


3345013 THERMOSTATIC TAP 25ST
 adjustment temperature 30-90°C
 connections M16x1.5 mm
 thermocouple connection M9x1
 bulb \varnothing 6x160 mm
 capillary length 1200 mm
 D-shaped pin \varnothing 8x6.5 mm



ELETTROBAR RTCU700363

ELETTROBAR 168008

3348031 PIPE FITTING \varnothing 10 mm
 thread M20x1.5
 for model PEL 22



ELETTROBAR RTCU900017

3020077 PIPE FITTING \varnothing 4 mm
 thread M10x1



ELETTROBAR RTCP800037

ELETTROBAR RTCU900133

3345018 THERMOSTATIC TAP 25ST
 operating temperature 100-300°C
 connections M16x1.5 mm
 thermocouple connection M9x1
 bulb \varnothing 6x75 mm
 capillary length 1200 mm
 D-shaped pin \varnothing 8x6.5 mm



ELETTROBAR RTCU700289

3020078 PIPE FITTING \varnothing 6 mm
 thread M10x1



ELETTROBAR RTCU900019


ELETTROBAR 468098

3020082 OLIVE FOR 12 mm \varnothing PIPE



ELETTROBAR RTCU900014

3348032 PIPE FITTING \varnothing 12 mm
 thread M20x1.5
 for model PEL 22



ELETTROBAR RTCU900015

3020078 PIPE FITTING \varnothing 6 mm
 thread M10x1



ELETTROBAR RTCU900019

ELETTROBAR 468098

3020082 OLIVE FOR 12 mm \varnothing PIPE



ELETTROBAR RTCU900014




Suitable for:

ELETTROBAR



5051226 THERMOSTATIC TAP 25ST
 operating temperature 100-300°C
 flange connection pipe \varnothing 21 mm
 outlet fitting M16x1.5 mm
 thermocouple connection M9x1
 bulb \varnothing 6x100 mm
 capillary length 1200 mm
 D-shaped pin \varnothing 8x6.5 mm



ELETTROBAR 168005

Suitable for:

3020082 OLIVE FOR 12 mm \varnothing PIPE



ELETTROBAR RTCU900014

3020078 PIPE FITTING \varnothing 6 mm
 thread M10x1



ELETTROBAR RTCU900019

ELETTROBAR 468098

Thermostats

5030040 EXTENSION BULB COUPLING 75 mm
 thread M10x1 mm




ELETTROBAR 165587

2111161 GASKET STUFFING GLAND \varnothing 7.5 mm
 height 7 mm
 for THERMOSTAT EGO



ELETTROBAR RTFOC00751

5057560 KIT THERMOSTAT SINGLE-PHASE 225°C
 complete with rod and washer
 with manual reset
 capillary length covered 900 mm - 16A 250V
 bulb \varnothing 5x80 mm - with stuffing gland fitting M10x1



ELETTROBAR RIC0004363

ELETTROBAR 180499

3444008 KNOB BLACK \varnothing 41 mm 0-90°C
 D-shaped hole 6x4.6 mm
 for thermostat IMIT



ELETTROBAR CWM11

ELETTROBAR 929042



Suitable for:


3444124 PROTECTION CAP
for safety thermostat
for THERMOSTAT EGO



ELETTROBAR 410006

Suitable for:


5038124 SET THERMOSTAT SINGLE-PHASE 101-187°C
complete with bracket and stuffing gland fitting M
D-shaped pin \varnothing 6x4.6 mm
capillary length covered 520 mm - 16A 250V
bulb \varnothing 6x133 mm - with stuffing gland fitting M10x



ELETTROBAR 173501

ELETTROBAR 180500

3444568 SINGLE-PHASE THERMOSTAT 105-185°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 230V
bulb \varnothing 6x130 mm - with adapter nipple bland M10x1




ELETTROBAR RTCU700609

ELETTROBAR 161791

ELETTROBAR 166488

ELETTROBAR 180498

3444564 SINGLE-PHASE THERMOSTAT 140°C
with manual reset
capillary length 870 mm - 16A 250V
bulb \varnothing 3.1x226 mm




ELETTROBAR RTPC800067

3444476 SINGLE-PHASE THERMOSTAT 170°C
2 contacts
covered capillary length 560 mm - 16A 250V
bulb \varnothing 3x160 mm



ELETTROBAR 3700014

3444107 SINGLE-PHASE THERMOSTAT 220°C
with manual reset
capillary length 870 mm - 16A 250V
bulb \varnothing 6x142 mm - with adapter nipple bland M9x1



ELETTROBAR RTBF900094


3444389 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
capillary length 600 mm - 16A 250V
bulb \varnothing 6x83 mm



ELETTROBAR /ELF003227

ELETTROBAR /ELF130001

3444651 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
capillary length 950 mm - 16A 250V
bulb \varnothing 3x190 mm
for Fryer electric (ELETTROBAR) FRI12 - FRI6
FRI9



ELETTROBAR REB236045

ELETTROBAR 236034

ELETTROBAR 236045



Suitable for:

ELETTROBAR



3444019 SINGLE-PHASE THERMOSTAT 30-90°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 1000 mm - 16A 250V
bulb \varnothing 6x130 mm



ELETTROBAR 023168-00

Suitable for:

3444278 SINGLE-PHASE THERMOSTAT 360°C


with manual reset
covered capillary length 890 mm - 16A 230V
bulb \varnothing 3x200 mm



ELETTROBAR RTBF800076

3744099 SINGLE-PHASE THERMOSTAT 50-270°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 800 mm
bulb \varnothing 3x230 mm



ELETTROBAR RTCU600186

3444648 SINGLE-PHASE THERMOSTAT 50-295°C


D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1300 mm
bulb \varnothing 3x220 mm



ELETTROBAR /OL0049200

3444062 SINGLE-PHASE THERMOSTAT 50-320°C


complete with auxiliary selector switch
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm



ELETTROBAR

3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm




ELETTROBAR RTCU700455

ELETTROBAR 924024

3444369 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm



ELETTROBAR RTCU700085

3444384 SINGLE-PHASE THERMOSTAT 90-180°C

D shaft \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 4x95 mm



ELETTROBAR /ELF003323



Suitable for:

3444376 SINGLE-PHASE THERMOSTAT 95-190°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1010 mm - 16A 250V
 bulb \varnothing 6x100 mm - with adapter nipple band M10x1



ELETTROBAR RTBF800163

Suitable for:

3444006 THERMOSTAT SINGLE-PHASE TR2 0-210°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1000 mm - 15A 250V
 bulb \varnothing 5x140 mm
 for Fryer electric (ELETTROBAR)
 ME40




ELETTROBAR

3444335 THERMOSTAT SINGLE-PHASE TR2 0-250°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 940 mm - 15A 250V
 bulb \varnothing 3x190 mm
 for Hot plate electric (ELETTROBAR)




ELETTROBAR 921014

3444336 THERMOSTAT SINGLE-PHASE TR2 0-270°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 940 mm - 15A 250V
 bulb \varnothing 3.5x190 mm
 for Hot plate electric (ELETTROBAR)



ELETTROBAR 921046

3444004 THERMOSTAT SINGLE-PHASE TR2 0-90°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 1500 mm - 15A 250V
 bulb \varnothing 6.5x95 mm



ELETTROBAR DAT11
 ELETTROBAR 929044

ELETTROBAR DRT13

ELETTROBAR DRT13L

3444169 THERMOSTAT SINGLE-PHASE TR2 220°C
 with manual reset
 complete with wiring
 capillary length 1500 mm - 15A 250V
 bulb \varnothing 5x125 mm




ELETTROBAR /ELF003261

5016737 THERMOSTAT THREE-PHASE 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length covered 900 mm - 10A 400V
 bulb \varnothing 3x225 mm



ELETTROBAR RTCU900213

3444086 THREE-PHASE THERMOSTAT 108-192°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 10A 400V
 bulb \varnothing 6x200 mm



ELETTROBAR /ELF003324



Suitable for:


3444618 THREE-PHASE THERMOSTAT 135°C
with manual reset
covered capillary length 890 mm - 20A 380V
bulb \varnothing 3x225 mm



ELETTROBAR RTCP900074


Suitable for:

3444375 THREE-PHASE THERMOSTAT 225°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x90 mm - with adapter nipple band M10x1




ELETTROBAR RTBF800164

3444307 THREE-PHASE THERMOSTAT 230°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 6x100 mm - with adapter nipple band M10x1




ELETTROBAR RTBF900081

3444390 THREE-PHASE THERMOSTAT 230°C
with manual reset
capillary 900 mm - 10A 400V
bulb \varnothing 6x230 mm




ELETTROBAR /ELF003228

3444143 THREE-PHASE THERMOSTAT 240°C
with manual reset
capillary length 1600 mm - 10A 400V
bulb \varnothing 6x85 mm




ELETTROBAR

3444076 THREE-PHASE THERMOSTAT 30-110°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1200 mm - 10A 400V
bulb \varnothing 6x130 mm



ELETTROBAR /ALP0A2237

3444812 THREE-PHASE THERMOSTAT 30-90°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 870 mm - 16A 380V
bulb \varnothing 6x129 mm



ELETTROBAR 160561

3444354 THREE-PHASE THERMOSTAT 350°C
with manual reset
capillary length coated 950 mm - 10A 400V
bulb \varnothing 3x190 mm



ELETTROBAR RTCU800152

3444363 THREE-PHASE THERMOSTAT 420°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb \varnothing 4x310 mm



ELETTROBAR RTBF800192

3444251 THREE-PHASE THERMOSTAT 50-300°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1100 mm - 10A 400V
bulb \varnothing 3x220 mm




ELETTROBAR RTBF600067

ELETTROBAR 164332



Suitable for:

3444619 THREE-PHASE THERMOSTAT 50-300°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 3x219 mm



ELETTROBAR RTCU600067

Suitable for:

3444168 THREE-PHASE THERMOSTAT 50-310°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 4x220 mm



ELETTROBAR RTCU900257

Timers

3446138 TIMER 15 MINUTES M2
 mechanical movement with balance wheel
 manually set mechanical timer
 manually set cycle 15 minutes
 2 poles with contact capacity 16(4)A 250V
 max temperature 125°C
 square pin 3x3 mm



ELETTROBAR 222001

Transformers

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



ELETTROBAR /ALP0A2269

ELETTROBAR RTFOC00039

Wheels and accessories

3522022 WHEEL \varnothing 175 mm
 central hole \varnothing 20 mm
 complete with folding handle



ELETTROBAR RTBF800093

ELETTROBAR 165900

5005466 WHEEL \varnothing 200 mm
 central hole \varnothing 20 mm
 complete with folding handle



ELETTROBAR */OL0039700



Suitable for:

ELETTROBAR



Suitable for:

Wire pan supports

3354011 GRID REDUCER FOR MOKA 145x170 mm
in chrome plated iron



ELETTROBAR RTCU900055

3354015 GRID REDUCER FOR MOKA 180x180 mm
made of chrome plated iron



ELETTROBAR RTCU800038

3354001 GRID REDUCER FOR MOKA 265x265 mm
in stainless steel


















ELETTROBAR RTCU700028

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF GmbH GERMANY**
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **DENMARK**
www.lfspareparts724.dk
michael.lenth@lfspareparts.com
 -  **AUSTRIA**
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz