




Spare parts for:

Cooking equipment



Suitable for:

EMMEPI



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

EMMEPI



Suitable for:

Air regulators

3025103 AERATION REGULATOR
internal $\varnothing$ 14 mm - external $\varnothing$ 17 mm
height 60 mm



EMMEPI 807731

3025107 AERATION REGULATOR
internal $\varnothing$ 18 mm - external $\varnothing$ 20 mm
height 60 mm



EMMEPI 807729

3025185 AERATION REGULATOR
internal $\varnothing$ 22 mm - external $\varnothing$ 24 mm
height 66 mm



EMMEPI

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



EMMEPI 809503

EMMEPI 831100001

3240519 AXIAL MOTOR FAN EBM 4656N
230V 50Hz 19W 2650rpm
119x119x38 mm
ball bearing



EMMEPI 827851

Ball valves and accessories

3526671 BALL VALVE $\varnothing$ 1/2"FF
for Pasta cooker (EMMEPI) - Series 700



EMMEPI 827969

3526705 BALLCOCK VALVE $\varnothing$ 1/2"MF



EMMEPI C00263

5023594 CAST IRON FITTING $\varnothing$ 1"MF



EMMEPI 809275



EMMEPI



Suitable for:

3356052 DRAIN TAP $\varnothing$ 3/4" F
lateral lever fitting
outlet internal $\varnothing$ 22 mm
for Bain-marie (EMMEPI) - Series 650
for Fryer (EMMEPI) - Series 650
for Pasta cooker (EMMEPI) - Series 650



EMMEPI 809040

3356049 OIL DRAIN PIPE WITH SAFETY DEVICE
 $\varnothing$ 22 mm - length 210 mm - bayonet joint
for TECNOINOX BAIN-MARIE-FRYER



EMMEPI C00712

EMMEPI 705130222

EMMEPI 808931

3526673 GAS/WATER VALVE $\varnothing$ 1" FF
ball valve
heavy series with PN 40 total passage
aluminum lever
for Fryer (EMMEPI)
for Pasta cooker (EMMEPI)



EMMEPI C00913

Suitable for:

3356053 DRAIN TAP HANDLE $\varnothing$ 17x40 mm
thread M8
for Bain-marie (EMMEPI) - Series 650
for Fryer (EMMEPI) - Series 650
for Pasta cooker (EMMEPI) - Series 650



EMMEPI 809039

3526672 WATER VALVE $\varnothing$ 3/4" FF
ballcock valve
heavy series with PN 40 total passage
aluminium lever



EMMEPI 808433

Bearings

3063017 BEARING 6203 DDU NSK
external $\varnothing$ 40mm - internal $\varnothing$ 17mm - thickness 12mm



EMMEPI E55110014

EMMEPI 80C0202

EMMEPI 808555

EMMEPI 809855

1063906 BEARING 6203 ZZ NSK
external $\varnothing$ 40mm - internal $\varnothing$ 17mm - thickness 12mm



EMMEPI 808551



Suitable for:

3063121 BEARING 6203 2RSK SKF
external $\varnothing$ 40mm - internal $\varnothing$ 17mm - thickness 12mm



EMMEPI E55110014
EMMEPI 809855

EMMEPI 8C0202

EMMEPI 808555

Suitable for:

1063901 BEARING 6204 DDU NSK
external $\varnothing$ 47mm - internal $\varnothing$ 20mm - thickness 14mm



EMMEPI EC1110002

3063122 BEARING 6204 2RSK SKF
external $\varnothing$ 47mm - internal $\varnothing$ 20mm - thickness 14mm



EMMEPI EC1110002

Bulb sheathes

3187006 THERMOSTAT SHEATHING $\varnothing$ 1/2"
bulb length 130 mm



EMMEPI TR0298

Burners, flame spreaders and accessories

3025345 BURNER $\varnothing$ 100 mm 5.5KW
for Pot stove gas (EMMEPI) - Series 750
Series 900



EMMEPI C99637

3025111 BURNER $\varnothing$ 100 mm
with air regulator



EMMEPI 806099

3025348 BURNER $\varnothing$ 120 mm 7,5KW
for Pot stove gas (EMMEPI) - Series 900



EMMEPI C99638

3025182 BURNER $\varnothing$ 125 mm
with air regulator



EMMEPI 806100



EMMEPI



Suitable for:

3025328 BURNER ø 130 mm 3.6KW
for Pot stove gas (EMMEPI) - Series 650



EMMEPI C10048

Suitable for:

3025108 BURNER ø 70 mm
with air regulator



EMMEPI 806098

3025342 BURNER ø 70 mm 3.5 KW
for Pot stove gas (EMMEPI) - Series 750
Series 900



EMMEPI C99636

3025332 BURNER ø 70 mm 3KW
for Pot stove gas (EMMEPI) - Series 700



EMMEPI C89438

3025321 BURNER ø 90 mm 3KW
for Pot stove gas (EMMEPI) - Series 650



EMMEPI C10045

3025113 BURNER SUPPORT 100 mm



EMMEPI 806178

3025346 BURNER SUPPORT 100 mm 5.5Kw
for Pot stove gas (EMMEPI) - Series 750
Series 900



EMMEPI C00011

EMMEPI C00815

3025336 BURNER SUPPORT 100 mm 5Kw
for Pot stove gas (EMMEPI) - Series 700



EMMEPI C10274

3025349 BURNER SUPPORT 120 mm 7.5Kw
for Pot stove gas (EMMEPI) - Series 900



EMMEPI C00012

EMMEPI C00816

3025184 BURNER SUPPORT 125 mm



EMMEPI 806179



Suitable for:

3025110 BURNER SUPPORT 70 mm



EMMEPI 806177

Suitable for:

3025343 BURNER SUPPORT 70 mm 3.5Kw
for Pot stove gas (EMMEPI) - Series 750
Series 900



EMMEPI C00010

EMMEPI C00814

3025333 BURNER SUPPORT 70 mm 3Kw
for Pot stove gas (EMMEPI) - Series 700



EMMEPI C10273

3025112 FLAME SPREADER ø 100 mm



EMMEPI 806123

3025107 AERATION REGULATOR
internal ø 18 mm - external ø 20 mm
height 60 mm



EMMEPI 807729

3025111 BURNER ø 100 mm
with air regulator



EMMEPI 806099

3025113 BURNER SUPPORT 100 mm



EMMEPI 806178

3025465 FLAME SPREADER ø 100 mm UNPOLISHED
for Pot stove gas (EMMEPI) - Series 650



EMMEPI C10196

3025321 BURNER ø 90 mm 3KW
for Pot stove gas (EMMEPI) - Series 650



EMMEPI C10045



Suitable for:

3025338 VENTURI F/FLAME SPREADER 100 mm 3KW
for Pot stove gas (EMMEPI) - Series 650



EMMEPI C10046

EMMEPI C10093

EMMEPI

Suitable for:



3025334 FLAME SPREADER ø 100 mm 5 KW
for Pot stove gas (EMMEPI) - Series 700



EMMEPI C10285

3025336 BURNER SUPPORT 100 mm 5Kw
for Pot stove gas (EMMEPI) - Series 700



EMMEPI C10274

3025344 FLAME SPREADER ø 100 mm 5.5 KW
for Pot stove gas (EMMEPI) - Series 750
Series 900



EMMEPI C00457

3025345 BURNER ø 100 mm 5.5KW
for Pot stove gas (EMMEPI) - Series 750
Series 900



EMMEPI C99637

3025346 BURNER SUPPORT 100 mm 5.5Kw
for Pot stove gas (EMMEPI) - Series 750
Series 900



EMMEPI C00011

EMMEPI C00815

3025347 FLAME SPREADER ø 120 mm 7.5KW
for Pot stove gas (EMMEPI) - Series 900



EMMEPI C00458

3025348 BURNER ø 120 mm 7,5KW
for Pot stove gas (EMMEPI) - Series 900



EMMEPI C99638



Suitable for:

3025349 BURNER SUPPORT 120 mm 7.5Kw
for Pot stove gas (EMMEPI) - Series 900



EMMEPI C00012

EMMEPI C00816

EMMEPI

Suitable for:



3025183 FLAME SPREADER ø 125 mm



EMMEPI 806124

3025182 BURNER ø 125 mm
with air regulator



EMMEPI 806100

3025397 FLAME SPREADER ø 130 mm UNPOLISHED
for Pot stove gas (EMMEPI) - Series 650



EMMEPI C10197

3025398 FLAME SPREADER ø 60 mm UNPOLISHED
for Pot stove gas (EMMEPI) - Series 650



EMMEPI C10198

3025185 AERATION REGULATOR
internal ø 22 mm - external ø 24 mm
height 66 mm



EMMEPI

3025184 BURNER SUPPORT 125 mm




EMMEPI 806179

3025328 BURNER ø 130 mm 3.6KW
for Pot stove gas (EMMEPI) - Series 650



EMMEPI C10048

3025339 VENTURI F/FLAME SPREADER 130 mm 3.6KW
for Pot stove gas (EMMEPI) - Series 650



EMMEPI C10049



EMMEPI



Suitable for:

Suitable for:

3025398 FLAME SPREADER ø 60 mm UNPOLISHED
for Pot stove gas (EMMEPI) - Series 650



EMMEPI C10198

3025109 FLAME SPREADER ø 70 mm



EMMEPI 806122

EMMEPI 808272

3025108 BURNER ø 70 mm
with air regulator



EMMEPI 806098

3025103 AERATION REGULATOR
internal ø 14 mm - external ø 17 mm
height 60 mm



EMMEPI 807731

3025110 BURNER SUPPORT 70 mm



EMMEPI 806177

3025341 FLAME SPREADER ø 70 mm 3.5KW
for Pot stove gas (EMMEPI) - Series 750
Series 900



EMMEPI C00456

3025343 BURNER SUPPORT 70 mm 3.5Kw
for Pot stove gas (EMMEPI) - Series 750
Series 900



EMMEPI C00010

EMMEPI C00814

3025342 BURNER ø 70 mm 3.5 KW
for Pot stove gas (EMMEPI) - Series 750
Series 900



EMMEPI C99636



EMMEPI



Suitable for:

3025331 FLAME SPREADER ø 70 mm 3KW
for Pot stove gas (EMMEPI) - Series 700



EMMEPI C10284

Suitable for:

3025333 BURNER SUPPORT 70 mm 3Kw
for Pot stove gas (EMMEPI) - Series 700



EMMEPI C10273


3025338 VENTURI F/FLAME SPREADER 100 mm 3KW
for Pot stove gas (EMMEPI) - Series 650



EMMEPI C10046

EMMEPI C10093

3025339 VENTURI F/FLAME SPREADER 130 mm 3.6KW
for Pot stove gas (EMMEPI) - Series 650



EMMEPI C10049

Cables for piezo igniters

3001034 IGNITION CABLE 1400 mm
with faston terminal 3x0.8 mm for ignition
with faston terminal ø 2,4 mm for plug



EMMEPI 808276

3001027 IGNITION CABLE 500 mm
with faston terminal ø 2 mm for ignition
with faston terminal ø 2 mm for plug



EMMEPI C00808

3001038 IGNITION CABLE 500 mm
with faston terminal 3x0.8 mm for ignition
with faston terminal ø 2.4 mm for plug



EMMEPI C10475

3001040 IGNITION CABLE 850 mm
with faston terminal 3x0.8 mm for ignition
with faston terminal ø 4 mm for plug



EMMEPI 051E10008

3001002 IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm for ignition
with faston ø 4 mm for electrode



EMMEPI 809430

3001016 IGNITION LEAD 1000 mm
with faston ø 2.4 mm for ignition
with faston ø 4 mm for electrode



EMMEPI C10259

EMMEPI 809389

Suitable for:

3001017 IGNITION LEAD 600 mm
with faston 6.35x0.8 mm for ignition
with faston $\varnothing$ 4 mm for electrode



EMMEPI

Suitable for:

3001018 IGNITION LEAD 600 mm
with faston $\varnothing$ 2.4 mm for ignition
with faston $\varnothing$ 4 mm for electrode



EMMEPI C00171

EMMEPI 808230

Capacitors, electrical

3068019 CAPACITOR μ F 12.5 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations



EMMEPI 901740

3068010 CAPACITOR μ F 6.3 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and EEC 92/31 regulations



EMMEPI 8C1588

3068014 CAPACITOR μ F 8 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations



EMMEPI 132110008

Cast iron hot plates

3312115 COOKING PLATE SMOOTH 365x355 mm
made of cast iron



EMMEPI 100083

3312031 RIBBED PLATE 425x375 mm
made of cast iron



EMMEPI 100510



Suitable for:

EMMEPI



Suitable for:

Clamps

3449401 DOUBLE-WIRE CLAMP 7-7.5 - 100 PCS
for hoses $\varnothing 7 \div 7.5$ mm



EMMEPI 809344

3449462 HOSE CLAMP 12-20
for pipes $\varnothing 12 \div 20$ mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



EMMEPI 902440

3449453 HOSE CLAMP 25-40
for pipes $\varnothing 25 \div 40$ mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



EMMEPI 8C1490

3449456 HOSE CLAMP 50-70
for pipes $\varnothing 50 \div 70$ mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



EMMEPI 902490

3168002 HOSE CLAMP 68-85
for pipes $\varnothing 68 \div 85$ mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



EMMEPI E23110007

Contact thermostats

3443046 CONTACT THERMOSTAT 16A 250V
with automatic reset
fixing pin M4



EMMEPI 8C1169

3443045 CONTACT THERMOSTAT 180°C 16A 250V
with manual reset - 16A 250V



EMMEPI 809925

Contactors

3446223 CONTACTOR AEG LS02K400
6A 400V 2.2Kw - coil 230V 50/60Hz
4 normally open contacts



EMMEPI 8C0216

3351212 CONTACTOR AEG LS4K 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



EMMEPI 8C0148

3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



EMMEPI C00571

3446561 CONTACTOR LOVATO BF0910A
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally open auxiliary contact



EMMEPI 807553

3446556 CONTACTOR LOVATO BG0910A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally open auxiliary contact



EMMEPI C00287

EMMEPI 907041

Drain assembly

3316150 DRAIN ASSEMBLY Ø 3/4"
with nut and gasket
external Ø 38 mm - internal Ø 20 mm
connections Ø 26 mm



EMMEPI 825827



Suitable for:

EMMEPI



Suitable for:

Drain hoses

- 3356138 DRAIN TAP FITTING $\varnothing$ 1"MM**
 $\varnothing$ side outlet 28 mm - bracket 68x55x19 mm
fitting height 100 mm



EMMEPI 809274

- 3356049 OIL DRAIN PIPE WITH SAFETY DEVICE**
 $\varnothing$ 22 mm - length 210 mm - bayonet joint
for TECNOINOX BAIN-MARIE-FRYER



EMMEPI C00712

EMMEPI 705130222

EMMEPI 808931

Drain taps and accessories

- 5031496 DRAIN PIPE $\varnothing$ 1"MM**
length 195 mm



EMMEPI 809723

- 3356004 DRAIN TAP $\varnothing$ 1"F**
TAPERED SEAL - fixed connection $\varnothing$ 1"F
for BOILING PAN



EMMEPI

- 3356005 DRAIN TAP $\varnothing$ 1"1/4F TECNO**
TAPERED SEAL - fixed connection $\varnothing$ 1"1/4F
with gasket
for BOILING PAN



EMMEPI 808350

- 3356100 DRAIN TAP $\varnothing$ 2"F TECNO**
GASKET SEAL - with swivel nut $\varnothing$ 2"F



EMMEPI 806172

- 3242190 DRAIN TAP HANDGRIP**
for DRAIN TAP $\varnothing$ 2" OLD MODEL
AND FOR TECNO NEW MODEL



EMMEPI 8C2064

- 3356053 DRAIN TAP HANDLE $\varnothing$ 17x40 mm**
thread M8
for Bain-marie (EMMEPI) - Series 650
for Fryer (EMMEPI) - Series 650
for Pasta cooker (EMMEPI) - Series 650



EMMEPI 809039

- 3242191 PIN M6x40**
for DRAIN TAP $\varnothing$ 2"OLD MODEL



EMMEPI 8C2044

Electric hot plates

3311096 ELECTRIC HOT PLATE ø 180 mm 2000W 230V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



EMMEPI C10000

3311166 ELECTRIC HOT PLATE ø 200 mm 1800W 230V


faston electric connections
complete with energy regulation
for glass-ceramic cooking top



EMMEPI 809043

3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V


terminal block electric connections
with STAINLESS steel edge
for electric cooking top



EMMEPI C00208

3311089 ELECTRIC HOT PLATE ø 300 mm 3500W 230V

terminal block electric connections
with STAINLESS steel edge



EMMEPI C00210

3311053 ELECTRIC HOT PLATE 2600W 230V

dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



EMMEPI C00637

3311054 ELECTRIC HOT PLATE 2600W 400V

dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



EMMEPI 514120003

3311062 ELECTRIC HOT PLATE 3000W 230V

dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



EMMEPI

3311064 ELECTRIC HOT PLATE 4000W 230V

dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top
for Kitchen electric (EMMEPI) EE4F



EMMEPI C00212



Suitable for:

EMMEPI



Suitable for:

Electrical gas valves and accessories

3526102 ELECTRIC COUPLING WITH CABLE
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



EMMEPI C00974

EMMEPI 245120705

3526090 ELETROSIT VALVE $\varnothing$ 3/4"FF
inlet $\varnothing$ 3/4"F - outlet $\varnothing$ 3/4"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple



EMMEPI C00302

EMMEPI 813416

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETROSIT-820 NOVA-824 NOVASIT



EMMEPI C00309

3526079 VALVE 820 NOVA $\varnothing$ 1/2"FF
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 1/2"F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz




EMMEPI 813436

3526179 VALVE 820 NOVA $\varnothing$ 1/2"FF
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 1/2"F
thermocouple connection M9x1
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
5÷50 mbar
ambient temperature 0÷70°C
power supply 220V 50Hz



EMMEPI C00946

3526361 VALVE 822 NOVA $\varnothing$ 1/2"FF
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 1/2"F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz



EMMEPI 808578



Suitable for:

3526104 VALVE 830 TANDEM $\varnothing$ 1/2"FF
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 1/2"F
maximum gas inlet pressure 60 mbar
outlet pressure adjustment range
3÷50 mbar
with slow start
room temperature 0÷60°C
power supply 230V 50Hz




EMMEPI 8C0068

EMMEPI 809595

Suitable for:


3526140 VALVE 836 TANDEM $\varnothing$ 1/2"FF
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 1/2"F
maximum gas inlet pressure 60 mbar
max.gas outlet pressure adjustment range 7÷50 mbar
outlet gas pressure setting range min.2÷45 mbar
room temperature 0÷60°C
power supply 230V 30A rectified



EMMEPI 809326

Electronic boxes

3526402 CONTROL BOX S4560A1008
model HONEYWELL - 220/240V 50Hz 10VA



EMMEPI 809751

Electronic controllers

3445376 CONTROLLER ELIWELL ID PLUS 961
230V 50/60Hz
1 relay output 2Hp for compressor
1 selectable NTC/PTC/PT1000 probe (not included)
1 programmable digital/temperature input
pause defrosting
TTL input for copy card connection
front dimension 74x32xdepth 59 mm
mounting hole 71x29 mm



EMMEPI 712110005

EMMEPI 8C1856



Suitable for:

EMMEPI



Suitable for:

Electronic controllers

- 3445327 THERMOSTAT ICPLUS915 PT100/TCJ/TCK**
power supply 12V
thermostat setting range -150+1350°C
ON-OFF control with two actuation points
2 exchange relay outputs 8(4)A 250V
room temperature -5+55°C
probe type PT100-TCJ-TCK (not included)
connections by screwed terminal block
front dimension 78x37x64 mm
mounting hole 71x29 mm



EMMEPI 831131

- 3445109 PROBE TCJVETROTEX 3000 mm**
2-wire probe temperature range 0+600°C
temperature cable max 350°C
error limit $\pm 0.75\%$ below 0°C
response time 30 sec
bulb $\varnothing$ 6x100 mm



EMMEPI 8C0221

Electronic printed-circuit boards

- 3390212 ELECTRONIC CIRCUIT BOARD 130x75 mm**
for Bratt pan electric (EMMEPI) - Series 750-900
for Bratt pan gas (EMMEPI) - Series 750-900



EMMEPI C00566


Energy regulators

- 3350024 ENERGY ADJUSTER**
contact capacity 240V 13A
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
double rotation direction



EMMEPI 806287

- 3350026 ENERGY ADJUSTER**
contact capacity 230V 13A - max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
for Hot plate (EMMEPI)
Series 650 - Series 700



EMMEPI E11110001

EMMEPI 809397

EMMEPI 8C0297

EMMEPI 808020

- 2111902 ENERGY REGULATOR**
contacts 240V 13A
temperature max 125°C
D-shaft $\varnothing$ 6x4.6 mm



EMMEPI 8C1979

EMMEPI 809046

Filters


5031595 S/STEEL DRAIN FILTER ø 65 mm



EMMEPI 809072

Fryer baskets and accessories

5009028 FALSE BOTTOM COMPLETE MESH 335x315 mm
height 105 mm
of chromed iron



EMMEPI 807779

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



EMMEPI 808735

3055207 FRYER BASKET 270x185x120 mm
made of chrome-plated iron



EMMEPI 808182

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



EMMEPI 808735

3055360 FRYER BASKET 290x230x120 mm
made of chrome plated iron
for Fryer (EMMEPI) FR704EB1



EMMEPI CFR242812

EMMEPI CF518120017

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



EMMEPI 808735

3055437 FRYER BASKET 310x230x120 mm
made of chrome plated iron
for Fryer (EMMEPI) EFR74EBN



EMMEPI CFR232812

EMMEPI CF518120018

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



EMMEPI 808735



Suitable for:

EMMEPI



Suitable for:

Gas burners

3023235 BURNER 450x220 mm
made of stainless steel



EMMEPI 8C2060

3023148 BURNER 535x240 mm
made of chrome-plated iron



EMMEPI 809992

3023144 BURNER 575x225 mm
made of stainless steel



EMMEPI 8C1344

5027443 BURNER 625x300 mm
with deflector 475x150 mm
made of STAINLESS steel
for Oven under cooktop gas (EMMEPI)



EMMEPI C00885

EMMEPI 511110203

5011088 BURNER 630x515 mm
made of chrome-plated iron



EMMEPI 808442

3023237 CENTRAL VERTICAL BURNER 300x55 mm
NICKEL-PLATED



EMMEPI 808417

3023236 VERTICAL BURNER LH 300x55 mm
NICKEL PLATED



EMMEPI 808419

3023283 VERTICAL BURNER 305x55 mm
NICKEL PLATED



EMMEPI 051E10005


Gas taps and accessories

3348105 GAS TAP SABAF
without pilot flame
fittings M13x1.5 mm
clasp thermocouple connection
D-shaped long pin $\varnothing$ 8x6.5 mm
for Pot stove (EMMEPI) - Series 650 - Series 700



EMMEPI C10107

3348010 GAS TAP 22N/O
with pilot flame
with horizontal flange
fittings $\varnothing$ M20x1.5mm
with flow regulator
D-shaped pin $\varnothing$ 10x8 mm



EMMEPI 806166

Suitable for:

Suitable for:

5031742 GAS TAP 22S
with pilot flame
with horizontal flange swiveling
connections $\varnothing$ M20x1.5 mm
with flow rate adjuster
thermocouple connection M9x1
D-shaft $\varnothing$ 10x8 mm



EMMEPI C10533

EMMEPI 512250004

EMMEPI 512250005

3348002 GAS TAP 22S/0
with pilot flame
with horizontal flange
fittings $\varnothing$ M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin $\varnothing$ 10x8 mm



EMMEPI C00085

EMMEPI 808036

EMMEPI 512250003

EMMEPI 808196

EMMEPI 806168

3348003 GAS TAP 22S/V
with pilot flame
with vertical flange
fittings $\varnothing$ M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin $\varnothing$ 10x8 mm



EMMEPI C00779

EMMEPI 809469

3348011 GAS TAP 23S/0
with pilot flame
with horizontal flange
inlet fitting M28x1.5mm
outlet connection M24x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin $\varnothing$ 10x8 mm



EMMEPI 808520

3348032 PIPE FITTING $\varnothing$ 12 mm
thread M20x1.5
for model PEL 22



EMMEPI 807910

3348038 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 22



EMMEPI 808515

3348044 PIPE OLIVE $\varnothing$ 10 mm
for model PEL 20 - 21



EMMEPI 815848



Suitable for:

EMMEPI



Suitable for:

Gas valves and accessories

3526131 EUROSIT VALVE FOR FRYER 110÷190°C

inlet $\varnothing$ 3/8" F - outlet $\varnothing$ 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷80°C
capillary length 1050 mm
bulb $\varnothing$ 4x200 mm



EMMEPI C00753

EMMEPI 808934

3526250 EUROSIT VALVE FOR FRYER 110÷190°C

inlet $\varnothing$ 3/8" F - outlet $\varnothing$ 3/8" F
thermocouple fitting M9x1
gas max inlet pressure 50 mbar
outlet pressure range setting
outlet 3÷18 mbar
room temperature 0÷80°C
capillary length 1050 mm
bulb $\varnothing$ 4x200 mm
for Fryer gas (EMMEPI)



EMMEPI 512250006

3523035 KNOB MINISIT BLACK $\varnothing$ 37 mm



EMMEPI C00950

EMMEPI 814979

3523038 MINISIT ELBOW FLANGE $\varnothing$ 1/2" F with screws and "O" ring



EMMEPI 8C1808

3523037 MINISIT ELBOW FLANGE $\varnothing$ 3/8" with screws and "O" ring



EMMEPI 8C1809

3523049 MINISIT VALVE FOR FRYER 110÷190°C inlet $\varnothing$ 1/2" F - outlet $\varnothing$ 3/8" F thermocouple connection M9x1 maximum gas inlet pressure 50 mbar ambient temperature 0÷60°C capillary length 1050 mm bulb $\varnothing$ 6x105 mm with an elbow flange $\varnothing$ 3/8" F for Fryer gas (EMMEPI)



EMMEPI

3523933 MINISIT VALVE FOR FRYER 110÷190°C inlet $\varnothing$ 1/2" F - outlet $\varnothing$ 3/8" F thermocouple connection M9x1 maximum gas inlet pressure 50 mbar ambient temperature 0÷60°C with screw for gas outlet pressure regulation capillary length 1050 mm bulb $\varnothing$ 6x105 mm without cover, knob and flanges



EMMEPI 809371

3523949 MINISIT VALVE FOR FRYER 110÷190°C inlet $\varnothing$ 1/2" F - outlet $\varnothing$ 3/8" F thermocouple connection M9x1 maximum gas inlet pressure 50 mbar ambient temperature 0÷60°C capillary length 1050 mm bulb $\varnothing$ 6x105 mm supplied without lid knob and flanges



EMMEPI C00897

Suitable for:

3523923 MINISIT VALVE FOR FRYER 50÷190°C
 inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 lenght capillary 1200 mm
 bulb $\varnothing$ 5x95 mm
 without cover. knob and flanges



EMMEPI 806267

Suitable for:

3523920 MINISIT VALVE FOR OVEN 100÷340°C
 inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb $\varnothing$ 5x70 mm
 without cover, knob and flanges



EMMEPI 806192

3523091 MINISIT VALVE FOR OVEN 70÷310°C
 inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 3/8"F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1300 mm
 bulb $\varnothing$ 4x75 mm
 without cover. knob and flanges



EMMEPI

3523060 OIL SEAL FITTING $\varnothing$ 6.5 mm
 internal thread M10x0.75 - external thread M14x1.5



EMMEPI 808852

Gaskets and seals

3186010 ASBESTOS FREE FLAT GASKET $\varnothing$ 54x42x2 mm



EMMEPI 903300

3186242 ASBESTOS FREE FLAT GASKET $\varnothing$ 61x46x2 mm
 for drain tap $\varnothing$ 2" old model



EMMEPI 809269

1186409 FLAT PTFE GASKET $\varnothing$ 68x55x3 mm
 for heating element



EMMEPI 808594



Suitable for:

EMMEPI




Suitable for:

Gaskets for oven door

3786585 OVEN DOOR GASKET KIT

made of silicone elastomer
profile dimensions 15x10 mm
1 piece length 865 mm - 2 pcs length 325 mm
1 piece frame length 515 mm
2 pieces frame length 320 mm
BLACK COLOUR



EMMEPI 806051

EMMEPI 808903

3786012 OVEN DOOR GASKET 470x390 mm

made of silicone elastomer
with fastening clips - 3 sides
profile dimensions 12x10 mm
COLOUR BLACK
for Oven under cooktop (EMMEPI) - Series 650



EMMEPI C10088

3186349 OVEN DOOR GASKET 500x300 mm

made of silicone elastomer
with fastening clips - 3 sides
profile dimensions 12x10 mm
COLOUR BLACK
for Oven under cooktop (EMMEPI) - Series 750
Series 900



EMMEPI C00165

3186103 OVEN DOOR GASKET 540x320 mm

made of silicone elastomer
with fastening clips - 3 sides
profile dimensions 9.2x8.5 mm
COLOUR BLACK



EMMEPI 807059

3786013 OVEN DOOR GASKET 560x350 mm

made of silicone elastomer
with fastening clips - 3 sides
profile dimensions 12x10 mm
COLOUR BLACK
for Oven under cooktop (EMMEPI) - Series 700



EMMEPI C10090

5032931 OVEN DOOR GASKET 640x370 mm

made of silicone elastomer
with fastening clips
COLOUR BLACK
for EMMEPI OVEN FE900
for TECNOEKA COOKING RANGE KCV96P-M/KCV96-M/
for TECNOEKA OVEN KF912-GA/KF912GRILL-GA/
KF912IX-GA/KF913DIX/KF9133DIX/KF1001G-GAM/
KF1001GIXAL-GAM/KF911/KF911IX/KF964AL/KF964ALM/
KF964I/KF964IM



EMMEPI 132110003

Suitable for:

Suitable for:

3786014 OVEN DOOR GASKET 860x360 mm

made of silicone elastomer
with fastening clips - 3 sides
profile dimensions 12x10 mm
COLOUR BLACK
for Oven under cooktop (EMMEPI) - Series 700-MAXI



EMMEPI C10091

Grids for kitchen

5032178 GRID 390x310 mm for Pot stove gas (EMMEPI)



EMMEPI C00459

EMMEPI C00859

3185252 PAN SUPPORT GRID 390x362 mm for COOKING RANGE 900 for Pot stove (EMMEPI) - Series 900



EMMEPI C00460

EMMEPI C00860

EMMEPI 511410601

3185068 PAN SUPPORT GRID 445x355 mm



EMMEPI 100086

3354015 GRID REDUCER FOR MOKA 180x180 mm made of chrome plated iron



EMMEPI 100477

3185251 PAN SUPPORT GRID 560x278 mm for Pot stove (EMMEPI) - Series 600 - Series 650 Series 700



EMMEPI C10078



Suitable for:

EMMEPI



Suitable for:

Handles


- 3242718 DOOR HANDLE STRIKE**
for high temperatures
mounting distance 43 mm
for OVEN



EMMEPI 8C0315

EMMEPI 809875

- 5016707 HANDLE PLASTIC HEAD BLACK**




EMMEPI 808251

- 3242288 HANDLE 160x60 mm**



EMMEPI 806132

- 3242035 PLASTIC BLACK SUPPORT FOR HANDLE**
for CUPBOARD series MAGIS MAGISTRA-MAGISTRA



EMMEPI 807728

- 3242921 LH-RH CATCH WITHOUT LOCK 560 CR**
straight handgrip
base length 150x23x30h mm
mounting distance 110 mm



EMMEPI 8C2082

- 3398021 OVEN DOOR CATCH**
distance between holes 47 mm
catch distance 27 mm



EMMEPI 131110006

EMMEPI 131110007

EMMEPI 808747


- 3242336 OVEN DOOR HANDLE ø 28x90 mm M10**



EMMEPI 8C0979

EMMEPI 808338

- 3242035 PLASTIC BLACK SUPPORT FOR HANDLE**
for CUPBOARD series MAGIS MAGISTRA-MAGISTRA



EMMEPI 807728

- 5001497 PLASTIC HANDLE 120 mm BLACK**
distance between holes 105 mm



EMMEPI 814023

- 5001432 SILKSCREENED BLACK RING ø 75 mm**
for water inlet pipe



EMMEPI 809078



Suitable for:


3242034 STAINLESS STEEL HANDLE 620x60 mm



EMMEPI 815619

Suitable for:

3242035 PLASTIC BLACK SUPPORT FOR HANDLE
for CUPBOARD series MAGIS MAGISTRA-MAGISTRA



EMMEPI 807728

Heating elements

3755825 CERAMIC HEATING ELEMENT 250W 230V
length 245 mm - width 60 mm



EMMEPI 246150001

3355826 CERAMIC HEATING ELEMENT 400W 230V
length 245 mm - width 60 mm



EMMEPI 808142

3355850 HEATING ELEMENT 1000W 230V
length 220 mm - width 95 mm
flange 107x33 mm



EMMEPI E12110001

3755896 HEATING ELEMENT 1000W 230V
length 220 mm - width 100 mm
height 50 mm
operating ambient: dry
for Bain-marie electric (EMMEPI) - Series 700
Series 750 - Series 900
for Fry top electric (EMMEPI) - Series 650
Series 700



EMMEPI C10199

3755856 HEATING ELEMENT 10200W 230/400V
length 300 mm - width 180 mm
coupling M54x1.5 mm - complete with cables
complete with OR gaskets



EMMEPI 808256

3186697 O-RING 0159 EPDM



EMMEPI 808043

EMMEPI 808055

3186601 O-RING 04200 EPDM



EMMEPI 808054

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



EMMEPI 808892



EMMEPI



Suitable for:

3455350 HEATING ELEMENT 1100W 230V
length 325 mm - width 80 mm
height 50 mm
for Bratt pan electric (EMMEPI)



EMMEPI C00351


Suitable for:

3755022 HEATING ELEMENT 1150W 240V BOTTOM
length 190 mm - width 310 mm




EMMEPI 809844

3755430 HEATING ELEMENT 1200W 230V
length 175 mm - width 225 mm



EMMEPI 809922

5032780 HEATING ELEMENT 1200W 230V
length 375 mm - width 245 mm
complete with cables
for Food-service trolley (EMMEPI) TE-CT1770



EMMEPI ED1110006

3355328 HEATING ELEMENT 1200W 230V TOP
length 265 mm - width 170 mm



EMMEPI 905611

3755858 HEATING ELEMENT 12000W 230/400V
length 325 mm - width 180 mm
coupling M54x1.5 mm - complete with cables
complete with OR gaskets
for Fryer electric (EMMEPI)
EFR74EBN



EMMEPI E16110002

EMMEPI E16110002+...

3186697 O-RING 0159 EPDM



EMMEPI 808043

EMMEPI 808055

3186601 O-RING 04200 EPDM



EMMEPI 808054

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



EMMEPI 808892



EMMEPI



Suitable for:

3355473 HEATING ELEMENT 1333W 230V
length 280 mm - width 20 mm
height 40 mm - fittings M12x1 mm
for Fryer electric (EMMEPI) - Series 650



EMMEPI 808620

Suitable for:

3355447 HEATING ELEMENT 1380W 230V
length 350 mm - width 190 mm
fittings $\varnothing$ 1/4"
operating ambient: immersion
for Bain-marie electric (EMMEPI) - Series 650



EMMEPI 808174

3755006 HEATING ELEMENT 1500W 240V
length 500 mm - width 110 mm
height 75 mm



EMMEPI C00183

EMMEPI 808242

3755661 HEATING ELEMENT 15000W 230V
length 300 mm - width 285 mm
connection M54x1.5 mm - complete with cables
complete with OR gaskets
with two holes per bulb
for Fryer electric (EMMEPI) - Series 900



EMMEPI 808046

3186697 O-RING 0159 EPDM



EMMEPI 808043

EMMEPI 808055

3186601 O-RING 04200 EPDM



EMMEPI 808054

3786459 O-RING 04200 VITON



EMMEPI 808048

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



EMMEPI 808892



Suitable for:

EMMEPI



3355212 HEATING ELEMENT 1800W 230V
length 255 mm - width 270 mm
height 90 mm - fittings $\varnothing$ 1/4"



EMMEPI 806173

3755897 HEATING ELEMENT 1800W 230V
length 290 mm - width 140 mm
height 50 mm
operating ambient: dry
for Bain-marie electric (EMMEPI) - Series 700
Series 750 - Series 900
for Fry top electric (EMMEPI) - Series 750
Series 900



EMMEPI C00644

3755076 HEATING ELEMENT 1840W 230V
length 275 mm - width 65 mm
fittings $\varnothing$ 1/4"
for Pasta cooker electric (EMMEPI) - Series 650
Series 700 - Series 750



EMMEPI 808056


3355849 HEATING ELEMENT 2000W 220V
length 230 mm - width 230 mm
flange 107x33 mm



EMMEPI E12110002

EMMEPI 8C0296

3355363 HEATING ELEMENT 2000W 230V
length 200 mm - width 35 mm
for 180 mm tangential fan



EMMEPI 827915

3355848 HEATING ELEMENT 2000W 230V
length 230 mm - width 255 mm
flange 70x22 mm



EMMEPI 8C0222

3755406 HEATING ELEMENT 2000W 230V
external $\varnothing$ 300 mm
for CRÊPE PAN 350 mm



EMMEPI 809923

3755967 HEATING ELEMENT 2000W 230V
length 280 mm - width 50 mm
fittings M12x1 mm
for Pasta cooker electric (EMMEPI)
Series 600-650



EMMEPI C10446

Suitable for:

3755968 HEATING ELEMENT 2000W 230V
length 280 mm - width 75 mm
fittings M12x1 mm - with bulb holder sheathing
for Pasta cooker electric (EMMEPI)
Series 600-650



EMMEPI C10447

Suitable for:

3355148 HEATING ELEMENT 2000W 240V
length 280 mm - width 60 mm
fittings $\varnothing$ 3/8"



EMMEPI 807787

5031945 HEATING ELEMENT 2200W 230V
length 440 mm - width 500 mm
flange 70x22 mm
for Oven under cooktop electric (EMMEPI)
Series 650



EMMEPI C10192

3755966 HEATING ELEMENT 2400W 220V
external $\varnothing$ 190 mm - height 65 mm
flange 100x22 mm



EMMEPI 828041

3355214 HEATING ELEMENT 2500W 220V
length 530 mm - width 615 mm
flange 70x22 mm
for Oven under cooktop electric (EMMEPI)



EMMEPI 814382

3755895 HEATING ELEMENT 2500W 230V
length 525 mm - width 560 mm
flange 70x22 mm
for Oven under cooktop electric (EMMEPI)
Series 750 - Series 900



EMMEPI C00215

EMMEPI C10194

5037521 HEATING ELEMENT 2500W 230V
external $\varnothing$ 195 mm - overall height 75 mm
flange 70x22 mm
for EMMEPI OVEN FE440
for TECNOEKA COOKING RANGE KCV96-M
for TECNOEKA OVEN KF412-KF412U-KF412GRILL-KF723M-
KF723-KF723GRILL-KF723U-KF9133DIX-KF921-KF964AL-
KF964ALM-KF964I-KF964IM



EMMEPI 132110013

3755077 HEATING ELEMENT 2520W 220V
length 445 mm - width 65 mm
fittings $\varnothing$ 1/4" mm



EMMEPI 808756



Suitable for:

EMMEPI



5013409 HEATING ELEMENT 300W 220V
ø external 175 mm - overall height 64 mm
connections ø 1/4"



EMMEPI 8C0864

Suitable for:

3355807 HEATING ELEMENT 3000W 380V
length 490 mm - width 270 mm
fittings ø 1/4"



EMMEPI 8C0462

3355809 HEATING ELEMENT 3100W 400V
length 310 mm - width 297 mm
flange 70x22 mm



EMMEPI 808862


3355472 HEATING ELEMENT 3300W 230V
length 280 mm - width 70 mm
height 40 mm - fittings M12x1 mm
for Fryer electric (EMMEPI) - Series 650



EMMEPI 808685

EMMEPI 809460

3355812 HEATING ELEMENT 3300W 230V
length 240 mm - width 380 mm
flange 70x22 mm



EMMEPI 808459

3355813 HEATING ELEMENT 3300W 380V
length 240 mm - width 380 mm
flange 70x22 mm




EMMEPI 808532

3355825 HEATING ELEMENT 460W 230V
length 350 mm - width 190 mm
height 60 mm - connections ø 1/4"
complete with cables



EMMEPI 808143

5019192 HEATING ELEMENT 5000W 230/400V
length 365 mm - width 450 mm
fitting M54x1,5 mm - complete with cables
complete with OR



EMMEPI 514220102

3186697 O-RING 0159 EPDM



EMMEPI 808043

EMMEPI 808055



Suitable for:

EMMEPI

Suitable for:



3186601 O-RING 04200 EPDM



EMMEPI 808054

3755666 HEATING ELEMENT 6000/7200W 220/240V
immersed depth 495 mm
flange ø external 72 mm
with bulb sheath
complete with OR gaskets



EMMEPI 807788

3755489 HEATING ELEMENT 6800W 230V
length 300 mm - width 110 mm
connection M54x1.5 mm - with cables
with O-rings



EMMEPI 808689

3186601 O-RING 04200 EPDM



EMMEPI 808054

3355308 HEATING ELEMENT 700W 230V TOP
length 185 mm - width 180 mm
complete with cables



EMMEPI 808870

3186697 O-RING 0159 EPDM



EMMEPI 808043

EMMEPI 808055

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



EMMEPI 808892



EMMEPI



Suitable for:

3755857 HEATING ELEMENT 7000W 230/400V
length 325 mm - width 105 mm
coupling M54x1.5 mm - complete with cables
complete with OR gaskets
for Fryer electric (EMMEPI) EFR72EBN



EMMEPI 8C2134

EMMEPI 8C2134+...

3186601 O-RING 04200 EPDM



EMMEPI 808054

3755428 HEATING ELEMENT 800W 230V
length 175 mm - width 180 mm



EMMEPI 809830

3755024 HEATING ELEMENT 850W 240V BOTTOM
length 180 mm - width 175 mm
with cables



EMMEPI 808871

3755325 QUARTZ PIPE ø 12x255 mm



EMMEPI AE9110001

Suitable for:

3186697 O-RING 0159 EPDM



EMMEPI 808043


EMMEPI 808055

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



EMMEPI 808892

3755480 HEATING ELEMENT 850W 230V
length 265 mm - width 235 mm



EMMEPI 8C0362

3755021 HEATING ELEMENT 875W 240V TOP
length 190 mm - width 310 mm



EMMEPI 809848

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



EMMEPI 808892

Suitable for:

Suitable for:

3355336 SILICONE HEATING ELEMENT 1000W 240V
length 400 mm - width 290 mm
complete with thermostat 150°C automatic rese
operating ambient: dry



EMMEPI 827136

3755328 WIRE HEATING ELEMENT 380W 230V
length 180 mm



3755325 QUARTZ PIPE ø 12x255 mm



EMMEPI AE9110002

EMMEPI AE9110001

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



EMMEPI C00132

3053007 LEFTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



EMMEPI C00131

EMMEPI C10079

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



EMMEPI C00132

3053006 RIGHTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



EMMEPI C00130

EMMEPI C10080

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



EMMEPI C00132



Suitable for:

EMMEPI



Suitable for:

Hose reels

- 3359557 HYDRO-GUN NITO I**
special connection only for MIDIREEL GROUP
with spray regulator



EMMEPI 8C2178

Hydraulic piping

- 3450152 HOSE RUBBER REINFORCED $\varnothing$ 13/19 mm**
internal $\varnothing$ 13 mm - external $\varnothing$ 19 mm
SOLD PER METER



EMMEPI 907295

- 3450109 RUBBER PIPE $\varnothing$ 13x20 mm - 5 m**
operating temperature -40+100°C



EMMEPI 907295

Ignitors

- 3001043 IGNITION BATTERY HOLDER**
a $\varnothing$ 22 mm hole is required for the mounting
faston M 2.8/6.3 mm
for battery 1.5V



EMMEPI C10166

- 3001007 PIEZO IGNITER**
a $\varnothing$ 22 mm hole is needed for the assembly
2.4 mm $\varnothing$ male faston connector



EMMEPI 808153

- 3001020 PIEZO IGNITER**
a $\varnothing$ 18 mm hole is required for the assembly
faston M $\varnothing$ 2.4 mm



EMMEPI 8C1850

- 3001029 PIEZO IGNITER**
a hole $\varnothing$ 22 mm is required for installation
faston M $\varnothing$ 2.4 mm
for SNACK SERIES



EMMEPI 8C0635

Suitable for:

3001107 PIEZO IGNITER
for installation it is necessary a $\varnothing$ 22 mm hole
male faston $\varnothing$ 2.4 mm



EMMEPI C00069

Suitable for:

3001009 PIEZO IGNITER JUNKERS
with faston 6.35x0.8 mm



EMMEPI 806090

3001044 RED PUSH-BUTTON IGNITER 12A 250V
for Fry top gas (EMMEPI) - Series 650 - Series 700
for Pot stove gas (EMMEPI) - Series 650
Series 700
for Solid top range gas (EMMEPI) - Series 650
Series 700



EMMEPI C10250

Incandescent lamps and neon lamps

3221287 INFRARED LAMP OSRAM E27 250W 240V
max temperature 200°C
HIGH EFFICIENCY AND LONG LASTING OF THE LAMP



EMMEPI 40XX-XX40999

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



EMMEPI 809884

Indicator lights

3221132 GREEN INDICATOR LAMP 230V
head $\varnothing$ 13.5 mm - hole $\varnothing$ 10 mm - 120°C
universal application



EMMEPI 807773

3221164 GREEN INDICATOR LAMP 230V
head $\varnothing$ 7 mm - hole $\varnothing$ 6 mm - 120°C
dashboard mounting



EMMEPI 808971

EMMEPI 809382

EMMEPI 8C0298



Suitable for:

5008748 GREEN INDICATOR LAMP 230V
ø head 10 mm - 150°C
wire connection length 250 mm



EMMEPI 809048

Suitable for:

3221199 GREEN INDICATOR LAMP 250V
head ø 8 mm - 150°C
wire connection length 300 mm
for Bain-marie (EMMEPI) - Series 650
for Fryer (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900
for Pasta cooker (EMMEPI) - Series 650
Series 700 - Series 750 - Series 900



EMMEPI 808943

3221034 GREEN INDICATOR LAMP 400V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



EMMEPI 8C0071

3221293 GREEN INDICATOR LIGHT 250V
head ø 20 mm - hole ø 10 mm - 120°C



EMMEPI 809929

3221180 GREEN INDICATOR LIGHT 400V
head ø 10 mm - hole ø 9 mm - 120°C



EMMEPI 903632

3221262 GREEN LAMP RECEPTACLE
head ø 14.5 mm - hole ø 12 mm



EMMEPI 808461

3221183 GREEN PILOT LIGHT 400V
ø head 13.5 mm - hole ø 10 mm - 150°C
universal application



EMMEPI 244120001

3221184 ORANGE PILOT LIGHT 400V
ø head 13.5 mm - hole ø 10 mm - 120°C
universal application



EMMEPI 244120002

3221012 INDICATOR LAMP GREEN 230V
mounting hole 30x22 mm - 125°C
universal application



EMMEPI 806080

3221110 INDICATOR LAMP GREEN 230V
ø head 7 mm - ø hole 6 mm - 120°C
wire connection length 210 mm



EMMEPI 808147

Suitable for:

3221935 INDICATOR LAMP GREEN 230V
mounting hole 30x11 mm - 120°C



EMMEPI 81892

Suitable for:

3221153 INDICATOR LAMP GREEN 380V
mounting hole 32.5x10 mm - 85°C
for COUNTER TOP FRYER all models



EMMEPI 808290

3221094 INDICATOR LAMP ORANGE 230V
ø head 14 mm - ø hole 11.5 mm - 120°C



EMMEPI 809228

3221154 INDICATOR LAMP ORANGE 380V
mounting hole 32.5x10 mm - 85°C
for COUNTER TOP FRYER all models



EMMEPI 808289

3221095 ORANGE INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



EMMEPI 806128

EMMEPI 808970

EMMEPI 809248

3221294 ORANGE INDICATOR LIGHT 250V
head ø 20 mm - hole ø 10 mm - 120°C



EMMEPI 809927

3221136 ORANGE INDICATOR LIGHT 400V
head ø 10 mm - hole ø 9 mm



EMMEPI 903629

3221184 ORANGE PILOT LIGHT 400V
ø head 13.5 mm - hole ø 10 mm - 120°C
universal application



EMMEPI 244120002

3221080 RED INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C



EMMEPI 808969

3221202 TRANSPARENT INDICATOR LAMP 250V
head ø 8 mm - 150°C
wire connection length 300 mm



EMMEPI 809084



Suitable for:

Suitable for:

3221358 WHITE LAMP RECEPTACLE
head $\varnothing$ 16 mm - hole $\varnothing$ 13 mm



EMMEPI 809085

Injectors

3500021 GAS JET M10x1 $\varnothing$ 0.95 mm



EMMEPI 808274

3500024 GAS JET M10x1 $\varnothing$ 1.15 mm



EMMEPI 809960

3500027 GAS JET M10x1 $\varnothing$ 1.30 mm



EMMEPI 809950

EMMEPI 809954

3500028 GAS JET M10x1 $\varnothing$ 1.45 mm



EMMEPI 808423

3500174 GAS JET M12x1 $\varnothing$ 1,55 mm



EMMEPI C00120

3500173 GAS JET M21X1 $\varnothing$ 0.81 mm



EMMEPI C00112

3500172 GAS JET M21X1 $\varnothing$ 0.87 mm



EMMEPI C00534

3500079 GAS JET M21X1 $\varnothing$ 0.90 mm



EMMEPI C00772

3500142 GAS JET M21X1 $\varnothing$ 0.95 mm



EMMEPI C00113

3500078 GAS JET M21X1 $\varnothing$ 1.00 mm



EMMEPI C00770



EMMEPI



Suitable for:

3500143 GAS JET M21X1 ø 1.05 mm



EMMEPI C00114

Suitable for:

3500075 GAS JET M21X1 ø 1.10 mm



EMMEPI C00535

3500149 GAS JET M21X1 ø 1.15 mm



EMMEPI C00525

3500144 GAS JET M21X1 ø 1.20 mm



EMMEPI C00115

3500145 GAS JET M21X1 ø 1.25 mm



EMMEPI C00116

3500080 GAS JET M21X1 ø 1.30 mm



EMMEPI C00804

3500146 GAS JET M21X1 ø 1.35 mm



EMMEPI C00117

3500124 GAS JET M21X1 ø 1.40 mm



EMMEPI C00118

3500125 GAS JET M21X1 ø 1.45 mm



EMMEPI C00119

3500139 GAS JET M21X1 ø 1.50 mm



EMMEPI C00148

3500099 GAS JET M21X1 ø 1.60 mm



EMMEPI C00399

3500090 GAS JET M21X1 ø 1.65 mm



EMMEPI C00235



EMMEPI



Suitable for:

Suitable for:

3500076 GAS JET M21X1 ø 1.70 mm

3500088 GAS JET M21X1 ø 1.75 mm



EMMEPI C00536

EMMEPI C00892

3500126 GAS JET M21X1 ø 1.80 mm

3500127 GAS JET M21X1 ø 1.85 mm



EMMEPI C00121

EMMEPI C00122

3500106 GAS JET M21X1 ø 1.90 mm

3500128 GAS JET M21X1 ø 1.95 mm



EMMEPI C00400

EMMEPI C00123

3500141 GAS JET M21X1 ø 2.00 mm

3500140 GAS JET M21X1 ø 2.05 mm



EMMEPI C00773

EMMEPI C00149

3500129 GAS JET M21X1 ø 2.10 mm

3500135 GAS JET M21X1 ø 2.15 mm



EMMEPI C00124

EMMEPI C00125

3500123 GAS JET M21X1 ø 2.20 mm

3500136 GAS JET M21X1 ø 2.25 mm



EMMEPI C00490

EMMEPI C00126



EMMEPI



Suitable for:

3500137 GAS JET M21X1 ø 2.30 mm



EMMEPI C00127

Suitable for:

3500138 GAS JET M21X1 ø 2.35 mm



EMMEPI C00128

3500147 GAS JET M21X1 ø 2.45 mm



EMMEPI C00491

3500119 GAS JET M21X1 ø 2.50 mm



EMMEPI C00404

3500086 GAS JET M21X1 ø 2.60 mm



EMMEPI C00831

3500089 GAS JET M21X1 ø 2.70 mm



EMMEPI C10176

3500107 GAS JET M21X1 ø 2.85 mm



EMMEPI C00401

3500087 GAS JET M21X1 ø 3.05 mm



EMMEPI C00834

3500108 GAS JET M21X1 ø 3.10 mm



EMMEPI C00402

3500077 GAS JET M21X1 ø 3.15 mm



EMMEPI C00543

3500109 GAS JET M21X1 ø 3.40 mm



EMMEPI C00403

3500148 GAS JET M21X1 ø 3.55 mm



EMMEPI C00492



EMMEPI



Suitable for:

3500120 GAS JET M21X1 ø 3.75 mm



EMMEPI C00405

Suitable for:

3500062 GAS JET M7x1 ø 0.85 mm



EMMEPI 808049

3500063 GAS JET M7x1 ø 0.95 mm



EMMEPI 808155

3500069 GAS JET M7x1 ø 1.60 mm



EMMEPI 8C0025

3500042 GAS JET M9x1 ø 1.00 mm



EMMEPI 8C0028

3500043 GAS JET M9x1 ø 1.10 mm



EMMEPI 808415

3500044 GAS JET M9x1 ø 1.15 mm



EMMEPI 8C0023

3500047 GAS JET M9x1 ø 1.35 mm



EMMEPI 808567

3500070 GAS NOZZLE M10x1 ø 1.70 mm



EMMEPI 808384

Ironmongery (screws,nuts,washers)

5002614 COUNTERNUT M16x1
height 4.5 mm



EMMEPI 806119

3528010 FLAT WASHER M6
ø internal/external 6,4/12 mm - thickness 1,6 mm
st./steel - UNI 6592 - DIN 125 A - ISO 7089



EMMEPI E25110025

EMMEPI 8C1731



EMMEPI



Suitable for:


3060069 **HEXAGONAL NUT M8 MEDIUM**
stainless steel - UNI 5588 - DIN 934 - ISO 4032



EMMEPI 8C0632

Suitable for:

3183051 **NUT M20x1.5**



EMMEPI 809068

3528075 **SPIRAL SPRING WASHER M8**
internal/external $\varnothing$ 8.4/14.4 mm - thickness 4 mm
stainless steel - UNI 1751 - DIN 127 B



EMMEPI 905940

Knobs

3241249 **BLACK KNOB $\varnothing$ 39 mm**
D shaft hole 6x4.6 mm



EMMEPI 813429

3241357 **BLACK KNOB $\varnothing$ 40 mm**
D-shaped hole 6x4.6 mm



EMMEPI 809928

3241179 **BLACK KNOB $\varnothing$ 50 mm 0-1-2-3-4-5**
D-shaft 6x4.6 mm



EMMEPI 808968

3241244 **BLACK KNOB $\varnothing$ 60 mm 1-2-3-4-5-6**
D shaft hole 6x4.6 mm



EMMEPI E11110002

3241040 **BLACK KNOB $\varnothing$ 65 mm SILK-SCREEN PRINTED**
D-shaped hole 10x8 mm
for valve equipped gas COOK TOP tap



EMMEPI 806133

3241042 **BLACK KNOB $\varnothing$ 70 mm SILK-SCREEN PRINTED**
D-shaft hole 8x6.5 mm



EMMEPI 806037



EMMEPI



Suitable for:

3241525 BLACK KNOB ø 70 mm 0-1-2-3
D shape hole 6x4.6 mm



EMMEPI 807770

Suitable for:

3241523 BLACK KNOB ø 70 mm 0-1-2-3-4-5-6
D shaft hole 6x4.6 mm



EMMEPI 807771

3241126 BLACK KNOB ø 70 mm 170-300°C
D shaft hole 10x8 mm



EMMEPI 806361

3241620 BLACK KNOB ø 76 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm
for Pot stove (EMMEPI) - Series 650 - Series 700



EMMEPI C89433

EMMEPI C89459

3241621 BLACK KNOB ø 76 mm SILK-SCREEN PRINTED
D shaft hole 10x8 mm
for Pot stove (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900



EMMEPI C99683

5031069 BLACK KNOB ø 76 mm 0-1-2-3-4-5-6
D-shaft 6x4.6 mm
for Pot stove electric (EMMEPI)
Series 650-700-750-900



EMMEPI C99695

5008112 BLACK KNOB ø 76 mm 0-200°C
D-shaft 6x4.6 mm
for Fryer electric (EMMEPI)
Series 650-700-750-900



EMMEPI C99686

5031594 BLACK KNOB ø 76 mm 0-300°C
D-shaft 6x4.6 mm



EMMEPI C99701

3241619 BLACK KNOB ø 76 mm 1-2-3-4-5-6-7-8
D shaft hole 10x8 mm
for Fry top (EMMEPI)
for Oven under cooktop (EMMEPI)



EMMEPI C99698

3241624 BLACK KNOB ø 76 mm 100-250°C
D shape hole 6x4.6 mm
for Fry top (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900
for Oven under cooktop (EMMEPI) - Series 650
Series 700 - Series 750 - Series 900



EMMEPI C99639

Suitable for:


3241055 **FIXING CLIP**
for knob with $\varnothing$ 8 mm hole



EMMEPI C00196

Suitable for:

3241615 **GREY KNOB $\varnothing$ 49 mm**
D shaft hole 6x4.6 mm



EMMEPI 8C1602

5002601 **KNOB BLACK $\varnothing$ 65 mm 0-1-2-3-4-5-6**
D-shaped hole 6x4.6 mm



EMMEPI 807609

5009132 **KNOB BLACK $\varnothing$ 76 mm 0-1**
D-shaped hole 6x4.6 mm



EMMEPI 814684

3241821 **KNOB RED $\varnothing$ 76 mm 1-2-3-4-5-6-7-8**
D-shaped hole 6x4.6 mm



EMMEPI 830829

3241127 **KNOB RED $\varnothing$ 76 mm 50-300°C**
D-shaped hole 6x4.6 mm



EMMEPI 807607

3241039 **RED KNOB $\varnothing$ 65 mm 0-1-2-3-4-5-6-7-8**
D shaft hole 8x7 mm
for EGA COOKTOP OVEN valve



EMMEPI 806139

Lamp receptacles and spare parts

3221349 **GLASS F.OVEN RECEPTACLE LAMP $\varnothing$ 73 mm**
thread $\varnothing$ 63 mm - overall height 45 mm



EMMEPI 808851

3221052 **GLASS FOR OVEN LAMP RECEPTACLE $\varnothing$ 57 mm**
thread $\varnothing$ 33.5 mm - overall height 34 mm



EMMEPI 808808



Suitable for:

EMMEPI



- 3221277 HALOGEN LAMP RECEPTACLE R7s**
support length 145 mm
wires connection length 240 mm



EMMEPI YR1002720

Suitable for:

- 3221649 LAMP RECEPTACLE WITH GLASS E14**
WITHOUT BULB
lamp glass ø 72 mm
mounting hole ø 68 mm
max temperature 300°C



EMMEPI 808850


- 3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V**
lamp glass ø 42 mm
mounting hole ø 38 mm
max temperature 300°C
for OVEN



EMMEPI 809935


Lava rock grids

- 5052322 S/STEEL GRID 390x345x20 mm**



EMMEPI 8C1254


- 3185131 S/STEEL PAN SUPPORT GRID 538x395x20 mm**



EMMEPI 808517

Lavarock

- 5001481 CERAMIC RADIANT PLATE 70x50x13 mm**



EMMEPI 808625

Level gauges

- 3201003 WATER LEVEL GAUGE HCX76 107x28 mm**
distance between holes 76 mm
for PANS



EMMEPI 808704



Level sensors


- 3341039 WATER LEVEL PROBE $\varnothing$ 3x205 mm**
overall length 220 mm



EMMEPI 807854

Magnets

- 3242354 DOOR LOCK MAGNET**
distance between magnetic part holes 74 mm
distance between holes of strike plate 54 mm



EMMEPI C00247

EMMEPI 808161

Microswitches

- 3240605 DOOR MICROSWITCH M1AX20 10A 250V**



EMMEPI 807351

- 3240436 MAGNETIC MICRO SWITCH MK12**
with cable 4000 mm - head 32x15 mm



EMMEPI 809557

- 3240204 MAGNETIC MICROSWITCH E5301C**
0.4A 250V - contact NO - head 65x20x9 mm
with magnet 63x19x11 mm
with cable length 1900 mm



EMMEPI 8C0052

- 3240407 MICROSWITCH KIT 16A 250V**
3 locking positions
the kit includes 5 levers:
lever 75 mm - lever 27 mm - lever 15 mm
lever 15 mm with wheel - lever 27 mm with wheel



EMMEPI 809481

- 1240120 MICROSWITCH MKV11D15 16A 250V**



EMMEPI 807795

- 3240144 MICROSWITCH S16 16A 250V**



EMMEPI 809227



Suitable for:

Suitable for:

3240406 MICROSWITCH 10(4)A 250V

3240410 MICROSWITCH 16(4)A 250V



EMMEPI E61110082 EMMEPI 8C2018 EMMEPI 808879 EMMEPI E61110053 EMMEPI 61110053 EMMEPI 807351


3240820 MICROSWITCH 16A 250V



EMMEPI E00010041 EMMEPI 807999 EMMEPI 808053

Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan ø 150 mm



EMMEPI 8C0758 EMMEPI 8C2135 EMMEPI 807206

OR and ORM gaskets

3186697 O-RING 0159 EPDM

3186601 O-RING 04200 EPDM



EMMEPI 808043 EMMEPI 808055 EMMEPI 808054

3786459 O-RING 04200 VITON

3186860 OR GASKET 03056 EPDM
EX OR 0118



EMMEPI 808048 EMMEPI 809237

Suitable for:

Suitable for:

3186241 VITON O-RING 06212
for DRAIN TAP ø 2" OLD MODEL AND
TECNO NEW MODEL



EMMEPI 809345

Pilot burners and accessories

3020084 NUT & OLIVE ø 6 mm



EMMEPI 8C0070

3020082 OLIVE FOR 12 mm ø PIPE



EMMEPI 8C0412

EMMEPI 807907

3020111 OLIVE FOR 4 mm ø PIPE



EMMEPI 830885

3020033 ONE-FLAME PILOT BURNER SIT
multigas nozzle
external regulation with 7 mm nut



EMMEPI C00391

EMMEPI 511300014

3001003 ROUND SPARKING PLUG ø 7x44 mm
male faston M4x1 mm
total length 65 mm



EMMEPI 051H10002

EMMEPI 8C0637

EMMEPI 808177

3020077 PIPE FITTING ø 4 mm
thread M10x1



EMMEPI 806019

3020060 SPARKING PLUG ROUND ø 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



EMMEPI C00173

EMMEPI 8C1498



Suitable for:

7101008 PILOT BURNER SIT 1 FLAME
multigas type with nozzle $\varnothing$ 0.20 mm
external adjusting by nut 7 mm



EMMEPI C00819

3020055 PILOT JET $\varnothing$ 0.35 mm



EMMEPI 8C0031

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



Suitable for:

3020054 PILOT JET $\varnothing$ 0.20 mm



EMMEPI 8C0030

3020077 PIPE FITTING $\varnothing$ 4 mm
thread M10x1



EMMEPI 806019

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



EMMEPI 051H10002

EMMEPI 8C0637

EMMEPI 808177

EMMEPI C00173

EMMEPI 8C1498

3020036 PILOT BURNER SIT 3 FLAMES
multigas type with nozzle $\varnothing$ 0.35 mm
with 3 position bracket



EMMEPI C00166

EMMEPI 8C0638

3020055 PILOT JET $\varnothing$ 0.35 mm



EMMEPI 8C0031

3020054 PILOT JET $\varnothing$ 0.20 mm



EMMEPI 8C0030

3020077 PIPE FITTING $\varnothing$ 4 mm
thread M10x1



EMMEPI 806019



Suitable for:

3001003 **ROUND SPARKING PLUG** $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



EMMEPI 051H10002

EMMEPI 8C0637

EMMEPI 808177

3020321 **PILOT BURNER 3 FLAMES**
without plug
supplied with natural gas nozzle
supplied with pipe connection and pipe pilot olive
with thermocouple connection
with plug connection



EMMEPI C10515

3001003 **ROUND SPARKING PLUG** $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



EMMEPI 051H10002

EMMEPI 8C0637

EMMEPI 808177

3020201 **PILOT GAS JET** $\varnothing$ 0.14 mm



EMMEPI 8C0955

3020044 **PILOT GAS JET** $\varnothing$ 0.20 mm



EMMEPI C00170

EMMEPI



Suitable for:

3020060 **SPARKING PLUG ROUND** $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



EMMEPI C00173

EMMEPI 8C1498

3020044 **PILOT GAS JET** $\varnothing$ 0.20 mm



EMMEPI C00170

3020042 **PILOT GAS JET** $\varnothing$ 0.19 mm



EMMEPI 809996

3020202 **PILOT GAS JET** $\varnothing$ 0.27 mm



EMMEPI 8C1497




EMMEPI



Suitable for:

3020043 PILOT GAS JET $\varnothing$ 0.36 mm



EMMEPI 809994

Suitable for:

3020449 PILOT GAS JET $\varnothing$ 0.54 mm



EMMEPI 808033

3020054 PILOT JET $\varnothing$ 0.20 mm



EMMEPI 8C0030

3020040 PILOT JET $\varnothing$ 0.30 mm



EMMEPI 808365

3020055 PILOT JET $\varnothing$ 0.35 mm



EMMEPI 8C0031

3020187 PILOT NOZZLE $\varnothing$ 0.51 mm



EMMEPI 808364

**3020077 PIPE FITTING $\varnothing$ 4 mm
thread M10x1**




EMMEPI 806019

3020251 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket



EMMEPI 808353

3020042 PILOT GAS JET $\varnothing$ 0.19 mm



EMMEPI 809996

3020043 PILOT GAS JET $\varnothing$ 0.36 mm



EMMEPI 809994

**3020077 PIPE FITTING $\varnothing$ 4 mm
thread M10x1**



EMMEPI 806019



Suitable for:

3001003 **ROUND SPARKING PLUG $\varnothing$ 7x44 mm**
male faston M4x1 mm
total length 65 mm



EMMEPI 051H10002

EMMEPI 8C0637

EMMEPI 808177

EMMEPI



Suitable for:

3020060 **SPARKING PLUG ROUND $\varnothing$ 7x44 mm**
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



EMMEPI C00173

EMMEPI 8C1498

3020010 **TARGET PILOT BURNER SIT 2 FLAMES**
supplied without sparking plug, nozzle and gasket
with thermocouple fitting



EMMEPI 8C1496

EMMEPI 809474

3020043 **PILOT GAS JET $\varnothing$ 0.36 mm**




EMMEPI 809994

3001003 **ROUND SPARKING PLUG $\varnothing$ 7x44 mm**
male faston M4x1 mm
total length 65 mm



3020042 **PILOT GAS JET $\varnothing$ 0.19 mm**



EMMEPI 809996

3020077 **PIPE FITTING $\varnothing$ 4 mm**
thread M10x1



EMMEPI 806019

3020060 **SPARKING PLUG ROUND $\varnothing$ 7x44 mm**
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



EMMEPI 051H10002


EMMEPI 8C0637

EMMEPI 808177

EMMEPI C00173

EMMEPI 8C1498

3020011 **THREE-FLAME PILOT BURNER**
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple connection
with sparking plug fitting



EMMEPI 808039

EMMEPI 808197

EMMEPI 809197

3020044 **PILOT GAS JET $\varnothing$ 0.20 mm**



EMMEPI C00170



Suitable for:

EMMEPI



Suitable for:

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



EMMEPI 051H10002

EMMEPI 8C0637

EMMEPI 808177

3020256 THREE-FLAME PILOT BURNER
supplied without sparking plug, nozzle
with pipe fitting and pipe pilot olive
with thermocouple fitting
with sparking plug fitting
for Boiling pan gas (EMMEPI) - Series 900



EMMEPI 808524

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



3020044 PILOT GAS JET $\varnothing$ 0.20 mm




EMMEPI C00170

EMMEPI 051H10002

EMMEPI 8C0637

EMMEPI 808177

3020269 THREE-FLAME PILOT BURNER
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple fitting
with sparking plug fitting



EMMEPI 806154

EMMEPI 807835

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



3020044 PILOT GAS JET $\varnothing$ 0.20 mm



EMMEPI C00170

EMMEPI 051H10002

EMMEPI 8C0637

EMMEPI 808177

Suitable for:

Suitable for:

3020401 THREE-FLAME PILOT BURNER
supplied without sparking plug
with LPG and NATURAL GAS nozzle
with pipe fitting and pilot pipe olive
with thermocouple fitting
with sparking plug fitting



EMMEPI 809195

3020044 PILOT GAS JET ø 0.20 mm



EMMEPI C00170

3001003 ROUND SPARKING PLUG ø 7x44 mm
male faston M4x1 mm
total length 65 mm



EMMEPI 051H10002

EMMEPI 8C0637

EMMEPI 808177

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet ø 0.20 mm
with 3 positions bracket



EMMEPI C00070

EMMEPI C00392

EMMEPI C00711

EMMEPI 051E10007

EMMEPI 808180

3020054 PILOT JET ø 0.20 mm



EMMEPI 8C0030

3020055 PILOT JET ø 0.35 mm



EMMEPI 8C0031

3020077 PIPE FITTING ø 4 mm
thread M10x1



EMMEPI 806019

3001003 ROUND SPARKING PLUG ø 7x44 mm
male faston M4x1 mm
total length 65 mm



3020060 SPARKING PLUG ROUND ø 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



EMMEPI 051H10002

EMMEPI 8C0637

EMMEPI 808177

EMMEPI C00173

EMMEPI 8C1498



Suitable for:

3020009 TWO-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket



EMMEPI 830792

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



Suitable for:

3020040 PILOT JET $\varnothing$ 0.30 mm



EMMEPI 808365

EMMEPI 051H10002

EMMEPI 8C0637

EMMEPI 808177

3020012 TWO-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included



EMMEPI 806153

3020040 PILOT JET $\varnothing$ 0.30 mm



EMMEPI 808365

Pliers for sandwiches und toasts

3317051 GRILL PLIER
length 100 mm
height 180 mm



EMMEPI E91310002

Probes

3445109 PROBE TCJ VETROTEX 3000 mm
2-wire probe temperature range 0+600°C
temperature cable max 350°C
error limit $\pm$ 0.75% below 0°C
response time 30 sec
bulb $\varnothing$ 6x100 mm



EMMEPI 8C0221

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb $\varnothing$ 6x40 mm



EMMEPI E25110070

3445183 SILICONE PTC PROBE 3000 mm
2-wire probe temperature range -55+150°C
bulb ø 6x40 mm



EMMEPI 8C1889

Relays

3351007 POWER RELAY FINDER 55.32.8.230.0040
230V 50/60Hz
2 exchange contacts 10A
with to test push-button + mechanic gauge



EMMEPI 809015

3351021 POWER RELAY FINDER 62.82.8.230.0000
230V 50/60Hz
2 exchange contacts 16A



EMMEPI 809863

3351008 POWER RELAY FINDER 62.83.8.230.0000
230V 50/60Hz
3 exchange contacts 16A



EMMEPI 905475

EMMEPI 905476


Rotary switches

3057050 CONNECTING BRACKET 28x21x16 mm
distance between hooking brackets 27 mm
for the connection between selector switch and the



EMMEPI C00218

5031041 SELECTOR SWITCH KIT 0-1 POSITIONS
complete with potentiometer and board
contact capacity 32A 250V - max 150°C
D-shaft ø 6x4.6 mm



EMMEPI 242220101



Suitable for:

EMMEPI




3057019 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft $\varnothing$ 6x4.6 mm



EMMEPI 808145

Suitable for:

3057026 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D shaft $\varnothing$ 6x4.6 mm
for Bain-marie (EMMEPI) - Series 650



EMMEPI 806286


3057027 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft $\varnothing$ 6x4.6 mm
rear hole for thermostat
for Kitchen electric (EMMEPI)
Series 650 - Series 700 - Series 750 - Series 900



EMMEPI C00217


EMMEPI 806117

3057082 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°
D-shaft 6x4.6 mm
for Fryer (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900
for Pasta cooker (EMMEPI) - Series 650
Series 700 - Series 750 - Series 900




EMMEPI 808052

3057177 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Bain-marie (EMMEPI)
Series 700 - Series 750 - Series 900
for Fry top (EMMEPI)
Series 700 - Series 750 - Series 900



EMMEPI C00690


3057178 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin 6x4.6 mm



EMMEPI C00685

EMMEPI 808687

3057186 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft $\varnothing$ 6x4.6 mm



EMMEPI 814040


3057190 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 32A 600V - max 75°C
rectangular shaft 4x5 mm



EMMEPI 807808

Suitable for:


3057216 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 230V - max 150°C
D-shaped pin 6x4.6 mm



EMMEPI 809926


Suitable for:

3057083 SELECTOR SWITCH 0-2 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.6 mm




EMMEPI 807768

3057002 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 32A 250V - max 150°C
D-shaped pin ø 6x4.6 mm



EMMEPI 806116


3057023 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 32A 250V - max 150°C
D shaft ø 6x4.6 mm
for Pot stove electric (EMMEPI) - Series 900
for Kitchen electric (EMMEPI) EE4F



EMMEPI C00214

EMMEPI 806160


3057024 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.6 mm
for Kitchen electric (EMMEPI)
Series 650 - Series 700 - Series 750



EMMEPI C00213

EMMEPI 807602

3057092 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft ø 6x4.6 mm



EMMEPI 808148

EMMEPI 831097

Safety groups for pans and spare parts

3184013 DEPRESSION VALVE ø 3/4" M
in chrome plated brass
for safety group ø 1" 1/4



EMMEPI 809385

3184007 PRESSURE GAUGE ø 60 mm
in chrome plated brass
radial connection 1/4"
scale 0-1 bar
for safety groups



EMMEPI 8C0229

EMMEPI 807335

EMMEPI 808347



Suitable for:

EMMEPI



Suitable for:

Sleeves

- 5001488 DRAIN PIPE**
external $\varnothing$ 36 mm - internal $\varnothing$ 28 mm
SOLD PER METER



EMMEPI 808429

Solenoid valves

- 3120541 SOLENOID VALVE L140B5 $\varnothing$ 1/2"FF 24V**
for water
normally closed
max. temperature 100°C
max. differential pressure 10 bar
coil 24V 50/60Hz



EMMEPI TR0091

- 3120043 COIL SIRAI Z610A 24V 50/60Hz**



EMMEPI TR0020

- 3120014 SOLENOID VALVE 264 220/240V $\varnothing$ 10 mm**
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - triple outlet $\varnothing$ 10 mm



EMMEPI 902410

- 3120167 SOLENOID VALVE 264A 220/240V $\varnothing$ 14 mm**
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - three outlets $\varnothing$ 14 mm



EMMEPI E00010011

- 3120004 SOLENOID VALVE 319 220/240V $\varnothing$ 10 mm**
solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet $\varnothing$ 10 mm



EMMEPI 8C0206

- 3120005 SOLENOID VALVE 329 220/240V $\varnothing$ 10 mm**
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet $\varnothing$ 10 mm



EMMEPI 809327

EMMEPI 809335

EMMEPI 902390

Suitable for:

3120007 SOLENOID VALVE 349 220/240V ø 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet ø 10 mm




EMMEPI 8C0145

EMMEPI 808922

Suitable for:

3120009 SOLENOID VALVE 351 220/240V ø 14 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 14 mm



EMMEPI 809566

3120011 SOLENOID VALVE 353 220/240V ø 14 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet ø 14 mm



EMMEPI 809565

3120517 SOLENOID-VALVE L140B5 1/2"FF 24V
for water - normally closed
max temperature 100°C
coil z615A 24V 50Hz



EMMEPI 8C0441

5013420 VALVE CEME 2 VAYS ø 1/4" F 230V
9934 - max 25bar
with coil 18,5VA 230V 50/60Hz



EMMEPI 807844

EMMEPI 808041

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



EMMEPI C00507

EMMEPI C10167

EMMEPI 8C1700

EMMEPI 813434

3181502 SPARK GENERATOR 2 OUTLETS
1.5V battery powered



EMMEPI C10167

3181003 SPARK GENERATOR 4 OUTLETS
220/240V 50/60Hz



EMMEPI C10168

3181501 SPARK GENERATOR 4 OUTLETS
1.5V battery powered



EMMEPI C10168



Suitable for:

3181004 SPARK GENERATOR 6 OUTLETS
220/240V - 50/60Hz



Suitable for:

3181503 SPARK GENERATOR 6 OUTLETS
1.5V battery powered



EMMEPI

EMMEPI C10169

Sparking and detection plugs

3020305 ROUND IGNITION ELECTRODE $\varnothing$ 6/7x42 mm

F connection 2.8x0.8 mm
with silicone lead length 750 mm
overall length with cable 800 mm
for Pot stove gas (EMMEPI) - Series 650
Series 700



3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm

male faston M4x1 mm
total length 65 mm



EMMEPI C10161

EMMEPI 051H10002

EMMEPI 8C0637

EMMEPI 808177

3020230 ROUND SPARKING PLUG $\varnothing$ 7x54 mm

male faston M4x1 mm
overall length 63 mm
for COOKING RANGE series 700 PROTAGONISTA NUOVA
for COOKING RANGE series 900 PROTAGONISTA NUOVA
for COOKING RANGE series 1100 PROTAGONISTA NUOVA



3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm

faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



EMMEPI 806107

EMMEPI 807905

EMMEPI C00173

EMMEPI 8C1498

3020068 SPARKING PLUG ROUND $\varnothing$ 7x44 mm

square coupling
faston M M4x1 mm
overall length 63 mm



3020124 SPARKING PLUG ROUND $\varnothing$ 7x44 mm

connection $\varnothing$ 2.4 mm
overall length 58 mm



EMMEPI C00927

EMMEPI 807741

Spits, sticks and rotisserie accessories

3162001 END FORK

shaft square hole 11.3x11.3 mm
overall length 72 mm



EMMEPI 8C2245

3162002 MIDDLE FORK

shaft square hole 11.3x11.3 mm
overall length 122 mm



EMMEPI 8C2244

Springs

3250029 LEFTHAND SPRING ø 20x40 mm

for PLATE PS24-36-PD50
for SIRMAN ELECTRIC PLATE PD R/L/M/x since 99
for SIRMAN ELECTRIC PLATE ELIO L/R/X since 99
for SIRMAN ELECTRIC PLATE PD ECO since 99
for SIRMAN ELECTRIC PLATE ELIO ECO since 99
for SIRMAN ELECTRIC PLATE PD POWER since 99



EMMEPI 8C0450

3250001 LEFTHAND SPRING ø 20x42 mm

for ELECTRIC PLATE all models
for SIRMAN ELECTRIC PLATE PD R/L/M/x upto 99
for SIRMAN ELECTRIC PLATE ELIO L/R/X upto 99
for SIRMAN ELECTRIC PLATE ELIO ECO upto 99



EMMEPI 808873

3250028 RIGHTHAND SPRING ø 20x40 mm

for PLATE PS24-36-PD50
for SIRMAN ELECTRIC PLATE PD R/L/M/x since 99
for SIRMAN ELECTRIC PLATE ELIO L/R/X since 99
for SIRMAN ELECTRIC PLATE PD ECO since 99
for SIRMAN ELECTRIC PLATE ELIO ECO since 99
for SIRMAN ELECTRIC PLATE PD POWER since 99



EMMEPI 8C0449

3250002 RIGHTHAND SPRING ø 20x42 mm

for ELECTRIC PLATE all models
for SIRMAN ELECTRIC PLATE PD R/L/M/x upto 99
for SIRMAN ELECTRIC PLATE ELIO L/R/X upto 99
for SIRMAN ELECTRIC PLATE ELIO ECO upto 99



EMMEPI 808874

3250124 SPRING FOR PLATE ø 22x100 mm



EMMEPI 8C0361



Suitable for:


EMMEPI



Suitable for:

Steam valves


- 3524009 VALVE KNOB**
hole 9x9 mm
for valve $\varnothing$ 3/4" - 1 1/4"



EMMEPI 809516

Switches

- 3319146 CHANGEVER SWITCH 2-POLE BLACK 16A 250V**
16(4)A 250V
silk-screen printing 0 - I
max. temperature 120°C
mounting hole 22x30 mm



EMMEPI 808146

- 3319015 PUSH-BUTTON 2-POLE RED 16A 250V**
16(4)A 250V - with indicator lamp
silk-screen print 0 - I
max. temperature 120°C
mounting hole 22x30 mm



EMMEPI 8C0961

- 3319373 RED SINGLE-POLE PUSH-BUTTON 16A 250V**
for IGNITION
with protection cap
silk-screen printing "lightning"
max temperature 120°C
mounting hole $\varnothing$ 25 mm



EMMEPI 244230001

- 3319270 RED UNIPOLAR PUSH-BUTTON 3A 250V**
with protection cap
mounting hole $\varnothing$ 16 mm



EMMEPI 809886

- 3319165 SWITCH BIPOLAR YELLOW 16A 250V**
16(4)A 250V
max. temperature 100°C
mounting hole 28x30 mm



EMMEPI 905325

- 3319967 SWITCH 1-POLE GREEN 16A 250V**
16(4)A 250V - with indicator lamp
max. temperature 120°C
mounting hole 11x30 mm



EMMEPI 809477

EMMEPI 809478

Suitable for:

3319944 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - with indicator lamp
silk-screen printing 0 - I
max. temperature 120°C
mounting hole 22x30 mm



EMMEPI 712110000

Suitable for:

3319949 SWITCH 2-POLE ORANGE 16A 250V
16(4)A 250V - with indicator lamp
max. temperature 120°C
mounting hole ø 25 mm




EMMEPI 8C0427

3319016 SWITCH 2-POLE RED 16A 250V
16(4)A 250V - with indicator lamp
silk-screen print 0 - I
max. temperature 120°C
mounting hole 22x30 mm



EMMEPI E61110003

3319423 SWITCH 2-POLE GREEN 16A 24V
with indicator lamp
max. temperature 120°C
mounting hole 22x30 mm
for Bratt pan (EMMEPI) - Series 750 - Series 900



EMMEPI C00610

3319029 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - with indicator lamp
max. temperature 120°C
mounting hole 22x30 mm



EMMEPI 818181

Tangential and radial fans

3526153 TANGENTIAL FAN 180 mm RH
25W 230V 50/60Hz - ø 60 mm
operating temperature -30°+100°C



EMMEPI 827914

3526963 TANGENTIAL FAN 240 mm RH
25W 230V 50/60Hz - ø 60 mm
operating temperature -30°+100°C



EMMEPI 721200003



Suitable for:

EMMEPI



Suitable for:

Taps for tank refilling

3183050 NUT 1/2"



EMMEPI 809067

3183045 SPOUT
pipe $\varnothing$ 18 mm



EMMEPI 808420

3183050 NUT 1/2"



EMMEPI 809067

3242233 TAP KNOB - BLACK
D-shape hole $\varnothing$ 9x8 mm



EMMEPI 808432

3359120 WATER INLET TAP $\varnothing$ 1/2" FF
D shaft 9x8 mm
for Pasta cooker (EMMEPI) - Series 650
Series 700 - Series 750 - Series 900



EMMEPI 808037

3183051 NUT M20x1.5



EMMEPI 809068

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



EMMEPI 8C0412

EMMEPI 807907

3358006 WATER INLET TAP $\varnothing$ 1/2" FF



EMMEPI C10510

EMMEPI C10510+224110004+

5001432 SILKSCREENED BLACK RING $\varnothing$ 75 mm
for water inlet pipe



EMMEPI 809078



Suitable for:

3242233 TAP KNOB - BLACK
D-shape hole $\varnothing$ 9x8 mm



EMMEPI 808432

3358005 WATER INLET TAP $\varnothing$ 1/2"MM
outlet internal $\varnothing$ 10 mm



EMMEPI 806038

EMMEPI

Suitable for:



Telethermometers

3441011 BLACK TELETHERMOMETER 56x25 mm 0-120°C
plastic case
capillary length 1500 mm
bulb $\varnothing$ 6x15 mm



EMMEPI 907090


3441008 TELETHERMOMETER BLACK $\varnothing$ 52 mm 0-120°C
plastic case
PVC covered capillary 1500 mm
bulb $\varnothing$ 6.5x2.6 mm



EMMEPI 815215

Terminal blocks

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



EMMEPI C00395

Thermocouples and accessories

3440116 GROUND LEAD FOR THERMOCOUPLE 35 cm



EMMEPI C10362

3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.
interrupted contact with terminals



EMMEPI 513120001



Suitable for:

Suitable for:

3440014 INTERRUPTION CONNECTOR M8x1



EMMEPI 8C1701

3440015 INTERRUPTION CONNECTOR M9x1



EMMEPI C00169

EMMEPI 807350

EMMEPI 807842

3440114 THERMOCOUPLE FAST CONNECT. 60 cm threaded coupling M6x1 faston 8x2 mm - faston 5x1.6 mm for Pot stove (EMMEPI) - Series 650 - Series 700



EMMEPI C10067

EMMEPI C10333

3440116 GROUND LEAD FOR THERMOCOUPLE 35 cm



EMMEPI C10362

3440115 THERMOCOUPLE FASTON CONNECT. 70 cm threaded coupling M6x0.75 faston 8x2 mm - faston 5x1.6 mm for Pot stove (EMMEPI) - Series 650 - Series 700



EMMEPI C10065

EMMEPI C10334

3440116 GROUND LEAD FOR THERMOCOUPLE 35 cm



EMMEPI C10362

3440133 THERMOCOUPLE SIT M10x1 100 cm



EMMEPI 808521

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



EMMEPI 806185

3440037 THERMOCOUPLE SIT M9x1 100 cm.



EMMEPI 806185

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



EMMEPI 806185

3440038 THERMOCOUPLE SIT M9x1 120 cm



EMMEPI 8C0639

EMMEPI 806186

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



EMMEPI 8C0639

EMMEPI 806186



Suitable for:

Suitable for:

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



EMMEPI 8C0639

EMMEPI 806186

3440039 THERMOCOUPLE SIT M9x1 150 cm



EMMEPI C10201

EMMEPI 814980

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



EMMEPI C10201

EMMEPI 814980

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



EMMEPI C10201

EMMEPI 814980

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



EMMEPI 806183

EMMEPI 808178

3440035 THERMOCOUPLE SIT M9x1 60 cm.



EMMEPI 806183

EMMEPI 808178

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



EMMEPI 806183

EMMEPI 808178

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



EMMEPI 806184

EMMEPI 808138

3440036 THERMOCOUPLE SIT M9x1 85 cm.



EMMEPI 806184

EMMEPI 808138

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



EMMEPI 806184

EMMEPI 808138



EMMEPI



Suitable for:

3440082 THERMOCOUPLE SIT QUICK M8x1 60 cm



EMMEPI 808151

Suitable for:

3440078 THERMOCOUPLE SIT QUICK M9x1 50 cm.



EMMEPI 806271

Thermostatic gas valves

3345010 THERMOSTATIC TAP 24ST


Adjustment temperature 55-110°C
connections M20x1.5 mm
thermocouple connection M9x1
bulb ø 6x160 mm
capillary length 1200 mm
D-shaped pin ø 10x8 mm



EMMEPI C00417

3345017 THERMOSTATIC TAP 24ST5

operating temperature 120-320°C
connections M20x1.5 mm
thermocouple connection M9x1
bulb ø 6x75 mm
capillary length 1200 mm
D-shaped pin ø 10x8 mm
for Oven under cooktop (EMMEPI)



EMMEPI C00084

EMMEPI C00600

Thermostats

3444010 KNOB BLACK ø 41 mm 0-210°C

D-shaped hole 6x4.6 mm
for thermostat IMIT



EMMEPI X12006

3444008 KNOB BLACK ø 41 mm 0-90°C


D-shaped hole 6x4.6 mm
for thermostat IMIT



EMMEPI 903982

3744096 SINGLE-PHASE THERMOSTAT 100-300°C

D-shaped pin ø 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb ø 6x74 mm
for Bratt pan (EMMEPI) - Series 750 - Series 900
for Fry top (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900



EMMEPI C00563

3444352 SINGLE-PHASE THERMOSTAT 130°C


with manual reset
covered capillary length 870 mm - 16A 250V
bulb ø 6x129 mm



EMMEPI 808671

Suitable for:


3444564 SINGLE-PHASE THERMOSTAT 140°C
with manual reset
capillary length 870 mm - 16A 250V
bulb ø 3.1x226 mm



EMMEPI 807791

Suitable for:

3444239 SINGLE-PHASE THERMOSTAT 240°C
with manual reset
capillary length covered 860 mm - 16A 250V
bulb ø 6x77 mm - with stuffing gland fitting M10x1
for Fryer (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900



EMMEPI 051E10002

EMMEPI 808181

3444377 SINGLE-PHASE THERMOSTAT 240°C
with manual reset
covered capillary length 1300 mm - 16A 250V
bulb ø 6x80 mm - with adapter nipple bland M10x1




EMMEPI 813430

3444489 SINGLE-PHASE THERMOSTAT 30-110°C
D-shaped pin ø 6x4.6 mm
capillary length 1500 mm - 16A 250V
bulb ø 6x125 mm



EMMEPI 828838

3444685 SINGLE-PHASE THERMOSTAT 30-90°C
D-shaped pin ø 6x4.6 mm
capillary length 1400 mm
bulb ø 6x100 mm
for Bain-marie (EMMEPI) - Series 700 - Series 750
Series 900
for Hot cupboard (EMMEPI) - Series 700
Series 750 - Series 900



EMMEPI C00219

EMMEPI C00220


EMMEPI 807256

3444687 SINGLE-PHASE THERMOSTAT 300°C
with manual reset
covered capillary length 900 mm
bulb ø 6x74 mm
for Fry top (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900
for Oven under cooktop (EMMEPI) - Series 650
Series 700 - Series 750 - Series 900




EMMEPI C00546

3444175 SINGLE-PHASE THERMOSTAT 335°C
with manual reset
covered capillary length 1200 mm
bulb ø 3x200mm - with stuffing gland fitting M10x1
with tank sealing fitting M16



EMMEPI 809891

3444686 SINGLE-PHASE THERMOSTAT 350°C
with manual reset
covered capillary length 900 mm
bulb ø 6x80 mm
for Fry top (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900




EMMEPI C00564



Suitable for:


3444278 SINGLE-PHASE THERMOSTAT 360°C
with manual reset
covered capillary length 890 mm - 16A 230V
bulb ø 3x200 mm



EMMEPI 813961

Suitable for:

3444627 SINGLE-PHASE THERMOSTAT 45-255°C
D-shaped pin ø 6x4.6 mm
covered capillary length 900 mm
bulb ø 6x74 mm
for Fry top (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900
for Oven under cooktop (EMMEPI) - Series 650
Series 700 - Series 750 - Series 900



EMMEPI C00545

3444043 SINGLE-PHASE THERMOSTAT 50-270°C
D-shaped pin ø 6x4.6 mm
covered capillary length 1300 mm - 16A 250V
bulb ø 3x220 mm



EMMEPI 808672

3444514 SINGLE-PHASE THERMOSTAT 50-300°C
D-shaped pin ø 6x4.6 mm
capillary length 900 mm - 16A 240V
bulb ø 4x100 mm



EMMEPI 808872

3444543 SINGLE-PHASE THERMOSTAT 50-300°C
D-shaped pin 6x4.6 mm
capillary length 840 mm - 16A 250V
bulb ø 3x185 mm




EMMEPI 809924

3444174 SINGLE-PHASE THERMOSTAT 50-320°C
D-shaped pin ø 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb ø 3x220 mm



EMMEPI 908326

3444369 SINGLE-PHASE THERMOSTAT 50-320°C
D-shaped pin ø 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb ø 3x220 mm



EMMEPI 806188

3444643 SINGLE-PHASE THERMOSTAT 60-150°C
D-shaped pin ø 6x4.6 mm
covered capillary length 900 mm
bulb ø 3x219 mm



EMMEPI 809036

Suitable for:

3444586 SINGLE-PHASE THERMOSTAT 75-450°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb $\varnothing$ 4x228 mm



EMMEPI 8C0363

Suitable for:

3444376 SINGLE-PHASE THERMOSTAT 95-190°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1010 mm - 16A 250V
bulb $\varnothing$ 6x100 mm - with adapter nipple band M10x1
for Fryer (EMMEPI)
Series 650 - Series 700 - Series 750 - Series 900



EMMEPI 806041

EMMEPI 808935

5033184 TERMOSTATO THREE-PHASE 100-180°C
D-shaft $\varnothing$ 6x4.6 mm
covered capillary length 1200 mm
bulb $\varnothing$ 6x130 mm
for Fryer (EMMEPI)



EMMEPI X12076

5027901 THERMOSTAT SINGLE-PHASE 230°C
complete with cut-off thermocouple
manual reset
covered capillary length 750 mm
bulb $\varnothing$ 3x100 mm
for Fryer (EMMEPI)



EMMEPI C10381
EMMEPI C88216

EMMEPI C10381+C00169+...

EMMEPI C10381+513120001

3744097 THERMOSTAT SINGLE-PHASE 240°C
complete with cut-off thermocouple
manual reset
covered capillary length 860 mm - 16A 250V
bulb $\varnothing$ 6x77 mm - with adapter nipple gland M10x1
for Fryer (EMMEPI) - Series 900



EMMEPI C00169

EMMEPI C00377


EMMEPI C00926

EMMEPI C00926+C00169+...

EMMEPI 513130201

EMMEPI 513130201+C00169+

3444725 THERMOSTAT SINGLE-PHASE 70-180°C
D-shaft $\varnothing$ 6x4.6 mm
capillary length 1500 mm - 16A 250V
bulb $\varnothing$ 6x87 mm
for Fryer (EMMEPI)



EMMEPI C10379

3444565 THERMOSTAT THREE-PHASE 140°C
with manual reset
covered capillary length 900 mm - 20A 400V
bulb $\varnothing$ 6x87 mm



EMMEPI C10449

3444770 THREE-PHASE THERMOSTAT 157°C
with manual reset
covered capillary length 900 mm - 16A 230V
bulb $\varnothing$ 6x80 mm
for Pasta cooker (EMMEPI) - Series 650
Series 700 - Series 750 - Series 900



EMMEPI 808057




Suitable for:

EMMEPI



3444775 THREE-PHASE THERMOSTAT 159°C
with manual reset
capillary length 1100 mm - 16A 230V
bulb $\varnothing$ 3.1x185 mm
for Boiling pan (EMMEPI) - Series 700 - Series 750
Series 900



EMMEPI 808203

3444375 THREE-PHASE THERMOSTAT 225°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb $\varnothing$ 6x90 mm - with adapter nipple band M10x1
for Fryer (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900



EMMEPI 8C2105

EMMEPI 807349

EMMEPI 807987

3444631 THREE-PHASE THERMOSTAT 230°C
with manual reset
covered capillary length 1700 mm - 20A 400V
bulb $\varnothing$ 6x80 mm



EMMEPI C10380

3444351 THREE-PHASE THERMOSTAT 295°C
with manual reset
covered capillary 1800 mm - 10A 400V
bulb $\varnothing$ 4x125 mm - 10A 400V
for TECNOINOX OVEN
for EMMEPI OVEN 900-750-700-650 - FRYTOP 900-750



EMMEPI C00686

3444076 THREE-PHASE THERMOSTAT 30-110°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1200 mm - 10A 400V
bulb $\varnothing$ 6x130 mm




EMMEPI 808058

3444354 THREE-PHASE THERMOSTAT 350°C
with manual reset
capillary length coated 950 mm - 10A 400V
bulb $\varnothing$ 3x190 mm



EMMEPI 807790

3444370 THREE-PHASE THERMOSTAT 350°C
with manual reset
covered capillary length 3000 mm - 10A 400V
bulb $\varnothing$ 6x90 mm
for Bratt pan (EMMEPI) - Series 750 - Series 900
for Fry top (EMMEPI) - Series 650 - Series 700
Series 750 - Series 900
for Oven under cooktop (EMMEPI) - Series 700



EMMEPI C00098


3444363 THREE-PHASE THERMOSTAT 420°C
with manual reset
covered capillary length 900 mm - 10A 400V
bulb $\varnothing$ 4x310 mm



EMMEPI 807793

Suitable for:


3444168 THREE-PHASE THERMOSTAT 50-310°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb $\varnothing$ 4x220 mm



EMMEPI 806189

Suitable for:


3444366 THREE-PHASE THERMOSTAT 90-180°C
D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb $\varnothing$ 6x135 mm - with adapter nipple bland M10x1



EMMEPI 807603

Timers

3446002 TIMER 120 MINUTES
complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm



EMMEPI 813170

3446004 TIMER 120 MINUTES
complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm



EMMEPI 828794

3446056 TIMER 120 MINUTES M2
mechanical timer with acoustic alarm
manual left position possible
manually set cycle 120 minutes
contact capacity 16(4)A 250V
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm




EMMEPI 809674

3446107 TIMER 15 MINUTES IT/ITS
mechanical movement with balance wheel
manually set mechanical timer
manually set cycle 15 minutes
2 poles with contact capacity 16(3)A 250V
max temperature 125°C
pin 7x5 mm



EMMEPI 8C1552

5031403 120 MINUTES TIMER M2 KIT
complete with cables and board
board external dimensions 45x48 mm
120 minutes mechanically set cycle
contact capacity 16(4)A 230V 50 Hz
max temperature 100°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Oven under cooktop (EMMEPI) - Series 900



EMMEPI 13210014



Suitable for:

EMMEPI



Suitable for:

Wheels and accessories

3522022 WHEEL ø 175 mm
central hole ø 20 mm
complete with folding handle



EMMEPI 830831

3522016 WHEEL ø 200 mm
central hole ø 16 mm
with folding handle



EMMEPI C00248

Wire pan supports

3354011 GRID REDUCER FOR MOKA 145x170 mm
in chrome plated iron



EMMEPI 100505

3354015 GRID REDUCER FOR MOKA 180x180 mm
made of chrome plated iron



EMMEPI 100477

3354001 GRID REDUCER FOR MOKA 265x265 mm
in stainless steel



EMMEPI 100660

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|---|
| <p> LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb724.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com</p> | <p> OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru</p> |
| <p> EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com</p> | <p> LF Repuestos Horeca S.L.U. SPAIN
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es</p> |
| <p> LF GmbH GERMANY
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de</p> | <p> LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch</p> |
| <p> LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com</p> | <p> LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk</p> |
-
- | | |
|---|---|
| <p> AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com</p> | <p> DENMARK
www.lfspareparts724.dk
michael.jeth@lfspareparts.com</p> |
| <p> AUSTRIA
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at</p> | <p> SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com</p> |
| <p> BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com</p> | <p> TURKEY
www.lyedekparca724.com
basar.ergun@lyedekparca.com</p> |
| <p> BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com</p> | <p> USA AND CANADA
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us</p> |
| <p> CENTRAL AND EASTERN EUROPE
www.lfspareparts724.cz
jiri.kremela@lfspareparts.cz</p> | |