



Spare parts for:

Cooking equipment



Suitable for:

ERRE 2



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

ERRE 2



Suitable for:

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



ERRE 2 607008

Contactors

3446556 CONTACTOR LOVATO BG0910A
coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally open auxiliary contact



ERRE 2 6300240600

Electrical gas valves and accessories

3526090 ELETTROSIT VALVE \varnothing 3/4"FF
inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3 ÷ 18 mbar
ambient temperature 0 ÷ 60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple



ERRE 2 43300012

ERRE 2 4330122224

ERRE 2 790202500


3526061 VALVE VR4605P HONEYWELL \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection ASA pitch
maximum gas inlet pressure 100 mbar
room temperature 0 ÷ 60°C
power supply 220V 50Hz



ERRE 2 43330001

Electronic boxes

3526402 CONTROL BOX S4560A1008
model HONEYWELL - 220/240V 50Hz 10VA



ERRE 2 43331001



Electronic controllers

3445076 THERMOSTAT EVK411 PTC/NTC/PT100/PT1000
 power supply 12Vca/dc 1.5VA
 thermostat setting range 99+600°C
 ON-OFF control with one actuation point
 1 exchange relay output 6(3)A 250V
 inbuilt alarm buzzer
 access to configuration parameters through password
 serial port for data exchange
 room temperature 0+60°C
 PTC/NTC/PT100/PT1000 type probe (not included)
 connections by screwed terminal block
 front dimensions 74x32x65 mm
 mounting hole 71x29 mm



ERRE 2 629601

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



ERRE 2 639603

Energy regulators

3350026 ENERGY ADJUSTER
 contact capacity 230V 13A - max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction
 for PYROCERAM, TOPS-SALAMANDERS-POTATO WARMERS



ERRE 2 539205

Gas valves and accessories

2110349 VALVE EUROSIT BAIN MARIE 30÷100°C
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 gas inlet maximum pressure 50 mbar
 calibration field of outlet
 pressure 3÷18 mbar
 ambient temperature 0÷80°C
 capillary length 1050 mm
 bulb \varnothing 5x122 mm



ERRE 2 A00414



Suitable for:

ERRE 2



Suitable for:

Indicator lights

3221132 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ERRE 2 A00409

3221117 GREEN INDICATOR LAMP 400V
head \varnothing 18 mm - hole \varnothing 12 mm - 150°C



ERRE 2 5229054

3221162 GREEN LAMP RECEPTACLE
head \varnothing 14.5 mm - hole \varnothing 10 mm



ERRE 2 6229044

3221194 GREEN NEON INDICATOR LAMP 220V
 \varnothing head 9 mm



ERRE 2 6229046

3221097 NEUTRAL INDICATOR LAMP 220V
head \varnothing 8 mm - 120°C



ERRE 2

3221095 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



ERRE 2 A00410

3221116 ORANGE INDICATOR LAMP 400V
head \varnothing 18 mm - hole \varnothing 12 mm - max 150°C



ERRE 2 5229052

3221163 ORANGE LAMP RECEPTACLE
head \varnothing 15 mm - hole \varnothing 10 mm



ERRE 2 6229043

3221167 RED LAMP RECEPTACLE
head \varnothing 15 mm - hole \varnothing 10 mm



ERRE 2 6229047

3221162 GREEN LAMP RECEPTACLE
head \varnothing 14.5 mm - hole \varnothing 10 mm



ERRE 2 6229044



Suitable for:

3221163 ORANGE LAMP RECEPTACLE
head \varnothing 15 mm - hole \varnothing 10 mm



ERRE 2 6229043

ERRE 2



Suitable for:

Knobs

3241038 GREY KNOB \varnothing 60 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm
for COOKING RANGE series 110



ERRE 2 790109350

Lamp receptacles and spare parts


3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V
lamp glass \varnothing 42 mm
mounting hole \varnothing 38 mm
max temperature 300°C
for OVEN



ERRE 2 6230001

Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan \varnothing 150 mm



ERRE 2 507005

ERRE 2 507007

Pilot burners and accessories

3020157 PILOT JET \varnothing 0.25 mm



ERRE 2 43701025

3020040 PILOT JET \varnothing 0.30 mm



ERRE 2 43703030



Suitable for:

ERRE 2



3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting



ERRE 2 790200900

Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



ERRE 2 4398070

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



ERRE 2 436006

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



ERRE 2 4398070

Probes

3445117 PROBE PT100 VETROTEX 3000 mm
3-wire probe temperature range 0+350°C
bulb \varnothing 6x100 mm



ERRE 2 A00317


Rotary switches

3057050 CONNECTING BRACKET 28x21x16 mm
distance between hooking brackets 27 mm
for the connection between selector switch and the



ERRE 2 5200995

3057014 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D spindle \varnothing 6x4.6 mm
back connection for thermostat



ERRE 2 00423

ERRE 2 52004115

3057026 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D shaft \varnothing 6x4.6 mm



ERRE 2 52002115



Solenoid valves


3120004 SOLENOID VALVE 319 220/240V \varnothing 10 mm
 solenoid valve 90° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - outlet \varnothing 10 mm



ERRE 2 53943410240

ERRE 2 63943410240

3120005 SOLENOID VALVE 329 220/240V \varnothing 10 mm
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - outlet \varnothing 10 mm



ERRE 2 53943410240

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
 220/240V 50/60Hz



ERRE 2 539613240

ERRE 2 539613242

Sparking and detection plugs

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M4x1 mm
 total length 65 mm



ERRE 2 4398070

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
 faston M 4x1 mm
 overall length 82 mm
 model CB505/021 Junkers
 for model P502F



ERRE 2 270200700

Switches

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
 for push-buttons with mounting hole \varnothing 25 mm



ERRE 2 55463001



Suitable for:

ERRE 2

Suitable for:



Telethermometers

3441027 TELETHERMOMETER WHITE ø 60 mm 50-350°C

metal body
capillary length 1500 mm
bulb ø 4x105 mm



ERRE 2 4251103552

Thermocouples and accessories

3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.

interrupted contact with terminals



ERRE 2 434009100

ERRE 2 4343103

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm

interrupted contact with fastons



ERRE 2 434099045

ERRE 2 4343106

3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS

GIUNTO M8x1



ERRE 2 A00270

ERRE 2 434008100

3440055 THERMOCOUPLE SIT M8x1 100 cm THREAD M8x1




ERRE 2 A00270

ERRE 2 434008100

3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS

GIUNTO M8x1



ERRE 2 A00270

ERRE 2 434008100

3440032 THERMOCOUPLE SIT M8x1 150 cm



ERRE 2 A00201

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS




ERRE 2 A00201



Suitable for:

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



ERRE 2 A00201

3440836 THERMOCOUPLE SIT M9x1 85 cm.



ERRE 2 434009175

Suitable for:

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



ERRE 2 434009175

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



ERRE 2 434009175

Thermostats

3444120 SINGLE-PHASE THERMOSTAT 320°C
with manual reset
capillary length 900 mm - 16A 250V
bulb \varnothing 6x80 mm



ERRE 2 6340004032001

3444043 SINGLE-PHASE THERMOSTAT 50-270°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1300 mm - 16A 250V
bulb \varnothing 3x220 mm



ERRE 2 53401005270


ERRE 2 63401005270

3444354 THREE-PHASE THERMOSTAT 350°C
with manual reset
capillary length coated 950 mm - 10A 400V
bulb \varnothing 3x190 mm



ERRE 2 53403000350

3444052 THREE-PHASE THERMOSTAT 50-320°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb \varnothing 3x230 mm



ERRE 2 00402

ERRE 2 270200341

ERRE 2 53403050300



Suitable for:

ERRE 2




Suitable for:

Timers

3446001 TIMER 120 MINUTES


complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



ERRE 2 6351120

3446002 TIMER 120 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



ERRE 2 63510120

Transformers

3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved




















ERRE 2 639603

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories
in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF GmbH GERMANY**
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **DENMARK**
www.lfspareparts724.dk
michael.lenth@lfspareparts.com
 -  **AUSTRIA**
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz