



Spare parts for:

Cooking equipment



Suitable for:

EVCO



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

EVCO



Suitable for:

Electrical cables

3390042 CABLE FOR CIRCUIT BOARD CONNECTION
length: 1500 mm



EVCO EOP256J220S201

Electronic controllers

3446087 DIGITAL THERMOTIMER RK800
230V or 24V 50/60Hz
alarm buzzer
measurement range from 0°C to 700°C
timer setting from 00:00 to 24:00 h/min.
four operation modes
1) outlets for adjustment, steam venting and alarm
2) outlets for adjustment, auxiliary and timer
3) outlets for adjustment, auxiliary and steam
4) outlets for adjustment, steam venting and alarm
front size 96x96 mm
depth 68 mm



EVCO EV9303J9

EVCO RK800XJ7FC

3445109 PROBE TCJVETROTEX 3000 m m
2-wire probe temperature range 0+600°C
temperature cable max 350°C
error limit $\pm 0.75\%$ below 0°C
response time 30 sec
bulb $\varnothing 6 \times 100$ mm



EVCO ECSND2343A

EVCO 3907240006

3441045 TELETHERMOMETER EVK100M3 TCK
power supply 12Vac/dc
thermostat setting range 0+999°C
room temperature -5+55°C
TCK type probe (not included)
connections by screwed terminal block
mounting hole 71x29 mm



EVCO EVK100M3

EVCO FK100AK2V001

Suitable for:

Suitable for:

3441041 TELETHERMOMETER TM103TN7 NTC
 power supply 230V 50/60Hz 0.35VA
 thermometer setting range -40+110°C
 room temperature -5+55°C
 NTC type probe (not included)
 connections with screw terminal box
 front dimensions 64x31x40 mm

3445913 SILICONE PROBE NTC 1500 mm
 temperature range -50+110°C
 bulb \varnothing 6x40 mm



EVCO EC2-311-P220

EVCO TM103TN7

EVCO EVTPN815S200

3445135 THERMOSTAT EC4-132-J220 TCJ
 power supply 230V 50/60Hz
 thermostat setting range -0+700°C
 2 relay outlets 6(2) 250V for heating elements
 room temperature 0+60°C
 TCJ thermocouple type probe (not included)
 connections by screw terminal block
 front size 48x48x100 mm
 mounting hole 45x45 mm

3445109 PROBE TCJVETROTEX 3000 mm
 2-wire probe temperature range 0+600°C
 temperature cable max 350°C
 error limit \pm 0.75% below 0°C
 response time 30 sec
 bulb \varnothing 6x100 mm



EVCO EC4-132-J220

EVCO EC4132J220S001

EVCO ECSND2343A

EVCO 3907240006

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved

3445111 TRANSFORMER 24V/12V 3VA
 primary tension 24Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



EVCO ECTSFB-000

EVCO ECTSFB-200



Suitable for:

EVCO



Suitable for:

3445121 THERMOSTAT EK340A TCJ

power supply 230Vac 50/60Hz
 thermostat setting range 0+600°C
 ceiling and deck dual temperature setting
 2 relay outputs 6(2)A 250V for heating elements
 1 relay output 6(2)A 250V for heating
 1 relay output 6(2)A 250V for chamber light
 room temperature 0+55°C
 inbuilt alarm buzzer
 thermocouple TCJ type probe (not included)
 connections by screwed terminal block
 front dimensions 72x144x79 mm
 mounting hole 138x67 mm



EVCO EC8-240-J220

EVCO EC8-340-J220

EVCO EK340AJ7

3445136 THERMOSTAT EK342A TCJ

power supply 230Vac 50/60Hz
 thermostat setting range -0+600°C
 ceiling and deck dual temperature setting
 2 relay outputs 6(2)A 250V for heating elements
 1 relay output 6(2)A 250V for heating
 1 relay output 6(2)A 250V for chamber light
 inbuilt alarm buzzer
 room temperature 0+55°C
 thermocouple TCJ type probe (not included)
 connections by screwed terminal block
 front dimensions 72x144x79 mm
 mounting hole 138x67 mm
 with cooking timer - steam control
 ex EC8-342-J220



EVCO EK342AJ7

3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



EVCO ECTSFB-000

3445109 PROBE TCJ VETROTEX 3000 mm

2-wire probe temperature range 0+600°C
 temperature cable max 350°C
 error limit $\pm 0.75\%$ below 0°C
 response time 30 sec
 bulb \varnothing 6x100 mm



EVCO ECSND2343A

EVCO 3907240006

3445111 TRANSFORMER 24V/12V 3VA

primary tension 24Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



EVCO ECTSFB-200

Suitable for:

Suitable for:

3445137 THERMOSTAT EK354A TCJ
 power supply 230Vac 50/60Hz
 thermostat setting range -0+600°C
 ceiling and deck dual temperature setting
 2 relay outputs 6(2)A 250V for heating elements
 1 relay output 6(2)A 250V for heating
 1 relay output 6(2)A 250V for chamber light
 inbuilt alarm buzzer
 room temperature 0+55°C
 thermocouple TCJ type probe (not included)
 connections by screwed terminal block
 front dimensions 72x144x79 mm
 mounting hole 138x67 mm
 delayed starting
 with cooking timer - steam control



EVCO EC8-354-J220

EVCO EK354AJ7

3445109 PROBE TCJVETROTEX 3000 mm
 2-wire probe temperature range 0+600°C
 temperature cable max 350°C
 error limit $\pm 0.75\%$ below 0°C
 response time 30 sec
 bulb \varnothing 6x100 mm



EVCO ECSND2343A

EVCO 3907240006

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



EVCO ECTSFB-000

3445111 TRANSFORMER 24V/12V 3VA
 primary tension 24Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0÷60°C
 screw terminal block
 IMQ approved



EVCO ECTSFB-200

3445142 THERMOSTAT EK356A TCJ
 power supply 230Vac 50/60Hz
 thermostat setting range -0+600°C
 ceiling and deck dual temperature setting
 2 outlets 6(2)A 250V for heating elements
 1 outlet 6(2)A 250V for heating
 1 outlet 6(2)A 250V for chamber light
 inbuilt alarm buzzer
 room temperature 0+55°C
 thermocouple TCJ type probe (not included)
 connections by screwed terminal block
 front dimensions 72x144x79 mm
 mounting hole 138x67 mm
 delayed starting
 cooking timer - steam control



EVCO EK356AJ7

3445109 PROBE TCJVETROTEX 3000 mm
 2-wire probe temperature range 0+600°C
 temperature cable max 350°C
 error limit $\pm 0.75\%$ below 0°C
 response time 30 sec
 bulb \varnothing 6x100 mm



EVCO ECSND2343A

EVCO 3907240006



Suitable for:

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



EVCO ECTSFB-000

EVCO



Suitable for:

3445111 TRANSFORMER 24V/12V 3VA
 primary tension 24Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



EVCO ECTSFB-200

2101966 THERMOSTAT EVK411 NTC
 power supply 230V
 thermostat setting range -40+105°C
 ON-OFF control with one actuation point only
 1 changeover relay output 8(3)A 250V
 NTC probe type (not included)
 room temperature 0+55°C
 front dimensions 74x32x65 mm
 mounting hole 71x29 mm



EVCO EVK411N7VCBS

2101788 THERMOSTAT EVK411 NTC/PTC/PT100/PT1000
 power supply 230V
 thermostat setting range -200+1300°C
 ON-OFF control with one actuation point only
 1 changeover relay output 16A 250V
 kind of probe NTC/PTC/PT100/PT1000 (not included)
 room temperature 0+55°C
 access to configuration parameters through
 password-serial port for data exchange
 connections by screw terminal block
 front dimensions 74x32x65 mm
 mounting hole 71x29 mm



EVCO EVK411M7VHBS

3445081 THERMOSTAT EVK411 PTC
 power supply 12-24Vac/dc
 thermostat setting range -50+150°C
 ON-OFF control with one actuation point only
 1 changeover relay output 8(3)A 250V
 PTC type probe (not included)
 room temperature 0+55°C
 buzzer included
 access to configuration parameters through
 password-serial port for data exchange
 connections by screw terminal block
 front dimensions 74x32x65 mm
 mounting hole 71x29 mm



EVCO EC3-133-P012
EVCO FK400AP2V001

EVCO EVK411P3VHBS
EVCO FK400AP3V001

EVCO FK151A

3445070 PTC PVC PROBE 1500 mm
 2-wire probe temperature range -30+80°C
 bulb ø 6x40 mm



EVCO EVTPP815P200

EVCO EVTPP815P201



Suitable for:

3445107 PTC PVC PROBE 3000 mm
2-wire probe temperature range -30+80°C
bulb ø 6x40 mm



EVCO ECSND0110
EVCO EVTTP830P201

EVCO ECSND0131A

EVCO ECSND0141A

Suitable for:

3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



EVCO ECTSFB-000

3445111 TRANSFORMER 24V/12V 3VA
primary tension 24Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0÷60°C
screw terminal block
IMQ approved



EVCO ECTSFB-200

3445076 THERMOSTAT EVK411 PTC/NTC/PT100/PT1000
power supply 12Vca/dc 1.5VA
thermostat setting range 99+600°C
ON-OFF control with one actuation point
1 exchange relay output 6(3)A 250V
inbuilt alarm buzzer
access to configuration parameters through
password
serial port for data exchange
room temperature 0+60°C
PTC/NTC/PT100/PT1000 type probe (not included)
connections by screwed terminal block
front dimensions 74x32x65 mm
mounting hole 71x29 mm



EVCO EC3-133-C012

EVCO EVK411M2VHBS

EVCO FK400AC2V001

3445117 PROBE PT100 VETROTEX 3000 mm
3-wire probe temperature range 0+350°C
bulb ø 6x100 mm



EVCO ECSND1443A

EVCO EVTTP830V300



EVCO



Suitable for:

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



EVCO ECTSFB-000

EVCO



Suitable for:

3445111 TRANSFORMER 24V/12V 3VA
 primary tension 24Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0÷60°C
 screw terminal block
 IMQ approved



EVCO ECTSFB-200

3445073 THERMOSTAT EVK411 TCJ
 power supply 12Vca/dc 1.5VA
 thermostat setting range 0+600°C
 ON-OFF control with one actuation point only
 1 changeover relay output 16A
 alarm buzzer
 access to configuration parameters through
 password - TTL serial port
 room temperature 0+60°C
 thermocouple TCJ type probe (not included)
 connections by screw terminal block
 front dimensions 74x32x65 mm
 mounting hole 71x29mm



EVCO EC3-133-J012

EVCO EVK411J2VHBS

EVCO FK400AJ2V001

3445109 PROBE TCJ VETROTEX 3000 mm
 2-wire probe temperature range 0+600°C
 temperature cable max 350°C
 error limit $\pm 0.75\%$ below 0°C
 response time 30 sec
 bulb $\varnothing 6 \times 100$ mm



EVCO ECSND2343A

EVCO 3907240006

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



EVCO ECTSFB-000

3445111 TRANSFORMER 24V/12V 3VA
 primary tension 24Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0÷60°C
 screw terminal block
 IMQ approved



EVCO ECTSFB-200



Suitable for:

Suitable for:

3445291 THERMOSTAT EVK411 TCJ/TCK/PT100
 power supply 230V 50Hz
 thermostat setting range 0+250°C
 with free parameters setting
 room temperature -5+65°C
 TCJ-TCK-PT100 type probe (not included)
 connections by screwed terminal block
 front dimension 74x32x67 mm
 mounting hole 71x29 mm



EVCO EVK411M7VHBSX01

3445117 PROBE PT100 VETROTEX 3000 mm
 3-wire probe temperature range 0+350°C
 bulb ø 6x100 mm



EVCO ECSND1443A

EVCO EVTTPC830V300

3445109 PROBE TCJ VETROTEX 3000 mm
 2-wire probe temperature range 0+600°C
 temperature cable max 350°C
 error limit $\pm 0.75\%$ below 0°C
 response time 30 sec
 bulb ø 6x100 mm



3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved



EVCO ECSND2343A

EVCO 3907240006

EVCO ECTSFB-000

3445111 TRANSFORMER 24V/12V 3VA
 primary tension 24Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0±60°C
 screw terminal block
 IMQ approved



EVCO ECTSFB-200

3445327 THERMOSTAT ICPLUS915 PT100/TCJ/TCK
 power supply 12V
 thermostat setting range -150+1350°C
 ON-OFF control with two actuation points
 2 exchange relay outputs 8(4)A 250V
 room temperature -5+55°C
 probe type PT100-TCJ-TCK (not included)
 connections by screwed terminal block
 front dimension 78x37x64 mm
 mounting hole 71x29 mm



EVCO EWPC902/H

EVCO EWPC902/T

3445109 PROBE TCJ VETROTEX 3000 mm
 2-wire probe temperature range 0+600°C
 temperature cable max 350°C
 error limit $\pm 0.75\%$ below 0°C
 response time 30 sec
 bulb ø 6x100 mm



EVCO ECSND2343A

EVCO 3907240006



Suitable for:

EVCO



Suitable for:


3446147 TIMER EVK701D7E
 power supply 230V 3VA
 time range from 1 ds to 99 HOURS and 59 MINUTES
 1 exchange relay output 8(3)A 250V
 room temperature -5+55°C
 buzzer included
 connections by screw terminal block
 front dimensions 74x32x59 mm
 mounting hole 71x29 mm



EVCO EVK701D7E

Electronic printed-circuit boards

5038333 CIRCUIT BOARD BASE 175x83 mm




EVCO CT1ML0040000

5033813 CIRCUIT CONTROL BOARD KIT
 complete with main board and flat cable
 dimensions control board 90x43 mm
 main board dimensions 105x90 mm
 cable length flat 300 mm



EVCO ECK256J220S201


3390164 CONTROL CIRCUIT BOARD 230V 105x90 mm



EVCO ECP-256-J220-S001

EVCO EOP256J220S001

3390041 CONTROL ELECTRONIC BOARD 96x61 mm




EVCO EOP256J220S101

3390042 CABLE FOR CIRCUIT BOARD CONNECTION
 length: 1500 mm



EVCO EOP256J220S201

5037073 ELECTRONIC BOARD W/KEYBOARD 105x95 mm



EVCO CT1ML0050000

5034957 ELECTRONIC CIRCUIT BOARD 120x86 mm



EVCO

Suitable for:

Suitable for:

5004497 ELECTRONIC CONTROL CIRCUIT BOARD KIT
 complete with mother board and flat cable
 size control board 90x43 mm
 mother board size 105x90 mm
 length flat cable 1600 mm



EVCO ECK256J220S0003

Probes

3445117 PROBE PT100 VETROTEX 3000 mm
 3-wire probe temperature range 0+350°C
 bulb ø 6x100 mm



EVCO ECSND1443A

EVCO EVTPC830V300

3445109 PROBE TCJ VETROTEX 3000 mm
 2-wire probe temperature range 0+600°C
 temperature cable max 350°C
 error limit $\pm 0.75\%$ below 0°C
 response time 30 sec
 bulb ø 6x100 mm



EVCO ECSND2343A

EVCO 3907240006

3445112 PROBE TCK VETROTEX 3000 mm
 2-wire probe temperature range 0+350°C
 error limits $\pm 2\%$ above 0°C
 30 seconds response time
 bulb ø 6x100 mm



EVCO ECSND3343A

EVCO EVTPK830V200

EVCO 3907340002

3445070 PTC PVC PROBE 1500 mm
 2-wire probe temperature range -30+80°C
 bulb ø 6x40 mm



EVCO EVTPP815P200

EVCO EVTPP815P201

3445107 PTC PVC PROBE 3000 mm
 2-wire probe temperature range -30+80°C
 bulb ø 6x40 mm



EVCO ECSND0110

EVCO ECSND0131A

EVCO ECSND0141A

3445108 PTC SILICONE PROBE 3000 mm
 2-wire probe temperature range -55+150°C
 bulb ø 6x100 mm



EVCO ECSND-0112

EVCO ECSND-0143A

EVCO 3907020027

EVCO EVTPP830P201



Suitable for:

EVCO



Suitable for:

3445183 SILICONE PTC PROBE 3000 mm
2-wire probe temperature range -55+150°C
bulb ø 6x40 mm



EVCO EVTPP830S200

Telethermometers

3441011 BLACK TELETHERMOMETER 56x25 mm 0-120°C
plastic case
capillary length 1500 mm
bulb ø 6x15 mm



EVCO TM103TN4

Transformers

3445110 TRANSFORMER 230V/12V 3VA
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



EVCO ECTSFB-000

3445111 TRANSFORMER 24V/12V 3VA
primary tension 24Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0÷60°C
screw terminal block
IMQ approved


















EVCO ECTSFB-200

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories
in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF GmbH GERMANY**
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **DENMARK**
www.lfspareparts724.dk
michael.lenth@lfspareparts.com
 -  **AUSTRIA**
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz