



Spare parts for:

Cooking equipment



Suitable for:

FIMAR



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

FIMAR



Suitable for:

Ball valves and accessories

3526699 BALL VALVE \varnothing 1/4" MF



FIMAR SL1622


Bearings

3063116 BEARING 6001 DDU NSK
external \varnothing 28 mm - internal \varnothing 12 mm - thickness 8 mm



FIMAR SL2189

9063012 BEARING 6004 DDU NSK
external \varnothing 42mm - internal \varnothing 20mm - thickness 12mm



FIMAR SL0223

FIMAR SL1799

9063007 BEARING 6005 DDU NSK
external \varnothing 47mm - internal \varnothing 25mm - thickness 12mm
for OEM KNEADER F201/1-VE201/2
for FIMAR KNEADER IM25-IM38
for FIMAR PLANETARY IP10-IP20
for SIRMAN BONE BAND SAW SO3100



FIMAR SL0081

FIMAR SL0241

3063005 BEARING 6202 DDU NSK
external \varnothing 35mm - internal \varnothing 15mm - thickness 11mm



FIMAR CO0714
FIMAR SL2472

FIMAR CO3204

FIMAR SL0323

3063120 BEARING 6202 2RSH SKF
external \varnothing 35mm - internal \varnothing 15mm - thickness 11mm




FIMAR CO0714
FIMAR SL2472

FIMAR CO3204

FIMAR SL0323

3063017 BEARING 6203 DDU NSK
external \varnothing 40mm - internal \varnothing 17mm - thickness 12mm



FIMAR CO2106

FIMAR SL0015

FIMAR SL0131

1063906 BEARING 6203 ZZ NSK
external \varnothing 40mm - internal \varnothing 17mm - thickness 12mm



FIMAR SL0126

3063121 BEARING 6203 2RSH SKF
external \varnothing 40mm - internal \varnothing 17mm - thickness 12mm



FIMAR CO2106

FIMAR SL0015

FIMAR SL0131

Suitable for:


1063901 BEARING 6204 DDU NSK
external \varnothing 47mm - internal \varnothing 20mm - thickness 14mm



FIMAR SL2592

Suitable for:

3063122 BEARING 6204 2RSH SKF
external \varnothing 47mm - internal \varnothing 20mm - thickness 14mm



FIMAR SL2592

Burners, flame spreaders and accessories

3025406 BURNER \varnothing 120 mm



FIMAR CO2266

3025364 BURNER BOWL \varnothing 78 mm
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2



FIMAR CO2267

3025363 FLAME SPREADER \varnothing 120 mm
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2



FIMAR CO2264

3025406 BURNER \varnothing 120 mm



FIMAR CO2266

3025364 BURNER BOWL \varnothing 78 mm
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2




FIMAR CO2267

3025575 FLAME SPREADER \varnothing 120 mm



FIMAR CO2265

3025362 FLAME SPREADER ASSY. \varnothing 120 mm
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2



FIMAR CO2265+CO2266



Suitable for:

3025575 FLAME SPREADER ø 120 mm



FIMAR CO2265

Suitable for:

3025362 FLAME SPREADER ASSY. ø 120 mm
for Crêpe pan gas (FIMAR) CR400G1 - CR400G2



FIMAR CO2265+CO2266

Cables for piezo igniters

5017499 IGNITION CABLE 900 mm
with faston 3x0.8 for ignition
with faston ø 2.4 for plug
for ALPHA-DELTA-GAMMA-BIFRONTE



FIMAR CO3130

Capacitors, electrical

3068016 CAPACITOR µF 10 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations



FIMAR CO1442

3068019 CAPACITOR µF 12.5 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and 92/31 regulations



FIMAR CE605272

FIMAR SL1421

3068008 CAPACITOR µF 5 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and EEC 92/31 regulat



FIMAR CO1478



Circlips


5015337 SEEGER RING E-20
of stainless steel for springs C60
ø internal 18.5 mm - thickness 1.2 mm
UNI 7435 - DIN 471



FIMAR SL0075

Contact thermostats

3443045 CONTACT THERMOSTAT 180°C 16A 250V
with manual reset - 16A 250V



FIMAR CO1942

Drain taps and accessories


3356107 DRAIN TAP ø 1/2" F
TECO BLOCK safety handle
brass tap body CW617N UNI 12165
polished chrome-plated surface finishing
Hostaform handle with metal core
operating temperature 120°C max
operating pressure 4 bar max



FIMAR CO1145

Energy regulators

3350024 ENERGY ADJUSTER
contact capacity 240V 13A
max temperature 125°C
D-shaped pin ø 6x4.6 mm
double rotation direction



FIMAR CO1953

3350026 ENERGY ADJUSTER
contact capacity 230V 13A - max temperature 125°C
D-shaped pin ø 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



FIMAR CO1953



Suitable for:

FIMAR



Suitable for:

Fryer baskets and accessories

3055326 FRYER BASKET 245x140x100 mm
folding handle
made of chrome-plated iron
for Fryer electric (FIMAR) FT4 - FT4N - FT44
FT44N



FIMAR CO1126

3055327 FRYER BASKET 245x220x100 mm
folding handle
made of chrome-plated iron
for Fryer electric (FIMAR) FT8 - FT8N - FT8RN
FT88 - SF9 - SF9N - SF99



FIMAR CO1127

Gas burners

3023156 BURNER ø 25x545 mm
made of stainless steel
for Lava rock grill gas (FIMAR)
till 31/12/98
B115
B50 - B80



FIMAR CO3100

3023157 BURNER ø 25x545 mm
made of stainless steel
for Lava rock grill gas (FIMAR)
since 1/01/99
B115



FIMAR CO3158

Gas taps and accessories

3348016 GAS TAP 215
with pilot flame
fittings ø M16x1.5mm
with flow regulator
thermocouple connection M9x1 mm
D-shaped pin ø 8x6.5 mm




FIMAR CO3139

3348076 GAS TAP 215
with pilot flame
fittings ø M16x1.5mm
with flow regulator
thermocouple connection M8x1 mm
D-shaped pin ø 8x6.5 mm



FIMAR CO3139

3348043 PIPE FITTING ø 10 mm
thread M16x1.5
for model PEL 20-21




FIMAR CO3136



Gearmotors

- 3240340 MOTOR CROUZET 24V 3000RPM**
D-shaped pin 7x8 mm - pin height 26 mm



FIMAR CO1680

Handles

- 3242336 OVEN DOOR HANDLE ø 28x90 mm M10**



FIMAR SL0106


Heating elements

- 3355309 HEATING ELEMENT 1000W 230V BOTTOM**
length 185 mm - width 180 mm
complete with cables



FIMAR CO4415

- 3355310 HEATING ELEMENT 1000W 230V TOP**
length 185 mm - width 320 mm
complete with cables



FIMAR CO4433

- 3755022 HEATING ELEMENT 1150W 240V BOTTOM**
length 190 mm - width 310 mm



FIMAR CO1060

- 3355311 HEATING ELEMENT 1500W 230V BOTTOM**
length 185 mm - width 320 mm
complete with cables




FIMAR CO4438

- 3755406 HEATING ELEMENT 2000W 230V**
external ø 300 mm
for CRÊPE PAN 350 mm
for Crêpe pan electric (FIMAR) CRP - CRP2



FIMAR CO1765

- 3755534 HEATING ELEMENT 2000W 230V**
length 285 mm - width 125 mm
height 170 mm - flange 50x22 mm
for Fryer electric (FIMAR) FT4 - FT44



FIMAR CO1116



Suitable for:

FIMAR




3755686 HEATING ELEMENT 2300W 230V
length 300 mm - width 210 mm
total height 85 mm - flange 70x22 mm



FIMAR CO0426

3755407 HEATING ELEMENT 2750W 230V
external ø 360 mm
for CRÊPE PAN 400 mm
for Crêpe pan electric (FIMAR)




FIMAR

3755530 HEATING ELEMENT 3000W 230V
length 610 mm - width 310 mm
fittings M12x1 mm
for Salamander electric (FIMAR) SAL600



FIMAR CO1279

3755535 HEATING ELEMENT 3200W 230V
length 275 mm - width 185 mm
height 170 mm - flange 50x22 mm
for Fryer electric (FIMAR) FT6 - FT66 - FT8 - FT88
SF9 - SF99



FIMAR CO1117

FIMAR CO1959

3355308 HEATING ELEMENT 700W 230V TOP
length 185 mm - width 180 mm
complete with cables



FIMAR CO1057

FIMAR CO4410

3755024 HEATING ELEMENT 850W 240V BOTTOM
length 180 mm - width 175 mm
with cables



FIMAR CO1058

3755021 HEATING ELEMENT 875W 240V TOP
length 190 mm - width 310 mm



FIMAR CO1059

3755025 QUARTZ HEATING ELEMENT 500W 230V
length 340 mm - ø 12 mm
for Toaster electric (FIMAR) TOP3 - TOP6



FIMAR CO1085

3755325 QUARTZ PIPE ø 12x255 mm



FIMAR CO2030

3455376 STRIKE FOR HEATING ELEMENT
ø external 12.5 mm - for screw ø 4 mm
total length 28 mm



FIMAR CO1107

Suitable for:

3755328 WIRE HEATING ELEMENT 380W 230V
length 180 mm
for Toaster (FIMAR) TOCS



FIMAR CO2031

Suitable for:

3755325 QUARTZ PIPE \varnothing 12x255 mm



FIMAR CO2030

3755533 WIRE HEATING ELEMENT 400W 230V
length 340 mm



FIMAR CO1020

3755325 QUARTZ PIPE \varnothing 12x255 mm



FIMAR CO2030

Igniters

3001007 PIEZO IGNITER
a \varnothing 22 mm hole is needed for the assembly
2.4 mm \varnothing male faston connector



FIMAR CO3119

3001020 PIEZO IGNITER
a \varnothing 18 mm hole is required for the assembly
faston M \varnothing 2.4 mm



FIMAR CO3119

Incandescent lamps and neon lamps

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



FIMAR CO1272

Indicator lights

3221132 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



FIMAR CO1948

3221293 GREEN INDICATOR LIGHT 250V
head \varnothing 20 mm - hole \varnothing 10 mm - 120°C



FIMAR 32W2970



Suitable for:

3221025 INDICATOR LAMP ORANGE 230V
head \varnothing 15 mm - hole \varnothing 13 mm - 120°C
faston M 6.3x0.8 mm
universal application



FIMAR CO1108

Suitable for:

3221095 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



FIMAR CO1039

3221294 ORANGE INDICATOR LIGHT 250V
head \varnothing 20 mm - hole \varnothing 10 mm - 120°C



FIMAR CO1948

3221960 WHITE INDICATOR LAMP 230V
mounting hole 30x22 mm - 125°C



FIMAR CO1711

Knobs

3241402 BLACK KNOB \varnothing 70 mm
D shaft hole 6x4.6 mm
for thermostat. selector switch. timer.
program switch. energy regulator



FIMAR CO4422

3241357 BLACK KNOB \varnothing 40 mm
D-shaped hole 6x4.6 mm



FIMAR CO1947

5050033 BLACK KNOB \varnothing 42 mm
D-shaft 6x4.6 mm



FIMAR SL3550

3444187 BLACK KNOB \varnothing 50 mm 50-500°C
D-shaped pin \varnothing 6x4.6 mm
for EGO thermostat




FIMAR CO3611

3241401 BLACK KNOB \varnothing 70 mm UNIVERSAL
D shaft hole 8x6.5 mm



FIMAR CO3134

5035660 KNOB BLACK \varnothing 50 mm 100-180°C
D-shaped hole 6x4.6 mm



FIMAR CO1112



Lamp receptacles and spare parts

3221052 GLASS FOR OVEN LAMP RECEPTACLE \varnothing 57 mm
thread \varnothing 33.5 mm - overall height 34 mm



FIMAR CO1273

3221643 LAMP RECEPTACLE W/LAMP E14 25W 230V
lamp glass \varnothing 58 mm
mounting hole \varnothing 38 mm
max. temperature 300°C



FIMAR CO3654

3221350 LAMP RECEPTACLE WITH LAMP E14 15W 230V
lamp glass \varnothing 42 mm
mounting hole \varnothing 38 mm
max temperature 300°C



FIMAR CO1271

Lava rock grids

3185081 CAST IRON GRILL 540x160x15 mm
for Lava rock grill gas (FIMAR) B115 - B50 - B80



FIMAR CO3126

3185082 STAINLESS STEEL GRILL 500x320x20 mm
for Lava rock grill gas (FIMAR) B50 - B80



FIMAR CO2927

3185083 STAINLESS STEEL GRILL 500x480x20 mm
for Lava rock grill gas (FIMAR) B115



FIMAR CO3128



Suitable for:

FIMAR



Suitable for:

Microswitches

3240407 MICROSWITCH KIT 16A 250V

3 locking positions
the kit includes 5 levers:
lever 75 mm - lever 27 mm - lever 15 mm
lever 15 mm with wheel - lever 27 mm with wheel



FIMAR CO1424

FIMAR CO1457

3240144 MICROSWITCH S16 16A 250V



FIMAR CO1109

3240406 MICROSWITCH 10(4)A 250V



FIMAR SL0885

3240820 MICROSWITCH 16A 250V



FIMAR CO1109

OR and ORM gaskets

3186143 GASKET OR 04093 EPDM



FIMAR CO1454

Pilot burners and accessories

3020181 NOZZLE FOR PILOT BURNER \varnothing 0.20 mm thread M10x1 mm



FIMAR CO3151

3020182 NOZZLE FOR PILOT BURNER \varnothing 0.30 mm thread M10x1 mm




FIMAR CO3150

3020081 OLIVE FOR 6 mm \varnothing PIPE



FIMAR CO3105

3020166 PILOT ASSEMBLY BRACKET 3 POSITIONS for Lava rock grill gas (FIMAR) B115 - B50 - B80



FIMAR CO3108

Suitable for:

Suitable for:

3020131 PIPE OLIVE \varnothing 8 mm



FIMAR CO2271

3020161 TWO-FLAME PILOT BURNER
for Lava rock grill gas (FIMAR) B115 - B50 - B80



FIMAR CO3107

3020181 NOZZLE FOR PILOT BURNER \varnothing 0.20 mm
thread M10x1 mm




FIMAR CO3151

3020182 NOZZLE FOR PILOT BURNER \varnothing 0.30 mm
thread M10x1 mm



FIMAR CO3150

3020166 PILOT ASSEMBLY BRACKET 3 POSITIONS
for Lava rock grill gas (FIMAR) B115 - B50 - B80



FIMAR CO3108

3020171 SPARKING PLUG ROUND \varnothing 6/8x44 mm
F connection 2.8x0.8 mm
overall length 53 mm
for Lava rock grill gas (FIMAR) B115 - B50 - B80



FIMAR CO3106

Pliers for sandwiches und toasts

3317051 GRILL PLIER
length 100 mm
height 180 mm



FIMAR CO1056



Suitable for:


FIMAR



Suitable for:

Rotary switches

3057019 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft ø 6x4.6 mm




FIMAR CO6973

3057162 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 25A 600V - max 60/75°C
square shaft 5x5 mm




FIMAR CO1043

3057216 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 230V - max 150°C
D-shaped pin 6x4.6 mm



FIMAR CO1943

5047858 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V
D-shaft ø 6x4.6 mm
for Fryer electric (FIMAR)
FT4N-FT44N-FT8N-FT88N-FT8RN-FT88RN
SF9N-SF99N



FIMAR CO0408

3057163 SELECTOR SWITCH 0-4 POSITIONS
contact capacity 16A 600V - max 60/75°C
square shaft 5x5 mm



FIMAR CO1045

Solenoid valves

3120004 SOLENOID VALVE 319 220/240V ø 10 mm
solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 10 mm



FIMAR 33D1371



Sparking and detection plugs

- 3020171 SPARKING PLUG ROUND \varnothing 6/8x44 mm**
 F connection 2.8x0.8 mm
 overall length 53 mm
 for Lava rock grill gas (FIMAR) B115 - B50 - B80



FIMAR CO3106

Springs

- 3250029 LEFTHAND SPRING \varnothing 20x40 mm**
 for PLATE PS24-36-PD50
 for SIRMAN ELECTRIC PLATE PD R/L/M/x since 99
 for SIRMAN ELECTRIC PLATE ELIO L/R/X since 99
 for SIRMAN ELECTRIC PLATE PD ECO since 99
 for SIRMAN ELECTRIC PLATE ELIO ECO since 99
 for SIRMAN ELECTRIC PLATE PD POWER since 99



FIMAR CO1055

FIMAR CO1755

- 3250028 RIGHTHAND SPRING \varnothing 20x40 mm**
 for PLATE PS24-36-PD50
 for SIRMAN ELECTRIC PLATE PD R/L/M/x since 99
 for SIRMAN ELECTRIC PLATE ELIO L/R/X since 99
 for SIRMAN ELECTRIC PLATE PD ECO since 99
 for SIRMAN ELECTRIC PLATE ELIO ECO since 99
 for SIRMAN ELECTRIC PLATE PD POWER since 99



FIMAR CO1054

FIMAR CO1754

- 3250003 SPRING \varnothing 20x115 mm**
 for ELECTRIC GRIDDLE PS-PM-PD/ST



FIMAR CO4475


Switches

- 3319967 SWITCH 1-POLE GREEN 16A 250V**
 16(4)A 250V - with indicator lamp
 max. temperature 120°C
 mounting hole 11x30 mm



FIMAR CO1269

- 3319012 SWITCH 2-POLE GREEN 16A 250V**
 16(4)A 250V
 with indicator lamp and switch cover
 screen printing 0 - I
 max. temperature 120°C
 mounting hole 22x30 mm



FIMAR CO1038



Suitable for:

Suitable for:

1319350 WHITE BIPOLAR SWITCH 16A 250V
 16(4)A 250V - with push-button cap
 silk-screen printing 0 - I
 mounting hole 22x30 mm



FIMAR CO1445

Terminal blocks

3247016 3-POLE TERMINAL BLOCK FV273 40A 450V
 for cable max 6 mm²
 operating temperature 150°C
 nominal voltage 450 V



FIMAR CO4425

Thermocouples and accessories

3440079 THERMOCOUPLE M8x1 75 cm COUPLING M6x1



FIMAR CO2269

3440032 THERMOCOUPLE SIT M8x1 150 cm



FIMAR CO3110

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



FIMAR CO3110

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



FIMAR CO3110

3440091 THERMOCOUPLE SIT QUICK M8x1 150 cm



FIMAR CO3161

3440082 THERMOCOUPLE SIT QUICK M8x1 60 cm



FIMAR CO3031

Thermostats

3444111 SINGLE-PHASE THERMOSTAT 100-190°C


D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb \varnothing 6x130 mm - with adapter nipple bland M9x1



FIMAR CO1111

3444568 SINGLE-PHASE THERMOSTAT 105-185°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 900 mm - 16A 230V
bulb \varnothing 6x130 mm - with adapter nipple bland M10x1



FIMAR CO1111

3444392 SINGLE-PHASE THERMOSTAT 50-300°C

complete with knob
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 240V
bulb \varnothing 4x100 mm
for Panini grill electric (FIMAR) PD50 - PS24
PS36



FIMAR CO1708

FIMAR CO1745

3444543 SINGLE-PHASE THERMOSTAT 50-300°C


D-shaped pin 6x4.6 mm
capillary length 840 mm - 16A 250V
bulb \varnothing 3x185 mm



FIMAR CO1941

3444145 SINGLE-PHASE THERMOSTAT 50-310°C


D-shaped pin \varnothing 6x4.6 mm
capillary length covered 1600 mm - 16A 250V
bulb \varnothing 4x120 mm
for OVEN
for Crêpe pan (FIMAR) CRP4 - CRP42
for Crêpe pan electric (FIMAR) CRP - CRP2



FIMAR CO1941

3444174 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm



FIMAR CO1941



Suitable for:

FIMAR



3444336 THERMOSTAT SINGLE-PHASE TR2 0-270°C

complete with auxiliary selector switch
D-shaped pin \varnothing 6x4.6 mm
capillary length 940 mm - 15A 250V
bulb \varnothing 3.5x190 mm
for Hot plate electric (FIMAR)



FIMAR CO4421

Suitable for:

3444548 THERMOSTAT SINGLE-PHASE 240°C

with manual reset
capillary length covered 400 mm
bulb \varnothing 4x90 mm
for Fryer (FIMAR) - Series FT - Series SF



FIMAR CO1110

Timers

3446100 MECHANICAL TIMER 15 MINUTES


manually set mechanical timer
manually set cycle 15 minutes
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



FIMAR

3446051 TIMER 15 MINUTES C20

manually set mechanical timer
manually set cycle 15 minutes
2 poles with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
complete with knob
for Toaster electric (FIMAR) TOP3 - TOP6




















FIMAR CO1012

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories
in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF GmbH GERMANY**
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **DENMARK**
www.lfspareparts724.dk
michael.lenth@lfspareparts.com
 -  **AUSTRIA**
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz