




Spare parts for:

Cooking equipment

Suitable for:

FOEMM



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

FOEMM



Suitable for:

Burners, flame spreaders and accessories

3025096 FLAME SPREADER ø 100 mm
in brass



FOEMM 0509108902

FOEMM 305000012530

3025094 FLAME SPREADER ø 70 mm
in brass



FOEMM 05019909102

FOEMM 305000012630

Cables for piezo igniters

3001002 IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm for ignition
with faston ø 4 mm for electrode



FOEMM 05000080350

Drain taps and accessories

3356004 DRAIN TAP ø 1" F
TAPERED SEAL - fixed connection ø 1" F
for BOILING PAN



FOEMM

3356100 DRAIN TAP ø 2" F TECNO
GASKET SEAL - with swivel nut ø 2" F



FOEMM 05030035831

Electrical gas valves and accessories

3526090 ELETTROSIT VALVE ø 3/4" FF
inlet ø 3/4" F - outlet ø 3/4" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple



FOEMM 05150036150

3526063 VALVE V4600C HONEYWELL ø 1/2" FF
inlet ø 1/2" F - outlet ø 1/2" F
thermocouple connection ASA pitch
maximum gas inlet pressure 60 mbar
room temperature 0÷70°C
power supply 220V 50Hz



FOEMM 05750107300

Energy regulators

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
D-shaped pin ø 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



FOEMM 05050204750

Gas taps and accessories

3348002 GAS TAP 22S/O

with pilot flame
with horizontal flange
fittings ø M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin ø 10x8 mm



FOEMM 05000070430

FOEMM 05019917330

3348003 GAS TAP 22S/V


with pilot flame
with vertical flange
fittings ø M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin ø 10x8 mm



FOEMM 05050302400

3348012 GAS TAP 23S/O

with pilot flame
with horizontal flange
inlet fitting M28x1.5mm
outlet connection M24x1.5mm
with flow regulator
thermocouple connection M10x1
D-shaped pin ø 10x8 mm



FOEMM 05030043730



Suitable for:

FOEMM



Suitable for:

Gas valves and accessories

3523020 MINISIT VALVE FOR OVEN 100÷340°C

inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb $\varnothing$ 5x70 mm
with an elbow flange $\varnothing$ 3/8"F




FOEMM 05010014700

Gaskets for oven door

3186051 OVEN DOOR GASKET

made of silicone elastomer
width 37 mm
COLOUR BLACK
SOLD PER METRE
for Oven under cooktop (FOEMM)



FOEMM 305150318740

Heating elements

3355230 HEATING ELEMENT 2000W 220V

length 395 mm - width 140 mm
fittings M10x1 mm



FOEMM 305060090151

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
height 23 mm



FOEMM

Hinges, catches and accessories

3053007 LEFTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205
height 160 mm



FOEMM 05010001201

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
height 23 mm



FOEMM

3053018 LEFTHAND DOOR HINGE FOR OVEN

distance between holes 120 mm - overall length 155
height 146 mm



FOEMM 05150024501

3053006 RIGHTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205
height 160 mm



FOEMM 05010001101

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
height 23 mm



FOEMM

3053017 RIGHTHAND DOOR HINGE FOR OVEN

distance between holes 120 mm - overall length 155
height 146 mm



FOEMM 05150024401

Ignitors

3001005 PIEZO IGNITER

a $\varnothing$ 18 mm hole is needed for assembling
faston M $\varnothing$ 2.4 mm



FOEMM 05000080200



Suitable for:

FOEMM



Suitable for:

Indicator lights

- 3221012 INDICATOR LAMP GREEN 230V**
mounting hole 30x22 mm - 125°C
universal application



FOEMM 05000096150

Knobs

- 3241055 FIXING CLIP**
for knob with $\varnothing$ 8 mm hole



FOEMM 00000022001

Magnet groups

- 3182009 MAGNETIC UNIT PEL BIG HEADED**
 $\varnothing$ head 15.5 mm - $\varnothing$ end 14 mm - length 44 mm
for PEL tap model 22-24



FOEMM

- 3182011 MAGNETIC UNIT PEL SMALL HEADED**
 $\varnothing$ head 15 mm - $\varnothing$ end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



FOEMM

Pilot burners and accessories

- 3020001 ONE-FLAME PILOT BURNER SIT**
multigas with jet $\varnothing$ 0.20 mm
with 2 positions bracket



FOEMM 05019906800

- 3020054 PILOT JET $\varnothing$ 0.20 mm**



FOEMM 0977030



Suitable for:

3001003 **ROUND SPARKING PLUG $\varnothing$ 7x44 mm**
male faston M4x1 mm
total length 65 mm



FOEMM 05000078750

FOEMM 05000098550

FOEMM 05050103450

FOEMM



Suitable for:

3020018 **PILOT BURNER GPL CB 503.003**
with LPG jet and pilot olive
with pilot pipe connection



FOEMM 05010055800

3020054 **PILOT JET $\varnothing$ 0.20 mm**



FOEMM 0977030

3020006 **THREE-FLAME PILOT BURNER SIT**
multigas with jet $\varnothing$ 0.20 mm
with 3 positions bracket



FOEMM 05000010100

FOEMM 05000027300

3020054 **PILOT JET $\varnothing$ 0.20 mm**



FOEMM 0977030

3001003 **ROUND SPARKING PLUG $\varnothing$ 7x44 mm**
male faston M4x1 mm
total length 65 mm



FOEMM 05000078750

FOEMM 05000098550

FOEMM 05050103450


Rotary switches

3057050 **CONNECTING BRACKET 28x21x16 mm**
distance between hooking brackets 27 mm
for the connection between selector switch and the



FOEMM 305150320700

3057026 **SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D shaft $\varnothing$ 6x4.6 mm



FOEMM 05150320550




Suitable for:

FOEMM




- 3057001 SELECTOR SWITCH 0-3 POSITIONS**
contact capacity 32A 250V - max 150°C
D spindle $\varnothing$ 6x4.6 mm




FOEMM 305010078050

- 3057023 SELECTOR SWITCH 0-6 POSITIONS**
contact capacity 32A 250V - max 150°C
D shaft $\varnothing$ 6x4.6 mm



FOEMM 05010076150

- 3057024 SELECTOR SWITCH 0-6 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm



FOEMM 05000083150

Safety groups for pans and spare parts

- 3184013 DEPRESSION VALVE $\varnothing$ 3/4" M**
in chrome plated brass
for safety group $\varnothing$ 1" 1/4



FOEMM 05030032301

- 3184007 PRESSURE GAUGE $\varnothing$ 60 mm**
in chrome plated brass
radial connection 1/4"
scale 0-1 bar
for safety groups



FOEMM 05030033701

- 3184034 PRESSURE-GAUGE HOLDING TAP $\varnothing$ 1/4"**
for security valve 3/4"
for security valve 1" 1/4



FOEMM 05030034401

- 3184002 SAFETY GROUP $\varnothing$ 1" 1/4**
vertical connection $\varnothing$ 1" 1/4
complete with safety valve, depression valve,
tap for pressure gauge holder and pressure gauge
for STEAM BOILING KETTLE



FOEMM 05030033801

- 3184013 DEPRESSION VALVE $\varnothing$ 3/4" M**
in chrome plated brass
for safety group $\varnothing$ 1" 1/4



FOEMM 05030032301



Suitable for:

3184007 PRESSURE GAUGE $\varnothing$ 60 mm
in chrome plated brass
radial connection 1/4"
scale 0-1 bar
for safety groups



FOEMM 05030033701

3184018 SAFETY VALVE $\varnothing$ 1"1/4M
max pressure 0.5 atm
for safety group 1"1/4
ISPESL approved



FOEMM 05030032201

3184018 SAFETY VALVE $\varnothing$ 1"1/4M
max pressure 0.5 atm
for safety group 1"1/4
ISPESL approved



FOEMM 05030032201

FOEMM



Suitable for:

3184034 PRESSURE-GAUGE HOLDING TAP $\varnothing$ 1/4"
for security valve 3/4"
for security valve 1"1/4



FOEMM 05030034401

Sparking and detection plugs

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



FOEMM 05000078750

FOEMM 05000098550

FOEMM 05050103450



Suitable for:

FOEMM



Suitable for:

Switches

- 3319019** **SWTCH 2-POLE RED 16A 250V**
16(4)A 250V - with indicator lamp
max. temperature 120°C
mounting hole 22x30 mm



FOEMM 05000078750

FOEMM 305000046250

Taps for tank refilling

- 3359285** **WATER INLET TAP Ø 1/2" M**
internal output Ø 7.5 mm



FOEMM 05030033101

Telethermometers

- 3441026** **TELETHERMOMETER BLACK Ø 60 mm 50-350°C**
metal body
capillary length 1500 mm
bulb Ø 4x104 mm



FOEMM 05159905800

- 3441027** **TELETHERMOMETER WHITE Ø 60 mm 50-350°C**
metal body
capillary length 1500 mm
bulb Ø 4x105 mm



FOEMM 05159905700

- 3441029** **TELETHERMOMETER WHITE 56x25 mm 50-350°C**
plastic body
capillary length 1000 mm
bulb Ø 6x25 mm



FOEMM 05150015150

Thermocouples and accessories

3440030 THERMOCOUPLE SIT M8x1 100 cm



FOEMM 05150065800

3440830 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



FOEMM 05150065800

3440830 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS



FOEMM 05150065800

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



FOEMM 05019906700

FOEMM 05050103900

3440037 THERMOCOUPLE SIT M9x1 100 cm.



FOEMM 05019906700

FOEMM 05050103900

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



FOEMM 05019906700

FOEMM 05050103900

3440038 THERMOCOUPLE SIT M9x1 120 cm



FOEMM 05000097100

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



FOEMM 05000097100

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



FOEMM 05000097100

3440039 THERMOCOUPLE SIT M9x1 150 cm



FOEMM 05000026900

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



FOEMM 05000026900



Suitable for:

Suitable for:

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



FOEMM 05000026900

3440033 THERMOCOUPLE SIT M9x1 32 cm



FOEMM 05021300200

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



FOEMM 05021300200

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



FOEMM 05021300200

3440036 THERMOCOUPLE SIT M9x1 85 cm.



FOEMM 05000010200

FOEMM 05019906600

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



FOEMM 05000010200

FOEMM 05019906600

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



FOEMM 05000010200

FOEMM 05019906600


Thermostats

3444071 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
capillary length 870 mm - 16A 250V
bulb ø 6x77 mm
for Fryer (FOEMM)



FOEMM 305750107250

3444074 SINGLE-PHASE THERMOSTAT 45-265°C
D-shaped pin ø 6x4.6 mm
covered capillary length 2000 mm - 16A 250V
bulb ø 3x220 mm
for Oven under cooktop (FOEMM)




FOEMM 305150068450

Suitable for:

3444070 SINGLE-PHASE THERMOSTAT 60-200°C

D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 1500 mm - 16A 250V
bulb $\varnothing$ 6x80 mm
for Fryer (FOEMM)




FOEMM 305000087150

Suitable for:

3444067 THREE-PHASE THERMOSTAT 30-90°C

D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 1000 mm - 10A 400V
bulb $\varnothing$ 6x130 mm




FOEMM 05000087250

FOEMM 305000036450

FOEMM 305000087250

3444052 THREE-PHASE THERMOSTAT 50-320°C


D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb $\varnothing$ 3x230 mm



FOEMM 05000087350

3444366 THREE-PHASE THERMOSTAT 90-180°C

D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb $\varnothing$ 6x135 mm - with adapter nipple bland M10x1



FOEMM 05050033650

Timers

3446005 BLACK KNOB ABS 38x38 mm


D-shaped hole $\varnothing$ 6x4.6 mm
for timer



FOEMM 305000040540

3446008 TIMER 30 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
30 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm



FOEMM 305000080050

3446005 BLACK KNOB ABS 38x38 mm

D-shaped hole $\varnothing$ 6x4.6 mm
for timer



FOEMM 305000040540

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|---|
| <p> LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb724.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com</p> | <p> OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru</p> |
| <p> EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com</p> | <p> LF Repuestos Horeca S.L.U. SPAIN
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es</p> |
| <p> LF GmbH GERMANY
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de</p> | <p> LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch</p> |
| <p> LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com</p> | <p> LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk</p> |
-
- | | |
|---|---|
| <p> AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com</p> | <p> DENMARK
www.lfspareparts724.dk
michael.leth@lfspareparts.com</p> |
| <p> AUSTRIA
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at</p> | <p> SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com</p> |
| <p> BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com</p> | <p> TURKEY
www.lyedekparca724.com
basar.ergun@lyedekparca.com</p> |
| <p> BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com</p> | <p> USA AND CANADA
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us</p> |
| <p> CENTRAL AND EASTERN EUROPE
www.lfspareparts724.cz
jiri.kremela@lfspareparts.cz</p> | |