



Spare parts for:

Cooking equipment



Suitable for:

GAYC



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

GAYC



Suitable for:

Burners, flame spreaders and accessories

3025549 BURNER CAP \varnothing 95 mm
for Pot stove gas (GAYC)



GAYC 14750240

GAYC 16310280

Fryer baskets and accessories

3055345 FRYER BASKET 280x200x100 mm
made of chrome-plated iron
for Fryer electric (GAYC) F8 - F8+8



GAYC 14110060

GAYC 14111070

GAYC 14111080

GAYC 44110040

Gas taps and accessories

3348089 BRACKET FOR TAP



GAYC 13451020

3348088 GAS TAP SABAF
without pilot flame
pipe coupling \varnothing 12 F
flange outlet
thermocouple connection M8x1
D-shaped pin \varnothing 8x6.5 mm
for Hot plate gas (GAYC) EUROPA60 - EUROPA90
for Pot stove gas (GAYC) 120 - 150 - 30 - 60 - 90



GAYC 11203410

GAYC 16330100

3348089 BRACKET FOR TAP



GAYC 13451020



Suitable for:

3186695 SHAPED GASKET FOR TAP
external ø 12 mm



GAYC 13511920

GAYC 14410320

GAYC

Suitable for:



Gaskets and seals

3186695 SHAPED GASKET FOR TAP
external ø 12 mm



GAYC 13511920

GAYC 14410320

Heating elements

3755644 HEATING ELEMENT LOWER 900W 230V
length 165 mm - width 325 mm
height 50 mm - fittings M12x1.25 mm



GAYC 12420080

GAYC 12507140

3755643 HEATING ELEMENT UPPER 900W 230V
length 200 mm - width 325 mm
height 120 mm - fittings M12x1.25 mm



GAYC 12420060

3755641 HEATING ELEMENT 1000W 230V
external ø 185 mm - couplings M12x1,25 mm



GAYC 12430300

GAYC 12503050

3755639 HEATING ELEMENT 1150W 220V
length 370 mm - width 200 mm
fittings M12x1.25 mm
for Salamander electric (GAYC)
for Toaster electric (GAYC)



GAYC 12420100

GAYC 12507020

3755640 HEATING ELEMENT 1200W 220V
external ø 190 mm - total height 65 mm
flange 70x22 mm



GAYC 12420180

GAYC 12507620

3755642 HEATING ELEMENT 1800W 220V
length 265 mm - width 110 mm
height 170 mm - couplings M12x1,25 mm
for Fryer electric (GAYC) F4 - F4+4



GAYC 12430060

GAYC 12501020



Suitable for:

GAYC



3755638 HEATING ELEMENT 3000W 230V
length 260 mm - width 195 mm
height 160 mm - couplings M12x1,25 mm
for Fryer electric (GAYC) F8 - F8+8



GAYC 12430080

GAYC 12501040


3755935 HEATING ELEMENT 3000W 230V
external ø 195 mm - total height 78 mm
flange 70x22 mm



GAYC 12420150

GAYC 12507700

3755636 HEATING ELEMENT 3500W 220V
length 305 mm - width 220 mm
height 155 mm - couplings M12x1,25 mm
for Fryer electric (GAYC) F15 SNACK - F8 SNACK




GAYC 0441413045

GAYC 12430100

GAYC 12501100

3755637 HEATING ELEMENT 3500W 220V
length 265 mm - width 285 mm
height 170 mm - couplings M12x1,25 mm
for Fryer electric (GAYC) F10



GAYC 12430120

GAYC 12501060

3755934 HEATING ELEMENT 5000W 230V
length 335 mm - width 225 mm
height 200 mm - flange 50x22 mm
for Fryer electric (GAYC)



GAYC 12430170

GAYC 12501160


Hinges, catches and accessories

3053007 LEFTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



GAYC 37760110

3053006 RIGHTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - overall length 205
height 160 mm



GAYC 37760100



Ignitors

3001020 PIEZO IGNITER

a \varnothing 18 mm hole is required for the assembly
faston M \varnothing 2.4 mm



GAYC 12410100

Indicator lights

3221324 GREEN INDICATOR LAMP 250V

head \varnothing 10 mm - hole \varnothing 9 mm - 120°C
wire connection length 200 mm
for Fryer electric (GAYC) F-10 - F-15 SNACK
F-15 SUPERSNACK - F-15+15 SNACK
F-15+15 SUPERSNACK - F-15+15P SUPEREXTRASNACK
F-15P SNACK - F-4 - F-4+4 - F-8 SNACK
F-8 SUPERSNACK - F-8+8 SNACK - F-8+8G - F-8G
F8+8 SUPERSNACK



GAYC 12220220

3221302 INDICATOR LAMP RED 250V

\varnothing head 10 mm - \varnothing hole 9 mm
wire connection length 200 mm



GAYC 12220200

3221323 RED INDICATOR LAMP 250V

head \varnothing 14 mm - hole \varnothing 13 mm
for Salamander (GAYC)
for Toaster (GAYC)



GAYC 12220280

GAYC 12301250

Injectors

3500038 GAS NOZZLE M6x0,75 \varnothing 0,90 mm



GAYC 13630050

GAYC 13632085

3500039 GAS NOZZLE M6x0,75 \varnothing 1,00 mm



GAYC 13630090

GAYC 13632100



Suitable for:

GAYC



Suitable for:

3500037 GAS NOZZLE M6x0,75 ø 1,25 mm



GAYC 13630100

GAYC 13632120

Lamp receptacles and spare parts

3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V

lamp glass ø 42 mm
mounting hole ø 38 mm
max temperature 300°C
for OVEN



GAYC 12220050

Microswitches

3240410 MICROSWITCH 16(4)A 250V



GAYC 12211100

Motors

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan ø 150 mm



GAYC 12531100

3240661 MOTOR 3005.2351 120/180W 230V 50Hz
0.8A 2800rpm
capacitor 5 µF



GAYC 12531150

GAYC 12711140

OR and ORM gaskets

1186411 O-RING 02031 EPDM



GAYC 14441440

3186440 O-RING 02075 EPDM



GAYC 14441430

Suitable for:

1186472 O-RING 04075 EPDM



GAYC 14441400

Suitable for:

3243142 O-RING 04118 EPDM



GAYC 14441420

3186197 O-RING 04150 EPDM



GAYC 14441410

Pilot burners and accessories

3020131 PIPE OLIVE \varnothing 8 mm



GAYC 16330110

Terminal blocks

3247003 TERMINAL BLOCK 2-POLE CERAMIC

for cable max. 4 mmq
operating temperature 300°C
nominal voltage 450V
dimensions 20x21x18 mm



GAYC 12150200

3247004 TERMINAL BLOCK 3-POLE CERAMIC

for cable max. 4 mmq
operating temperature 300°C
nominal voltage 250V
dimensions 33x18x15 mm



GAYC 12150240

Thermocouples and accessories

3440064 NUT FOR THERMOCOUPLE M8x1



GAYC 13210260

3440251 THERMOCOUPLE M8x1 32cm THREAD M8x1



GAYC 12410020



Suitable for:


GAYC



Suitable for:

Thermostats

3444598 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
covered capillary length 930 mm - 16A 250V
bulb \varnothing 5x70 mm



GAYC 12411040

3444007 THERMOSTAT SINGLE-PHASE TR2 0-300°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 1500 mm - 15A 250V
bulb \varnothing 3.5x190 mm



GAYC 12410300

GAYC 12411020

Timers

3446056 TIMER 120 MINUTES M2
mechanical timer with acoustic alarm
manual left position possible
manually set cycle 120 minutes
contact capacity 16(4)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm




















GAYC 12241220

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF GmbH GERMANY**
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **DENMARK**
www.lfspareparts724.dk
michael.lenth@lfspareparts.com
 -  **AUSTRIA**
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz