




Spare parts for:

Cooking equipment

Suitable for:

GICO



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

GICO



Suitable for:

Air regulators

3025068 AERATION REGULATOR

internal $\varnothing$ 36 mm - external $\varnothing$ 40 mm
height 36 mm



GICO 741312350

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm

ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



GICO 607008

3240519 AXIAL MOTOR FAN EBM 4656N

230V 50Hz 19W 2650rpm
119x119x38 mm
ball bearing



GICO

Ball valves and accessories

3356068 DRAIN TAP $\varnothing$ 1/2"MM

for Bain-marie (GICO) - Series 700
for Pasta cooker (GICO) - Series 500 - Series 700
Series 900 - Series 920



GICO 433206

3526672 WATER VALVE $\varnothing$ 3/4"FF

ballcock valve
heavy series with PN 40 total passage
aluminium lever
for Pasta cooker electric (GICO)
Series 500-700-900-920
for Pasta cooker gas (GICO)
Series 500-700-900-920



GICO 433207

Burners, flame spreaders and accessories

3025383 BURNER $\varnothing$ 110 mm

for Pot stove gas (GICO) - Series 110 - Series 500



GICO A00419

3025384 BURNER $\varnothing$ 110 mm

for Pot stove gas (GICO) - Series 900 - Series 920



GICO A00418



Suitable for:

GICO



3025381 BURNER ø 60 mm
for Pot stove gas (GICO) - Series 700 - Series 900



GICO 770339300

Suitable for:

3025395 BURNER ø 60 mm
for Pot stove gas (GICO) - Series 600 - Series 64



GICO 760305080

GICO 764305190

3025382 BURNER ø 85 mm
for new series
for Pot stove gas (GICO) - Series 900



GICO 770336750

3025410 BURNER ø 90 mm
for Pot stove gas (GICO) 110-700



GICO A00420

3025076 BURNER BASE ø 60 mm
for old series
for Pot stove gas (GICO) - Series 600 - Series 700
Series 900 - Series 920



GICO 790300780

GICO 790300789

3025079 BURNER BASE ø 85 mm
for old series
for Pot stove gas (GICO) - Series 600 - Series 700
Series 900 - Series 920



GICO 290202870

GICO 790300799

GICO 790300810

3025077 BURNER CAP ø 60 mm
for Pot stove gas (GICO) - Series 600 - Series 64
Series 700 - Series 900 - Series 920



GICO A00003

GICO 290200450

3025068 AERATION REGULATOR
internal ø 36 mm - external ø 40 mm
height 36 mm



GICO 741312350

3025381 BURNER ø 60 mm
for Pot stove gas (GICO) - Series 700 - Series 900



GICO 770339300

3025395 BURNER ø 60 mm
for Pot stove gas (GICO) - Series 600 - Series 64



GICO 760305080

GICO 764305190



Suitable for:

3025076 BURNER BASE ø 60 mm
for old series
for Pot stove gas (GICO) - Series 600 - Series 700
Series 900 - Series 920



GICO 790300780

GICO 790300789

3025069 JET HOLDER
jet threaded seat M10x1
for burner ø 60-75-85-90-110 mm



GICO 241202412

3025062 VENTURI PIPE FOR FLAME SPREADER 60 mm
without pilot hosing
for Pot stove gas (GICO) - Series 600 - Series 64



GICO 760311640

3025080 BURNER CAP ø 85 mm
for Pot stove gas (GICO) - Series 600 - Series 700
Series 900 - Series 920



GICO A00004

GICO 290200480

3025382 BURNER ø 85 mm
for new series
for Pot stove gas (GICO) - Series 900



GICO 770336750

GICO



Suitable for:

3025078 FLAME SPREADER ø 55 mm
for Pot stove gas (GICO) - Series 600 - Series 64
Series 700 - Series 900 - Series 920



GICO A00003

GICO 270204230

GICO 290200460

3025072 VENTURI F/FLAME SPREAD. 60-75-85-90-110m
for Pot stove gas (GICO) - Series 110 - Series 500
Series 600 - Series 640 - Series 700 - Series 900
Series 920



GICO 270200170

GICO 770324790

3025068 AERATION REGULATOR
internal ø 36 mm - external ø 40 mm
height 36 mm



GICO 741312350

3025079 BURNER BASE ø 85 mm
for old series
for Pot stove gas (GICO) - Series 600 - Series 700
Series 900 - Series 920



GICO 290202870

GICO 790300799



Suitable for:

3025081 FLAME SPREADER ø 80 mm
for Pot stove gas (GICO) - Series 600 - Series 700
Series 900 - Series 920



GICO A00004

GICO 270204240

GICO 290200490

3025072 VENTURI F/FLAME SPREAD. 60-75-85-90-110m
for Pot stove gas (GICO) - Series 110 - Series 500
Series 600 - Series 640 - Series 700 - Series 900
Series 920



GICO 270200170

GICO 770324790

3025340 FLAME SPREADER ø 110 mm
for Pot stove gas (GICO) - Series 110 - Series 500
Series 900 - Series 920



GICO 270203540

3025383 BURNER ø 110 mm
for Pot stove gas (GICO) - Series 110 - Series 500



GICO A00419

3025069 JET HOLDER
jet threaded seat M10x1
for burner ø 60-75-85-90-110 mm



GICO 241202412

GICO



Suitable for:

3025069 JET HOLDER
jet threaded seat M10x1
for burner ø 60-75-85-90-110 mm



GICO 241202412

3025068 AERATION REGULATOR
internal ø 36 mm - external ø 40 mm
height 36 mm



GICO 741312350

3025384 BURNER ø 110 mm
for Pot stove gas (GICO) - Series 900 - Series 920



GICO A00418

3025072 VENTURI F/FLAME SPREAD. 60-75-85-90-110m
for Pot stove gas (GICO) - Series 110 - Series 500
Series 600 - Series 640 - Series 700 - Series 900
Series 920



GICO 270200170

GICO 770324790



Suitable for:

GICO



Suitable for:

- 3025078 FLAME SPREADER ø 55 mm**
for Pot stove gas (GICO) - Series 600 - Series 64
Series 700 - Series 900 - Series 920



GICO A00003

GICO 270204230

GICO 290200460

- 3025066 FLAME SPREADER ø 60 mm**
for Pot stove gas (GICO) - Series 600 - Series 64



GICO 270200190

GICO 770319550

- 3025395 BURNER ø 60 mm**
for Pot stove gas (GICO) - Series 600 - Series 64



GICO 760305080

GICO 764305190

- 3025062 VENTURI PIPE FOR FLAME SPREADER 60 mm**
without pilot hosing
for Pot stove gas (GICO) - Series 600 - Series 64



GICO 760311640

- 3025068 AERATION REGULATOR**
internal ø 36 mm - external ø 40 mm
height 36 mm



GICO 741312350

- 3025069 JET HOLDER**
jet threaded seat M10x1
for burner ø 60-75-85-90-110 mm



GICO 241202412

- 3025071 FLAME SPREADER ø 75 mm**
for Pot stove gas (GICO) - Series 700



GICO 241200410

GICO 770319560

- 3025068 AERATION REGULATOR**
internal ø 36 mm - external ø 40 mm
height 36 mm



GICO 741312350



Suitable for:

3025079 BURNER BASE ø 85 mm
for old series
for Pot stove gas (GICO) - Series 600 - Series 700
Series 900 - Series 920



GICO 290202870

GICO 790300799

3025072 VENTURI F/FLAME SPREAD. 60-75-85-90-110m
for Pot stove gas (GICO) - Series 110 - Series 500
Series 600 - Series 640 - Series 700 - Series 900
Series 920



GICO 270200170

GICO 770324790

3025081 FLAME SPREADER ø 80 mm
for Pot stove gas (GICO) - Series 600 - Series 700
Series 900 - Series 920



GICO A00004

GICO 270204240

GICO 290200490

3025370 FLAME SPREADER ø 90 mm
for Pot stove gas (GICO) - Series 700



GICO 270203550

3025410 BURNER ø 90 mm
for Pot stove gas (GICO) 110-700



GICO A00420

GICO

Suitable for:

3025069 JET HOLDER
jet threaded seat M10x1
for burner ø 60-75-85-90-110 mm



GICO 241202412



3025068 AERATION REGULATOR
internal ø 36 mm - external ø 40 mm
height 36 mm



GICO 741312350

3025069 JET HOLDER
jet threaded seat M10x1
for burner ø 60-75-85-90-110 mm



GICO 241202412



Suitable for:

GICO



Suitable for:

3025072 VENTURI F/FLAME SPREAD. 60-75-85-90-110m
for Pot stove gas (GICO) - Series 110 - Series 500
Series 600 - Series 640 - Series 700 - Series 900
Series 920



GICO 270200170

GICO 770324790

3025069 JET HOLDER
jet threaded seat M10x1
for burner ø 60-75-85-90-110 mm



GICO 241202412

3025072 VENTURI F/FLAME SPREAD. 60-75-85-90-110m
for Pot stove gas (GICO) - Series 110 - Series 500
Series 600 - Series 640 - Series 700 - Series 900
Series 920



GICO 270200170

GICO 770324790

3025062 VENTURI PIPE FOR FLAME SPREADER 60 mm
without pilot hosing
for Pot stove gas (GICO) - Series 600 - Series 64



GICO 760311640

Cables for piezo igniters

3001016 IGNITION LEAD 1000 mm
with faston ø 2.4 mm for ignition
with faston ø 4 mm for electrode



GICO 5509080

3001018 IGNITION LEAD 600 mm
with faston ø 2.4 mm for ignition
with faston ø 4 mm for electrode




GICO 5509040

Contactors

5000853 CONTACTOR GENERAL ELECTRIC MC1A400AT

4Kw 400V - coil 230V 50/60Hz
4 contacts NO
for Bain-marie electric (GICO)
Series 700-900-920-110
for Fryer electric (GICO)
Series 500-64-700-900-920



GICO 53002420904

GICO 66300010

3446556
CONTACTOR LOVATO BG0910A

coil 9A 230V 50/60Hz 4Kw
3 normally open contacts
1 normally open auxiliary contact



GICO 6300240600

Cooking baskets and accessories

3055194 PASTA COOKER BASKET 300x115x180 mm

made of STAINLESS steel
for Pasta cooker electric (GICO) 64/755T



GICO 264200230

Drain taps and accessories

3356007 DRAIN TAP ø 1"1/2F TECNO

TAPERED SEAL - swivel nut ø 1"1/2F
with gasket
for BOILING PAN



GICO 422116

3356005
DRAIN TAP ø 1"1/4F TECNO

TAPERED SEAL - fixed connection ø 1"1/4F
with gasket
for BOILING PAN



GICO

3356100 DRAIN TAP ø 2"F TECNO

GASKET SEAL - with swivel nut ø 2"F



GICO A00087

GICO 422107



Suitable for:

GICO



Suitable for:

Electric hot plates

3311090 ELECTRIC HOT PLATE ø 145 mm 1000W 230V

MODEL "ECODESIGN"
terminal block electric connections
with stainless steel edge
for electrical cooking top



GICO 611062410

3311094 ELECTRIC HOT PLATE ø 180 mm 1500W 230V

MODEL "ECODESIGN"
terminal block electric connections
with stainless steel edge
for electrical cooking top



GICO 611062415

3311169 ELECTRIC HOT PLATE ø 200 mm 1700W 230V

faston electric connections
complete with energy adjuster
for glass-ceramic cooking top



GICO 511062317

3311166 ELECTRIC HOT PLATE ø 200 mm 1800W 230V


faston electric connections
complete with energy regulation
for glass-ceramic cooking top



GICO 260203260

3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V


terminal block electric connections
with STAINLESS steel edge
for electric cooking top



GICO 511022426

3311101 ELECTRIC HOT PLATE ø 220 mm 2600W 400V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



GICO 5110001

3311160 ELECTRIC HOT PLATE ø 250 mm 2500W 230V

faston electric connections
complete with energy regulation
for glass-ceramic cooking top



GICO 260203240

GICO 511062325

3311063 ELECTRIC HOT PLATE 3000W 400V

dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



GICO 5110003



Suitable for:

- 3311064 ELECTRIC HOT PLATE 4000W 230V**
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



GICO 511012440

GICO




Suitable for:

- 3311048 ELECTRIC HOT PLATE 4000W 400V**
dimensions 300x300 mm
terminal block electric connections
for electric cooking top



GICO

- 3311065 ELECTRIC HOT PLATE 4000W 400V**
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



GICO 5110002

Electrical gas valves and accessories

- 3526090 ELETTROSIT VALVE $\varnothing$ 3/4"FF**
inlet $\varnothing$ 3/4"F - outlet $\varnothing$ 3/4"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple



GICO 4330012

GICO 4330122224

GICO 790202500

- 3440200 TWIN LEAD THERMOPILE $\varnothing$ 9x65 mm**
cable length 580 mm - with coupling M11X1




GICO 434010580

- 3526061 VALVE VR4605P HONEYWELL $\varnothing$ 1/2"FF**
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 1/2"F
thermocouple connection ASA pitch
maximum gas inlet pressure 100 mbar
room temperature 0÷60°C
power supply 220V 50Hz



GICO 43330001

- 3526141 VALVE 830 TANDEM $\varnothing$ 1/2"FF**
inlet $\varnothing$ 1/2"F - outlet $\varnothing$ 1/2"F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet gas pressure setting range 3÷50 mbar
room temperature 0÷60°C
power supply 230V 50Hz



GICO 433012



Suitable for:

GICO

Suitable for:



Electronic boxes

- 3526402 CONTROL BOX S4560A1008**
model HONEYWELL - 220/240V 50Hz 10VA



GICO 43331001

Electronic controllers

- 3445076 THERMOSTAT EVK411 PTC/NTC/PT100/PT1000**
power supply 12Vca/dc 1.5VA
thermostat setting range 99+600°C
ON-OFF control with one actuation point
1 exchange relay output 6(3)A 250V
inbuilt alarm buzzer
access to configuration parameters through password
serial port for data exchange
room temperature 0+60°C
PTC/NTC/PT100/PT1000 type probe (not included)
connections by screwed terminal block
front dimensions 74x32x65 mm
mounting hole 71x29 mm



GICO 629601


- 3445110 TRANSFORMER 230V/12V 3VA**
primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



GICO 639603

Energy regulators

- 3350026 ENERGY ADJUSTER**
contact capacity 230V 13A - max temperature 125°C
D-shaped pin ø 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
for Hot plate (GICO)
Series 110 - Series 700 - Series 920




GICO 539205

GICO 539206

GICO 539209


- 3350035 ENERGY ADJUSTER**
contact capacity 230V 13A
max temperature 125°C
D-shaped pin ø 6x4.6 mm



GICO 539208

Fryer baskets and accessories

5026498 FALSE BOTTOM COMPLETE MESH 390x235 mm
height 95 mm
of chromed iron
for Fryer (GICO)



GICO 290203850

5026715 FRYER BASKET 265x230x100 mm
of chromed iron
for Fryer (GICO)



GICO 270203830

5024794 FRYER BASKET 365x115x103 mm
of chromed iron
for Fryer (GICO)



GICO 270203840

Gas burners

3023015 BURNER ø 40x460 mm
overall length 485 mm
made of stainless steel
for Bratt pan gas (GICO) - Series 900



GICO 4323105

3023325 BURNER 445x200 mm
made of stainless steel
for Lava rock grill gas (GICO) - Series 700



GICO A00273

GICO 260202640

3023238 BURNER 510x200 mm
made of stainless steel
for Lava rock grill gas (GICO) - Series 900



GICO A00274

GICO 290203290



Suitable for:

GICO



Suitable for:

Gas taps and accessories

- 3348015 GAS TAP 20/N**
without pilot flame
fittings $\varnothing$ M16x1.5 mm
with flow regulator
D-shaped pin $\varnothing$ 8x6.5 mm



GICO 435213

- 3348014 GAS TAP 20/S**
without pilot flame
fittings $\varnothing$ M16x1.5mm
thermocouple fitting M8x1
D-shaped pin $\varnothing$ 8x6.5mm




GICO 435212

- 3348016 GAS TAP 21S**
with pilot flame
fittings $\varnothing$ M16x1.5mm
with flow regulator
thermocouple connection M9x1 mm
D-shaped pin $\varnothing$ 8x6.5 mm



GICO 435210

- 3348010 GAS TAP 22N/O**
with pilot flame
with horizontal flange
fittings $\varnothing$ M20x1.5mm
with flow regulator
D-shaped pin $\varnothing$ 10x8 mm




GICO 435220

- 3348005 GAS TAP 22S/O**
with pilot flame
with horizontal flange
fittings $\varnothing$ M20x1.5 mm
with flow regulator
thermocouple connection M8x1
D-shaped pin $\varnothing$ 10x8 mm



GICO 435221

- 3348012 GAS TAP 23S/O**
with pilot flame
with horizontal flange
inlet fitting M28x1.5mm
outlet connection M24x1.5mm
with flow regulator
thermocouple connection M10x1
D-shaped pin $\varnothing$ 10x8 mm



GICO 435280

- 3348031 PIPE FITTING $\varnothing$ 10 mm**
thread M20x1.5
for model PEL 22



GICO 270201680

- 3348038 PIPE OLIVE $\varnothing$ 10 mm**
for model PEL 22



GICO 270201580

Gas valves and accessories

3526131 EUROSIT VALVE FOR FRYER 110÷190°C

inlet $\varnothing$ 3/8" F - outlet $\varnothing$ 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷80°C
capillary length 1050 mm
bulb $\varnothing$ 4x200 mm



GICO A00405

GICO 433023

3523040 MINISIT SENSING ELEMENT 100÷340°C

capillary length 1050 mm
bulb $\varnothing$ 5x70 mm



GICO 439631034

3523043 MINISIT SENSING ELEMENT 110÷190°C

capillary length 1050 mm
button bulb $\varnothing$ 14.4x26 mm
for Fryer gas (GICO)



GICO 439621019

3523051 MINISIT SENSING ELEMENT 110÷190°C

capillary length 1050 mm
bulb $\varnothing$ 6x105 mm



GICO 439611019

3523020 MINISIT VALVE FOR OVEN 100÷340°C

inlet $\varnothing$ 1/2" F - outlet $\varnothing$ 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb $\varnothing$ 5x70 mm
with an elbow flange $\varnothing$ 3/8" F



GICO 433011

GICO 770203180

3523031 MINISIT VALVE FOR OVEN 100÷340°C

inlet $\varnothing$ 1/2" F - outlet $\varnothing$ 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
with screw for gas outlet pressure regulation
capillary length 1050 mm
bulb $\varnothing$ 5x70 mm
with an elbow flange $\varnothing$ 3/8" F



GICO 790200800



Suitable for:

GICO



2110349 VALVE EUROSIT BAIN MARIE 30÷100°C
inlet $\varnothing$ 3/8" F - outlet $\varnothing$ 3/8" F
thermocouple connection M9x1
gas inlet maximum pressure 50 mbar
calibration field of outlet
pressure 3÷18 mbar
ambient temperature 0÷80°C
capillary length 1050 mm
bulb $\varnothing$ 5x122 mm
for Bain-marie (GICO)



GICO A00414

Suitable for:

3526133 VALVE EUROSIT FOR FRY TOP 60÷300°C
inlet $\varnothing$ 3/8" F - outlet $\varnothing$ 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure calibration range
outlet 3÷18 mbar
ambient temperature 0÷80°C
capillary length 1050 mm
bulb $\varnothing$ 4x72 mm



GICO A00406

Grids for kitchen

7108305 GRID 350x350 mm
for Pot stove (GICO) - Series 900



GICO 290204940

3185117 PAN SUPPORT GRID 385x290 mm
for Pot stove (GICO) - Series 700



GICO 270203609

Grids for refrigerator-oven

3185054 CHROME PLATED GRID GN 1/1 530x325 mm



GICO 793108350

Heating elements

3355829 CERAMIC HEATING ELEMENT 650W 230V
length 245 mm - width 60 mm



GICO 51012300650

5000873 HEATING ELEMENT 1100W 240V
length 340 mm - width 80 mm
height 60 mm
for Fryer electric (GICO) - Series 64



GICO 260200020

3355202 HEATING ELEMENT 1300W 240V

length 370 mm - width 95 mm
fittings M10x1 mm
operating ambient: immersion
for Bain-marie electric (GICO)



GICO A00084

GICO 241200562

3355207 HEATING ELEMENT 1370W 240V

length 430 mm - width 95 mm
height 65 mm
nut and washer on demand
for second series
for Fry top electric (GICO)



GICO 270200662

5010865 HEATING ELEMENT 1900W 230V

length 300 mm - width 35 mm
height 235 mm - fittings M12x1 mm
for Pasta cooker electric (GICO)



GICO 270203090

3755681 HEATING ELEMENT 2000W 230V

length 500 mm - width 320 mm
flange 70x22 mm
for new series
for Oven under cooktop electric (GICO) - Series 64



GICO 260200070

3355205 HEATING ELEMENT 2020W 240V

length 550 mm - width 90 mm
height 60 mm
nut and washer on demand
for first series
for Fry top electric (GICO)



GICO 290200112

5000858 HEATING ELEMENT 2100W 230V

length 260 mm - width 50 mm
height 280 mm - fittings M12x1 mm
for Fryer electric (GICO)



GICO 260200360

5010913 HEATING ELEMENT 2300W 230V

length 510 mm - width 90 mm
height 50 mm
for Bratt pan electric (GICO) - Series 900-920



GICO 290202450

3455277 HEATING ELEMENT 2600W 230V

length 445 mm - width 40 mm
height 225 mm - fittings M12x1 mm
for Pasta cooker electric (GICO)
since 1/01/88
till 1/01/00
Series 900



GICO 290203600



Suitable for:

GICO



3755683 HEATING ELEMENT 2700W 230V
length 350 mm - width 60 mm
fittings M16x1.5 mm
for Pasta cooker electric (GICO) - Series 500-700



GICO 270204220

GICO 270205870

3755075 HEATING ELEMENT 2740W 230V
length 500 mm - width 480 mm
flange 70x22 mm
for Oven under cooktop electric (GICO)
Series 700



GICO 270200402

3355210 HEATING ELEMENT 2740W 400V
length 500 mm - width 480 mm
flange 70x22 mm
for Oven under cooktop electric (GICO)
Series 700



GICO 270201220

GICO 270203360


3355209 HEATING ELEMENT 3200W 240V
length 675 mm - width 120 mm
for Bratt pan electric (GICO)



GICO 241201401


GICO 290200770

3355211 HEATING ELEMENT 3275W 240V
length 535 mm - width 620 mm
flange 160x22 mm
for Oven under cooktop electric (GICO)



GICO 241200922

3755679 HEATING ELEMENT 3275W 400V
length 535 mm - width 620 mm
flange 160x22 mm
for Oven under cooktop electric (GICO)
Series 900 - Series 920



GICO 290203720


3755684 HEATING ELEMENT 4000W 230V
length 480 mm - width 60 mm
fittings ø 3/8"
for Pasta cooker electric (GICO) - Series 900
Series 920



GICO 290203880

GICO 290205360

5052700 HEATING ELEMENT 5000W 400V
length 607 mm - width 290 mm
for Bratt pan electric (GICO) 900/962A
for Fry top electric (GICO) - Series 900-920
for Pot stove electric (GICO) - Series 900-920



GICO 290204530

3355204 HEATING ELEMENT 800W 240V
length 475 mm - width 70 mm
for Bratt pan electric (GICO)



GICO 290200091

Suitable for:

Hinges, catches and accessories

3053014 LEFTHAND DOOR HINGE FOR OVEN
distance between holes 200 mm - overall length 285
height 140 mm
for Oven under cooktop electric (GICO)
Series 110 - Series 500 - Series 64 - Series 700
Series 900 - Series 920
for Oven under cooktop gas (GICO) - Series 110
Series 500 - Series 64 - Series 700 - Series 900
Series 920



GICO A00006(SOLO_SX)

GICO 741105831

3053442 RIGHT-LEFTHAND DOOR HINGE FOR OVEN
distance between holes mobile part 65 mm
distance between hole fix part 33 mm
length 97 mm - width 20 mm
height 46 mm



GICO

3053013 RIGHTHAND DOOR HINGE FOR OVEN
distance between holes 200 mm - overall length 285
height 140 mm
for Oven under cooktop electric (GICO)
Series 110 - Series 500 - Series 64 - Series 700
Series 900 - Series 920
for Oven under cooktop gas (GICO) - Series 110
Series 500 - Series 64 - Series 700 - Series 900
Series 920



GICO A00006(SOLO_DX)

GICO 741105741


Ignitors

3001007 PIEZO IGNITER
a $\varnothing$ 22 mm hole is needed for the assembly
2.4 mm $\varnothing$ male faston connector



GICO 4398050

3001009 PIEZO IGNITER JUNKERS
with faston 6.35x0.8 mm



GICO 00073



Suitable for:

GICO



Suitable for:

Indicator lights

3221132 GREEN INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



GICO A00409

3221117 GREEN INDICATOR LAMP 400V
head ø 18 mm - hole ø 12 mm - 150°C



GICO 5229054

3221162 GREEN LAMP RECEPTACLE
head ø 14.5 mm - hole ø 10 mm



GICO 6229044

3221194 GREEN NEON INDICATOR LAMP 220V
ø head 9 mm



GICO 6229046

3221097 NEUTRAL INDICATOR LAMP 220V
head ø 8 mm - 120°C



GICO 6229045

3221095 ORANGE INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



GICO A00410

3221116 ORANGE INDICATOR LAMP 400V
head ø 18 mm - hole ø 12 mm - max 150°C



GICO 5229052

3221163 ORANGE LAMP RECEPTACLE
head ø 15 mm - hole ø 10 mm



GICO 6229043

3221167 RED LAMP RECEPTACLE
head ø 15 mm - hole ø 10 mm



GICO 6229047

3221162 GREEN LAMP RECEPTACLE
head ø 14.5 mm - hole ø 10 mm



GICO 6229044



Suitable for:

3221163 ORANGE LAMP RECEPTACLE
head ø 15 mm - hole ø 10 mm



GICO

Suitable for:



GICO 6229043

Injectors

3500020 GAS JET M10x1 ø 0.80 mm



GICO 241204861

3500021 GAS JET M10x1 ø 0.95 mm



GICO 241204871

3500022 GAS JET M10x1 ø 1.00 mm



GICO 270200910

3500023 GAS JET M10x1 ø 1.10 mm



GICO 270202150

3500024 GAS JET M10x1 ø 1.15 mm



GICO 241204881

3500025 GAS JET M10x1 ø 1.20 mm



GICO 241202341

3500026 GAS JET M10x1 ø 1.25 mm



GICO 290200060

3500027 GAS JET M10x1 ø 1.30 mm



GICO 241203401

3500028 GAS JET M10x1 ø 1.45 mm



GICO 241204901

3500029 GAS JET M10x1 ø 1.50 mm



GICO 241204911



Suitable for:

GICO



3500030 GAS JET M10x1 ø 1.60 mm



GICO 241203441

Suitable for:

3500031 GAS JET M10x1 ø 1.90 mm



GICO 241204921

3500032 GAS JET M10x1 ø 2.00 mm



GICO 290200050

3500033 GAS JET M10x1 ø 2.20 mm



GICO 241202650

3500034 GAS JET M10x1 ø 2.30 mm



GICO 241203451

3500035 GAS JET M10x1 ø 2.50 mm



GICO 241204941

Knobs

3241540 BLACK KNOB ø 60 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm
for Pot stove (GICO)
Series 64-PROFONDITA' 600 NUOVA




GICO 766100020

GICO 790106630

GICO 790119470

3241144 KNOB BLACK INSERT
external ø 72 mm



GICO 290202440

3241139 KNOB RING RED
external ø 72 mm



GICO 290202350

3241143 KNOB SPRING ø 42x26 mm



GICO 290202430

Suitable for:

3241814 BLACK KNOB ø 60 mm 1-1
D shaft hole 6x4.6 mm
for Bain-marie (GICO) - Series 110 - Series 500
Series 64 - Series 700 - Series 900 - Series 920
for Self service counter (GICO) - Series 39




GICO 766100040

GICO 790106900

GICO 790119490

Suitable for:

3241038 GREY KNOB ø 60 mm SILK-SCREEN PRINTED
D-shaped hole 10x8 mm
for COOKING RANGE series 110
for Pasta cooker gas (GICO) CP5N750A-CP5N800A



GICO 766100000
GICO 790119450

GICO 790106610

GICO 790109350

3241147 GREY KNOB ø 60 mm SILK-SCREEN PRINTED
D-shaped hole 8x6.5 mm
for Pot stove (GICO) - Series 500 - Series 700
Series 900 - Series 920



GICO 766100010
GICO 790119460

GICO 790106620

GICO 790109340

3241144 KNOB BLACK INSERT
external ø 72 mm



GICO 290202440

3241139 KNOB RING RED
external ø 72 mm



GICO 290202350

3241143 KNOB SPRING ø 42x26 mm



GICO 290202430

3241539 GREY KNOB ø 60 mm 1-2-3
D-shaped hole 6x4.6 mm
for Pot stove electric (GICO) - Series 110
Series 500 - Series 900 - Series 920




GICO 766100050
GICO 790119510

GICO 790106910

GICO 790109370

3241538 GREY KNOB ø 60 mm 1-2-3-4-5-6
D shaft hole 6x4.6 mm
for Pot stove electric (GICO) - Series 64
Series 700



GICO 766100070

GICO 790119520



Suitable for:

GICO



3241144 KNOB BLACK INSERT
external $\varnothing$ 72 mm



GICO 290202440

Suitable for:

3241134 KNOB GRAY $\varnothing$ 60 mm 50-300°C
D-shaped hole 6x4.6 mm
for Fry top (GICO) - Series 110 - Series 500
Series 700 - Series 900 - Series 920
for Oven under cooktop (GICO) - Series 110
Series 900 - Series 920



GICO 766100130
GICO 790119570

GICO 790106950

GICO 790109400

3241139 KNOB RING RED
external $\varnothing$ 72 mm



GICO 290202350

3241143 KNOB SPRING $\varnothing$ 42x26 mm



GICO 290202430

3241271 TAP KNOB - BLACK
round hole $\varnothing$ 10 mm



GICO 3336019200

GICO 760308790

GICO 790305070

Lamp receptacles and spare parts

3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V
lamp glass $\varnothing$ 42 mm
mounting hole $\varnothing$ 38 mm
max temperature 300°C
for OVEN



GICO 6230001

Microswitches

3240410 MICROSWITCH 16(4)A 250V



GICO 522583131


Motors

5055284 MOTOR WITH FAN 36W 230V 50Hz
ø fan 152 mm



GICO 507009

3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan ø 150 mm



GICO 507005

GICO 507007

OR and ORM gaskets

1186414 O-RING 0119 EPDM



GICO 37000119

1186759 O-RING 03106 EPDM



GICO 370003106

Pilot burners and accessories

3020051 FITTING FOR PILOT ø 4 mm
thread M10x1
for pilot burner JUNKERS/ORKLI



GICO 241202480

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



GICO 43701035

3020050 OLIVE FOR PIPE ø 4 mm
for pilot burner series CB 502-CB 503



GICO 241202490

3020001 ONE-FLAME PILOT BURNER SIT
multigas with jet ø 0.20 mm
with 2 positions bracket



GICO LF-3020434

3020054 PILOT JET ø 0.20 mm



GICO 4370001



Suitable for:

3020055 PILOT JET $\varnothing$ 0.35 mm



GICO 4370002

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GICO



Suitable for:

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



GICO 4398070

GICO 270200700

GICO 4398060

3020030 PILOT BURNER 2 FLAMES
jet and connections not included



GICO A00001

GICO 270200020

3020050 OLIVE FOR PIPE $\varnothing$ 4 mm
for pilot burner series CB 502-CB 503



GICO 241202490

3020040 PILOT JET $\varnothing$ 0.30 mm




GICO 43703030

3020051 FITTING FOR PILOT $\varnothing$ 4 mm
thread M10x1
for pilot burner JUNKERS/ORKLI



GICO 241202480

3020157 PILOT JET $\varnothing$ 0.25 mm



GICO 43701025

3020041 PILOT JET $\varnothing$ 0.41 mm



GICO 43701041



Suitable for:

GICO



3020201 PILOT GAS JET ø 0.14 mm



GICO

Suitable for:

3020042 PILOT GAS JET ø 0.19 mm



GICO 43702019

3020043 PILOT GAS JET ø 0.36 mm



GICO 43702036

3020449 PILOT GAS JET ø 0.54 mm




GICO 43702027

3020054 PILOT JET ø 0.20 mm



GICO 4370001

3020157 PILOT JET ø 0.25 mm



GICO 43701025

3020040 PILOT JET ø 0.30 mm



GICO 43703030

3020055 PILOT JET ø 0.35 mm



GICO 4370002

3020041 PILOT JET ø 0.41 mm



GICO 43701041

3020257 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
for Pot stove gas (GICO) - Series 110 - Series 500
Series 600 - Series 700 - Series 900 - Series 920



GICO A00407

GICO A00424

3020042 PILOT GAS JET ø 0.19 mm




GICO 43702019



Suitable for:

3020043 PILOT GAS JET $\varnothing$ 0.36 mm



GICO 43702036

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GICO 270200700

GICO 4398060

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting



GICO 790200900

3020043 PILOT GAS JET $\varnothing$ 0.36 mm



GICO 43702036

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GICO 270200700

GICO 4398060

GICO

Suitable for:

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



GICO 4398070



3020042 PILOT GAS JET $\varnothing$ 0.19 mm



GICO 43702019

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



GICO 4398070

3020269 THREE-FLAME PILOT BURNER
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple fitting
with sparking plug fitting



GICO A00283


Suitable for:

3001003 ROUND SPARKING PLUG ø 7x44 mm
male faston M4x1 mm
total length 65 mm



GICO 4398070

3020289 THREE-FLAME PILOT BURNER
supplied without sparking plug, nozzle
'with pipe fitting and pipe pilot olive
with thermocouple fitting
with sparking plug fitting
for Grill gas (GICO) - Series 500 - Series 600
Series 700 - Series 900



GICO 436201

3001003 ROUND SPARKING PLUG ø 7x44 mm
male faston M4x1 mm
total length 65 mm



GICO 4398070

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet ø 0.20 mm
with 3 positions bracket



GICO A00132

GICO 436006

3020054 PILOT JET ø 0.20 mm



GICO 4370001

3020055 PILOT JET ø 0.35 mm



GICO 4370002

3001003 ROUND SPARKING PLUG ø 7x44 mm
male faston M4x1 mm
total length 65 mm



GICO 4398070



Suitable for:

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GICO



Suitable for:

GICO 270200700

GICO 4398060

3020038 THREE-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included



GICO A00282

3020041 PILOT JET $\varnothing$ 0.41 mm



GICO 43701041

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GICO 270200700

GICO 4398060

3020014 TWO-FLAME PILOT BURNER LH
without sparking plug, gas jet and gasket
with thermocouple fitting



GICO A00281

3020040 PILOT JET $\varnothing$ 0.30 mm



GICO 43703030

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



GICO 4398070

3020040 PILOT JET $\varnothing$ 0.30 mm



GICO 43703030



Suitable for:

3020041 PILOT JET ø 0.41 mm



GICO 43701041

3020060 SPARKING PLUG ROUND ø 7x44 mm

faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GICO 270200700

GICO 4398060

3020002 TWO-FLAME PILOT BURNER SIT

multigas with jet ø 0.20 mm
with 2 positions bracket



GICO

3020055 PILOT JET ø 0.35 mm



GICO 4370002

3020060 SPARKING PLUG ROUND ø 7x44 mm

faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GICO 270200700

GICO 4398060

GICO



Suitable for:

3001003 ROUND SPARKING PLUG ø 7x44 mm

male faston M4x1 mm
total length 65 mm



GICO 4398070

3020054 PILOT JET ø 0.20 mm



GICO 4370001

3001003 ROUND SPARKING PLUG ø 7x44 mm

male faston M4x1 mm
total length 65 mm



GICO 4398070



Suitable for:

GICO



Suitable for:

Probes

- 3445117 PROBE PT100 VETROTEX 3000 mm**
3-wire probe temperature range 0+350°C
bulb ø 6x100 mm



GICO A00317

Rotary switches


- 3057050 CONNECTING BRACKET 28x21x16 mm**
distance between hooking brackets 27 mm
for the connection between selector switch and the



GICO 5200995

GICO 5200996

- 3057014 SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D spindle ø 6x4.6 mm
back connection for thermostat



GICO 00423


GICO 52004115

- 3057026 SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D shaft ø 6x4.6 mm
for Fryer (GICO) - Series 500 - Series 700
Series 900 - Series 920
for Oven under cooktop (GICO) - Series 500
Series 700



GICO 52002115

- 5010886 SELECTOR SWITCH 0-1 POSITIONS**
contact capacity 32A 250V - max 150°C
D-shaft ø 6x4.6 mm
for Bain-marie (GICO) - Series 39
for Self service counter (GICO) - Series 39




GICO 52004132

- 3057015 SELECTOR SWITCH 0-1-0-1 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.6 mm



GICO 52021625

- 3057001 SELECTOR SWITCH 0-3 POSITIONS**
contact capacity 32A 250V - max 150°C
D spindle ø 6x4.6 mm



GICO 00410

GICO 52002432




Suitable for:

GICO




3057002 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 32A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm



GICO 52003432

Suitable for:

3057024 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin $\varnothing$ 6x4.6 mm
for Kitchen electric (GICO)
Series 700



GICO 00424

GICO 52002715

Safety groups for pans and spare parts

3184011 DEPRESSION VALVE $\varnothing$ 1/4" M
in chrome plated brass
for safety group $\varnothing$ 3/4"
for safety group $\varnothing$ 1" 1/4



GICO 42233014

3184029 DEPRESSION VALVE $\varnothing$ 3/8" M
in chrome plated brass
for security valve 3/4"



GICO 42230030

3184007 PRESSURE GAUGE $\varnothing$ 60 mm
in chrome plated brass
radial connection 1/4"
scale 0-1 bar
for safety groups



GICO 422905

3184034 PRESSURE-GAUGE HOLDING TAP $\varnothing$ 1/4"
for security valve 3/4"
for security valve 1" 1/4



GICO 422108

3184018 SAFETY VALVE $\varnothing$ 1" 1/4 M
max pressure 0.5 atm
for safety group 1" 1/4
ISPESL approved



GICO 42230020

GICO 42230114

3184017 SAFETY VALVE $\varnothing$ 3/4" M
max pressure 0.5 atm
for safety group $\varnothing$ 3/4"



GICO 42230010



Suitable for:

GICO



Suitable for:

Solenoid valves

3120408 SOLENOID VALVE 230V ø 13.5 mm
solenoid valve 90° - 230V 50/60Hz - max 90°C
inlet 3/4" - 1 outlet ø 13.5 mm



GICO

3120004 SOLENOID VALVE 319 220/240V ø 10 mm
solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 10 mm



GICO 53943410240

GICO 63943410240

3120504 SOLENOID VALVE 319 24V ø 10 mm
solenoid valve 90° - 24V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 10 mm



GICO

3120005 SOLENOID VALVE 329 220/240V ø 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 10 mm



GICO 53943410240

3120505 SOLENOID VALVE 329 24V ø 10 mm
solenoid valve 180° - 24V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 10 mm



GICO LF-3120530

3120511 SOLENOID VALVE 350 24V ø 14 mm
solenoid valve 90° - 24V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 14 mm



GICO

3120512 SOLENOID VALVE 351 24V ø 14 mm
solenoid valve 180° - 24V 50/60Hz - max 90°C
inlet 3/4" - outlet ø 14 mm



GICO

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



GICO 539613240

GICO 539613242

Sparking and detection plugs

5033385 ROUND SPARK PLUG $\varnothing$ 7x55 mm
 overall length 113 mm
 for Bratt pan gas (GICO) - Series 700-900-920



GICO 792311420

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
 male faston M4x1 mm
 total length 65 mm



GICO 4398070

3020073 SPARKING PLUG ROUND $\varnothing$ 7/10x52 mm
 model 1/B
 connection F 2.8x0.8 mm - complete with spring
 overall length 54 mm



GICO 4398300001

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
 faston M 4x1 mm
 overall length 82 mm
 model CB505/021 Junkers
 for model P502F



GICO 270200700

GICO 4398060

Switches

3319928 GREEN BIPOLAR SWITCH 16A 250V
 16(4)A 250V - with indicator light
 max temperature 120°C
 mounting hole $\varnothing$ 25 mm



GICO 5209201

GICO 52221025

3319151 SWITCH PROTECTION CAP
 $\varnothing$ external 34 mm
 for push-buttons with mounting hole $\varnothing$ 25 mm



GICO 55463001

3319151 SWITCH PROTECTION CAP
 $\varnothing$ external 34 mm
 for push-buttons with mounting hole $\varnothing$ 25 mm



GICO 55463001



Suitable for:

GICO



Suitable for:

Taps for tank refilling

3183014 SPOUT - CONNECTION 1/2" M

swivel spout out of chrome plated brass
spout $\varnothing$ 18 mm
for Boiling pan electric (GICO) - Series 700-900
for Boiling pan gas (GICO) - Series 700-900
for Pasta cooker electric (GICO) - Series 700-900
for Pasta cooker gas (GICO) - Series 700-900



GICO A00086

3359099 WATER INLET TAP $\varnothing$ 1/2" FF

for old series
for Boiling pan (GICO) - Series 90 - Series 92
for Pasta cooker (GICO) - Series 50 - Series 70
Series 90 - Series 92



GICO 422101

GICO 790304640

3241271 TAP KNOB - BLACK

round hole $\varnothing$ 10 mm



GICO 3336019200

GICO 760308790

3356139 WATER INLET TAP $\varnothing$ 3/8" F

intenal output $\varnothing$ 7.5 mm



GICO 42239038

5023301 WATER INLET TAP KIT $\varnothing$ 3/8" MM

complete with fittings
D-shaft $\varnothing$ 10x8 mm
for Pasta cooker (GICO)
Series 700-900 DAL 2003 AL 2010



GICO A00434

GICO A00465

Telethermometers

3441027 TELETHERMOMETER WHITE $\varnothing$ 60 mm 50-350°C

metal body
capillary length 1500 mm
bulb $\varnothing$ 4x105 mm



GICO 4251103552

Terminal blocks

3247037 4-POLE TERMINAL BLOCK FV173 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



GICO 652501

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



GICO 652502

Thermocouples and accessories

3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.

interrupted contact with terminals



GICO 434009100

GICO 4343103

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm

interrupted contact with fastons



GICO A00425

GICO 4343106

GICO 434099045


GICO 4343102

3440064 NUT FOR THERMOCOUPLE M8x1


GICO

3440030 THERMOCOUPLE SIT M8x1 100 cm



GICO A00426

3440830 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS


GICO A00426

3440830 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS


GICO A00426

**3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS
GIUNTO M8x1**


GICO A00270

GICO 434008100



GICO



Suitable for:

3440055 THERMOCOUPLE SIT M8x1 100 cm THREAD M8x1




GICO A00270

GICO 434008100

Suitable for:

**3440855 THERMOCOUPLE SIT M8x1 100 cm - 10 PCS
GIUNTO M8x1**



GICO A00270


GICO 434008100

3440032 THERMOCOUPLE SIT M8x1 150 cm



GICO A00201

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



GICO A00201

3440832 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS



GICO A00201

3440028 THERMOCOUPLE SIT M8x1 60 cm



GICO A00016

GICO 434008060

3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



GICO A00016

GICO 434008060


3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS



GICO A00016

GICO 434008060

**3440854 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS
GIUNTO M8x1**




GICO A00017

3440054 THERMOCOUPLE SIT M8x1 85 cm THREAD M8x1



GICO A00017

**3440854 THERMOCOUPLE SIT M8x1 85 cm - 10 PCS
GIUNTO M8x1**



GICO A00017



Suitable for:

Suitable for:

3440033 THERMOCOUPLE SIT M9x1 32 cm

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



GICO 434010100

GICO 434010100

3440833 THERMOCOUPLE SIT M9x1 32 cm - 10 PCS



GICO 434010100

3440034 THERMOCOUPLE SIT M9x1 50 cm

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



GICO

GICO LF-3440034

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



GICO LF-3440034

GICO 434209075

3440035 THERMOCOUPLE SIT M9x1 60 cm.

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



GICO 434209075

GICO 434209075

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS

**3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS
GIUNTO M8x1**



GICO 434009175

GICO A00022



Suitable for:

GICO



3440060 THERMOCOUPLE SIT M9x1 85 cm THREAD M8x1



GICO A00022

Suitable for:

**3440860 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS
GIUNTO M8x1**



GICO A00022

3440036 THERMOCOUPLE SIT M9x1 85 cm .



GICO 434009175

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS




GICO 434009175

Thermostatic gas valves

3345006 THERMOSTATIC TAP 24ST


Adjustment temperature 120-320°C
connections M20x1.5 mm
thermocouple connection M9x1
bulb ø 6x100 mm
capillary length 1200 mm
D-shaped pin ø 10x8 mm



GICO 435215

3345010 THERMOSTATIC TAP 24ST


Adjustment temperature 55-110°C
connections M20x1.5 mm
thermocouple connection M9x1
bulb ø 6x160 mm
capillary length 1200 mm
D-shaped pin ø 10x8 mm



GICO 435218

3345013 THERMOSTATIC TAP 25ST

djustment temperature 30-90°C
connections M16x1.5 mm
thermocouple connection M9x1
bulb ø 6x160 mm
capillary length 1200 mm
D-shaped pin ø 8x6.5 mm



GICO 435217

3345018 THERMOSTATIC TAP 25ST

operating temperature 100-300°C
connections M16x1.5 mm
thermocouple connection M9x1
bulb ø 6x75 mm
capillary length 1200 mm
D-shaped pin ø 8x6.5 mm



GICO 435219

Suitable for:

Suitable for:

5000872 THERMOSTATIC TAP 25ST

adjustment temperature 120-280°C
connections M16x1.5 mm
thermocouple connection M9x1
bulb ø 6x120 mm
capillary length 1200 mm
D-shaped pin ø 8x6.5 mm



GICO 435219

Thermostats

3444974 SINGLE-PHASE THERMOSTAT 100-615°C


complete with switch
D-shaped pin ø 6x4.6 mm
covered capillary length 1100 mm - 16A 250V
bulb ø 4x230 mm



GICO 53401100615

3444629 SINGLE-PHASE THERMOSTAT 220°C

with manual reset
covered capillary length 2000 mm
bulb ø 6x87 mm
for Fryer (GICO)
Series 500 - Series 700 - Series 900 - Series 920



GICO 53400112220

3444138 SINGLE-PHASE THERMOSTAT 230°C


with manual reset
covered capillary length 850 mm - 16A 250V
button bulb ø 14x10 mm



GICO 5340101230

3444199 SINGLE-PHASE THERMOSTAT 230°C

with manual reset
complete with wiring
covered capillary length 850 mm - 16A 230V
bulb ø 4x120 mm - with adapter nipple bland M9x1
for Boiling pan (GICO) - Series 700 - Series 900
Series 920
for Fryer (GICO) - Series 500 - Series 700
Series 900 - Series 920
for Pasta cooker (GICO) - Series 500 - Series 700
Series 900 - Series 920



GICO 5340011200




Suitable for:

GICO



3444510 SINGLE-PHASE THERMOSTAT 30-110°C

D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 850 mm - 16A 250V
bulb $\varnothing$ 6x138 mm - w/ stuffing gland fitting M9x1
with complete tank sealing fitting M12x1
for Pasta cooker electric (GICO)
Series 500-700-900-920



GICO 53401030110

GICO 53401030125

3744045 SINGLE-PHASE THERMOSTAT 30-90°C

D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm
bulb $\varnothing$ 6x130 mm
for Bain-marie (GICO) - Series 110 - Series 39
Series 500 - Series 64 - Series 700 - Series 900
Series 920
for Hot cupboard (GICO) - Series 370 - Series 96
for Potato heater (GICO) - Series 64 - Series 700
for Self service counter (GICO) - Series 39



GICO 53401003090

3444120 SINGLE-PHASE THERMOSTAT 320°C

with manual reset
capillary length 900 mm - 16A 250V
bulb $\varnothing$ 6x80 mm



GICO 6340004032001

3444043 SINGLE-PHASE THERMOSTAT 50-270°C

D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1300 mm - 16A 250V
bulb $\varnothing$ 3x220 mm




GICO 53401005270

GICO 63401005270

3444369 SINGLE-PHASE THERMOSTAT 50-320°C

D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb $\varnothing$ 3x220 mm
for Bain-marie (GICO) 110 - Series 700
Series 900 - Series 920
for Bratt pan (GICO) - Series 700 - Series 900
Series 920



GICO 53401005320

3744140 THERMOSTATO THREE-PHASE 360°C

manual reset
covered capillary length 1490 mm
bulb $\varnothing$ 3x190 mm



GICO

7106049 THERMOSTAT SINGLE-PHASE 150°C

automatic reset
covered capillary length 900 mm - 16A 250V
bulb $\varnothing$ 6x130 mm
for Boiling pan electric (GICO)
Series 700-900-920



GICO 53400112150

5010841 THERMOSTAT SINGLE-PHASE 340°C

manual reset
covered capillary length 900 mm
bulb $\varnothing$ 3x190 mm
for Fry top gas (GICO) - Series 500-64-700-900-920



GICO 53403000340

5010864 THERMOSTAT SINGLE-PHASE 95-180°C

D-shaft $\varnothing$ 6x4.6 mm
covered capillary length 2000 mm
bulb $\varnothing$ 6x130 mm
for Fryer electric (GICO)
Series 500-64-700-900-920
for Fryer gas (GICO) 700/609A-900/609A-920/609A



GICO 5340101

3444198 THREE-PHASE THERMOSTAT 100-180°C

D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 2000 mm - 10A 400V
bulb $\varnothing$ 6x130 mm



GICO 53401031820

3444354 THREE-PHASE THERMOSTAT 350°C

with manual reset
capillary length coated 950 mm - 10A 400V
bulb $\varnothing$ 3x190 mm



GICO 53403000350

3444630 THREE-PHASE THERMOSTAT 50-270°C

D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm - 16A 250V
bulb $\varnothing$ 3x220 mm
for Fry top (GICO) - Series 110 - Series 500
Series 700 - Series 900 - Series 920
for Oven under cooktop (GICO) - Series 110
Series 900 - Series 920



GICO 53403050390

3444090 THERMOSTAT THREE-PHASE 230°C

with manual reset
capillary length 900 mm - 10A 400V
bulb $\varnothing$ 6x240 mm - with stuffing gland fitting M9x1



GICO

3444088 THREE-PHASE THERMOSTAT 30-110°C

D-shaped pin $\varnothing$ 6x4.6 mm
capillary length covered 900 mm - 10A 400V
bulb $\varnothing$ 6x130 mm - with stuffing gland fitting M9x1



GICO 00400

GICO 53403003090

GICO 53403003110

3444363 THREE-PHASE THERMOSTAT 420°C


with manual reset
covered capillary length 900 mm - 10A 400V
bulb $\varnothing$ 4x310 mm



GICO 53403000420

3444052 THREE-PHASE THERMOSTAT 50-320°C

D-shaped pin $\varnothing$ 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb $\varnothing$ 3x230 mm



GICO 00402

GICO 53403050300

GICO 270200341

GICO 53402705320



Suitable for:

GICO



Suitable for:

3444166 THREE-PHASE THERMOSTAT 95-180°C

D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 1800 mm - 10A 400V
bulb $\varnothing$ 6x135 mm - with adapter nipple bland M9x1
with complete tank joint M12x1




GICO 6010004

Timers

3446001 TIMER 120 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm




GICO 63511120

3446002

TIMER 120 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm



GICO 63510120

Transformers

3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



GICO 639603

Wire pan supports

3354001 GRID REDUCER FOR MOKA 265x265 mm

in stainless steel



GICO 241200480

GICO 554

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|---|
| <p> LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb724.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com</p> | <p> OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru</p> |
| <p> EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com</p> | <p> LF Repuestos Horeca S.L.U. SPAIN
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es</p> |
| <p> LF GmbH GERMANY
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de</p> | <p> LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch</p> |
| <p> LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com</p> | <p> LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk</p> |
-
- | | |
|---|---|
| <p> AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com</p> | <p> DENMARK
www.lfspareparts724.dk
michael.leth@lfspareparts.com</p> |
| <p> AUSTRIA
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at</p> | <p> SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com</p> |
| <p> BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com</p> | <p> TURKEY
www.lyedekparca724.com
basar.ergun@lyedekparca.com</p> |
| <p> BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com</p> | <p> USA AND CANADA
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us</p> |
| <p> CENTRAL AND EASTERN EUROPE
www.lfspareparts724.cz
jiri.kremela@lfspareparts.cz</p> | |