



Spare parts for:

## Cooking equipment



Suitable for:

# GIGA



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*





Suitable for:

# GIGA



Suitable for:

## Air regulators

**3352019 AERATION REGULATOR**  
for Fryer (GIGA) - Series 600 - Series 700  
Series 900



GIGA X23200

**3020097 PILOT AERATION REGULATOR**  
internal  $\varnothing$  7 mm - external  $\varnothing$  9 mm  
height 10 mm



GIGA X19901


## Ball valves and accessories

**3356052 DRAIN TAP  $\varnothing$  3/4" F**  
lateral lever fitting  
outlet internal  $\varnothing$  22 mm



GIGA 0000X15600

**5026246 DRAIN TAP  $\varnothing$  3/4" F**  
outlet  $\varnothing$  internal 22 mm  
for Bain-marie electric (GIGA) - Series 650  
for Bain-marie gas (GIGA) - Series 650  
for Fryer electric (GIGA) - Series 650-700  
for Fryer gas (GIGA) - Series 650  
for Grill electric (GIGA) - Series 650-700



GIGA X15200

**5015617 OIL DRAIN PIPE W/SAFETY DEVICE**  
 $\varnothing$  22 mm - length 210 mm - bayonet joint  
for Bain-marie electric (GIGA) - Series 650  
for Bain-marie gas (GIGA) - Series 650  
for Fryer electric (GIGA) - Series 650-700  
for Fryer gas (GIGA) - Series 650  
for Grill electric (GIGA) - Series 650-700



GIGA B10700

**5040452 DRAIN TAP  $\varnothing$  3/4" F**  
outlet with hose end fitting  $\varnothing$  internal 16 mm  
for Bain-marie electric (GIGA) - Series 800  
for Fryer electric (GIGA) - Series 700-800-900  
for Fryer gas (GIGA) - Series 900  
for Grill electric (GIGA) - Series 800



GIGA X15300

**3526673 GAS/WATER VALVE  $\varnothing$  1" FF**  
ball valve  
heavy series with PN 40 total passage  
aluminum lever  
for Fryer (GIGA) - Series 700 - Series 900  
for Pasta cooker (GIGA) - Series 700 - Series 900



GIGA M75400

Suitable for:

Suitable for:


**3526672 WATER VALVE  $\varnothing$  3/4"FF**  
 ballcock valve  
 heavy series with PN 40 total passage  
 aluminium lever



GIGA M75500


## Bearings

**1063005 BEARING 6201 DDU NSK**  
 external  $\varnothing$  32mm - internal  $\varnothing$  12mm - thickness 10mm



GIGA SDTR0050

**1063906 BEARING 6203 ZZ NSK**  
 external  $\varnothing$  40mm - internal  $\varnothing$  17mm - thickness 12mm



GIGA D314003

## Bulb sheathes

**3786499 SHEATH FOR THERMOSTAT**  
 complete with fixing nut and washer



GIGA K97600

**3187006 THERMOSTAT SHEATHING  $\varnothing$  1/2"**  
 bulb length 130 mm



GIGA SDTR0298


## Burners, flame spreaders and accessories

**3025447 BURNER  $\varnothing$  120 mm**  
 for Pot stove gas (GIGA) - Series 600 - Series 700  
 Series 800 - Series 900



GIGA V00200

**3025299 BURNER  $\varnothing$  120 mm 7Kw**  
 for Pot stove gas (GIGA) - Series 900



GIGA 0750X21200

GIGA 0900X21200

GIGA 721-026-00

**3025168 BURNER  $\varnothing$  75 mm 3.5 KW**



GIGA 0900X21000

**3025297 BURNER  $\varnothing$  75 mm 4.3Kw**  
 for Pot stove gas (GIGA) - Series 700 - Series 900



GIGA X22200

GIGA 721-030-00

GIGA 0750X22200

GIGA 0900X22200



Suitable for:

# GIGA



**3025444 BURNER ø 90 mm**  
for Pot stove gas (GIGA) - Series 600 - Series 700  
Series 800 - Series 900



GIGA V00100

Suitable for:  
**3025171 BURNER ø 95 mm 5.5Kw**



GIGA 0900X21100

**3025298 BURNER ø 95 mm 6.4Kw**  
for Pot stove gas (GIGA) - Series 700 - Series 900



GIGA 0750X22100

GIGA 0900X22100

GIGA 721-028-00

**3025300 BURNER CAP ø 120 mm 7Kw**  
for Pot stove gas (GIGA) - Series 900



GIGA X21800

**3025299 BURNER ø 120 mm 7Kw**  
for Pot stove gas (GIGA) - Series 900



GIGA 0750X21200

GIGA 0900X21200

GIGA 721-026-00

**3020093 BURNER INJECTOR ASSEMBLY**  
with LPG and natural gas nozzles M9x1  
pipe ø 12 mm



GIGA 0000X16100

**3025301 VENTURI F/BURNER CAP 120 mm 7Kw**  
for Pot stove gas (GIGA) - Series 900



GIGA 0750X21500

GIGA 0900X21500

GIGA 717-028-00

GIGA 721-025-00

GIGA 872-091-00

**3025179 BURNER RING ø 90 mm**



GIGA M01100



**3025446 FLAME SPREADER ø 120 mm**  
for Pot stove gas (GIGA) - Series 600 - Series 700  
Series 800 - Series 900



GIGA V00400

**3025448 VENTURI F/FLAME SPREADER 120 mm**  
for Pot stove gas (GIGA) - Series 600 - Series 700  
Series 800 - Series 900



GIGA V01900

**3025169 FLAME SPREADER ø 75 mm 4.3Kw**



GIGA X21600

**3025297 BURNER ø 75 mm 4.3Kw**  
for Pot stove gas (GIGA) - Series 700 - Series 900



GIGA X22200

GIGA 0750X22200

GIGA 721-030-00

**3025312 SPARKING PLUG SUPPORT**  
for burners ø 75-95 mm  
for Pot stove gas (GIGA) - Series 900



GIGA B83900



**3025447 BURNER ø 120 mm**  
for Pot stove gas (GIGA) - Series 600 - Series 700  
Series 800 - Series 900



GIGA V00200

**3025168 BURNER ø 75 mm 3.5 KW**



GIGA 0900X21000

**3020093 BURNER INJECTOR ASSEMBLY**  
with LPG and natural gas nozzles M9x1  
pipe ø 12 mm



GIGA 0000X16100

**3025313 THERMOCOUPLE SUPPORT**  
for burners ø 75-95 mm  
for Pot stove gas (GIGA) - Series 900



GIGA B83800



Suitable for:

**3025170 VENTURI F/FLAME SPREADER 75 mm 3.5Kw**



GIGA 0900X21300

**3025176 FLAME SPREADER ø 80 mm**  
for Pot stove gas (GIGA) - Series 650



GIGA M00300

**3025443 FLAME SPREADER ø 90 mm**  
for Pot stove gas (GIGA) - Series 600 - Series 700  
Series 800 - Series 900



GIGA V00300

**3025445 VENTURI F/FLAME SPREADER 90 mm**  
for Pot stove gas (GIGA) - Series 600 - Series 700  
Series 800 - Series 900



GIGA V01800

**3025172 FLAME SPREADER 6.4Kw ø 95 mm**



GIGA X21700

# GIGA

Suitable for:



**3025444 BURNER ø 90 mm**  
for Pot stove gas (GIGA) - Series 600 - Series 700  
Series 800 - Series 900



GIGA V00100

**3025171 BURNER ø 95 mm 5.5Kw**



GIGA 0900X21100



Suitable for:

**3025298 BURNER  $\varnothing$  95 mm 6.4Kw**  
for Pot stove gas (GIGA) - Series 700 - Series 900



GIGA 0750X22100

GIGA 0900X22100

GIGA 721-028-00

**3025312 SPARKING PLUG SUPPORT**  
for burners  $\varnothing$  75-95 mm  
for Pot stove gas (GIGA) - Series 900



GIGA B83900

**3025173 VENTURI F/FLAME SPREADER 95 mm 5.5Kw**



GIGA 0900X21400

**3025312 SPARKING PLUG SUPPORT**  
for burners  $\varnothing$  75-95 mm  
for Pot stove gas (GIGA) - Series 900



GIGA B83900

**3025301 VENTURI F/BURNER CAP 120 mm 7Kw**  
for Pot stove gas (GIGA) - Series 900



GIGA 0750X21500

GIGA 0900X21500

GIGA 721-025-00

GIGA 872-091-00

GIGA 717-028-00

# GIGA



Suitable for:

**3020093 BURNER INJECTOR ASSEMBLY**  
with LPG and natural gas nozzles M9x1  
pipe  $\varnothing$  12 mm



GIGA 0000X16100

**3025313 THERMOCOUPLE SUPPORT**  
for burners  $\varnothing$  75-95 mm  
for Pot stove gas (GIGA) - Series 900



GIGA B83800

**3025313 THERMOCOUPLE SUPPORT**  
for burners  $\varnothing$  75-95 mm  
for Pot stove gas (GIGA) - Series 900



GIGA B83800

**3025448 VENTURI F/FLAME SPREADER 120 mm**  
for Pot stove gas (GIGA) - Series 600 - Series 700  
Series 800 - Series 900



GIGA V01900



Suitable for:

**3025170 VENTURI F/FLAME SPREADER 75 mm 3.5Kw**



GIGA 0900X21300

**GIGA**



Suitable for:

**3025445 VENTURI F/FLAME SPREADER 90 mm**  
for Pot stove gas (GIGA) - Series 600 - Series 700  
Series 800 - Series 900



GIGA V01800

**3025173 VENTURI F/FLAME SPREADER 95 mm 5.5Kw**



GIGA 0900X21400

### Cables for piezo igniters

**3001036 IGNITION CABLE 700 mm**  
with faston terminal 3x0.8 mm for ignition  
with faston terminal  $\varnothing$  2.4 mm for plug



GIGA X40500

**3001016 IGNITION LEAD 1000 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  4 mm for electrode



GIGA E10000

GIGA X41000

**5004631 IGNITION LEAD 1650 mm**  
with faston 3x0.8 mm for ignition  
with faston  $\varnothing$  2.4 mm for plug  
for Oven under cooktop gas (GIGA) - Series 650



GIGA X68040

**5017976 IGNITION LEAD 1700 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  4 mm for electrode  
for Oven under cooktop (GIGA) - Series 700-900  
for Solid top range (GIGA) - Series 900



GIGA X40300

**3001018 IGNITION LEAD 600 mm**  
with faston  $\varnothing$  2.4 mm for ignition  
with faston  $\varnothing$  4 mm for electrode



GIGA X40100



## Capacitors, electrical

**3068019 CAPACITOR  $\mu$ F 12.5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



GIGA SD901740


**3068014 CAPACITOR  $\mu$ F 8 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



GIGA D206001

## Cast iron hot plates

**3312085 RIBBED PLATE 370x290 mm**  
in cast iron  
for Pot stove (GIGA)



GIGA PRM

## Circlips

**5021950 SEEGER RING E-40**  
of stainless steel for springs C75  
 $\varnothing$  internal 36.5 mm - thickness 1.75 mm  
UNI 7435 - DIN 471



GIGA M29600

## Clamps

**3449462 HOSE CLAMP 12-20**  
for pipes  $\varnothing$  12÷20 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



GIGA SD902440

**3449453 HOSE CLAMP 25-40**  
for pipes  $\varnothing$  25÷40 mm  
made of stainless steel AISI 304  
height 9 mm and screw E7  
suitable for food industry



GIGA SD902460





Suitable for:

# GIGA



Suitable for:

**3449454 HOSE CLAMP 32-50**  
 for pipes  $\varnothing$  32÷50 mm  
 made of stainless steel AISI 304  
 height 9 mm and screw E7  
 suitable for food industry



GIGA SD902441

## Contactors

**3446223 CONTACTOR AEG LS02K400**  
 6A 400V 2.2Kw - coil 230V 50/60Hz  
 4 normally open contacts



GIGA Y10100

**3351209 CONTACTOR AEG LS05 9A 230V 4Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally closed auxiliary contact



GIGA D229019

**3454055 CONTACTOR AEG LS5K400**  
 12A 400V 5.5Kw - coil 230V 50/60Hz  
 4 normally open contacts



GIGA E10300

**3351217 CONTACTOR AEG LS7K 18A 230V 7.5Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally closed auxiliary contact



GIGA Y11100

**3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw**  
 coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact



GIGA X55300

**3454068 CONTACTOR BENEDIKT/JAGER K3-10ND10**  
 10A 400V 4Kw - coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact



GIGA Y10000

Suitable for:

Suitable for:

**3446556 CONTACTOR LOVATO BG0910A**  
 coil 9A 230V 50/60Hz 4Kw  
 3 normally open contacts  
 1 normally open auxiliary contact



GIGA SD907043

GIGA SD907095

## Cooking baskets and accessories

**3055135 PASTA COOKER BASKET 160x290x200 mm**  
 for 13 portions approx  
 made of STAINLESS STEEL



GIGA X60600

**3055282 PASTA COOKER BASKET 280x135x160 mm**  
 made of stainless steel  
 for Pasta cooker electric (GIGA) CCPE4 - CCPE6  
 ICPE4 - ICPE6 - SKPC40E - SKPC60E  
 for Pasta cooker gas (GIGA) TCP60G



GIGA X59600

GIGA X62600

**3055364 PASTA COOKER BASKET 295x140x200 mm**  
 made of stainless steel  
 for Pasta cooker gas (GIGA) CCPG4



GIGA X59700

GIGA X62800

GIGA 712-064-00

## Drain hoses

**5015617 OIL DRAIN PIPE W/SAFETY DEVICE**  
 ø 22 mm - length 210 mm - bayonet joint  
 for Bain-marie electric (GIGA) - Series 650  
 for Bain-marie gas (GIGA) - Series 650  
 for Fryer electric (GIGA) - Series 650-700  
 for Fryer gas (GIGA) - Series 650  
 for Grill electric (GIGA) - Series 650-700



GIGA B10700



Suitable for:

# GIGA



Suitable for:

## Drain taps and accessories

**3356004 DRAIN TAP ø 1" F**  
TAPERED SEAL - fixed connection ø 1" F  
for BOILING PAN



GIGA

**3356005 DRAIN TAP ø 1"1/4 F TECNO**  
TAPERED SEAL - fixed connection ø 1"1/4 F  
with gasket  
for BOILING PAN



GIGA

**3356100 DRAIN TAP ø 2" F TECNO**  
GASKET SEAL - with swivel nut ø 2" F



GIGA Y71100


## Electric hot plates

**3311166 ELECTRIC HOT PLATE ø 200 mm 1800W 230V**  
faston electric connections  
complete with energy regulation  
for glass-ceramic cooking top




GIGA Y12207

**3311098 ELECTRIC HOT PLATE ø 220 mm 2000W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



GIGA X45400

**3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



GIGA X45300

**3311053 ELECTRIC HOT PLATE 2600W 230V**  
dimensions 220x220 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



GIGA X45500

Suitable for:

**3311054 ELECTRIC HOT PLATE 2600W 400V**  
 dimensions 220x220 mm  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top



GIGA

Suitable for:

**3311062 ELECTRIC HOT PLATE 3000W 230V**  
 dimensions 300x300 mm  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top




GIGA Y12000

**3311064 ELECTRIC HOT PLATE 4000W 230V**  
 dimensions 300x300 mm  
 terminal block electric connections  
 with STAINLESS steel edge  
 for electric cooking top



GIGA Y12100

**3455404 OCTAGONAL ELECTRIC HOT PLATE  $\varnothing$  300 mm**  
 3400/1400W 230V  
 faston electric connections  
 complete with energy regulation  
 for glass-ceramic cooking top



GIGA Y17803

## Electrical gas valves and accessories

**3526098 COIL 220V**  
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



GIGA X50400

**3526096 VALVE MICROSWITCH**  
 maximum load 0.2 A  
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



GIGA X49000

**3526079 VALVE 820 NOVA  $\varnothing$  1/2"FF**  
 inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  1/2" F  
 thermocouple fitting M9x1  
 maximum gas inlet pressure 60 mbar  
 outlet pressure setting range  
 3÷30 mbar  
 room temperature 0÷70°C  
 power supply 230V 50Hz



GIGA X11400

GIGA 0000X11400



Suitable for:

# GIGA



Suitable for:

## Energy regulators

### 3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C  
D-shaped pin ø 6x4.6 mm  
double rotation direction  
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS




GIGA X4400

GIGA 5010063

### 3350035 ENERGY ADJUSTER

contact capacity 230V 13A  
max temperature 125°C  
D-shaped pin ø 6x4.6 mm



GIGA Y17405

GIGA Y17604

## Feet

### 3313001 STAINLESS STEEL FOOT ø 2" HEIGHT 125 mm



GIGA Y40400

## Fryer baskets and accessories

### 3055257 FRYER BASKET 275x195x105 mm

in chrome-plated iron  
for Fryer electric (GIGA) CF4E - CF6E - IF1E4  
IF2E6 - IF4E - IF6E - KFE1 - KFE2 - SKF1E  
SKF2E - SKF4E - SKF6E - SK10DSE - SK10SE



GIGA Y47700

GIGA Y48000

### 3055258 FRYER BASKET 280x100x100 mm

in chromium plated iron  
for Fryer electric (GIGA) CF4E - CF6E - IF1E4  
IF2E6 - IF4E - IF6E - KFE1 - KFE2 - SKF1E  
SKF2E - SKF4E - SKF6E - SK10DSE - SK10SE



GIGA Y47900

GIGA Y48100

### 3055186 FRYER BASKET 290x110x120 mm

made of chrome-plated iron



GIGA X59900

### 3055357 FRYER BASKET 290x215x120 mm

in chromium plated iron  
for Fryer electric (GIGA) CF2E4 - SKF2E4 - SK10DSE  
SK10SE - 15DPE - 15PE  
for Fryer gas (GIGA) CF10DG8M - CF10G4M - KFG1  
KFG2 - SKF10GM - SKF20GM - TF10GM - TF20GM



GIGA X55600

GIGA X62000



Suitable for:

Suitable for:

- 3055275 FRYER BASKET 300x115x110 mm**  
 in chrome-plated iron  
 for Fryer electric (GIGA) CF2E4 - SKF2E4 - SK10DSE  
 SK10SE - 15DPE - 15PE  
 for Fryer gas (GIGA) CF10DG8M - CF10G4M - KFG1  
 KFG2 - SKF10GM - SKF20GM - TF10GM - TF20GM



GIGA X63100

## Gas burners

- 3023172 BURNER ø 40x500 mm**  
 overall length 520 mm  
 made of stainless steel  
 for Bratt pan gas (GIGA) - Series 900



GIGA Y22200

- 5034151 BURNER ø 60x505 mm**  
 overall length 535 mm  
 of stainless steel  
 for Pasta cooker gas (GIGA) - Series 900



GIGA X23900

- 3023257 BURNER 430x280 mm**  
 made of STAINLESS steel  
 for Solid top range gas (GIGA) - Series 900



GIGA Y22000

- 5015640 BURNER 465x260 mm**  
 of stainless steel  
 for Lava rock grill (GIGA)  
 KPLG1-KPLG2-CPLG1-CPLG2-OPPLG1-OPPLG2  
 TPLG1-TPLG2




GIGA X24100

- 3023255 VERTICAL BURNER ø 75x180 mm**  
 made of chrome-plated iron



GIGA 0900X23100

- 3352019 AERATION REGULATOR**  
 for Fryer (GIGA) - Series 600 - Series 700  
 Series 900



GIGA X23200



Suitable for:

# GIGA



Suitable for:

## Gas taps and accessories

**3348089 BRACKET FOR TAP**




GIGA X07400

GIGA X68052

**3183044 GAS TAP**

flange type outlet  
pipe flange-fitting  $\varnothing$  13 mm  
outlet fitting  $\varnothing$  1/4"  
eye thermocouple fitting  
pin length 25 mm  
D-shaped pin  $\varnothing$  6x4.6 mm  
for Kitchen (GIGA) - Series 650



GIGA Y20700


GIGA 0000Y20700

**5031562 GAS TAP**  
without pilot flame  
pipe flange fitting  $\varnothing$  16 mm  
outlet connection M13x1 mm  
plug thermocouple connection  
D-shaft  $\varnothing$  6x4.6 mm



GIGA AGC005ZR10

**3348015 GAS TAP 20/N**  
without pilot flame  
fittings  $\varnothing$  M16x1.5 mm  
with flow regulator  
D-shaped pin  $\varnothing$  8x6.5 mm



GIGA x08100

**3348014 GAS TAP 20/S**  
without pilot flame  
fittings  $\varnothing$  M16x1.5mm  
thermocouple fitting M8x1  
D-shaped pin  $\varnothing$  8x6.5mm



GIGA 0000X10100

GIGA 1000X10100

GIGA 2000X10100

**3348016 GAS TAP 21S**  
with pilot flame  
fittings  $\varnothing$  M16x1.5mm  
with flow regulator  
thermocouple connection M9x1 mm  
D-shaped pin  $\varnothing$  8x6.5 mm



GIGA X08100

GIGA 3000X10500

GIGA 0000X10500

GIGA 0000X10800

**3348002 GAS TAP 22S/O**  
with pilot flame  
with horizontal flange  
fittings  $\varnothing$  M20x1.5mm  
with flow regulator  
thermocouple connection M9x1  
D-shaped pin  $\varnothing$  10x8 mm



GIGA 0000X10900

GIGA 0000Y21400

GIGA 0000Y21500

**3348003 GAS TAP 22S/V**  
with pilot flame  
with vertical flange  
fittings  $\varnothing$  M20x1.5mm  
with flow regulator  
thermocouple connection M9x1  
D-shaped pin  $\varnothing$  10x8 mm



GIGA 0000Y21600

GIGA 0000Y21700

Suitable for:

Suitable for:

- 5015612 GAS TAP 23S/0**  
 complete with connections and olives  
 with pilot flame  
 with horizontal flange  
 inlet connection M28x1.5 mm  
 outlet connection M24x1.5 mm  
 with flow rate adjuster  
 thermocouple connection M9x1 mm  
 D-shaft  $\varnothing$  10x8 mm  
 for Boiling pan gas (GIGA) - Series 700-900



GIGA 0000Y21300

## Gas valves and accessories

- 3526131 EUROSIT VALVE FOR FRYER 110÷190°C**  
 inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 outlet pressure adjustment range  
 3÷18 mbar  
 ambient temperature 0÷80°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  4x200 mm



GIGA X12900

- 3526130 EUROSIT VALVE FOR OVEN 100÷340°C**  
 inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 outlet pressure adjustment range  
 3÷18 mbar  
 ambient temperature 0÷120°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  4x72 mm




GIGA E30100080

- 3523035 KNOB MINISIT BLACK  $\varnothing$  37 mm**



GIGA

- 3523038 MINISIT ELBOW FLANGE  $\varnothing$  1/2" F**  
 with screws and "O" ring



GIGA X17500

- 3523949 MINISIT VALVE FOR FRYER 110÷190°C**  
 inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  6x105 mm  
 supplied without lid knob and flanges



GIGA Y23000

- 3523920 MINISIT VALVE FOR OVEN 100÷340°C**  
 inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 ambient temperature 0÷60°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  5x70 mm  
 without cover, knob and flanges



GIGA



Suitable for:

# GIGA



## 3526133 VALVE EUROSIT FOR FRY TOP 60÷300°C

inlet  $\varnothing$  3/8" F - outlet  $\varnothing$  3/8" F  
 thermocouple connection M9x1  
 maximum gas inlet pressure 50 mbar  
 outlet pressure calibration range  
 outlet 3÷18 mbar  
 ambient temperature 0÷80°C  
 capillary length 1050 mm  
 bulb  $\varnothing$  4x72 mm  
 for Fry top gas (GIGA)  
 Series 650  
 for Oven under cooktop gas (GIGA)  
 Series 700 - Series 900



GIGA X13400

Suitable for:

## 3523001 VALVE M1 $\varnothing$ 1/8"MF

inlet  $\varnothing$  1/8" M - outlet  $\varnothing$  1/8" M  
 thermocouple connection M8x1  
 maximum gas inlet pressure 150 mbar  
 room temperature 0÷80°C  
 with thread under the button for ring nut




GIGA Y21800

## Gaskets for oven door

### 3186312 OVEN DOOR GASKET 1300 mm


made of silicone elastomer  
 profile dimensions 20x10 mm  
 COLOUR BLACK  
 for Oven under cooktop (GIGA) - Series 700  
 Series 900



GIGA 0000X05600

### 3186403 OVEN DOOR GASKET 1400 mm

made of silicone elastomer  
 profile dimensions 21x12 mm  
 COLOUR BLACK  
 for Oven under cooktop (GIGA) - Series 600



GIGA X68009

GIGA 50015

### 3186786 OVEN DOOR GASKET 600x300 mm

made of silicone elastomer  
 with fastening clips - 3 sides  
 profile dimensions 10x9 mm  
 COLOUR BLACK  
 for Oven under cooktop (GIGA) - Series SNACK650



GIGA X68201

## Grids for kitchen

### 3185026 SHELF 580x370 mm

for Pot stove (GIGA) - Series SNACK600



GIGA 0550M48200

GIGA 1550Y63000

### 3185025 SHELF 580x385 mm

for Pot stove (GIGA) - Series COUNTER700




GIGA 0550X25000

GIGA 1550X25000



## Guides

**3053223 DOOR SLIDEWAY 40x14 mm**



GIGA 19800

## Handles

**3242710 COOKING TOP HANDLE**  
for Pot stove gas (GIGA) - Series 650 - Series 700  
Series 900



GIGA Y65500

**3242678 LID HANDLE PITCH M10 ø 40 mm**  
supplied with extension  
for Boiling pan gas (GIGA) - Series 700




GIGA E20200014  
GIGA

GIGA E20200014+E51500

GIGA E51500

**3398021 OVEN DOOR CATCH**  
distance between holes 47 mm  
catch distance 27 mm



GIGA R31200

## Heating elements

**3355829 CERAMIC HEATING ELEMENT 650W 230V**  
length 245 mm - width 60 mm



GIGA X48000

**3310017 CERAMIC HEATING ELEMENT 750W 230V**  
length 245 mm - width 60 mm




GIGA

**5023421 HEATING ELEMENT BOTTOM 1500W 230V**  
length 360 mm - width 505 mm  
flange 100x22 mm  
for Oven under cooktop electric (GIGA)  
Series 650-700-900



GIGA X68203

**5015633 HEATING ELEMENT TOP 2600W 230V**  
length 355 mm - width 355 mm  
flange 100x22 mm  
for Oven under cooktop electric (GIGA)  
Series 650-700-900



GIGA X68202





Suitable for:

# GIGA



**5026830 HEATING ELEMENT 1000W 230V**  
length 270 mm - width 38 mm  
height 55 mm - connections  $\varnothing$  1/8"



GIGA Y19700

**3355442 HEATING ELEMENT 1500/1800W 220/240V**  
length 420 mm - width 50 mm  
fittings  $\varnothing$  3/8"  
operating ambient: immersion  
for Bain-marie electric (GIGA) EBMS4 - EBMS8  
SKB40E - SKB80E



GIGA X45800

**3455316 HEATING ELEMENT 1500W 230V**  
length 300 mm - width 50 mm  
fittings M14x1 mm  
for Pasta cooker electric (GIGA) CCPE4 - CCPE6  
ICPE4 - ICPE6 - SKCP40E - SKCP60E - TCP40E  
TCP60E



GIGA Y19800

**5004601 HEATING ELEMENT 1700W 230V**  
length 320 mm - width 70 mm  
height 215 mm - connections  $\varnothing$  1/4"  
for Fryer electric (GIGA) 10SE-10DSE-10PE-10DPE



GIGA X46600

Suitable for:

**3355441 HEATING ELEMENT 1135W 220/240V**  
length 425 mm - width 65 mm  
height 80 mm  
for Fry top electric (GIGA) SKT40E - SKT40EC  
SKT40ER - SKT60E - SKT60EC - SKT60EC2  
SKT60ELR - SKT60ER - SKT60ER2 - SKT60E2  
SKT80EC2 - SKT80ELR - SKT80ER2 - SKT80E2



GIGA X45700

**3355440 HEATING ELEMENT 1500W 220V**  
length 435 mm - width 75 mm  
height 60 mm - fittings  $\varnothing$  1/4"  
for Hot plate electric (GIGA) SKR40E - SKR60E



GIGA Y00200

**3455346 HEATING ELEMENT 1600/1750W 230/240V**  
length 305 mm - width 205 mm  
height 50 mm - flange 70x22 mm  
complete with cables  
for Salamander electric (GIGA) S205 - S600E  
S680E



GIGA X47800

**3755085 HEATING ELEMENT 2350/2560W 230/240V**  
length 585 mm - width 85 mm  
height 100 mm  
for Fry top electric (GIGA) - Series 900



GIGA Y10400



**3355889 HEATING ELEMENT 2500W 230V**  
 external ø 190 mm - total height 70 mm  
 flange 70x22 mm  
 for Oven under cooktop electric (GIGA)  
 Series COUNTER700 - Series KAPPA900  
 Series SNACK650



GIGA X68002

GIGA 50039

**5032127 HEATING ELEMENT 2500W 230V**  
 length 215 mm - width 310 mm  
 connections ø 1/4"  
 for Salamander electric (GIGA) S105



GIGA X48900

**7103655 HEATING ELEMENT 2500W 230V**  
 length 290 mm - width 55 mm  
 height 165 mm - fittings ø 1/4"  
 for Fryer electric (GIGA) CF4E - CF6E - IF4E  
 IF6E - SKF4E - SKF6E



GIGA Y19600

**3455307 HEATING ELEMENT 2750W 230V**  
 length 300 mm - width 100 mm  
 fittings M14x1 mm  
 for Pasta cooker electric (GIGA) CCPE4 - CCPE6  
 ICPE4 - ICPE6 - SKCP40E - SKCP60E - TCP40E  
 TCP60E



GIGA X47100

GIGA Y19900

**5004603 HEATING ELEMENT 3000W 230V**  
 length 335 mm - width 120 mm  
 height 220 mm - connections ø 1/4"  
 for Fryer electric (GIGA)  
 10SE9-10DSE9-10PE9-10DPE9-15PE-15DPE



GIGA X46500

**3755490 HEATING ELEMENT 3400W 230V**  
 length 305 mm - width 190 mm  
 height 80 mm



GIGA X48100

**3355830 HEATING ELEMENT 350W 230V**  
 length 280 mm - width 60 mm  
 flange 110x22 mm  
 for Potato heater electric (GIGA) SKP40E



GIGA X48400

**3755084 HEATING ELEMENT 4700W 230V**  
 length 540 mm - width 200 mm  
 height 90 mm  
 for Bratt pan electric (GIGA)  
 Series 900



GIGA Y10500



Suitable for:

# GIGA



**3355445 HEATING ELEMENT 6000W 230V**  
 length 310 mm - width 250 mm  
 overall height 257 mm - complete with cables  
 operating ambient: immersion  
 for Fryer electric (GIGA) SKF10E - SKF20E



GIGA X46200

**5032039 HEATING ELEMENT 7500W 230V**  
 length 320 mm - width 170 mm  
 overall height 190 mm - complete with cables  
 operating ambient: immersion  
 for Fryer electric (GIGA) CF1E4-TF1E-CF2E4-TF2E  
 CF1E4-TF1E-CF2E6-TF2E-SKF1E-SKF2E  
 for Fryer electric (GIGA)  
 KFE1-OPFE1-KFE2-OPFE2-IF1E4-IF2E6



GIGA X47400

GIGA X57000

GIGA X57100

**5015638 HEATING ELEMENT 8000W 230/400V**  
 immersed depth 320 mm  
 flange ø external 63 mm  
 with bulb sheath  
 for Boiling pan electric (GIGA)  
 KPI10E-KPI10EA-KPI20E-KPI20EA  
 OPPI10E-OPPI10EA



GIGA E11500

GIGA Y15300

GIGA 40400040

**3755486 HEATING ELEMENT 990W 240V**  
 length 470 mm - width 105 mm  
 height 25 mm - 2 flanges 55x17 mm



GIGA X47000

**5038682 SILICONE HEATING ELEMENT 1000W 230V**  
 length 400 mm - width 241 mm  
 complete with thermostat 145°C with manual reset  
 operating ambient: dry  
 for Bain-marie electric (GIGA) CBE4 - CBE8 - IBE4  
 IBE8 - KB4 - KB8 - SKB40E - SKB80E



GIGA Y15900

## Hinges, catches and accessories

**3053003 DOOR HINGE ROLL HOLDER**  
 distance between holes 95 mm - overall length 118  
 height 23 mm



GIGA X66000

GIGA X66100

**3053019 DOOR HINGE ROLL HOLDER**  
 mounting distance 95 mm - overall length 110 mm  
 height 25 mm  
 for Oven under cooktop electric (GIGA) CCG80E  
 CC80E  
 for Oven under cooktop gas (GIGA) CC80G



GIGA X68006



**3053101 LEFT-HAND DOOR HINGE FOR OVEN**  
 mounting distance 120 mm - overall length 155 mm  
 height 148 mm  
 for Oven under cooktop electric (GIGA) CCG80E  
 CC80E  
 for Oven under cooktop gas (GIGA) CC80G



GIGA X68021

**3053019 DOOR HINGE ROLL HOLDER**  
 mounting distance 95 mm - overall length 110 mm  
 height 25 mm  
 for Oven under cooktop electric (GIGA) CCG80E  
 CC80E  
 for Oven under cooktop gas (GIGA) CC80G



GIGA X68006

**3053007 LEFTHAND DOOR HINGE FOR OVEN**  
 distance between holes 175 mm - overall length 205 mm  
 height 160 mm



GIGA X66100

**3053003 DOOR HINGE ROLL HOLDER**  
 distance between holes 95 mm - overall length 118 mm  
 height 23 mm



GIGA X68000

GIGA X66100

**3053018 LEFTHAND DOOR HINGE FOR OVEN**  
 distance between holes 120 mm - overall length 155 mm  
 height 146 mm



GIGA

**3053019 DOOR HINGE ROLL HOLDER**  
 mounting distance 95 mm - overall length 110 mm  
 height 25 mm  
 for Oven under cooktop electric (GIGA) CCG80E  
 CC80E  
 for Oven under cooktop gas (GIGA) CC80G



GIGA X68006

**3053100 RIGHT-HAND DOOR HINGE FOR OVEN**  
 mounting distance 120 mm - overall length 155 mm  
 height 148 mm  
 for Oven under cooktop electric (GIGA) CCG80E  
 CC80E  
 for Oven under cooktop gas (GIGA) CC80G



GIGA X68020

**3053019 DOOR HINGE ROLL HOLDER**  
 mounting distance 95 mm - overall length 110 mm  
 height 25 mm  
 for Oven under cooktop electric (GIGA) CCG80E  
 CC80E  
 for Oven under cooktop gas (GIGA) CC80G



GIGA X68006



Suitable for:

# GIGA



**3053006 RIGHTHAND DOOR HINGE FOR OVEN**  
distance between holes 175 mm - overall length 205  
height 160 mm



GIGA X66000

**3053003 DOOR HINGE ROLL HOLDER**  
distance between holes 95 mm - overall length 118  
height 23 mm



GIGA X66000

GIGA X66100

**3053017 RIGHTHAND DOOR HINGE FOR OVEN**  
distance between holes 120 mm - overall length 155  
height 146 mm



GIGA

**3053019 DOOR HINGE ROLL HOLDER**  
mounting distance 95 mm - overall length 110 mm  
height 25 mm  
for Oven under cooktop electric (GIGA) CCG80E  
CC80E  
for Oven under cooktop gas (GIGA) CC80G



GIGA X68006

## Igniters

**3001005 PIEZO IGNITER**  
a  $\varnothing$  18 mm hole is needed for assembling  
faston M  $\varnothing$  2.4 mm



GIGA M00500

**3001007 PIEZO IGNITER**  
a  $\varnothing$  22 mm hole is needed for the assembly  
2.4 mm  $\varnothing$  male faston connector



GIGA E30200

**3001020 PIEZO IGNITER**  
a  $\varnothing$  18 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



GIGA E30400

GIGA M02100





## Indicator lights

**3221182 GREEN PILOT LIGHT 250V**  
head  $\varnothing$  14.5 mm - hole  $\varnothing$  12 mm - 120°C  
universal application



GIGA X50900

**3221181 ORANGE INDICATOR LAMP 250V**  
head  $\varnothing$  14.5 mm - hole  $\varnothing$  12 mm - 120°C  
universal application



GIGA X41200

**3221097 NEUTRAL INDICATOR LAMP 220V**  
head  $\varnothing$  8 mm - 120°C



GIGA D216006

**3221181 ORANGE INDICATOR LAMP 250V**  
head  $\varnothing$  14.5 mm - hole  $\varnothing$  12 mm - 120°C  
universal application



GIGA X41200

**3221297 ORANGE INDICATOR LIGHT 230V**  
head  $\varnothing$  14 mm - hole  $\varnothing$  13 mm



GIGA

**3221581 WHITE INDICATOR LIGHT 250V**  
head  $\varnothing$  12 mm - hole  $\varnothing$  13 mm  
wire connection length 800 mm  
for PYROCERAMIC COOKING RANGE  
for Pot stove (GIGA) - Series 650



GIGA Y17406

## Injectors

**3500021 GAS JET M10x1  $\varnothing$  0.95 mm**



GIGA X33600

**3500024 GAS JET M10x1  $\varnothing$  1.15 mm**



GIGA X34000

**3500025 GAS JET M10x1  $\varnothing$  1.20 mm**



GIGA X34100

**3500027 GAS JET M10x1  $\varnothing$  1.30 mm**



GIGA X34300



# GIGA



Suitable for:

**3500028 GAS JET M10x1  $\varnothing$  1.45 mm**



GIGA X34500

Suitable for:

**3500029 GAS JET M10x1  $\varnothing$  1.50 mm**



GIGA X34700

**3500031 GAS JET M10x1  $\varnothing$  1.90 mm**



GIGA X35400

**3500061 GAS JET M7x1  $\varnothing$  0.80 mm**



GIGA X38000

**3500063 GAS JET M7x1  $\varnothing$  0.95 mm**



GIGA X38300

**3500064 GAS JET M7x1  $\varnothing$  1.20 mm**



GIGA X38800

**3500068 GAS JET M7x1  $\varnothing$  1.55 mm**



GIGA X39300

**3500069 GAS JET M7x1  $\varnothing$  1.60 mm**



GIGA X38900

**3500319 GAS NOZZLE HOLDER F/BURNER  $\varnothing$  90/120 mm**



GIGA V01100

GIGA 0600V01100

**3500351 GAS NOZZLE M10x1  $\varnothing$  1.00 mm**



GIGA Y30000

**5015631 GAS NOZZLE M10x1  $\varnothing$  1.10 mm**



GIGA Y09000

**5000119 GAS NOZZLE M10x1  $\varnothing$  1.60 mm**



GIGA Y30800



Suitable for:

**5024175 GAS NOZZLE M10x1  $\varnothing$  1,65 mm**



GIGA Y09100

Suitable for:

**3500369 GAS NOZZLE M10x1  $\varnothing$  1,05 mm**



GIGA Y30100

**3500262 GAS NOZZLE M10x1  $\varnothing$  1,20 mm**



GIGA Y35200

**3500338 GAS NOZZLE M10x1  $\varnothing$  1,35 mm**



GIGA Y08600

**3500339 GAS NOZZLE M10x1  $\varnothing$  1,45 mm**



GIGA X29600

**3500337 GAS NOZZLE M10x1  $\varnothing$  1,50 mm**



GIGA Y08700

**5020848 GAS NOZZLE M10x1  $\varnothing$  2,05 mm**



GIGA Y31300

**5009352 GAS NOZZLE M10x1  $\varnothing$  2,15 mm**



GIGA X29000

**3500376 GAS NOZZLE M10x1  $\varnothing$  2,65 mm**



GIGA Y31900

**3500374 GAS NOZZLE M10x1  $\varnothing$  2,20 mm**



GIGA Y31200

**3500348 GAS NOZZLE M10x1  $\varnothing$  2,45 mm**



GIGA Y31500



Suitable for:

# GIGA



Suitable for:

## Ironmongery (screws,nuts,washers)

**1241513 BLIND HEXAGONAL NUT M8 UNI 5721**  
inox - altezza 16 mm - UNI 5721 - DIN 1587



GIGA D417049

## Knobs

**3241927 ADHESIVE DISK 0-1-2-3**  
external  $\varnothing$  70 mm



GIGA Y65011

**3241228 BLACK KNOB  $\varnothing$  70 mm**  
D shaft hole 6x4.6 mm




GIGA Y65010

GIGA 0000X00600

GIGA 0000Y65010


**3241075 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D shaft hole 8x6.5 mm  
for Pot stove gas (GIGA)



GIGA 0000X00100

GIGA 0000Y65101

**3241227 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D shaft hole 6x4.6 mm  
for Grill electric (GIGA) SKRE/EGRS-M



GIGA 0000Y65006

GIGA 0000X01300

GIGA 0000Y65006

**3241273 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D shape hole 8x6.5 mm  
for Fry top gas (GIGA) SKTG  
for Lava rock grill gas (GIGA) SKPLG  
for Pot stove (GIGA) - Series 700 NUOVA  
Series 900 NUOVA



GIGA Y65103

GIGA 0000X00800

GIGA 0000Y65103

GIGA 1000Y03700

GIGA 0000Y03700

**3241334 BLACK KNOB  $\varnothing$  70 mm SILK-SCREEN PRINTED**  
D shape hole 10x8 mm  
for Boiling pan gas (GIGA) KPI10G - KP10G - KP15G  
for Pasta cooker (GIGA) KCP4 - KCP82 - OPCP4  
OPCP82



GIGA Y03700

GIGA 1000X00800

GIGA Y65203

GIGA 0000Y65203



Suitable for:


**3241834 BLACK KNOB ø 70 mm 0-1-2-3**  
 D shaft hole 6x4.6 mm  
 for PASTA COOKER AGB449/851244901000  
 AGB451/851245101000-AGB528/851252801000  
 AGB530/851253001000-AGB592/851259201000  
 AGB593/851259301000  
 for PASTA COOKER SKCP40E-SKCP60E-CCPE4-CCPE6-TCP40  
 -TCP60E-ICPE4-ICPE6-KCP4E-KCP82E-OPCP4E-OPCP82E



GIGA Y65011      GIGA 0000X01000      GIGA 0000Y65011

Suitable for:

**3241786 BLACK KNOB ø 70 mm 0-1-2-3-4-5-6**  
 D shaft hole 6x4.6 mm



GIGA 0000Y04100      GIGA 0000Y65005

**3241221 BLACK KNOB ø 70 mm 100-195°C**  
 D shaft hole 6x4.6 mm  
 for Fryer (GIGA) E - E10B - MB - SKF



GIGA 0000X00700      GIGA 0000Y65002

**3241149 BLACK KNOB ø 70 mm 50-300°C**  
 D shaft hole 6x4.6 mm  
 for Fry top (GIGA) - Series 900  
 for Oven under cooktop (GIGA) - Series 900



GIGA Y65004      GIGA 0000Y04600      GIGA 0000Y04900  
 GIGA 0000Y65004

**3241225 BLACK KNOB-VERDE ø 60 mm 30-110°C**  
 D-shaft 6x4.6 mm  
 for Bain-marie (GIGA)



GIGA 0000X00400

**5004654 BLACK KNOB-VERDE ø 75 mm 2-3-4-5-6-7**  
 D-shaft 10x8 mm



GIGA 0000Y03800

**3241153 BLACK-GREEN KNOB ø 75 mm**  
 D shaft hole 6x4.6 mm  
 for Fry top (GIGA) - Series 900



GIGA 0000Y04400

**3241785 GRAY KNOB ø 70 mm 30-90°C**  
 D-Shaft hole 6x4.6 mm



GIGA Y65000      GIGA Y65014      GIGA 0000Y65014



Suitable for:

# GIGA



Suitable for:

## Lamp receptacles and spare parts

**3221053 GASKET FOR OVEN LAMP RECEPTACLE**  
dimensions  $\varnothing$  48x38x5 mm  
for OVEN



GIGA

**3221062 LAMP RECEPTACLE WITH LAMP E14 15W 230V**  
lamp glass  $\varnothing$  57 mm  
mounting hole  $\varnothing$  42 mm  
max temperature 300°C  
for OVEN



GIGA X68004

GIGA 50051

## Lava rock grids

**3185063 STAINLESS STEEL GRILL 450x330x20 mm**  
for Lava rock grill gas (GIGA) SKPLG



GIGA B4900

## Microswitches

**3240605 DOOR MICROSWITCH M1AX20 10A 250V**



GIGA D218011

**3240189 MICRO SWITCH M1DX20 10A 250V**



GIGA R31600

## Motors

**3240000 MOTOR WITH FAN 45W 220V 50/60Hz**  
fan  $\varnothing$  150 mm



GIGA V03000

## OR and ORM gaskets

**3186013 O-RING GASKET 06187 EPDM  $\varnothing$  58 mm**



GIGA D456002

GIGA E11700

**5005318 O-RING 0153 VITON**



GIGA X05000



Suitable for:

**3186197 O-RING 04150 EPDM**



GIGA X05400

Suitable for:

**3186340 OR GASKET 03037 EPDM**



GIGA D456011

## Pilot burners and accessories

**3020093 BURNER INJECTOR ASSEMBLY**  
with LPG and natural gas nozzles M9x1  
pipe  $\varnothing$  12 mm



GIGA 0000X16100

**3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm**



GIGA X13002

**3020200 FITTING FOR THERMOCOUPLE  $\varnothing$  6.5 mm**  
thread M10x1



GIGA X16500

**3020102 HEXAGON HEAD SCREW 3/16"x18 mm**



GIGA X19904

**3020036 PILOT BURNER SIT 3 FLAMES**  
multigas type with nozzle  $\varnothing$  0.35 mm  
with 3 position bracket



GIGA E30100005

**3020054 PILOT JET  $\varnothing$  0.20 mm**



GIGA X19906

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



GIGA E30100054



# GIGA



Suitable for:

**3020201 PILOT GAS JET  $\varnothing$  0.14 mm**



GIGA X30400

Suitable for:

**3020042 PILOT GAS JET  $\varnothing$  0.19 mm**



GIGA X30000

**3020043 PILOT GAS JET  $\varnothing$  0.36 mm**




GIGA X30100

**3020054 PILOT JET  $\varnothing$  0.20 mm**



GIGA X19906

**3020266 PILOT SPOUT 1 FLAME**  
for Pot stove gas (GIGA) - Series 700 - Series 900



GIGA Y20300

**3020054 PILOT JET  $\varnothing$  0.20 mm**



GIGA X19906

**3020105 PILOT WITH 0.20 mm  $\varnothing$  JET**



GIGA X19900

**3020106 PILOT WITH 0.25 mm  $\varnothing$  JET**



GIGA 0000X19000

GIGA 0000X19000+...

**3020077 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1



GIGA X13200

**3020295 TARGET PILOT BURNER SIT 1 FLAME**  
 supplied without sparking plug, nozzle and gasket  
 with thermocouple fitting  
 with pilot pipe fitting  
 for Pot stove gas (GIGA) - Series 600 - Series 700  
 Series 800 - Series 900



GIGA X14400

**3020043 PILOT GAS JET  $\varnothing$  0.36 mm**



GIGA X30100

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
 male faston M4x1 mm  
 total length 65 mm



GIGA E30100054

**3020010 TARGET PILOT BURNER SIT 2 FLAMES**  
 supplied without sparking plug, nozzle and gasket  
 with thermocouple fitting



GIGA X13000

**3020043 PILOT GAS JET  $\varnothing$  0.36 mm**



GIGA X30100

Suitable for:

**3020042 PILOT GAS JET  $\varnothing$  0.19 mm**



GIGA X30000

**3020077 PIPE FITTING  $\varnothing$  4 mm**  
 thread M10x1



GIGA X13200

**3020060 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
 faston M 4x1 mm  
 overall length 82 mm  
 model CB505/021 Junkers  
 for model P502F



GIGA X13001

GIGA X16900

**3020042 PILOT GAS JET  $\varnothing$  0.19 mm**



GIGA X30000

**3020077 PIPE FITTING  $\varnothing$  4 mm**  
 thread M10x1



GIGA X13200



Suitable for:

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



GIGA E30100054

# GIGA



Suitable for:

**3020060 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



GIGA X13001

GIGA X16900

**3020006 THREE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket  
for Bain-marie gas (GIGA)  
Series 650 - Series 700 - Series 900  
for Fry top gas (GIGA)  
Series 650 - Series 700 - Series 900  
for Lava rock grill gas (GIGA)  
Series 650 - Series 700 - Series 900



GIGA R32300

GIGA X13500

**3020054 PILOT JET  $\varnothing$  0.20 mm**



GIGA X19506

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



GIGA E30100054

**3020038 THREE-FLAME PRINTED PILOT BURNER SIT**  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included



GIGA X17000

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



GIGA E30100054

**3020103 THREE-POSITION BRACKET**



GIGA 5730042

**3020104 THREE-POSITION BRACKET CLAMP**



GIGA 5730045



Suitable for:

**3020296 TWO-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.35 mm  
with 2 positions bracket  
for Fryer gas (GIGA)  
Series 700 - Series 900



GIGA 1000X19000

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



GIGA E30100054

**3020313 TWO-FLAME PILOT BURNER SIT**  
multigas type with nozzle  $\varnothing$  0.20 mm  
with 3 positions bracket



GIGA 0000X19000

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



GIGA E30100054

Suitable for:

**3020054 PILOT JET  $\varnothing$  0.20 mm**



GIGA X19906

**3020054 PILOT JET  $\varnothing$  0.20 mm**



GIGA X19906

## Relays

**3351008 POWER RELAY FINDER 62.83.8.230.0000**  
230V 50/60Hz  
3 exchange contacts 16A



GIGA SD905475

GIGA SD905476



Suitable for:

# GIGA



Suitable for:


## Rotary switches

**3057050 CONNECTING BRACKET 28x21x16 mm**  
distance between hooking brackets 27 mm  
for the connection between selector switch and the



GIGA X44600

**3057014 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D spindle  $\varnothing$  6x4.6 mm  
back connection for thermostat



GIGA X40700


GIGA X49700

**3057027 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm  
rear hole for thermostat  
for Fryer electric (GIGA)  
Series 600 - Series 700 - Series 800 - Series 900  
for Fryer electric (GIGA)  
SKF2E



GIGA Y16200

**3057176 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm  
for Grill electric (GIGA) SKR40W-SKR60E




GIGA X40600

**3057177 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




GIGA X40900

**3057178 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin 6x4.6 mm




GIGA 6030012

**3057186 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm



GIGA X51300

**3057002 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 32A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




GIGA X44000






**3057098 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaft ø 6x4.6 mm




GIGA AEC011ZR10

**3057180 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaft ø 6x4.6 mm




GIGA X44100

**3057305 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 18A 240V - max 150°C  
 D-shaped pin ø 6x4.6 mm  
 for Boiling pan electric (GIGA) CPEI - KPIGN27E  
 KPI10E - KPI15E - KPI15EA - OPPI10E - OPPI15E  
 OPPI15EA



GIGA E11000

**3057024 SELECTOR SWITCH 0-6 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaped pin ø 6x4.6 mm  
 for Kitchen electric (GIGA)  
 Series 600 - Series 700 - Series 800 - Series 900



GIGA X40800

GIGA X54100

**3057079 SELECTOR SWITCH 0-9 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D shaft ø 6x4.6 mm  
 for Oven under cooktop electric (GIGA)  
 Series 600 - Series 700 - Series 900



GIGA X68204

## Safety groups for pans and spare parts

**3184013 DEPRESSION VALVE ø 3/4" M**  
 in chrome plated brass  
 for safety group ø 1" 1/4



GIGA Y70200

**3184007 PRESSURE GAUGE ø 60 mm**  
 in chrome plated brass  
 radial connection 1/4"  
 scale 0-1 bar  
 for safety groups



GIGA E51000

GIGA Y70700



Suitable for:

# GIGA



Suitable for:

**3184018 SAFETY VALVE  $\varnothing$  1"1/4M**  
 max pressure 0.5 atm  
 for safety group 1"1/4  
 ISPEESL approved



GIGA Y70300


## Solenoid valves

**3120541 SOLENOID VALVE L140B5  $\varnothing$  1/2"FF 24V**  
 for water  
 normally closed  
 max. temperature 100°C  
 max. differential pressure 10 bar  
 coil 24V 50/60Hz



GIGA SDTR0091

**3120005 SOLENOID VALVE 329 220/240V  $\varnothing$  10 mm**  
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - outlet  $\varnothing$  10 mm



GIGA D240011

GIGA SD902390

**3120505 SOLENOID VALVE 329 24V  $\varnothing$  10 mm**  
 solenoid valve 180° - 24V 50/60Hz - max 90°C  
 inlet 3/4" - outlet  $\varnothing$  10 mm



GIGA LF-3120530

**3120007 SOLENOID VALVE 349 220/240V  $\varnothing$  10 mm**  
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - dual outlet  $\varnothing$  10 mm



GIGA D240003

**3120512 SOLENOID VALVE 351 24V  $\varnothing$  14 mm**  
 solenoid valve 180° - 24V 50/60Hz - max 90°C  
 inlet 3/4" - outlet  $\varnothing$  14 mm



GIGA



## Spark generators

**3181002 SPARK GENERATOR 2 OUTLETS**  
220/240V 50/60Hz



GIGA X5000

## Sparking and detection plugs

**3020294 ROUND IGNITION ELECTRODE  $\varnothing$  7x44 mm**  
M faston M4x1 mm  
overall length 67 mm  
for Fryer gas (GIGA) - Series 600 - Series 700  
Series 900  
for Oven under cooktop gas (GIGA) - Series 700  
Series 900



GIGA X16800

**3020448 ROUND SPARKING PLUG  $\varnothing$  6x55 mm**  
female connection 2.8x0.8 mm  
overall length 82 mm  
for Pot stove gas (GIGA) - Series 600



GIGA X68041

GIGA 719-005-00

**3001003 ROUND SPARKING PLUG  $\varnothing$  7x44 mm**  
male faston M4x1 mm  
total length 65 mm



GIGA E30100054

**3020127 SPARKING PLUG ROUND  $\varnothing$  6.5x55 mm**  
connection  $\varnothing$  2.4 mm  
with silicone lead 625 mm  
overall length with cable 680 mm  
for Pot stove gas (GIGA) - Series 700 - Series 800



GIGA X14500

**3020073 SPARKING PLUG ROUND  $\varnothing$  7/10x52 mm**  
model 1/B  
connection F 2.8x0.8 mm - complete with spring  
overall length 54 mm



GIGA X15000

**3020060 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
faston M 4x1 mm  
overall length 82 mm  
model CB505/021 Junkers  
for model P502F



GIGA X13001

GIGA X16900



Suitable for:

# GIGA



Suitable for:

**3020068 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
square coupling  
faston M M4x1 mm  
overall length 63 mm



GIGA X14600

## Springs

**3250208 LH SPRING F/ BRATT PAN HINGE  $\varnothing$  38x325 mm**  
for AGB405-431  
for BRATT PAN series 900



GIGA Y71800

**3250207 SPRING RH BRATT PAN HINGE  $\varnothing$  38x335 mm**  
for BRATT PAN series 900



GIGA Y71500

## Switches

**5022626 BLACK PUSH BUTTON RUNNING 5A 250V**  
1 contact NO  
1 contact NC  
mounting hole  $\varnothing$  22 mm  
for Bain-marie gas (GIGA) - Series 900  
for Bratt pan electric (GIGA) - Series 900



GIGA X56200

GIGA X69100

**3454036 CONTACT NO**  
6A - 230V  
for Bratt pan electric (GIGA) - Series 900  
for Bratt pan gas (GIGA) - Series 900



GIGA X56400

**5022628 CONTACT NO**  
6A - 230V  
for Bratt pan electric (GIGA) - Series 900  
for Bratt pan gas (GIGA) - Series 900



GIGA X56500

Suitable for:

**3454036 CONTACT NO**  
6A - 230V  
for Bratt pan electric (GIGA) - Series 900  
for Bratt pan gas (GIGA) - Series 900



GIGA X56400

Suitable for:

**5022628 CONTACT NO**  
6A - 230V  
for Bratt pan electric (GIGA) - Series 900  
for Bratt pan gas (GIGA) - Series 900



GIGA X56500

**5022625 RED PUSH BUTTON STOP 5A 250V**  
1 contact NO  
1 contact NC  
mounting hole  $\varnothing$  22 mm  
for Bratt pan electric (GIGA) - Series 900  
for Bratt pan gas (GIGA) - Series 900



GIGA X56300


GIGA X69000

**3454036 CONTACT NO**  
6A - 230V  
for Bratt pan electric (GIGA) - Series 900  
for Bratt pan gas (GIGA) - Series 900



GIGA X56400

**5022628 CONTACT NO**  
6A - 230V  
for Bratt pan electric (GIGA) - Series 900  
for Bratt pan gas (GIGA) - Series 900




GIGA X56500

**3319151 SWITCH PROTECTION CAP**  
 $\varnothing$  external 34 mm  
for push-buttons with mounting hole  $\varnothing$  25 mm



GIGA D410005

**3319012 SWITCH 2-POLE GREEN 16A 250V**  
16(4)A 250V  
with indicator lamp and switch cover  
screen printing 0 - I  
max. temperature 120°C  
mounting hole 22x30 mm



GIGA X50800



Suitable for:

# GIGA



Suitable for:

## Taps for tank refilling

**3359126 WATER INLET TAP  $\varnothing$  1/2" FF**  
 for Bain-marie (GIGA) - Series 900  
 for Bratt pan (GIGA) - Series 700 - Series 900  
 for Pasta cooker (GIGA) - Series 650 - Series 700  
 Series 800 - Series 900



GIGA M75600

GIGA X18000

**3359285 WATER INLET TAP  $\varnothing$  1/2" M**  
 internal output  $\varnothing$  7.5 mm  
 for Boiling pan electric (GIGA) CPEI - CPG - CPGI  
 for Boiling pan gas (GIGA) CPG-CPGI



GIGA E50400

GIGA Y71300

## Telethermometers

**3441011 BLACK TELETHERMOMETER 56x25 mm 0-120°C**  
 plastic case  
 capillary length 1500 mm  
 bulb  $\varnothing$  6x15 mm



GIGA SD907090

## Terminal blocks

**3247017 12-POLE PLASTIC TERMINAL BLOCK**  
 for cable max 6 mm<sup>2</sup>  
 operating temperature 150°C  
 nominal voltage 450V



GIGA X41400

**3247050 3-POLES TERMINAL BLOCK FV110 40A 450V**  
 for cable  $\varnothing$  6 mm max.  
 operating temperature 150°C



GIGA X59200

**3247037 4-POLE TERMINAL BLOCK FV173 40A 600V**  
 for cable max 6 mm<sup>2</sup>  
 operating temperature 150°C  
 nominal voltage 450 V



GIGA X52500

GIGA X59100

**3351071 5 POLE-TERMINAL BLOCK**  
 for cable max 16 mm<sup>2</sup>  
 nominal voltage 600V



GIGA 0000X53900



Suitable for:

Suitable for:

**3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V**  
 for cable max 6 mm<sup>2</sup>  
 operating temperature 150°C  
 nominal voltage 450 V



GIGA X52300

GIGA X59000

## Thermocouples and accessories

**3440158 CUT-OFF THERMOCOUPLE QUICK M9x1 40 cm**  
 cut-off contact with faston




GIGA X14300

**3440067 INTERRUPTED THERMOCOUPLE M9x1 100 cm.**  
 interrupted contact with terminals



GIGA X14000

**3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm**  
 interrupted contact with fastons  
 for Fryer (GIGA) KFG20D




GIGA X19100

**3440064 NUT FOR THERMOCOUPLE M8x1**




GIGA X15900

**3440894 THERMOCOUP.SIT QUICK M9x1 100 cm - 10 PCS**



GIGA X17600

**3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS**  
 GIUNTO M8x1



GIGA X68045

**3440057 THERMOCOUPLE SIT M8x1 150 cm THREAD M8x1**



GIGA X68045

**3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS**  
 GIUNTO M8x1



GIGA X68045



Suitable for:

**3440028 THERMOCOUPLE SIT M8x1 60 cm**



GIGA X14800

Suitable for:

**3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**



GIGA X14800

**3440828 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS**



GIGA X14800

**3440039 THERMOCOUPLE SIT M9x1 150 cm**



GIGA X14900

**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



GIGA X14900

**3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS**



GIGA X14900

**3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS**



GIGA X13900

**3440080 THERMOCOUPLE SIT M9x1 40 cm.**



GIGA X13900

**3440880 THERMOCOUPLE SIT M9x1 40 cm - 10 PCS**



GIGA X13900

**3440034 THERMOCOUPLE SIT M9x1 50 cm**



GIGA X14200

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**



GIGA X14200



# GIGA



Suitable for:

**3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS**



GIGA X14200

Suitable for:

**3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



GIGA X14100

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**  
GIUNTO M8x1



GIGA X15700

**3440059 THERMOCOUPLE SIT M9x1 60 cm THREAD M8x1**




GIGA X15700

**3440859 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**  
GIUNTO M8x1



GIGA X15700

**3440035 THERMOCOUPLE SIT M9x1 60 cm.**



GIGA X14100

**3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS**



GIGA X14100

**3440094 THERMOCOUPLE SIT QUICK M9x1 100 cm**



GIGA X17600

**3440894 THERMOCOUP.SIT QUICK M9x1 100 cm - 10 PCS**



GIGA X17600

**3440127 THERMOCOUPLE TARGET M9x1 60 cm**  
with fixing connection M10x1 - model T46 48"  
for pilot burner Robertshaw model 9B  
for gas valve Unitrol 7000



GIGA X13300



Suitable for:

# GIGA




Suitable for:

## Thermostatic gas valves

### 3345028 THERMOSTATIC TAP SABAF


adjustment temperature 300°C  
flange coupling  
outlet pipe fitting M13x1 mm  
thermocouple connection M8x1mm  
bulb  $\varnothing$  4x150 mm  
capillary length 850 mm  
D-shaped pin  $\varnothing$  6x4.6 mm  
for Oven under cooktop gas (GIGA) CC120G - CC80G  
CC81G - C4FFLG - C4FFLGP - C6FFLG - C6FFLGP



GIGA X68053

### 3345006 THERMOSTATIC TAP 24ST

Adjustment temperature 120-320°C  
connections M20x1.5 mm  
thermocouple connection M9x1  
bulb  $\varnothing$  6x100 mm  
capillary length 1200 mm  
D-shaped pin  $\varnothing$  10x8 mm



GIGA 0000X11200

## Thermostats

### 3444224 BULB HOLDING CLIP

for heating element thermostat  
for pipe  $\varnothing$  8 mm - for bulb  $\varnothing$  6 mm  
for Fryer (GIGA) - Series 600 - Series 700  
Series 900



GIGA M86500

### 3250220 BULB HOLDING CLIP $\varnothing$ 6 mm

for heating element thermostat  
for Fryer electric (GIGA) CF4E - CF6E - IF1E4  
IF2E6 - IF4E - IF6E - KFE1 - KFE2 - OPFE1  
OPFE2 - SKF1E - SKF2E - SKF4E - SKF6E - TF4E  
TF6E



GIGA M86800

### 3250218 BULB HOLDING CLIP $\varnothing$ 8.5 mm

for heating element thermostat  
for Fryer electric (GIGA) CF2E4 - SKF2E4 - SK10DSE  
SK10SE - TF2EA - 15DPE - 15PE



GIGA M86900

### 3444008 KNOB BLACK $\varnothing$ 41 mm 0-90°C


D-shaped hole 6x4.6 mm  
for thermostat IMIT



GIGA SD903982

### 3444233 SINGLE-PHASE THERMOSTAT 100-190°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1750 mm - 16A 250V  
bulb  $\varnothing$  6x133 mm - with adapter nipple bland M9x1  
for Fryer (GIGA) - Series 700 - Series 900




GIGA X49400

GIGA X56800

GIGA Y16000

### 3444238 SINGLE-PHASE THERMOSTAT 230°C

with manual reset  
covered capillary length 850 mm - 15A 250V  
button bulb  $\varnothing$  14x26 mm  
for Fryer (GIGA) - Series 600 - Series 700  
Series 900



GIGA X43400

GIGA X49400

GIGA 0000X43400

Suitable for:

**3444372 SINGLE-PHASE THERMOSTAT 245°C**  
 with manual reset  
 covered capillary length 1170 mm - 16A 250V  
 bulb  $\varnothing$  6x133 mm  
 for Fryer (GIGA) - Series 600 - Series 700  
 Series 800  
 for Fryer electric (GIGA) SKF2E



GIGA X49500

GIGA Y16300


Suitable for:

**3744094 SINGLE-PHASE THERMOSTAT 30-150°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1600 mm  
 bulb  $\varnothing$  3x145 mm  
 for Boiling pan (GIGA) - Series 700 - Series 900



GIGA E16000

**3444018 SINGLE-PHASE THERMOSTAT 30-90°C**  
 complete with auxiliary selector switch  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1000 mm - 16A 250V  
 bulb  $\varnothing$  6x175 mm



GIGA X5780011

**3444209 SINGLE-PHASE THERMOSTAT 355°C**  
 with manual reset  
 covered capillary length 880 mm - 16A 250V  
 bulb  $\varnothing$  4x124 mm  
 for Boiling pan (GIGA) - Series 900  
 for Bratt pan (GIGA) - Series 900  
 for Fry top (GIGA) - Series 900



GIGA Y16500

**3444043 SINGLE-PHASE THERMOSTAT 50-270°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1300 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm



GIGA R31400  
 GIGA 5010087

GIGA R65070210


GIGA X43600

**2101033 SINGLE-PHASE THERMOSTAT 50-300°C**  
 D-shaped pin  $\varnothing$  6x4,6 mm  
 Capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  6x78 mm  
 for Bratt pan electric (GIGA) CBRE - CBREIN




GIGA Y19200

**3444145 SINGLE-PHASE THERMOSTAT 50-310°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length covered 1600 mm - 16A 250V  
 bulb  $\varnothing$  4x120 mm  
 for OVEN  
 for Bratt pan electric (GIGA) CBRE - CBRE-CBREIN  
 CBREIN



GIGA X49800

**3444174 SINGLE-PHASE THERMOSTAT 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 900 mm - 16A 250V  
 bulb  $\varnothing$  3x220 mm



GIGA X68205

GIGA Y68205



Suitable for:

# GIGA




**5025572 THERMOSTATO THREE-PHASE 180°C**  
 manual reset  
 covered capillary length 3000 mm - 20A 400V  
 bulb  $\varnothing$  4x125 mm  
 for Boiling pan electric (GIGA) - Series 700-900  
 for Boiling pan gas (GIGA) - Series 700-900



GIGA E10500

**3444005 THERMOSTAT SINGLE-PHASE TR2 0-120°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 1500 mm - 15A 250V  
 bulb  $\varnothing$  6.5x95 mm




GIGA X43100

**3444000 THERMOSTAT SINGLE-PHASE 75-172°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length covered 900 mm - 16A 250V  
 button bulb  $\varnothing$  14x10 mm  
 complete with nut and gasket  
 for Fryer gas (GIGA)  
 Series SKF



GIGA 0000X43300

**3444198 THREE-PHASE THERMOSTAT 100-180°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 2000 mm - 10A 400V  
 bulb  $\varnothing$  6x130 mm



GIGA X43800

**3444040 THREE-PHASE THERMOSTAT 100-300°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1150 mm - 10A 400V  
 bulb  $\varnothing$  6x80 mm  
 for Bratt pan electric (GIGA) SKBR40E




GIGA X43200

GIGA X43900


GIGA Y16400

**3444298 THREE-PHASE THERMOSTAT 337°C**  
 with manual reset  
 covered capillary length 850 mm - 10A 400V  
 button bulb  $\varnothing$  14x10 mm



GIGA R65070050

**3444370 THREE-PHASE THERMOSTAT 350°C**  
 with manual reset  
 covered capillary length 3000 mm - 10A 400V  
 bulb  $\varnothing$  6x90 mm  
 for Fry top (GIGA) - Series SKT - Series 700  
 Series 800 - Series 900  
 for Oven under cooktop (GIGA) - Series 900



GIGA X44800

GIGA 448001

**3444632 THREE-PHASE THERMOSTAT 360°C**  
 with manual reset  
 covered capillary length 1800 mm - 20A 300V  
 bulb  $\varnothing$  4x120 mm



GIGA E40100062


GIGA Y16600

GIGA Y72100



## 3444371 THREE-PHASE THERMOSTAT 70-195°C

D-shaped pin  $\varnothing$  6x4.6 mm  
 covered capillary length 1500 mm - 10A 400V  
 bulb  $\varnothing$  6x135 mm  
 for Fryer (GIGA) - Series 600 - Series 700  
 Series 800 - Series 900  
 for Fryer electric (GIGA) SKF2E  
 for Fryer electric (GIGA) SKF2E



GIGA X43800

## Timers

### 3446001 TIMER 120 MINUTES

complete with silk-screen printed plate  
 mechanical timer with sound alarm  
 mechanical movement with balance wheel  
 manual left hand positioning possible  
 120 minutes manually set cycle  
 bipolar with contact capacity 16(3)A 250V  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm




GIGA X54000

GIGA 6180003

### 3446002 TIMER 120 MINUTES

complete with silk-screen printed plate  
 mechanical timer with sound alarm  
 mechanical movement with balance wheel  
 120 minutes manually set cycle  
 bipolar with contact capacity 16(3)A 250V  
 max temperature 125°C  
 D-shaped pin  $\varnothing$  6x4.6 mm



GIGA R31700

## Wheels and accessories

### 5029439 FLANGE F/SUPPORT WITH BEARING UCF205

external size flange 95x95 mm  
 for Bratt pan electric (GIGA) - Series 900  
 for Bratt pan gas (GIGA) - Series 900



GIGA Y42400

### 5029440 SCREW FOR TILTING

overall length 880 mm  
 for Bratt pan electric (GIGA) - Series 900  
 for Bratt pan gas (GIGA) - Series 900



GIGA 0775K49200

### 5028366 SCREW NUT FOR BRATT PAN

dimensions 40x40x38 mm - right hand thread  
 thread TR24x5 mm -  $\varnothing$  pin 20 mm  
 for Bratt pan electric (GIGA) - Series 900  
 for Bratt pan gas (GIGA) - Series 900



GIGA K49100

### 7102729 WHEEL $\varnothing$ 150 mm

central hole  $\varnothing$  14 mm - with pin groove 24x6 mm  
 complete with folding handle  
 for Bratt pan electric (GIGA) CBRE - CBREIN  
 for Bratt pan gas (GIGA) CBRG - CBRGIN



GIGA 0900X18500



Suitable for:

# GIGA



Suitable for:

**3522007 WHEEL  $\varnothing$  200 mm**  
central hole  $\varnothing$  20 mm  
with folding handle




















GIGA 0900Y41900

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



Distributing Components, Spare Parts & Accessories  
in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfcomb724.it](http://www.lfcomb724.it) - [www.lfcomb724.mobi](http://www.lfcomb724.mobi) - [info@lfcomb.it](mailto:info@lfcomb.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
  -  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel. +7 499 259 85 75  
Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
  -  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
  -  **LF Repuestos Horeca S.L.U. SPAIN**  
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
  -  **LF GmbH GERMANY**  
Junkersstrasse, 1 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
  -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
  -  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
  -  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
  -  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.lenth@lfspareparts.com](mailto:michael.lenth@lfspareparts.com)
  -  **AUSTRIA**  
[www.lfspareparts724.at](http://www.lfspareparts724.at)  
[ludwig.neier@lfersatzteile.at](mailto:ludwig.neier@lfersatzteile.at)
  -  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
  -  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
  -  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
  -  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
  -  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)
  -  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)