




Spare parts for:

Cooking equipment

Suitable for:

GIORIK



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

GIORIK



Suitable for:

Air regulators

- 3020097 PILOT AERATION REGULATOR**
internal $\varnothing$ 7 mm - external $\varnothing$ 9 mm
height 10 mm



GIORIK 7070014

GIORIK 7090007

Axial motors

- 3240501 AXIAL FAN SUNON 120x120x38 mm**
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN



GIORIK 6033175

Ball valves and accessories

- 5023594 CAST IRON FITTING $\varnothing$ 1"MF**
for Pasta cooker electric (GIORIK)
Series VECCHIE
for Pasta cooker gas (GIORIK) - Series VECCHIE



GIORIK 7050164

- 3356052 DRAIN TAP $\varnothing$ 3/4" F**
lateral lever fitting
outlet internal $\varnothing$ 22 mm
for Fryer electric (GIORIK)
for Fryer gas (GIORIK)



GIORIK 7060030

- 3356053 DRAIN TAP HANDLE $\varnothing$ 17x40 mm**
thread M8



GIORIK 5900235



Suitable for:

3356167 LEVER FOR DRAIN TAP 65 mm
thread M8x0.75



GIORIK 2103109

3526673 GAS/WATER VALVE ø 1"FF
ball valve
heavy series with PN 40 total passage
aluminum lever



GIORIK 7060056

GIORIK



Suitable for:

3356049 OIL DRAIN PIPE WITH SAFETY DEVICE
ø 22 mm - length 210 mm - bayonet joint
for TECNOINOX BAIN-MARIE-FRYER



GIORIK 7060060

3356167 LEVER FOR DRAIN TAP 65 mm
thread M8x0.75



GIORIK 2103109

Cables for piezo igniters

3001002 IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm for ignition
with faston ø 4 mm for electrode



GIORIK 6050065

3001016 IGNITION LEAD 1000 mm
with faston ø 2.4 mm for ignition
with faston ø 4 mm for electrode



GIORIK 6050610

3001028 IGNITION LEAD 500 mm
with faston ø 2.4 mm for ignition
with faston ø 4 mm for sparking plug



GIORIK 6050051

Capacitors, electrical

3068008 CAPACITOR µF 5 450V 50/60Hz
operating temperature -25+85°C
in compliance with EEC 93/68 and EEC 92/31 regulat



GIORIK 6090015



Suitable for:

GIORIK



Suitable for:

Contactors

3351212 CONTACTOR AEG LS4K 9A 230V 4Kw
coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



GIORIK 6046043

3446554 CONTACTOR LOVATO BF0901A
coil 9A 380/400V 50/60Hz 4.2Kw
3 normally open contacts
1 normally closed auxiliary contact
for Fryer electric (GIORIK) FE20S



GIORIK 6041039


GIORIK 6046040

3446561 CONTACTOR LOVATO BF0910A
coil 9A 230V 50/60Hz 4.2Kw
3 normally open contacts
1 normally open auxiliary contact



GIORIK 6046038

3446583 CONTACTOR LOVATO BF18T4A
coil 18A 230V 50/60Hz 8Kw
4 normally open contacts
no auxiliary contact



GIORIK 6046046

3446591 CONTACTOR LOVATO BF3800A230
coil 38A 230V 50Hz 18.5Kw
3 normally open contacts



GIORIK 6046041

Cooking baskets and accessories

3055125 BLACK KNOB $\varnothing$ 28x86 mm M8x1
plastic replacement for PASTA COOKER baskets



GIORIK 2001110

Cooking baskets and accessories

- 3055283 PASTA COOKER BASKET $\varnothing$ 145x230 mm**
of STAINLESS steel
for Pasta cooker electric (GIORIK) CP2 - CP3



GIORIK 2003080

- 3055125 BLACK KNOB $\varnothing$ 28x86 mm M8x1**
plastic replacement for PASTA COOKER baskets



GIORIK 2001110

- 3055509 PASTA COOKER BASKET 160x290x230 mm**
made of stainless steel
for Pasta cooker (GIORIK)



GIORIK 2003046

- 3055125 BLACK KNOB $\varnothing$ 28x86 mm M8x1**
plastic replacement for PASTA COOKER baskets



GIORIK 2001110

- 3055213 PASTA COOKER BASKET 163x143x230 mm LH**
made of stainless steel
for Pasta cooker electric (GIORIK)
for Pasta cooker gas (GIORIK)



GIORIK 2003047

- 3055125 BLACK KNOB $\varnothing$ 28x86 mm M8x1**
plastic replacement for PASTA COOKER baskets



GIORIK 2001110

- 3055204 PASTA COOKER BASKET 163x143x230 mm RH**
made of stainless steel
for Pasta cooker electric (GIORIK)
for Pasta cooker gas (GIORIK)



GIORIK 2003045

- 3055125 BLACK KNOB $\varnothing$ 28x86 mm M8x1**
plastic replacement for PASTA COOKER baskets



GIORIK 2001110

- 3055505 PASTA COOKER BASKET 325x300x230 mm**
made of STAINLESS STEEL
for Pasta cooker (GIORIK)



GIORIK 2003075

- 3055125 BLACK KNOB $\varnothing$ 28x86 mm M8x1**
plastic replacement for PASTA COOKER baskets



GIORIK 2001110



Suitable for:

GIORIK



3055521 PASTA COOKER BASKET 490x290x215 mm
made of STAINLESS STEEL
for Pasta cooker (GIORIK)



GIORIK 2101603

Suitable for:

3055125 BLACK KNOB $\varnothing$ 28x86 mm M8x1
plastic replacement for PASTA COOKER baskets



GIORIK 2001110

Drain hoses

3356138 DRAIN TAP FITTING $\varnothing$ 1"MM
 $\varnothing$ side outlet 28 mm - bracket 68x55x19 mm
fitting height 100 mm
for Pasta cooker gas (GIORIK)
3CPG-CPG726-CPG746-CPG926-CPG946



GIORIK 2106617

3356049 OIL DRAIN PIPE WITH SAFETY DEVICE
 $\varnothing$ 22 mm - length 210 mm - bayonet joint
for TECNOINOX BAIN-MARIE-FRYER



GIORIK 7060060

Drain taps and accessories

5031496 DRAIN PIPE $\varnothing$ 1"MM
length 195 mm



GIORIK 2005131

3356051 DRAIN TAP $\varnothing$ 3/4" F



GIORIK 7060026

GIORIK 7060031

3356053 DRAIN TAP HANDLE $\varnothing$ 17x40 mm
thread M8



GIORIK 5900235

Electric hot plates

- 3311053 ELECTRIC HOT PLATE 2600W 230V**
 dimensions 220x220 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top




GIORIK 6001062

- 3311064 ELECTRIC HOT PLATE 4000W 230V**
 dimensions 300x300 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



GIORIK 6001059

- 3311065 ELECTRIC HOT PLATE 4000W 400V**
 dimensions 300x300 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



GIORIK 6001061

Electrical gas valves and accessories

- 3526090 ELETROSIT VALVE $\varnothing$ 3/4"FF**
 inlet $\varnothing$ 3/4" F - outlet $\varnothing$ 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple



GIORIK 7020060

- 3526096 VALVE MICROSWITCH**
 maximum load 0.2 A
 for VALVE ELETROSIT-820 NOVA-824 NOVASIT



GIORIK 6010054



Suitable for:

GIORIK



Suitable for:


- 3526079 VALVE 820 NOVA $\varnothing$ 1/2"FF**
inlet $\varnothing$ 1/2" F - outlet $\varnothing$ 1/2" F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz



GIORIK 7020070


Electronic printed-circuit boards

- 5044960 CIRCUIT BOARD -KEYBOARD 90x43 mm**
for Fryer (GIORIK)



GIORIK 6011142T

- 7103308 ELECTRONIC CONTROL BOARD 190x60 mm**
for Salamander electric (GIORIK)
SH505N-SH511-SH510-SH520GM-SH520G



GIORIK 6010083

- 5004497 ELECTRONIC CONTROL CIRCUIT BOARD KIT**
complete with mother board and flat cable
size control board 90x43 mm
mother board size 105x90 mm
length flat cable 1600 mm
for Fryer electric (GIORIK)
F10CL-F15CL-F20CL-F210CL-F215CL-F220CL
for Fryer gas (GIORIK)
FG07CL-FG17CL-FG213CL-FG217CL




GIORIK 6011142

- 3445195 TCJ VETROTEX PROBE 700 mm**
2-wire probe temperature range -50÷600°C
error limit $\pm$ 0.75% below 0°C
30 seconds response time
bulb $\varnothing$ 6x200 mm
for Fryer gas (GIORIK) FG213 - FG217



GIORIK 6000106

- 5044960 CIRCUIT BOARD -KEYBOARD 90x43 mm**
for Fryer (GIORIK)



GIORIK 6011142T

- 3397101 TEMPERATURE PROBE TCJ**
2 wires
bulb $\varnothing$ 6x100 mm
vetrotex cable length 900 mm



GIORIK 6000095



Energy regulators

3350026 ENERGY ADJUSTER

contact capacity 230V 13A - max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



GIORIK 6031020

GIORIK 6031023

Filters

5031595 S/STEEL DRAIN FILTER $\varnothing$ 65 mm

for Pasta cooker electric (GIORIK)
for Pasta cooker gas (GIORIK)




GIORIK 2002241

Fryer baskets and accessories

5009028 FALSE BOTTOM COMPLETE MESH 335x315 mm

height 105 mm
of chromed iron
for Fryer electric (GIORIK)
F20L-F220L-F920N-F940N-F20CL-F220CL
for Fryer gas (GIORIK)
FG17L-FG17CL-FG217L-FG217CL-FG917



GIORIK 2101365

3055466 FRYER BASKET HANDLE 140x40 mm

distance between holes 115 mm
of plastic



GIORIK 2004828

3055272 FRYER BASKET 260x220x100 mm

in chrome-plated iron
for Fryer electric (GIORIK) FT5



GIORIK 2003018

3055466 FRYER BASKET HANDLE 140x40 mm

distance between holes 115 mm
of plastic



GIORIK 2004828



Suitable for:

GIORIK



3055207 FRYER BASKET 270x185x120 mm
made of chrome-plated iron



GIORIK 2004579

Suitable for:

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



GIORIK 2004828

3055279 FRYER BASKET 285x140x120 mm
in chrome-plated iron
for Fryer electric (GIORIK) F10L - F210L - F922N
for Fryer gas (GIORIK) FG07L - FG207L



GIORIK 2003001

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



GIORIK 2004828

3055414 FRYER BASKET 290x115x120 mm
made of chrome plated iron
for Fryer electric (GIORIK) F15L - F215L
for Fryer gas (GIORIK) FG13L - FG213L



GIORIK 2003002

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



GIORIK 2004828

3055197 FRYER BASKET 290x165x120 mm
in chromium plated iron
for Fryer electric (GIORIK) F220CL - F220L - F940N
for Fryer gas (GIORIK) FG217L



GIORIK 2003008

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



GIORIK 2004828

3055360 FRYER BASKET 290x230x120 mm
made of chrome plated iron
for Fryer electric (GIORIK) F15L - F215L
for Fryer gas (GIORIK) FG13L - FG213L



GIORIK 2003003

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



GIORIK 2004828

3055524 FRYER BASKET 290x330x120 mm
in chromium plated iron
for Fryer (GIORIK)



GIORIK

3055436 FRYER BASKET 310x115x120 mm
made of chrome plated iron
for Fryer electric (GIORIK) FE15L - FE215L
for Fryer gas (GIORIK) FG13L - FG213L



GIORIK 2012892

3055415 FRYER BASKET 310x130x120 mm
made of chrome plated iron
for Fryer electric (GIORIK) FE15L - FE215L
for Fryer gas (GIORIK) FG13L - FG213L



GIORIK 2012898

3055438 FRYER BASKET 310x145x120 mm
made of chrome plated iron
for Fryer gas (GIORIK) FG17L - FG217L - FG917
FG934



GIORIK 2012895

3055437 FRYER BASKET 310x230x120 mm
made of chrome plated iron
for Fryer electric (GIORIK) FE15L - FE215L
for Fryer gas (GIORIK) FG13L - FG213L



GIORIK 2012893

Suitable for:

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



GIORIK 2004828

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



GIORIK 2004828

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



GIORIK 2004828

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



GIORIK 2004828

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



GIORIK 2004828



Suitable for:

GIORIK



3055439 FRYER BASKET 310x300x120 mm
made of chrome plated iron
for Fryer gas (GIORIK) FG17L - FG217L - FG917
FG934



GIORIK 2012896

Suitable for:

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



GIORIK 2004828

3055195 FRYER BASKET 330x290x120 mm
in chromium plated iron
for Fryer electric (GIORIK) F20L - F220L
for Fryer gas (GIORIK) FG17L - FG217L



GIORIK 2003009

3055466 FRYER BASKET HANDLE 140x40 mm
distance between holes 115 mm
of plastic



GIORIK 2004828

Gas burners

3023284 BURNER VERTICAL LH 300x55 mm
NICKEL PLATED
for Fryer gas (GIORIK) FRG7113 - FRG7113C
FRG7213 - FRG7213C



GIORIK 2112968

3023285 BURNER VERTICAL RH 300x55 mm
NICKEL PLATED
for Fryer gas (GIORIK) FRG7113 - FRG7113C
FRG7213 - FRG7213C



GIORIK 2112967

3023235 BURNER 450x220 mm
made of stainless steel



GIORIK 2010923

3023144 BURNER 575x225 mm
made of stainless steel



GIORIK 2010924

3023286 CENTRAL BURNER VERTICAL 300x55mm
NICKEL PLATED
for Fryer gas (GIORIK) FRG9117 - FRG9217



GIORIK 2112969

3023237 CENTRAL VERTICAL BURNER 300x55 mm
NICKEL-PLATED



GIORIK 2001231



Suitable for:

3023236 VERTICAL BURNER LH 300x55 mm
NICKEL PLATED



GIORIK 2001230

GIORIK



Suitable for:

3023283 VERTICAL BURNER 305x55 mm
NICKEL PLATED
for Fryer gas (GIORIK) FRG7207 - FRG9207



GIORIK 2112970

Gas taps and accessories

3348014 GAS TAP 20/S
without pilot flame
fittings $\varnothing$ M16x1.5mm
thermocouple fitting M8x1
D-shaped pin $\varnothing$ 8x6.5mm



GIORIK 7060013

3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



GIORIK 7050029

5052175 GAS TAP 21S
with pilot flame
pipe flange fitting $\varnothing$ 21 mm
outlet connection $\varnothing$ M16x1,5 mm
with flow rate adjuster
thermocouple connection M9x1
D-shaft $\varnothing$ 8x6.5 mm



GIORIK 7060016

3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



GIORIK 7050029

3348002 GAS TAP 22S/O
with pilot flame
with horizontal flange
fittings $\varnothing$ M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin $\varnothing$ 10x8 mm



GIORIK 7060012

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE




GIORIK 7070025



Suitable for:

3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



GIORIK 7050029

3348041 PIPE OLIVE $\varnothing$ 16 mm
for model PEL 23



GIORIK 7070036

GIORIK

Suitable for:



Gas valves and accessories

3526260 EUROSIT VALVE CAP



GIORIK 7050016

3526131 EUROSIT VALVE FOR FRYER 110÷190°C

inlet $\varnothing$ 3/8" F - outlet $\varnothing$ 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷80°C
capillary length 1050 mm
bulb $\varnothing$ 4x200 mm



GIORIK 7020215


3526130 EUROSIT VALVE FOR OVEN 100÷340°C

inlet $\varnothing$ 3/8" F - outlet $\varnothing$ 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb $\varnothing$ 4x72 mm




GIORIK 7020218

3523047 MINISIT COVER



GIORIK 7020220

3523038 MINISIT ELBOW FLANGE $\varnothing$ 1/2" F
with screws and "O" ring



GIORIK 7050010

Suitable for:

3523037 MINISIT ELBOW FLANGE $\varnothing$ 3/8"
with screws and "O" ring



GIORIK 7050015

3523051 MINISIT SENSING ELEMENT $110 \div 190^{\circ}\text{C}$
capillary length 1050 mm
bulb $\varnothing$ 6x105 mm



GIORIK 7020216

3523933 MINISIT VALVE FOR FRYER $110 \div 190^{\circ}\text{C}$
inlet $\varnothing$ 1/2" F - outlet $\varnothing$ 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature $0 \div 60^{\circ}\text{C}$
with screw for gas outlet pressure regulation
capillary length 1050 mm
bulb $\varnothing$ 6x105 mm
without cover, knob and flanges



GIORIK 7020210

3523949 MINISIT VALVE FOR FRYER $110 \div 190^{\circ}\text{C}$
inlet $\varnothing$ 1/2" F - outlet $\varnothing$ 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature $0 \div 60^{\circ}\text{C}$
capillary length 1050 mm
bulb $\varnothing$ 6x105 mm
supplied without lid knob and flanges



GIORIK 7020200

3523091 MINISIT VALVE FOR OVEN $70 \div 310^{\circ}\text{C}$
inlet $\varnothing$ 1/2" F - outlet $\varnothing$ 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature $0 \div 60^{\circ}\text{C}$
capillary length 1300 mm
bulb $\varnothing$ 4x75 mm
without cover, knob and flanges



GIORIK

3523060 OIL SEAL FITTING $\varnothing$ 6.5 mm
internal thread M10x0.75 - external thread M14x1.5



GIORIK 7050025

3526134 VALVE EUROSIT FOR FRY TOP $40 \div 280^{\circ}\text{C}$
inlet $\varnothing$ 3/8" F - outlet $\varnothing$ 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure calibration range
outlet $3 \div 18$ mbar
ambient temperature $0 \div 80^{\circ}\text{C}$
capillary length 1050 mm
bulb $\varnothing$ 4x72 mm



GIORIK 7020211



Suitable for:


GIORIK



Suitable for:

Handles

3398021 OVEN DOOR CATCH
distance between holes 47 mm
catch distance 27 mm



GIORIK 2000160

5001497 PLASTIC HANDLE 120 mm BLACK
distance between holes 105 mm
for Fryer electric (GIORIK)
for Fryer gas (GIORIK)
for Salamander electric (GIORIK) SE520
for Salamander gas (GIORIK) SG520



GIORIK 5900143

5001432 SILKSCREENED BLACK RING ø 75 mm
for water inlet pipe



GIORIK 5900274

Heating elements

3355826 CERAMIC HEATING ELEMENT 400W 230V
length 245 mm - width 60 mm



GIORIK 6001124

3755856 HEATING ELEMENT 10200W 230/400V
length 300 mm - width 180 mm
coupling M54x1.5 mm - complete with cables
complete with OR gaskets
for Fryer electric (GIORIK) F15



GIORIK 6002137

GIORIK 6002137+...

3186697 O-RING 0159 EPDM



GIORIK 6090145



Suitable for:

3186601 O-RING 04200 EPDM



GIORIK 6090144

GIORIK



Suitable for:

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



GIORIK 2005494

GIORIK 2010655

3755858 HEATING ELEMENT 12000W 230/400V

length 325 mm - width 180 mm
coupling M54x1.5 mm - complete with cables
complete with OR gaskets
for Fryer electric (GIORIK)
FE15 - FE215



GIORIK 6002151

GIORIK 6002151+...

3186601 O-RING 04200 EPDM



GIORIK 6090144

3186697 O-RING 0159 EPDM



GIORIK 6090145

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



GIORIK 2005494

GIORIK 2010655

3355473 HEATING ELEMENT 1333W 230V

length 280 mm - width 20 mm
height 40 mm - fittings M12x1 mm
for Fryer electric (GIORIK) FRE33 - FRE63 - FTR6T



GIORIK 6001139

3355447 HEATING ELEMENT 1380W 230V

length 350 mm - width 190 mm
fittings $\varnothing$ 1/4"
operating ambient: immersion
for Bain-marie electric (GIORIK) BME62



GIORIK 6001024

3755855 HEATING ELEMENT 1500W 230V

length 265 mm - width 165 mm
for Salamander electric (GIORIK) SH505R - SH510P
SH510R - SH520G - SH560P



GIORIK 6001066



Suitable for:

3755661 HEATING ELEMENT 15000W 230V
length 300 mm - width 285 mm
connection M54x1.5 mm - complete with cables
complete with OR gaskets
with two holes per bulb
for Fryer electric (GIORIK)



GIORIK 6002138

GIORIK 6002138+

3186601 O-RING 04200 EPDM



GIORIK 6090144

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



GIORIK 2005494

GIORIK 2010655

3755859 HEATING ELEMENT 16500W 230/400V
length 325 mm - width 255 mm
coupling M54x1.5 mm - complete with cables
complete with OR gaskets
for Fryer electric (GIORIK) FE20 - FE220 - FE920



GIORIK 6002152

GIORIK 6002152+...

3186601 O-RING 04200 EPDM



GIORIK 6090144

Suitable for:

3186697 O-RING 0159 EPDM



GIORIK 6090145

3786459 O-RING 04200 VITON



GIORIK OR4200FP75

3186697 O-RING 0159 EPDM



GIORIK 6090145

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



GIORIK 2005494

GIORIK 2010655

3355834 HEATING ELEMENT 1840W 230V

length 250 mm - width 85 mm
height 185 mm - fittings $\varnothing$ 1/4"
complete with cables
for Fryer electric (GIORIK) FT7



GIORIK 6002055

Suitable for:

3755076 HEATING ELEMENT 1840W 230V

length 275 mm - width 65 mm
fittings $\varnothing$ 1/4"
for Pasta cooker electric (GIORIK) - Series 700



GIORIK 6002063

3355832 HEATING ELEMENT 2000W 230V

length 260 mm - width 130 mm
height 175 mm - complete with cables
shaped flange length 90 mm
for Fryer electric (GIORIK) FT3N



GIORIK 6001129

3355804 HEATING ELEMENT 2185W 230V

length 227 mm - width 300 mm
flange 70x22 mm
for Salamander electric (GIORIK) SR514 - S505



GIORIK 6001067

3755077 HEATING ELEMENT 2520W 220V

length 445 mm - width 65 mm
fittings $\varnothing$ 1/4" mm



GIORIK 6002064

3355808 HEATING ELEMENT 2570W 230V

length 310 mm - width 297 mm
flange 70x22 mm
for Salamander electric (GIORIK) S510



GIORIK 6002021

3355806 HEATING ELEMENT 2730W 230V

length 490 mm - width 270 mm
fittings $\varnothing$ 1/4"
for Salamander electric (GIORIK) S511



GIORIK 6002066

5013409 HEATING ELEMENT 300W 220V

$\varnothing$ external 175 mm - overall height 64 mm
connections $\varnothing$ 1/4"
for Hot cupboard electric (GIORIK)



GIORIK 6001053



Suitable for:

GIORIK



3355807 HEATING ELEMENT 3000W 380V
length 490 mm - width 270 mm
fittings $\varnothing$ 1/4"
for Salamander electric (GIORIK) S511S




GIORIK 6003052

3355805 HEATING ELEMENT 3060W 230V
length 227 mm - width 300 mm
flange 70x22 mm
for Salamander electric (GIORIK) S505R



GIORIK 6001068

3355809 HEATING ELEMENT 3100W 400V
length 310 mm - width 297 mm
flange 70x22 mm
for Salamander electric (GIORIK) S510S



GIORIK 6003022

3355833 HEATING ELEMENT 3280W 230V
length 315 mm - width 180 mm
height 175 mm - flange 70x22 mm
for Fryer electric (GIORIK) FT5



GIORIK 6002054


3355472 HEATING ELEMENT 3300W 230V
length 280 mm - width 70 mm
height 40 mm - fittings M12x1 mm
for Fryer electric (GIORIK)
FRE46F-FRE66F-FRE31F-FRE61F-FTR26F-FTR6F



GIORIK 6001138

GIORIK 6001144

3355813 HEATING ELEMENT 3300W 380V
length 240 mm - width 380 mm
flange 70x22 mm
for Salamander electric (GIORIK) SE520



GIORIK 6003133

3355825 HEATING ELEMENT 460W 230V
length 350 mm - width 190 mm
height 60 mm - connections $\varnothing$ 1/4"
complete with cables
for Bain-marie electric (GIORIK) BME31
for Potato heater electric (GIORIK) SPE31R



GIORIK 6002015




Suitable for:

GIORIK



5019192 HEATING ELEMENT 5000W 230/400V
length 365 mm - width 450 mm
fitting M54x1,5 mm - complete with cables
complete with OR
for Fryer electric (GIORIK) FP27S



GIORIK 6002144

3186601 O-RING 04200 EPDM




GIORIK 6090144

3355810 HEATING ELEMENT 650W 230V
length 260 mm - width 55 mm
fittings M15x1 mm
for Salamander electric (GIORIK) SR512 - SR512D



GIORIK 6002058

5034009 HEATING ELEMENT 6800W 230/400V
length 365 mm - width 450 mm
fitting M54x1,5 mm - complete with cables
complete with OR
for Fryer electric (GIORIK) FP18S



GIORIK 6002143

3186601 O-RING 04200 EPDM



GIORIK 6090144

Suitable for:

3186697 O-RING 0159 EPDM



GIORIK 6090145

3186697 O-RING 0159 EPDM



GIORIK 6090145



Suitable for:

3755489 HEATING ELEMENT 6800W 230V
length 300 mm - width 110 mm
connection M54x1.5 mm - with cables
with O-rings



GIORIK 6002136

GIORIK 6002136+...

3186601 O-RING 04200 EPDM



GIORIK 6090144

Suitable for:

3186697 O-RING 0159 EPDM



GIORIK 6090145

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



GIORIK 2005494

GIORIK 2010655

3755857 HEATING ELEMENT 7000W 230/400V
length 325 mm - width 105 mm
coupling M54x1.5 mm - complete with cables
complete with OR gaskets
for Fryer electric (GIORIK) FE210 - FE922



GIORIK 6002150

GIORIK 6002150+...

3186601 O-RING 04200 EPDM



GIORIK 6090144

3186697 O-RING 0159 EPDM



GIORIK 6090145

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



GIORIK 2005494

GIORIK 2010655

3355811 HEATING ELEMENT 930W 230V
length 260 mm - width 55 mm
fittings M15x1 mm
for Salamander electric (GIORIK) SR512



GIORIK 6001071

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



GIORIK 2005494

GIORIK 2010655

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
height 23 mm



GIORIK 5900402

3053007 LEFTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205
height 160 mm



GIORIK 5900401

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
height 23 mm



GIORIK 5900402

3053006 RIGHTHAND DOOR HINGE FOR OVEN

distance between holes 175 mm - overall length 205
height 160 mm



GIORIK 5900400

3053003 DOOR HINGE ROLL HOLDER

distance between holes 95 mm - overall length 118
height 23 mm



GIORIK 5900402

Hose reels

3359553 WASHING UNIT MINIREEL

stainless steel case aisi 304
with automatic retractor
EPDM hose $\varnothing$ 13 mm
pull-out hose length 160 cm
complete with shower ECO/F
for fixing to any equipment



GIORIK 7080001

3359610 BLACK SHOWER CASE ECO $\varnothing$ 1/2" M

with coupling 3/8" M x 1/2" M



GIORIK 7080010



Suitable for:

GIORIK



Suitable for:

Ignitors

- 3001007 PIEZO IGNITER**
a $\varnothing$ 22 mm hole is needed for the assembly
2.4 mm $\varnothing$ male faston connector



GIORIK 6010047

- 3001041 PIEZO IGNITER JUNKERS**
a $\varnothing$ 22 mm hole is required for the assembly
faston M $\varnothing$ 2.4 mm



GIORIK 6010048

Incandescent lamps and neon lamps

- 3221041 OVEN LAMP E14 15W 230V**
max temperature 300°C
for OVEN - PIZZA OVEN



GIORIK 6061052

- 3221061 OVEN LAMP E14 25W 230V**
max temperature 300°C
for OVEN - PIZZA OVEN



GIORIK 6061053

Indicator lights

- 5008748 GREEN INDICATOR LAMP 230V**
 $\varnothing$ head 10 mm - 150°C
wire connection length 250 mm
for Bain-marie electric (GIORIK)
for Fryer electric (GIORIK)
for Pasta cooker electric (GIORIK)



GIORIK 6061073

- 3221199 GREEN INDICATOR LAMP 250V**
head $\varnothing$ 8 mm - 150°C
wire connection length 300 mm



GIORIK 6061068

- 3221367 GREEN INDICATOR LAMP 250V**
head $\varnothing$ 16 mm - hole $\varnothing$ 13 mm - 120°C
wire connection length 240 mm



GIORIK 6061068

GIORIK 6061068+6061070

GIORIK 6061070

- 3221110 INDICATOR LAMP GREEN 230V**
 $\varnothing$ head 7 mm - $\varnothing$ hole 6 mm - 120°C
wire connection length 210 mm



GIORIK 6061061

3221166 INDICATOR LAMP GREEN 400V
 ø head 14 mm - ø hole 11.5 mm - 120°C
 universal application



GIORIK 6061050

3221165 INDICATOR LAMP ORANGE 400V
 ø head 14 mm - ø hole 11.5 mm - 120°C
 universal application



GIORIK 6061051

3221166 INDICATOR LAMP GREEN 400V
 ø head 14 mm - ø hole 11.5 mm - 120°C
 universal application



GIORIK 6061050

5008747 INDICATOR LIGHT ORANGE 230V
 head ø 10 mm - 150°C
 wire connection length 250 mm
 for Bain-marie electric (GIORIK)
 for Fry top electric (GIORIK)
 for Fryer electric (GIORIK)
 for Pasta cooker electric (GIORIK)
 for Pot stove electric (GIORIK)



GIORIK 6061072

3221202 TRANSPARENT INDICATOR LAMP 250V
 head ø 8 mm - 150°C
 wire connection length 300 mm



GIORIK 6061067

3221031 WHITE INDICATOR LAMP 220V
 head ø 16 mm - hole ø 13 mm - 130°C
 wire connection length 200 mm



GIORIK 6061067+6061069

3221358 WHITE LAMP RECEPTACLE
 head ø 16 mm - hole ø 13 mm



GIORIK 6061069


Injectors

3500062 GAS JET M7x1 ø 0.85 mm



GIORIK 7042726

3500063 GAS JET M7x1 ø 0.95 mm



GIORIK 7042731



GIORIK



Suitable for:

3500058 GAS JET M7x1 ø 1.00 mm



GIORIK 7042789

Suitable for:

3500065 GAS JET M7x1 ø 1.30 mm



GIORIK 7042736

3500067 GAS JET M7x1 ø 1.40 mm



GIORIK 7042790

3500069 GAS JET M7x1 ø 1.60 mm



GIORIK 7042730

3500042 GAS JET M9x1 ø 1.00 mm



GIORIK 7042701

3500043 GAS JET M9x1 ø 1.10 mm



GIORIK 7042707

3500044 GAS JET M9x1 ø 1.15 mm



GIORIK 7042749

3500047 GAS JET M9x1 ø 1.35 mm



GIORIK 7042753

3500051 GAS JET M9x1 ø 1.90 mm



GIORIK 7042748

Interference suppression filters


3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL
0.47µF



GIORIK 6090050

Ironmongery (screws,nuts,washers)

3183051 NUT M20x1.5



GIORIK 5340043

Knobs

3241249 BLACK KNOB ø 39 mm
D shaft hole 6x4.6 mm
for Fryer (GIORIK)



GIORIK 5900198

3241179 BLACK KNOB ø 50 mm 0-1-2-3-4-5
D-shaft 6x4.6 mm
for Salamander (GIORIK) SR514-SR512R-SE520
S504-S505-S505R-S510-S510S-S511-S511S




GIORIK 2002915

5022855 BLACK KNOB ø 60 mm 140-185°C
D-shaft 6x4.6 mm
for Fryer electric (GIORIK)
F920N-F922N-F940N-FP18S-FP27S



GIORIK 2002909

3241081 BLACK KNOB ø 65 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm



GIORIK 5900254

3241576 BLACK KNOB ø 65 mm SILK-SCREEN PRINTED
D shaft hole 10x8 mm



GIORIK 5900246

3241276 BLACK KNOB ø 75 mm SILK-SCREEN PRINTED
D shaft hole 6x4.6 mm
for Fryer (GIORIK)
Series 600 - Series 700 - Series 900



GIORIK 2008672



Suitable for:

3241823 BLACK KNOB ø 75 mm SILK-SCREEN PRINTED
D shaft hole 10x8 mm
for Grill gas (GIORIK) GG66
for Pasta cooker gas (GIORIK) CPG1 - CPG1BM
CPG2L - CPG66 - 2CPG - 22CPG - 23CPG - 3CPG



GIORIK 2008671

GIORIK



Suitable for:

3241824 BLACK KNOB ø 75 mm SILK-SCREEN PRINTED
D shaft hole 8x6.5 mm
for Pot stove (GIORIK) - Series GI070
Series GI090



GIORIK 2012984

3241882 BLACK KNOB ø 75 mm 0-110°C
D shaft hole 6x4.6 mm
for Pasta cooker (GIORIK) CP1 - CP2L - CP22L




GIORIK 2008675

3241055 FIXING CLIP
for knob with ø 8 mm hole



GIORIK 5900242


3241615 GREY KNOB ø 49 mm
D shaft hole 6x4.6 mm
for Salamander (GIORIK)



GIORIK 2006823


Lava rock grids

5054085 GRID STAINLESS STEEL 390x300x20 mm
for Lava rock grill (GIORIK)



GIORIK 2011297

5052322 S/STEEL GRID 390x345x20 mm
for Lava rock grill (GIORIK) GG780



GIORIK 2011321

3185131 S/STEEL PAN SUPPORT GRID 538x395x20 mm
for Lava rock grill gas (GIORIK) GG926



GIORIK 2005384


3185132 S/STEEL PAN SUPPORT GRID 540x340x20 mm



GIORIK 2010949

Lavarock

5001481 CERAMIC RADIANT PLATE 70x50x13 mm
for Salamander gas (GIORIK) SG520



GIORIK 7090073

Level sensors


3341039 WATER LEVEL PROBE $\varnothing$ 3x205 mm
overall length 220 mm



GIORIK 6000090

Magnets

3242354 DOOR LOCK MAGNET
distance between magnetic part holes 74 mm
distance between holes of strike plate 54 mm



GIORIK 5900352

Microswitches

3240605 DOOR MICROSWITCH M1AX20 10A 250V



GIORIK 6043080

3240820 MICROSWITCH 16A 250V



GIORIK 6043085

OR and ORM gaskets

1186230 O-RING GASKET 0164 EPDM



GIORIK 6090140

3186697 O-RING 0159 EPDM



GIORIK 6090145



GIORIK



Suitable for:

1786011 O-RING 0164 VITON



GIORIK 6090140

Suitable for:

3186601 O-RING 04200 EPDM



GIORIK 6090144

3786459 O-RING 04200 VITON



GIORIK OR4200FP75

3186340 OR GASKET 03037 EPDM



GIORIK 6090146

Pilot burners and accessories

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



GIORIK 5900317

GIORIK 7050028

**3020200 FITTING FOR THERMOCOUPLE ø 6.5 mm
thread M10x1**



GIORIK 5900318

3020102 HEXAGON HEAD SCREW 3/16"x18 mm



GIORIK 7090006

3020084 NUT & OLIVE ø 6 mm



GIORIK 7050020

3020114 OLIVE FOR PIPE ø 6 mm



GIORIK 7070045

3020082 OLIVE FOR 12 mm ø PIPE



GIORIK 7070025

3020036 PILOT BURNER SIT 3 FLAMES
multigas type with nozzle ø 0.35 mm
with 3 position bracket



GIORIK 7090023

3020054 PILOT JET ø 0.20 mm



GIORIK 7042005



Suitable for:

3020055 PILOT JET $\varnothing$ 0.35 mm



GIORIK 7042006

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm

faston M 4x1 mm

overall length 82 mm

model CB505/021 Junkers

for model P502F



GIORIK 6010087

5054339 PILOT BURNER 2 FLAMES

without plug

supplied with natural gas nozzles

supplied with thermocouple connection

with plug connection

with pipe connection and pipe pilot olive

for Salamander (GIORIK) SG520



GIORIK 7090027

3020201 PILOT GAS JET $\varnothing$ 0.14 mm



GIORIK 7042014

3020449 PILOT GAS JET $\varnothing$ 0.54 mm



GIORIK 7042008

GIORIK



Suitable for:

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm

male faston M4x1 mm

total length 65 mm



GIORIK 6010046

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm

male faston M4x1 mm

total length 65 mm



GIORIK 6010046

3020202 PILOT GAS JET $\varnothing$ 0.27 mm



GIORIK 7042013

3020054 PILOT JET $\varnothing$ 0.20 mm



GIORIK 7042005



Suitable for:


3020055 PILOT JET $\varnothing$ 0.35 mm



GIORIK 7042006

Suitable for:

3020078 PIPE FITTING $\varnothing$ 6 mm
thread M10x1



GIORIK 7050029

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting



GIORIK 7090028

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



GIORIK 6010046

3020110 THREE-FLAME DEFLECTOR



GIORIK 7090002

3020011 THREE-FLAME PILOT BURNER
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple connection
with sparking plug fitting



GIORIK 7090026

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



GIORIK 6010046

3020269 THREE-FLAME PILOT BURNER
without sparking plug, gas jet
with pipe fitting and pilot pipe olive
with thermocouple fitting
with sparking plug fitting



GIORIK 7090024

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



GIORIK 6010046

3020401 THREE-FLAME PILOT BURNER
supplied without sparking plug
with LPG and NATURAL GAS nozzle
with pipe fitting and pilot pipe olive
with thermocouple fitting
with sparking plug fitting



GIORIK 7090025

Suitable for:

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



GIORIK 6010046

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet $\varnothing$ 0.20 mm
with 3 positions bracket



GIORIK 7090022

3020054 PILOT JET $\varnothing$ 0.20 mm



GIORIK 7042005

3020055 PILOT JET $\varnothing$ 0.35 mm



3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



GIORIK 7042006

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GIORIK 6010046

GIORIK 6010087

3020101 TWO-POSITION BRACKET CLAMP



GIORIK 7090005



Suitable for:

GIORIK



Suitable for:

Probes

3445117 PROBE PT100 VETROTEX 3000 mm
3-wire probe temperature range 0+350°C
bulb ø 6x100 mm



GIORIK 6000085

3445195 TCJ VETROTEX PROBE 700 mm
2-wire probe temperature range -50+600°C
error limit $\pm 0.75\%$ below 0°C
30 seconds response time
bulb ø 6x200 mm
for Fryer gas (GIORIK) FG213 - FG217



GIORIK 6000106

Rating-plates

5061967 CONTROL PLATE ADHESIVE 100x53 mm
for Fryer (GIORIK)



GIORIK 2018825

7102817 CONTROL PLATE ADHESIVE 100x53 mm
for Fryer (GIORIK)



GIORIK 2011256

5013431 CONTROL PLATE ADHESIVE 545x67 mm
for Salamander electric (GIORIK)
SH511-SH520G-SH520GM



GIORIK 2008613

GIORIK 2012425

5037624 CONTROL PLATE ADHESIVE 545x67 mm
for Salamander (GIORIK) SRH2060



GIORIK 2012890

5062436 CONTROL PLATE ADHESIVE 545x67 mm



GIORIK 2012427

GIORIK 2016790

7102621 CONTROL PLATE ADHESIVE 545x67 mm
for Salamander (GIORIK) SH520G
for Salamander electric (GIORIK) SH520G



GIORIK 2012438

5051547 CONTROL PLATE ADHESIVE 715x67 mm
for Salamander (GIORIK) SH510



GIORIK 2012423

3399067 STICKING CONTROL PANEL 125x100 mm
for Fryer gas (GIORIK) FG213 - FG217




GIORIK 2007069



Relays

3351037 POWER RELAY FINDER 40.52.8.230.0000
230V 50/60Hz - 2 exchange contacts 8A



GIORIK 6041009


Rotary switches

3057019 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft $\varnothing$ 6x4.6 mm




GIORIK 6030007

3057026 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D shaft $\varnothing$ 6x4.6 mm




GIORIK 6030015

3057082 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°
D-shaft 6x4.6 mm
for Fryer (GIORIK) - Series 700 - Series 900
for Pasta cooker (GIORIK) - Series 700
Series 900



GIORIK 6030019

3057178 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin 6x4.6 mm
for Fryer electric (GIORIK) FRE33 - FRE63 - FT33
FT63




GIORIK 6030012

3057190 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 32A 600V - max 75°C
rectangular shaft 4x5 mm
for Fryer electric (GIORIK) F15 - F20 - F215
F220 - F920 - F940



GIORIK 6030003

5010886 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 32A 250V - max 150°C
D-shaft $\varnothing$ 6x4.6 mm



GIORIK 6030009



Suitable for:

GIORIK




- 3057159 SELECTOR SWITCH 0-3 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaft $\varnothing$ 6x4.6 mm
for Salamander electric (GIORIK) SR512



GIORIK 6030017

- 3057092 SELECTOR SWITCH 0-6 POSITIONS**
contact capacity 16A 250V - max 150°C
D-shaft $\varnothing$ 6x4.6 mm



GIORIK 6030014

- 3057146 SELECTOR SWITCH 0-7 POSITIONS**
contact capacity 16A 400V - max 150°C
rectangular pin 4x5 mm



GIORIK 6030030

- 5034977 SWITCH 0-3 POSITIONS**
contacts 16A 250V - max 150°C
D-Shaft 6x4.6 mm



GIORIK 6030040

Sleeves

- 5001488 DRAIN PIPE**
external $\varnothing$ 36 mm - internal $\varnothing$ 28 mm
SOLD PER METER
for Pasta cooker electric (GIORIK) CP23N
for Pasta cooker gas (GIORIK) CPG23N



GIORIK 7090105

Solenoid valves

- 5013420 VALVE CEME 2 VAYS $\varnothing$ 1/4" F 230V**
9934 - max 25bar
with coil 18,5VA 230V 50/60Hz



GIORIK 6042089

Spark generators

3181002 SPARK GENERATOR 2 OUTLETS
220/240V 50/60Hz



GIORIK 6041059

Sparkling and detection plugs

5047386 ROUND SPARK PLUG $\varnothing$ 7x35 mm
male faston M4x1 mm
overall length 52 mm
for Salamander (GIORIK) SG520



GIORIK 6010062

3001003 ROUND SPARKING PLUG $\varnothing$ 7x44 mm
male faston M4x1 mm
total length 65 mm



GIORIK 6010046

3020230 ROUND SPARKING PLUG $\varnothing$ 7x54 mm
male faston M4x1 mm
overall length 63 mm
for COOKING RANGE series 700 PROTAGONISTA NUOVA
for COOKING RANGE series 900 PROTAGONISTA NUOVA
for COOKING RANGE series 1100 PROTAGONISTA NUOVA



GIORIK 6010061

3020060 SPARKING PLUG ROUND $\varnothing$ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



GIORIK 6010087

Switches

3319146 CHANGEOVER SWITCH 2-POLE BLACK 16A 250V
16(4)A 250V
silk-screen printing 0 - I
max. temperature 120°C
mounting hole 22x30 mm
for Potato heater (GIORIK) 401L



GIORIK 6032031



Suitable for:

GIORIK



Suitable for:

Taps for tank refilling

3183050 NUT 1/2"



GIORIK 7070085

3183045 SPOUT
pipe $\varnothing$ 18 mm
for Pasta cooker gas (GIORIK) CPG2L



GIORIK 2101769

3183050 NUT 1/2"



GIORIK 7070085

3242233 TAP KNOB - BLACK
D-shape hole $\varnothing$ 9x8 mm



GIORIK 2001250

3359120 WATER INLET TAP $\varnothing$ 1/2" FF
D shaft 9x8 mm
for Pasta cooker (GIORIK) - Series 700
Series 900



GIORIK 7060018

3183051 NUT M20x1.5



GIORIK 5340043

3020082 OLIVE FOR 12 mm $\varnothing$ PIPE



GIORIK 7070025

5001432 SILKSCREENED BLACK RING $\varnothing$ 75 mm
for water inlet pipe



GIORIK 5900274



Suitable for:

3242233 TAP KNOB - BLACK
D-shape hole $\varnothing$ 9x8 mm



GIORIK



Suitable for:

GIORIK 2001250


Thermocouples and accessories

3440151 CONNECTOR FOR DISPLAY DEVICE M9x1




GIORIK 7050032

3440150 DISPLAY DEVICE FOR THERMOCOUPLES



GIORIK 6010064

3440066 INTERRUPTED THERMOCOUPLE M9x1 60 cm
interrupted contact with fastons



GIORIK 6010065

3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.
female nut M9x1



GIORIK 6010052

3440034 THERMOCOUPLE SIT M9x1 50 cm



GIORIK 6010058

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



GIORIK 6010058

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



GIORIK 6010058

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



GIORIK 6010055

3440035 THERMOCOUPLE SIT M9x1 60 cm.



GIORIK 6010055

3440835 THERMOCOUPLE SIT M9x1 60 cm - 10 PCS



GIORIK 6010055



Suitable for:

Suitable for:

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



GIORIK 6010057

3440036 THERMOCOUPLE SIT M9x1 85 cm.



GIORIK 6010057

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



GIORIK 6010057

3440082 THERMOCOUPLE SIT QUICK M8x1 60 cm



GIORIK 6010063


3440095 THERMOCOUPLE SIT QUICK M9x1 150 cm



GIORIK 6010056


Thermostats

3444107 SINGLE-PHASE THERMOSTAT 220°C
with manual reset
capillary length 870 mm - 16A 250V
bulb ø 6x142 mm - with adapter nipple bland M9x1
for Fryer (GIORIK)



GIORIK 6010020

3444239 SINGLE-PHASE THERMOSTAT 240°C
with manual reset
capillary length covered 860 mm - 16A 250V
bulb ø 6x77 mm - with stuffing gland fitting M10x1
for Fryer gas (GIORIK) - Series FRG



GIORIK 2001046

GIORIK 2011140

3444377 SINGLE-PHASE THERMOSTAT 240°C
with manual reset
covered capillary length 1300 mm - 16A 250V
bulb ø 6x80 mm - with adapter nipple bland M10x1
for Fryer electric (GIORIK) - Series FT - FTR3
FTR5 - FTR6



GIORIK 6010006

GIORIK 6010018

3444376 SINGLE-PHASE THERMOSTAT 95-190°C
D-shaped pin ø 6x4.6 mm
covered capillary length 1010 mm - 16A 250V
bulb ø 6x100 mm - with adapter nipple band M10x1
for Fryer electric (GIORIK)
Series FT - FTR3 - FTR5 - FTR6



GIORIK 6010005

GIORIK 6010011

3444122 STUFFING GLAND FOR THERMOSTAT MILLED M10



GIORIK 6030024

5033636 THERMOSTAT SINGLE-PHASE 780°C

manual reset
bulb ø 4x170 mm



GIORIK 6010039

3444375 THREE-PHASE THERMOSTAT 225°C

with manual reset
covered capillary length 900 mm - 10A 400V
bulb ø 6x90 mm - with adapter nipple band M10x1
for Fryer (GIORIK) - Series FT
for Fryer electric (GIORIK) FTR10 - FTR6 - FTR7



GIORIK 6010037

3444354 THREE-PHASE THERMOSTAT 350°C

with manual reset
capillary length coated 950 mm - 10A 400V
bulb ø 3x190 mm



GIORIK 5910029

5020718

THERMOSTAT SINGLE-PHASE 240°C

complete with cut-off thermocouple
manual reset
covered capillary length 860 mm - 16A 250V
bulb ø 6x77 mm - with adapter nipple gland M10x1
for Fryer gas (GIORIK) FRG46-FRG66



GIORIK 2010152

3444770

THREE-PHASE THERMOSTAT 157°C

with manual reset
covered capillary length 900 mm - 16A 230V
bulb ø 6x80 mm



GIORIK 6010002

3444307

THREE-PHASE THERMOSTAT 230°C

with manual reset
covered capillary length 900 mm - 10A 400V
bulb ø 6x100 mm - with adapter nipple band M10x1



GIORIK 6010036

3444620

THREE-PHASE THERMOSTAT 45-120°C

D-shaped pin ø 6x4.6 mm
covered capillary length 870 mm - 16A 380V
bulb ø 6x140 mm
for Pasta cooker electric (GIORIK) - Series 700
Series 900



GIORIK 6010016



Suitable for:

GIORIK



3444790 THREE-PHASE THERMOSTAT 50-320°C

D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 800 mm - 10A 400V
bulb $\varnothing$ 4x120 mm




GIORIK 5910028

Suitable for:

3444366 THREE-PHASE THERMOSTAT 90-180°C

D-shaped pin $\varnothing$ 6x4.6 mm
covered capillary length 900 mm - 10A 400V
bulb $\varnothing$ 6x135 mm - with adapter nipple bland M10x1




GIORIK 6010004

Timers

3446002 TIMER 120 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin $\varnothing$ 6x4.6 mm



GIORIK 6032040

Transformers

3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz
secondary tension 12Vca 3VA
room temperature 0+60°C
screw terminal block
IMQ approved



GIORIK 6010086

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
- | | |
|---|---|
| <p> LF SpA HEADQUARTERS
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb724.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com</p> | <p> OOO LF RUSSIAN FEDERATION
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru</p> |
| <p> EPGC Sas FRANCE
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com</p> | <p> LF Repuestos Horeca S.L.U. SPAIN
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es</p> |
| <p> LF GmbH GERMANY
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de</p> | <p> LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch</p> |
| <p> LF China REPUBLIC OF CHINA
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com</p> | <p> LF Spare Parts Ltd. UNITED KINGDOM
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk</p> |
-
- | | |
|---|---|
| <p> AUSTRALIA AND NEW ZEALAND
www.lfspareparts724.com
andrea.calvio@lfspareparts.com</p> | <p> DENMARK
www.lfspareparts724.dk
michael.jeth@lfspareparts.com</p> |
| <p> AUSTRIA
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at</p> | <p> SOUTH KOREA
www.lfspareparts724.com
fabio.doni@lfspareparts.com</p> |
| <p> BALKAN COUNTRIES
www.lfspareparts724.com
matija.ramov@lfspareparts.com</p> | <p> TURKEY
www.lyedekparca724.com
basar.ergun@lyedekparca.com</p> |
| <p> BALTIC COUNTRIES
www.lfspareparts724.com
inara.silina@lfspareparts.com</p> | <p> USA AND CANADA
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us</p> |
| <p> CENTRAL AND EASTERN EUROPE
www.lfspareparts724.cz
jiri.kremela@lfspareparts.cz</p> | |