



Spare parts for:

## Cooking equipment



Suitable for:

# HOBART



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

# HOBART



Suitable for:

## Capacitors, electrical

**3068019 CAPACITOR  $\mu$ F 12.5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



HOBART 226568-8

**3068008 CAPACITOR  $\mu$ F 5 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and EEC 92/31 regulat



HOBART 226568-9

**3068014 CAPACITOR  $\mu$ F 8 450V 50/60Hz**  
operating temperature  $-25+85^{\circ}\text{C}$   
in compliance with EEC 93/68 and 92/31 regulations



HOBART 00-226568-014

HOBART 226568-14

## Clamps

**3449414 DOUBLE-WIRE CLAMP 33.2-34.8**  
for hoses  $\varnothing$  33.2÷34.8 mm



HOBART 324510-341

**3449474 HOSE CLAMP 50-70**  
for pipes  $\varnothing$  50÷70 mm  
made of stainless steel AISI 304  
height 12 mm and screw E7  
suitable for food industry



HOBART 168513-3

## Contactors

**3446561 CONTACTOR LOVATO BF0910A**  
coil 9A 230V 50/60Hz 4.2Kw  
3 normally open contacts  
1 normally open auxiliary contact



HOBART RTFOC00466



## Electronic boxes

**3091040 CONTROL BOX 503 EFD FOR TANDEM**  
model SIT - 220/240V 50/60Hz 7VA



HOBART 310197

## Electronic printed-circuit boards

**3390340 REGULATING ELECTRONIC BOARD 112x100mm**



HOBART 170743

**3390341 POTENTIOMETER COMPLETE WITH CABLE**  
with cable length 615 mm  
D-shaped pin  $\varnothing$  6x4.6 mm



HOBART 170744


## Energy regulators

**3350026 ENERGY ADJUSTER**  
contact capacity 230V 13A - max temperature 125°C  
D-shaped pin  $\varnothing$  6x4.6 mm  
double rotation direction  
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS



HOBART 301200

**3350047 ENERGY REGULATOR**  
contact capacity 240V 15A  
D-shaped pin  $\varnothing$  6x4.6 mm  
universal



HOBART LF-3350068

## Gas taps and accessories

**3348014 GAS TAP 20/S**  
without pilot flame  
fittings  $\varnothing$  M16x1.5mm  
thermocouple fitting M8x1  
D-shaped pin  $\varnothing$  8x6.5mm



HOBART H310138

**3348016 GAS TAP 21S**  
with pilot flame  
fittings  $\varnothing$  M16x1.5mm  
with flow regulator  
thermocouple connection M9x1 mm  
D-shaped pin  $\varnothing$  8x6.5 mm



HOBART H310139



Suitable for:

# HOBART




**3348002 GAS TAP 22S/0**  
 with pilot flame  
 with horizontal flange  
 fittings  $\varnothing$  M20x1.5mm  
 with flow regulator  
 thermocouple connection M9x1  
 D-shaped pin  $\varnothing$  10x8 mm



HOBART 310140

Suitable for:

**3348011 GAS TAP 23S/0**  
 with pilot flame  
 with horizontal flange  
 inlet fitting M28x1.5mm  
 outlet connection M24x1.5mm  
 with flow regulator  
 thermocouple connection M9x1  
 D-shaped pin  $\varnothing$  10x8 mm



HOBART H310141

## Heating elements

**5061485 HEATING ELEMENT SILICONEE 545W 230V**  
 length 360 mm - width 95 mm



HOBART 898126-1

**5023644 HEATING ELEMENT 16000W 230V**  
 length 335 mm - width 250 mm  
 with two holes for bulb - complete with cables  
 for Fryer electric (HOBART) BMESF



HOBART 160035

HOBART 166412

HOBART 180953

**3455155 HEATING ELEMENT 2000W 230V**  
 length 302 mm width 32 mm  
 height 205 mm - fittings M12x1 mm



HOBART H302214

**3755611 QUARTZ PIPE  $\varnothing$  10x460 mm**



HOBART 404007

HOBART 846676-3

HOBART 886676-3

**3455376 STRIKE FOR HEATING ELEMENT**  
 $\varnothing$  external 12.5 mm - for screw  $\varnothing$  4 mm  
 total length 28 mm



HOBART 846677-12

Suitable for:

**3755620 WIRE HEATING ELEMENT 700W 230V**  
total length 385 mm

Suitable for:

**3755611 QUARTZ PIPE  $\varnothing$  10x460 mm**



HOBART D01032  
HOBART 886676-2

HOBART 401032R

HOBART 846676-2

HOBART 404007

HOBART 846676-3

HOBART 886676-3

**3455376 STRIKE FOR HEATING ELEMENT**  
 $\varnothing$  external 12.5 mm - for screw  $\varnothing$  4 mm  
total length 28 mm



HOBART 846677-12

## Hinges, catches and accessories

**5022826 HINGE DOOR LOWER**  
distance between holes 42 mm - overall length 93 mm  
height 43 mm - thread M6



HOBART RBTF900013

## Hydraulic piping

**1449682 SILICONE HOSE  $\varnothing$  5x8 SHORE 60 - 10 m**  
alimentary



HOBART 324081-3

## Indicator lights

**3221329 GREEN INDICATOR LAMP 230V**  
 $\varnothing$  head 16 mm -  $\varnothing$  hole 10 mm - 150°C

**3221192 LAMP SUPPORT**



HOBART 160505

HOBART E299035



# HOBART



Suitable for:

**3221097 NEUTRAL INDICATOR LAMP 220V**  
head  $\varnothing$  8 mm - 120°C



HOBART E216006

Suitable for:

**3221519 ORANGE INDICATOR LAMP 400V**  
head  $\varnothing$  7 mm - hole  $\varnothing$  6 mm  
connection by PVC wires length 250 mm  
for Bain-marie (HOBART)  
for Fryer (HOBART)  
for Grill (HOBART)  
for Hot plate (HOBART)  
for Oven under cooktop (HOBART)



HOBART 905445

## Ironmongery (screws,nuts,washers)

**3528010 FLAT WASHER M6**  
 $\varnothing$  internal/external 6,4/12 mm - thickness 1,6 mm  
st./steel - UNI 6592 - DIN 125 A - ISO 7089



HOBART 602286

**3523086 NUT  $\varnothing$  3/4"**



HOBART 317881

**3528075 SPIRAL SPRING WASHER M8**  
internal/external  $\varnothing$  8.4/14.4 mm - thickness 4 mm  
stainless steel - UNI 1751 - DIN 127 B



HOBART 602305

**3528011 TOOTHED WASHER EXT. M14**  
internal/external  $\varnothing$  14.5/24 mm - thickness 1 mm  
stainless steel - UNI 8842 A - DIN 6798 A



HOBART 602316

## Knobs

**3241898 BLACK KNOB  $\varnothing$  50 mm**  
with index - D-shaped hole 8x6.5 mm  
for gas tap



HOBART 132844



## Microswitches

**3240189 MICRO SWITCH M1DX20 10A 250V**



HOBART 1700340

HOBART 300682

## OR and ORM gaskets

**3186143 GASKET OR 04093 EPDM**



HOBART 67500-11

**3186013 O-RING GASKET 06187 EPDM ø 58 mm**



HOBART E456002  
HOBART 67500-118

HOBART JOTO1249  
HOBART 67500-16

HOBART 067500-81  
HOBART 67500-81

**3060608 O-RING 03050 EPDM**



HOBART 129321-178

HOBART 67500-6

**3186697 O-RING 0159 EPDM**



HOBART RTCU700565

**1186238 O-RING 04081 EPDM**



HOBART 67500-72

**3186290 O-RING 04187 EPDM**



HOBART 276903-21

**3186601 O-RING 04200 EPDM**



HOBART 67500-57

**3186339 O-RING 06175 EPDM**



HOBART 233982-6



Suitable for:

# HOBART



Suitable for:

## Pilot burners and accessories

**3020457 PILOT BURNER BASE**  
ø thread 10 mm



HOBART 368146

**3020459 PILOT BURNER CAP ø 1/8" F**



HOBART T368234

HOBART 368234

**3020422 PILOT BURNER HONEYWELL Q349**  
supplied without sparking plug, nozzle  
with pilot pipe fitting ø 6 mm



HOBART H310148

**3020460 SIT THREE-FLAME PILOT BURNER**  
supplied without sparking plug, nozzle and gasket



HOBART 310272

## Potentiometers

**3390341 POTENTIOMETER COMPLETE WITH CABLE**  
with cable length 615 mm  
D-shaped pin ø 6x4.6 mm



HOBART 170744

## Probes

**3397184 TEMPERATURE PROBE PT100**  
2-wire probe  
cable length 640 mm  
bulb ø 3x13 mm



HOBART 301452





## Relays

**3351008 POWER RELAY FINDER 62.83.8.230.0000**  
230V 50/60Hz  
3 exchange contacts 16A



HOBART 900073


**3351605 RELAY POWER FINDER 60.63.8.230.0000**  
230V 50/60Hz  
3 exchange contacts 10A



HOBART 139321-354

HOBART 139321-395

**3351602 RELAY POWER FINDER 65.31.8.230.0300**  
230V 50/60Hz  
1 switch contact 30A



HOBART 371450-10

HOBART 37145010

## Rotary switches

**3057050 CONNECTING BRACKET 28x21x16 mm**  
distance between hooking brackets 27 mm  
for the connection between selector switch and the



HOBART 300177


HOBART 905109

**3057027 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm  
rear hole for thermostat




HOBART 300176

**3057186 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm




HOBART 144605-81

**5036256 SELECTOR SWITCH 0-1 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm




HOBART 300175

**7100585 SELECTOR SWITCH 0-2 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaped pin  $\varnothing$  6x4.6 mm



HOBART 167516

**3057165 SELECTOR SWITCH 0-3 POSITIONS**  
contact capacity 16A 250V - max 150°C  
D-shaft  $\varnothing$  6x4.6 mm



HOBART 846676-6



Suitable for:

# HOBART



Suitable for:

## Solenoid valves

**3120005 SOLENOID VALVE 329 220/240V  $\varnothing$  10 mm**  
solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
inlet 3/4" - outlet  $\varnothing$  10 mm



HOBART 371450-21

HOBART 775742-2

## Spark generators

**3181003 SPARK GENERATOR 4 OUTLETS**  
220/240V 50/60Hz



HOBART T308488

HOBART 308467

HOBART 308488

## Sparking and detection plugs

**3806002 ROUND SPARKING PLUG  $\varnothing$  7x45 mm**  
faston F 3.2 mm  
fitting  $\varnothing$  1/8"  
with cable length 1300 mm  
overall length with cable 1366 mm



HOBART H308468

## Switches

**3319733 BLACK UNIPOLAR PUSH-BUTTON**  
mounting hole 14x17 mm



HOBART 300157

HOBART 302556



## Tangential and radial fans

- 3526170 TANGENT.VENTILATOR 180 mm RH**  
 230V 50Hz - ø 60 mm  
 with wire heating element 2000W 230V  
 operating temperature -30+135°C



HOBART 304237

## Thermocouples and accessories

- 3440154 THERMOCOUPLE M9x1 90 cm**  
 bulb ø 10x54 mm - with fixing connection M11x1  
 for PILOT HONEYWELL Q349-Q327



HOBART 310144

- 2111641 THERMOCOUPLE SIT M9x1 85 cm**  
 ALUMINIUM HEAD




HOBART 310276

HOBART 7473056


## Thermostatic gas valves

- 3345013 THERMOSTATIC TAP 25ST**  
 djustment temperature 30-90°C  
 connections M16x1.5 mm  
 thermocouple connection M9x1  
 bulb ø 6x160 mm  
 capillary length 1200 mm  
 D-shaped pin ø 8x6.5 mm




HOBART 168008

- 3345018 THERMOSTATIC TAP 25ST**  
 operating temperature 100-300°C  
 connections M16x1.5 mm  
 thermocouple connection M9x1  
 bulb ø 6x75 mm  
 capillary length 1200 mm  
 D-shaped pin ø 8x6.5 mm



HOBART 310137

- 5051226 THERMOSTATIC TAP 25ST**  
 operating temperature 100-300°C  
 flange connection pipe ø 21 mm  
 outlet fitting M16x1.5 mm  
 thermocouple connection M9x1  
 bulb ø 6x100 mm  
 capillary length 1200 mm  
 D-shaped pin ø 8x6.5 mm



HOBART 168005



Suitable for:

# HOBART



Suitable for:

## Thermostats

### 3744011 SINGLE-PHASE THERMOSTAT 10-280°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 1600 mm  
bulb  $\varnothing$  4x226 mm




HOBART H301031

HOBART 301031

### 3444974 SINGLE-PHASE THERMOSTAT 100-615°C


complete with switch  
D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 1100 mm - 16A 250V  
bulb  $\varnothing$  4x230 mm



HOBART 301034

### 3444698 SINGLE-PHASE THERMOSTAT 30-110°C


D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 870 mm  
bulb  $\varnothing$  6x113 mm - with adapter nipple bland M9x1



HOBART 139866-48

### 3444174 SINGLE-PHASE THERMOSTAT 50-320°C


D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 900 mm - 16A 250V  
bulb  $\varnothing$  3x220 mm



HOBART

### 3444198 THREE-PHASE THERMOSTAT 100-180°C

D-shaped pin  $\varnothing$  6x4.6 mm  
covered capillary length 2000 mm - 10A 400V  
bulb  $\varnothing$  6x130 mm



HOBART H301062

HOBART 301062

### 3444959 THREE-PHASE THERMOSTAT 220°C

with manual reset  
capillary length 1000 mm  
bulb  $\varnothing$  6x90 mm



HOBART 301061

### 2111694 THREE-PHASE THERMOSTAT 225°C

with manual reset  
capillary 830 mm  
bulbo  $\varnothing$  6x270 mm



HOBART 49360005

### 3444592 THREE-PHASE THERMOSTAT 340°C

with manual reset  
capillary length 1190 mm  
bulb  $\varnothing$  4x128 mm



HOBART 301053




Suitable for:

Suitable for:

## 3444594 THREE-PHASE THERMOSTAT 65-200°C

D-shaped pin  $\varnothing$  6x4.6 mm  
capillary length 880 mm  
bulb  $\varnothing$  6x77 mm - with adapter nipple bland M9x1  
with complete tank joint M12x1



HOBART 4936008

## Wheels and accessories

## 3522008 SCREW FOR TILTING

total length 915 mm




















HOBART 14784-23

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



Distributing Components, Spare Parts & Accessories  
in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfcomb724.it](http://www.lfcomb724.it) - [www.lfcomb724.mobi](http://www.lfcomb724.mobi) - [info@lfcomb.it](mailto:info@lfcomb.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
  -  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel. +7 499 259 85 75  
Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
  -  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
  -  **LF Repuestos Horeca S.L.U. SPAIN**  
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
  -  **LF GmbH GERMANY**  
Junkersstrasse, 1 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
  -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteilech724.mobi](http://www.lfersatzteilech724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
  -  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
  -  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
  -  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.lenth@lfspareparts.com](mailto:michael.lenth@lfspareparts.com)
  -  **AUSTRIA**  
[www.lfspareparts724.at](http://www.lfspareparts724.at)  
[ludwig.neier@lfersatzteile.at](mailto:ludwig.neier@lfersatzteile.at)
  -  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
  -  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
  -  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
  -  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
  -  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)
  -  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)