



Spare parts for:

## Cooking equipment



Suitable for:

# JEMI



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.

Updates will be issued in case of additions  
and/or amendments.

*Suitable universal spare parts may not be included*

Rel. 2015-07060908





Suitable for:

JEMI



Suitable for:

## Air regulators

- 3025545 AERATION REGULATOR**  
 internal  $\varnothing$  17 mm - external  $\varnothing$  19 mm  
 height 80 mm




JEMI 990909

JEMI 999035

## Ball valves and accessories

- 3526601 GAS VALVE  $\varnothing$  1/2" FF**  
 ballcock valve  
 heavy series with PN 40 total passage  
 DIN - DVGW approved  
 aluminium lever



JEMI 210070

- 3526602 GAS VALVE  $\varnothing$  3/4" FF**  
 ballcock valve  
 heavy series with PN 40 total passage  
 DIN - DVGW approved  
 aluminum lever



JEMI 210069

## Burners, flame spreaders and accessories

- 3025829 BURNER  $\varnothing$  120 mm**  
 for Pot stove gas (JEMI)



JEMI 998209

- 3025544 BURNER  $\varnothing$  125 mm**  
 for Pot stove gas (JEMI) - Series 700 - Series 750



JEMI 070414

- 3025545 AERATION REGULATOR**  
 internal  $\varnothing$  17 mm - external  $\varnothing$  19 mm  
 height 80 mm



JEMI 990909

JEMI 999035



Suitable for:

Suitable for:

**5063984 BURNER  $\varnothing$  150 mm**  
for Pot stove gas (JEMI)



JEMI 998208

**3025830 FLAME SPREADER  $\varnothing$  120 mm OPAQUE**  
for Pot stove gas (JEMI)



JEMI 998219

**3025829 BURNER  $\varnothing$  120 mm**  
for Pot stove gas (JEMI)



JEMI 998209

**3025828 FLAME SPREADER  $\varnothing$  120 mm POLISH**  
for Pot stove gas (JEMI)



JEMI 998217

**3025829 BURNER  $\varnothing$  120 mm**  
for Pot stove gas (JEMI)



JEMI 998209

**3025545 AERATION REGULATOR**  
internal  $\varnothing$  17 mm - external  $\varnothing$  19 mm  
height 80 mm



JEMI 990909

JEMI 999035

**3025545 AERATION REGULATOR**  
internal  $\varnothing$  17 mm - external  $\varnothing$  19 mm  
height 80 mm



JEMI 990909

JEMI 999035




Suitable for:

# JEMI



**5063985 FLAME SPREADER ø 150 mm OPAQUE**  
for Pot stove gas (JEMI)



JEMI 998218

**5063984 BURNER ø 150 mm**  
for Pot stove gas (JEMI)



JEMI 998208

**3025827 FLAME SPREADER ø 150 mm POLISH**  
for Pot stove gas (JEMI)



JEMI 998216

**5063984 BURNER ø 150 mm**  
for Pot stove gas (JEMI)



JEMI 998208

**3025547 FLAME SPREADER ø 155 mm**  
for Pot stove gas (JEMI) - Series 1000  
Series 1300 - Series 550 - Series 600 - Series 700  
Series 750 - Series 900



JEMI 590406

Suitable for:

**3025545 AERATION REGULATOR**  
internal ø 17 mm - external ø 19 mm  
height 80 mm



JEMI 990909

JEMI 999035

**3025545 AERATION REGULATOR**  
internal ø 17 mm - external ø 19 mm  
height 80 mm



JEMI 990909

JEMI 999035

**3025545 AERATION REGULATOR**  
internal ø 17 mm - external ø 19 mm  
height 80 mm



JEMI 990909

JEMI 999035





**Cables for piezo igniters**

**3001046 IGNITION CABLE 370 mm**  
 with faston terminal 3x0.8 mm for ignition  
 with faston terminal  $\varnothing$  2 mm for plug  
 for Fryer gas (JEMI) - Series 1000 - Series 1300  
 Series 600 - Series 700 - Series 750 - Series 900



JEMI 240004

**3001045 IGNITION CABLE 930 mm**  
 with faston terminal 3x0.8 mm for ignition  
 with faston terminal  $\varnothing$  2 mm for plug  
 for Boiling pan gas (JEMI) - Series 1000  
 Series 1300 - Series 550 - Series 700 - Series 750  
 Series 900



JEMI 240005

**Capacitors, electrical**

**3068019 CAPACITOR  $\mu$ F 12.5 450V 50/60Hz**  
 operating temperature  $-25+85^{\circ}\text{C}$   
 in compliance with EEC 93/68 and 92/31 regulations



JEMI 2013001


**3068024 CAPACITOR  $\mu$ F 16 450V 50/60Hz**  
 operating temperature  $-25+85^{\circ}\text{C}$   
 in compliance with EEC 93/68 and 92/31 regulations



JEMI 2013019

**Cast iron hot plates**

**3312076 SMOOTH PLATE 390x350 mm**  
 made of cast iron  
 for Pot stove (JEMI) - Series 1000 - Series 1300  
 Series 550 - Series 600 - Series 900



JEMI 590402

**3312075 SMOOTH PLATE 545x395 mm**  
 made of cast iron  
 for Pot stove (JEMI) - Series 700 - Series 750



JEMI 070412

**Clamps**

**3449453 HOSE CLAMP 25-40**  
 for pipes  $\varnothing$  25÷40 mm  
 made of stainless steel AISI 304  
 height 9 mm and screw E7  
 suitable for food industry



JEMI 2501048

**3449472 HOSE CLAMP 40-60**  
 for pipes  $\varnothing$  40÷60 mm  
 made of stainless steel AISI 304  
 height 12 mm and screw E7  
 suitable for food industry



JEMI 2501090



Suitable for:

# JEMI



Suitable for:

**3449475 HOSE CLAMP 60-80**  
 for pipes  $\varnothing$  60÷80 mm  
 made of stainless steel AISI 304  
 height 12 mm and screw E7  
 suitable for food industry



JEMI 2501210

JEMI 2502140

## Contactors

**3454060 CONTACTOR SCHNEIDER LC1D09B7**  
 9A 400V 4Kw - coil 24V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact  
 1 normally closed auxiliary contact



JEMI 2008328

**3454013 CONTACTOR SCHNEIDER LC1D09P7**  
 9A 400V 4Kw - coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact  
 1 normally closed auxiliary contact



JEMI 2008325

**3454017 CONTACTOR SCHNEIDER LC1D09V7**  
 9A 400V 4Kw - coil 400V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact  
 1 normally closed auxiliary contact



JEMI 2008326

**3454015 CONTACTOR SCHNEIDER LC1D18P7**  
 18A 400V 7.5Kw - coil 230V 50/60Hz  
 3 normally open contacts  
 1 normally open auxiliary contact  
 1 normally closed auxiliary contact



JEMI 2008332

## Cooking baskets and accessories

**3055489 PASTA COOKER BASKET 140x140x200 mm**  
 made of STAINLESS steel  
 for Pasta cooker (JEMI)



JEMI 139048

JEMI 9139048

**3055135 PASTA COOKER BASKET 160x290x200 mm**  
 for 13 portions approx  
 made of STAINLESS STEEL



JEMI 139047

**Door catches**

**3398076 DOOR CATCH**  
for CUPBOARD 550-700-750-900-1000



JEMI 210054

**Drain taps and accessories**

**3356007 DRAIN TAP ø 1"1/2F TECNO**  
TAPERED SEAL - swivel nut ø 1"1/2F  
with gasket  
for BOILING PAN



JEMI 137025

**3356100 DRAIN TAP ø 2" F TECNO**  
GASKET SEAL - with swivel nut ø 2" F



JEMI 137024

**Electric hot plates**

**3311096 ELECTRIC HOT PLATE ø 180 mm 2000W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top




JEMI 240043

**3311097 ELECTRIC HOT PLATE ø 180 mm 2000W 400V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



JEMI 240041

**3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



JEMI 240044

**3311101 ELECTRIC HOT PLATE ø 220 mm 2600W 400V**  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



JEMI 240042



Suitable for:

# JEMI



**3311063 ELECTRIC HOT PLATE 3000W 400V**  
dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



JEMI 240054

Suitable for:

**3311065 ELECTRIC HOT PLATE 4000W 400V**  
dimensions 300x300 mm  
terminal block electric connections  
with STAINLESS steel edge  
for electric cooking top



JEMI 240053

## Electrical cables

**3050027 HEATING ELEMENT FEEDER**  
220/380V  
for Fryer (JEMI)



JEMI 2099006


## Electrical gas valves and accessories

**3526090 ELETROSIT VALVE  $\varnothing$  3/4"FF**  
inlet  $\varnothing$  3/4"F - outlet  $\varnothing$  3/4"F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
pressure adjustment range  
3÷18 mbar  
ambient temperature 0÷60°C  
power supply 230V 50Hz  
long buttons  
pilot connection and LATERAL thermocouple



JEMI 998147

**3526300 VALVE 820 NOVA mV  $\varnothing$  1/2"FF**  
inlet  $\varnothing$  1/2"F - outlet  $\varnothing$  1/2"F  
thermocouple fitting M9x1  
maximum gas inlet pressure 60 mbar  
outlet pressure range setting  
outlet 5÷50 mbar  
room temperature 0÷70°C  
double wire thermopile power supply  
(TPTH - TH terminal)  
thermostat connection (TPTH - TH terminal)  
suitable to replace the ITT valve  
UB67 model



JEMI 998161

**Electronic controllers**

**3445198 THERMOSTAT ATR121 PT100**

power supply 230V  
control in 1 actuation point  
relay output 5(3)A 250V  
room temperature 0+40°C  
PT100 type probe (not included)  
connections by screw terminal block  
front size 77x35x61 mm  
mounting hole 71x29 mm



JEMI 240075

JEMI 240076

**3445201 PROBE FITTING**



JEMI 240107

**3445199 TEMPERATURE PROBE**

2-wire probe  
capillary length 950 mm



JEMI 240077

JEMI 240106

**Feet**

**3313035 ADJUSTABLE S/STEEL FOOT  $\varnothing$  2" x h 105 mm**

with square flange 78x78 mm  
adjustable height 105÷160 mm



JEMI 210074

**3313034 PLASTIC FOOT  $\varnothing$  42 mm**

with fixed screw M10x31 mm



JEMI 670600

JEMI 996000

**Fryer baskets and accessories**

**3055497 BASKET HANDGRIP  $\varnothing$  32x150 mm**

of plastic



JEMI 4046001

JEMI 4046002

**3055492 FRYER BASKET  $\varnothing$  200x90 mm**

made of STAINLESS steel  
for Fryer electric (JEMI) F-4 - J-4 - N-85



JEMI 3501010



Suitable for:

**3055480 FRYER BASKET ø 285x120 mm**  
made of STAINLESS steel  
for Fryer electric (JEMI) J-11 - N-18



JEMI 3501021

**3055493 FRYER BASKET ø 315x140 mm**  
made of STAINLESS steel  
for Fryer electric (JEMI) J-15 - N-27



JEMI 3501035

**3055479 FRYER BASKET 245x130x120 mm**  
made of STAINLESS steel  
for Fryer electric (JEMI) F-3 - J-3



JEMI 3501071

**3055496 FRYER BASKET 290x115x110 mm**  
made of chrome-plated iron  
for Fryer (JEMI) - Series 750



JEMI 137020

**3055487 FRYER BASKET 295x240x110 mm**  
made of STAINLESS steel  
for Fryer electric (JEMI) FR-75



JEMI 137013

Suitable for:

**3055497 BASKET HANDGRIP ø 32x150 mm**  
of plastic



JEMI 4046001

JEMI 4046002

**3055495 FRYER BASKET ø 420x140 mm**  
made of STAINLESS steel  
for Fryer electric (JEMI) N-54



JEMI 3501045

**3055486 FRYER BASKET 257x185x90 mm**  
made of chrome-plated iron  
for Fryer electric (JEMI) F-6 - FR-60 - J-6 - N-10



JEMI 3501072

**3055497 BASKET HANDGRIP ø 32x150 mm**  
of plastic



JEMI 4046001

JEMI 4046002





Suitable for:

**3055488 FRYER BASKET 370x145x120 mm**  
made of STAINLESS steel  
for Fryer electric (JEMI) FR-90



JEMI 210007

Suitable for:

**3055497 BASKET HANDGRIP ø 32x150 mm**  
of plastic



JEMI 4046001

JEMI 4046002

**3055494 FRYER BASKET 375x295x125 mm**  
made of STAINLESS steel  
for Fryer (JEMI) - Series 900



JEMI 210008

**3055497 BASKET HANDGRIP ø 32x150 mm**  
of plastic



JEMI 4046001

JEMI 4046002

## Gas burners

**3023307 BURNER ø 40x1000 mm**  
overall length 1055 mm  
made of STAINLESS steel  
for Oven under cooktop gas (JEMI) - Series 1300



JEMI 208016

**3023295 BURNER ø 40x370 mm**  
overall length 385 mm  
made of STAINLESS steel  
for Fry top gas (JEMI) - Series 600 - Series 700



JEMI 998045

JEMI 998241

**3023304 BURNER ø 40x370 mm**  
overall length 420 mm  
made of STAINLESS steel  
for Oven under cooktop gas (JEMI) - Series 550



JEMI 508012

JEMI 998012

**3023294 BURNER ø 40x495 mm**  
overall length 510 mm  
made of STAINLESS steel  
for Fry top gas (JEMI) - Series 1000 - Series 900



JEMI 998046

JEMI 998242

**3023293 BURNER ø 40x500 mm**  
overall length 540 mm  
made of STAINLESS steel  
for Oven under cooktop gas (JEMI) - Series 700



JEMI 708013

JEMI 998013

**3023291 BURNER ø 40x555 mm**  
overall length 630 mm  
made of STAINLESS steel  
for Oven under cooktop gas (JEMI) - Series 1000  
Series 900



JEMI 908015

JEMI 998019



Suitable for:

# JEMI



**3023296 BURNER  $\varnothing$  40x555 mm**  
overall length 570 mm  
made of STAINLESS steel  
for Fry top gas (JEMI) - Series 1300



JEMI 998047

JEMI 998243

Suitable for:

**5058027 BURNER  $\varnothing$  40x555 mm**  
overall length 630 mm  
of stainless steel



JEMI 998049

**3023297 BURNER  $\varnothing$  50x340 mm**  
overall length 475 mm  
made of STAINLESS steel  
for Fryer gas (JEMI) - Series 700  
for Pasta cooker gas (JEMI) - Series 700



JEMI 998188

**3023298 BURNER  $\varnothing$  50x450 mm**  
overall length 457 mm  
made of STAINLESS steel  
for Boiling pan gas (JEMI) - Series 900



JEMI 998174

**3023292 BURNER  $\varnothing$  50x500 mm**  
overall length 640 mm  
made of STAINLESS steel  
for Fryer gas (JEMI) - Series 900  
for Pasta cooker gas (JEMI) - Series 900



JEMI 998187

**3023299 BURNER 230x90 mm**  
made of STAINLESS steel  
for Boiling pan gas (JEMI) - Series 700



JEMI 998018

JEMI 998175

**3023303 BURNER 285x285 mm**  
overall length 400 mm  
made of chrome-plated iron  
for Grill gas (JEMI) - Series 550



JEMI 508009

**3023255 VERTICAL BURNER  $\varnothing$  75x180 mm**  
made of chrome-plated iron  
for Fryer gas (JEMI) - Series 600



JEMI 998154

Suitable for:

Suitable for:

**3023141 VERTICAL BURNER 305x55 mm**  
made of chrome-plated iron  
for Fryer gas (JEMI) - Series 1000 - Series 1300  
Series 700 - Series 900



JEMI 998148

## Gas taps and accessories

**3348110 GAS TAP GAI**  
without pilot flame  
flange pipe connection  $\varnothing$  23 mm  
outlet pipe fitting  $\varnothing$  3/8"  
double thermocouple connection M8x1  
D-shaped pin  $\varnothing$  8x6.5 mm  
for Pot stove (JEMI) - Series 550



JEMI 508005

**3348109 GAS TAP 21S**  
with pilot flame  
fittings  $\varnothing$  M16x1.5mm  
thermocouple connection M8x1  
D-shaped pin  $\varnothing$  8x6.5 mm  
for Pot stove (JEMI) - Series 1000 - Series 1300  
Series 550 - Series 600 - Series 700 - Series 750  
Series 900



JEMI 998026


**3348005 GAS TAP 22S/0**  
with pilot flame  
with horizontal flange  
fittings  $\varnothing$  M20x1.5 mm  
with flow regulator  
thermocouple connection M8x1  
D-shaped pin  $\varnothing$  10x8 mm



JEMI 998160

JEMI 998184

**3348013 GAS TAP 23S/V**  
with pilot flame  
with vertical flange  
inlet fitting M28x1.5mm  
outlet connection M24x1.5mm  
with flow regulator  
thermocouple connection M10x1  
D-shaped pin  $\varnothing$  10x8 mm




JEMI 998159

**3348036 OLIVE FOR 4 mm  $\varnothing$  PIPE**  
for model PEL 21-22



JEMI 997078

**3348043 PIPE FITTING  $\varnothing$  10 mm**  
thread M16x1.5  
for model PEL 20-21



JEMI 997003



Suitable for:

Suitable for:

**3348044 PIPE OLIVE  $\varnothing$  10 mm**  
for model PEL 20 - 21



JEMI 997004

## Gas valves and accessories

**3523042 MINISIT SENSING ELEMENT  $50 \div 190^{\circ}\text{C}$**   
capillary length 1200 mm  
bulb  $\varnothing$  5x95 mm



JEMI 998170


**3523923 MINISIT VALVE FOR FRYER  $50 \div 190^{\circ}\text{C}$**   
inlet  $\varnothing$  1/2" F - outlet  $\varnothing$  3/8" F  
thermocouple connection M9x1  
maximum gas inlet pressure 50 mbar  
ambient temperature  $0 \div 60^{\circ}\text{C}$   
length capillary 1200 mm  
bulb  $\varnothing$  5x95 mm  
without cover, knob and flanges



JEMI 998155

## Grids for kitchen

**3185148 PAN SUPPORT GRID 395x350 mm**  
for Pot stove (JEMI) - Series 1000 - Series 1300  
Series 550 - Series 600 - Series 900



JEMI 590401

## Handles

**3242366 STAINLESS STEEL HANDLE  $\varnothing$  28x1190 mm**  
for Oven under cooktop gas (JEMI) - Series 550  
Series 700 - Series 750 - Series 900



JEMI 900022

**3242367 STAINLESS STEEL HANDLE  $\varnothing$  28x1300 mm**  
for Oven under cooktop gas (JEMI) - Series 1000



JEMI 300034



Suitable for:

**3242368 STAINLESS STEEL HANDLE  $\varnothing$  28x1600 mm**  
for BUILT-IN OVEN series 900  
for Oven under cooktop gas (JEMI) - Series 900



JEMI 900023

Suitable for:

**3242363 STAINLESS STEEL HANDLE  $\varnothing$  28x390 mm**  
for Oven under cooktop gas (JEMI) - Series 550  
Series 700 - Series 900



JEMI 900020

**3242364 STAINLESS STEEL HANDLE  $\varnothing$  28x585 mm**  
for Oven under cooktop gas (JEMI) - Series 1000  
Series 1300 - Series 550 - Series 700 - Series 750  
Series 900



JEMI 900024

**3242365 STAINLESS STEEL HANDLE  $\varnothing$  28x790 mm**  
for Oven under cooktop gas (JEMI) - Series 700  
Series 900



JEMI 900021

## Heating elements

**3755923 HEATING ELEMENT 1000W 230V**  
length 360 mm - width 100 mm  
fittings M12x1.25 mm  
for Hot cupboard electric (JEMI) - Series 1000  
Series 1300 - Series 550 - Series 700 - Series 750  
Series 900



JEMI 240019

**3755933 HEATING ELEMENT 1000W 230V**  
length 700 mm - width 50 mm  
couplings M12x1,25 mm  
operating ambient: immersion  
for Bain-marie electric (JEMI) - Series 1000  
Series 1300



JEMI 240003

**3755922 HEATING ELEMENT 1250W 230V**  
length 540 mm - width 40 mm  
for Fry top electric (JEMI) - Series 900



JEMI 240056

**3455039 HEATING ELEMENT 15000W 220/240/380/415V**  
external  $\varnothing$  425 mm - height 245 mm  
with cable and sheath  
for Fryer electric (JEMI) J-30GP



JEMI 2001034



Suitable for:

# JEMI



**3755920 HEATING ELEMENT 1650W 230V**  
length 700 mm - width 40 mm  
for Fry top electric (JEMI) - Series 1300



JEMI 240057

Suitable for:

**3455035 HEATING ELEMENT 2000W 230V**  
external ø 217 mm - height 125 mm  
for Fryer electric (JEMI) J-4 - N-85



JEMI 2001003

**3755917 HEATING ELEMENT 2050W 220V**  
length 370 mm - width 60 mm  
height 290 mm - fittings M12x1.25 mm  
for Fryer electric (JEMI) - Series 700



JEMI 240029

**3755930 HEATING ELEMENT 2050W 220V**  
length 305 mm - width 50 mm  
height 250 mm - fittings M12x1.25 mm  
for Fryer electric (JEMI) - Series 700  
Series 750



JEMI 240033

**3755925 HEATING ELEMENT 2200W 230V**  
length 275 mm - width 130 mm  
height 170 mm - fittings M12x1.25 mm  
for Fryer electric (JEMI) J-3



JEMI 2001110

**3755926 HEATING ELEMENT 3200W 230V**  
length 350 mm - width 190 mm  
height 130 mm  
for Fryer electric (JEMI) J-6 VECCHIE  
N-10 VECCHIE



JEMI 2001115

**3050027 HEATING ELEMENT FEEDER**  
220/380V  
for Fryer (JEMI)



JEMI 2099006






**3755909 HEATING ELEMENT 3500W 220V**  
length 525 mm - width 450 mm  
flange 140x25 mm  
for Oven under cooktop electric (JEMI)  
Series 700



JEMI 240040

**5059449 HEATING ELEMENT 3500W 230V**  
length 350 mm - width 180 mm  
height 130 mm - complete with cables  
for Fryer electric (JEMI) J-6 NUOVE - N-10 NUOVE



JEMI 2001083

**3755915 HEATING ELEMENT 4000W 230/400V**  
length 370 mm - width 290 mm  
height 185 mm - with cables and receptacle  
for Fryer electric (JEMI) J-11 - N-18



JEMI 2001012

**3755928 HEATING ELEMENT 4000W 230/400V**  
length 675 mm - width 450 mm  
flange 140x25 mm  
for Oven under cooktop electric (JEMI)  
Series 900



JEMI 240018

**3755009 HEATING ELEMENT 4500W 240V**  
for boiler  
immersed length 280 mm  
flange external  $\varnothing$  60 mm  
with thermostat probe receptacle  
with O-ring  
for Pasta cooker electric (JEMI) - Series 700



JEMI 2001182

**3186013 O-RING GASKET 06187 EPDM  $\varnothing$  58 mm**



JEMI 2514180

**3755918 HEATING ELEMENT 4700/5600W 380/415V**  
length 490 mm - width 80 mm  
height 320 mm - fittings  $\varnothing$  1/4"  
for Fryer electric (JEMI) - Series 1000  
Series 1300 - Series 900



JEMI 240035

**3755919 HEATING ELEMENT 4700W 230V**  
length 490 mm - width 90 mm  
height 310 mm - fittings  $\varnothing$  1/4"  
for Fryer electric (JEMI) - Series 1000  
Series 1300 - Series 900



JEMI 240032



Suitable for:

# JEMI




**3755931 HEATING ELEMENT 500W 230V**  
 length 365 mm - width 50 mm  
 fittings M12x1 mm  
 operating ambient: immersion  
 for Bain-marie electric (JEMI) - Series 600  
 Series 700



JEMI 240001

**3755916 HEATING ELEMENT 5000W 230/400V**  
 ø external 310 mm - height 230 mm  
 complete with cables and sheathing  
 for Fryer electric (JEMI) J-15 - N-27



JEMI 2001021

**3755908 HEATING ELEMENT 6000/6533W 230/340V**  
 immersed length 395 mm  
 flange external ø 72 mm  
 with thermostat probe receptacle - with cap  
 with O-ring  
 upon request nut and washer  
 for Boiling pan electric (JEMI)



JEMI

JEMI 240101

**3755014 HEATING ELEMENT 6000W 230V**  
 for boiler  
 immersed length 290 mm  
 flange external ø 60 mm  
 with thermostat probe receptacle  
 with O-ring  
 for Pasta cooker electric (JEMI) - Series 900



JEMI 2001187

JEMI 2001187+2514180

Suitable for:

**3455036 HEATING ELEMENT 5000W 220/240/380/415V**  
 external ø 310 mm - height 220 mm  
 with cables and receptacle  
 for Fryer electric (JEMI) J-15 - N-27



JEMI 2001022


**3755927 HEATING ELEMENT 5000W 230V**  
 length 560 mm - width 350 mm  
 flange 140x25 mm  
 for Oven under cooktop electric (JEMI)  
 Series 700



JEMI 240039

JEMI 9240039

**3755929 HEATING ELEMENT 6000W 220V**  
 length 700 mm - width 350 mm  
 flange 140x25 mm  
 for Oven under cooktop electric (JEMI)  
 Series 900



JEMI 240017

**3186013 O-RING GASKET 06187 EPDM ø 58 mm**



JEMI 2514180



Suitable for:

**3755932 HEATING ELEMENT 750W 230V**  
 length 525 mm - width 50 mm  
 fittings M12x1 mm  
 operating ambient: immersion  
 for Bain-marie electric (JEMI) - Series 900



JEMI 240002

JEMI 9240002

Suitable for:

**3755921 HEATING ELEMENT 800W 230V**  
 length 365 mm - width 40 mm  
 for Fry top electric (JEMI) - Series 600  
 Series 700 - Series 750



JEMI 240055

**3755914 HEATING ELEMENT 8000/8711W 230/240V**  
 immersed length 465 mm  
 flange external  $\varnothing$  72 mm  
 with thermostat probe receptacle - with cap  
 with O-ring  
 upon request nut and washer  
 for Boiling pan electric (JEMI) - Series 900



JEMI 240100

JEMI 240100+210114

**3455037 HEATING ELEMENT 8000W 220/240/380/415V**  
 external  $\varnothing$  320 mm - height 225 mm  
 with cable and sheath  
 for Fryer electric (JEMI) J-15GP



JEMI 2001024

**3755924 HEATING ELEMENT 8000W 230/400V**  
 $\varnothing$  external 320 mm - height 220 mm  
 complete with cables and sheathing  
 for Fryer electric (JEMI) J-15



JEMI 2001023

**3455038 HEATING ELEMENT 9500W 220/240/380/415V**  
 external  $\varnothing$  425 mm - height 250 mm  
 with cable and sheath  
 for Fryer electric (JEMI) J-30



JEMI 2001032

**3755912 QUARTZ HEATING ELEMENT 400W 230V**  
 length 280 mm -  $\varnothing$  12 mm



JEMI 240026

**3755913 QUARTZ HEATING ELEMENT 600W 230V**  
 length 455 mm -  $\varnothing$  12 mm



JEMI 240022



Suitable for:

# JEMI



Suitable for:

## Hinges, catches and accessories

### 3053314 DOOR HINGE BOTTOM

distance between holes 42 mm  
for Oven under cooktop (JEMI) - Series 1000  
Series 900



JEMI 900035

### 3053034 LID HINGE RADIUS 320 mm

for lid  $\varnothing$  640 mm  
for BOILING KETTLE with round lid



JEMI 210087

### 3053312 RIGHT-LEFTHAND DOOR HINGE FOR OVEN

with door hinge roll holder  
hinge distance between holes 175 mm  
overall hinge length 207 mm  
hinge height 162 mm  
distance between holes door hinge roll holder 95mm  
door hinge roll holder overall length 110 mm  
door hinge roll holder height 23 mm  
for Oven under cooktop (JEMI) - Series 550  
Series 600 - Series 700



JEMI 920600

### 3053313 RIGHT-LEFTHAND DOOR HINGE FOR OVEN


with door hinge roll holder  
hinge distance between holes 175 mm  
overall hinge length 207 mm  
hinge height 162 mm  
distance between holes door hinge roll holder 95mm  
door hinge roll holder overall length 110 mm  
door hinge roll holder height 23 mm  
for Oven under cooktop (JEMI) - Series 1000  
Series 1300 - Series 900



JEMI 920601

### 3053311 SPRINGS RH-LH $\varnothing$ 4 mm

for hinges



JEMI 210101

## Igniters

### 3001020 PIEZO IGNITER

a  $\varnothing$  18 mm hole is required for the assembly  
faston M  $\varnothing$  2.4 mm



JEMI 210075

**Indicator lights**

**3221365 GREEN INDICATOR LAMP 400V**  
head  $\varnothing$  21 mm - hole  $\varnothing$  13 mm



JEMI 240048

JEMI 9240048

**3221364 ORANGE INDICATOR LAMP 400V**  
head  $\varnothing$  21 mm - hole  $\varnothing$  13 mm



JEMI 240049

**3221366 INDICATOR LAMP WHITE 250V**  
 $\varnothing$  head 10 mm -  $\varnothing$  hole 9 mm  
wire connection length 200 mm  
for Fryer electric (JEMI) J-4 - N-85



JEMI 2014001

**3221364 ORANGE INDICATOR LAMP 400V**  
head  $\varnothing$  21 mm - hole  $\varnothing$  13 mm



JEMI 240049

**Injectors**

**3500059 GAS NOZZLE M10x1  $\varnothing$  1.10 mm**



JEMI 997052

**Ironmongery (screws,nuts,washers)**

**1241513 BLIND HEXAGONAL NUT M8 UNI 5721**  
inox - altezza 16 mm - UNI 5721 - DIN 1587



JEMI 1525011



Suitable for:

# JEMI



Suitable for:

## Knobs

**3241648 BLACK KNOB  $\varnothing$  65 mm SILK-SCREEN PRINTED**  
D shaft hole 10x8 mm  
for Boiling pan (JEMI) - Series 700 - Series 900



JEMI 996021

**3241649 BLACK KNOB  $\varnothing$  65 mm SILK-SCREEN PRINTED**  
D shaft hole 8x6.5 mm  
for Pot stove (JEMI) - Series 1000 - Series 1300  
Series 550 - Series 600 - Series 700 - Series 750  
Series 900



JEMI 99601

JEMI 996019

JEMI 9996019

**3241650 BLACK KNOB  $\varnothing$  65 mm SILK-SCREEN PRINTED**  
D shaft hole 8x6.5 mm  
for Pasta cooker (JEMI) - Series 700 - Series 900



JEMI 996026

**3241639 BLACK KNOB  $\varnothing$  65 mm 0-1**  
D shaft hole 6x4.6 mm  
for Oven under cooktop (JEMI) - Series 550  
Series 600 - Series 700 - Series 750 - Series 900



JEMI 996025

**3241640 BLACK KNOB  $\varnothing$  65 mm 0-1-2-3**  
D shaft hole 6x4.6 mm  
for Pot stove (JEMI) - Series 550 - Series 600  
Series 700 - Series 900



JEMI 996023

**3241645 BLACK KNOB  $\varnothing$  65 mm 1-2-3-4-5-6-7-8**  
D shaft hole 6x4.6 mm  
for Fry top (JEMI) - Series 1000 - Series 1300  
Series 550 - Series 600 - Series 700 - Series 750  
Series 900  
for Fryer (JEMI) - Series 1000 - Series 1300  
Series 550 - Series 600 - Series 700 - Series 750  
Series 900  
for Pot stove (JEMI) - Series 550 - Series 600  
Series 700 - Series 750 - Series 900




JEMI 996024

**3241646 BLACK KNOB  $\varnothing$  65 mm 1-2-3-4-5-6-7-8**  
D shaft hole 8x6.5 mm  
for Fry top (JEMI) - Series 1000 - Series 1300  
Series 550 - Series 600 - Series 700 - Series 750  
Series 900  
for Oven under cooktop (JEMI) - Series 1000  
Series 1300 - Series 550 - Series 600 - Series 700  
Series 750 - Series 900



JEMI 996020

**5056154 BLACK KNOB 66x66 mm SILK-SCREENED**  
D-shaft 8x6.5 mm  
for Fry top gas (JEMI) - Series 750-900  
for Pot stove gas (JEMI) - Series 750-900



JEMI 996090



**5056427 BLACK KNOB 66x66 mm 0-1**  
 D-shaft 6x4.6 mm  
 for Bain-marie electric (JEMI) - Series 750-900  
 for Bratt pan electric (JEMI) - Series 900  
 for Fry top electric (JEMI) - Series 750-900  
 for Fryer electric (JEMI) - Series 750-900  
 for Pasta cooker electric (JEMI) - Series 750-900  
 for Pot stove electric (JEMI) - Series 750-900



JEMI 996097

**5056429 KNOB BLACK 66x66 mm 1-2-3-4-5-6-7-8**  
 D-shaped hole 6x4.6 mm  
 for Bain-marie electric (JEMI) - Series 750-900  
 for Bratt pan electric (JEMI) - Series 900  
 for Fry top electric (JEMI) - Series 750-900  
 for Fryer electric (JEMI) - Series 750-900  
 for Pasta cooker electric (JEMI) - Series 750-900  
 for Pot stove electric (JEMI) - Series 750-900



JEMI 996095

**3241642 RED KNOB ø 60 mm SILK-SCREEN PRINTED**  
 D shaft hole 8x6.5 mm  
 for Pot stove (JEMI) - Series 1000 - Series 1300  
 Series 550 - Series 600 - Series 700 - Series 750  
 Series 900



JEMI 990602

**3241647 SILVER KNOB**  
 for DRAIN TAP  
 for Bain-marie (JEMI)  
 for Boiling pan (JEMI)  
 for Pasta cooker (JEMI)



JEMI 1003004

## Magnet groups

**3182018 MAGNETIC UNIT MINISIT**  
 ø head 25 mm - ø end 17 mm - length 56 mm  
 thermocouple connection M10x1



JEMI 998169

**3182011 MAGNETIC UNIT PEL SMALL HEADED**  
 ø head 15 mm - ø end 11 mm - length 44 mm  
 for PEL tap models 20-21  
 for EGA tap model 25213  
 for JUNKERS tap model CH110



JEMI 998027

## Microswitches

**3240410 MICROSWITCH 16(4)A 250V**



JEMI 240025

JEMI 240072

**3240181 PROTECTED MAGNET 62x18x10 mm**



JEMI 2019102



Suitable for:

JEMI



Suitable for:

## Motors

**3240659 LIFTING MOTOR IEC63 0,18Kw 220/240V**  
50Hz 1,39A  
for Bratt pan (JEMI) - Series 900



JEMI 240071

## OR and ORM gaskets

**3186013 O-RING GASKET 06187 EPDM ø 58 mm**



JEMI 2514180

**3186241 VITON O-RING 06212**  
for DRAIN TAP ø 2" OLD MODEL AND  
TECNO NEW MODEL



JEMI 210080

## Pilot burners and accessories

**3020083 NUT & OLIVE ø 4 mm**



JEMI 997006

**3020111 OLIVE FOR 4 mm ø PIPE**



JEMI 997048

**3020311 ONE-FLAME PILOT BURNER**  
with gas jet ø 0.40 mm  
with 2 positions bracket  
gas connection ø 4 mm  
for Pot stove gas (JEMI) - Series 1000  
Series 1300 - Series 550 - Series 600 - Series 700  
Series 750 - Series 900



JEMI 998177

**3020312 ONE-FLAME PILOT BURNER**  
with gas jet ø 0.20 mm  
with 2 positions bracket  
gas connection ø 4 mm  
for Pot stove gas (JEMI) - Series 1000  
Series 1300 - Series 550 - Series 600 - Series 700  
Series 750 - Series 900



JEMI 998141

Suitable for:

**3020316 ONE-FLAME PILOT BURNER**  
with LPG jet  
for Pot stove gas (JEMI) - Series 1000  
Series 1300 - Series 550 - Series 750 - Series 900



JEMI 990040


Suitable for:

**3020317 ONE-FLAME PILOT BURNER**  
with NG jet  
for Pot stove gas (JEMI) - Series 1000  
Series 1300 - Series 550 - Series 750 - Series 900



JEMI 990084

**3020157 PILOT JET  $\varnothing$  0.25 mm**



JEMI 998180

**3020187 PILOT NOZZLE  $\varnothing$  0.51 mm**



JEMI 998168

**3020077 PIPE FITTING  $\varnothing$  4 mm**  
thread M10x1



JEMI 997064

**3020256 THREE-FLAME PILOT BURNER**  
supplied without sparking plug, nozzle  
with pipe fitting and pipe pilot olive  
with thermocouple fitting  
with sparking plug fitting  
for Boiling pan gas (JEMI) - Series 700  
Series 900



JEMI 998179

**3020006 THREE-FLAME PILOT BURNER SIT**  
multigas with jet  $\varnothing$  0.20 mm  
with 3 positions bracket



JEMI 998137

**3020038 THREE-FLAME PRINTED PILOT BURNER SIT**  
without sparking plug, gas nozzle and gasket  
thermocouple fitting included



JEMI 998166

**3020313 TWO-FLAME PILOT BURNER SIT**  
multigas type with nozzle  $\varnothing$  0.20 mm  
with 3 positions bracket



JEMI 090036

**3020314 TWO-FLAME PILOT BURNER SIT**  
multigas type with nozzle  $\varnothing$  0.20 mm  
with 3 positions bracket  
for Fry top gas (JEMI)



JEMI 090037



Suitable for:

JEMI



Suitable for:

## Probes

**3445201 PROBE FITTING**



JEMI 240107

**3445199 TEMPERATURE PROBE**  
2-wire probe  
capillary length 950 mm



JEMI 240077

JEMI 240106

## Reamers

**3003025 JET GAUGE  $\varnothing$  0.45-1.5 mm**  
intermediate measures  
1.50 - 1.40 - 1.30 - 1.25 - 1.20 - 1.15 - 1.10  
1.05 - 0.95 - 0.90 - 0.85 - 0.80 - 0.75 - 0.70  
0.65 - 0.60 - 0.50 - 0.45



JEMI 210083

**3003026 JET GAUGE  $\varnothing$  1.5-3 mm**  
intermediate measures  
3.00 - 2.90 - 2.80 - 2.70 - 2.60 - 2.50 - 2.40  
2.30 - 2.20 - 2.00 - 1.90 - 1.80 - 1.70 - 1.60  
1.50



JEMI 210084


**3003002 REAMER FOR NOZZLES 12 PCS**  
12 pieces package with case  
with mandrel  
diameter range from 0.6 to 1.9 mm



JEMI 210082

## Relays

**3351036 POWER RELAY FINDER 40.51.8.230.0000**  
230V 50/60Hz - 1 exchange contact 10A



JEMI 2054012


**3351039 SOCKET WITH TERMINALS 95.75 10A 250V**



JEMI 2054013


**Rotary switches**

**3057196 SELECTOR SWITCH 0-1 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm  
 for Bratt pan (JEMI) - Series 900



JEMI 998165

**3057060 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm  
 for Oven under cooktop (JEMI) - Series 550  
 Series 600 - Series 700 - Series 900




JEMI 2004051

**3241123 KNOB  $\varnothing$  50 mm**  
 D-shaped hole 6x4.6 mm



JEMI 2016012

**3057087 SELECTOR SWITCH 0-3 POSITIONS**  
 contact capacity 16A 250V - max 150°C  
 D-shaft  $\varnothing$  6x4.6 mm



JEMI 240045

**Solenoid valves**

**3120005 SOLENOID VALVE 329 220/240V  $\varnothing$  10 mm**  
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - outlet  $\varnothing$  10 mm



JEMI 2017007

**3120505 SOLENOID VALVE 329 24V  $\varnothing$  10 mm**  
 solenoid valve 180° - 24V 50/60Hz - max 90°C  
 inlet 3/4" - outlet  $\varnothing$  10 mm



JEMI 2017010



Suitable for:

# JEMI




**3120007 SOLENOID VALVE 349 220/240V  $\varnothing$  10 mm**  
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C  
 inlet 3/4" - dual outlet  $\varnothing$  10 mm



JEMI 2017022

**3120507 SOLENOID VALVE 349 24V  $\varnothing$  10 mm**  
 solenoid valve 180° - 24V 50/60Hz - max 90°C  
 inlet 3/4" - 2 outlets  $\varnothing$  10 mm



JEMI 2017024

## Spark generators

**3181002 SPARK GENERATOR 2 OUTLETS**  
 220/240V 50/60Hz



JEMI 240037

## Sparking and detection plugs

**3020232 SPARKING PLUG ROUND  $\varnothing$  7x44 mm**  
 connection  $\varnothing$  2.4 mm  
 overall length 61 mm



JEMI 210067

JEMI 210202

**3020069 SPARKING PLUG ROUND  $\varnothing$  7x56 mm**  
 model 1/A  
 connection F 2.8x0.8 mm  
 overall length 115 mm



JEMI 210003

## Switches

**3319967 SWITCH 1-POLE GREEN 16A 250V**  
 16(4)A 250V - with indicator lamp  
 max. temperature 120°C  
 mounting hole 11x30 mm  
 for Fryer electric (JEMI) - Series 1000  
 Series 1300 - Series 600 - Series 700 - Series 750  
 Series 900



JEMI 240023

**3319346 SWITCH 2-POLE GREEN 16A 250V**  
 with indicator lamp  
 mounting hole 22x30 mm



JEMI 2002423




Suitable for:

Suitable for:

## 3319390 WHITE PUSH-BUTTON 16A 250V

with protection cap  
1 contact NO  
with cover for button  
silkscreen "arrow"  
mounting hole  $\varnothing$  22 mm  
for Bratt pan (JEMI) - Series 900



JEMI 240073

## Taps for tank refilling

### 3183014 SPOUT - CONNECTION 1/2" M

swivel spout out of chrome plated brass  
spout  $\varnothing$  18 mm  
for Boiling pan (JEMI) - Series 700 - Series 900



JEMI 210079

## Telethermometers

### 3441011 BLACK TELETHERMOMETER 56x25 mm 0-120°C

plastic case  
capillary length 1500 mm  
bulb  $\varnothing$  6x15 mm



JEMI 2028022

## Thermocouples and accessories

### 3440117 CUT-OFF THERMOCOUPLE M9x1 50 cm

cut-off contact with 70 cm cables  
for Pot stove (JEMI) - Series 600 - Series 700  
Series 900



JEMI 998023

### 3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



JEMI 998022



Suitable for:

Suitable for:

3440037 THERMOCOUPLE SIT M9x1 100 cm.

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



JEMI 998022

JEMI 998022

3440038 THERMOCOUPLE SIT M9x1 120 cm

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



JEMI 998022

JEMI 998022

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS




JEMI 998022

### Thermostatic gas valves

3345035 THERMOSTATIC TAP 25ST

djustment temperature 120-320°C  
connections M16x1.5 mm  
thermocouple connection M9x1  
bulb ø 6x100 mm  
capillary length 1200 mm  
D-shaped pin ø 8x6.5 mm  
for Fry top (JEMI)  
for Oven under cooktop (JEMI)



JEMI 998130

### Thermostats

3444616 BULB CONNECTION M12 HOLE ø 6 mm  
stuffing gland M9x1- washer ø 7.7 mm  
gasket ø 7.8 mm - thickness 5 mm

3241870 RING NUT ø 52 mm  
chrome plated metal  
for EGO thermostate knob



JEMI 2037051

JEMI

Suitable for:


**3444700 SINGLE-PHASE THERMOSTAT KIT 50-200°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 with commutator and bulb sheath knob  
 capillary length 870 mm  
 bulb  $\varnothing$  6x80 mm - with adapter nipple bland M9x1  
 for Fryer (JEMI) - Series 1000 - Series 600  
 Series 700 - Series 900



JEMI 998151


Suitable for:

**3444763 SINGLE-PHASE THERMOSTAT 140°C**  
 manual reset  
 covered capillary 1550 mm - 16A 230V  
 bulb  $\varnothing$  6x77 mm - 16A 230V




JEMI 2006062

**3444696 SINGLE-PHASE THERMOSTAT 230°C**  
 with manual reset  
 with knob and nut  
 capillary length 850 mm  
 bulb  $\varnothing$  6x80 mm - with adapter nipple bland M9x1  
 for Fryer (JEMI) - Series 600 - Series 700  
 Series 900



JEMI 2006008

**3444698 SINGLE-PHASE THERMOSTAT 30-110°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 870 mm  
 bulb  $\varnothing$  6x113 mm - with adapter nipple bland M9x1  
 for Pasta cooker (JEMI) - Series 700 - Series 900




JEMI 998156

**3444256 SINGLE-PHASE THERMOSTAT 420°C**  
 with manual reset  
 covered capillary length 1100 mm - 16A 250V  
 bulb  $\varnothing$  4x230 mm  
 for Bratt pan (JEMI) - Series 900



JEMI 578163


**3444699 SINGLE-PHASE THERMOSTAT 50-195°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 870 mm  
 bulb  $\varnothing$  6x75 mm - with stuffing gland M9x1  
 for Fryer (JEMI) - Series 1000 - Series 1300  
 Series 600 - Series 700 - Series 750 - Series 900



JEMI 2006001

JEMI 2006005

**3444361 SINGLE-PHASE THERMOSTAT 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary 950 mm - 16A 250V  
 bulb  $\varnothing$  3x160 mm



JEMI 2006061

**3444697 SINGLE-PHASE THERMOSTAT 50-320°C**  
 D-shaped pin  $\varnothing$  6x4.6 mm  
 capillary length 2300 mm  
 bulb  $\varnothing$  3x160 mm  
 for Oven under cooktop (JEMI) - Series 550  
 Series 600 - Series 700 - Series 750 - Series 900



JEMI 998164



Suitable for:

**JEMI**



Suitable for:

---

## Water valves

---

### 3356096 DRAIN TAP $\varnothing$ 1/2"FF

for Bain-marie (JEMI) - Series 1000 - Series 1300  
Series 600 - Series 700 - Series 750 - Series 900  
for Boiling pan (JEMI) - Series 700 - Series 900  
for Bratt pan (JEMI) - Series 900  
for Pasta cooker (JEMI) - Series 700 - Series 900



JEMI 1001024

JEMI 210001

---

## Wheels and accessories

---

### 3522011 WHEEL $\varnothing$ 200 mm central hole $\varnothing$ 20 mm with folding handle



JEMI 210094

---

## Wire pan supports

---

### 3354023 GRID REDUCER FOR MOKA 172x172 mm made of cast iron for Pot stove (JEMI) - Series 1000 - Series 1300 Series 550 - Series 600 - Series 700 - Series 750 Series 900


















JEMI 990407

*The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.*



Distributing Components, Spare Parts & Accessories  
in original quality worldwide

- 
-  **LF SpA HEADQUARTERS**  
via Voltri, 80 - 47522 Cesena (FC) ITALY  
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10  
[www.lfcomb724.it](http://www.lfcomb724.it) - [www.lfcomb724.mobi](http://www.lfcomb724.mobi) - [info@lfcomb.it](mailto:info@lfcomb.it)  
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55  
[www.lfspareparts724.com](http://www.lfspareparts724.com) - [www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[export@lfspareparts.com](mailto:export@lfspareparts.com)
  -  **EPGC Sas FRANCE**  
13, Rue des Forts - 59960 Neuville en Ferrain  
Tel. +33 (0)3 20 25 06 21  
Fax +33 (0)3 20 25 34 12  
[www.epgc.com](http://www.epgc.com)  
[www.epgc724.mobi](http://www.epgc724.mobi)  
[epgc@epgc.com](mailto:epgc@epgc.com)
  -  **LF GmbH GERMANY**  
Junkersstrasse, 1 - D-82178 Puchheim - München  
Tel. +49 89 89 45 78 66  
Fax +49 89 89 45 78 88  
[www.lfersatzteile724.de](http://www.lfersatzteile724.de)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.de](mailto:info@lfersatzteile.de)
  -  **LF China REPUBLIC OF CHINA**  
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.  
Minhang Dist. - 201103 Shanghai  
Tel. +86 (0)21 33 53 66 31  
Fax +86 (0)21 33 53 66 32  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[china@lfspareparts.com](mailto:china@lfspareparts.com)
  -  **OOO LF RUSSIAN FEDERATION**  
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow  
Tel. +7 499 259 85 75  
Fax +7 495 725 26 53  
[www.lfspareparts724.ru](http://www.lfspareparts724.ru)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.ru](mailto:info@lfspareparts.ru)
  -  **LF Repuestos Horeca S.L.U. SPAIN**  
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo  
Tel. +34 91 477 91 00  
Fax +34 91 477 90 81  
[www.lfrepuestos-horeca724.es](http://www.lfrepuestos-horeca724.es)  
[www.lfrepuestos724.mobi](http://www.lfrepuestos724.mobi)  
[info@lfrepuestos.es](mailto:info@lfrepuestos.es)
  -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**  
Sennweidstrasse, 45 - CH-6312 Steinhausen  
Tel. +41 (0)41 760 15 80-1  
Fax +41 (0)41 760 15 85  
[www.lfersatzteile724.ch](http://www.lfersatzteile724.ch)  
[www.lfersatzteile724.mobi](http://www.lfersatzteile724.mobi)  
[info@lfersatzteile.ch](mailto:info@lfersatzteile.ch)
  -  **LF Spare Parts Ltd. UNITED KINGDOM**  
A10a Lakeside Business Park, Broadway Lane  
South Cerney, Gloucestershire GL7 5XL  
Tel. +44 (0)1285 86 16 25  
Fax +44 (0)1285 86 39 49  
[www.lfspareparts724.co.uk](http://www.lfspareparts724.co.uk)  
[www.lfspareparts724.mobi](http://www.lfspareparts724.mobi)  
[info@lfspareparts.co.uk](mailto:info@lfspareparts.co.uk)
- 
-  **AUSTRALIA AND NEW ZEALAND**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[andrea.calvio@lfspareparts.com](mailto:andrea.calvio@lfspareparts.com)
  -  **AUSTRIA**  
[www.lfspareparts724.at](http://www.lfspareparts724.at)  
[ludwig.neier@lfersatzteile.at](mailto:ludwig.neier@lfersatzteile.at)
  -  **BALKAN COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[matija.ramov@lfspareparts.com](mailto:matija.ramov@lfspareparts.com)
  -  **BALTIC COUNTRIES**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[inara.silina@lfspareparts.com](mailto:inara.silina@lfspareparts.com)
  -  **CENTRAL AND EASTERN EUROPE**  
[www.lfspareparts724.cz](http://www.lfspareparts724.cz)  
[jiri.kremla@lfspareparts.cz](mailto:jiri.kremla@lfspareparts.cz)
  -  **DENMARK**  
[www.lfspareparts724.dk](http://www.lfspareparts724.dk)  
[michael.jeth@lfspareparts.com](mailto:michael.jeth@lfspareparts.com)
  -  **SOUTH KOREA**  
[www.lfspareparts724.com](http://www.lfspareparts724.com)  
[fabio.doni@lfspareparts.com](mailto:fabio.doni@lfspareparts.com)
  -  **TURKEY**  
[www.lfyedekparca724.com](http://www.lfyedekparca724.com)  
[basar.ergun@lfyedekparca.com](mailto:basar.ergun@lfyedekparca.com)
  -  **USA AND CANADA**  
[www.lfspareparts724.us](http://www.lfspareparts724.us)  
[sauro.dallaglio@lfspareparts.us](mailto:sauro.dallaglio@lfspareparts.us)  
[howard.truitt@lfspareparts.us](mailto:howard.truitt@lfspareparts.us)