



Spare parts for:

Cooking equipment



Suitable for:

JUNO-RÖDER-SENKING



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Cables for piezo igniters

- 3001002 IGNITION LEAD 1000 mm**
with faston 6.35x0.8 mm for ignition
with faston \varnothing 4 mm for electrode



JUNO-RÖDER-SENKING

Drain taps and accessories

- 3356171 DRAIN TAP \varnothing 1"1/2F**
complete with food grease tube
GASKET SEAL
flanged connection with screw fastening \varnothing 1"1/2F
made of STAINLESS steel
COMPLIANT WITH THE EUROPEAN REGULATION 1935/2004
SUITABLE FOR USE IN CONTACT WITH FOOD
for Boiling pan (JUNO-RÖDER-SENKING)



JUNO-RÖDER-SENKING 232008

- 3356173 DRAIN TAP \varnothing 1"1/2F**
complete with food grease tube
GASKET SEAL
fixed connection \varnothing 1"1/2F
made of STAINLESS steel
IN COMPLIANCE WITH EUROPEAN REGULATION 1935/2004
FOODSAFE
for Boiling pan (JUNO-RÖDER-SENKING)



JUNO-RÖDER-SENKING 232220

- 3356153 DRAIN TAP \varnothing 1"1/4F**
with fixed connection \varnothing 1"1/4F
for Boiling pan (JUNO-RÖDER-SENKING)



JUNO-RÖDER-SENKING 232210

Electric hot plates

- 3311096 ELECTRIC HOT PLATE \varnothing 180 mm 2000W 230V**
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



JUNO-RÖDER-SENKING 210383


- 3311098 ELECTRIC HOT PLATE \varnothing 220 mm 2000W 230V**
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



JUNO-RÖDER-SENKING 210562

Suitable for:


3311099 **ELECTRIC HOT PLATE ø 220 mm 2000W 400V**
MODEL "ECODESIGN"
 terminal block electric connections
 with stainless steel edge
 for electrical cooking top



JUNO-RÖDER-SENKING 210619

Suitable for:

3311102 **ELECTRIC HOT PLATE ø 300 mm 2500W 400V**
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



JUNO-RÖDER-SENKING 210710

3311070 **ELECTRIC HOT PLATE 2500W 230V**
 dimensions 300x300 mm
 tilting plate
 electric screw couplings
 for electric cooking top




JUNO-RÖDER-SENKING 210747

3311074 **ELECTRIC HOT PLATE 4000W 230V**
 dimensions 300x300 mm
 tilting plate
 terminal block electric connections
 for electric cooking top



JUNO-RÖDER-SENKING 210755

3311151 **ELECTRIC HOT PLATE 4000W 400V**
 dimensions 300x300 mm
 radiant size 270x270 mm
 terminal block electric connections
 for glass-ceramic cooktop
WITHOUT PAN DETECTOR



JUNO-RÖDER-SENKING 214430

Electrical cables

3050075 **SPIRAL FEEDING CABLE 500 mm**
 3 threads ø 1,5 mm
 total length 2000 mm
 with SCHUKO plug



JUNO-RÖDER-SENKING 513012



Electrical gas valves and accessories

3526142 DOUBLE COIL FOR VALVE
220V 50Hz
for VALVE 830 TANDEM-836 TANDEM



JUNO-RÖDER-SENKING 231872

3526090 ELETROSIT VALVE ø 3/4"FF
inlet ø 3/4"F - outlet ø 3/4"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
pressure adjustment range
3÷18 mbar
ambient temperature 0÷60°C
power supply 230V 50Hz
long buttons
pilot connection and LATERAL thermocouple



JUNO-RÖDER-SENKING 203306

3523076 GAS VALVE UNITROL 7000BER-S7CL
inlet ø 3/4"F - outlet ø 3/4"F
thermocouple connection 11/32"
NATURAL GAS pressure switch 6.7"W.C.
slow opening
supply 12Vdc/24Vac 50/60Hz



JUNO-RÖDER-SENKING

3120360 MAGNETIC UNIT UNITROL
ø head 23 mm - length 59 mm
thermocouple connection 11/32"
for GAS VALVE UNITROL 7000 BMSE/BMSGOR



JUNO-RÖDER-SENKING 230436

3526066 HONEYWELL VALVE V4400C ø 3/4"FF 220V
inlet ø 3/4"F - outlet ø 3/4"F
thermocouple connection ASA pitch
maximum gas inlet pressure 60 mbar
room temperature 0÷70°C
power supply 230V 50Hz



JUNO-RÖDER-SENKING 231908

JUNO-RÖDER-SENKING 231912

JUNO-RÖDER-SENKING 231913

JUNO-RÖDER-SENKING 231864

3526141 VALVE 830 TANDEM ø 1/2"FF
inlet ø 1/2"F - outlet ø 1/2"F
thermocouple fitting M10x1
maximum gas inlet pressure 60 mbar
outlet gas pressure setting range 3÷50 mbar
room temperature 0÷60°C
power supply 230V 50Hz



Gas burners

3023255 VERTICAL BURNER ø 75x180 mm
made of chrome-plated iron



JUNO-RÖDER-SENKING 215789

Gas valves and accessories

3523035 KNOB MINISIT BLACK ø 37 mm



JUNO-RÖDER-SENKING 252418

3523920 MINISIT VALVE FOR OVEN 100÷340°C

inlet ø 1/2" F - outlet ø 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb ø 5x70 mm
 without cover, knob and flanges



JUNO-RÖDER-SENKING 244108

JUNO-RÖDER-SENKING 244109

Gaskets and seals

3186187 HEATING ELEMENT GASKET
 external dimensions 68x14 mm



JUNO-RÖDER-SENKING 237353

JUNO-RÖDER-SENKING 246294

Heating elements

3355505 HEATING ELEMENT 1000W 220V
 length 230 mm - width 60 mm
 couplings ø 1/4"
 operating ambient: immersion
 for Bain-marie electric (JUNO-RÖDER-SENKING)



JUNO-RÖDER-SENKING

3355720 HEATING ELEMENT 1000W 220V
 immersed length 225 mm - width 60 mm
 flange 80x28 mm - with receptacle hole



JUNO-RÖDER-SENKING 214610

JUNO-RÖDER-SENKING 231003

3755554 HEATING ELEMENT 1000W 230V
 length 260 mm - width 30 mm
 fittings M10x1 mm - complete with nut and gasket
 operating ambient: immersion
 for Bain-marie electric (JUNO-RÖDER-SENKING)



JUNO-RÖDER-SENKING 2422164020

3755182 HEATING ELEMENT 1080W 230V
 length 480 mm - width 37 mm
 height 62 mm - with cables
 for Grill electric (JUNO-RÖDER-SENKING)



JUNO-RÖDER-SENKING 214337




JUNO-RÖDER-SENKING



Suitable for:

3755287 HEATING ELEMENT 1100W 380V
length 540 mm - height 62 mm
with cables
for Fry top electric (JUNO-RÖDER-SENKING)



JUNO-RÖDER-SENKING 213896

JUNO-RÖDER-SENKING 214743

Suitable for:

3755133 HEATING ELEMENT 1500W 230V
length 395 mm - width 200 mm
2 flanges 30x16 mm
operating ambient: dry



JUNO-RÖDER-SENKING 213786

3755721 HEATING ELEMENT 1500W 230V
length 340 mm - width 37 mm
fittings M10x1 mm
operating ambient: immersion
for Bain-marie electric (JUNO-RÖDER-SENKING)



JUNO-RÖDER-SENKING 214086

3755556 HEATING ELEMENT 1750W 220V
external \varnothing 200 mm - total height 70 mm
flange 70x22 mm



JUNO-RÖDER-SENKING 214759

3755178 HEATING ELEMENT 1800W 230V
length 550 mm - width 95 mm



JUNO-RÖDER-SENKING 249212

3755173 HEATING ELEMENT 2000W 230V
length 285 mm - width 45 mm
height 265 mm - fittings M12x1 mm
for Fryer electric (JUNO-RÖDER-SENKING)



JUNO-RÖDER-SENKING 214335

3755555 HEATING ELEMENT 2000W 230V
length 460 mm - width 30 mm
fittings M10x1 mm
operating ambient: immersion
for Bain-marie electric (JUNO-RÖDER-SENKING)



JUNO-RÖDER-SENKING 2422166000

3755174 HEATING ELEMENT 2500W 230V
length 285 mm - width 45 mm
height 265 mm - fittings M12x1 mm
for Fryer electric (JUNO-RÖDER-SENKING)



JUNO-RÖDER-SENKING 214774



Suitable for:

3755288 HEATING ELEMENT 2500W 230V
length 285 mm - width 70 mm
height 240 mm - fittings M12x1 mm
for Fryer electric (JUNO-RÖDER-SENKING)



JUNO-RÖDER-SENKING 214227

Suitable for:

3755723 HEATING ELEMENT 2600W 230V
ø external 200 mm - total height 65 mm
flange 70x22 mm
for Oven under cooktop electric
(JUNO-RÖDER-SENKING)



JUNO-RÖDER-SENKING 214042

3755172 HEATING ELEMENT 3500W 230V
length 240 mm - width 380 mm
2 flanges 70x22 mm



JUNO-RÖDER-SENKING 214760

3755179 HEATING ELEMENT 4000W 230V
length 255 mm - width 65 mm
flange 80x28 mm



JUNO-RÖDER-SENKING 214286

3755180 HEATING ELEMENT 4000W 400V
length 255 mm - width 65 mm
flange 80x28 mm



JUNO-RÖDER-SENKING 214679

3755181 HEATING ELEMENT 6000W 230V
length 380 mm - width 65 mm
flange 80x28mm



JUNO-RÖDER-SENKING 214287

3355721 HEATING ELEMENT 6000W 400V
for boiler
immersed length 380 mm - width 60 mm
flange 80x28 mm



JUNO-RÖDER-SENKING 214608

JUNO-RÖDER-SENKING 231027

3755290 HEATING ELEMENT 750W 230V
length 470 mm - width 28 mm
flange 44x20 mm



JUNO-RÖDER-SENKING 213375

JUNO-RÖDER-SENKING 213774

JUNO-RÖDER-SENKING 214338


Ignitors

3001007 PIEZO IGNITER
a ø 22 mm hole is needed for the assembly
2.4 mm ø male faston connector



JUNO-RÖDER-SENKING 203189

3001009 PIEZO IGNITER JUNKERS
with faston 6.35x0.8 mm



JUNO-RÖDER-SENKING 200597



Incandescent lamps and neon lamps

3221067 NEON LAMP FOR OVEN E10 2W 230V
dimensions \varnothing 10x28 mm
for OVEN



JUNO-RÖDER-SENKING 846804

3221068 NEON LAMP FOR OVEN E14 2W 380V
dimensions \varnothing 13x30 mm
for OVEN



JUNO-RÖDER-SENKING 565628

3221245 NEON LAMP FOR OVEN E14 230V
dimensions \varnothing 13x30 mm



JUNO-RÖDER-SENKING 565602

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



JUNO-RÖDER-SENKING 211020

JUNO-RÖDER-SENKING 565265

JUNO-RÖDER-SENKING 846098

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



JUNO-RÖDER-SENKING 211199

JUNO-RÖDER-SENKING 245812

JUNO-RÖDER-SENKING 568529

JUNO-RÖDER-SENKING 567941

3221330 QUARTZ LAMP 1000W 230V
overall length 480 mm
glass length 338 mm



Indicator lights

3221132 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



JUNO-RÖDER-SENKING 245878

3221094 INDICATOR LAMP ORANGE 230V
 \varnothing head 14 mm - \varnothing hole 11.5 mm - 120°C



JUNO-RÖDER-SENKING 245883

3221095 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



JUNO-RÖDER-SENKING 245879

5031417 YELLOW INDICATOR LAMP 250V
 \varnothing head 19 mm - \varnothing hole 16 mm - 120°C



JUNO-RÖDER-SENKING 292825

Lamp receptacles and spare parts

3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V

lamp glass \varnothing 42 mm
 mounting hole \varnothing 38 mm
 max temperature 300°C
 for OVEN



JUNO-RÖDER-SENKING 212508

Magnet groups

3182018 MAGNETIC UNIT MINISIT

\varnothing head 25 mm - \varnothing end 17 mm - length 56 mm
 thermocouple connection M10x1



JUNO-RÖDER-SENKING 215650

3182009 MAGNETIC UNIT PEL BIG HEADED

\varnothing head 15.5 mm - \varnothing end 14 mm - length 44 mm
 for PEL tap model 22-24



JUNO-RÖDER-SENKING 215413

3182011 MAGNETIC UNIT PEL SMALL HEADED

\varnothing head 15 mm - \varnothing end 11 mm - length 44 mm
 for PEL tap models 20-21
 for EGA tap model 25213
 for JUNKERS tap model CH110



JUNO-RÖDER-SENKING 215410

3120360 MAGNETIC UNIT UNITROL

\varnothing head 23 mm - length 59 mm
 thermocouple connection 11/32"
 for GAS VALVE UNITROL 7000 BMSER/BMSGOR



JUNO-RÖDER-SENKING 230436

Microswitches

3240406 MICROSWITCH 10(4)A 250V



JUNO-RÖDER-SENKING 245536

3240123 MICROSWITCH 16A 250V



JUNO-RÖDER-SENKING 212424



Pilot burners and accessories

3020382 LPG PILOT BURNER LOWER PART



JUNO-RÖDER-SENKING 230210

3020381 NG PILOT BURNER LOWER PART



JUNO-RÖDER-SENKING 230211

3020001 ONE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket



JUNO-RÖDER-SENKING 230187

3020379 PILOT BURNER GASKET



JUNO-RÖDER-SENKING 246197

3020018 PILOT BURNER GPL CB 503.003
with LPG jet and pilot olive
with pilot pipe connection



JUNO-RÖDER-SENKING

3020380 PILOT BURNER MIDDLE PART



JUNO-RÖDER-SENKING 230638

3020021 PILOT BURNER NATURAL GAS CB 502.032
with NATURAL GAS nozzle and pilot olive
with pilot pipe connection



JUNO-RÖDER-SENKING 230263

3020026 SPARKING PLUG ROUND \varnothing 9x39 mm
faston M4x1 mm
overall length 67 mm
for pilot burner series CB 502



JUNO-RÖDER-SENKING 201578

3020159 PILOT BURNER NATURAL GAS CB 503.006
with NATURAL GAS nozzle and pilot olive
with pilot pipe connection



JUNO-RÖDER-SENKING 200404

3020158 PILOT BURNER NATURAL GAS CB 505.004
with NATURAL GAS nozzle and pilot olive
with pilot pipe connection
with sparking plug and gasket
with sparking plug fitting
with thermocouple fitting



JUNO-RÖDER-SENKING 505059



Suitable for:

Suitable for:

3020151 PILOT BURNER SIT
supplied without sparking plug, head and gasket
with thermocouple fitting
with fitting and olive

3020383 PILOT BURNER UPPER PART



JUNO-RÖDER-SENKING 230626

JUNO-RÖDER-SENKING 233005

JUNO-RÖDER-SENKING 230632

JUNO-RÖDER-SENKING 230637

3020152 PILOT HEAD

3020055 PILOT JET \varnothing 0.35 mm



JUNO-RÖDER-SENKING 200715

JUNO-RÖDER-SENKING 230931

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



JUNO-RÖDER-SENKING 230156

JUNO-RÖDER-SENKING 230584

3020037 THREE-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included

3020002 TWO-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket



JUNO-RÖDER-SENKING 230620

JUNO-RÖDER-SENKING

3020012 TWO-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included



JUNO-RÖDER-SENKING



Relays

3351021 POWER RELAY FINDER 62.82.8.230.0000
 230V 50/60Hz
 2 exchange contacts 16A




JUNO-RÖDER-SENKING 261956

JUNO-RÖDER-SENKING 261957

Rotary switches


3057177 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



JUNO-RÖDER-SENKING 245599


JUNO-RÖDER-SENKING 293587

3057255 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D spindle \varnothing 6x4.6 mm




JUNO-RÖDER-SENKING 247318

3057022 SELECTOR SWITCH 0-1 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



JUNO-RÖDER-SENKING 245596

3057094 SELECTOR SWITCH 0-1 0-1 POSITIONS
 contact capacity 32A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm




JUNO-RÖDER-SENKING 212269

JUNO-RÖDER-SENKING 231420

JUNO-RÖDER-SENKING 231422


3057001 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 32A 250V - max 150°C
 D spindle \varnothing 6x4.6 mm



JUNO-RÖDER-SENKING 231424

JUNO-RÖDER-SENKING 245541


3057002 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 32A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



JUNO-RÖDER-SENKING 231413


JUNO-RÖDER-SENKING 247202

3057093 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm



JUNO-RÖDER-SENKING 245595

3057023 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 32A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm



JUNO-RÖDER-SENKING 231069

JUNO-RÖDER-SENKING 231496

Safety groups for pans and spare parts

- 3184007 PRESSURE GAUGE \varnothing 60 mm**
 in chrome plated brass
 radial connection 1/4"
 scale 0-1 bar
 for safety groups



JUNO-RÖDER-SENKING 236116

Sleeving for cables

- 3050752 SILICONE SEALING BRAIDING \varnothing 6 mm - 10 m**
 temperature $-60^{\circ}+280^{\circ}\text{C}$
 for 100 m rolls see 3050152



JUNO-RÖDER-SENKING 271030

- 3050152 SILICONE SEALING BRAIDING \varnothing 6 mm - 100 m**
 temperature $-60^{\circ}+280^{\circ}\text{C}$
 for 100 m rolls see 3050752



JUNO-RÖDER-SENKING 271030

Solenoid valves

- 3120261 SOLENOID VALVE MULLER 180°**
 inlet 3/4" - outlet \varnothing 12 mm
 coil 230V 50/60Hz - max. temperature 90°C



JUNO-RÖDER-SENKING 231845

- 3120408 SOLENOID VALVE 230V \varnothing 13.5 mm**
 solenoid valve 90° - 230V 50/60Hz - max 90°C
 inlet 3/4" - 1 outlet \varnothing 13.5 mm



JUNO-RÖDER-SENKING

- 3120013 SOLENOID VALVE 263 220/240V \varnothing 10 mm**
 solenoid valve 90° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - triple outlet \varnothing 10 mm



JUNO-RÖDER-SENKING 02712

- 3120004 SOLENOID VALVE 319 220/240V \varnothing 10 mm**
 solenoid valve 90° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - outlet \varnothing 10 mm



JUNO-RÖDER-SENKING 02613



JUNO-RÖDER-SENKING



Suitable for:

3120504 SOLENOID VALVE 319 24V ø 10 mm
solenoid valve 90° - 24V 50/60Hz- max 90°C
inlet 3/4" - outlet ø 10 mm



JUNO-RÖDER-SENKING

Suitable for:

3120006 SOLENOID VALVE 339 220/240V ø 10 mm
solenoid valve 90° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet ø 10 mm



JUNO-RÖDER-SENKING 55444

3120511 SOLENOID VALVE 350 24V ø 14 mm
solenoid valve 90° - 24V 50/60Hz- max 90°C
inlet 3/4" - outlet ø 14 mm



JUNO-RÖDER-SENKING

Sparking and detection plugs

3020060 SPARKING PLUG ROUND ø 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



JUNO-RÖDER-SENKING 249598

JUNO-RÖDER-SENKING 261005

3020026 SPARKING PLUG ROUND ø 9x39 mm
faston M4x1 mm
overall length 67 mm
for pilot burner series CB 502



JUNO-RÖDER-SENKING 201578

3020062 SPARKING PLUG ROUND ø 9x39 mm
faston M4x1 mm
overall length 57 mm
for pilot burner series CB 505...



JUNO-RÖDER-SENKING 203190

3020067 SQUARE IGNITION ELECTRODE 6/7x53 mm
total length 85 mm



JUNO-RÖDER-SENKING 246082

Thermocouples and accessories

3440135 THERMOCOUPLE SIT M10x1 150 cm



JUNO-RÖDER-SENKING 215781

3440132 THERMOCOUPLE SIT M10x1 40 cm



JUNO-RÖDER-SENKING 215783



Suitable for:

3440126 THERMOCOUPLE SIT M10x1 75 cm



JUNO-RÖDER-SENKING 215780

Suitable for:

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



JUNO-RÖDER-SENKING 215784

3440037 THERMOCOUPLE SIT M9x1 100 cm.



JUNO-RÖDER-SENKING 215784

3440837 THERMOCOUPLE SIT M9x1 100 cm - 10 PCS



JUNO-RÖDER-SENKING 215784


Thermostats

3744084 BULB HOLDING CLIP
for heating element thermostat
for pipe \varnothing 17x6 mm - for bulb \varnothing 6 mm




JUNO-RÖDER-SENKING 279296

3744061 SINGLE-PHASE THERMOSTAT 125°C
with manual reset
capillary length 900 mm - 16A 250V
bulb \varnothing 3x150 mm



JUNO-RÖDER-SENKING 215691

3444670 SINGLE-PHASE THERMOSTAT 190°C
with manual reset
capillary length 350 mm - 16A 250V
bulb \varnothing 3.1x178 mm - with adapter nipple bland M9x1




JUNO-RÖDER-SENKING 213151

3444673 SINGLE-PHASE THERMOSTAT 330°C
with manual reset
capillary length 900 mm - 16A 250V
bulb \varnothing 3.1x140 mm




JUNO-RÖDER-SENKING 215673

3444414 SINGLE-PHASE THERMOSTAT 50-250°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1430 mm - 16A 230V
bulb \varnothing 3x160 mm - with adapter nipple band M9x1



JUNO-RÖDER-SENKING 232908

3444668 SINGLE-PHASE THERMOSTAT 50-320°C
complete with switch
D-shaped pin \varnothing 6x4.6 mm
capillary length 3100 mm - 16A 230V
bulb \varnothing 3.1x160 mm



JUNO-RÖDER-SENKING



JUNO-RÖDER-SENKING



Suitable for:

3444754 SINGLE-PHASE THERMOSTAT 50-98°C
D-shaped pin 6x4.6 mm
covered capillary length 2400 mm - 16A 230V
bulb ø 3x335 mm - with stuffing gland M9x1



JUNO-RÖDER-SENKING 232909


Suitable for:

3744140 TERMOSTATO THREE-PHASE 360°C
manual reset
covered capillary length 1490 mm
bulb ø 3x190 mm



JUNO-RÖDER-SENKING

3444756 THREE-PHASE THERMOSTAT 100-650°C/100-680
2 temperatures
complete with switch
D-shaped pin ø 6x4.6 mm
covered capillary length 1200 mm - 16A 230V
bulb ø 3.1x230 mm




JUNO-RÖDER-SENKING

3444567 THREE-PHASE THERMOSTAT 145°C
with manual reset
capillary length 1750 mm - 16A 230V
bulb ø 3.1x180 mm - with adapter nipple band M9x1




JUNO-RÖDER-SENKING 214838

3444036 THREE-PHASE THERMOSTAT 245°C
with manual reset
capillary length 1200 mm - 10A 400V
bulb ø 6x160 mm



JUNO-RÖDER-SENKING 293586

3444076 THREE-PHASE THERMOSTAT 30-110°C
D-shaped pin ø 6x4.6 mm
covered capillary length 1200 mm - 10A 400V
bulb ø 6x130 mm




JUNO-RÖDER-SENKING 214839

JUNO-RÖDER-SENKING 214908

JUNO-RÖDER-SENKING 214948

3444190 THREE-PHASE THERMOSTAT 30-110°C
D-shaped pin ø 6x4.6 mm
covered capillary length 3000 mm - 10A 400V
bulb ø 6x135 mm - with adapter nipple band M9x1
with complete tank joint M12x1



JUNO-RÖDER-SENKING 214846

3444703 THREE-PHASE THERMOSTAT 315°C
with manual reset
covered capillary length 1500 mm - 10A 400V
bulb ø 6x80 mm - with adapter nipple band M9x1



JUNO-RÖDER-SENKING 214803




Suitable for:

Suitable for:

3444707 THREE-PHASE THERMOSTAT 320°C
 with manual reset
 covered capillary length 1450 mm - 10A 400V
 bulb \varnothing 6x176 mm - with adapter nipple band M9x1

3444354 THREE-PHASE THERMOSTAT 350°C
 with manual reset
 capillary length coated 950 mm - 10A 400V
 bulb \varnothing 3x190 mm



JUNO-RÖDER-SENKING 212899


JUNO-RÖDER-SENKING 213139

JUNO-RÖDER-SENKING 213149

JUNO-RÖDER-SENKING 212841

3444704 THREE-PHASE THERMOSTAT 350°C
 with manual reset
 covered capillary length 1500 mm - 10A 400V
 bulb \varnothing 6x80 mm


3444561 THREE-PHASE THERMOSTAT 50-300°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1740 mm - 16A 230V
 bulb \varnothing 6x80 mm



JUNO-RÖDER-SENKING 212844

JUNO-RÖDER-SENKING 214806

3444166 THREE-PHASE THERMOSTAT 95-180°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1800 mm - 10A 400V
 bulb \varnothing 6x135 mm - with adapter nipple bland M9x1
 with complete tank joint M12x1




JUNO-RÖDER-SENKING 215076

Timers

3446001 TIMER 120 MINUTES
 complete with silk-screen printed plate
 mechanical timer with sound alarm
 mechanical movement with balance wheel
 manual left hand positioning possible
 120 minutes manually set cycle
 bipolar with contact capacity 16(3)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm

3446104 TIMER 60 MINUTES M2
 manually set mechanical timer
 manually set cycle 60 minutes
 2 poles with contact capacity 16(4)A 250V
 max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm



JUNO-RÖDER-SENKING 252136

JUNO-RÖDER-SENKING 252227

JUNO-RÖDER-SENKING 247242



Suitable for:

Suitable for:

Wheels and accessories

3522011 WHEEL ø 200 mm
central hole ø 20 mm
with folding handle


















JUNO-RÖDER-SENKING 234851

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories
in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF GmbH GERMANY**
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **DENMARK**
www.lfspareparts724.dk
michael.lenth@lfspareparts.com
 -  **AUSTRIA**
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz