



Spare parts for:

Cooking equipment



Suitable for:

KOMEL



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

KOMEL



Suitable for:

Ball valves and accessories

3356069 DRAIN TAP \varnothing 1" F
internal exit \varnothing 25 mm




KOMEL 00030410

KOMEL 00030420

KOMEL 13110001

3356133 DRAIN TAP LEVER 165 mm



KOMEL 00030450

3356095 DRAIN TAP LEVER 230 mm



KOMEL 00030460

3356094 DRAIN TAP LEVER 380 mm



KOMEL 00030470

3356133 DRAIN TAP LEVER 165 mm



KOMEL 00030450

3356095 DRAIN TAP LEVER 230 mm



KOMEL 00030460

3356094 DRAIN TAP LEVER 380 mm



KOMEL 00030470

Bulb sheaths

3786499 SHEATH FOR THERMOSTAT
complete with fixing nut and washer



KOMEL 00038584

3187016 SHEATH FOR THERMOSTAT \varnothing 3/4
complete with fixing nut and washer
bulb length 310 mm
for Fryer (KOMEL)



KOMEL 00030500

KOMEL 00030502

KOMEL 00035827



Cables for piezo igniters

3001002 IGNITION LEAD 1000 mm
with faston 6.35x0.8 mm for ignition
with faston \varnothing 4 mm for electrode



KOMEL

3001068 IGNITION LEAD 600 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 2,4 mm for electrode



KOMEL 30140002

Capacitors, electrical

3068016 CAPACITOR μ F 10 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



KOMEL 24100009

3068024 CAPACITOR μ F 16 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



KOMEL 24100004

3068010 CAPACITOR μ F 6.3 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



KOMEL 24100001

Clamps

3449401 DOUBLE-WIRE CLAMP 7-7.5 - 100 PCS
for hoses \varnothing 7÷7.5 mm



KOMEL 00003751

KOMEL 05110001

3449462 HOSE CLAMP 12-20
for pipes \varnothing 12÷20 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



KOMEL 05100007



Suitable for:

KOMEL



3449452 HOSE CLAMP 16-25
 for pipes \varnothing 16÷25 mm
 made of stainless steel AISI 304
 height 9 mm and screw E7
 suitable for food industry



KOMEL 0510001

KOMEL 352A

KOMEL 510001

3449453 HOSE CLAMP 25-40
 for pipes \varnothing 25÷40 mm
 made of stainless steel AISI 304
 height 9 mm and screw E7
 suitable for food industry



KOMEL 00003621

KOMEL 05100005

KOMEL 362A

3449454 HOSE CLAMP 32-50
 for pipes \varnothing 32÷50 mm
 made of stainless steel AISI 304
 height 9 mm and screw E7
 suitable for food industry



KOMEL 05100011

3449455 HOSE CLAMP 40-60
 for pipes \varnothing 40÷60 mm
 made of stainless steel AISI 304
 height 9 mm and screw E7
 suitable for food industry



KOMEL 05100003

3449474 HOSE CLAMP 50-70
 for pipes \varnothing 50÷70 mm
 made of stainless steel AISI 304
 height 12 mm and screw E7
 suitable for food industry



KOMEL 00004051

KOMEL 05100004

3168002 HOSE CLAMP 68-85
 for pipes \varnothing 68÷85 mm
 made of stainless steel AISI 304
 height 9 mm and screw E7
 suitable for food industry



KOMEL 00004072

KOMEL 05100008

3449461 HOSE CLAMP 8-12
 for pipes \varnothing 8÷12 mm
 made of stainless steel AISI 304
 height 9 mm and screw E7
 suitable for food industry



KOMEL 05100006

KOMEL 376A



Contactors

3351212 CONTACTOR AEG LS4K 9A 230V 4Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact



KOMEL 00006280

KOMEL 628

KOMEL 25130028

KOMEL 25130031

3351217 CONTACTOR AEG LS7K 18A 230V 7.5Kw
 coil 230V 50/60Hz
 3 normally open contacts
 1 normally closed auxiliary contact



KOMEL 00006220

KOMEL 25130025

3454060 CONTACTOR SCHNEIDER LC1D09B7
 9A 400V 4Kw - coil 24V 50/60Hz
 3 normally open contacts
 1 normally open auxiliary contact
 1 normally closed auxiliary contact



KOMEL 00006070

KOMEL 25130029

KOMEL 25130033

Drain taps and accessories

3356055 DRAIN TAP \varnothing 1" F



KOMEL 00030400

KOMEL 00030401

Electrical gas valves and accessories

3440200 TWIN LEAD THERMOPILE \varnothing 9x65 mm
 cable length 580 mm - with coupling M11X1



KOMEL 17100002

3526300 VALVE 820 NOVA mV \varnothing 1/2" FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure range setting
 outlet 5÷50 mbar
 room temperature 0÷70°C
 double wire thermopile power supply
 (TPTH - TH terminal)
 thermostat connection (TPTH - TH terminal)
 suitable to replace the ITT valve
 UB67 model



KOMEL 16100005



Suitable for:

KOMEL



Suitable for:

Feet

3313060 ADJUSTABLE FOOT S/ST \varnothing 1 3/4 x h 70 mm
with fixed screw M10x23 mm
adjustable h 70÷109 mm



KOMEL 0000960

3313084 ADJUSTABLE S/STEEL FOOT \varnothing 2" x h 107 mm
with fixed screw M10x22 mm
adjustable height 107÷137 mm



KOMEL 00036101

KOMEL 00036102

3313058 ADJUSTABLE S/STEEL FOOT \varnothing 2" x h 140 mm
with set screw
adjustable height 155÷240 mm
for Fryer electric (KOMEL) KESD12 - KES12 - KES20



KOMEL 00035730

3313089 FOOT SPACER M10x18 mm



KOMEL 0000973

KOMEL 0000974

Fittings

3348181 ELBOW FITTING 1/2"
outlet pipe 12 mm



KOMEL 12355007

Fryer baskets and accessories

3055187 FRYER BASKET 260x180x120 mm
in chrome-plated iron
for Fryer electric (KOMEL) KEB6 - KEB6+6



KOMEL 00030560

3055186 FRYER BASKET 290x110x120 mm
made of chrome-plated iron
for Fryer electric (KOMEL) KEB12 - KEB12+12
KEM12 - KEM12+12
for Fryer gas (KOMEL) KGM12 - KGM12+12 - KGW12



KOMEL 0003058A

KOMEL 00030581

KOMEL 00035842



KOMEL



Suitable for:

3055184 FRYER BASKET 290x180x120 mm
in chrome-plated iron
for Fryer electric (KOMEL) KEB8 - KEB8+8



KOMEL 00030570

Suitable for:

3055357 FRYER BASKET 290x215x120 mm
in chromium plated iron
for Fryer electric (KOMEL) KES12
for Fryer gas (KOMEL) KGW12



KOMEL 00035805

3055185 FRYER BASKET 290x235x120 mm
in chrome-plated iron
for Fryer electric (KOMEL) KEB12 - KEB12+12
KEM12 - KEM12+12
for Fryer gas (KOMEL) KGM12 - KGM12+12



KOMEL 00030580

3055191 FRYER BASKET 365x240x120 mm
in chrome-plated iron
for Fryer electric (KOMEL) KEM20 - KEM20+20
for Fryer gas (KOMEL) KGM20 - KGM20+20



KOMEL 00030590

3055193 FRYER BASKET 365x265x120 mm
in chrome-plated iron



KOMEL 00030611

3055475 FRYER BASKET 365x540x125 mm
in chrome plated iron



KOMEL 00030610

KOMEL 00030620

3055312 FRYER BASKET 375x110x120 mm
made of chrome plated iron
for Fryer electric (KOMEL) KEM20 - KEM20+20
for Fryer gas (KOMEL) KGWD20 - KGW20



KOMEL 00030591

KOMEL 00035843

3055310 FRYER BASKET 375x215x125 mm
made of chrome plated iron
for Fryer electric (KOMEL) KES20
for Fryer gas (KOMEL) KGWD20 - KGW20



KOMEL 00035806

Gas burners

3025652 AIR ADJUSTER
internø 26 mm - extern.ø 27 mm - height 55 mm



KOMEL 00038562



Suitable for:

KOMEL



Suitable for:

Gas burners

3023147 BURNER \varnothing 40x340 mm
overall length 380 mm
made of STAINLESS steel



KOMEL 15100006

KOMEL 15100008

3025652 AIR ADJUSTER
intern \varnothing 26 mm - extern. \varnothing 27 mm - height 55 mm



KOMEL 00038562

3023290 BURNER \varnothing 40x445 mm
overall length 485 mm
made of STAINLESS steel
for Fryer gas (KOMEL) KGWD12 - KGW12



KOMEL 15100007

KOMEL 15100009

3025652 AIR ADJUSTER
intern \varnothing 26 mm - extern. \varnothing 27 mm - height 55 mm



KOMEL 00038562

3023218 BURNER 270x53 mm
overall length 300 mm
made of STAINLESS STEEL



KOMEL 00032200

KOMEL 15100001

Gas valves and accessories

3526131 EUROSIT VALVE FOR FRYER 110 \div 190 $^{\circ}$ C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3 \div 18 mbar
ambient temperature 0 \div 80 $^{\circ}$ C
capillary length 1050 mm
bulb \varnothing 4x200 mm



KOMEL 16100007

3523100 FRYER VALVE MINISIT 110 \div 190 $^{\circ}$ C
inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
thermocouple fitting M9x1
gas max inlet pressure 50 mbar
room temperature 0 \div 80 $^{\circ}$ C
capillary length 1200 mm
bulb \varnothing 5x105 mm
with plate, piezo igniter, fittings, plug,
and plug cable
for Fryer gas (KOMEL)



KOMEL 00034610

Suitable for:


3523035 KNOB MINISIT BLACK \varnothing 37 mm



KOMEL 16100003

Suitable for:

3523047 MINISIT COVER



KOMEL 00032410

3523051 MINISIT SENSING ELEMENT 110÷190°C
capillary length 1050 mm
bulb \varnothing 6x105 mm



KOMEL 16100031

3523044 MINISIT SENSING ELEMENT 120÷200°C
capillary length 1050 mm
bulb \varnothing 6x105 mm
for Fryer gas (KOMEL)



KOMEL 00032400

KOMEL 16100030

3523927 MINISIT VALVE FOR FRYER 110÷190°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1200 mm
bulb \varnothing 6x105 mm
without cover, knob and flanges



KOMEL 00032390

3523949 MINISIT VALVE FOR FRYER 110÷190°C
inlet \varnothing 1/2"F - outlet \varnothing 3/8"F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
ambient temperature 0÷60°C
capillary length 1050 mm
bulb \varnothing 6x105 mm
supplied without lid knob and flanges



KOMEL 00038639

KOMEL 16100006

Gaskets and seals

3786377 SHEATH GASKET
external \varnothing 17 mm - internal \varnothing 12.5 mm
for Fryer gas (KOMEL) KGW12 - KGW20



KOMEL 02150008



Suitable for:

KOMEL



Suitable for:

Handles

3242676 BLACK PLASTIC HANDLE 124 mm
distance between mounting holes 107 mm



KOMEL 00030810

KOMEL 19150001

KOMEL 19150002

Heating elements

3355541 HEATING ELEMENT 1500W 220V
length 320 mm - width 55 mm
height 215 mm - fittings \varnothing 1/4"



KOMEL 00033130

3355543 HEATING ELEMENT 2000W 220V
length 320 mm - width 80 mm
height 240 mm - fittings \varnothing 1/4"
for Fryer electric (KOMEL) KEM12



KOMEL 00033141

KOMEL 00033145

3355544 HEATING ELEMENT 3000/3300W 230/240V
length 290 mm - width 170 mm
height 190 mm - fittings \varnothing 1/4"



KOMEL 00033120

3755289 HEATING ELEMENT 3000W 220V
length 280 mm - width 95 mm
height 240 mm - fittings \varnothing 1/4"
for Fryer electric (KOMEL) KEM12



KOMEL 00033142

3755689 HEATING ELEMENT 3333W 220V
length 400 mm - width 90 mm
height 245 mm - fittings \varnothing 1/4"



KOMEL 0003315A

KOMEL 00033150

KOMEL 00033151

3755688 HEATING ELEMENT 5500W 220V
length 390 mm - width 70 mm
height 250 mm - fittings M14x1.5 mm



KOMEL 00033154

KOMEL 00033155

KOMEL 00033172

Hydraulic piping

3450152 HOSE RUBBER REINFORCED \varnothing 13/19 mm
 internal \varnothing 13 mm - external \varnothing 19 mm
 SOLD PER METER



KOMEL 00003720
 KOMEL 00200633
 KOMEL 07100002

KOMEL 00013340
 KOMEL 00200634
 KOMEL 07145011

KOMEL 00013411
 KOMEL 07100001

3450151 REINFORCED RUBBER HOSE \varnothing 38x46 mm
 temperature -40+100°C
 internal \varnothing 38 mm - external \varnothing 46 mm
 SOLD PER METER



KOMEL 07110005

3450109 RUBBER PIPE \varnothing 13x20 mm - 5 m
 operating temperature -40+100°C



KOMEL 00003720
 KOMEL 00200633
 KOMEL 07100002

KOMEL 00013340
 KOMEL 00200634
 KOMEL 07145011

KOMEL 00013411
 KOMEL 07100001

1449681 SILICONE HOSE \varnothing 4x7 SHORE 60 - 5 m
 alimentary



KOMEL 00003750

KOMEL 00011065

KOMEL 07125002

Ignitors

3001007 PIEZO IGNITER
 a \varnothing 22 mm hole is needed for the assembly
 2.4 mm \varnothing male faston connector



KOMEL 33100003

Indicator lights

3221153 INDICATOR LAMP GREEN 380V
 mounting hole 32.5x10 mm - 85°C
 for COUNTER TOP FRYER all models
 for Fryer (KOMEL) - Series KEB - Series KEM



KOMEL 00033200

KOMEL 28110001

3221094 INDICATOR LAMP ORANGE 230V
 \varnothing head 14 mm - \varnothing hole 11.5 mm - 120°C



KOMEL 28100010

KOMEL 28100011



Suitable for:

KOMEL



3221154 INDICATOR LAMP ORANGE 380V
mounting hole 32. 5x10 mm - 85°C
for COUNTER TOP FRYER all models
for Fryer (KOMEL) - Series KEB - Series KEM



KOMEL 00033210

KOMEL 28110002

3221095 ORANGE INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



KOMEL 28100007

3221215 ORANGE INDICATOR LAMP 230V
head ø 16 mm - hole ø 11.5 mm - 120°C



KOMEL 28110100

KOMEL 28110101

Injectors

3500268 GAS NOZZLE M10x1 ø 0.95 mm



KOMEL 18110105

3500056 GAS NOZZLE M10x1 ø 1.85 mm



KOMEL 18110090

KOMEL 18110110

3500263 GAS NOZZLE M10x1 ø 1,10 mm
for Fryer gas (KOMEL) KGBD10 - KGB10



KOMEL 18110121

3500262 GAS NOZZLE M10x1 ø 1,20 mm
for Fryer gas (KOMEL) KGBD10 - KGB10



KOMEL 18110111

KOMEL 18110130

3500381 GAS NOZZLE M10x1 ø 1,60 mm



KOMEL 18110120

3500361 GAS NOZZLE M10x1 ø 1,65 mm



KOMEL 00003222

KOMEL 00032220

KOMEL 18110099

Suitable for:

3500266 GAS NOZZLE M10x1 ø 1,70 mm



KOMEL 18110103

Suitable for:

3500267 GAS NOZZLE M10x1 ø 1,80 mm



KOMEL 18110104

3500265 GAS NOZZLE M10x1 ø 2,05 mm



KOMEL 18110101

3500362 GAS NOZZLE M10x1 ø 2,50 mm



KOMEL 00032230

Interference suppression filters

3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL
0.47µF



KOMEL 00002650

KOMEL 24100100

KOMEL 265

Ironmongery (screws,nuts,washers)

3528010 FLAT WASHER M6
ø internal/external 6,4/12 mm - thickness 1,6 mm
st./steel - UNI 6592 - DIN 125 A - ISO 7089



KOMEL 02120006

3316051 HEATING ELEMENT RETAINING NUT ø 1"1/2



KOMEL 00003875

3528143 HEXAGON NUT M5 BLIND
stainless steel - altezza 11 mm - UNI 5721 - DIN 1



KOMEL 03170005

3060069 HEXAGONAL NUT M8 MEDIUM
stainless steel - UNI 5588 - DIN 934 - ISO 4032



KOMEL 03100008



Suitable for:

KOMEL



Suitable for:

1528030 MID HEXAGONAL NUT M6
stainless steel - UNI 5588 - DIN 934 - ISO 4032



KOMEL 00001712

KOMEL 03100006

Knobs

3241376 BLACK KNOB \varnothing 52 mm 1-2-3-4-5-6-7-8
for MINISIT VALVE



KOMEL 00035809

KOMEL 00035812

KOMEL 00035813

3241091 BLACK KNOB \varnothing 55 mm
square hole 5x5 mm



KOMEL 00006500

KOMEL 00006520

KOMEL 650

3241092 BLACK KNOB \varnothing 55 mm
D shaft hole 6x4.6 mm



KOMEL 00033241

KOMEL 00033250

KOMEL 00033260

3241742 BLACK KNOB \varnothing 55 mm 0-1-2-3-4-5-6-7-8
D-shaped hole 6x4.6 mm



KOMEL 00038683

Magnets

3242587 DOOR LOCK MAGNET
platelet dimensions 51x19 mm
mounting hole 38x25x7.5 mm
for FRYER all models



KOMEL 37180010

Microswitches

3803027 CHANGE OVER MICROSWITCH 16A 250V



KOMEL 25190003

3240204 MAGNETIC MICROSWITCH E5301C
0.4A 250V - contact NO - head 65x20x9 mm
with magnet 63x19x11 mm
with cable length 1900 mm



KOMEL 25240003

Suitable for:

Suitable for:

3240144 MICROSWITCH S16 16A 250V



KOMEL 25190007

OR and ORM gaskets

3186860 OR GASKET 03056 EPDM
EX OR 0118



KOMEL 06140002

Pilot burners and accessories

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



KOMEL 33120004

3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



KOMEL 33120009

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



KOMEL 18100095

3020084 NUT & OLIVE \varnothing 6 mm



KOMEL 16100004

KOMEL 33120013

3020112 OLIVE FOR 6 mm \varnothing PIPE



KOMEL 33120003




Suitable for:

KOMEL



3020433 PILOT BURNER 3-FLAME

supplied without sparking plug
supplied with NATURAL GAS nozzles
supplied with pilot pipe fitting
supplied with thermocouple fitting
with sparking plug fitting
for Fryer gas (KOMEL) KGBD10 - KGB10



KOMEL 33120030

3020045 PILOT GAS JET \varnothing 0.50 mm



KOMEL 18100061

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm

faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



KOMEL 33110001

3020044 PILOT GAS JET \varnothing 0.20 mm



KOMEL 18100060

3020054 PILOT JET \varnothing 0.20 mm



KOMEL 18100097

Suitable for:

3020044 PILOT GAS JET \varnothing 0.20 mm



KOMEL 18100060

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M4x1 mm
total length 65 mm



KOMEL 33110002

3020045 PILOT GAS JET \varnothing 0.50 mm



KOMEL 18100061

3020156 PILOT JET \varnothing 0.25 mm



KOMEL 18100094



KOMEL



Suitable for:

3020040 PILOT JET \varnothing 0.30 mm



KOMEL 00032680

Suitable for:

3020055 PILOT JET \varnothing 0.35 mm



KOMEL 18100096

3500269 PILOT NOZZLE \varnothing 0.45 mm




KOMEL 18100093

3020187 PILOT NOZZLE \varnothing 0.51 mm




KOMEL 00032690

**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



KOMEL 33120002

**3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket**



KOMEL 33120005

3020054 PILOT JET \varnothing 0.20 mm



KOMEL 18100097

3020055 PILOT JET \varnothing 0.35 mm



KOMEL 18100096

**3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm**



KOMEL 33110002



Suitable for:

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm

faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



KOMEL



Suitable for:

KOMEL 33110001

3020199 THREE-FLAME PILOT BURNER SIT
supplied without sparking plug, nozzle and gasket



KOMEL 33120007

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M4x1 mm
total length 65 mm



3020040 PILOT JET \varnothing 0.30 mm



KOMEL 00032680


KOMEL 33110002

3020103 THREE-POSITION BRACKET



KOMEL 33120011

3020310 TWO-FLAME PILOT BURNER SIT
with LPG and NATURAL GAS nozzles
with 3 positions bracket



KOMEL 00038531

3020054 PILOT JET \varnothing 0.20 mm



KOMEL 18100097



Suitable for:

3020055 PILOT JET \varnothing 0.35 mm



KOMEL 18100096

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



KOMEL 33110001

3020009 TWO-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket



KOMEL 00032790

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



KOMEL 33110002

KOMEL



Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



KOMEL 33110002

3020040 PILOT JET \varnothing 0.30 mm



KOMEL 00032680

Pressure gauges

3245018 PRESSURE GAUGE \varnothing 52 mm
fitting \varnothing 1/4" M
scale 0-4 bar



KOMEL 00074350

KOMEL 32130004



Suitable for:

KOMEL



Suitable for:

Probes

3445070 PTC PVC PROBE 1500 mm
2-wire probe temperature range -30+80°C
bulb \varnothing 6x40 mm



KOMEL 22192003

Protection plates

3523050 COVER FOR VALVE



KOMEL 00032420

3244011 VALVE PLATE
length 223 mm - width 70 mm



KOMEL 00038675

Relays

3351021 POWER RELAY FINDER 62.82.8.230.0000
230V 50/60Hz
2 exchange contacts 16A



KOMEL 25130100

Rotary switches

3059010 SINGLE POLE SELECTOR SWITCH
contact capacity 12A 250V - max 60/75°C
square shaft 5x5 mm



KOMEL 00005971

KOMEL 25100001

KOMEL 597/A

3241091 BLACK KNOB \varnothing 55 mm
square hole 5x5 mm



KOMEL 00006500

KOMEL 00006520

KOMEL 650

Suitable for:

3059011 3-POLE SELECTOR SWITCH
 contact capacity 16A 380V - max 60/75°C
 square shaft 5x5 mm



KOMEL 00005980

KOMEL 25110001

KOMEL 598

Suitable for:

3241091 BLACK KNOB \varnothing 55 mm
 square hole 5x5 mm



KOMEL 00006500

KOMEL 00006520

KOMEL 650

Solenoid valves

3120021 INLET REDUCER 12 L/min BLACK




KOMEL 23120004

3120414 SOLENOID VALVE 230V \varnothing 10.5 mm
 solenoid valve 180° - 230V 50/60Hz - max 90°C
 inlet 3/4"- 3 outlets \varnothing 10.5 mm



KOMEL 23120003

3120005 SOLENOID VALVE 329 220/240V \varnothing 10 mm
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - outlet \varnothing 10 mm



KOMEL 23120021

3120007 SOLENOID VALVE 349 220/240V \varnothing 10 mm
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - dual outlet \varnothing 10 mm



KOMEL 00003120

KOMEL 23120001

3120517 SOLENOID-VALVE L140B5 1/2"FF 24V
 for water - normally closed
 max temperature 100°C
 coil z615A 24V 50Hz



KOMEL 00056900

KOMEL 00056930

KOMEL 23130002

KOMEL 23140002

KOMEL 23140004



Suitable for:

KOMEL



Suitable for:

Sparking and detection plugs

3806007 ROUND SPARKING PLUG \varnothing 6.5x45 mm
 male faston M4x1 mm
 overall length 60 mm
 for Fryer gas (KOMEL) KGWDT12 - KGWDT20 - KGWT12
 KGWT20



KOMEL 33110003

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
 male faston M4x1 mm
 total length 65 mm



KOMEL 33110002

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
 faston M 4x1 mm
 overall length 82 mm
 model CB505/021 Junkers
 for model P502F



KOMEL 33110001

Taps for tank refilling

3356111 WATER INLET TAP \varnothing 1/2"FF



KOMEL 13100001

Telethermometers

3441008 TELETHERMOMETER BLACK \varnothing 52 mm 0-120°C
 plastic case
 PVC covered capillary 1500 mm
 bulb \varnothing 6.5x2.6 mm



KOMEL 00006010

KOMEL 32100001

KOMEL 601

3441083 TELETHERMOMETER WHITE \varnothing 52 mm 0-250°C
 metal body
 capillary length 1310 mm
 bulb \varnothing 4x75 mm



KOMEL 32100002



Thermocouples and accessories

3440174 CUT-OFF THERMOCOUPLE QUICK M9x1 40 cm
cut-off contact with terminals



KOMEL 1710003

Thermostats

3444389 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
capillary length 600 mm - 16A 250V
bulb \varnothing 6x83 mm




KOMEL 00032270

KOMEL 22130001

KOMEL 32213001

3444690 SINGLE-PHASE THERMOSTAT 230°C
with manual reset
complete with wiring
covered capillary length 1480 mm
bulb \varnothing 4x125 mm
for Fryer gas (KOMEL) KGW20




KOMEL 22170003

3444893 SINGLE-PHASE THERMOSTAT 55-195°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 1500 mm
bulb \varnothing 4x90 mm



KOMEL 22140002


3444384 SINGLE-PHASE THERMOSTAT 90-180°C
D shaft \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 4x95 mm



KOMEL 00033230

KOMEL 22140001

3444004 THERMOSTAT SINGLE-PHASE TR2 0-90°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 1500 mm - 15A 250V
bulb \varnothing 6.5x95 mm



KOMEL

3444169 THERMOSTAT SINGLE-PHASE TR2 220°C
with manual reset
complete with wiring
capillary length 1500 mm - 15A 250V
bulb \varnothing 5x125 mm



KOMEL 00032610

KOMEL 22170001



Suitable for:

KOMEL



7150012 THERMOSTAT SINGLE-PHASE 105-190°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1500 mm - 16A 250V
 bulb \varnothing 4x235 mm - stuffing gland fitting M10x1



KOMEL 22140003

KOMEL 22140004


Suitable for:

3394327 THERMOSTAT STUFF.GLAND KIT HOLE 1/8"FF
 stuffing gland M10x1



KOMEL 00038680


3444086 THREE-PHASE THERMOSTAT 108-192°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 10A 400V
 bulb \varnothing 6x200 mm



KOMEL 00033240

KOMEL 22160001

3444390 THREE-PHASE THERMOSTAT 230°C
 with manual reset
 capillary 900 mm - 10A 400V
 bulb \varnothing 6x230 mm



KOMEL 00032280

KOMEL 22150001

KOMEL 22150002

Transformers

3445110 TRANSFORMER 230V/12V 3VA
 primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved


















KOMEL 22192006

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories
in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF GmbH GERMANY**
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **DENMARK**
www.lfspareparts724.dk
michael.lenth@lfspareparts.com
 -  **AUSTRIA**
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz