



Spare parts for:

Cooking equipment



Suitable for:

LAINOX



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

*Suitable **universal spare parts** may not be included*





Suitable for:

LAINOX



Suitable for:

Actuators

5033430 ACTUATOR LINEAR 24VDC
max power 5000 N - piston 190 mm
max. speed 5 mm/s



LAINOX CR0684360

Axial motors

3240501 AXIAL FAN SUNON 120x120x38 mm
ball bearings
230V 50/60Hz 22W 2850rpm
DP200A 2123XBT.GN




LAINOX R65060050

3240519 AXIAL MOTOR FAN EBM 4656N
230V 50Hz 19W 2650rpm
119x119x38 mm
ball bearing



LAINOX

3240600 FAN GRID 119x119 mm
distance between mounting holes 145 mm



Ball valves and accessories

3526671 BALL VALVE \varnothing 1/2"FF




LAINOX MA1031400313

5028318 BALL VALVE \varnothing 1"FF



LAINOX SIR0100590

3356078 BUSHING \varnothing 11x20 mm



LAINOX MA1515900

3526678 DRAIN TAP \varnothing 1"FF



LAINOX CR0412260

5023594 CAST IRON FITTING \varnothing 1"MF



3242049 DRAIN TAP HANDLE 140 mm
square hole 6x6 mm



LAINOX MACM155200

3242045 DRAIN TAP LEVER 220 mm
square pin 6x6 mm




LAINOX MACM149101

3242049 DRAIN TAP HANDLE 140 mm
square hole 6x6 mm




LAINOX MACM155200

3356078 BUSHING \varnothing 11x20 mm



LAINOX MA1515900

5028002 DRAIN TAP FITTING \varnothing 1"MM
side exit \varnothing 30 mm - bracket 80x30 mm
distance between holes 60 mm - coupling height 100



3242280 DRAIN TAP KNOB BLACK 79 mm
square hole 6x6 mm



3242045 DRAIN TAP LEVER 220 mm
square pin 6x6 mm



LAINOX MACM149101



Suitable for:

LAINOX



3526632 GAS/WATER BALLCOCK VALVE ϕ 3/4"FF
heavy series with PN 40 total passage
DIN - DVGW approved
aluminium throttle



LAINOX MA1450500

3356078 BUSHING ϕ 11x20 mm



LAINOX MA1515900

Suitable for:

3241275 BLACK KNOB
square hole: 7x7mm



3356077 CLASP ϕ 3.5x30 mm
UNI 6873 - DIN 1481 - ISO 8752



Burners, flame spreaders and accessories

5017735 BURNER ϕ 120 mm 7Kw



LAINOX SIR0100224

3025168 BURNER ϕ 75 mm 3.5 KW



LAINOX SIR0100298

5017734 BURNER ϕ 75 mm 3.5Kw



LAINOX SIR0100225

5035019 BURNER ϕ 95 mm 5.5Kw



LAINOX SIR0100223

3025358 BURNER ϕ 95 mm 5.5KW



LAINOX MACM297300

5049247 BURNER BASE ϕ 100 mm



LAINOX CR0580040

5038822 BURNER BASE ϕ 65 mm



LAINOX CR0580030



LAINOX



Suitable for:

5038533 FLAME SPREADER \varnothing 100 mm



LAINOX CR0580020

5055500 JET HOLDER F/FLAME SPREADER 65-100 mm



LAINOX CR0581700

5038823 FLAME SPREADER \varnothing 65 mm



LAINOX CR0580010

5055500 JET HOLDER F/FLAME SPREADER 65-100 mm



LAINOX CR0581700

3025169 FLAME SPREADER \varnothing 75 mm 4.3Kw



LAINOX SIR0100252

5017734 BURNER \varnothing 75 mm 3.5Kw



LAINOX SIR0100225

Suitable for:

5049247 BURNER BASE \varnothing 100 mm



LAINOX CR0580040

5053306 VENTURI PIPE FOR FLAME SPREADER 100 mm



LAINOX CR0586451

5038822 BURNER BASE \varnothing 65 mm



LAINOX CR0580030

5038824 VENTURI PIPE FOR FLAME SPREADER 65 mm



LAINOX CR0586441

3025168 BURNER \varnothing 75 mm 3.5 KW



LAINOX SIR0100298

3025297 BURNER \varnothing 75 mm 4.3Kw





Suitable for:

3020093 BURNER INJECTOR ASSEMBLY
with LPG and natural gas nozzles M9x1
pipe \varnothing 12 mm



LAINOX



Suitable for:


3025312 SPARKING PLUG SUPPORT
for burners \varnothing 75-95 mm



3025170 VENTURI F/FLAME SPREADER 75 mm 3.5Kw



3025351 FLAME SPREADER \varnothing 85 mm 3.5 KW



LAINOX MA1032501422

3025352 VENTURI F/FLAME SPREADER 85 mm 3.5 KW



LAINOX MA1032101200

3025355 FLAME SPREADER \varnothing 95 mm 5.5 KW



LAINOX MA1032501622

3025357 VENTURI TUBE GASKET 5.5 KW
dimensions 55x62 mm



LAINOX MA1036607900

3025350 BURNER \varnothing 85 mm 3.5KW



3025353 VENTURI TUBE GASKET 3.5 KW
dimensions 47x53 mm



LAINOX MA1036607800

3025356 VENTURI F/FLAME SPREADER 95 mm 5.5Kw





LAINOX



Suitable for:

3025172 FLAME SPREADER 6.4Kw ø 95 mm



LAINOX SIR0100251

5035019 BURNER ø 95 mm 5.5Kw



LAINOX SIR0100223

3020093 BURNER INJECTOR ASSEMBLY
with LPG and natural gas nozzles M9x1
pipe ø 12 mm



Suitable for:

3025171 BURNER ø 95 mm 5.5Kw



3025298 BURNER ø 95 mm 6.4Kw



3025312 SPARKING PLUG SUPPORT
for burners ø 75-95 mm



3025173 VENTURI F/FLAME SPREADER 95 mm 5.5Kw



5055500 JET HOLDER F/FLAME SPREADER 65-100 mm



LAINOX CR0581700

5053306 VENTURI PIPE FOR FLAME SPREADER 100 mm



LAINOX CR0586451

3025352 VENTURI F/FLAME SPREADER 85 mm 3.5 KW



LAINOX MA1032101200

5038824 VENTURI PIPE FOR FLAME SPREADER 65 mm



LAINOX CR0586441



Suitable for:

3025353 VENTURI TUBE GASKET 3.5 KW
dimensions 47x53 mm



LAINOX MA1036607800

Suitable for:


3025357 VENTURI TUBE GASKET 5.5 KW
dimensions 55x62 mm



LAINOX MA1036607900

Buzzers

3397302 ALARM BELL 220V



LAINOX R65330010

Cables for piezo igniters

3001032 IGNITION CABLE 600 mm
with faston terminal \varnothing 2.4 mm for ignition
with faston hole \varnothing 4 mm for plug



LAINOX MA1936300

3001033 IGNITION CABLE 800 mm
with faston terminal \varnothing 2.4 mm for ignition
with faston hole \varnothing 4 mm for plug



LAINOX MA1936400

3001017 IGNITION LEAD 600 mm
with faston 6.35x0.8 mm for ignition
with faston \varnothing 4 mm for electrode



LAINOX MA1950324

Capacitors, electrical

3068016 CAPACITOR μ F 10 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



LAINOX R65190180

3068024 CAPACITOR μ F 16 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



LAINOX R65190030

Suitable for:

3068002 CAPACITOR μ F 2.5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



LAINOX 965315

Suitable for:

3068027 CAPACITOR μ F 20 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and 92/31 regulations



LAINOX R65190040

LAINOX 50405630

3068006 CAPACITOR μ F 4 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



LAINOX R50405600

LAINOX R65190010

LAINOX 50405600

3068008 CAPACITOR μ F 5 450V 50/60Hz
operating temperature $-25+85^{\circ}\text{C}$
in compliance with EEC 93/68 and EEC 92/31 regulat



LAINOX R65190080

Castors, rollers and accessories

5061819 PLATE SWIVELLING WHEEL
with STAINLESS STEEL supports
dimensions \varnothing 125x30 mm - load capacity 200 Kg
fixing plate 105x85 mm
distance between holes 80-60 mm



LAINOX R69090090

5061820 PLATE SWIVELLING WHEEL WITH BRAKE
with STAINLESS STEEL supports
dimensions \varnothing 125x30 mm - load capacity 200 Kg
fixing plate 105x85 mm
distance between holes 80-60 mm



LAINOX R69090100

Clamps

3449462 HOSE CLAMP 12-20
for pipes \varnothing 12÷20 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



LAINOX R61630011

3449456 HOSE CLAMP 50-70
for pipes \varnothing 50÷70 mm
made of stainless steel AISI 304
height 9 mm and screw E7
suitable for food industry



LAINOX R61630031



Suitable for:

LAINOX



Suitable for:

Contactors

3351218 CONTACTOR AEG LS7K 18A 230V 7.5Kw

coil 230V 50/60Hz
3 normally open contacts
1 normally open auxiliary contact



LAINOX MACM187400

5023908 CONTACTOR SIEMENS 3RT1025-1AL20

17A 400V 7.5Kw - coil 230V 50/60Hz
3 normally open contacts



LAINOX R65140400

5059050 AUXILIARY CONTACT SIEMENS 3RH1921

1 contact normally open
1 contact normally closed



LAINOX R65140430

5051716 THERMAL RELAY SIEMENS 1.4-2A

1 normally open contact
1 normally closed contact
3RU1116-1BB0 series S00



LAINOX R65160620

Cooking baskets and accessories

3055284 PASTA COOKER BASKET 280x100x115 mm

made of stainless steel



LAINOX MA1031100000



Drain assembly

3316150 DRAIN ASSEMBLY \varnothing 3/4"
with nut and gasket
external \varnothing 38 mm - internal \varnothing 20 mm
connections \varnothing 26 mm



LAINOX MA1138600

3448279 OVERFLOW PIPE \varnothing 20x64 mm
made of stainless steel



Drain hoses

3356049 OIL DRAIN PIPE WITH SAFETY DEVICE
 \varnothing 22 mm - length 210 mm - bayonet joint
for TECNOINOX BAIN-MARIE-FRYER



LAINOX MA1033300300

Drain taps and accessories

3356104 DRAIN TAP \varnothing 2" F TECNO
TAPERED SEALING - with swivel nut \varnothing 2" F




LAINOX CR0682780

3186242 ASBESTOS FREE FLAT GASKET \varnothing 61x46x2 mm
for drain tap \varnothing 2" old model



3242190 DRAIN TAP HANDGRIP
for DRAIN TAP \varnothing 2" OLD MODEL
AND FOR TECNO NEW MODEL



3179010 FITTINGS SEALING TAPE LOCTITE 55 - 50 m
length 50 mt
suitable to hot and cold drinking water, gas
replaces pastes, hemp and sealing tapes
it allows the repositioning of couplings
in compliance with the latest regulations
Drinking water (Italian certification by C.S.A.,
according to standard KTW and WRC approved)
gas - water IMQ-UNICIG.
compliant with UNI EN 51-2 class Arp
approved by DVGW and DIN 30660





Suitable for:

1180001 GREASE KLUBERSYNTH UH1 14-151 45 g

food safe grease for lubrication
of all friction points
ideal for water and steam taps
operating temperature -45°/+120°
beige color - NSF approval H1
hot and cold water resistant
high anti-corrosion power
can replace vaseline



LAINOX



Suitable for:

3242191 PIN M6x40
for DRAIN TAP ø 2"OLD MODEL



3180061 TAPE FOR JOINTS SEALING LOCTITE 55 - 150

length 150 m
suitable for hot / cold drinking water. gas
replaces pastes, hemp and sealing tapes
it allows the correct replacement of fittings
compliant with the latest regulatory requirements
Drinking water (C.S.A. italian certified.
in line with KTW standard and WRC approved)
IMQ-UNICIG gas-water.
compliant with UNI EN 51-2 class Arp
DVGW and DIN 30660 approved



Electric hot plates

3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V

terminal block electric connections
with STAINLESS steel edge
for electric cooking top



LAINOX MA1832313

3311160 ELECTRIC HOT PLATE ø 250 mm 2500W 230V

faston electric connections
complete with energy regulation
for glass-ceramic cooking top



LAINOX CR0791310

3311053 ELECTRIC HOT PLATE 2600W 230V

dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



LAINOX MA1712913

3311065 ELECTRIC HOT PLATE 4000W 400V

dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



LAINOX MA1937400



Electrical gas valves and accessories

3526089 ELETTROSIT VALVE \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3 ÷ 18 mbar
 ambient temperature 0 ÷ 60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LOWER thermocouple



LAINOX R63025020

LAINOX 50203151

3526108 ELBOW FLANGE \varnothing 1/2" F
 with screws and "O" ring
 for ELETTROSIT VALVE



3526106 STRAIGHT FLANGE \varnothing 1/2" F
 with screws and "O" ring
 for ELETTROSIT VALVE



3526096 VALVE MICROSWITCH
 maximum load 0.2 A
 for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



3526100 COIL 220V
 for VALVE ELETTROSIT



3001008 PIEZO IGNITER
 a \varnothing 14 mm hole is required for the assembly
 faston M \varnothing 2.4 mm



3526107 STRAIGHT FLANGE \varnothing 3/4" F
 with screws and "O" ring
 for ELETTROSIT VALVE





Suitable for:

LAINOX



Suitable for:

3526087 Elettrosit Valve \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 24V 50Hz
 pilot connection and LOWER thermocouple



LAINOX R63025010

3526093 Extension for Elettrosit Button 34 mm
 for switching on/off buttons



3526106 Straight Flange \varnothing 1/2"
 with screws and "O" ring
 for Elettrosit Valve



3526096 Valve Microswitch
 maximum load 0.2 A
 for Valve Elettrosit-820 NOVA-824 NOVASIT



3526108 Elbow Flange \varnothing 1/2" F
 with screws and "O" ring
 for Elettrosit Valve



3001008 Piezo Igniter
 a \varnothing 14 mm hole is required for the assembly
 faston M \varnothing 2.4 mm



3526107 Straight Flange \varnothing 3/4" F
 with screws and "O" ring
 for Elettrosit Valve



3526090 ELETROSIT VALVE \varnothing 3/4"FF
 inlet \varnothing 3/4" F - outlet \varnothing 3/4" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷60°C
 power supply 230V 50Hz
 long buttons
 pilot connection and LATERAL thermocouple



LAINOX R63025030

LAINOX 50203161

3526100 COIL 220V
 for VALVE ELETROSIT



3526093 EXTENSION FOR ELETROSIT BUTTON 34 mm
 for switching on/off buttons



3001008 PIEZO IGNITER
 a \varnothing 14 mm hole is required for the assembly
 faston M \varnothing 2.4 mm



3526106 STRAIGHT FLANGE \varnothing 1/2"
 with screws and "O" ring
 for ELETROSIT VALVE



3526137 BUTTON FOR ELETROSIT VALVE 46 mm



3526108 ELBOW FLANGE \varnothing 1/2" F
 with screws and "O" ring
 for ELETROSIT VALVE



4057862 FITTING \varnothing 3/4" M-3/4" M BRASS



3526136 SPRING FOR PUSH-BUTTON



3526107 STRAIGHT FLANGE \varnothing 3/4" F
 with screws and "O" ring
 for ELETROSIT VALVE





Suitable for:

3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



LAINOX

Suitable for:



3440200 TWIN LEAD THERMOPILE \varnothing 9x65 mm
cable length 580 mm - with coupling M11X1



LAINOX MA1870712

3526061 VALVE VR4605P HONEYWELL \varnothing 1/2"FF
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple connection ASA pitch
maximum gas inlet pressure 100 mbar
room temperature 0÷60°C
power supply 220V 50Hz




LAINOX R63020010

3526078 ELBOW FLANGE \varnothing 3/4" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P




3526077 ELBOW FLANGE \varnothing 1/2" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526076 STRAIGHT FLANGE \varnothing 3/4" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526075 STRAIGHT FLANGE \varnothing 1/2" F
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526176 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure adjustment range
 3÷30 mbar
 ambient temperature 0÷70°C
 power supply 230V 50Hz



LAINOX MA1871200

3526099 COIL 24V
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526077 ELBOW FLANGE \varnothing 1/2" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526078 ELBOW FLANGE \varnothing 3/4" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526102 ELECTRIC COUPLING WITH CABLE
 for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



5047586 EXTENSION FOR VALVE 820 NOVA
 D-shaped pin \varnothing 10x8 mm



3526124 KNOB EXTENSION LENGTH 77 mm
 for VALVE 820 NOVA-824 NOVASIT



3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
 for valve SIT NOVASIT 820



3020083 NUT & OLIVE \varnothing 4 mm



LAINOX MA1394700



Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



3001008 PIEZO IGNITER

a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm



3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3526103 PROTECTING COVER
for VALVE 820 NOVA-824 NOVASIT-822 NOVA-826 NOVA



3526076 STRAIGHT FLANGE \varnothing 3/4"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526096 VALVE MICROSWITCH
maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT




LAINOX

Suitable for:

3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



3348034 PIPE FITTING \varnothing 16 mm
thread M24x1.5
for model PEL 23



3348041 PIPE OLIVE \varnothing 16 mm
for model PEL 23



3526075 STRAIGHT FLANGE \varnothing 1/2"
complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P




5012595 VALVE EXTENSION 820 NOVA
D-shaped pin \varnothing 6x4.6 mm



Suitable for:

3526300 VALVE 820 NOVA mV \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple fitting M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure range setting
 outlet 5÷50 mbar
 room temperature 0÷70°C
 double wire thermopile power supply
 (TPTH - TH terminal)
 thermostat connection (TPTH - TH terminal)
 suitable to replace the ITT valve
 UB67 model



LAINOX MA1870800

3526077 ELBOW FLANGE \varnothing 1/2" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



5047586 EXTENSION FOR VALVE 820 NOVA
 D-shaped pin \varnothing 10x8 mm



3526124 KNOB EXTENSION LENGTH 77 mm
 for VALVE 820 NOVA-824 NOVASIT



3020083 NUT & OLIVE \varnothing 4 mm



LAINOX MA1394700

Suitable for:

3526270 VALVE 820 NOVA EXTENSION
 D shaft \varnothing 10x8 mm



3526078 ELBOW FLANGE \varnothing 3/4" F
 complete with screws and O-Ring
 for valves SIT 820-Honeywell V4400-V4600-VR4605P



4057862 FITTING \varnothing 3/4" M-3/4" M BRASS



3182008 MAGNETIC UNIT SIT
 \varnothing head 35 mm - \varnothing end 20 mm - length 47 mm
 for valve SIT NOVASIT 820



3020084 NUT & OLIVE \varnothing 6 mm





Suitable for:

3001008 PIEZO IGNITER

a \varnothing 14 mm hole is required for the assembly
faston M \varnothing 2.4 mm



LAINOX



Suitable for:

3526075 STRAIGHT FLANGE \varnothing 1/2"

complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P



3526076 STRAIGHT FLANGE \varnothing 3/4"

complete with screws and O-Ring
for valves SIT 820-Honeywell V4400-V4600-VR4605P




3440200 TWIN LEAD THERMOPILE \varnothing 9x65 mm

cable length 580 mm - with coupling M11X1



5012595 VALVE EXTENSION 820 NOVA

D-shaped pin \varnothing 6x4.6 mm



LAINOX MA1870712

3526096 VALVE MICROSWITCH


maximum load 0.2 A
for VALVE ELETTROSIT-820 NOVA-824 NOVASIT



Electronic boxes

3526402 CONTROL BOX S4560A1008

model HONEYWELL - 220/240V 50Hz 10VA



LAINOX R63060020



Electronic controllers

3445327 THERMOSTAT ICPLUS915 PT100/TCJ/TCK

power supply 12V
 thermostat setting range -150+1350°C
 ON-OFF control with two actuation points
 2 exchange relay outputs 8(4)A 250V
 room temperature -5+55°C
 probe type PT100-TCJ-TCK (not included)
 connections by screwed terminal block
 front dimension 78x37x64 mm
 mounting hole 71x29 mm



LAINOX R65340010


3445109 PROBE TCJ VETROTEX 3000 mm

2-wire probe temperature range 0+600°C
 temperature cable max 350°C
 error limit $\pm 0.75\%$ below 0°C
 response time 30 sec
 bulb \varnothing 6x100 mm



3397140 THERMOCOUPLE TEMPER.PROBE TCK

2 wires - temperature -40+1150°C
 bulb \varnothing 6x140 mm - cable length 3000 mm



3445111 TRANSFORMER 24V/12V 3VA

primary tension 24Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0÷60°C
 screw terminal block
 IMQ approved



3445117 PROBE PT100 VETROTEX 3000 mm

3-wire probe temperature range 0+350°C
 bulb \varnothing 6x100 mm



LAINOX R50305111

LAINOX R65325010

LAINOX 50305111

3445112 PROBE TCK VETROTEX 3000 mm

2-wire probe temperature range 0+350°C
 error limits $\pm 2\%$ above 0°C
 30 seconds response time
 bulb \varnothing 6x100 mm



3445110 TRANSFORMER 230V/12V 3VA

primary tension 230Vca 50/60Hz
 secondary tension 12Vca 3VA
 room temperature 0+60°C
 screw terminal block
 IMQ approved





Suitable for:

LAINOX

Suitable for:




Electronic printed-circuit boards

5033813 CIRCUIT CONTROL BOARD KIT
complete with main board and flat cable
dimensions control board 90x43 mm
main board dimensions 105x90 mm
cable length flat 300 mm



LAINOX MACM295800

5008466 ELECTRONIC BOARD KEYBOARD 123x56 mm
for Hot cupboard (LAINOX) LA10 - LA15 - LA16
LA18 - LV10 - LV15 - LV16 - LV18



LAINOX R65300760

7102282 PUSH-BUTTON PANEL ELECTR.BOARD 203x70 mm
for Hot cupboard (LAINOX)



LAINOX R65300751

Energy regulators

3350026 ENERGY ADJUSTER
contact capacity 230V 13A - max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
double rotation direction
for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS




LAINOX MACM293900

LAINOX R50304011

LAINOX 50304011

LAINOX R65080250

3350035 ENERGY ADJUSTER
contact capacity 230V 13A
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



LAINOX MACM293900

Fryer baskets and accessories

3055264 FRYER BASKET 305x180x110 mm
in chrome-plated iron



LAINOX MA1031110222

3055211 FRYER BASKET 360x160x120 mm
made of chrome-plated iron



LAINOX MACM030200



Suitable for:

7100503 FRYER BASKET 360x160x120 mm
chrome-plated iron



LAINOX CR0580810


Suitable for:

5021940 FRYER BASKET 360x325x120 mm
chrome-plated iron



LAINOX MACM030100

3055347 NET FOR FALSE BOTTOM 410x340 mm
made of chrome-plated iron



LAINOX MACM030500

Fuses

3049009 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 400mA



LAINOX R65200350

3049016 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 2A



LAINOX R65200200

LAINOX 50304780

3049125 DELAY FUSE \varnothing 5x20 mm - 10 PCS
250V 5A



LAINOX R65200240

3049037 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 125mA



LAINOX R65200080

LAINOX 50304763

LAINOX R65200086

LAINOX R65200088

3049039 QUICK ACTING FUSE \varnothing 5x20 mm - 10 PCS
250V 200mA



LAINOX R65200320



Suitable for:

LAINOX

Suitable for:



Gas burners

3023248 BURNER \varnothing 40x545 mm
overall length 550 mm
made of STAINLESS steel



LAINOX SIR0100284

3023266 BURNER \varnothing 50x310 mm
overall length 370 mm
made of STAINLESS steel



LAINOX MACM088200

3023267 BURNER \varnothing 50x475 mm
overall length 540 mm
made of STAINLESS steel



LAINOX MACM088100

5034284 BURNER 1010x525 mm
chrome-plated iron



LAINOX MACM070103

3023230 BURNER 525x205 mm
made of STAINLESS steel



LAINOX MACM203100

5028943 NOZZLE HOLDER FOR BURNER
tapered coupling for pipe M16x1.5 mm
fixing M14x1 mm - tube \varnothing 10 mm



5028943 NOZZLE HOLDER FOR BURNER
tapered coupling for pipe M16x1.5 mm
fixing M14x1 mm - tube \varnothing 10 mm



3023161 BURNER 445x200 mm
made of stainless steel



LAINOX MA1828112

5028943 NOZZLE HOLDER FOR BURNER
tapered coupling for pipe M16x1.5 mm
fixing M14x1 mm - tube \varnothing 10 mm





Suitable for:

3023227 BURNER 655x190 mm
made of STAINLESS steel



LAINOX MACM033503

5054201 BURNER 675x190 mm
made of chrome-plated iron



LAINOX CR0581960

3023226 BURNER 700x205 mm
made of STAINLESS steel



LAINOX MACM201900

3023229 VERTICAL BURNER 315x50 mm
made of STAINLESS steel



LAINOX MACM011401

Suitable for:

5028943 NOZZLE HOLDER FOR BURNER
tapered coupling for pipe M16x1.5 mm
fixing M14x1 mm - tube \varnothing 10 mm



5028943 NOZZLE HOLDER FOR BURNER
tapered coupling for pipe M16x1.5 mm
fixing M14x1 mm - tube \varnothing 10 mm




Gas taps and accessories

3348016 GAS TAP 21S
with pilot flame
fittings \varnothing M16x1.5mm
with flow regulator
thermocouple connection M9x1 mm
D-shaped pin \varnothing 8x6.5 mm



LAINOX MA1031500200

3348021 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 21S





Suitable for:

5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182011 MAGNETIC UNIT PEL SMALL HEADED
 \varnothing head 15 mm - \varnothing end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22



LAINOX

Suitable for:

3348085 GAS VALVE BUSHING



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3348037 OLIVE FOR PILOT PIPE \varnothing 6 mm
for model PEL 21-22-25




3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5
for model PEL 20-21



LAINOX MA1326500

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1





Suitable for:

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



LAINOX MA86720

5052175 GAS TAP 21S
with pilot flame
pipe flange fitting \varnothing 21 mm
outlet connection \varnothing M16x1,5 mm
with flow rate adjuster
thermocouple connection M9x1
D-shaft \varnothing 8x6.5 mm



LAINOX CR0580450

5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3348037 OLIVE FOR PILOT PIPE \varnothing 6 mm
for model PEL 21-22-25



LAINOX

Suitable for:



3348021 CAP WITH PIN \varnothing 8x6.5 mm
pin length 22 mm
for model PEL 21S



3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182011 MAGNETIC UNIT PEL SMALL HEADED
 \varnothing head 15 mm - \varnothing end 11 mm - length 44 mm
for PEL tap models 20-21
for EGA tap model 25213
for JUNKERS tap model CH110



3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22





Suitable for:

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5
for model PEL 20-21



LAINOX MA1326500

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



LAINOX



Suitable for:

3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22



3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21




LAINOX MA86720

3348002 GAS TAP 22S/O
with pilot flame
with horizontal flange
fittings \varnothing M20x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 10x8 mm




LAINOX MA1888600

3348019 CAP WITH PIN \varnothing 10x9 mm
pin length 26 mm
for model PEL 22



3348017 CAP WITH PIN \varnothing 10x8 mm
pin length 26 mm
for model PEL 22



5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



3348024 FLANGE VERTICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348023 HORIZONTAL FLANGE \varnothing 12/10 mm
thread M20x1.5
for model PEL 22





Suitable for:

3348025 HORIZONTAL FLANGE CONICAL \varnothing 12/10 mm
thread M20x1.5
for model PEL 22



3348059 MAGNET PROTECTION NUT M9x1
thread M18x1mm
for model PEL 20-21-22



3348037 OLIVE FOR PILOT PIPE \varnothing 6 mm
for model PEL 21-22-25



3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



3348032 PIPE FITTING \varnothing 12 mm
thread M20x1.5
for model PEL 22



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



LAINOX

Suitable for:

3348058 MAGNET PROTECTION NUT M8x1
thread M18x1 mm
for model PEL 20-21-22



3182009 MAGNETIC UNIT PEL BIG HEADED
 \varnothing head 15.5 mm - \varnothing end 14 mm - length 44 mm
for PEL tap model 22-24




3020082 OLIVE FOR 12 mm \varnothing PIPE



LAINOX MA417810

3348031 PIPE FITTING \varnothing 10 mm
thread M20x1.5
for model PEL 22



3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22



3348038 PIPE OLIVE \varnothing 10 mm
for model PEL 22





Suitable for:

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5
for model PEL 20-21



LAINOX MA1326500

Suitable for:


3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



LAINOX MA86720

Gas valves and accessories

3526260 EUROSIT VALVE CAP




LAINOX MA1888200

3526131 EUROSIT VALVE FOR FRYER 110 \div 190 $^{\circ}$ C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3 \div 18 mbar
ambient temperature 0 \div 80 $^{\circ}$ C
capillary length 1050 mm
bulb \varnothing 4x200 mm



LAINOX MACM097000

4056009 CAP FOR VALVE EUROSIT



3526260 EUROSIT VALVE CAP



LAINOX MA1888200

3241435 EUROSIT VALVE EXTENSION
D shaft \varnothing 10x8 mm



3526126 EUROSIT VALVE EXTENSION
D shaft \varnothing 10x8 mm



3526677 EXTENSION FOR EUROSIT VALVE
D-shaped pin \varnothing 10x8 mm



LAINOX MACM057701



Suitable for:

3526127 FLANGE FOR KNOB EXTENSION




3020084 NUT & OLIVE \varnothing 6 mm



3001111 PIEZO IGNITER EUROSIT
male faston \varnothing 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE



3526250 EUROSIT VALVE FOR FRYER 110÷190°C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple fitting M9x1
gas max inlet pressure 50 mbar
outlet pressure range setting
outlet 3÷18 mbar
room temperature 0÷80°C
capillary length 1050 mm
bulb \varnothing 4x200 mm



LAINOX CR0508680

LAINOX

Suitable for:

3020083 NUT & OLIVE \varnothing 4 mm



LAINOX MA1394700

3020082 OLIVE FOR 12 mm \varnothing PIPE




LAINOX MA417810

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" F



LAINOX MA459300


4056009 CAP FOR VALVE EUROSIT





Suitable for:

3526260 EUROSIT VALVE CAP



LAINOX MA1888200

3020083 NUT & OLIVE \varnothing 4 mm



LAINOX MA1394700

3020082 OLIVE FOR 12 mm \varnothing PIPE



LAINOX MA417810

**3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" F**



LAINOX MA459300

3526130 EUROSIT VALVE FOR OVEN 100÷340°C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷120°C
capillary length 1050 mm
bulb \varnothing 4x72 mm



LAINOX MA1887600

LAINOX

Suitable for:

3526127 FLANGE FOR KNOB EXTENSION




3020084 NUT & OLIVE \varnothing 6 mm




**3001111 PIEZO IGNITER EUROSIT
male faston \varnothing 2.4 mm**



3526123 RUBBER PROTECTION FOR EUROSIT VALVE



4056009 CAP FOR VALVE EUROSIT





Suitable for:

3526129 CLASP \varnothing 3x14 mm
UNI 6873 - DIN 1481 - ISO 8752



3526677 EXTENSION FOR EUROSIT VALVE
D-shaped pin \varnothing 10x8 mm



LAINOX MACM057701

3526128 KNOB EXTENSION LENGTH 34 mm
D-shaft \varnothing 8x6.5 mm



3020083 NUT & OLIVE \varnothing 4 mm



LAINOX MA1394700

3020082 OLIVE FOR 12 mm \varnothing PIPE



LAINOX MA417810

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" F



LAINOX MA459300

LAINOX



Suitable for:

3526260 EUROSIT VALVE CAP



LAINOX MA1888200

3526127 FLANGE FOR KNOB EXTENSION



3526125 KNOB EXTENSION 47 mm
D-shaped pin \varnothing 8x6.5 mm



3020084 NUT & OLIVE \varnothing 6 mm



3001111 PIEZO IGNITER EUROSIT
male faston \varnothing 2.4 mm



3526123 RUBBER PROTECTION FOR EUROSIT VALVE





Suitable for:

LAINOX



Suitable for:

3526677 EXTENSION FOR EUROSIT VALVE
D-shaped pin \varnothing 10x8 mm



LAINOX MACM057701

3526134 VALVE EUROSIT FOR FRY TOP 40÷280°C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure calibration range
outlet 3÷18 mbar
ambient temperature 0÷80°C
capillary length 1050 mm
bulb \varnothing 4x72 mm



LAINOX MA1031504800

3526260 EUROSIT VALVE CAP



LAINOX MA1888200

3020083 NUT & OLIVE \varnothing 4 mm



LAINOX MA1394700

3020082 OLIVE FOR 12 mm \varnothing PIPE



LAINOX MA417810

4056009 CAP FOR VALVE EUROSIT



3526127 FLANGE FOR KNOB EXTENSION



3020084 NUT & OLIVE \varnothing 6 mm



3001111 PIEZO IGNITER EUROSIT
male faston \varnothing 2.4 mm





Suitable for:

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" F




LAINOX MA459300

LAINOX



Suitable for:

3526123 RUBBER PROTECTION FOR EUROSIT VALVE



Gaskets and seals

3186009 ASBESTOS FREE FLAT GASKET \varnothing 45x33x2 mm



LAINOX CR0682770

5057125 GASKET DASHBOARD \varnothing 13x3x3 mm



LAINOX CR0588510

5051828 GASKET DASHBOARD \varnothing 14x3x4 mm



LAINOX CR0587650

3444275 GASKET FOR PROTECTION
sizes \varnothing 14x6x1,5 mm
universal application
protection for THERMOSTATS SELECTOR SWITCHES



LAINOX MA2993700


3355284 HEATING ELEMENT GASKET \varnothing 45x40x4 mm



LAINOX MA1814500

Gearmotors

5037847 GEAR MOTOR M63B4 0.12Kw 230V 50Hz
1.3A - 1380rpm



LAINOX MACM056300



Suitable for:

LAINOX



Suitable for:

Glues

3392009 RED SILICONE 82.8 ml
for alimentary use
operating temperature -60+260°C



LAINOX R85010015

Grids for kitchen

3185076 PAN SUPPORT 545x295 mm



LAINOX MA1032101101

Handles

3242221 CHROME-PLATED ADJUSTABLE DOOR STRIKE
base length 38x18x31 mm
fixing distance 26 mm
RAHRBACH



LAINOX R50103020

LAINOX R69010500

LAINOX 50103020

3242718 DOOR HANDLE STRIKE
for high temperatures
mounting distance 43 mm
for OVEN



LAINOX R69015020

5025916 DOOR LOCK
distance between holes 38 mm



LAINOX MA7873002

3398021 OVEN DOOR CATCH
distance between holes 47 mm
catch distance 27 mm



LAINOX R50103110

LAINOX R69050010


LAINOX 50103110

3242336 OVEN DOOR HANDLE ø 28x90 mm M10



LAINOX MA1829200

3242343 HAND GUARD WASHER



Suitable for:

Suitable for:

5001497 PLASTIC HANDLE 120 mm BLACK
distance between holes 105 mm



LAINOX MACM073100

Heating elements

3355286 BUSH FOR HEATING ELEMENT



LAINOX MA1814600

3355288 HEAT. ELEMENT THREADED PIPE ϕ 10 mm



LAINOX MA1869600

3355066 HEATING ELEMENT 1000W 220V
length 295 mm - width 90 mm
fittings M14x1 mm
operating ambient: dry



LAINOX MA1037039513

3755649 HEATING ELEMENT 10500W 230V
length 320 mm - width 253 mm
connection M54x1.5 mm - complete with cables
with two holes for bulb



LAINOX MACM032101R

3786459 O-RING 04200 VITON



LAINOX MACM099200

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



LAINOX MACM021600



Suitable for:

LAINOX



5021166 HEATING ELEMENT 1100W 230V
 length 370 mm - width 90 mm
 couplings M10x1 mm
 for Hot cupboard electric (LAINOX) AU04 - AU05
 AU08 - AU10 - AU20



LAINOX R65010120

LAINOX R65015000

Suitable for:

3755646 HEATING ELEMENT 1350W 230V
 length 460 mm - width 75 mm
 height 45 mm



LAINOX MA1037317700

5048341 HEATING ELEMENT 1500W 230V
 length 555 mm - width 215 mm
 flange 70x22 mm
 for BUILT-IN OVEN series 700 PROTAGONISTA NUOVA
 for BUILT-IN OVEN series 900 PROTAGONISTA NUOVA



LAINOX CR0681390

3755648 HEATING ELEMENT 16500W 230V
 length 400 mm - width 305 mm
 connection M54x1.5 mm- complete with cables
 with two holes for bulb



LAINOX MACM032401R

3786459 O-RING 04200 VITON



LAINOX MACM099200

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



LAINOX MACM021600

3755097 HEATING ELEMENT 1800W 230V
 length 500 mm - width 90 mm
 flange 125x30 mm
 operating ambient: dry



LAINOX MA1634200

Suitable for:

5043781 HEATING ELEMENT 18000W 400V
length 390 mm - width 305 mm
fitting M54x1.5 mm - complete with cables
with two bulb holes



LAINOX CR0583740

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



LAINOX MACM021600

3755170 HEATING ELEMENT 2200W 230V
length 565 mm - width 110 mm
overall height 118 mm



LAINOX MACM164900

3755482 HEATING ELEMENT 2500W 230V
external \varnothing 193 mm - total height 75 mm
flange 70x22 mm



LAINOX R65010150

LAINOX R65010200

5021252 HEATING ELEMENT 2500W 230V
external \varnothing 195 mm - overall height 80 mm
flange 93x22 mm



LAINOX R65010240

Suitable for:

3786459 O-RING 04200 VITON



LAINOX MACM099200

3186098 HEATING ELEMENT GASKET
external dimensions 71x23 mm



5035909 HEATING ELEMENT 260W 230V
immersed depth 240 mm
fitting \varnothing 1"
with bulbholder sheathing



LAINOX CR0682160

LAINOX CR0682160R



Suitable for:

3755184 HEATING ELEMENT 4000W 230V
length 625 mm - width 155 mm
with cables



LAINOX CR0682150

5058339 HEATING ELEMENT 5600W 230V
length 255 mm - width 210 mm
connection M54x1.5 mm - complete with cables
complete with O-ring gaskets



LAINOX CR0731030R

3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



LAINOX MACM021600

3755468 HEATING ELEMENT 5670W 230V
length 295 mm - width 225 mm
fitting \varnothing 40 mm
with gaskets and cables
with cables - with bulb sheath



LAINOX MA1870000R

3355288 HEAT. ELEMENT THREADED PIPE \varnothing 10 mm



LAINOX MA1869600

Suitable for:

5046774 HEATING ELEMENT 5000W 230V
length 570 mm - width 180 mm
flange 170x30 mm



LAINOX CR0683221

3786459 O-RING 04200 VITON



LAINOX MACM099200

3355286 BUSH FOR HEATING ELEMENT



LAINOX MA1814600

3355284 HEATING ELEMENT GASKET \varnothing 45x40x4 mm



LAINOX MA1814500



Suitable for:

3355287 LOCKING BUSH FOR HEATING ELEMENT



LAINOX MA1815014

5051287 HEATING ELEMENT 6350W 230V
length 550 mm - width 320 mm
height 25 mm - flange 305x30 mm



LAINOX CR0684240

3355872 HEATING ELEMENT 9000W 230V
length 325 mm - width 250 mm
coupling \varnothing 40 mm
complete with gaskets
complete with cables - with bulb sheath



LAINOX MA1870100R

3355288 HEAT. ELEMENT THREADED PIPE \varnothing 10 mm



LAINOX MA1869600

3355287 LOCKING BUSH FOR HEATING ELEMENT



LAINOX MA1815014

3355287 LOCKING BUSH FOR HEATING ELEMENT



LAINOX MA1815014

LAINOX



Suitable for:

3186580 OR GASKET 04131 VITON



3355286 BUSH FOR HEATING ELEMENT



LAINOX MA1814600

3355284 HEATING ELEMENT GASKET \varnothing 45x40x4 mm



LAINOX MA1814500

3186580 OR GASKET 04131 VITON



3755652 RING NUT 1-3/4" FOR HEATING ELEMENT



LAINOX MACM021600



Suitable for:

LAINOX



Suitable for:

Hinges, catches and accessories

5047346 CHARGE EXTENSION \varnothing 18x408 mm
for BRATT PAN with 1200 mm lid



LAINOX MACM219100

3053293 HINGE BUSHING
for BRATT PAN with lid 800-1200 mm



LAINOX MACM219300

3053286 HINGE LOAD PIN



LAINOX MACM051604

5047345 HINGE SPACER \varnothing 18x16x18 mm
for BRATT PAN with lid 1200 mm



LAINOX MACM219200

3053284 LID SPRING \varnothing 32x205 mm
for BRATT PAN 900 PROTAGONISTA
lid size 1200 mm



LAINOX MA810210

3053295 CLAMP \varnothing 3x8 mm
UNI 6873 - DIN 1481 - ISO 8752



LAINOX MA1891900

3053291 HINGE BUSHING RIGHT
for BRATT PAN with lid 800-1200 mm



LAINOX MACM192101

3053289 HINGE RIGHT SUPPORT



LAINOX MACM192401

3053116 HINGE SPRING \varnothing 32x195 mm
for PAN 700-900 PROTAGONISTA
for BRATT PAN 700-900 PROTAGONISTA




LAINOX MA139732



Suitable for:

3053882 CHROME PLATED HINGE 4484
length 100 mm - mounting distance 60 mm



LAINOX A33200080

LAINOX R69010330

Suitable for:

3053295 CLAMP \varnothing 3x8 mm
UNI 6873 - DIN 1481 - ISO 8752



LAINOX MA1891900

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



LAINOX MA1304500

3053283 HINGE BODY \varnothing 40x420 mm
for BRATT PAN 700- 900 series PROTAGONISTA
with lid 800 mm



LAINOX MACM051702

3053295 CLAMP \varnothing 3x8 mm
UNI 6873 - DIN 1481 - ISO 8752



LAINOX MA1891900

5000648 FIXED PIN HINGE



3053119 HINGE BUSHING
external \varnothing 37 mm - internal \varnothing 18 mm



3053293 HINGE BUSHING
for BRATT PAN with lid 800-1200 mm



LAINOX MACM219300

3053290 HINGE BUSHING LEFT



LAINOX MACM051403



Suitable for:

3053291 HINGE BUSHING RIGHT
for BRATT PAN with lid 800-1200 mm



LAINOX MACM192101

3053288 HINGE LEFT SUPPORT



LAINOX MACM051903

3053289 HINGE RIGHT SUPPORT



LAINOX MACM192401

3053294 INLET EXTENSION \varnothing 18x210 mm
for BRATT PAN 900 PROTAGONISTA



LAINOX MACM192301

3053284 LID SPRING \varnothing 32x205 mm
for BRATT PAN 900 PROTAGONISTA
lid size 1200 mm



LAINOX MA810210

LAINOX



Suitable for:

3053285 HINGE FIXED PIN



LAINOX MACM051503

3053286 HINGE LOAD PIN



LAINOX MACM051604

3053116 HINGE SPRING \varnothing 32x195 mm
for PAN 700-900 PROTAGONISTA
for BRATT PAN 700-900 PROTAGONISTA



LAINOX MA139732

3053292 LID SPACER
for BRATT PAN with lid 800-1200 mm



LAINOX MACM051804

3053117 SHAFT FOR SPRING
8 holes pin \varnothing 18 mm





Suitable for:

3053287 **THREADED PIN FOR HINGE**
for BRATT PAN with lid 800-1200 mm



LAINOX MACM052201

LAINOX



Suitable for:

3053293 **HINGE BUSHING**
for BRATT PAN with lid 800-1200 mm



LAINOX MACM219300

3053290 **HINGE BUSHING LEFT**



LAINOX MACM051403

3053291 **HINGE BUSHING RIGHT**
for BRATT PAN with lid 800-1200 mm



LAINOX MACM192101

3053285 **HINGE FIXED PIN**



LAINOX MACM051503

5024899 **HINGE FOR OVER LH**
distance between holes 175 mm - overall length 205
height 156 mm



LAINOX MACM007000

3053003 **DOOR HINGE ROLL HOLDER**
distance between holes 95 mm - overall length 118
height 23 mm



LAINOX MA1304500

3053288 **HINGE LEFT SUPPORT**



LAINOX MACM051903

3053286 **HINGE LOAD PIN**



LAINOX MACM051604

3053289 **HINGE RIGHT SUPPORT**



LAINOX MACM192401

5047345 **HINGE SPACER \varnothing 18x16x18 mm**
for BRATT PAN with lid 1200 mm



LAINOX MACM219200



Suitable for:

3053294 INLET EXTENSION \varnothing 18x210 mm
for BRATT PAN 900 PROTAGONISTA



LAINOX MACM192301

Suitable for:

3053292 LID SPACER
for BRATT PAN with lid 800-1200 mm



LAINOX MACM051804

3053011 RIGHT-LEFTHAND DOOR HINGE FOR OVEN
distance between holes 175 mm - total length 205mm
height 156 mm



LAINOX MACM041300

3053003 DOOR HINGE ROLL HOLDER
distance between holes 95 mm - overall length 118
height 23 mm



LAINOX MA1304500

3053287 THREADED PIN FOR HINGE
for BRATT PAN with lid 800-1200 mm



LAINOX MACM052201

Ignitors

3001005 PIEZO IGNITER
a \varnothing 18 mm hole is needed for assembling
faston M \varnothing 2.4 mm



LAINOX MA1936100

5035512 WATERTIGHT PIEZO CAP
of silicone rubber



LAINOX MACM136000

3001020 PIEZO IGNITER
a \varnothing 18 mm hole is required for the assembly
faston M \varnothing 2.4 mm



LAINOX MA1936100

5035512 WATERTIGHT PIEZO CAP
of silicone rubber



LAINOX MACM136000

Suitable for:

Suitable for:

5035512 WATERTIGHT PIEZO CAP
of silicone rubber



LAINOX MACM136000

Incandescent lamps and neon lamps

3221105 NEUTRAL HALOGEN LAMP G4 20W 12V
max. temperature 300°C



LAINOX R50304520

LAINOX R65270020

LAINOX 50304520

3221382 NEUTRAL HALOGEN LAMP G9 42W 230V



LAINOX R65270130

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



LAINOX R65270120

Indicator lights

3221032 GREEN INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



LAINOX MA1037300810

3221132 GREEN INDICATOR LAMP 230V
head ø 13.5 mm - hole ø 10 mm - 120°C
universal application



LAINOX MA1037300810

3221012 INDICATOR LAMP GREEN 230V
mounting hole 30x22 mm - 125°C
universal application



LAINOX R50304630

3221166 INDICATOR LAMP GREEN 400V
ø head 14 mm - ø hole 11.5 mm - 120°C
universal application



LAINOX R65270230

LAINOX 50304630



Suitable for:

LAINOX



3221011 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



LAINOX CR0587500

3221033 RED INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



Suitable for:

3221032 GREEN INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



LAINOX MA1037300810

3221095 ORANGE INDICATOR LAMP 230V
head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
universal application



LAINOX MA1037300910

LAINOX R65270300

3221215 ORANGE INDICATOR LAMP 230V
head \varnothing 16 mm - hole \varnothing 11.5 mm - 120°C



LAINOX R65270220

LAINOX 50304620

Injectors

3500019 GAS NOZZLE M10x1 \varnothing 1.45 mm



LAINOX MA2902500

5012629 GAS NOZZLE M10x1 \varnothing 1.05 mm



LAINOX MA521411

5008758 GAS NOZZLE M10x1 \varnothing 1.10 mm



LAINOX MA521511

5000530 GAS NOZZLE M10x1 \varnothing 1.15 mm



LAINOX MA521611

Suitable for:

5015401 GAS NOZZLE M10x1 \varnothing 1.30 mm



LAINOX MA1421700

Suitable for:

5000549 GAS NOZZLE M10x1 \varnothing 1.50 mm



LAINOX MA522311

5005743 GAS NOZZLE M10x1 \varnothing 1.60 mm



LAINOX MA522511

5021506 GAS NOZZLE M10x1 \varnothing 1.60 mm



LAINOX MA1631200

5000531 GAS NOZZLE M10x1 \varnothing 1.95 mm



LAINOX MA523211

3500338 GAS NOZZLE M10x1 \varnothing 1,35 mm



LAINOX MA2715400

2103345 GAS NOZZLE M10x1 \varnothing 2.40 mm



LAINOX MA524111

3500038 GAS NOZZLE M6x0,75 \varnothing 0,90 mm



LAINOX MA1033718600

Interference suppression filters

3160479 INTERFERENCE SUP. FILTER D.E.M.FC701Y2FL
0.47 μ F



LAINOX R65280200

Ironmongery (screws,nuts,washers)

5057126 CLIP FOR PIN KNOB NUT
dimensions \varnothing 15x4x2 mm



LAINOX CR0588850

3528017 HEXAGONAL NUT M12 SHORT
stainless steel - UNI 5589 - DIN 936 - 4035



LAINOX R58004050



Suitable for:

LAINOX



Suitable for:

Knobs

3444126 BLACK KNOB \varnothing 50 mm 30-110°C
D-shaped pin \varnothing 6x4.6 mm
for EGO thermostat



LAINOX R69030070

5054851 BLACK RING SILKSCREENED F/KNOB \varnothing 94 mm
REAR



LAINOX CR0583990

5035322 CHROME-PLATED BUSHING FOR KNOB \varnothing 72 mm



LAINOX CR0580460

5054850 KNOB RING NUT \varnothing 94 mm SCREEN-PRINTED
FRONT



LAINOX CR0583980

5035321 KNOB RING NUT \varnothing 94 mm 100-300°C




LAINOX CR0584000

5048040 KNOB RING NUT \varnothing 94 mm 110-280°C



LAINOX CR0584020

5035908 SILVER KNOB \varnothing 83 mm
D-Shaft 8x6.5 mm



LAINOX CR0580660

5054851 BLACK RING SILKSCREENED F/KNOB \varnothing 94 mm
REAR



LAINOX CR0583990

5035322 CHROME-PLATED BUSHING FOR KNOB \varnothing 72 mm



LAINOX CR0580460

5054850 KNOB RING NUT \varnothing 94 mm SCREEN-PRINTED
FRONT



LAINOX CR0583980



Lamp receptacles and spare parts

3221320 LAMP RECEPTACLE WITH LAMP E14 25W 230V

ceramic foot \varnothing 30 mm
external dimensions 75x60 mm
max. temperature 300°C



LAINOX R65270500

3221061 OVEN LAMP E14 25W 230V

max temperature 300°C
for OVEN - PIZZA OVEN



LAINOX R65270120


3221041 OVEN LAMP E14 15W 230V

max temperature 300°C
for OVEN - PIZZA OVEN



5035079 LAMP RECEPTACLE WITH LAMP G9 40W 230V

external dimensions 96x80 mm
max temperature 300°C



LAINOX R65270510

3186173 GASKET FOR OVEN LAMP RECEPTACLE

external dimensions 93x79 mm



5049560 NEUTRAL HALOGEN LAMP G9 25W 240V



3221172 FRAME FOR OVEN LAMP RECEPTACLE

external dimensions 96x80 mm



3221173 GLASS FOR OVEN LAMP RECEPTACLE

external dimensions 73x58 mm



3221382 NEUTRAL HALOGEN LAMP G9 42W 230V



LAINOX R65270130



Suitable for:

LAINOX



Suitable for:

Lava rock grids

3185109 STAINLESS STEEL GRILL 465x325x20 mm



LAINOX MACM207900

3185110 STAINLESS STEEL GRILL 630x325x20 mm



LAINOX MACM209400

Lubricants

5012699 OIL MAYOR WHITE 17 Kg - 20 L



LAINOX MA18176999

Microswitches


3240189 MICRO SWITCH M1DX20 10A 250V



LAINOX R65260530

LAINOX 50304530

3240410 MICROSWITCH 16(4)A 250V



LAINOX R65260540

LAINOX 50304540

3240203 BUSHING DOOR MICROSWITCH
external \varnothing 10x15 mm



3240236 LIMIT SWITCH CONTROL



3240234 LIMIT SWITCH PIN





Suitable for:

3240233 MICROSWITCH FITTING M16x1.5 mm



3240235 RING NUT M16x1.5 mm



3240820 MICROSWITCH 16A 250V




LAINOX MA1037111300

3240473 GASKET FOR BUSHING



3240166 MOUNTING PLATE FOR MICROSWITCH
external dimensions 46x26 mm



3240154 SPRING FOR MICROSWITCH ROD



LAINOX

Suitable for:

3250071 MICROSWITCH SPRING \varnothing 13x25 mm



3240152 BUSHING FOR MICROSWITCH



5035454 MICRO SUPPORT
for WASHING MACHINE LF25



3240153 ROD FOR MICROSWITCH





Suitable for:

LAINOX



Suitable for:

Motors

3240887 MOTOR WITH FAN 40W 230V 50/60Hz
fan \varnothing 155 mm



LAINOX MA4330800

OR and ORM gaskets

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm



LAINOX R70045010

3186014 O-RING GASKET 06225 EPDM \varnothing 67 mm



LAINOX

1186358 O-RING 03030 EPDM



LAINOX R70010050

3786459 O-RING 04200 VITON



LAINOX MACM099200

3186340 OR GASKET 03037 EPDM



LAINOX MA2867700

Pilot burners and accessories

3020281 BRASS NUT M10x1



LAINOX MA1033514900

3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



LAINOX MA1888400

Suitable for:

**3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1**



LAINOX MA1891700

Suitable for:

3020083 NUT & OLIVE \varnothing 4 mm



LAINOX MA1394700

3020082 OLIVE FOR 12 mm \varnothing PIPE




LAINOX MA417810

**3020001 ONE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket**



LAINOX LF-3020434

**3020292 BRACKET PILOT BURN. SUPPORT 47x40x15 mm
for burner \varnothing 90 mm**



**3020293 BRACKET PILOT BURN. SUPPORT 65x50x45 mm
for burner \varnothing 115 mm**



**3020291 BRACKET PILOT BURN. SUPPORT 85x45x55 mm
for burner \varnothing 135 mm**



**5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm**



3020102 HEXAGON HEAD SCREW 3/16"x18 mm



4058525 NOZZLE FOR PILOR BURNER \varnothing 0.30 mm



3020083 NUT & OLIVE \varnothing 4 mm



LAINOX MA1394700



Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



3020108 ONE-FLAME DEFLECTOR



3020308 PILOT ASSEMBLY WITH NOZZLE \varnothing 0.40 mm



3020054 PILOT JET \varnothing 0.20 mm



LAINOX MA1415100

3020055 PILOT JET \varnothing 0.35 mm



LAINOX

Suitable for:

3020082 OLIVE FOR 12 mm \varnothing PIPE



LAINOX MA417810

3020081 OLIVE FOR 6 mm \varnothing PIPE



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020115 PILOT CAP 1 FLAME



3020156 PILOT JET \varnothing 0.25 mm



LAINOX MA1842300

5015516 PILOT NOZZLE \varnothing 0.40 mm





Suitable for:

3500269 PILOT NOZZLE \varnothing 0.45 mm



3020105 PILOT WITH 0.20 mm \varnothing JET



3020107 PILOT WITH 0.35 mm \varnothing JET



**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



**3020294 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm**



**3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



LAINOX MA1949900

LAINOX

Suitable for:

**3020092 PILOT SUPPORT BRACKET LH 92x55x45 mm
for mounting of pilot assembly**



3020106 PILOT WITH 0.25 mm \varnothing JET




**3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" F**



LAINOX MA459300

**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



**3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm**



LAINOX MA1888300

LAINOX MA224211

**3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm**



LAINOX R63050010

LAINOX 50102720





Suitable for:

3020365 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



LAINOX



Suitable for:

3020100 TWO-POSITION BRACKET



3020101 TWO-POSITION BRACKET CLAMP



3020286 ONE-FLAME PILOT BURNER SIT PRINTED
without sparking plug, gas nozzle and gasket
thermocouple fitting included



LAINOX MACM040800

3020085 FITTING FOR SPARKING PLUG FIXING M10x1 mm



LAINOX MA1888400

3020541 NOZZLE FOR PILOT BURNER 0.35 mm



3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



LAINOX MA1891700

3020111 OLIVE FOR 4 mm \varnothing PIPE



3020112 OLIVE FOR 6 mm \varnothing PIPE






Suitable for:

3020086 PILOT GASKET



3020157 PILOT JET \varnothing 0.25 mm



LAINOX MA1874700

3020041 PILOT JET \varnothing 0.41 mm



LAINOX MA1033719700

**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



**3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm**




LAINOX MA1888300

LAINOX MA224211

LAINOX

Suitable for:

3020557 PILOT JET \varnothing 0.20 mm



3020040 PILOT JET \varnothing 0.30 mm



3020187 PILOT NOZZLE \varnothing 0.51 mm



**3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22**



**3020294 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm**



**3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



LAINOX MA1949900





Suitable for:

3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



LAINOX R63050010

LAINOX 50102720

3020282 PILOT BURNER




LAINOX MA1032501300

5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



3020541 NOZZLE FOR PILOT BURNER 0.35 mm



3020111 OLIVE FOR 4 mm \varnothing PIPE



3020139 PILOT BURNER CAP



LAINOX MA1033717300

LAINOX



Suitable for:

3020365 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm




3020281 BRASS NUT M10x1



LAINOX MA1033514900

3020051 FITTING FOR PILOT \varnothing 4 mm
thread M10x1
for pilot burner JUNKERS/ORKLI




3345021 OLIVE FOR PIPE \varnothing 4 mm



3020112 OLIVE FOR 6 mm \varnothing PIPE




3020557 PILOT JET \varnothing 0.20 mm






Suitable for:

3020157 PILOT JET \varnothing 0.25 mm



LAINOX MA1874700

3020041 PILOT JET \varnothing 0.41 mm



LAINOX MA1033719700

**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



3020139 PILOT BURNER CAP



LAINOX MA1033717300

3020036 PILOT BURNER SIT 3 FLAMES
multigas type with nozzle \varnothing 0.35 mm
with 3 position bracket



LAINOX CR0588730

3020102 HEXAGON HEAD SCREW 3/16"x18 mm



LAINOX

Suitable for:

3020040 PILOT JET \varnothing 0.30 mm



3020187 PILOT NOZZLE \varnothing 0.51 mm



**5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm**



4058525 NOZZLE FOR PILOR BURNER \varnothing 0.30 mm





Suitable for:

3020083 NUT & OLIVE \varnothing 4 mm



LAINOX MA1394700

3020082 OLIVE FOR 12 mm \varnothing PIPE



LAINOX MA417810

3020081 OLIVE FOR 6 mm \varnothing PIPE



3020308 PILOT ASSEMBLY WITH NOZZLE \varnothing 0.40 mm



3020156 PILOT JET \varnothing 0.25 mm



LAINOX MA1842300

5015516 PILOT NOZZLE \varnothing 0.40 mm



LAINOX

Suitable for:

3020084 NUT & OLIVE \varnothing 6 mm



3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



3020097 PILOT AERATION REGULATOR
internal \varnothing 7 mm - external \varnothing 9 mm
height 10 mm



3020054 PILOT JET \varnothing 0.20 mm



LAINOX MA1415100

3020055 PILOT JET \varnothing 0.35 mm



3500269 PILOT NOZZLE \varnothing 0.45 mm





Suitable for:

3020105 PILOT WITH 0.20 mm ϕ JET



3020107 PILOT WITH 0.35 mm ϕ JET



**3020077 PIPE FITTING ϕ 4 mm
thread M10x1**



**3020294 ROUND IGNITION ELECTRODE ϕ 7x44 mm
M faston M4x1 mm
overall length 67 mm**



**3020060 SPARKING PLUG ROUND ϕ 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



LAINOX MA1949900

LAINOX

Suitable for:

3020106 PILOT WITH 0.25 mm ϕ JET



**3020079 PIPE FITTING ϕ 12 mm
thread ϕ 3/8" F**



LAINOX MA459300

**3020078 PIPE FITTING ϕ 6 mm
thread M10x1**



**3001003 ROUND SPARKING PLUG ϕ 7x44 mm
male faston M4x1 mm
total length 65 mm**



LAINOX MA1888300

LAINOX MA224211

**3020124 SPARKING PLUG ROUND ϕ 7x44 mm
connection ϕ 2.4 mm
overall length 58 mm**



LAINOX R63050010

LAINOX 50102720





Suitable for:

3020365 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



LAINOX



Suitable for:

3020110 THREE-FLAME DEFLECTOR



3020103 THREE-POSITION BRACKET



3020104 THREE-POSITION BRACKET CLAMP



3020201 PILOT GAS JET \varnothing 0.14 mm



3020202 PILOT GAS JET \varnothing 0.27 mm



LAINOX MA1888000

LAINOX MA1887800

3020054 PILOT JET \varnothing 0.20 mm



3020156 PILOT JET \varnothing 0.25 mm



LAINOX MA1415100

LAINOX MA1842300

3020157 PILOT JET \varnothing 0.25 mm



3020041 PILOT JET \varnothing 0.41 mm



LAINOX MA1874700

LAINOX MA1033719700

3020113 PILOT OLIVE FOR PIPE \varnothing 4 mm



3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" F



LAINOX MA1888100

LAINOX MA459300

3020283 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included



LAINOX MA1887700

5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



3020200 FITTING FOR THERMOCOUPLE \varnothing 6.5 mm
thread M10x1



LAINOX MA1891700

3020114 OLIVE FOR PIPE \varnothing 6 mm




3020201 PILOT GAS JET \varnothing 0.14 mm



LAINOX MA1888000

3020542 PILOT GAS JET \varnothing 0.20 mm



Suitable for:

3020249 BRACKET PILOT BURN. SUPPORT 60x50x25 mm



3020085 FITTING FOR SPARKING PLUG FIXING M10x1mm



LAINOX MA1888400


5022050 NOZZLE FOR PILOT BURNER \varnothing 0.50 mm




3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



3020042 PILOT GAS JET \varnothing 0.19 mm



3020202 PILOT GAS JET \varnothing 0.27 mm




LAINOX MA1887800



Suitable for:

3020043 PILOT GAS JET \varnothing 0.36 mm



LAINOX



Suitable for:

3020543 PILOT GAS JET \varnothing 0.38 mm



3020113 PILOT OLIVE FOR PIPE \varnothing 4 mm




**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**




LAINOX MA1888100

**3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22**



**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



**3020294 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm**



**3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm**



**3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



LAINOX MA1888300

LAINOX MA224211

**3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm**



LAINOX MA1949900

LAINOX R63050010

LAINOX 50102720



Suitable for:

3020365 SPARKING PLUG ROUND ϕ 7x44 mm
connection ϕ 2.4 mm
overall length 52 mm



LAINOX



Suitable for:

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting



LAINOX MACM029000

3020085 FITTING FOR SPARKING PLUG FIXING M10x1 mm



LAINOX MA1888400


5022050 NOZZLE FOR PILOT BURNER ϕ 0.50 mm



3348036 OLIVE FOR 4 mm ϕ PIPE
for model PEL 21-22



3020042 PILOT GAS JET ϕ 0.19 mm



5014757 CONNECTION PIPE ϕ 6 mm
thread M10x1 mm



3020200 FITTING FOR THERMOCOUPLE ϕ 6.5 mm
thread M10x1



LAINOX MA1891700

3020114 OLIVE FOR PIPE ϕ 6 mm




3020201 PILOT GAS JET ϕ 0.14 mm



LAINOX MA1888000

3020542 PILOT GAS JET ϕ 0.20 mm






Suitable for:

3020202 PILOT GAS JET \varnothing 0.27 mm



LAINOX MA1887800

3020543 PILOT GAS JET \varnothing 0.38 mm



3020113 PILOT OLIVE FOR PIPE \varnothing 4 mm



LAINOX MA1888100

**3348029 PIPE FITTING \varnothing 4 mm
thread M10x1
for model PEL 21-22**



**3020294 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm**



LAINOX

Suitable for:

3020043 PILOT GAS JET \varnothing 0.36 mm




3020086 PILOT GASKET



**3020077 PIPE FITTING \varnothing 4 mm
thread M10x1**



**3020078 PIPE FITTING \varnothing 6 mm
thread M10x1**



**3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm**



LAINOX MA1888300

LAINOX MA224211





Suitable for:

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



LAINOX MA1949900

3020365 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



LAINOX



Suitable for:

3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



LAINOX R63050010

LAINOX 50102720

3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 3 positions bracket



LAINOX R63050020

LAINOX 50203220

3020102 HEXAGON HEAD SCREW 3/16"x18 mm



5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



4058525 NOZZLE FOR PILOR BURNER \varnothing 0.30 mm



3020083 NUT & OLIVE \varnothing 4 mm



LAINOX MA1394700

3020084 NUT & OLIVE \varnothing 6 mm





Suitable for:

3020082 OLIVE FOR 12 mm ø PIPE



LAINOX MA417810

3020081 OLIVE FOR 6 mm ø PIPE



3020308 PILOT ASSEMBLY WITH NOZZLE ø 0.40 mm



3020156 PILOT JET ø 0.25 mm



LAINOX MA1842300

5015516 PILOT NOZZLE ø 0.40 mm



3020105 PILOT WITH 0.20 mm ø JET



LAINOX

Suitable for:

3348036 OLIVE FOR 4 mm ø PIPE
for model PEL 21-22



3020097 PILOT AERATION REGULATOR
internal ø 7 mm - external ø 9 mm
height 10 mm



3020054 PILOT JET ø 0.20 mm



LAINOX MA1415100

3020055 PILOT JET ø 0.35 mm



3500269 PILOT NOZZLE ø 0.45 mm



3020106 PILOT WITH 0.25 mm ø JET





Suitable for:

3020107 PILOT WITH 0.35 mm ø JET



**3020077 PIPE FITTING ø 4 mm
thread M10x1**



**3020078 PIPE FITTING ø 6 mm
thread M10x1**



**3020294 ROUND IGNITION ELECTRODE ø 7x44 mm
M faston M4x1 mm
overall length 67 mm**



**3020060 SPARKING PLUG ROUND ø 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F**



LAINOX MA1949900

LAINOX

Suitable for:

**3020079 PIPE FITTING ø 12 mm
thread ø 3/8"F**



LAINOX MA459300

**5033138 PIPE FITTING ø 4 mm
thread ø 1/8"**





Suitable for:

3020365 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



LAINOX



Suitable for:

3020110 THREE-FLAME DEFLECTOR



3020103 THREE-POSITION BRACKET



3020104 THREE-POSITION BRACKET CLAMP



3020002 TWO-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket



5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



LAINOX

3020102 HEXAGON HEAD SCREW 3/16"x18 mm



4058525 NOZZLE FOR PILOT BURNER \varnothing 0.30 mm



3020083 NUT & OLIVE \varnothing 4 mm



3020084 NUT & OLIVE \varnothing 6 mm



LAINOX MA1394700

3020082 OLIVE FOR 12 mm \varnothing PIPE



3348036 OLIVE FOR 4 mm \varnothing PIPE
for model PEL 21-22



LAINOX MA417810



Suitable for:

3020081 OLIVE FOR 6 mm Ø PIPE



3020308 PILOT ASSEMBLY WITH NOZZLE Ø 0.40 mm



3020156 PILOT JET Ø 0.25 mm



LAINOX MA1842300

5015516 PILOT NOZZLE Ø 0.40 mm



3020105 PILOT WITH 0.20 mm Ø JET



3020107 PILOT WITH 0.35 mm Ø JET



LAINOX

Suitable for:

3020097 PILOT AERATION REGULATOR
internal Ø 7 mm - external Ø 9 mm
height 10 mm



3020054 PILOT JET Ø 0.20 mm



LAINOX MA1415100

3020055 PILOT JET Ø 0.35 mm



3500269 PILOT NOZZLE Ø 0.45 mm



3020106 PILOT WITH 0.25 mm Ø JET



3020079 PIPE FITTING Ø 12 mm
thread Ø 3/8" F



LAINOX MA459300





Suitable for:

3020077 PIPE FITTING \varnothing 4 mm
thread M10x1



3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



3020294 ROUND IGNITION ELECTRODE \varnothing 7x44 mm
M faston M4x1 mm
overall length 67 mm



3020060 SPARKING PLUG ROUND \varnothing 7x44 mm
faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



LAINOX MA1949900
3020365 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 52 mm



3020100 TWO-POSITION BRACKET



LAINOX



Suitable for:
5033138 PIPE FITTING \varnothing 4 mm
thread \varnothing 1/8"



5027953 PIPE OLIVE \varnothing 4 mm
for COPRECI CAL3200



3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



LAINOX MA1888300 **LAINOX MA224211**
3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



LAINOX R63050010 **LAINOX 50102720**
3020109 TWO-FLAME DEFLECTOR



3020101 TWO-POSITION BRACKET CLAMP





Pressure gauges

- 5054753 PRESSURE GAUGE \varnothing 63 mm**
coupling \varnothing 1/4" M
range 0-1 bar



LAINOX CR0589110

Pressure switches

- 5052446 PRESSURE SWITCH 1 LEVEL**
calibration 230/260 mm
250V 16A
max temperature of using 85°C



LAINOX CR0585951

- 5054987 METAL SUPPORT FOR PRESSURE SWITCH**
distance between holes 38 mm



Probes

- 3445117 PROBE PT100 VETROTEX 3000 mm**
3-wire probe temperature range 0+350°C
bulb \varnothing 6x100 mm



LAINOX R50305111

LAINOX R65325010

LAINOX 50305111

- 3445107 PTC PVC PROBE 3000 mm**
2-wire probe temperature range -30+80°C
bulb \varnothing 6x40 mm



LAINOX RA930008

LAINOX R65320540

LAINOX 995562

- 5021255 TEMPERATURE PROBE PT100 3000 mm**
probe 2 wires
bulb \varnothing 3x180 mm
for Hot cupboard (LAINOX)
LA10-LA16-LA18-LV10-LV16-LV18



LAINOX R65320270



Suitable for:


LAINOX

Suitable for:



Relays

3351037 POWER RELAY FINDER 40.52.8.230.0000
230V 50/60Hz - 2 exchange contacts 8A



LAINOX R65170050


Rotary switches

3057050 CONNECTING BRACKET 28x21x16 mm
distance between hooking brackets 27 mm
f/connection between selector switch and thermost.




LAINOX MA921200

5058338 CONTACT 10A 400V
2 normally open contacts




LAINOX CR0687390

3057014 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D spindle \varnothing 6x4.6 mm
back connection for thermostat




LAINOX MA710300

3057027 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm
rear hole for thermostat



LAINOX MA1037313200

3057177 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm




LAINOX BN6A046001

3057180 SELECTOR SWITCH 0-3 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaft \varnothing 6x4.6 mm



LAINOX MA1309000

3057024 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin \varnothing 6x4.6 mm



LAINOX MA1616100



Suitable for:


5012546 SELECTOR SWITCH 3 POSITIONS
mounting hole \varnothing 22 mm



LAINOX CR0413380

Suitable for:

5058338 CONTACT 10A 400V
2 normally open contacts



LAINOX CR0687390

5034977 SWITCH 0-3 POSITIONS
contacts 16A 250V - max 150°C
D-Shaft 6x4.6 mm



LAINOX CR0581810

Safety groups for pans and spare parts

3184029 DEPRESSION VALVE \varnothing 3/8" M
in chrome plated brass
for security valve 3/4"



LAINOX CR0587810

3184018 SAFETY VALVE \varnothing 1" 1/4 M
max pressure 0.5 atm
for safety group 1" 1/4
ISPESL approved



LAINOX CR0587820

Solenoid valves

3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN
for ELBI solenoid valve
face value +/- 25%




LAINOX R65110410

3120405 SOLENOID VALVE 230V \varnothing 10.5 mm
solenoid valve 180° - 230V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10.5 mm



LAINOX R50102860

3120407 SOLENOID VALVE 230V \varnothing 10.5 mm
solenoid valve 180° - 230V 50/60Hz - max 90°C
inlet 3/4" - 2 outlets \varnothing 10.5 mm



LAINOX R50102891

5037826 SOLENOID VALVE 230V \varnothing 11.5 mm
solenoid valve 180° - 230V 50/60Hz - max 60°C
inlet 3/4" - two outlets \varnothing 11.5 mm
with a green capacity adjuster



LAINOX CR0586050

LAINOX CR0586050R



Suitable for:

LAINOX



Suitable for:

5049465 SOLENOID VALVE 230V \varnothing 11.5 mm
 solenoid valve 90° - 230V 50/60Hz - max 90°C
 3/4" inlet- output \varnothing 11.5 mm



LAINOX CR0682320

3120005 SOLENOID VALVE 329 220/240V \varnothing 10 mm
 solenoid valve 180° - 220/240V 50/60Hz - max 90°C
 inlet 3/4" - outlet \varnothing 10 mm



LAINOX R65110010

LAINOX 50102860

3120021 INLET REDUCER 12 L/min BLACK



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120022 INLET REDUCER 16 L/min BLACK



3120019 INLET REDUCER 5.5 L/min BLACK



3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN
 for ELBI solenoid valve
 face value +/- 25%



3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW
 for solenoid valve ELBI
 rated value +/- 25%



LAINOX R65110410

3120015 OUTLET REDUCER ELBI 0.5 L/min RED
 for solenoid valve ELBI
 rated value +/- 25%





Suitable for:

3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL
for solenoid valve ELBI
rated value +/- 25%



3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE
for solenoid valve ELBI
rated value +/- 25%



3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN
for solenoid valve ELBI
rated value +/- 25%



3120505 SOLENOID VALVE 329 24V ø 10 mm
solenoid valve 180° - 24V 50/60Hz- max 90°C
inlet 3/4" - outlet ø 10 mm



LAINOX LF-3120530

3120021 INLET REDUCER 12 L/min BLACK



3120019 INLET REDUCER 5.5 L/min BLACK



LAINOX



Suitable for:

3120203 OUTLET REDUCER ELBI 2 L/min WHITE
for solenoid valve ELBI
rated value +/- 25%



3120201 OUTLET REDUCER ELBI 4.7 L/min GREY
for solenoid valve ELBI
rated value +/- 25%



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120022 INLET REDUCER 16 L/min BLACK



3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN
for ELBI solenoid valve
face value +/- 25%



LAINOX R65110410



Suitable for:

3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW

for solenoid valve ELBI
rated value +/- 25%



3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL

for solenoid valve ELBI
rated value +/- 25%



3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE

for solenoid valve ELBI
rated value +/- 25%



3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN

for solenoid valve ELBI
rated value +/- 25%



LAINOX

Suitable for:

3120015 OUTLET REDUCER ELBI 0.5 L/min RED

for solenoid valve ELBI
rated value +/- 25%



3120203 OUTLET REDUCER ELBI 2 L/min WHITE

for solenoid valve ELBI
rated value +/- 25%



3120201 OUTLET REDUCER ELBI 4.7 L/min GREY

for solenoid valve ELBI
rated value +/- 25%



3120007 SOLENOID VALVE 349 220/240V ø 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - dual outlet ø 10 mm



LAINOX R65110040

LAINOX R65115000

LAINOX 50102891

3120021 INLET REDUCER 12 L/min BLACK



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



3120022 INLET REDUCER 16 L/min BLACK





Suitable for:

3120019 INLET REDUCER 5.5 L/min BLACK



3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW
for solenoid valve ELBI
rated value +/- 25%



3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL
for solenoid valve ELBI
rated value +/- 25%



3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE
for solenoid valve ELBI
rated value +/- 25%



3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN
for solenoid valve ELBI
rated value +/- 25%



LAINOX

Suitable for:

3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN
for ELBI solenoid valve
face value +/- 25%



LAINOX R65110410

3120015 OUTLET REDUCER ELBI 0.5 L/min RED
for solenoid valve ELBI
rated value +/- 25%



3120203 OUTLET REDUCER ELBI 2 L/min WHITE
for solenoid valve ELBI
rated value +/- 25%



3120201 OUTLET REDUCER ELBI 4.7 L/min GREY
for solenoid valve ELBI
rated value +/- 25%





Suitable for:

LAINOX



Suitable for:

3120512 SOLENOID VALVE 351 24V \varnothing 14 mm
solenoid valve 180° - 24V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 14 mm



3120000 FILTER FOR INLET SOLENOID VALVE ELBI



LAINOX

3120021 INLET REDUCER 12 L/min BLACK



3120022 INLET REDUCER 16 L/min BLACK



3120019 INLET REDUCER 5.5 L/min BLACK



3120037 OUTLET REDUCER ELBI 0.25 L/min GREEN
for ELBI solenoid valve
face value +/- 25%



3120202 OUTLET REDUCER ELBI 0.35 L/min YELLOW
for solenoid valve ELBI
rated value +/- 25%



3120015 OUTLET REDUCER ELBI 0.5 L/min RED
for solenoid valve ELBI
rated value +/- 25%



LAINOX R65110410

3120016 OUTLET REDUCER ELBI 1.2 L/min NEUTRAL
for solenoid valve ELBI
rated value +/- 25%



3120203 OUTLET REDUCER ELBI 2 L/min WHITE
for solenoid valve ELBI
rated value +/- 25%



3120017 OUTLET REDUCER ELBI 2.5 L/min ORANGE
for solenoid valve ELBI
rated value +/- 25%



3120201 OUTLET REDUCER ELBI 4.7 L/min GREY
for solenoid valve ELBI
rated value +/- 25%





Suitable for:

3120204 OUTLET REDUCER ELBI 5.5 L/min BROWN

for solenoid valve ELBI
rated value +/- 25%



LAINOX

Suitable for:



Spark generators

3181002 SPARK GENERATOR 2 OUTLETS

220/240V 50/60Hz



LAINOX MA2971400

LAINOX R65180280

LAINOX R65180290

LAINOX 50102700

LAINOX 50102710

Sparking and detection plugs

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M4x1 mm
total length 65 mm



LAINOX MA1888300

LAINOX MA224211

3020230 ROUND SPARKING PLUG \varnothing 7x54 mm

male faston M4x1 mm
overall length 63 mm
for COOKING RANGE series 700 PROTAGONISTA NUOVA
for COOKING RANGE series 900 PROTAGONISTA NUOVA
for COOKING RANGE series 1100 PROTAGONISTA NUOVA



LAINOX CR0687080

3020138 SPARKING PLUG ROUND \varnothing 6.5x55 mm

connection \varnothing 2.4 mm
with silicone lead 970 mm
overall length with cable 1030 mm



LAINOX SIR9300541

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm

faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



LAINOX MA1949900



Suitable for:

LAINOX



3020124 SPARKING PLUG ROUND \varnothing 7x44 mm
connection \varnothing 2.4 mm
overall length 58 mm



LAINOX R63050010

LAINOX 50102720

Suitable for:

3020062 SPARKING PLUG ROUND \varnothing 9x39 mm
faston M4x1 mm
overall length 57 mm
for pilot burner series CB 505...



LAINOX MA636700

Springs

3053116 HINGE SPRING \varnothing 32x195 mm
for PAN 700-900 PROTAGONISTA
for BRATT PAN 700-900 PROTAGONISTA



LAINOX MA139732

3053284 LID SPRING \varnothing 32x205 mm
for BRATT PAN 900 PROTAGONISTA
lid size 1200 mm



LAINOX MA810210

Switches

5035907 BUTTON UNIPOLAR BLACK 16A 250V
mounting hole \varnothing 25 mm




LAINOX CR0410290

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
for push-buttons with mounting hole \varnothing 25 mm



3319018 CHANGEOVER SWITCH 2 POLE RED 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp - mounting hole 22x30 mm



LAINOX R50304650

LAINOX R65260210

LAINOX 50304650

3319780 BLOCK CONNECTION WHITE 30x22 mm



3319779 BLOCK CONNECTIONS BLACK 30x22 mm



3319782 FRAME SAFETY 2 SIDES BLACK 30x22 mm





Suitable for:

3319783 FRAME SAFETY 4 SIDES BLACK 30x22 mm



LAINOX



Suitable for:


3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



LAINOX RA9410001

LAINOX RA941001

3319510 CONTACT SIEMENS 3SB3400-0B 10A 400V
1 contact NO



LAINOX CR0413790

3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



LAINOX RA9410001

LAINOX RA941001

3319270 PUSH-BUTTON 1-POLE RED 3A 250V
with protection cap
mounting hole \varnothing 17 mm



LAINOX R65260480

3319316 PUSH-BUTTON PROTECTION W/FRAME \varnothing 23 mm



3319948 RED BIPOLAR SWITCH 16A 250V
16(4)A 250V - with indicator light
max temperature 120°C
mounting hole \varnothing 25 mm



LAINOX R65260500

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
for push-buttons with mounting hole \varnothing 25 mm



3319155 RED SINGLE-POLE PUSH-BUTTON 16A 250V
16(4)A 250V - with push-button cap
with indicator light
mounting hole \varnothing 25 mm



LAINOX R65260500

3319151 SWITCH PROTECTION CAP
 \varnothing external 34 mm
for push-buttons with mounting hole \varnothing 25 mm





Suitable for:

LAINOX



3319154 SWITCH 2-POLE BLACK 16A 250V
 16(4)A 250V - max. temperature 120°C
 with push-button cap - silk screen printing 0 - I
 mounting hole 22x30 mm
 for Hot cupboard (LAINOX) - Series AC
 for Hot cupboard (LAINOX) AC10



LAINOX RA941003
LAINOX R652600500

LAINOX R50304671
LAINOX 50304671

LAINOX R65260050

3319780 BLOCK CONNECTION WHITE 30x22 mm



3319779 BLOCK CONNECTIONS BLACK 30x22 mm



3319782 FRAME SAFETY 2 SIDES BLACK 30x22 mm



3319783 FRAME SAFETY 4 SIDES BLACK 30x22 mm



3319501 PUSH-BUTTON PROTECTION CAP
 external dimensions 29x36 mm
 for switches with mounting hole 22x30 mm



LAINOX RA9410001

LAINOX RA941001

1319202 SWITCH 2-POLE GREEN 16A 250V
 16(4)A 250V - with indicator lamp
 silk-screen printing 0 - I
 max. temperature 120°C
 mounting hole 22x30 mm



LAINOX A34100342

LAINOX R65267010

3319780 BLOCK CONNECTION WHITE 30x22 mm



3319779 BLOCK CONNECTIONS BLACK 30x22 mm



3319782 FRAME SAFETY 2 SIDES BLACK 30x22 mm





Suitable for:

3319783 FRAME SAFETY 4 SIDES BLACK 30x22 mm



LAINOX



Suitable for:

3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



LAINOX RA9410001

LAINOX RA941001

3319012 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V - max. temperature 120°C
with indicator lamp and push-button cap
mounting hole 22x30 mm - silk screen print 0 - I



LAINOX MA4640500

3319780 BLOCK CONNECTION WHITE 30x22 mm



3319779 BLOCK CONNECTIONS BLACK 30x22 mm



3319782 FRAME SAFETY 2 SIDES BLACK 30x22 mm



3319783 FRAME SAFETY 4 SIDES BLACK 30x22 mm



3319501 PUSH-BUTTON PROTECTION CAP
external dimensions 29x36 mm
for switches with mounting hole 22x30 mm



LAINOX RA9410001

LAINOX RA941001


Taps for tank refilling

3525041 WATER INLET TAP LH \varnothing 1/2"FF
D-shaft \varnothing 10x8 mm



LAINOX MACM127800


3241285 BLACK KNOB \varnothing 66 mm COLD WATER
D shaft hole 10x8 mm





Suitable for:

5025702 FITTING WITH OLIVE \varnothing 1/2"x14 mm




LAINOX



Suitable for:

3241286 KNOB BLACK \varnothing 66 mm HOT WATER
D-shaped hole 10x8 mm



Telethermometers

3441027 TELETHERMOMETER WHITE \varnothing 60 mm 50-350°C

metal body
capillary length 1500 mm
bulb \varnothing 4x105 mm



LAINOX R50304610

Terminal blocks

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V

for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



LAINOX MA1037104000

Thermocouples and accessories

3440103 CUT-OFF THERMOCOUPLE M9x1 60 cm

cut-off contact with cables 60 cm



LAINOX MA1950100

3440104 CUT-OFF THERMOCOUPLE QUICK M9x1 60 cm

cut-off contact with cables 60 cm



LAINOX MA1955500

3440150 DISPLAY DEVICE FOR THERMOCOUPLES



LAINOX R65350010

LAINOX 50202830

2100820 THERMOCOUPLE SIT QUICK M9x1 40 cm




LAINOX MA1031504300



Suitable for:

Suitable for:

3440895 THERMOCOUP.SIT QUICK M9x1 150 cm -10 PCS



LAINOX R63040030

3440038 THERMOCOUPLE SIT M9x1 120 cm



LAINOX MA263800

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



LAINOX MA263800

3440838 THERMOCOUPLE SIT M9x1 120 cm - 10 PCS



LAINOX MA263800

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



LAINOX MACM029100

LAINOX R63040020

LAINOX 50203230

3440036 THERMOCOUPLE SIT M9x1 85 cm.



LAINOX MACM029100

LAINOX R63040020

LAINOX 50203230

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



LAINOX MACM029100

LAINOX R63040020

LAINOX 50203230

3440081 THERMOCOUPLE SIT QUICK M8x1 45 cm



LAINOX MA1206400

3440082 THERMOCOUPLE SIT QUICK M8x1 60 cm



LAINOX MA1033027800

3440095 THERMOCOUPLE SIT QUICK M9x1 150 cm



LAINOX R63040030

3440895 THERMOCOUP.SIT QUICK M9x1 150 cm -10 PCS



LAINOX R63040030



Suitable for:

LAINOX



Suitable for:


3440083 THERMOCOUPLE SIT QUICK M9x1 32 cm



LAINOX MA1031500400


Thermostatic gas valves

3345027 THERMOSTATIC TAP SABAF
adjustment temperature 300°C
fitting inlet M13x1 mm
outlet pipe fitting \varnothing 3/8"
thermocouple connection M8x1mm
bulb \varnothing 4x140 mm
capillary length 850 mm
D-shaped pin \varnothing 6x4.6 mm



LAINOX MA1699400

5052466 THERMOSTATIC TAP 25STO
adjustment temperature 140-300°C
fittings M16x1.5 mm
thermocouple connection M9x1
bulb \varnothing 6x120 mm
capillary length 1200 mm
D-shaped pin \varnothing 8x6.5 mm



LAINOX MACM302100

3348037 OLIVE FOR PILOT PIPE \varnothing 6 mm
for model PEL 21-22-25



5014757 CONNECTION PIPE \varnothing 6 mm
thread M10x1 mm



3020082 OLIVE FOR 12 mm \varnothing PIPE



LAINOX MA417810




Suitable for:

3348036 OLIVE FOR 4 mm Ø PIPE
for model PEL 21-22




3348043 PIPE FITTING Ø 10 mm
thread M16x1.5
for model PEL 20-21



LAINOX MA1326500

3348029 PIPE FITTING Ø 4 mm
thread M10x1
for model PEL 21-22



3348038 PIPE OLIVE Ø 10 mm
for model PEL 22




LAINOX




Suitable for:

3348031 PIPE FITTING Ø 10 mm
thread M20x1.5
for model PEL 22



3348032 PIPE FITTING Ø 12 mm
thread M20x1.5
for model PEL 22



3020078 PIPE FITTING Ø 6 mm
thread M10x1



3348044 PIPE OLIVE Ø 10 mm
for model PEL 20 - 21



LAINOX MA86720

Thermostats

5009027 BULB HOLDING CLIP
for heating element thermostat
for bulb Ø 4 mm



LAINOX MA1033515800

5029092 SINGLE PHASE THERMOSTAT 30-110°C
D-shaped pin Ø 6x4.6 mm
covered capillary length 1500 mm - 16A 250V
bulb Ø 6x130 mm
for Hot cupboard (LAINOX)
AC04 - AC05 - AC08 - AC10 - AC20 - AU04 - AU05
AU08 - AU10 - AU20



LAINOX R65070140

LAINOX R65070160




Suitable for:

LAINOX



7101561 SINGLE-PHASE THERMOSTAT 100-185°C

complete with selector switch
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 700 mm
bulb \varnothing 4x235 mm




LAINOX CR0589660

Suitable for:

5038072 SINGLE-PHASE THERMOSTAT 100-350°C

complete with auxiliary switch
D-Shaft 6x4.6 mm
covered capillary length 870 mm - 16A 400V
bulb \varnothing 3x144 mm



LAINOX CR0581280

5015693 SINGLE-PHASE THERMOSTAT 30-90°C

D-shaped pin \varnothing 6x4.6 mm
capillary length covered 900 mm - 16A 250V
bulb \varnothing 6x80 mm - with stuffing gland fitting M10x1



LAINOX MA1037117700

3444120 SINGLE-PHASE THERMOSTAT 320°C


with manual reset
capillary length 900 mm - 16A 250V
bulb \varnothing 6x80 mm



LAINOX R50304092

3444293 SINGLE-PHASE THERMOSTAT 320°C

with manual reset
covered capillary length 900 mm - 16A 250V
bulb \varnothing 6x80 mm - with oval coupling \varnothing 10 mm



LAINOX R65070040

LAINOX 50304090

LAINOX R65070060

LAINOX 50304092

LAINOX R65075040

3444266 SINGLE-PHASE THERMOSTAT 338°C

with manual reset
covered capillary length 830 mm - 16A 250V
button bulb \varnothing 14x10 mm



LAINOX R65070070

LAINOX 50304027

3444043 SINGLE-PHASE THERMOSTAT 50-270°C

D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1300 mm - 16A 250V
bulb \varnothing 3x220 mm



LAINOX R50304030

LAINOX 50304030

LAINOX R50304031


LAINOX 50304031

LAINOX R65070210

LAINOX 50504031

3444174 SINGLE-PHASE THERMOSTAT 50-320°C


D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 16A 250V
bulb \varnothing 3x220 mm



LAINOX MA1037102300

Suitable for:


3444885 SINGLE-PHASE THERMOSTAT 53-180°C
 with switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1100 mm - 16A 400V
 bulb \varnothing 6x140 mm



LAINOX MA1037317300


Suitable for:

5015518 SINGLE-PHASE THERMOSTAT 62-189°C
 complete with auxiliary selector switch
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 700 mm - 16A 250V
 bulb \varnothing 4x120 mm



LAINOX MACM097800

5047926 SINGLE-PHASE THERMOSTAT 71-170°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length coated 1475 mm - 16A 250V
 bulb \varnothing 3x180 mm



LAINOX R65070300

5009025 STUFFING GLAND THERMOSTAT M10x1
 hole \varnothing 4.5 mm




LAINOX MACM012401

5058340 THERMOSTAT SINGLE-PHASE 85-470°C
 D-shaped pin \varnothing 6x4.6 mm
 length capillary covered 900 mm - 16A 250V
 bulb \varnothing 4x165 mm



LAINOX CR0734520

5050566 THERMOSTAT THREE-PHASE 100-350°C
 D-shaped pin \varnothing 6x4.6 mm
 length capillary 900 mm - 10A 400V
 bulb \varnothing 3x145 mm



LAINOX CR0582770

3444769 THREE-PHASE THERMOSTAT 132°C
 with automatic reset
 capillary length 900 mm - 16A 230V
 bulb \varnothing 6x80 mm - with adapter nipple band M9x1



LAINOX MA1878900

5011445 THREE-PHASE THERMOSTAT 140°C
 with manual reset
 covered capillary length 900 mm - 20A 400V
 bulb \varnothing 6x88 mm - with fitting and cone \varnothing 6 mm
 for Hot cupboard electric (LAINOX) AC04 - AC05
 AC08 - AC10 - AC20 - AU04 - AU05 - AU08 - AU10
 AU20



LAINOX R65070020

LAINOX 50304025



Suitable for:

LAINOX




3444342 THREE-PHASE THERMOSTAT 230°C
with automatic reset
covered capillary length 1200 mm - 10A 400V
bulb \varnothing 6x75 mm - with adapter nipple band M9x1




LAINOX MA1878600

3744113 THREE-PHASE THERMOSTAT 230°C
with manual reset
covered capillary length 600 mm - 10A 400V
bulb \varnothing 4x122 mm



LAINOX MACM097701

3444298 THREE-PHASE THERMOSTAT 337°C
with manual reset
covered capillary length 850 mm - 10A 400V
button bulb \varnothing 14x10 mm




LAINOX R65070050

3444382 THREE-PHASE THERMOSTAT 360°C
with manual reset
capillary length 900 mm - 10A 400V
bulb \varnothing 6x80 mm




LAINOX MA1878500

3444052 THREE-PHASE THERMOSTAT 50-320°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb \varnothing 3x230 mm



LAINOX MA1309115

3444570 THREE-PHASE THERMOSTAT 95-230°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 1250 mm
bulb \varnothing 4x128 mm
for frytop N700



LAINOX CR0686120

Wheels and accessories

3522033 SCREW NUT FOR VITON BRATT PAN
dimensions 40x40x39 mm - right thread
thread TR20x4 mm - \varnothing pin 20 mm



LAINOX MACM184300



Wheels and accessories

3522011 WHEEL \varnothing 200 mm
central hole \varnothing 20 mm
with folding handle



LAINOX MA1475291

3522008 SCREW FOR TILTING
total length 915 mm



3522034 PAN SHAFT BUSHING




3522031 SCREW FOR TILTING
made of chrome-plated iron
overall length 915 mm
threaded part length 330 mm
with articulation



5015525 SCREW NUT FOR BRATT PAN
dimensions 40x40x39 mm - right hand thread
thread M20x2.5 mm - \varnothing pin 20 mm



5015528 SCREW NUT FOR BRATT PAN VALVE
dimensions 40x40x39 mm - left thread
thread M20x2.5 mm - \varnothing pin 20 mm



3522033 SCREW NUT FOR VITON BRATT PAN
dimensions 40x40x39 mm - right thread
thread TR20x4 mm - \varnothing pin 20 mm




3522012 SPINDLE CLIP FOR HAND WHEEL
thread M8x10 mm



LAINOX MACM184300

5016107 SUPPORT SLEEVE FOR TILTING SHAFT
external \varnothing 34 mm - internal \varnothing 28 mm
base 90x85 mm - overall height 90 mm



3522046 WHEEL HANDLE \varnothing 28x110 mm
thread M6





Suitable for:

5032679 WHEEL SHAFT 205 mm

LAINOX

Suitable for:



Wire pan supports

3354014 GRID REDUCER FOR MOKA 360x160 mm
in chrome plated iron




















LAINOX SIR0101082

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF GmbH GERMANY**
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteilech724.mobi
info@lfersatzteile.ch
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **DENMARK**
www.lfspareparts724.dk
michael.letth@lfspareparts.com
 -  **AUSTRIA**
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz