



Spare parts for:

Cooking equipment



Suitable for:

LINCAR INOX



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.
Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

LINCAR INOX



Suitable for:

Burners, flame spreaders and accessories

3025840 SPARTIFIAMMA \varnothing 104 mm 4,5Kw



LINCAR INOX 38020221

3025841 BRUCIATORE \varnothing 104 mm 4,5Kw



LINCAR INOX 38020211

3025842 VENTURI PER SPARTIFIAMMA 104 mm 4,5Kw



LINCAR INOX 32020001

3025843 SPARTIFIAMMA \varnothing 128 mm 7,5Kw



LINCAR INOX 38020222

3025844 BRUCIATORE \varnothing 128 mm 7,5Kw



LINCAR INOX 38020212

3025845 VENTURI PER SPARTIFIAMMA 128 mm 7,5Kw



LINCAR INOX 32020002

3025837 SPARTIFIAMMA \varnothing 73 mm 3Kw



LINCAR INOX 38020220

3025838 BRUCIATORE \varnothing 73 mm 3Kw



LINCAR INOX 38020210

3025839 VENTURI PER SPARTIFIAMMA 73 mm 3Kw



LINCAR INOX 32020000



Electric hot plates

- 3311101 ELECTRIC HOT PLATE \varnothing 220 mm 2600W 400V**
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



LINCAR INOX 40000015

- 3311054 ELECTRIC HOT PLATE 2600W 400V**
dimensions 220x220 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



LINCAR INOX 40000010

- 3311063 ELECTRIC HOT PLATE 3000W 400V**
dimensions 300x300 mm
terminal block electric connections
with STAINLESS steel edge
for electric cooking top



LINCAR INOX 40000002

Electrical gas valves and accessories

- 3526079 VALVE 820 NOVA \varnothing 1/2"FF**
inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
thermocouple fitting M9x1
maximum gas inlet pressure 60 mbar
outlet pressure setting range
3÷30 mbar
room temperature 0÷70°C
power supply 230V 50Hz



LINCAR INOX 40020115

Gas taps and accessories

- 3348202 GAS TAP 21S**
with pilot flame
fittings \varnothing M16x1.5mm
with flow regulator
thermocouple connection M9x1
D-shaped pin \varnothing 8x6.5 mm



LINCAR INOX 40020030



Suitable for:

LINCAR INOX



Suitable for:

Gas valves and accessories

3526139 EUROSIT VALVE FOR OVEN 80÷320°C
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 capillary length 1000 mm
 bulb \varnothing 4x72 mm



LINCAR INOX 40020105

3526146 VALVE EUROSIT FOR FRY TOP 40÷250°C
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure calibration range
 3÷18 mbar
 ambient temperature 0÷120°C
 capillary length 1050 mm
 bulb \varnothing 4x72 mm



LINCAR INOX 40020113


Grids for kitchen

3195006 GRIGLIA SCARICO FUMI 365x57 mm



LINCAR INOX 34040004

3195004 GRIGLIA 380x370 mm



LINCAR INOX 34040001

3195003 GRIGLIA 430x370 mm



LINCAR INOX 34040000

3195005 GRIGLIA 565x380 mm



LINCAR INOX 34040002

Heating elements

3855055 RESISTENZA 1800W 230V
 lunghezza 430 mm - larghezza 75 mm
 altezza 78 mm



LINCAR INOX 38000211

3855058 RESISTENZA 1840W 230V
 lunghezza 280 mm - larghezza 70 mm
 raccordi \varnothing 1/4"



LINCAR INOX 38000207

LINCAR INOX 38000234



Suitable for:

3855054 RESISTENZA 2300W 230V
 lunghezza 630 mm - larghezza 100 mm
 altezza 75 mm



LINCAR INOX 38000210

Suitable for:

3855052 RESISTENZA 2700W 230V
 lunghezza 495 mm - larghezza 615 mm
 flangia 160x22 mm



LINCAR INOX 38000205

3855059 RESISTENZA 2770W 230V
 lunghezza 450 mm - larghezza 70 mm
 raccordi \varnothing 1/4"



LINCAR INOX 38000208

LINCAR INOX 38000235

Hinges, catches and accessories

3053007 LEFTHAND DOOR HINGE FOR OVEN
 distance between holes 175 mm - overall length 205
 height 160 mm



LINCAR INOX 40040201

3053003 DOOR HINGE ROLL HOLDER
 distance between holes 95 mm - overall length 118
 height 23 mm



LINCAR INOX 40040210

3053006 RIGHTHAND DOOR HINGE FOR OVEN
 distance between holes 175 mm - overall length 205
 height 160 mm



LINCAR INOX 40040200

3053003 DOOR HINGE ROLL HOLDER
 distance between holes 95 mm - overall length 118
 height 23 mm



LINCAR INOX 40040210

Ignitors

3001029 PIEZO IGNITER
 a hole \varnothing 22 mm is required for installation
 faston M \varnothing 2.4 mm
 for SNACK SERIES



LINCAR INOX 40010000



Suitable for:

LINCAR INOX



Suitable for:


Knobs

3541017 MANOPOLA BLU ø 76 mm SERIGRAFATA
foro a mezzaluna 8x6,5 mm



LINCAR INOX 36050004

3541018 MANOPOLA BLU ø 76 mm SERIGRAFATA
foro a mezzaluna 10x8 mm



LINCAR INOX 36050005

3541019 MANOPOLA BLU ø 76 mm 0-1-2-3-4-5-6-7
foro a mezzaluna 10x8 mm




LINCAR INOX 36050010

3541020 MANOPOLA BLU ø 76 mm 0-1-2-3-4-5-6-7-8
foro a mezzaluna 8x6,5 mm

LINCAR INOX 36050011

Pilot burners and accessories


3020006 THREE-FLAME PILOT BURNER SIT
multigas with jet ø 0.20 mm
with 3 positions bracket



LINCAR INOX 309.004


Rotary switches

3057177 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D-shaped pin ø 6x4.6 mm



LINCAR INOX 40001010

3057023 SELECTOR SWITCH 0-6 POSITIONS
contact capacity 32A 250V - max 150°C
D shaft ø 6x4.6 mm



LINCAR INOX 40001005

Thermocouples and accessories

3440038 THERMOCOUPLE SIT M9x1 120 cm



LINCAR INOX 40021010

3440080 THERMOCOUPLE SIT M9x1 40 cm.



LINCAR INOX 40021005

Suitable for:

3440036 THERMOCOUPLE SIT M9x1 85 cm.



LINCAR INOX 40021008

Suitable for:


3440049 THERMOCOUPLE SIT M9X1 75 cm



LINCAR INOX 40021007

Thermostatic gas valves

3345041 RUBINETTO TERMOSTATICO 25ST
 temperatura di regolazione 100-300°C
 raccordi M16x1,5 mm
 attacco termocoppia M9x1
 bulbo ø 6x100 mm
 lunghezza capillare 1200 mm
 perno a mezzaluna ø 8x6,5 mm



LINCAR INOX 40020010


Thermostats

3444285 SINGLE-PHASE THERMOSTAT 350°C
 with manual reset
 covered capillary length 870 mm - 16A 250V
 bulb ø 6x77 mm



LINCAR INOX 40000917

3444145 SINGLE-PHASE THERMOSTAT 50-310°C
 D-shaped pin ø 6x4.6 mm
 capillary length covered 1600 mm - 16A 250V
 bulb ø 4x120 mm
 for OVEN




LINCAR INOX 40000906

3744104 SINGLE-PHASE THERMOSTAT 97-190°C
 D-shaped pin ø 6x4.6 mm
 covered capillary length 1500 mm - 16A 250V
 bulb ø 6x90 mm - with stuffing gland fitting M9x1



LINCAR INOX 40000907

3444307 THREE-PHASE THERMOSTAT 230°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb ø 6x100 mm - with adapter nipple band M10x1



LINCAR INOX 40000919



LINCAR INOX



Suitable for:

3444354 THREE-PHASE THERMOSTAT 350°C
with manual reset
capillary length coated 950 mm - 10A 400V
bulb \varnothing 3x190 mm
for Fry top (LINCAR INOX)



LINCAR INOX 40000920


Suitable for:

3444620 THREE-PHASE THERMOSTAT 45-120°C
D-shaped pin \varnothing 6x4.6 mm
covered capillary length 870 mm - 16A 380V
bulb \varnothing 6x140 mm
for Pasta cooker (LINCAR INOX)



LINCAR INOX 40000908

3444052 THREE-PHASE THERMOSTAT 50-320°C
D-shaped pin \varnothing 6x4.6 mm
capillary length 900 mm - 10A 400V
bulb \varnothing 3x230 mm





















LINCAR INOX 40000905

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfrcambi724.it - www.lfrcambi724.mobi
info@lfrcambi.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
-  **LF SpA HOUSEHOLD COMPONENTS DIVISION**
Via Padriciano, 34149 Trieste - Italia - AREA Science Park
Tel. +39 0547 34 12 42 - Fax +39 0547 34 12 48
www.lfspareparts724.com - www.lfspareparts724.mobi
info@lfspareparts.com
-  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
-  **LF GmbH GERMANY**
Junkersstrasse, 3 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
-  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
-  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel./Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
-  **LF Repuestos Horeca S.L.U. SPAIN**
Poligono Industrial Carpetania - C/Miguel Faraday, 8 - 28906 Getafe
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
-  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
-  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
-  **AUSTRIA**
www.lfersatzteile724.at
info@lfersatzteile.at
-  **BALKAN COUNTRIES**
www.lfspareparts724.com
matijaramov@lfspareparts.com
-  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
-  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz
-  **DENMARK**
www.lfspareparts724.dk
michael.leth@lfspareparts.com
-  **JAPAN**
www.lfspareparts724.jp
hiroshi.ukai@lfspareparts.jp
-  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
-  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
-  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us