



Spare parts for:

Cooking equipment



Suitable for:

LOTUS



This catalogue is automatically generated.
Therefore, the sequence of the items might
not be always shown at best.

Updates will be issued in case of additions
and/or amendments.

Suitable universal spare parts may not be included





Suitable for:

LOTUS



Suitable for:

Air regulators

3352006 AERATION REGULATOR
internal \varnothing 16 mm - external \varnothing 18 mm
height 38 mm



LOTUS 533053000

3352007 AERATION REGULATOR
internal \varnothing 18 mm - external \varnothing 20 mm
height 38 mm



LOTUS 533053100

3352502 AERATION REGULATOR
length 60 mm



LOTUS 544147400

Ball valves and accessories

3356052 DRAIN TAP \varnothing 3/4" F
lateral lever fitting
outlet internal \varnothing 22 mm



LOTUS 531000100

3356049 OIL DRAIN PIPE WITH SAFETY DEVICE
 \varnothing 22 mm - length 210 mm - bayonet joint
for TECNOINOX BAIN-MARIE-FRYER



LOTUS 544120300

5012801 DRAIN TAP LEVER 62 mm
thread M6
for Bain-marie electric (LOTUS) - Series 600
for Bain-marie gas (LOTUS) - Series 600
for Fryer electric (LOTUS) - Series 600
for Fryer gas (LOTUS) - Series 600
for Pasta cooker electric (LOTUS) - Series 600
for Pasta cooker gas (LOTUS) - Series 600



LOTUS 533009600



Burners, flame spreaders and accessories

3025421 BURNER \varnothing 100 mm
for Pot stove gas (LOTUS) - Series 550
Series 900



LOTUS 531035400

3025432 BURNER \varnothing 48 mm
for Pot stove gas (LOTUS) - Series 600



LOTUS 532003200

3025418 BURNER \varnothing 60 mm
for Pot stove gas (LOTUS) - Series 550
Series 900



LOTUS 531035200

3025424 BURNER \varnothing 80 mm
for Pot stove gas (LOTUS) - Series 550
Series 900



LOTUS 531035300

3025179 BURNER RING \varnothing 90 mm
for Pot stove gas (LOTUS) - Series 650



LOTUS 532000900

3025420 FLAME SPREADER \varnothing 100 mm
for Pot stove gas (LOTUS) - Series 550
Series 900



LOTUS 532003900

3025426 FLAME SPREADER \varnothing 100 mm POLISHED
for Pot stove gas (LOTUS) - Series 600



LOTUS 532003400

3025429 FLAME SPREADER \varnothing 130 mm POLISHED
for Pot stove gas (LOTUS) - Series 600



LOTUS 532003600

3025417 FLAME SPREADER \varnothing 60 mm
for Pot stove gas (LOTUS) - Series 550
Series 900



LOTUS 532003700

3025176 FLAME SPREADER \varnothing 80 mm



LOTUS 532001100



Suitable for:

LOTUS



Suitable for:

3025423 FLAME SPREADER \varnothing 80 mm
for Pot stove gas (LOTUS) - Series 550
Series 900



LOTUS 532003800


3025805 FLAME SPREADER ASSY. \varnothing 100 mm
for Pot stove gas (LOTUS) FO-1G - FO-2G - FO-3G
PC-4G - PC-6G - PC-8G



LOTUS 532001800

LOTUS 532006500+...

3025416 VENTURI F/FLAME SPREADER 100 mm
for Pot stove gas (LOTUS) FO-1G - FO-2G - FO-3G
PC-4G - PC-6G - PC-8G



LOTUS 532001400

3025804 FLAME SPREADER ASSY. \varnothing 80 mm
for Pot stove gas (LOTUS) FO-1G - FO-2G - FO-3G
PC-4G - PC-6G - PC-8G



LOTUS 532001500

LOTUS 532001700


LOTUS 532006400+...

3025413 VENTURI F/FLAME SPREADER 80 mm
for Pot stove gas (LOTUS) FO-1G - FO-2G - FO-3G
PC-4G - PC-6G - PC-8G



LOTUS 532001300

3025416 VENTURI F/FLAME SPREADER 100 mm
for Pot stove gas (LOTUS) FO-1G - FO-2G - FO-3G
PC-4G - PC-6G - PC-8G



LOTUS 532001400

3025422 VENTURI F/FLAME SPREADER 100 mm
for Pot stove gas (LOTUS) - Series 550
Series 900




LOTUS 531035100

3025428 VENTURI F/FLAME SPREADER 100 mm
for Pot stove gas (LOTUS) - Series 600



LOTUS 532002900

3025433 VENTURI F/FLAME SPREADER 130 mm
for Pot stove gas (LOTUS) - Series 600



LOTUS 532003000



Suitable for:

3025419 VENTURI F/FLAME SPREADER 60 mm
for Pot stove gas (LOTUS) - Series 550
Series 900



LOTUS 531034900

Suitable for:

3025413 VENTURI F/FLAME SPREADER 80 mm
for Pot stove gas (LOTUS) FO-1G - FO-2G - FO-3G
PC-4G - PC-6G - PC-8G



LOTUS 532001300

3025425 VENTURI F/FLAME SPREADER 80 mm
for Pot stove gas (LOTUS) - Series 550
Series 900



LOTUS 531035000

Cables for piezo igniters

3001027 IGNITION CABLE 500 mm
with faston terminal \varnothing 2 mm for ignition
with faston terminal \varnothing 2 mm for plug



LOTUS 547003200

3001038 IGNITION CABLE 500 mm
with faston terminal 3x0.8 mm for ignition
with faston terminal \varnothing 2.4 mm for plug
for Pot stove gas (LOTUS) - Series 600



LOTUS 547002600

3001032 IGNITION CABLE 600 mm
with faston terminal \varnothing 2.4 mm for ignition
with faston hole \varnothing 4 mm for plug



LOTUS 547002700

5053596 IGNITION LEAD 1100 mm
with faston 3x0.8 mm for ignition
with faston 3x0,8 mm for electrode



LOTUS 547003400

LOTUS 547003401

3001018 IGNITION LEAD 600 mm
with faston \varnothing 2.4 mm for ignition
with faston \varnothing 4 mm for electrode



LOTUS 547013900



Suitable for:

LOTUS



Suitable for:

Contact thermostats

- 3443053 CONTACT THERMOSTAT 165°C 10A 250V**
 with manual reset
 for Bain-marie electric (LOTUS) BM-10EM - BM-10EMX
 BM-4EM - BM-4EMX - BM-6EM - BM-6EMX - BM-74EM
 BM-78EM - BM-8EM - BM-8EMX



LOTUS 537012100

Contactors

- 3446562 CONTACTOR LOVATO BF0901A**
 coil 9A 230V 50/60Hz 4.2Kw
 3 normally open contacts
 1 normally closed auxiliary contact



LOTUS 537010100

Cooking baskets and accessories

- 3055146 PASTA BASKET 140x100x135 mm**
 of stainless steel
 for Pasta cooker electric (LOTUS) CP-61EM/CP-62ET



LOTUS 531001600

- 3055280 PASTA COOKER BASKET 280x100x135 mm**
 made of stainless steel
 for Pasta cooker (LOTUS) - Series CPE



LOTUS 531004000

- 3055281 PASTA COOKER BASKET 280x200x135 mm**
 made of stainless steel
 for Pasta cooker (LOTUS) - Series CPE



LOTUS 531003900



Drain hoses

- 3356049 OIL DRAIN PIPE WITH SAFETY DEVICE**
 ø 22 mm - length 210 mm - bayonet joint
 for TECNOINOX BAIN-MARIE-FRYER



LOTUS 544120300

Drain taps and accessories


- 3356100 DRAIN TAP ø 2" F TECNO**
 GASKET SEAL - with swivel nut ø 2" F



LOTUS


Electric hot plates

- 3311090 ELECTRIC HOT PLATE ø 145 mm 1000W 230V**
 MODEL "ECODESIGN"
 terminal block electric connections
 with stainless steel edge
 for electrical cooking top



LOTUS 537002100

- 3311168 ELECTRIC HOT PLATE ø 165 mm 1200W 230V**
 faston electric connections
 complete with energy adjuster
 for glass-ceramic cooking top



LOTUS 537014500

- 3311094 ELECTRIC HOT PLATE ø 180 mm 1500W 230V**
 MODEL "ECODESIGN"
 terminal block electric connections
 with stainless steel edge
 for electrical cooking top



LOTUS 537002200

- 3311166 ELECTRIC HOT PLATE ø 200 mm 1800W 230V**
 faston electric connections
 complete with energy regulation
 for glass-ceramic cooking top



LOTUS 537012900



Suitable for:

LOTUS



3311098 ELECTRIC HOT PLATE ø 220 mm 2000W 230V
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



LOTUS 537002300


Suitable for:

3311100 ELECTRIC HOT PLATE ø 220 mm 2600W 230V
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top
 for Hot plate (LOTUS) PC-74ET




LOTUS 537019900

3311101 ELECTRIC HOT PLATE ø 220 mm 2600W 400V
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



LOTUS 537022600

2110855 ELECTRIC HOT PLATE ø 230 mm 2200W 230V
 faston electric connections
 complete with energy adjuster




LOTUS 537015300

3311087 ELECTRIC HOT PLATE ø 250 mm 2500W 230V
 faston electric connections
 complete with energy regulation
 for glass-ceramic cooking top



LOTUS 537019400

3311089 ELECTRIC HOT PLATE ø 300 mm 3500W 230V
 terminal block electric connections
 with STAINLESS steel edge



LOTUS 537017400

3311053 ELECTRIC HOT PLATE 2600W 230V
 dimensions 220x220 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top
 for Hot plate (LOTUS) PC-74ET



LOTUS 537017000

3311054 ELECTRIC HOT PLATE 2600W 400V
 dimensions 220x220 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



LOTUS 537022700



Suitable for:

3311062 ELECTRIC HOT PLATE 3000W 230V
 dimensions 300x300 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



LOTUS

Suitable for:

3311063 ELECTRIC HOT PLATE 3000W 400V
 dimensions 300x300 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



LOTUS

3311064 ELECTRIC HOT PLATE 4000W 230V
 dimensions 300x300 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



LOTUS 537017100

3311065 ELECTRIC HOT PLATE 4000W 400V
 dimensions 300x300 mm
 terminal block electric connections
 with STAINLESS steel edge
 for electric cooking top



LOTUS 537025500

Electrical gas valves and accessories

3526124 KNOB EXTENSION LENGTH 77 mm
 for VALVE 820 NOVA-824 NOVASIT



LOTUS 536022500

3526179 VALVE 820 NOVA \varnothing 1/2"FF
 inlet \varnothing 1/2" F - outlet \varnothing 1/2" F
 thermocouple connection M9x1
 maximum gas inlet pressure 60 mbar
 outlet pressure adjustment range
 5÷50 mbar
 ambient temperature 0÷70°C
 power supply 220V 50Hz



LOTUS 531042000

Energy regulators

3350026 ENERGY ADJUSTER
 contact capacity 230V 13A - max temperature 125°C
 D-shaped pin \varnothing 6x4.6 mm
 double rotation direction
 for PYROCERAM. TOPS-SALAMANDERS-POTATO WARMERS
 for Fry top (LOTUS)
 Series 60 - Series 65 - Series 70
 for Salamander electric (LOTUS)
 SA-400 - SA-600 - SL-600



LOTUS 537013300

LOTUS 537020100

LOTUS 537021500



Suitable for:

LOTUS



Suitable for:

Fryer baskets and accessories

3055274 FRYER BASKET 250x200x100 mm
in chrome-plated iron
for Fryer gas (LOTUS) FQ-61GF - FQ-62GF



LOTUS 531005700

3055256 FRYER BASKET 270x200x105 mm
in chrome-plated iron
for Fryer electric (LOTUS) FE-10 - FE-2/10
FE-2/8 - FE-8 - FEM-2/6 - FEM-6 - FQ-61EM
FQ-61ET - FQ-62EM - FQ-62ET



LOTUS 531000700

5021680 FRYER BASKET 270x260x110 mm
of chromed iron
for Fryer electric (LOTUS)
FE-10-FE-2/10-FME10-FME-2/10



LOTUS 531000800

5066069 FRYER BASKET 300x200x105 mm
of chromed iron
for Fryer gas (LOTUS) FQ4G-FQ6G



LOTUS 531024100

5012830 FRYER BASKET 300x210x120 mm
of chromed iron
for Fryer electric (LOTUS) F13-74ET - F2/13-78ET
for Fryer gas (LOTUS) FG-10 - FG-2/10 - FMG-10
FMG-2/10 - F13-74G - F2/13-78G



LOTUS 531013300

3055290 FRYER BASKET 330x300x125 mm
made of chrome-plated iron
for Fryer electric (LOTUS) FME-15 - FME-2/15
F18-74ET - F2/18-78ET
for Fryer gas (LOTUS) FMG-15 - FMG-2/15 - FQM-4G
F18-74G - F2/18-78G



LOTUS 531013400

5062913 FRYER BASKET 450x210x155 mm
of chromed iron
for Fryer gas (LOTUS) F18-94G - F2/18-98G



LOTUS 531041200



Gas burners

3023252 BURNER \varnothing 40x260 mm
 overall length 280 mm
 made of STAINLESS STEEL
 for Fry top gas (LOTUS) FT-61G - FT-62G - FT-63G
 FT-64G



LOTUS 531005100

3023254 BURNER \varnothing 50x390 mm
 overall length 397 mm
 made of STAINLESS STEEL
 for Pasta cooker gas (LOTUS) CPM-6G - CPM-62G



LOTUS 531017800

3023258 BURNER 405x200 mm
 made of stainless steel
 for Lava rock grill gas (LOTUS) CW-4G - CW-6G
 CW-61G - CW-62G - CW-74G - CW-78G - CWT-74G
 CWT-78G



LOTUS 531019900

3023255 VERTICAL BURNER \varnothing 75x180 mm
 made of chrome-plated iron
 for Fryer gas (LOTUS) - Series 650 - Series 700



LOTUS 531006400

LOTUS 53101390

LOTUS 531013900

Gas taps and accessories

3348089 BRACKET FOR TAP



LOTUS 533017300


3348081 GAS TAP SKG
 complete with silk-screen printed plate \varnothing 41 mm
 pipe flange fitting \varnothing 16 mm
 outlet connection \varnothing 1/4"
 thermocouple connection M8x1
 D-shaft \varnothing 6x4.6 mm



LOTUS 531002100

LOTUS 531064200

3348098 GAS TAP SKG
 with microswitch
 with pilot flame
 flange connection
 outlet fitting M13x1 mm
 with flowrate adjuster
 thermocouple connection M8x1
 D-shaped pin \varnothing 6x4.6 mm
 for Pot stove (LOTUS) - Series 600



LOTUS 531034600

3020131 PIPE OLIVE \varnothing 8 mm



LOTUS 533016100



Suitable for:

3240625 TAP MICROSWITCH 250V



LOTUS 537023600

LOTUS



Suitable for:

3348099 GAS TAP SKG
with microswitch
with pilot flame
flange connection
outlet fitting M13x1 mm
thermocouple connection M8x1
D-shaped pin \varnothing 6x4.6 mm
for Pot stove (LOTUS) - Series 600



LOTUS 531034500

LOTUS 531047700

3020131 PIPE OLIVE \varnothing 8 mm



LOTUS 533016100

3240625 TAP MICROSWITCH 250V



LOTUS 537023600

3348014 GAS TAP 20/S
without pilot flame
fittings \varnothing M16x1.5mm
thermocouple fitting M8x1
D-shaped pin \varnothing 8x6.5mm



LOTUS 531021600

LOTUS 531025800

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



LOTUS 533039000

Suitable for:

Suitable for:

3348016 GAS TAP 21S
with pilot flame
fittings \varnothing M16x1.5mm
with flow regulator
thermocouple connection M9x1 mm
D-shaped pin \varnothing 8x6.5 mm

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



LOTUS 531018900
LOTUS 531032100

LOTUS 531025500
LOTUS 531042900

LOTUS 531032000

LOTUS 533039000

3348085 GAS VALVE BUSHING

3348043 PIPE FITTING \varnothing 10 mm
thread M16x1.5
for model PEL 20-21



LOTUS 533041000

LOTUS 533010800

3348044 PIPE OLIVE \varnothing 10 mm
for model PEL 20 - 21



LOTUS 533039300

Gas valves and accessories

3526260 EUROSIT VALVE CAP

3526131 EUROSIT VALVE FOR FRYER 110÷190°C
inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
thermocouple connection M9x1
maximum gas inlet pressure 50 mbar
outlet pressure adjustment range
3÷18 mbar
ambient temperature 0÷80°C
capillary length 1050 mm
bulb \varnothing 4x200 mm



LOTUS 533053600

LOTUS 531025200



Suitable for:

LOTUS



3526130 EUROSIT VALVE FOR OVEN 100÷340°C
 inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure adjustment range
 3÷18 mbar
 ambient temperature 0÷120°C
 capillary length 1050 mm
 bulb \varnothing 4x72 mm



LOTUS 531025300

Suitable for:

3526127 FLANGE FOR KNOB EXTENSION



LOTUS 536017200

3526125 KNOB EXTENSION 47 mm
 D-shaped pin \varnothing 8x6.5 mm



LOTUS 533052600

3523035 KNOB MINISIT BLACK \varnothing 37 mm



LOTUS 536000600

3523047 MINISIT COVER



LOTUS 536000700

3523037 MINISIT ELBOW FLANGE \varnothing 3/8"
 with screws and "O" ring



LOTUS 533018200

3523040 MINISIT SENSING ELEMENT 100÷340°C
 capillary length 1050 mm
 bulb \varnothing 5x70 mm



LOTUS 531014000

3523051 MINISIT SENSING ELEMENT 110÷190°C
 capillary length 1050 mm
 bulb \varnothing 6x105 mm



LOTUS 531014100

3523039 MINISIT SENSING ELEMENT 30÷100°C
 capillary length 1050 mm
 bulb \varnothing 5x125 mm



LOTUS 531014200

3523042 MINISIT SENSING ELEMENT 50÷190°C
 capillary length 1200 mm
 bulb \varnothing 5x95 mm



LOTUS _0928566

Suitable for:

3523919 MINISIT VALVE FOR FOOD-WARMER 30÷100°C

inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb \varnothing 5x125 mm
 without cover, knob and flanges



LOTUS 531002800

Suitable for:

3523092 MINISIT VALVE FOR FOOD-WARMER 40÷110°C

inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb \varnothing 5x125 mm
 for Pasta cooker gas (LOTUS)



LOTUS 531001900

3523949 MINISIT VALVE FOR FRYER 110÷190°C

inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb \varnothing 6x105 mm
 supplied without lid knob and flanges



LOTUS 531002700

3523920 MINISIT VALVE FOR OVEN 100÷340°C

inlet \varnothing 1/2" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 ambient temperature 0÷60°C
 capillary length 1050 mm
 bulb \varnothing 5x70 mm
 without cover, knob and flanges



LOTUS 531002600

3523008 NUT M14x1 FOR B3-B3/C VALVE



LOTUS 533010900

3526146 VALVE EUROSIT FOR FRY TOP 40÷250°C

inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 outlet pressure calibration range
 3÷18 mbar
 ambient temperature 0÷120°C
 capillary length 1050 mm
 bulb \varnothing 4x72 mm



LOTUS 531025400

3523018 VALVE MINISIT MANUAL FOR PASTA COOKER

inlet \varnothing 3/8" F - outlet \varnothing 3/8" F
 thermocouple connection M9x1
 maximum gas inlet pressure 50 mbar
 room temperature 0÷60°C
 supplied with an elbow flange \varnothing 3/8" F



LOTUS 531011000



Suitable for:

LOTUS



Suitable for:

Gaskets and seals

3186695 SHAPED GASKET FOR TAP
external \varnothing 12 mm



LOTUS 536000400

LOTUS 536000801

Gaskets for oven door


5027269 OVEN DOOR GASKET 1000x310 mm
made of silicone elastomer
with fastening clips - 3 sides
profile dimensions 9.2x8.8 mm
COLOUR BLACK
for Oven under cooktop (LOTUS) - Series 700 MAXI
Series 900 MAXI



LOTUS 536010900

LOTUS 536010901

3186401 OVEN DOOR GASKET 400x310 mm
made of silicone elastomer
with fastening clips - 3 sides
profile dimensions 10x9 mm
COLOUR BLACK
for Oven under cooktop (LOTUS) - Series CF62



LOTUS 536011400

3186402 OVEN DOOR GASKET 545x340 mm
made of silicone elastomer
with fastening clips - 3 sides
profile dimensions 10x9 mm
COLOUR BLACK
for Oven under cooktop (LOTUS) - Series CF10
Series CF8



LOTUS 536011300

3186776 OVEN DOOR GASKET 640x320 mm
made of silicone elastomer
with fastening clips - 3 sides
profile dimensions 9.2x8.8 mm
COLOUR BLACK
for Oven under cooktop electric (LOTUS)
Series 700 - Series 900
for Oven under cooktop gas (LOTUS) - Series 700
Series 900



LOTUS 536010800

LOTUS 536010801


Grids for kitchen

3185118 GRID 470x290 mm
for Pot stove (LOTUS) - Series 600



LOTUS 532002200

3185121 PAN SUPPORT GRID 395x365 mm
for Pot stove (LOTUS) - Series 550 - Series 900



LOTUS 532004000

Suitable for:

Suitable for:

3185070 PAN SUPPORT GRID 475x290 mm
for Pot stove (LOTUS) - Series 600



LOTUS 532002100

Handles

3242718 DOOR HANDLE STRIKE
for high temperatures
mounting distance 43 mm
for OVEN



LOTUS _RRC2210-02

LOTUS RRC2210-02


3242336 OVEN DOOR HANDLE ø 28x90 mm M10



LOTUS 536014600

Heating elements

3355884 BOTTOM HEATING ELEMENT 1600W 220V
length 300 mm - width 530 mm
flange 100x22 mm
for Oven under cooktop (LOTUS) - Series CF-8
CF10



LOTUS 537006300

3355829 CERAMIC HEATING ELEMENT 650W 230V
length 245 mm - width 60 mm



LOTUS 537015200

3755706 HEATING ELEMENT LOWER 1200W 230V
length 505 mm - width 125 mm
fittings M12x1 mm
for Oven under cooktop electric (LOTUS)
Series 700



LOTUS 537020900

LOTUS 537020901

3755709 HEATING ELEMENT LOWER 1700W 230V
length 690 mm - width 125 mm
fittings M12x1 mm
for Oven under cooktop electric (LOTUS)
Series 900



LOTUS 537028100

LOTUS 537028101



Suitable for:

LOTUS



3755697 HEATING ELEMENT SILICONE 1500W 230V
 length 570 mm - width 230 mm
 complete with cables
 operating ambient: dry
 for Bain-marie electric (LOTUS) BM-94EM - BM-98EM



LOTUS 537026000

3755707 HEATING ELEMENT UPPER 700W 230V
 length 505 mm - width 125 mm
 fittings M12x1 mm
 for Oven under cooktop electric (LOTUS) Series 700



LOTUS 537025400

3755708 HEATING ELEMENT UPPER 800W 230V
 length 690 mm - width 125 mm
 fittings M12x1 mm
 for Oven under cooktop electric (LOTUS) Series 900



LOTUS 537027800

LOTUS 537027801

3355841 HEATING ELEMENT 1000W 230V
 length 335 mm - width 85 mm
 height 55 mm
 for Fry top electric (LOTUS) FT-61ET - FT-62ET FT-63ET - FT-64ET



LOTUS 537005100

3355831 HEATING ELEMENT 1189W 230V
 length 280 mm - width 135 mm
 fittings \varnothing 1/8"
 operating ambient: dry
 for Bain-marie electric (LOTUS) BM-61EM
 for Hot cupboard electric (LOTUS) MP-62EM



LOTUS 537004800

3355882 HEATING ELEMENT 1500W 230V
 length 310 mm - width 200 mm
 flange 100x22 mm



LOTUS 537006400

3755712 HEATING ELEMENT 1500W 230V
 length 500 mm - width 90 mm
 height 60 mm
 for Fry top electric (LOTUS) FT-712ET - FT-74ET FT-78ET - FTT-74ET - FTT-78ET



LOTUS 537021000

3755862 HEATING ELEMENT 1500W 230V
 length 415 mm - width 115 mm
 height 60 mm
 for Fry top electric (LOTUS) FT-4EM - FT-4ET FT-6EM - FT-6ET - FT-8EM - FT-8ET



LOTUS 537005200



Suitable for:

5037226 HEATING ELEMENT 1650W 230V
length 490 mm - width 45 mm
height 50 mm - connections \varnothing 1/4"
for Bratt pan electric (LOTUS)



LOTUS _40400084

Suitable for:

3355436 HEATING ELEMENT 1800W 230V
length 305 mm - width 65 mm
height 195 mm - fittings M12x1 mm
for Fryer electric (LOTUS) FE-2/8 - FE-8 - FP-6ET
FP-62ET - FQ-4ET - FQ-6ET - FQ-61ET



LOTUS 537003500

3355438 HEATING ELEMENT 2000W 230V
length 335 mm - width 80 mm
height 200 mm - fittings M12x1 mm
for Fryer electric (LOTUS) FE-10 - FE-2/10
FME-10 - FME-2/10



LOTUS 537003700

3355803 HEATING ELEMENT 2000W 230V
length 230 mm -width 210 mm
fittings \varnothing 1/4"
for Salamander electric (LOTUS) SL-600



LOTUS 537020500

3355852 HEATING ELEMENT 2000W 230V
length 420 mm - width 95 mm
fittings M12x1 mm
for Grill electric (LOTUS) CW-4ET - CW-6ET
CW-61ET - CW-62ET



LOTUS 537010700

3355871 HEATING ELEMENT 2000W 230V
length 280 mm - width 140 mm
overall height 55 mm - fittings M10x1 mm
for Pasta cooker electric (LOTUS) CP-2ET - CP-4ET
CP-6ET - CP-61EM - CP-62ET



LOTUS 537004900

3355881 HEATING ELEMENT 2000W 230V
external \varnothing 195 mm - total height 70 mm
flange 70x22 mm



LOTUS 537006500

3755710 HEATING ELEMENT 2000W 230V
length 295 mm - width 220 mm
fittings M12x1 mm
for Salamander electric (LOTUS) SA-400 - SA-600



LOTUS 537020600



Suitable for:

LOTUS



3755713 HEATING ELEMENT 2200W 230V
 length 390 mm - width 130 mm
 height 165 mm - fittings M12x1 mm
 for Fryer electric (LOTUS) FMPE-20 - FMPE-30
 FPE-20



LOTUS 537010800

LOTUS 537010801

3355055 HEATING ELEMENT 2500W 220V
 external \varnothing 190 mm - overall height 93 mm
 flange 70x22 mm



LOTUS 537010500

3355437 HEATING ELEMENT 2500W 230V
 length 290 mm - width 105 mm
 height 200 mm - fittings \varnothing 1/4"
 for Fryer electric (LOTUS) FEC-4



LOTUS 537003100

3355435 HEATING ELEMENT 3000W 230V
 length 275 mm - width 190 mm
 height 185 mm - fittings \varnothing 1/4"
 for Fryer electric (LOTUS) FEM-2/6 - FEM-6
 FQ-4EM - FQ-6EM - FQ-61EM - FQ-62EM



LOTUS 537003300

3755714 HEATING ELEMENT 3000W 230V
 length 405 mm - width 100 mm
 height 200 mm - fittings M12x1 mm
 for Fryer electric (LOTUS) FME-15 - FME-2/15



LOTUS 537004300

5049326 HEATING ELEMENT 3300W 230V
 length 340 mm - width 180 mm
 with two holes for bulb - complete with cables
 complete with O-Ring gasket
 for Fryer electric (LOTUS)
 FP-62ETL/FQ-61EM/FQ-62EM/FQ-4EM/FQ-6EM



LOTUS 537027000

1186190 O-RING 04187 VITON



LOTUS 536009800

Suitable for:

3755865 HEATING ELEMENT 700W 230V
length 140 mm - width 200 mm
height 90 mm - fittings M12x1 mm
for Dish warmer electric (LOTUS) SP5



LOTUS 537004600

Suitable for:

5054702 HEATING ELEMENT 8000W 230V
immersed depth 497 mm
flange ø external 63 mm
with bulb sheath
for Boiling pan electric (LOTUS)



LOTUS _40400048

3355827 HEATING ELEMENT 823W 230V
length 280 mm - width 111 mm
overall height 60 mm - fittings M10x1 mm
operating ambient: dry
for Bain-marie electric (LOTUS) BM-62EM - BM-62ET
BS-61EM - BS-62EM
for Pasta cooker electric (LOTUS) CP-61EM



LOTUS 537004200

3355397 HEATING ELEMENT 850W 230V
length 320 mm - width 85 mm
fittings ø 1/4"
for Toaster electric (LOTUS) TS3 - TS6



LOTUS 537004500

3755699 MIDDLE HEATING ELEMENT 2000W 230V
lmgth 300 mm - body ø 30 mm
connection ø 1" M - with cables
with thermostat probe receptacle
for Pasta cooker electric (LOTUS) CP-74ET
CP-78ET



LOTUS 537021100

LOTUS 537021200

3186775 O-RING 03150 RED SILICONE



LOTUS 536009700

3755705 MIDDLE HEATING ELEMENT 3500W 230V
length 475 mm - body ø 30 mm
connection ø 1" M - with cables
with thermostat probe receptacle
for Pasta cooker electric (LOTUS) CPB-98ET



LOTUS

LOTUS 537024300+

LOTUS 537024200

LOTUS 537024300

3755868 SILICONE HEATING ELEMENT 1500W 230V
length 460 mm - width 375 mm
complete with cables
operating ambient: dry
for Bain-marie electric (LOTUS) BM-6EM - BM-6EMX



LOTUS 537012000



Suitable for:

LOTUS



Suitable for:

3755867 SILICONE HEATING ELEMENT 650W 230V
 length 375 mm - width 275 mm
 complete with cables
 operating ambient: dry
 for Bain-marie electric (LOTUS) BM-10EM - BM-10EMX
 BM-4EM - BM-4EMX - BM-74EM - BM-78EM - BM-8EM
 BM-8EMX



LOTUS 537011900

Hinges, catches and accessories

3053003 DOOR HINGE ROLL HOLDER
 distance between holes 95 mm - overall length 118
 height 23 mm



LOTUS 531022900

3053019 DOOR HINGE ROLL HOLDER
 mounting distance 95 mm - overall length 110 mm
 height 25 mm
 for Oven under cooktop (LOTUS) - Series CF



LOTUS 531007200

LOTUS 531007900

3053565 DOOR HINGE ROLL HOLDER
 distance betw.holes 225 mm - overall length 250 mm
 height 24 mm
 for Oven under cooktop (LOTUS) - Series 60
 Series 65



LOTUS 531012401

5012812 HINGE RH-LH FOR OVEN
 distance between holes 135 mm - overall length 163
 height 170 mm
 for Oven under cooktop (LOTUS) - Series 600-650



LOTUS 531007300

5012832 HINGE ROLL HOLDER
 distance between holes 95 mm - overall length 110
 height 25 mm
 for Oven under cooktop (LOTUS) - Series 600-650



LOTUS 531012400

Suitable for:

Suitable for:

5012832 HINGE ROLL HOLDER
 distance between holes 95 mm - overall length 110
 height 25 mm
 for Oven under cooktop (LOTUS) - Series 600-650



LOTUS 531012400

3053007 LEFTHAND DOOR HINGE FOR OVEN
 distance between holes 175 mm - overall length 205
 height 160 mm



LOTUS 531022700

3053003 DOOR HINGE ROLL HOLDER
 distance between holes 95 mm - overall length 118
 height 23 mm



LOTUS 531022900

3053018 LEFTHAND DOOR HINGE FOR OVEN
 distance between holes 120 mm - overall length 155
 height 146 mm



LOTUS

3053019 DOOR HINGE ROLL HOLDER
 mounting distance 95 mm - overall length 110 mm
 height 25 mm
 for Oven under cooktop (LOTUS) - Series CF



LOTUS 531007200

LOTUS 531007900

3053564 OVEN DOOR HINGE
 distance betw.holes 70 mm - overall length 214 mm
 height 25 mm
 for Oven under cooktop (LOTUS) - Series 60
 Series 65



LOTUS 531007301

3053565 DOOR HINGE ROLL HOLDER
 distance betw.holes 225 mm - overall length 250 mm
 height 24 mm
 for Oven under cooktop (LOTUS) - Series 60
 Series 65



LOTUS 531012401

3053006 RIGHTHAND DOOR HINGE FOR OVEN
 distance between holes 175 mm - overall length 205
 height 160 mm



LOTUS 531022800

3053003 DOOR HINGE ROLL HOLDER
 distance between holes 95 mm - overall length 118
 height 23 mm



LOTUS 531022900



Suitable for:

LOTUS



3053017 RIGHTHAND DOOR HINGE FOR OVEN
distance between holes 120 mm - overall length 155
height 146 mm



LOTUS

Suitable for:

3053019 DOOR HINGE ROLL HOLDER
mounting distance 95 mm - overall length 110 mm
height 25 mm
for Oven under cooktop (LOTUS) - Series CF



LOTUS 531007200

LOTUS 531007900

Igniters

3001007 PIEZO IGNITER
a \varnothing 22 mm hole is needed for the assembly
2.4 mm \varnothing male faston connector



LOTUS 537008500

LOTUS 537009000

3001020 PIEZO IGNITER
a \varnothing 18 mm hole is required for the assembly
faston M \varnothing 2.4 mm



LOTUS 537002800+

Incandescent lamps and neon lamps

3221041 OVEN LAMP E14 15W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



LOTUS 537005400

3221061 OVEN LAMP E14 25W 230V
max temperature 300°C
for OVEN - PIZZA OVEN



LOTUS _C2104-03

Indicator lights

3221216 GREEN INDICATOR LAMP 230V
head \varnothing 16 mm - hole \varnothing 11.5 mm - 120°C



LOTUS _C2205-00

3221152 INDICATOR LIGHT GREEN 250V
head \varnothing 14 mm - hole \varnothing 11 mm - 120°C
for (LOTUS) - Series 600 - Series 650 - Series 700
Series 900



LOTUS 537014200

Suitable for:

3221095 ORANGE INDICATOR LAMP 230V
 head \varnothing 13.5 mm - hole \varnothing 10 mm - 120°C
 universal application



LOTUS 6E00056

LOTUS 6E00056TV

Suitable for:

3221151 WHITE INDICATOR LIGHT 250V
 head \varnothing 14 mm - hole \varnothing 11 mm - 120°C
 for (LOTUS) - Series 600 - Series 650 - Series 700
 Series 900



LOTUS 537014100

LOTUS 537017600

Injectors

5008758 GAS NOZZLE M10x1 \varnothing 1.10 mm



LOTUS 533043200

5000530 GAS NOZZLE M10x1 \varnothing 1.15 mm



LOTUS 533043900

Knobs

3241258 BLACK KNOB \varnothing 40 mm
 D shaft hole 6x4.6 mm
 for Pot stove gas (LOTUS) - Series 600



LOTUS 536002500

3241547 BLACK KNOB \varnothing 40 mm SCREENPRINTED
 D-shaped hole 6x4.6 mm
 for Pot stove (LOTUS) - Series 600



LOTUS 536002501

3241548 BLACK KNOB \varnothing 40 mm SILK-SCREEN PRINTED
 D shaft hole 6x4.6 mm
 for Pot stove (LOTUS) - Series 600



LOTUS 536020200

3241183 BLACK KNOB \varnothing 40 mm 0-1-2-3-4-5-6
 D shaft hole 6x4.6 mm
 for Pot stove electric (LOTUS)
 Series 600
 for Kitchen (LOTUS) CF-8ET



LOTUS 536002100



LOTUS



Suitable for:


3241224 BLACK KNOB \varnothing 40 mm 0-300°C
D shaft hole 6x4.6 mm
for Bratt pan (LOTUS) - Series 600
for Fry top (LOTUS) - Series 600
for Sausage grill (LOTUS) - Series 600



LOTUS 536002300


Suitable for:

3241171 BLACK KNOB \varnothing 40 mm 0-90°C
D shaft hole 6x4.6 mm
for Bain-marie (LOTUS) 600BM - 61BM - 62BM - 62BS
62EM
for Bain-marie electric (LOTUS) BM-61EM - BM-62EM
BM-62ET
for Pasta cooker (LOTUS) 600CP - 61CP
for Pasta cooker electric (LOTUS) CP-61EM
CP-62ET



LOTUS 536002200

3241222 BLACK KNOB \varnothing 40 mm 100-180°C
D shaft hole 6x4.6 mm
for Fryer (LOTUS) - Series 600



LOTUS 536002400

3241349 BLACK KNOB \varnothing 44 mm 0-15
pin hole 5x3.5 mm



LOTUS 536002000

3444187 BLACK KNOB \varnothing 50 mm 50-500°C
D-shaped pin \varnothing 6x4.6 mm
for EGO thermostat




LOTUS _MANOP003

5021926 BLACK KNOB \varnothing 70 mm
D-shaft 6x4.6 mm



LOTUS 536019700

5054168 SELF-STICKING DISK RED 110-190°C
 \varnothing external 64 mm



LOTUS 539016400

3241401 BLACK KNOB \varnothing 70 mm UNIVERSAL
D shaft hole 8x6.5 mm



LOTUS 536017100

Suitable for:

3241957 BLACK KNOB \varnothing 77 mm
D-shaft 8x6.5 mm



LOTUS 536034700

5064747 SELF-STICKING DISK RED 110-190°C
 \varnothing external 72 mm



LOTUS 539062400

3241950 SELF-STICKING DISK RED 60-300°C
 \varnothing external 72 mm



LOTUS 539062700

3241959 BLACK KNOB \varnothing 77 mm
D-shaft 10x8 mm



LOTUS 536034600

3241953 SELF-STICKING DISK RED 150-300°C
 \varnothing external 72 mm



LOTUS 539060800

3241960 BLACK KNOB \varnothing 77 mm
D-shaft 6x4.6 mm



LOTUS 536034400

Suitable for:

3241958 DISCO AUTOADESIVO AZZURRO SILK-SCREENED
 \varnothing external 72 mm



LOTUS 539063600

3241955 SELF-STICKING DISK RED 30-90°C
 \varnothing external 72 mm




LOTUS 539060700

3241952 SELF-STICKING DISK RED PILOT SYMBOL
 \varnothing external 72 mm



LOTUS 539062800

3241971 SELF-STICKING DISK RED 0-1-2-3
 \varnothing external 72 mm



LOTUS 539060100



Suitable for:

3241961 SELF-STICKING DISK RED 0-1-2-3-4-5-6
ø external 72 mm



LOTUS 539060200

3241974 SELF-STICKING DISK RED 0-1-2-3-4-5-6
ø external 72 mm



LOTUS 539060300

3241965 SELF-STICKING DISK RED 30-110°C
ø external 72 mm



LOTUS 539061100

3241970 SELF-STICKING DISK RED 30-90°C
ø external 72 mm



LOTUS 539060600

3241964 SELF-STICKING DISK RED 50-300°C
ø external 72 mm



LOTUS 539062600

3241969 SELF-STICKING DISK SILKSCREENED
ø external 72 mm



LOTUS 539061600

LOTUS



Suitable for:

3241962 SELF-STICKING DISK RED 0-1-2-3-4-5-6
ø external 72 mm




LOTUS 539060400

3241966 SELF-STICKING DISK RED 110-190°C
ø external 72 mm



LOTUS 539062300

3241977 SELF-STICKING DISK RED 30-110°C
ø external 72 mm




LOTUS 539061000

3241963 SELF-STICKING DISK RED 50-300°C
ø external 72 mm




LOTUS 539062500

3241968 SELF-STICKING DISK SILKSCREENED
ø external 72 mm



LOTUS 539061400

3241975 SELF-STICKING DISK SILKSCREENED
ø external 72 mm




LOTUS 539061900




Suitable for:

3241967 SELF-STICKING DISK 0-120 MINUTES
ø external 72 mm



LOTUS 539061200

3241973 SELF-STICKING DISK 50-250°C
ø external 72 mm



LOTUS 539061700

5057164 BLACK KNOB ø 77 mm
D-shaft 8x6.5 mm




LOTUS 536034500

3241954 SELF-STICKING DISK RED PILOT SYMBOL
ø external 72 mm



LOTUS 539063000

3241953 SELF-STICKING DISK RED 150-300°C
ø external 72 mm



LOTUS 539060800

3241950 SELF-STICKING DISK RED 60-300°C
ø external 72 mm




LOTUS 539062700

LOTUS




Suitable for:

3241972 SELF-STICKING DISK 10-120 MINUTES
ø external 72 mm



LOTUS 539063300

3241976 SELF-STICKING DISK 50-300°C
ø external 72 mm



LOTUS 539062000

3241952 SELF-STICKING DISK RED PILOT SYMBOL
ø external 72 mm



LOTUS 539062800

5064747 SELF-STICKING DISK RED 110-190°C
ø external 72 mm




LOTUS 539062400

3241955 SELF-STICKING DISK RED 30-90°C
ø external 72 mm



LOTUS 539060700

3241951 SELF-STICKING DISK 125-275°C
ø external 72 mm




LOTUS 539061800



Suitable for:

3241956 SELF-STICKING DISK 150-300°C
ø external 72 mm



LOTUS 539062100

LOTUS



Suitable for:

3241546 BLACK-RED KNOB ø 70 mm SILK-SCREEN PRINT
D shaft hole 8x6.5 mm
for Pot stove gas (LOTUS) - Series 550
Series 700 - Series 900



LOTUS 536019800

LOTUS 536019800+...

3241549 BLACK-RED KNOB ø 70 mm SILK-SCREEN PRINT
D shaft hole 8x6.5 mm



LOTUS 536019800+

3241958 DISCO AUTOADESIVO AZZURRO SILK-SCREENED
ø external 72 mm



LOTUS 539063600

3241952 SELF-STICKING DISK RED PILOT SYMBOL
ø external 72 mm



LOTUS 539062800

3241954 SELF-STICKING DISK RED PILOT SYMBOL
ø external 72 mm




LOTUS 539063000

5053595 SELF-STICKING DISK RED PILOT SYMBOL
ø external 64 mm



LOTUS 539022500

3241971 SELF-STICKING DISK RED 0-1-2-3
ø external 72 mm



LOTUS 539060100

3241961 SELF-STICKING DISK RED 0-1-2-3-4-5-6
ø external 72 mm



LOTUS 539060200

Suitable for:

3241962 SELF-STICKING DISK RED 0-1-2-3-4-5-6
 ø external 72 mm



LOTUS 539060400

Suitable for:

3241974 SELF-STICKING DISK RED 0-1-2-3-4-5-6
 ø external 72 mm




LOTUS 539060300

3241966 SELF-STICKING DISK RED 110-190°C
 ø external 72 mm



LOTUS 539062300

5054168 SELF-STICKING DISK RED 110-190°C
 ø external 64 mm




LOTUS 539016400

5064747 SELF-STICKING DISK RED 110-190°C
 ø external 72 mm



LOTUS 539062400

3241953 SELF-STICKING DISK RED 150-300°C
 ø external 72 mm




LOTUS 539060800

3241965 SELF-STICKING DISK RED 30-110°C
 ø external 72 mm




LOTUS 539061100

3241977 SELF-STICKING DISK RED 30-110°C
 ø external 72 mm




LOTUS 539061000

3241955 SELF-STICKING DISK RED 30-90°C
 ø external 72 mm



LOTUS 539060700

3241970 SELF-STICKING DISK RED 30-90°C
 ø external 72 mm



LOTUS 539060600

3241963 SELF-STICKING DISK RED 50-300°C
 ø external 72 mm



LOTUS 539062500

3241964 SELF-STICKING DISK RED 50-300°C
 ø external 72 mm



LOTUS 539062600



LOTUS



Suitable for:

3241950 SELF-STICKING DISK RED 60-300°C
ø external 72 mm



LOTUS 539062700

Suitable for:

3241968 SELF-STICKING DISK SILKSCREENED
ø external 72 mm




LOTUS 539061400

3241969 SELF-STICKING DISK SILKSCREENED
ø external 72 mm




LOTUS 539061600

3241975 SELF-STICKING DISK SILKSCREENED
ø external 72 mm




LOTUS 539061900

3241967 SELF-STICKING DISK 0-120 MINUTES
ø external 72 mm




LOTUS 539061200

3241972 SELF-STICKING DISK 10-120 MINUTES
ø external 72 mm




LOTUS 539063300

3241951 SELF-STICKING DISK 125-275°C
ø external 72 mm




LOTUS 539061800

3241956 SELF-STICKING DISK 150-300°C
ø external 72 mm




LOTUS 539062100

7108724 SELF-STICKING DISK 150-300°C
external ø 64 mm
for Fryer electric (LOTUS)
FQ-4ETX/FQ-6ETX/FQ-4EM/FQ-6ET/FQ-4ET
FQ-6EM/FQ-61EM/FQ-61ET/FQ-62EM/FQ-62ET
for Fryer gas (LOTUS) FQ-4G/FQ-6G



LOTUS 539008100

3241973 SELF-STICKING DISK 50-250°C
ø external 72 mm




LOTUS 539061700

Suitable for:

Suitable for:

3241976 SELF-STICKING DISK 50-300°C
 ø external 72 mm



LOTUS 539062000

Lamp receptacles and spare parts

3221233 GLASS FOR OVEN LAMP RECEPTACLE ø 42 mm
 thread ø 33 mm - overall height 26 mm



LOTUS

3221052 GLASS FOR OVEN LAMP RECEPTACLE ø 57 mm
 thread ø 33.5 mm - overall height 34 mm



LOTUS

3221060 LAMP RECEPTACLE WITH LAMP E14 25W 230V
 lamp glass ø 42 mm
 mounting hole ø 38 mm
 max temperature 300°C
 for OVEN



LOTUS 537005400+7900

LOTUS 537007900+5400


Lava rock grids

3185061 STAINLESS STEEL GRILL 405x225x35 mm
 for Lava rock grill gas (LOTUS) CW-61G



LOTUS 541058201

3185062 STAINLESS STEEL GRILL 525x405x35 mm
 for Lava rock grill gas (LOTUS) CW-62G



LOTUS 541058301

5031024 STAINLESS STEEL GRID 440x325x45 mm
 for Lava rock grill gas (LOTUS) CW-74G/CW-78G



LOTUS 541108800



Suitable for:

LOTUS



Suitable for:

Magnet groups

3182003 MAGNETIC UNIT SIT
ø head 25 mm - ø end 17 mm - length 56 mm
for valve SIT AC2 - VR8-MINISIT



LOTUS 531001200

Microswitches

3240179 MAGNETIC MICROSWITCH E5301C
0.4A 250V - contact NO - head 65x20x9 mm
with cable length 500 mm



LOTUS 537015700

3240181 PROTECTED MAGNET 62x18x10 mm



LOTUS 537015800

3240410 MICROSWITCH 16(4)A 250V



LOTUS 537011500

3240181 PROTECTED MAGNET 62x18x10 mm



LOTUS 537015800


3240625 TAP MICROSWITCH 250V



LOTUS 537023600

Motors


3240000 MOTOR WITH FAN 45W 220V 50/60Hz
fan ø 150 mm



LOTUS _75R0035

LOTUS 537006800

3240105 MOTOR 1048.1920 0.045/0.0765Kw 220/240V
50/60Hz 2800/3400rpm
plate dimensions 150x150 mm
distance between holes 130 mm



LOTUS _ARC3610-00

OR and ORM gaskets

3186013 O-RING GASKET 06187 EPDM \varnothing 58 mm



LOTUS _10500100

3186775 O-RING 03150 RED SILICONE



LOTUS 536009700

Pilot burners and accessories

5032809 ELBOW FITTING
 \varnothing connection 1/4" - \varnothing thread 16 mm - \varnothing pipe 10 mm
 for Lava rock grill gas (LOTUS)



LOTUS 531025600

3523008 NUT M14x1 FOR B3-B3/C VALVE



LOTUS 533010900

3348044 PIPE OLIVE \varnothing 10 mm
 for model PEL 20 - 21



LOTUS 533039300

3020084 NUT & OLIVE \varnothing 6 mm



LOTUS 533018300

5027854 OLIVE FITTING \varnothing 10 mm
 thread \varnothing 3/8"G
 for Bain-marie gas (LOTUS)



LOTUS 533009500

3020082 OLIVE FOR 12 mm \varnothing PIPE



LOTUS 533017900

3020081 OLIVE FOR 6 mm \varnothing PIPE



LOTUS 533039100



Suitable for:

Suitable for:

3020112 OLIVE FOR 6 mm Ø PIPE



LOTUS 533010400

3020001 ONE-FLAME PILOT BURNER SIT
multigas with jet \varnothing 0.20 mm
with 2 positions bracket



LOTUS 533091400

LOTUS 533091500

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



LOTUS

3020036 PILOT BURNER SIT 3 FLAMES
multigas type with nozzle \varnothing 0.35 mm
with 3 position bracket



LOTUS

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



LOTUS

3020042 PILOT GAS JET \varnothing 0.19 mm



LOTUS 533020500

3020040 PILOT JET \varnothing 0.30 mm



LOTUS 533020200

3020079 PIPE FITTING \varnothing 12 mm
thread \varnothing 3/8" F



LOTUS 533018000

3020078 PIPE FITTING \varnothing 6 mm
thread M10x1



LOTUS 533039000

3020131 PIPE OLIVE \varnothing 8 mm



LOTUS 533016100

Suitable for:

3020251 TARGET ONE-FLAME PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
for Solid top range gas (LOTUS) - Series 700
Series 900



LOTUS 533023200

3001003 ROUND SPARKING PLUG ø 7x44 mm
male faston M4x1 mm
total length 65 mm



Suitable for:

3020042 PILOT GAS JET ø 0.19 mm



LOTUS 533020500

LOTUS

3020010 TARGET PILOT BURNER SIT 2 FLAMES
supplied without sparking plug, nozzle and gasket
with thermocouple fitting




LOTUS 533023400

3001003 ROUND SPARKING PLUG ø 7x44 mm
male faston M4x1 mm
total length 65 mm



3020042 PILOT GAS JET ø 0.19 mm



LOTUS 533020500

LOTUS

3020038 THREE-FLAME PRINTED PILOT BURNER SIT
without sparking plug, gas nozzle and gasket
thermocouple fitting included



LOTUS 533011000

3020040 PILOT JET ø 0.30 mm



LOTUS 533020200



Suitable for:

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



LOTUS



Suitable for:

LOTUS

3020013 TWO-FLAME PILOT BURNER RH
without sparking plug, gas jet and gasket
with thermocouple fitting



LOTUS 533011500

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm
male faston M4x1 mm
total length 65 mm



3020040 PILOT JET \varnothing 0.30 mm



LOTUS 533020200

LOTUS

Pliers for sandwiches und toasts

3317051 GRILL PLIER
length 100 mm
height 180 mm



LOTUS 531004500


Rotary switches

3057050 CONNECTING BRACKET 28x21x16 mm
distance between hooking brackets 27 mm
for the connection between selector switch and the



LOTUS 537001200


3057014 SELECTOR SWITCH 0-1 POSITIONS
contact capacity 16A 250V - max 150°C
D spindle \varnothing 6x4.6 mm
back connection for thermostat



LOTUS 537000200

Suitable for:


3057027 SELECTOR SWITCH 0-1 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaft \varnothing 6x4.6 mm
 rear hole for thermostat



LOTUS 537000400


Suitable for:

3057172 SELECTOR SWITCH 0-2 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm




LOTUS 537005700

3057180 SELECTOR SWITCH 0-3 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaft \varnothing 6x4.6 mm




LOTUS 537034001

3057023 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 32A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm




LOTUS 537027700

3057024 SELECTOR SWITCH 0-6 POSITIONS
 contact capacity 16A 250V - max 150°C
 D-shaped pin \varnothing 6x4.6 mm




LOTUS 537000300

3057174 SELECTOR SWITCH 0-9 POSITIONS
 contact capacity 16A 250V - max 150°C
 D shaft \varnothing 6x4.6 mm
 for Oven under cooktop (LOTUS) - Series 600
 Series 650



LOTUS 537019200

2111991 SWITCH 0-9 POSITIONS
 contacts 16A 250V - max 150°C
 D-Shaft 6x4.6 mm
 for Oven under cooktop (LOTUS) - Series 60
 Series 65



LOTUS _75B0043

LOTUS 537019201



Suitable for:

LOTUS



Suitable for:

Safety groups for pans and spare parts

3184029 DEPRESSION VALVE \varnothing 3/8" M
in chrome plated brass
for security valve 3/4"



LOTUS

3184007 PRESSURE GAUGE \varnothing 60 mm
in chrome plated brass
radial connection 1/4"
scale 0-1 bar
for safety groups



LOTUS

Solenoid valves

3120005 SOLENOID VALVE 329 220/240V \varnothing 10 mm
solenoid valve 180° - 220/240V 50/60Hz - max 90°C
inlet 3/4" - outlet \varnothing 10 mm



LOTUS 537012600

Spark generators

3181003 SPARK GENERATOR 4 OUTLETS
220/240V 50/60Hz



LOTUS 537006600

3181004 SPARK GENERATOR 6 OUTLETS
220/240V - 50/60Hz



LOTUS 537005600

3181005 SPARK GENERATOR 8 OUTLETS
220V - 50/60Hz



LOTUS 537008400



Sparking and detection plugs

3020284 ROUND IGNITION ELECTRODE \varnothing 6x29 mm

F connection 2.8x0.8 mm
overall length 34 mm
for Pot stove gas (LOTUS) - Series 600



LOTUS 537021700

3020278 ROUND IGNITION ELECTRODE \varnothing 8x36 mm


F connection 4.8x0.8 mm
overall length 47 mm
for Pot stove gas (LOTUS) - Series 600



LOTUS 537021800

3020272 ROUND IGNITION ELECTRODE \varnothing 8x57 mm

F connection 2.8x0.8 mm
overall length 70 mm
for Pot stove gas (LOTUS) 650PC/FO-1G
650PC/FO-2G - 650PC/FO-3G



LOTUS 537010300

3001003 ROUND SPARKING PLUG \varnothing 7x44 mm

male faston M4x1 mm
total length 65 mm



LOTUS

3020073 SPARKING PLUG ROUND \varnothing 7/10x52 mm

model 1/B
connection F 2.8x0.8 mm - complete with spring
overall length 54 mm



LOTUS 537002700

3020060 SPARKING PLUG ROUND \varnothing 7x44 mm

faston M 4x1 mm
overall length 82 mm
model CB505/021 Junkers
for model P502F



LOTUS 537003000

LOTUS 537008300

3020365 SPARKING PLUG ROUND \varnothing 7x44 mm

connection \varnothing 2.4 mm
overall length 52 mm



LOTUS 537010200



Suitable for:

LOTUS



Suitable for:

Springs

5052443 SPRING \varnothing 23x77 mm
for Panini grill (LOTUS) CTC-4EM/CTC-8EM



LOTUS _C00036
LOTUS 6M00036

LOTUS _6M00036

LOTUS C00036


Switches

1319612 RED BIPOLAR SWITCH 16A 250V
16(4)A 250V - with indicator light
silk-screen printing "flash"
max temperature 120°C
mounting hole 22x30 mm
for Pot stove electric (LOTUS) - Series 600
Series 650



LOTUS 537015600

3319012 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V
with indicator lamp and switch cover
screen printing 0 - I
max. temperature 120°C
mounting hole 22x30 mm



LOTUS 537001700

LOTUS 537015500

3319090 SWITCH 2-POLE GREEN 16A 250V
16(4)A 250V
with indicator lamp and switch cover
max. temperature 120°C
mounting hole 22x30 mm



LOTUS 537001700

Taps for tank refilling

5012833 WATER INLET TAP \varnothing 1/2" FF
for Pasta cooker gas (LOTUS) CP-6G - CPM-62G



LOTUS 531018500

3359285 WATER INLET TAP \varnothing 1/2" M
intenal output \varnothing 7.5 mm



LOTUS

Suitable for:

3183054 WATER INLET TAP \varnothing 3/4" FF
for Pasta cooker electric (LOTUS)
CP-4ET/CP-6ET/CP-4ETX/CP-6ETX



LOTUS 531020800

Suitable for:

3359740 WATER INLET TAP RH \varnothing 1/2" FF



LOTUS 531037600

Terminal blocks


3247016 3-POLE TERMINAL BLOCK FV273 40A 450V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



LOTUS 537003800

LOTUS 537007600

3247009 6-POLE TERMINAL BLOCK FV122/B 40A 600V
for cable max 6 mm²
operating temperature 150°C
nominal voltage 450 V



LOTUS 537007700

Thermocouples and accessories

3440064 NUT FOR THERMOCOUPLE M8x1



LOTUS 533009800

5017781 THERMOCOUPLE CUT-OFF M9x1 50 cm
cut-off contact with cables 40 cm



LOTUS 533067200

3440019 THERMOCOUPLE EXTENSION M9x1 60 cm.
female nut M9x1



LOTUS 533053300

3440109 THERMOCOUPLE M8x1 60 cm
for Pot stove (LOTUS) - Series 600



LOTUS 533072200

3440110 THERMOCOUPLE M8x1 60 cm
for Pot stove (LOTUS) - Series 600



LOTUS 533077100

3440056 THERMOCOUPLE SIT M8x1 120 cm THREAD M8x1



LOTUS 533011800



Suitable for:

Suitable for:

3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS
GIUNTO M8x1




LOTUS 533053700

3440057 THERMOCOUPLE SIT M8x1 150 cm THREAD M8x1



LOTUS 533053700

3440857 THERMOCOUPLE SIT M8x1 150 cm - 10 PCS
GIUNTO M8x1




LOTUS 533053700

3440027 THERMOCOUPLE SIT M8x1 32 cm




LOTUS _05-000-0029

3440827 THERMOCOUPLE SIT M8x1 32 cm - 10 PCS




LOTUS _05-000-0029

3440827 THERMOCOUPLE SIT M8x1 32 cm - 10 PCS



LOTUS _05-000-0029

3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS
GIUNTO M8x1




LOTUS 533011100

3440053 THERMOCOUPLE SIT M8x1 60 cm THREAD M8x1



LOTUS 533011100

3440853 THERMOCOUPLE SIT M8x1 60 cm - 10 PCS
GIUNTO M8x1



LOTUS 533011100

3440039 THERMOCOUPLE SIT M9x1 150 cm



LOTUS 533041800

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



LOTUS 533041800



Suitable for:

Suitable for:

3440839 THERMOCOUPLE SIT M9x1 150 cm - 10 PCS



LOTUS 533041800

3440034 THERMOCOUPLE SIT M9x1 50 cm



LOTUS 533011300

LOTUS 533045700

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



LOTUS 533011300

LOTUS 533045700

3440834 THERMOCOUPLE SIT M9x1 50 cm - 10 PCS



LOTUS 533011300

LOTUS 533045700

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS



LOTUS 533039400

3440036 THERMOCOUPLE SIT M9x1 85 cm .



LOTUS 533039400

3440836 THERMOCOUPLE SIT M9x1 85 cm - 10 PCS




LOTUS 533039400

Thermostatic gas valves

3345031 THERMOSTATIC TAP SABAF

djustment temperature 300°C
 flange coupling
 1 outlet pipe fitting \varnothing 3/8" M
 1 outlet pipe fitting M13x1 mm
 2 thermocouple connections M8x1mm
 bulb \varnothing 4x150 mm
 capillary length 850 mm
 D-shaped pin \varnothing 8x6.5 mm
 for Oven under cooktop (LOTUS) - Series CF-8
 for Oven under cooktop gas (LOTUS) CF-10 - CF-10/6



LOTUS 531008301

3020131 PIPE OLIVE \varnothing 8 mm



LOTUS 533016100



Suitable for:

3345018 THERMOSTATIC TAP 25ST
 operating temperature 100-300°C
 connections M16x1.5 mm
 thermocouple connection M9x1
 bulb ø 6x75 mm
 capillary length 1200 mm
 D-shaped pin ø 8x6.5 mm



LOTUS 531031600

LOTUS 531033900


Suitable for:

3020082 OLIVE FOR 12 mm ø PIPE



LOTUS 533017900


3020078 PIPE FITTING ø 6 mm
 thread M10x1



LOTUS 533039000


Thermostats

3444568 SINGLE-PHASE THERMOSTAT 105-185°C
 D-shaped pin ø 6x4.6 mm
 covered capillary length 900 mm - 16A 230V
 bulb ø 6x130 mm - with adapter nipple bland M10x1



LOTUS 537014300

3444367 SINGLE-PHASE THERMOSTAT 235°C
 with manual reset
 covered capillary length 870 mm - 16A 250V
 bulb ø 6x133 mm
 for Fryer electric (LOTUS) FEM-2/6 - FEM-6
 FQ-4EM - FQ-6EM - FQ-61EM - FQ-62EM
 F2/25-98ET - F25-94ET



LOTUS 537001300

3444641 SINGLE-PHASE THERMOSTAT 235°C
 with manual reset
 covered capillary length 1000 mm
 bulb ø 3x185 mm



LOTUS 402511000

3444372 SINGLE-PHASE THERMOSTAT 245°C
 with manual reset
 covered capillary length 1170 mm - 16A 250V
 bulb ø 6x133 mm
 for Fryer gas (LOTUS) FQ62GF



LOTUS 537010000



Suitable for:


3444510 SINGLE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 850 mm - 16A 250V
 bulb \varnothing 6x138 mm - w/ stuffing gland fitting M9x1
 with complete tank sealing fitting M12x1



LOTUS 537012200

Suitable for:

3444346 SINGLE-PHASE THERMOSTAT 30-90°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 6x130 mm - with stuffing gland fitting M9x1



LOTUS 507001500

LOTUS 537001500

3444361 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary 950 mm - 16A 250V
 bulb \varnothing 3x160 mm




LOTUS 537006100

3444369 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 16A 250V
 bulb \varnothing 3x220 mm
 for Bratt pan (LOTUS) - Series 700
 for Fry top (LOTUS) - Series 600 - Series 650




LOTUS 537001600

3444635 SINGLE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1200 mm
 double bulb \varnothing 3x120 mm
 for Oven under cooktop (LOTUS) - Series 600
 Series 650



LOTUS 537019100

3444380 SINGLE-PHASE THERMOSTAT 90-180°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 16A 250V
 bulb \varnothing 6x135 mm - with adapter nipple band M9x1
 for Fryer (LOTUS) - Series 600 - Series 650
 Series 700 - Series 900



LOTUS 537000600

3444121 STUFFING GLAND FOR THERMOSTAT MILLED M9x



LOTUS 533008600

5052839 THERMOSTAT SINGLE-PHASE 104-192°C
 D-shaft \varnothing 6x4.6 mm
 covered capillary length 910 mm
 bulb \varnothing 6x134 mm - with adapter nipple gland M9x1



LOTUS 537037700



Suitable for:

LOTUS



3444642 THERMOSTAT SINGLE-PHASE 50-190°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length covered 850 mm - 16A 250V
 bulb \varnothing 3x180 mm



LOTUS_402502000

LOTUS 402502000

Suitable for:

3444368 THREE-PHASE THERMOSTAT 245°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x80 mm
 for Fryer (LOTUS)
 Series 600 - Series 650 - Series 700 - Series 900
 for Fryer (LOTUS) F2/18-78ET




LOTUS 537001400

3444076 THREE-PHASE THERMOSTAT 30-110°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 1200 mm - 10A 400V
 bulb \varnothing 6x130 mm



LOTUS 537012300

3444364 THREE-PHASE THERMOSTAT 30-90°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x135 mm - with adapter nipple band M10x1
 for Bain-marie electric (LOTUS) BM-10EMX - BM-4EMX
 BM-6EMX - BM-62ET - BM-8EMX - BS-4EMX



LOTUS 537000800


3444363 THREE-PHASE THERMOSTAT 420°C
 with manual reset
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 4x310 mm
 for Bratt pan (LOTUS) - Series 600 - Series 650
 Series 700
 for Fry top (LOTUS) - Series 600 - Series 650
 Series 700
 for Oven under cooktop (LOTUS) - Series 700
 Series 900



LOTUS 537012700

LOTUS 537012800

3444052 THREE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 capillary length 900 mm - 10A 400V
 bulb \varnothing 3x230 mm




LOTUS 537013500

3444103 THREE-PHASE THERMOSTAT 50-320°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 3x220 mm



LOTUS 537000900

3444366 THREE-PHASE THERMOSTAT 90-180°C
 D-shaped pin \varnothing 6x4.6 mm
 covered capillary length 900 mm - 10A 400V
 bulb \varnothing 6x135 mm - with adapter nipple bland M10x1




LOTUS 537000700



Timers

3446004 TIMER 120 MINUTES


complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
120 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



LOTUS 537019300

3446051 TIMER 15 MINUTES C20

manually set mechanical timer
manually set cycle 15 minutes
2 poles with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
complete with knob
for Toaster electric (LOTUS) TS-1



LOTUS 537000500

3446141 TIMER 15 MINUTES G15


mechanical movement with balance wheel
manually set mechanical timer
manually set cycle 15 minutes
contact capacity 16(4)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm
complete with screen-printed plate and knob
for all models
for Toaster (LOTUS)



LOTUS 537001100

3446007 TIMER 60 MINUTES

complete with silk-screen printed plate
mechanical timer with sound alarm
mechanical movement with balance wheel
manual left hand positioning possible
60 minutes manually set cycle
bipolar with contact capacity 16(3)A 250V
max temperature 125°C
D-shaped pin \varnothing 6x4.6 mm



LOTUS RRC2191-00

Wheels and accessories

7102729 WHEEL \varnothing 150 mm

central hole \varnothing 14 mm - with pin groove 24x6 mm
complete with folding handle



LOTUS _SMB0136-00

LOTUS SMB013600

Wire pan supports

3354001 GRID REDUCER FOR MOKA 265x265 mm

in stainless steel




















LOTUS 533009200

The data herewith contained may change without notice and LF SpA cannot be held responsible for possible errors stated or resulting by the use of this document. All rights reserved. No part of this publication may be reproduced without written permission by LF SpA.



Distributing Components, Spare Parts & Accessories
in original quality worldwide

-
-  **LF SpA HEADQUARTERS**
via Voltri, 80 - 47522 Cesena (FC) ITALY
Tel. +39 0547 34 11 11 - Fax +39 0547 34 11 10
www.lfcomb724.it - www.lfcomb724.mobi - info@lfcomb.it
Export Dept.: Tel. +39 0547 34 11 50 - Fax: +39 0547 34 11 55
www.lfspareparts724.com - www.lfspareparts724.mobi
export@lfspareparts.com
 -  **OOO LF RUSSIAN FEDERATION**
Ul. Anatoliya Zhivova, 8 - office 1 - 123100 Moscow
Tel. +7 499 259 85 75
Fax +7 495 725 26 53
www.lfspareparts724.ru
www.lfspareparts724.mobi
info@lfspareparts.ru
 -  **EPGC Sas FRANCE**
13, Rue des Forts - 59960 Neuville en Ferrain
Tel. +33 (0)3 20 25 06 21
Fax +33 (0)3 20 25 34 12
www.epgc.com
www.epgc724.mobi
epgc@epgc.com
 -  **LF Repuestos Horeca S.L.U. SPAIN**
Calle Ciudad Real, 10 - 45517 Escalonilla - Toledo
Tel. +34 91 477 91 00
Fax +34 91 477 90 81
www.lfrepuestos-horeca724.es
www.lfrepuestos724.mobi
info@lfrepuestos.es
 -  **LF GmbH GERMANY**
Junkersstrasse, 1 - D-82178 Puchheim - München
Tel. +49 89 89 45 78 66
Fax +49 89 89 45 78 88
www.lfersatzteile724.de
www.lfersatzteile724.mobi
info@lfersatzteile.de
 -  **LF SpA Cesena (IT) Swiss Branch Steinhausen SWITZERLAND**
Sennweidstrasse, 45 - CH-6312 Steinhausen
Tel. +41 (0)41 760 15 80-1
Fax +41 (0)41 760 15 85
www.lfersatzteile724.ch
www.lfersatzteile724.mobi
info@lfersatzteile.ch
 -  **LF China REPUBLIC OF CHINA**
Room 403, No.2, Huadu Mansion, Lane 422, Huanghua Rd.
Minhang Dist. - 201103 Shanghai
Tel. +86 (0)21 33 53 66 31
Fax +86 (0)21 33 53 66 32
www.lfspareparts724.com
www.lfspareparts724.mobi
china@lfspareparts.com
 -  **LF Spare Parts Ltd. UNITED KINGDOM**
A10a Lakeside Business Park, Broadway Lane
South Cerney, Gloucestershire GL7 5XL
Tel. +44 (0)1285 86 16 25
Fax +44 (0)1285 86 39 49
www.lfspareparts724.co.uk
www.lfspareparts724.mobi
info@lfspareparts.co.uk
-
-  **AUSTRALIA AND NEW ZEALAND**
www.lfspareparts724.com
andrea.calvio@lfspareparts.com
 -  **DENMARK**
www.lfspareparts724.dk
michael.lenth@lfspareparts.com
 -  **AUSTRIA**
www.lfspareparts724.at
ludwig.neier@lfersatzteile.at
 -  **SOUTH KOREA**
www.lfspareparts724.com
fabio.doni@lfspareparts.com
 -  **BALKAN COUNTRIES**
www.lfspareparts724.com
matija.ramov@lfspareparts.com
 -  **TURKEY**
www.lfyedekparca724.com
basar.ergun@lfyedekparca.com
 -  **BALTIC COUNTRIES**
www.lfspareparts724.com
inara.silina@lfspareparts.com
 -  **USA AND CANADA**
www.lfspareparts724.us
sauro.dallaglio@lfspareparts.us
howard.truitt@lfspareparts.us
 -  **CENTRAL AND EASTERN EUROPE**
www.lfspareparts724.cz
jiri.kremla@lfspareparts.cz